

PREScriBER
and
CLINICAL REPERTORY
of
MEDICINAL HERBS

BY

Lt.-Col. F. Harper-Shove

HEALTH SCIENCE PRESS

BRADFORD, HOLSWORTHY
DEVON, EX22 7AP, ENGLAND

Breasts

CHEST

agalactia in nervous and fear-depressed women, with painful and swollen breasts	<i>Puls.</i>
mammary swelling in infants	<i>Phytol.</i>
— and soreness	<i>Phytol. + (Phytol.)</i>
mammitis (Echin.), (Polym. U.), (Hamam.), (Stram.)	(<i>Echin.</i>), (<i>Polym. U.</i>), (<i>Hamam.</i>), (<i>Stram.</i>)
—, during periods	<i>Con. mac.</i>
—, with dry skin and suppressed lacteal secretions	<i>Piloc.</i>
mastitis	<i>Phytol. + (Phytol.)</i> , (<i>Bell.</i>), <i>Asclep. t.</i> , (<i>Piloc.</i>)
—, acute	(<i>Camph.</i>), (<i>Hyper.</i>)
milk secretion, to check	<i>Con. mac.</i> , <i>Bell.</i> , <i>Car. pet.</i> , <i>Salv. off.</i> , (<i>Camph.</i>)
—, to check after weaning	<i>Polyp. off.</i>
—, to promote	<i>Puls.</i> , <i>Piloc.</i> , <i>Foen.</i> , <i>Menth. pul.</i>
morbid sensitiveness during menses	<i>Phytol.</i>
nipples, fissured	<i>Acac. C.</i>
—, sore	<i>Mitch.</i> , <i>Phytol.</i> , (<i>Calend.</i>), (<i>Hamam.</i>), (<i>Hydras.</i>), (<i>Myrox. P.</i>), (<i>Cop. L.</i>), <i>Bapt. + (Bapt.)</i> , (<i>Thuja</i>)
—, sore or excoriated	(<i>Calend.</i>)
nodular masses in mammary glands	<i>Con. mac.</i>
scirrhus of	<i>Con. mac.</i>
swollen and hard	(<i>Car. pet.</i>)
— and inflamed	<i>Phytol.</i> , <i>Bry.</i> , <i>Acon.</i> , <i>Bell.</i> , <i>Cimic. rac.</i>
tumours	<i>Bapt.</i> , <i>Con. mac.</i>

CHEST

Empyema

Cinch.

Heart

acute pain ; restlessness ; fever;
 full bounding pulse *Acon.* + *Asclep.* t.
 aneurism, with hardness and
 tension of pulse *Verat. v.*
 angina pectoris
 Lobel., *Acon.*, *Gels.*, *Cimic.* rac.,
 Crat. Oxy., *Cer. gr.*, *Lopop.*
 ——, pain with tightness
 and constriction of chest *Lobel.*
 ——, sudden excruciating
 pain in left breast radiating
 down left arm, despondency
 and fear of death *Crat. Oxy.*
 ——, violent palpitation ;
 severe substernal pain radiat-
 ing to neck and arms ; irregu-
 lar pulse with tendency to
 syncope ; palpitation worse
 on least movement
 ——, with oedema and
 praecordial oppression, of
 smokers
 aortic or mitral regurgitation,
 due to valvular lesions
 asthenia and organic debility
 broken compensation
 cardiac pain
 chronic structural disease, of
 —— valvular disease with fail-
 ing or broken compensation
 compensation, disordered
 debility
 —— by overstrain or overwork
 dilated with mitral incompe-
 tence
 —— right heart with tricuspid
 incompetence
 dilatation, and hypertrophy

Heart

dilatation, first sound absent,
 weak or prolonged, or replaced
 by murmur ; pulse fast, inter-
 mittent and irregular
 ——, right side dilated
 ——, with grief, worry, long-
 drawn sighs or sobbing *Ignat.*
 disorders, all *Conv. m.*, *Crat. Oxy.*
 ——, caused by rheumatism or
 gout
 ——, functional, due to nervous
 origin
 ——, of purely nervous
 type with intermittent pulse
 ——, functional, with giddiness,
 imperfect voluntary motions,
 impaired vision, and sensation
 of pressure over larynx
 ——, nervous with feeble action
 ——, with mental depression
 disturbances, at menopause or
 menses
 dropsy *Puls.*
 dyspnœa, cardiac *Cer. gr.*
 endocarditis *Adon.*
 ——, acute Camph. (*subcut.*), *Crat. Oxy.*, *Lyco.*
 v., *Stroph.*
 ——, rheumatic *Cimic. rac.*
 ——, full, hard and tense pulse ;
 great muscular excitement
 ——, with full bounding pulse ;
 fever ; restlessness ; sharp
 cutting pain in left side
 ——, with severe pain in left
 side ; palpitation ; violent
 and visible "blowing" sound
 at apex of heart
 ——, cramp-like pain in heart,
 with feeling of weight thereon *Verat. v.*
 Acon.
 Spig.
 Cer. gr.

CHEST

Heart

- endocarditis, with frontal or vertex headaches; rheumatism; pain under left nipple extending down left arm
- enfeebled by long illness
- enlargement of
- exceedingly irregular and fast pulse varying in rhythm and power
- failure
- fatty degeneration
- fatty heart ; dyspnœa ; pain in right arm ; obesity
- feeble circulation and low arterial pressure
- quickened pulse with capillary obstruction
- and irregular action of, with constriction of chest ; fear and nervous sensations
- functional asthenia
- disorders of many kinds
- hypertrophy and dilatation of the venous heart
- , from excessive smoking ; heart feels as if gripped by iron band
- great oppression in cardiac region ; palpitation ; dyspnœa ; constricting pains and tenderness around heart
- , valvular insufficiency
- , complicated with rheumatism
- hydropericardium, œdema due to enfeebled heart, pulse feeble ; soreness in uterine region ; palpitation

Cimic. rac.
Cer. gr. + *Caps.*
Aspar.

Digit.
Strych. Ign.
Fuc. ves.

Phytol.

Conv. m.

Conv. m.

Cer. gr.
Acon.

Crat. Oxy., *Cyt. sco.*

Puls.

Cer. gr.

Lyco. v.
Collins.

Colch. aut.

Conv. m.

Heart

hydropericardium, dyspnœa worse lying down ; œdema hands, feet and under eyes ; very thirsty but water disagrees ; sinking feeling ; urine scanty and dark colour ; skin distended and glistening ; constipation ; pulse slow

—, very slow pulse ; skin bluish colour, especially eyelids, lips, tongue and nails, cyanosis worse on motion

impaired action whether feeble, irregular or tumultuous

intermittent in rhythm

irregularities due to mechanical impediments

irregular action

irritable, of excessive tobacco smokers, when action strong and erratic

—, with palpitation from overwork ; heart strain and the arrhythmia of simple dilatation, ventricular dilatation and asthenia

irritability

—, irregularity and weakness with dyspnœa and praecordial oppression

—, with weak action

mitral and tricuspid regurgitation with low arterial tension ; cyanosis

— insufficiency with regurgitation, if no pericardial adhesions or advanced myocardial degeneration present

— regurgitation and rheumatism of the heart with sense of weight or constriction

Apoc. can.

Digit.
Cer. gr.
Cer. gr.

Conv. m.
Cola v.

Verat. v.

Digit.
Cola v.

Lyco. v.
Digit.

Apoc. can.

Digit.

Collins.

CHEST

Heart

- irritability, regurgitation with valve insufficiency
— stenosis and regurgitation
- myocarditis ; dyspnoea ; palpitation, rush of blood to head
- neuralgia of nervous and other disorders, with giddiness, imperfect motion, pressure over throat and sense of impending danger
- nervous, with intermittent pulse
- palpitation, and vehement heart action with arrhythmic movements, dyspnoea and diminished arterial pressure
- , and spasms
- , and other disorders
- , due to excessive tea drinking
- , due to gastric distention
- , due to indigestion
- , due to nervous irritability
- , from excitement or shock
- , irregular action and spasm
- , from irritation of cardiac nerve centres, or organic lesions
- , nervous and fainting
- , reflex from gastro-intestinal irritation
- , reflex, of neurasthenic, hysterical, and chlorotic subjects
- , violent
- , with debility
- , with full, strong pulse ; bloodshot eye ; tobacco heart
- , with sharp, stitching pains

Heart

- Crat. Oxy.*
Digit.
- Crat. Oxy.*
Cer. gr., Lobel.
- Puls.*
Scutell.
- Conv. m.*
Acon.
- Lyco. v., Lobel.*
- Cinch.*
- Eug. arom., Camph.*
Acon.
Camph.
- Passif.*
Acon.
- Lyco. v.*
Valer.
- Kalm.*
- Stroph.*
Hyosc.
Prun. ser.
- Verat. v.*
Cann. sat.

Heart

pectoral neuralgia from nervous dyspepsia

pericarditis *Crat. Oxy.*, *Lyco. v.*, *Bry.*, *Cer. gr.*,
Verat. v., *Acon.*, *Asclep. t.*

—, after acute pains have passed

—, severe pain shooting into arm and neck, stitching pain in left breast ; dyspnoea, can only lie on right side ; palpitation, least movement produces feeling of suffocation

—, stitching pains, worse on motion, better lying on affected side

—, when complicated with rheumatism

praecordial oppression and apprehension of danger or death rapid, due to excessive smoking rheumatic, debilitated, irregular rheumatic

scarlatinal angina with tendency to destruction of tissue

smokers

spasm, suffocating feeling, and

palpitation

strain

strain from over-exertion

syncope or extreme weakness

tachycardia

threatened failure in all diseases

tobacco

tonic for feeble action, dyspnoea, etc.

— to strengthen heart muscles

— especially for tendency to

dropsy

— for oppressive feeling and

dropsical state

valvular incompetency

Pip. meth.
Crat. Oxy., *Lyco. v.*, *Bry.*, *Cer. gr.*,
Verat. v., *Acon.*, *Asclep. t.*

Piloc.

Spig.

Bry.

Cimic. rac.

Cer. gr.
Lyco. v.
Collins.
Cimic. rac.

Sang.
Cola v.

Acon.
Bry. + Arn.

Adon.

Bell.

Crat. Oxy.
Stroph.

Cer. gr., *Conv. m.*

Visc. alb.

Cer. gr.

Apoc. can., *Leon.*

Conv. m.

Crat. Oxy.

CHEST

Heart

valvular insufficiency with difficult breathing
 weak action with low blood pressure and shortened diastole with consequent venous stasis, increased back-pressure and feeble intermittent or irregular pulse
 — and irregular, from chronic nephritis
 —, due to muscular debility
 — heart sounds
 — intermittent pulse
 —, rapid and irregular action with low arterial tension
 —, rapid, flaccid pulse
 weakness of nervous depression
 —, valvular and other, especially with kidney complaints
 — with valvular murmurs, sighing respiration, or difficult breathing with nerve depression

Pain

bruised, worse from deep breath
 cardiac
 constrictive type of dyspnoea, with fullness of chest with dyspnoea
 great, over gall-bladder coursing to left and downwards
 heavy, sore and oppressive hypertrophy
 irregular with anaemia
 neuralgia, cardiac
 —, intercostal
 Cimic. rac., *Rhus t.*, (*Caps. (tinct.)*)
 — —, with hyperæmia
 oppression with pain and cough
 pectoral neuralgia from nervous dyspepsia

Cola v.

*Adon.**Adon.**Stroph.**Digit.**Adon.**Digit.**Digit.**Aven.**Adon.**Crat. Oxy.**Stict. pul.**Prun. ser.**Cer. gr.**Stroph.**Serp.**Podo.**Lobel.**Crat. Oxy.**Crat. Oxy.**Crat. Oxy., Lobel.*

Pain

pleural, worse on motion and short hacking cough or nervous, with bronchial secretion arrested though skin moist

—, worse from motion and cough

—, and muscular soreness in chest

pleurisy (see also under Respiration)

—, to remove fluid

pleuritic, and hoarseness

pleurodynia (*Bell.*), Asclep. t., Piloc., (*Acon.*), (Ol. Tereb.), Bry.

praecordial

—, oppression

pulmonary tuberculosis, in rheumatism diaphragmatic

sharp, stitching cardiac, with palpitation

short lancinating, radiating from heart to left shoulder and arm

soreness and dull, in pectoral muscles, worse when deep breathing

— with acute "cold"

spasm of heart muscle

sticking, cardiac

strain due to over-exertion

vascular excitement with rapid, tumultuous action but lacking power

CHEST

Asclep. t.

Asclep. t.

(Lobel.)

Asclep. t.

Piloc.

Eupat. per.

Cimic. rac.,
Piloc., (*Acon.*),
(Ol. Tereb.),
Bry.

Stroph.

Crat. Oxy.

(*Bell.*)

Cimic. rac.

Cann. sat.

Lobel.

Stict. pul.
(Myr. fr.)

Cer. gr.

Collins.

Crat. Oxy.

Lyco. v.

BACK

BACK

	Pain	
Lumbar	<p>bruised pain, stiffness and lameness, soreness and " bubbling" sensation in rectal region burning pain in deep-seated colicky pain from kidneys and hips to navel deep-seated pain, with hot, moist skin and full, strong pulse drawing and muscular pains in loins, back and thighs overloaded intestines, due to pain in <i>Cimic. rac.</i> + <i>Bry.</i> + <i>Gels.</i>, (<i>Bell.</i>), <i>Pauli.</i>, <i>Xanth.</i>, (<i>Brass. n.</i>), (<i>Caps. (tinc.)</i>), <i>Acon.</i></p> <p>pain in, sthenic patients pain with dry skin sense of weight and dragging pain in loins, with scant renal secretion sense of weight and dragging pain with renal atony, in aged severe pain and bearing-down pelvic pain weight and dragging pains in loins and perineum, not due to prostatic enlargement</p>	<p><i>Berb. v.</i> <i>Rhus t.</i> <i>Agrim.</i> <i>Eupat. pur.</i> <i>Cimic. rac.</i> <i>Jugl. cin.</i> <i>Verat. v.</i> <i>Piloc.</i> <i>Serp.</i> <i>Junip. com.</i> <i>Vibur. pr.</i> <i>Uva U.</i></p>
		Spinal
		<p>aching, between scapulae —, from menstruation debility and soreness difficult or abnormal urination, with dull, in right shoulder with fullness or pain over liver thighs, with spasmodic dysmenorrhœa, and</p> <p>congestion inflammation injuries to, shocks, or concussion</p> <p>irritation, non-febrile —, heat in palms, and tingling end of toes, worse in bed ; occipital to frontal headaches ; spine tender with sensitive spots ; indigestion ; palpitation ; back hurts when pressed against anything —, with excitement or convulsions —, with spasms —, with tenderness and burning pain on least pressure</p> <p>meningitis, cerebro- (see under Head). —, nervous tension in legs, worse on motion ; great thirst —, pulse full, hard and tense —, throbbing pain in spine ; drowsiness with sleeplessness, starts at every sound</p>
Neck	<p>crick in, back or sides <i>Cimic. rac</i> + (<i>Cimic. rac.</i>) external pain across shoulders, back of neck, extending to occiput stiff stiff, rheumatic swellings wry</p>	<p><i>Stict. pul.</i> <i>Cimic. rac.</i> <i>Acon.</i> <i>Salix nig.</i> <i>Xanth.</i>, (<i>Bell.</i>) (external use)</p>
		<p><i>Iris v.</i> <i>Kalm.</i> <i>Arn., Bell.</i></p> <p><i>Agro.</i></p> <p><i>Chel. m.</i></p> <p><i>Vibur. Op.</i></p> <p><i>Clav. pur.</i> <i>Bell., Acon., Gels.</i></p> <p><i>Hyper., Chel. m.</i> <i>Acon., (Polym. U.)</i></p> <p><i>Bell.</i></p> <p><i>Verat. v.</i> <i>Verat. v.</i></p> <p><i>Hyper.</i></p> <p><i>Bry.</i> <i>Verat. v.</i></p> <p><i>Bell.</i></p>

EXTREMITIES

EXTREMITIES

Ankles	and other joints, aching pain after exertion and from a relaxed state of the ligaments	Cinch.
Chilblains		(Camph. (<i>lin.</i>)), (Sang.), (Ulm. f. (<i>poult.</i>)), (Echin.), (Cop. L.), <i>Puls.</i>
	itching	(Acon.), (Ol. Tereb.)
Coldness	blueness, and clamminess, and of hands, easily frightened, starts at every sound of surface in children's diseases —, with feeble circulation persistent, in feet and legs of women at menopause, with grief and worrying sensation of, with marked tenderness, lameness, or soreness to touch	Solan. dul. Myric. cer. Calend. Zing. Sang. <i>Ignat.</i> Melil. off.
Corns	Dros. and bunions, inflamed	
		(All. cep.), (Lobel.), (Ol. Tereb.)
Cramp	pregnant women, legs of	Vibur. pr.
Feet	burning of soles cold, with feeble circulation frozen (Sang. + Ulm. f. (<i>poult.</i>)), Cop. L. full and œdematosus on pressure hyperhydrosis swollen tender, sore, and fagged	<i>Ignat.</i> Solan. dul. Apoc. can. Piloc. Erech. (Symph.), (Rumex cr.)
Felons		(Phytol.), (Lobel.), (Verat. v.)

Gangrene	senile, with icy lower extremities worse from being covered	Clav. pur.
Glands	swollen and inflamed	(Ol. Tereb.)
Gout	Arist. l., Bid., Coff., Frax. ex., (Bell.), Gen. tinc., Ilex Par., (Pop. can.), (Tam.), Teuc. Ch., Tarax., Gels., Guaia., Colch. aut., Menis. Can., (Menis. Can.), Art. v.	Colch. aut. Guaia. (Acon.) Verat. v. <i>Puls.</i>
Hands	acute chronic rheumatic sthenic conditions, in stomach conditions leading to	
Hip	chapped	Thuja.
Inflammation	disease, scrofulous diathesis	Helian. can.
JOINTS		
	acute articular rheumatism affections arthritis	(Ol. Tereb.) (Lobel.) Frax. ex., (Acon.)
	—, chronic, with fullness of lymphatic nodes and weak digestion gouty swelling neuritic, from impaired function	Menis. Can. (Senec. Jac.) Xanth.
MUSCLES		
	swellings —, with neuralgic pains	(Camph. (<i>lin.</i>)) (Gault.)
Lameness	associated with rheumatism or neuralgia	Melil. off.
Locomotor Ataxia	Nux Vom., Thuja, Phys. ven., Cola v., Xanth.	
	lightning pains	Cann. sat.

EXTREMITIES

Nail	toe, ingrowing	Polyp. off., Thuja.
Edema	feet with pale, waxy skin and nephritis, of feet and legs, with scanty urine and pale tissues hepatic congestion, with left hand and foot limbs, with cardiac weakness and irregularities, of numbness of left arm, with	Erech. Pip. meth. Chel. m. <i>Cer. gr.</i> <i>Cer. gr.</i> <i>Cer. gr.</i>
Pain	JOINTS aching —, from relaxed ligaments cramp general hip knee, especially with liver trouble —, white swelling stiffness —, and swollen —, swollen and painful —, from rheumatic inflammation swollen, painful and itching	Aego. Cinch. Stach. pal. Stach. pal. <i>Puls.</i> Chel. m. Helian. can. Tarak. K. Bry. (Piloc.), (Bell.) <i>Rhus t.</i> (Gault.)
	MUSCULAR cramp in calf fugitive rheumatic myalgie (Gault.), (Bell.), (Acon.), Clav. pur., Xanth. —, due to strain of muscular exertion or to recent colds from exposure to inclement weather —, soreness and swelling neuralgic, deep burning neuritic —, deep burning	Vibur. Op., (Bell.) Kalm. (Camph. (lin.)) <i>Rhus t.</i> Acon., Melil. off. <i>Rhus t.</i>

EXTREMITIES

Pain	MUSCULAR sciatic —, rheumatic and gouty temporary lameness and soreness thighs and back, with spasmodic dysmenorrhœa, of	Melil. off. Senec. Jac. (Ol. Tereb.) Vibur. Op.
	GENERAL drawing, in right leg and foot, cold as ice whilst left foot is normal soles of feet, worse from warmth of bed; ankle joints swollen, in	Chel. m.
	Paraplegia without marked organic lesion with vascular sluggishness	Led. <i>Rhus t.</i> Clav. pur.
	Periostitis of long bones, swollen and inflamed, worse at night and from damp syphilitic, night pains, and shin pains	<i>Daph. Mez.</i> Berb. aq.
	Phlebitis limb pale; swollen veins, hard and knotty, painful to touch	<i>Puls.</i>
	Rheumatism Celas. sca., Coff., Aral. n., (Bell.), Frax. ex., Gen. tinc., Ilex Par., Meny. tri., (Pop. can.), Teuc. Ch., (Tam.), Solan. dul., Tarax. acute muscular with burning pains and erysipeloid redness, swelling, tension and glistening skin chronic (Bell.), Beton., Guaia. —, in aged, with muscular soreness and joint pains feet, travels upward, in fever high and restlessness — —, in gouty subjects, tearing pain worse from heat	<i>Rhus t.</i> Con. mac. Led. Acon. <i>Colch. aut.</i>

EXTREMITIES

Rheumatism	finger joint swellings joints swollen and stiff limbs weak, stiff and feverish ; pains shift from place to place, cannot be touched, worse at night muscular, parts hot, swollen and tender ; darting pains, worse on motion, followed by numbness —, pain with swelling, puffiness of neighbouring tissues —, acute, muscles sore and tender —, chronic, no fever ; skin soft ; pain dull and heavy, but continuous —, articular oedema, with rheumatoid lameness and soreness uncomplicated wrist joints swollen and red ; motion impossible, touch unbearable	Bry. Bry. <i>Colch. aut.</i> Kalm. + Gels. Piloc. Cimic. rac. + Gels. Brun. (Gault. (oil)) Apoc. can. Melil. off. <i>Acon.</i> Cimic. rac. <i>Colch. aut.</i> (Nymph.)
Sciatica		<i>Pisc. Ery.</i> , Aego., (Senec. Jac.), <i>Rhus t.</i> , Gels., <i>Acon.</i>
	bruised sore feeling, pains shoot down posterior portion of hip	Phytol.
	oedema, with subacute, or chronic, with sharp shooting, tearing or dull pain from back to hips and down legs, without fever	Apoc. can.
Sores	bad legs, and	
Synovitis		Bry.
Ulceration	or " bad leg " Plant. m., Phytol., (Glech.), (Stell. m. (oint.))	
Whitlow		(Phytol.), (Lobel.)

SKIN

Abrasions	Thuja.
Acne	(And. Ar.), (Hydras.) + Hydras., Arct. L., Iris v. (Verat. v.) (Clav. pur.) (Clav. pur.)
	inflamed rosacea seborrhcea
	skin rough, pimples persistent youths, on face of
	Berb. aq. Berb. aq.
Anthrax	Trill.
Boils, Abscesses and Carbuncles	(Fic. Car. (<i>poult.</i>)), (Trig. Foen.), (Echin.), Phytol. + Iris v., (Verat. v.)
	blood purifiers
	Aln. ser., Echin., Phytol., Dicen. blood poisoning suspected, if Echin. cavities, to cleanse (Echin.) congestion, first stage Bell. external (Bell. + Glycer.) inflamed (Verat. v. + Acon.) malignant carbuncle of dusky, bluish or purple colour Echin. non-open (Ulm. f.) old (Ol. Tereb.) pus-oozing granulations (Myrox. P.) recurrent crop of Aln. ser., Arct. L. recurrence, to prevent Echin., Arct. L. scarring, to lessen (Calend.) sinuses (Car. pet.) slow and painful Lyco. cl. suppuration, to prevent (Acon. + Hamam. + Arn.)

SKIN

Bruises and Sprains	(Polyg. mul.), (Camph. (lin.)), (Sassa.), (Tam.), (Ol. Eur.), Arn., (Melal. L.), (Hamam.) not abraded discoloration, to remove	(Art. Abs.), (Hyper.) (Hyss. (leaves))
Burns and Scalds	<i>Semp.</i> , (Menth. pip.), (Ol. Eur.), Lin. usti., (Calend.), Phytol., Trif. pus-oozing granulations, after	(Myrox. P.)
Chancroid	soft pultaceous	(Thuja.)
Chilblains	not open	(Ulm. f.), (Caps.), (Myrox. P.)
Condition and Colour	blanched, full, smooth, easily indented blistered brown, tongue coated at base, tip red conjunctivæ, and, yellow with nausea and colicky pains chafed or abraded chafy dirty, sallow, full and expressionless skin and tongue, with dyspepsia, vomiting of food, and frequent desire to urinate dry and hot ; dull ache in liver region and left shoulder dry and hot ; with small frequent pulse dry and hot, or inclined to moisture dryness of, and mucosa, marked fluid deprivation, with tendency to sepsis and malignancy foul pale, waxy, with pedal œdema and nephritis	Apoc. can. (Daph. Mez.) Menis. Can. Diosc. (Calend.) (Cel. sca.) Oenoth. b. Lept. Acon. Asclep. t. Piloc. (Echin.) (Echin.) Erech.

Condition and Colour	red, burning, intumescence sallow, dirty-looking, with hepatic tenderness and expressionless eyes —, greenish, with hepatic congestion scaly and horny tissues of chronic skin diseases soft and relaxed, extremities cold, and circulation weak surface extremely sensitive, too sensitive to be touched torpor of tender and sore, of face and scalp, too tender to be touched yellow, with pain in region of liver —, and conjunctivæ —, without pain	<i>Rhus t.</i> <i>Chion. v.</i> <i>Chel. m.</i> <i>(Car. Pap.)</i> <i>Salv. off</i> <i>Lyco. cl.</i> <i>Serp.</i> <i>Bry.</i> <i>Lept.</i> <i>Chion. v.</i> <i>Chion. v.</i> <i>(Dros.), Semp., (Car. Pap.), (Impat.)</i> <i>Iris v. + (Iris v.), Arct. L.</i> <i>Viol. t.</i> <i>Arct. L.</i> <i>(Pop. can.), (Ol. Eur.), (Sapon.), (Sesa. ind.), Fum., Meny. tri., (Hamam.), Linar. v., Dorst. C., (Ricin. c.), Polyp. v., Rumex cr., Veron. off., Larix. Am., (Stell. m.)</i> <i>chronic, general</i> <i>Rumex cr. + Aln. r. + Gent. + Tarax.</i> <i>—, especially</i> <i>Iris v.</i>
Corns		
Crusta Lactea		
Diseases of (not otherwise classified)		

SKIN

**Disorders of
(not other-
wise classi-
fied)**

chronic, with feeble circulation and tendency to ulceration
—, with vitiated blood
—, sluggish
—, with blood dyscrasia, with or without syphilitic taint
damaged condition of epithelium
depressed secretions with urinous odour
dry character, of a
feeble cutaneous circulation
haemorrhagic transudation into skin and mucosa
inflammations, tumid, glistening, red, burning, irritable
leprosous
lupus (All. sat.) + All. sat., Thuja + (Thuja.)
—, deeply-ulcerating
non-open
profusely secreting tumid mucous membranes
proud flesh
purpura
pustular Solan. dul., Jugl. cin.
scaly Solan. dul., (Hamam.), Berb. aq.
—, especially Solan. dul.
scrofulous Chel. m., Jugl. n. + (Jugl. n.), Sapon., Helian. can., Teuc. Ch., Solan. dul., Aral. n.
—, syphilitic and rheumatic Tarak. K.
scurvy Meny. tri., Veron. bec., Ol. Tereb. R.
syphilitic Jugl. n. + (Jugl. n.), Jacar. pro., . Hemid., Sieg., Phytol.
—, scaly, pustular, with phagedenic ulcerations Berb. aq.
venereal Sapon.

(Grind. cam.)
Rumex cr.
(Cop. L.)

Berb. aq.
(Grind. cam.)

Solan. dul.
Piloc.
Arct. L.

Ol. Tereb. R.
Rhus t.
Sieg.
Iodine.
(Ulm. f.)

Berb. aq.
(Thuja.)
Ol. Tereb. R.
Solan. dul., Jugl. cin.
Solan. dul., (Hamam.), Berb. aq.
—, especially Solan. dul.
Chel. m., Jugl. n. + (Jugl. n.), Sapon., Helian. can., Teuc. Ch., Solan. dul., Aral. n.

Tarak. K.

Meny. tri., Veron. bec., Ol. Tereb. R.

Jugl. n. + (Jugl. n.), Jacar. pro., . Hemid., Sieg., Phytol.

Berb. aq.
Sapon.

**Disorders of
(not other-
wise classi-
fied)**

with blood impurities
(Ahn. ser.), Aln. ser., Echin., Arct. L., Rumex cr., Scroph. n.

with irritation and ichorous discharges
Still.

Eczema

Jugl. n. + (Jugl. n.), Hydras. + (Hydras.), Berb. aq., (Bell.), (Bet. alb.), Rumex cr., Tarak. K., Jugl. cin., Chel. m., (Sang.), (Ol. Eur.), Thuja.

acrid moisture beneath scabs
with much itching
burning sensation, with chronic
—, and itching

(Eug. arom.), Iris v. + (Iris v.)
—, of vesicular type

dry outlets of body, etc., at papular
pustular

—, with cracked or fissured skin, persistent

scaly
scaly pustular, on face
stubborn

weeping
with redness, swelling, and burning

— glutinous, sticky exudation, and general body depravity

Cimic. rac.

acute infectious diseases, in early stages of Acon. + Bell., (Led.)
burning and itching, in desquamative stage of capillary engorgement in eruptive diseases

Xanth.

**Eruptions
(not other-
wise classi-
fied)**

Still.

Delph. Staph.

Rhus t.

(Calot.), (Myrox. P.)

Hydras.

(Acon.)

Aln. ser.

Podo.

Phytol.

Berb. aq.

Arct. L.

(Sang.), (Tsuga.)

Rhus t.

(Echin.)

SKIN

Eruptions (not otherwise classified)	cutaneous —, to cleanse dermatitis, acute form determine, to dilation of skin capillaries with smarting and pain dry, scaly excessive dryness of skin, with herpetic moist cutaneous, in children obstinate pemphigus with redness, swelling and burning retrocession of smallpox, and other infective diseases syphilitic	Scroph. n. + (Scroph. n.), Asclep. t. + Zing. (Quill.) (Ol. Eur.) Nep. Cat. (Hamam.) Arct. L., (Cel. sca.) Asclep. t. Berb. aq. Viol. t. And. Ar., Solan. dul. <i>Rhus t.</i> Solan. dul. Bapt., Gels., Sarr. pur., Bell., Acon., Verat. v., <i>Rhus t.</i> , Cimic. rac. Sang.
Erysipelas	(See under Face).	
Erythema		<i>Bell.</i> , Hydras. burning pain, with redness and itching function from Echin., Rumex cr., (Calend.). (Hamam.), (Echin.) skin red, hot and dry
Fistulæ		(<i>Thuja</i> .)
Freckles		(Hamam.), (Glech.)
Gangrene	with free but fetid discharge	(Eucalyp.)
Glands	sebaceous, to stimulate	Arct. L., Helian. can.
Granulations	of small sinuses pus-oozing after operations	(Myrox. P.) (Myrox. P.)

Growths

cancerous, to relieve pain of	(<i>Con. mac.</i>)
deposits in skin or mucus membrane	Gal. Ap.
moles	<i>Thuja</i> + (<i>Thuja</i> .)
naevi (as warts)	
nodular	Gal. Ap., Lyco. cl.
nodular masses in axillary and mammary glands	<i>Con. mac.</i>
verrucose	(Chel. m.)
warts	(<i>Thuja</i>), (Dros.), (Car. Pap.), (Sang.) (<i>Impat.</i>)
wens	(<i>Sassa.</i>)

Herpes

labialis	(<i>Verat. v.</i>)
general	Berb. aq., (Urt. d. (<i>H.</i>))
with burning, itching and exudation	<i>Rhus t.</i>
zoster	Serp., (<i>Verat. v.</i>)

Inflammatory

acute	(Ulm. f.), (Alth. ros.), <i>Semp.</i> <i>Rhus t.</i>
cellular, with feeble circulation	
in the skin	Arct. L.
erysipelatous	(<i>Lobel.</i>)
inflamed surfaces	(Alth. off.)
local, to ease pain and hasten suppuration	(<i>Verat. v.</i>)
suppurating and sloughing sores with full or swollen and dusky tissues and tendency to destruction	(Cinch.)
with redness, swelling and burning	(Bapt.)
	<i>Rhus t.</i>

Irritation

(sometimes denoting kidney trouble, diabetes, or improper food)	<i>Rhus t.</i> , <i>Bell.</i> , <i>Ignat.</i> , (Hamam.), (Hydras.)
with female troubles	(<i>Con. mac. (oint.)</i>)
	(Calot.)

Leprosy**SKIN**

	SKIN		SKIN	
Growths	cancerous, to relieve pain of deposits in skin or mucus membrane moles naevi (as warts) nodular nodular masses in axillary and mammary glands verrucose warts wens	(<i>Con. mac.</i>) <i>Gal. Ap.</i> <i>Thuja + (Thuja.)</i> <i>Gal. Ap., Lyco. cl.</i> <i>Con. mac.</i> (<i>Chel. m.</i>) (<i>Thuja</i>), (<i>Dros.</i>), (<i>Car. Pap.</i>), (<i>Sang.</i>) (<i>Impat.</i>) <i>(Sassa.)</i>	Pruritis jaundice, and pale watery alvine discharges, with pudendal Psoriasis (<i>Ol. Eur.</i>), <i>Tarak. k.</i> , <i>Berb.</i> <i>aq.</i> , (<i>And. Ar.</i>), <i>Arct. L.</i> , <i>Iris v. + (Iris v.)</i> eruption moist and offensive, forming greyish-white crust dry skin, with scaly pustular eruption on face Purpura dark, clotted venous haemor- rhage Shingles Sores bed cleanse and tone, to of all kinds old, of scrofulous origin stinking Sunburn Swellings glandular inflamed Ulcers (<i>Hamam.</i>) Arn., (<i>Hyper.</i>), (<i>Sassa.</i>), <i>Ly-</i> <i>co. cl.</i> <i>Con. mac.</i> (<i>Hamam.</i>) <i>(Amar.</i>), <i>Phytol. + Iris v.</i> , <i>(Ulm. f.)</i> , (<i>Rud. Id.</i>), <i>(Liquidamb.</i>), (<i>Vacc. Myr.</i>) <i>(Chrys. L.)</i> aphthous and indolent bleeding cancerous carcinomatous cleanse, to fetid and gangrenous from burns, wounds, and absces-	Chion. v. Solan. dul. Arct. L. Piloc. Berb. aq. Hamam. Rumex cr. , <i>Iris v.</i> , <i>Helian.</i> <i>can.</i> , (<i>Aral. rac.</i>) <i>(Thuja)</i> , (<i>Styr. ben.</i>), (<i>Echin.</i>) <i>(Arum t. (hot))</i> <i>Phytol.</i> , <i>Bapt.</i> , <i>Echin.</i> <i>(Oxal. ac.)</i> <i>Thuja + (Thuja)</i> (Hamam.) Arn. , (<i>Hyper.</i>), (<i>Sassa.</i>), <i>Ly-</i> <i>co. cl.</i> <i>Con. mac.</i> (<i>Hamam.</i>) <i>(Myric. cer.)</i> , <i>Arct. L.</i> <i>Clav. pur.</i> <i>(Echin.)</i> , (<i>Con. mac.</i>) <i>(Quill.)</i> , (<i>Pot. tor.</i>), (<i>Liquidamb.</i>), <i>(Corn. F.)</i> <i>(Cinch.)</i> , (<i>Tsuga</i>) <i>(Ricin. c.)</i>
Herpes	labialis general with burning, itching and exuda- tion zoster	(<i>Verat. v.</i>) <i>Berb. aq.</i> , (<i>Urt. d. (H.)</i>) <i>Rhus t.</i> <i>Serp.</i> , (<i>Verat. v.</i>)		
Inflammatory	acute cellular, with feeble circulation in the skin erysipelatous inflamed surfaces local, to ease pain and hasten suppuration suppurating and sloughing sores with full or swollen and dusky tissues and tendency to de- struction with redness, swelling and burn- ing	(<i>Ulm. f.</i>), (<i>Alth. ros.</i>), <i>Semp.</i> <i>Rhus t.</i> <i>Arct. L.</i> <i>(Lobel.)</i> <i>(Alth. off.)</i> (<i>Verat. v.</i>) (<i>Cinch.</i>) (<i>Bapt.</i>) <i>Rhus t.</i>		
Irritation	(sometimes denoting kidney trouble, diabetes, or improper food) with female troubles	<i>Rhus t.</i> , <i>Bell.</i> , <i>Ignat.</i> , (<i>Hamam.</i>), (<i>Hydras.</i>) (<i>Con. mac. (oint.)</i>)		
Leprosy		(<i>Calot.</i>)		

SKIN

Ulcers	gangrenous, to lessen scarring indolent (Pter. M.), (Daph. Mez.), (Stell. m.) irritable and painful low vitality, of obstinate old old indolent old tibial, due to varicosis scrofulous sluggish, cutaneous	(Calend.) (Bapt.) (Myrox. P.) Arct. L. (Ol. Tereb.) (Grind. cam.) (Myrox. P.) Eryth. Am., (Myric. cer.) Hydras. + (Hydras.), (Echin.)
	stinking tibial syphilitic —, phagedena tendency to ulcerate with watery discharge and boggy edges	(Echin.), (Liquidamb.) Hemid. Berb. aq. Samb. can. (<i>Amer.</i>)
Urticaria		(Clav. pur.), (Echin.), (Bell.)
	and functional pruritus	<i>Rhus t.</i>
Varicella	initial stages	<i>Acon.</i>
Variola	initial stages to prevent and cure to prevent pitting with livid colour and foul dis- charges	<i>Acon.</i> Sarr. pur. (Camph.) <i>Rhus t.</i>
Wounds		(Rub. Id.), (Hamam.), (Chrys. L.), (Oph. v.), (Vacc. Myr.), (Styr. ben.) bleeding non-open sloughing ulcerous and obstinate very painful, and heal slowly
		(Stach. pal.) (Ulm. f.) (Thuja.) (Symph.) (Echin.)

SLEEP

Disturbed	fretful, and, sudden starting up with sharp shrill cry of fright	<i>Rhus t.</i>
Dreams	disturbed by unpleasant, wakes sad and languid night terrors, fright and rest- lessness	<i>Puls.</i>
Insomnia	acute or chronic diseases, with aged persons, and of remittent fevers atony, from brief spells of sleep disturbed by unpleasant dreams, with excitability and unrest, from exhaustion, debility, or insanity, of — from nervous excitation, in extreme restlessness, sensitiv- ness, with general Prim. ver., Aven., Eryth. C., (Til. (baths)), Asar. Can.	<i>Hyosc.</i> <i>Lyco. v.</i> <i>Acon.</i> <i>Cypr. pub.</i> <i>Cann. sat.</i> <i>Hyosc.</i>
	mental overwork, from mental unrest, from melancholia from menstrual ir- regularities after prolonged or severe pain morbid vigilance in disease, from nervous exhaustion, from — irritability, from — irritation and cough, from — tension, from — unrest, from Camph., Pisc. Ery.	<i>Prim. ver.</i> <i>Lact. v.</i> <i>Cypr. pub.</i> <i>Cypr. pub.</i> <i>Lyco. v.</i> <i>Puls.</i> <i>Cypr. pub.</i> <i>Verbas.</i> <i>Gels.</i> <i>Leon.</i>
	nervousness and palpitation, with sedative, as	<i>Caul. th.</i>

SLEEP

Insomnia	wakefulness in fevers worry or overwork, or febrile excitement, from — and nervous debility, from	<i>Cann. sat.</i> <i>Passif., Humul.</i>
	— and neurasthenia, from young, or aged, in and broken with fright and terror with anxiety, etc.	<i>Puls., Passif.</i> <i>Humul.</i> <i>Passif.</i> <i>Hyosc.</i> <i>Cinch.</i>

Restless	young, or aged, in and broken with fright and terror with anxiety, etc.	<i>Hyosc.</i> <i>Cinch.</i>
-----------------	---	--------------------------------

FEVER

Bilious	full, bounding pulse ; nausea ; heavy feeling in stomach ; vomiting of bitter substance	<i>Acon. + Nux Vom.</i>
Catarrhal	early stages with deep-seated pains in loins	<i>Eupat. per.</i>
Enteric		<i>Echin., Eupat. per + Jeff. diph. + Xanth. + Helon.</i>
Feverishness	from cold, with restlessness and anxiety hectic (<i>disguised malaria, especially if with neuralgia</i>)	<i>Acon.</i> <i>Quinine.</i>
Gastric		<i>Acon.</i> <i>Acon.</i>
General	overloaded stomach, from acute, quiet and busy delirium, of apathetic, secretions scanty and vitiated, and nervous depression cathartic, as useful cold stages, during dry skin and membranes, with early stages — — — , with or without restlessness for mild perspiration in formative stages, in	<i>Kalm., Serp., Petas. v., Silph. per., Corn. ser., Corn. F., Scab., Alst. con., Levist., Teuc. Sco., Camph., Eupat. per.</i> <i>Stram.</i> <i>Bry.</i> <i>Lept.</i> <i>Acon.</i> <i>Piloc.</i> <i>Verben.</i> <i>Acon.</i> <i>Melis. off.</i> <i>Lept.</i>

FEVER**FEVER**

General great restlessness, excitability ; flushed face ; bright eye ; contracted pupil ; hot head
hectic
highly feverish state with nervous excitement ; hot head ; tremulous, jerky muscles ; great restlessness ; high temperature
inactive, intractable, depressing, with red or highly-coloured urine, worse in afternoon, perhaps with irritative stomach or sore throat
low, typho-mania and tremors
—, typhus
—, with irritable stomach
many kinds of, especially when accompanied by hard pulse ; flushed right cheek ; frontal pain ; irritative cough ; and sharp cutting pain, worse on motion
periodic or remittent

Quinine, Lyco. cl., Achill.

perspiration, to promote
prolonged, after, to promote gastric digestion
rheumatic
scanty salivary secretions, and pain with movement of gases in abdomen
scarlet, and congested states
skin dry, not followed by perspiration, with deep-seated aching pain and great thirst
sthenic, in children, with convulsive complaints
— conditions with inflammation, delirium, etc.

Gels.
Cinch.

Gels.

Lyco. cl.
Cyprip. pub.
Fer. sum.
Acac. sen.

Bry.

Serp.

Gent.

Acon.

Zing.
Bell.

Eupat. per.

Gels.

Verat. v.

General sudden onset and rapid evolution
tympanites

Hay (see also under **Nose**) with headache

Intermittent Pip. n., Phys. alk., Apoc. can., Teuc. Ch., Adhat., Carb. ben., Cusp. f., Chion. v.

Influenza colds (see also under **Respiration**)

Glandular *Acon.* + Phytol.

Malarial Agro., Lept., Magn. early stages heavy, dull headache ; obstinate constipation ; hepatic pain ; burning pain under right scapula ; tongue dirty brown ; skin yellow ; cough, with frothy sputa ; urine scanty and highly coloured irregular and masked types, of not responding to quinine typho-, with marked tenderness of viscera

Puerperal Echin.

Remittent chills and fever ; severe bruised pain ; mind stupid and sluggish

general Apoc. can., Quinine, Lyco. cl., Achill.

Scarlet dropsy following diuretic, as eruptions, to determine

Acon.
Asafet.

Piloc.
Stict. pul.

Achill.

Acon.

Grind. cam.
Eupat. per.
Eucalyp.

Bry., Echin.

Gels.

Sang.
Gal. Ap.
Carth. t.

FEVER

Scarlet	malignant form, thin, ichorous, burning and excoriating nasal discharge ; delirium ; breathes with open mouth; picks at nose	<i>Arum t.</i>
	malignant form prophylactic simple form	<i>Phytol. + Echin.</i> <i>Bell. (in minute doses)</i> <i>Acon. + Bell.</i>
Typhoid		<i>Serp., Bry., Echin., Bapt., Chion. v., Acon. + Rhus t. + Gels.</i>
	bowel ulceration	<i>Epil.</i>
	conditions with bad blood	<i>Bapt.</i>
	— with asthenic blood	<i>Arn.</i>
	dark red besotted appearance ; eyes injected ; stupor and delirium ; tongue dry and coated brown ; offensive breath ; sordes on teeth ; body feels scattered in pieces	
	delirium with face pale and sunken ; tongue dry ; profound stupor ; teeth sordid ; lower jaw drops ; involuntary stools and urine ; muttering	<i>Bapt.</i>
	dry tongue ; low muttering delirium ; sordes of lips and teeth ; diarrhoea	
	flashes of heat with chilliness of back ; profound prostration ; facial flushings	<i>Hyosc.</i>
	for heart	
	pre-, not amounting to enteric fever	<i>Rhus t.</i>
	sleep, to promote	
	suppression of natural secretions	<i>Echin.</i>
	tympany and ulceration, to prevent, when tongue dark red, glazed or brown-coated, hard, dry and cracked, with sordes on teeth	<i>Visc. alb.</i>
		<i>Lept.</i>
		<i>Passif.</i>
		<i>Caps.</i>
		<i>Ol. Tereb. R.</i>

FEVER

Typhus	antipyretic great cerebral congestion with throbbing carotids mild delirium profound stupor ; sordes on teeth ; chills in back ; flushed face ; foul breath	<i>Bapt.</i> <i>Bell.</i> <i>Hyosc.</i> <i>Echin.</i>
Urethral	due to catheterization	<i>Acon.</i>
Yellow	<i>Acon., Bell., Bry., Cimic rac., Verat. v.</i> dizziness ; slight chills ; pains in back and limbs ; uneasy feeling in epigastrium ; nausea and vomiting ; faintness	
	first stage	<i>Psyc. Ipec.</i> <i>Acon. + Bell.</i>
Zymotic		<i>Bry.</i>

GENERAL

GENERAL

Affections	scrofulous and syphilitic	Vitis.
Afternoon	suffering, feverish and rheumatic, with kidney, gastric, liver or bladder trouble	Lyco. cl.
Ague	Jugl. cin., Acor. C., Alst. con., Quinine, Cean. Am., Corn. F. chronic — with exhaustive discharges irregular syphilitic tonics, to promote recovery from to break up periodic chills with alternate chills and flushes	Euony., Eupat. per. Eucalyp. Eupat. per. Berb. aq. Gent., Euony., Xanth., Ptel. t. Myr. fr. + Geran. mac. Polyp. off.
Alcoholism	craving, to overcome habitual	Pic. ex., Hydras. Gels.
Alteratives	Solan. dul. with scaly skin disorders ; troubles from cold and dampness ; coldness and blueness of extremities. Aln. ser. with scrofula, or feeble vitality, or with chronic scaly or pustular skin diseases ; glandular enlargements ; boils ; wasting of flesh in children. Iris v. with enlarged spleen ; liver complaints ; goitre ; enlarged soft glands ; rough greasy skin with discoloration ; uterine troubles with skin pustules. Still. for lymphatic or secretory function ; scrofulous liver ; syphilitic and skin diseases ; feeble tissues ; mucus membranes tumid, red and glistening.	

Alteratives

Hemid. as for Still., in cases of blood depravity ; chronic rheumatism ; etc.
 Rumex cr. for cases of scrofulous, cutaneous, and syphilitic disorders ; bad blood ; bубonic and other glandular enlargements ; nervous dyspepsia with pain in left breast ; chronic sore throat and cough.
 Phytol. as above, also for hard glandular enlargements ; sore and blistered mouth or tongue ; ulcerated throat ; rheumatic complaints ; nervous atony.
 Sassa. generally used as adjunct to any of the above.
 Scroph. n. struma ; ulcerations about head and face ; enlarged glands ; full lips ; pink and white countenance.
 Trif. with ulcerous and cancerous conditions.
 Aral. rac. especially with pulmonary affections.

Anæmia

Solan. ins., *Nux Vom.*, Gent., Jateor.

broken-down constitution ; pale, hippocratic expression ; eyes sunken with dark rings, due to some drain on system as haemorrhage, diarrhoea, excesses, suppuration, etc.
 chronic, due to uterine and ovarian weakness
 debility from chronic suppuration, and
 marked, with heart irregularity
 worn out mentally and physically ; back feels tired and weak ; albumin in urine ; womb sore and tender

Cinch.

Helon.

Cinch.

Crat. Oxy.

Helon.

Anodynes

Acon., Eryth. Coc., *Hyosc.*, Humul., *Cann. sat.*, *Pisc. Ery.*

GENERAL**Anthelmintics**

Aloe, Jugl. cin., Hag., Dry.,
Spig., Tanac., Art. Abs.,
Chen. ant., Art. C.

Antiseptics

Bapt., Echin., Calend., Thuja,
Rhus gl., Berb. v.,
Eucalyp., Hydras., Art.
Abr., Thym. v., Nymph.

Antispasmodics

Gels. coughs, strictures, pain and convulsions
Lobel. fits, convulsions, coughs, asthma.
Hyosc. pain, choking sensations, muscular rheumatism, gouty, renal, hepatic, uterine, urinary asthma, palpitation, fits, mania, nervousness.
Scutell. tremors, nervous, fits, convulsions, hysteria.
Caul. th. muscular, uterine, hysterical fits, intestinal, urinary cramps.
Symp. foet. nervous fits, hysteria, asthma.
Asafet. hysteria, nerves in women and children, convulsions, colic (not in inflamed condition).
Cimic. rac. rheumatic and nervous (many conditions).
Bell. spasms, fits, colic, intestinal constriction, strictures.
Vibur. Op. uterine, colic, spasms, hiccough.
Valer. hysteria, chorea, etc.
Passif. fits, spasms in children, chorea, whooping cough.
Nux Vom. spasmotic condition of the bowels near navel, from constipation or liver trouble.
Diosc. spasmotic gastralgia, hiccough, asthma.

Aphrodisiacs

Turn. aph., Lir. ov., *Seren. ser.*

Appetite

(see also under **Stomach**)
loss of Cet. Isl., Pip. meth., Serp.
— — —, with feeble digestion Jateor.

GENERAL

Appetite loss of, with indigestion and mal-assimilation, due to sexual weakness Helon.

Apoplexy (see also under **Head**) Imper. Ost., Cimic. rac. + Beton.

Astringents Acac. C., Pter. M., Kram., Querc. r., Hamam., Geum., Myric. cer., Polyg. bis., Rubus v., Geran. mac., Urt. d., Pet. tor.

Autoinfection from imperfect elimination Echin.

Bites of dogs Scutell.
of snakes and insects (Plant. m.), Plant. m., Alch. v., Hier., Echin.

Blood **CIRCULATION** arterial, to stimulate Xanth., Myric. cer.
capillary, impairment of, with Bell
congestion —, too rapid Acon., Asclep. t., Corall.
—, too sluggish Acon., Asclep. t. + Zing.
deficient Solan. dul.
enfeebled Acon.
—, with coldness of extremities Sang.
—, with tendency to congestion, especially of nerve centres Clav. pur.
excited Kalm.
hyperæmia, bright eyes, contracted pupils, great heat, and nervous unrest Gels.
sluggish Xanth.
venous, to stimulate Hydras. + Gent.
weak, rapid Prun. ser.

PRESSURE

high, to soften and slowly reduce pulse Gels., Visc. alb.

GENERAL**Blood PULSE**

feeble, tremulous, with contracted pupils
frequent in chronic diseases with debility
full, oppressed with feeble venous flow and mucous debility
—, frequent and bounding
—, hard, sharp and strong with deficient secretion
—, rapid, corded and wiry
—, strong, intense with throbbing of carotids
—, laboured and doughy with blood-current moving with difficulty
hard, vibratile, flushed right cheek ; frontal headaches, and irritative cough
nervous excitement, to reduce in quick, small
rapid and beating so forcibly that sleep is prevented
—, with low blood pressure
—, small, with dilated pupils
small, and frequent, whether corded or compressible
—, soft, and compressible, irregular and intermittent, with dyspncea
—, quick and vibratile with sharpness of stroke, associated with burning sensations
trill as if wiry but soft
weak, with sub-normal temperature and relaxed tissues

VESSELS

atheromatous condition of capillary dilation from want of tone

*Phys. ven.**Lyco. v.**Myric. cer.**Verat. v.**Piloc.**Verat. v.**Verat. v.**Lobel.**Bry.**Gels., Cer. gr.**Acon.**Verat. v.**Stroph.**Phys. ven.**Acon.**Asp. Q.**Rhus t.**Stict. pul.**Corn. F.**Crat. Oxy.**Acon.***Blood****GENERAL**

hyperæmia

increased arterial tension, with bloodshot eyes

makers and purifiers Berb. aq., Iris. v. Echin.

poisoning —, from tumorous or malignant conditions

purifiers Echin., Aral. n., Aln. ser., Phytol., Arct. L., Helian. can., Dicen., Aral. rac., Rumex cr.

scurvy Cit. Lim.

Cachexia

lymphatic, scrofulous, and syphilitic

syphilitic and strumous Iris v.

Still.

CancerViol. od. (*leaves*), (*Trif.*), Gal. Ap., (*Stell. m. (oint.)*), *Con. mac.*, *Hydras.*, *Phytol.* + (*Phytol.*)on the skin (*Thuja.*)re-development of growths, to prevent Trif. + (*Trif.*)**Carminatives**

Pim. off., Angel., Pimp. anis., Melis. off., Acor. C., Cinn. Zey., Eug. cary., Foen., Zing., Menth. pip.

(see also under other headings)

Sesa. ind., Viol. t.

acute, disorders from cold or suspended cutaneous function

bronchi, bladder, and vaginal

chronic

chronic inflammatory

nasal, stomach and bladder

post-influenzal

vesical, worse from dampness

GENERAL*Acon.**Verat. v.*

Bapt.

Cit. Lim.

Iris v.

Still.

*(Thuja.)*Trif. + (*Trif.*)

Pim. off., Angel., Pimp. anis., Melis. off., Acor. C., Cinn. Zey., Eug. cary., Foen., Zing., Menth. pip.

Solan. dul.

Inul. Hel.

Cet. Isl.

Pip. meth.

*Beton.**Lobel.**Solan. dul.*

GENERAL

Cathartics	Lept., Rham. c., Jugl. cin., Ipom. Pur., Podo., Lin. cath., Rheum., Cass.	
Catalepsy	of unknown origin obstruction of menses, due to religious excitement, due to	<i>Cann. sat.</i> <i>Puls.</i> <i>Stram.</i>
Children's Complaints	chicken pox disturbed sleep, sudden awakening with cry ; cholera morbid; bowel complaints ; typhoid ; meningitis feverishness restless, peevish, nervous, dentition, digestive irritation, summer diarrhoea	<i>Bell.</i> , <i>Rhus t.</i> , <i>Acon.</i> <i>Rhus t.</i> <i>Gels.</i> <i>Matric.</i>
Chills and Chilliness	chilly sensations on motion	<i>Acon.</i> , <i>Puls.</i> <i>Gels.</i>
Chlorosis	Helon., <i>Puls.</i> , <i>Nux Vom.</i> , Asafet., Vibur. pr., <i>Hell. n.</i> , Alet., Senec. aur.	
Chorea	children, in girls at puberty, for mild spasmodic movements	<i>Con. mac.</i> , Cimic. rac. + Scutell. + Verben., <i>Puls.</i> , <i>Bell.</i> , Paeon. off., Asafet., <i>Passif.</i> , Polyp. off., Cyprip. pub., Solan. Car. <i>Cimic. rac.</i> , <i>Lobel.</i> <i>Cimic. rac.</i> <i>Valer.</i>
Common Colds	acute beginning at —, with chilliness break up, to diaphoretic with above deep-seated, aching pain, and slight or no fever, with	Menth. pul., Eucalyp., Euph. off., Achill., Mal. syl. Menth. pip. <i>Acon.</i> <i>Gels.</i> Corall. Asclep. t. <i>Eupat. per.</i>

GENERAL

Common Colds	head, chest and stomach, in Penth., Corall., Myric. cer. (<i>snuff</i>), Asclep. t. in head, and bronchial cough, worse entering room kidney and visceral trouble, with	
	on chest especially at beginning and end of winter, with perhaps dry cough, oppression, stomach deranged, etc.	All. cep.
	protracted, with cough and catarrh	Arist. serp.
	second stage, when Eustachian tubes feel stuffed and occluded with moderate deafness	Bry.
	tending to become chronic, or frequently repeated	Verbas.
	nervous, due to overwork, sexual indulgence, masturbation, and excessive use of tobacco	<i>Puls.</i>
Convalescence	diseased, syphilitic scrofulous	Berb. aq., Cory. Can. Cory. Can.
Convulsions	Asafet., <i>Passif.</i> , <i>Gels.</i> , <i>Lobel.</i> , <i>Bell.</i> , <i>Verat. v.</i> , <i>Acon.</i> , Valer., Art. v., Solan. Car., Vibur. Op., Verben.	
	convulsive movements	<i>Lobel.</i> , <i>Passif.</i>
	dentition of	Solan. Car.
	epileptiform of idiopathic origin	
	great vascular excitement ; full pulse and cerebral hyperaemia	<i>Verat. v.</i>
	hysterical and infantile	Solan. Car., <i>Lobel.</i>
	infantile	Asafet., <i>Gels.</i>
	—, from bowel irritation or from respiratory obstruction	<i>Lobel.</i>

GENERAL

Convulsions	puerperal spasms of childhood uræmic poisoning, with worms, from	<i>Crot. Tig.</i> <i>Gels., Lobel.</i> <i>Piloc.</i> <i>Lobel., Passif.</i>
Corpulence		Fuc. ves., Urt. d., Glech.
Cramps	abdominal ; menstrual with coldness, tenderness and lameness of the stomach diarrhoea and dysentery, with leg at night, in limbs, in the various kinds	<i>Zing.</i> <i>Egil.</i> <i>Vibur. pr.</i> <i>Gels.</i> <i>Vibur. Op. + Vibur. pr., Lobel.</i>
Debility	(see also under Mind). constitutional digestive impairment, marked with faulty gastro-intestinal functioning in aged, with general, with biliousness —, from gastro-intestinal irritation loss of tone and vigour muscular profound muscular, after long illness	<i>Bux.</i> , <i>Menis.</i> <i>Can.</i> , <i>Strych.</i> <i>Ign.</i> <i>Hemid.</i> <i>Pop. tre.</i> <i>Caps.</i> <i>Berb. v.</i> <i>Ptel. t.</i> <i>Cinch.</i> <i>Commi. Myr.</i> <i>Cola v.</i>
Demulcents		<i>Maran.</i> , <i>Symp.</i> , <i>Agro.</i> , <i>Cet. Isl.</i> , <i>Chond. cr.</i> , <i>Lin. usti.</i> , <i>Glycerine</i> , <i>Alth. off.</i> , <i>Ulm. f.</i>
Diabetes	(see under Urinary).	
Diaphoretics		<i>Asclep. t.</i> , <i>Corall.</i> , <i>Piloc.</i> , <i>Bry.</i> , <i>Angel.</i> , <i>Melis. off.</i> , <i>Eupat. per.</i> , <i>Corall.</i> , <i>Psyc. Ipec.</i> , <i>Menth. pul.</i> , <i>Xanth.</i> , <i>Achill.</i>

Disorders

ACUTE	due to cold and dampness	Solan. dul.
ALL	with profuse, watery discharges, and acute inflammation, or irritation with chronic structural, of heart, lungs, and kidneys	Euph. off. Junip. com.
BLOOD	<i>Viol. t.</i>	
CONGESTIVE	<i>Bell.</i> , <i>Lobel.</i>	
FEBRILE	acute, to quieten delirium and overcome insomnia of rheumatic or gouty origin	<i>Gels.</i> <i>Salix a.</i>
INFLAMMATORY	all to quieten delirium and overcome insomnia	Teuc. Sco. <i>Gels.</i>
MUCUS	excessive discharge of chronic disorders, with fetid, with atony haemorrhage, with thick, bland, and offensive discharges	<i>Inul.</i> <i>Hel.</i> <i>Bapt.</i> <i>Symp.</i> <i>Puls.</i>
NERVOUS	affections with convulsions and spasms "colds", following functional mild neuritis and neuralgia with hyperæmia, nervous irritability, and sharp muscular twitchings neurosis, in women and children	<i>Paeon. off.</i> <i>Til.</i> <i>Strych.</i> <i>Ign.</i> <i>Ocim.</i> <i>Gels.</i> <i>Verben.</i>

GENERAL

GENERAL

Disorders neurosis, abdominal, due to prostatic, urethral, or testicular disease

nervous children and weak women
spasmodic

PELVIC

nervous irritability, from

SCROFULOUS
chronic**STRUMOUS**

Hydrang.

WASTING

all, to increase flesh and build up strength

Discharges chronic mucus or muco-purulent

excessive mucus

mucus

mucus after acute inflammation

profuse, debilitating

Diuretics

Hydrang., Serp., Chim. umb., Eryng., Equis., Car. pet., Polyt. Jun., Dauc. C., Zea May., Menth. vir., Cyt. sco., Baros., Gal. Ap., Agro., Junip. com., Chond. t., Anac. Pyr., Caps. Bur., Collins., Uva U.

Dropsical (see also under **Urinary**).

Complaints Gen. tinc., Corn. ser., Polyt. Jun., Vitis., Anag., Podo., Spir. U., Impat., Vacc. Myr., Delph. Con.

abdominal

atonic conditions, in

cardiac origin of

Scill., Apoc. and., Crat. Oxy., Coff., Conv. m.

Pip. meth.

Cyprip. pub.
Asafet.

Cyprip. pub.

Podo., Beton.

Seren. ser.

Eucalyp.

Urt. d.

Kram.

Cop. L.

Geran. mac.

Dropsical cardiac, with weak heart
Complaints —— weakness and irregularities, with

chest of
congestion of kidneys

feet of, from weakness
general asthenic condition, and

without fever, dependent on
kidney diseases, with

plethora, lungs, etc., of
renal origin, of

—, not from cardiac lesions
—, inefficiency, due to

scarlatina, after
sthenic patients, in

testicular
thorax, heart, and abdomen, of

weakness and loss of appetite,
with

Adon.

Conv. m.

Samb. Eb.

Scill.

Apoc. can.

Scill.

Equis.

Ecb. Elat. (Amer.)

Piloc.

Poly. sen.

Pip. meth.

Eupat. per.

Piloc.

Thuja + Samb. Eb.

Iris v.

Chim. umb.

(Calot.), (Viol. od.), Aln. ser.

Psyc. Ipec., Lobel., Brass. n., Eupat. per., Apoc. and., Aln. ser., Verben.

Aloe, Chen. ol., Cimic. rac., Caul. th., Usti. May., Clav. pur., Ajug. Ch., Hell. n., Senec. aur., Leon., Art. v., Menth. pul., Ruta gr., Art. Abs., Tanac., Teuc. Sco.

Lin. usti., Glycerine, Alth. off., Ulm. f.

Quill., Chond. cr., Acac. sen.

(Hed.)

Iris v.

Elephantiasis**Emetics****Emmenagogues****Emollients****Emulsifying Agents****Enlargements** glandular
—, soft

GENERAL**GENERAL**

Enlargements	glandular, hard swollen, reddened and glistening	Phytol. <i>Rhus t.</i>
Epilepsy	(see also under Mind). <i>Ail.</i> , <i>Lobel.</i> , <i>Samb. n.</i> , <i>Cimic.</i> rac. + <i>Scutell.</i> + <i>Verben.</i> attacks, to abort force and frequency —, to ward off convulsions, to prevent injury, due to maniacal excitement with masturbation, of reduce violence of convulsions and lessen frequency of attacks, to	<i>Solan. Car.</i> <i>Passif.</i> <i>Viol. t.</i> <i>Oenan. ph.</i> <i>Stram.</i> <i>Jacar. pro.</i> <i>Lobel.</i>
Excited	nervously, and highly feverish states, with hot head ; tremu- lous and jerky muscles ; great restlessness, and high tem- perature	<i>Gels.</i>
Excretions	foul	<i>Echin.</i>
Expectorants		<i>Poly. sen.</i> , <i>Verbas.</i> , <i>Lobel.</i> , <i>Asclep. t.</i> , <i>Stict. pul.</i> , <i>Styr.</i> <i>ben.</i> , <i>Inul.</i> , <i>Hel.</i> , <i>Marr. v.</i> , <i>Psyc.</i> , <i>Ipec.</i> , <i>Hier.</i> , <i>Polyp.</i> <i>v.</i> , <i>Urg.</i> , <i>Scill.</i> , <i>Prun. ser.</i> , <i>Eriod.</i>
Faintness	tendency to, after long illness, with mental depression	<i>Cola v.</i>
Febrifuges		<i>Acon.</i> , <i>Cusp. f.</i> , <i>Alst. con.</i> , <i>Ceum.</i> , <i>Melis. off.</i> , <i>Eupat.</i> <i>per.</i> , <i>Nep. Cat.</i> , <i>Corall.</i> , <i>Scab.</i> , <i>Pot. rep.</i> , <i>Gels.</i> , <i>Verat. v.</i> , <i>Cinch.</i> , <i>Art. Abs.</i>

Feebleness	from disease, weak circulation and spinal innervation	Arn.
Flashes of Heat	from pelvis to back, up to head and down again	<i>Puls.</i>
Fretful	babies, to calm	<i>Nep. Cat.</i>
Gangrene	(see also under Skin , and Extremities). (<i>Echin.</i>), (<i>Salix nig.</i>), <i>Thuja</i> .	
Glands	(see also under Skin , Extremi- ties , and Genitalia). all affections chronic indurated engorgement, hard (non-suppu- rating) —, soft inflamed —, from hepatic causes lymphatic, scrofulous enlarge- ment swollen, cervical, axillary, and inguinal, not due to tuber- culosis	<i>Cel. sca.</i> , <i>Iris v.</i> (<i>Camph. (lin.)</i>) <i>Phytol.</i> <i>Iris v.</i> (<i>Bell.</i>) <i>Polym. U.</i> (<i>Polym. U.</i>) <i>Phytol.</i>
Goitre	(see also under Eye , and Throat). hard soft	 <i>Phytol.</i> <i>Iris v.</i>
Growths	(see also under Nose , and Skin). cancerous	 (<i>Eucalyp.</i>)
Habits	drug morphine opium tobacco, to overcome —, to substitute	<i>Gels.</i> <i>Comb. sund.</i> <i>Stram.</i> , <i>Gels.</i> , <i>Cann. sat.</i> <i>Ol. Sassa.</i> , <i>Cola v.</i> <i>Tuss. Far.</i>
Hæmophilia		<i>Ol. Tereb. R.</i>

GENERAL

Hæmorrhages (see also under Eye, Stomach, Abdomen, Urinary, Genitalia, and Respiration)

Acac. C., Ajug. rep., Polyg. bis., Cinn. Zey., Geran. mac., Achill., Querc. L., Caps. Bur., Kram., Hæmat., Vinc. m.

active Kalm., Clav. pur.
check, to Kram., Geran. mac.
general of lungs, bowel, and post-partum Usti. May.
internal Trill., Prun. v.
passive, from pelvic organs Hydras.
—, nose, lungs, and stomach Hamam.
post-partum Usti. May., Cinn. Zey.
uterine, eyeball, etc. (Hydras.), (Hamam.)
various, where amount is small Achill., Lyco. v.

Heat

flashes of, and burning of surface of thighs, etc., accompanying deficient menstruation Hell. n.
—, especially at menopause Cer. gr.
—, pelvis to back, head, and down again Puls., Acon.

Hectic

conditions Cinch.

Hemostatics

Polyg. bis., Geran. mac., Usti. May., Clav. pur.

Hydrophobia

Echin., Scutell. + Cypr. pub. + Lobel.

Hypnotics

Bell., Solan. dul., Lyco. v., Con. mac., Hyosc., Cann. sat., Visc. alb., Passif., Stram.

Inflammation asthenic, with hot, dry skin ; synovial

Acon.

GENERAL

Inflammation bowels, stomach, urinary organs, or cerebro-spinal

deep-seated, to abort exudation stage, when reached gastric and stomachic hectic, also passive lungs, bowels, and synovial lungs, stomach, bowels, and bladder

obstinate to prevent mortification

periodental pulmonary, etc., with full bounding pulse

serous membranes covering thorax, abdomen, and the contained organs of, first stage sthenic cases, in synovial

Acon. + Bell.
Piloc.
(Arn.), Acon., Bry.

(see also under Respiration).

Piloc., Eupat. per., Bry., Beton., Lobel.

great soreness all over body ; severe bone pains ; hoarseness and cough ; soreness in chest, when coughing supports chest with hands

Eupat. per.

Irritability children during dentition nervous, infantile

Cypr. pub.
Passif.

Irritants

Citr. Col., Bry., Caps., Brass. n., Rhus t., Thuja.

Irritation

obstinate chronic, of mucus membranes nervous, with depression, flatulence, headache and vertigo nerve centres, of, due to excited circulation

Kalm.
Asafet.

Verat. v.

Gels.
(Lin. usti.)

Bry.
Prun. Per.
Quinine (s.d.)

Bry.
Ulm. f.

(Alth. off.)
Acon.

Verat. v.

GENERAL

Laxatives	Rham. c., Rham. Pur., Tarax., Hydras., Podo., Frax. Orn., Lin. cath.
Left	side of body influenced by <i>Puls.</i>
Lymphatic Complaints	Still., Iodine., Iris v., Phytol. imperfect elimination Iris v.
Malaise	Corall.
Measles	<i>Bell.</i> , <i>Acon.</i> , <i>Puls.</i> , Dros., Gels., Stict. pul., Trif., <i>Rhus t.</i> , Eupat. per. catarrhal phenomena, to control, relieve cough, and assist elimination eruption, to determine face cold, pale and hippocratic with retrocession of rash high fever, eruption slow in making appearance sore eyes, margins of lids swollen with watery acrid discharge with distressing catarrhal conditions
Mucosa	affections of all kinds burning and itching catarrhal status unaccompanied by acute inflammation chronic and debilitated condition of, with tendency to diarrhoea congestion of congested and irritable debility of, with feeble venous flow and full pulse inflamed, chronic — and irritable Acac. sen., Ulm. f. irritation of, with feeble circulation

Mucosa

irritation of, with vascular excitation
pale and lax
pale with scanty viscous secretion
profusely secreting, tumid relaxed, and enfeebled, with excessive catarrhal discharge red, glistening and swollen, with scanty secretion
serous, with sharp cutting or tearing pains
surfaces, ulceration or erosion of

GENERAL

Acon.
Commi. Myr.
Caps.
Berb. aq.
Ol. Tereb. R.
Still.
Bry.
Hydras.

Mumps

Asclep. t., *Phytol.*, *Puls.*,
Bell., *Acon.*

deficiency of saliva
fever
irritation of nervous system with blood to brain
orchitis (Echin. + *Phytol.* + *Bell.*)
sharp pulse and nervous erethism

Muscular

debility, and malnutrition
insufficiency
pains in visceral coats, or pectoral muscles, or under scapulae
rigidity
soreness, worse on pressure
spasms
—, painful
spasmodic contraction
strain, soreness, etc.
—, from injuries, or over-exertion
twitchings of the face
—, with restlessness

Hydras.
Stroph.

Iris v.
Lobel.
Hydras.
Hyosc.
Pisc. Ery.
Lobel.
Hamam.

Arn.
Ignat.
Cyprip. pub.

Mydriatics

Bell., *Hyosc.*, *Stram.*

GENERAL

Narcotics (see **Hypnotics**).

Nervous Disorders (see also under **Mind**).

epilepsy, chorea, etc.
exaltation, hyperesthesia
fevers and headache
irritable conditions especially with spasms or pain
melancholy and weakness, with prostration from overwork, dyspepsia
spasmodic from menstrual troubles
unrest, fright, terror in sleep, insomnia

Neuralgia (see also under **Face (pain)**).

anus and lower bowel, in ciliary, worse on motion, when touched or in attempting to sit up
face and eyes, pain stabbing from occiput to orbit, malar bones and teeth painful, profuse lachrymation from affected eye
fifth cranial nerve, especially from intercostal and pericardial idiopathic with cold extremities and headache (chronic)
liver, abdomen and stomach, especially in lumbar, sciatic, and crural other remedies, to assist pain sharp, shooting or stabbing

pain in delicate persons small of back and loins, in

Tuss. Far. + Petas. v.
toothache and headache, associated with

Visc. alb.
Bell. (s.d.)
Lach.

Diosc.
Puls.

Panax.

Cimic. rac.

Hyosc.

Acon., *Ignat.*

Bry.

Spig.

Quinine.

Asclep. t.

Melil. off.

Diosc.

Apoc. can.

Acon.

Gels. + *Kalm.*
Xanth.

Tuss. Far. + Petas. v.

Plant. m.

GENERAL

tonic for neuralgic conditions various kinds *Passif.*, *Pisc.* *Ery.*, *Pip. meth.* viscera with throbbing, with *Aesc. H.*

Cann. sat.

Acon.

Hyper.

Aven.

Dicen.

Maran., *Chond. cr.*, *Cet. Isl.*, *Orch. mas.*, *Seren. ser.*, *Ulm. f.*

syphilitic ; falling of hair ; hectic fever and eruptions on body

Nodes

Nutritives

(see **Corpulence**).

Œdema (see also under **Extremities**).

Apoc. can., *Samb. Eb.*
due to cardiac insufficiency *Asclep. inc.*

Outlets of Body

irritation, etc. *Thuja.*
ulcerations *Phytol.*

Pain

all (Anth. n. (*poult.*))
aches from "colds", onset of fever or from muscular exertion, whole body
acute, better for movement aged in, where there are caco-plastic deposits
bones, in the, especially with influenza

Cimic. rac.

Asclep. t.

Con. mac.

Eupat. per.

GENERAL

Pain

- burning character, of a
- bruises and sprains, of
- bruised sore feeling, worse on motion
- cancerous growths
- cardiac, rectal, facial, and other neuralgia
- choking sensations
- coldness of extremities and marked tenderness, lameness and soreness to touch, with cramps and spasms
- cutting and tearing, worse on movement
- debility, with
- deep-seated, boring and tensive pains
- — —, and inflammations drawing, as if contracted muscular fibres
- erysipelas, cancerous, gonorrhœa, from
- exposure to wind, on
- extreme sensitiveness to all organs of special sense with pale, livid or dirty complexion
- — — of surface ; objection to sensitive part touched
- — — tenderness and soreness, worse on pressure
- fractures, carcinoma, cholera morbus, etc. from
- general, and aches
- heavy tensive aching
- inflammatory
- muscular
- neuralgic, periosteal, particularly if associated with malarial infection
- — — spasmodic

Rhus t.
(Lobel.)

Bry.
Viol. od.

Passif.
Hyosc.

Melil. off.
Vibur. Op.

Bry.
Puls.

Cimic. rac.
(Brass. n.)

Cimic. rac.

Echin.
Puls.

Lyco. cl.

Lyco. cl.

Bry.

Pisc. Ery.
(Melil. off.)

Cimic. rac.

Ech. v.
Piloc.

Eupat. per.
Cann. sat.

Pain

nervous tension and excitement, with

- pericardial
- periosteal and nodes
- puffiness of tissues, with rheumatic, cramps and convulsions

rheumatoid and muscular severe, worse on motion or touching part

- shifting from place to place (neuralgic or rheumatic)
- spasms, with

— — —, and nervous unrest in aged or infant, and anaemic or debilitated

— — —, anus, uterine, cystic, urethral, and other viscera

spasmodic, colicky contractions

— — —, especially, with anaemia

— — —, of nervous origin with marked depression

soreness of muscular tissues as if bruised or pounded

- superficial and localized
- tired, languid, torpid, worse on movement

uneasy and throbbing sensation with dull aching

various kinds

— — —, especially in chest, lungs, etc.

worse on movement

Paralysis

(see also under **Eye**, and **Urinary**). (Tarn.)

agitans

- from below upwards ; vertigo ;
- staggering gait
- hemiplegia

GENERAL

Gels.
Asclep. t.
Still.
Piloc.

Iris foet.
(Menth. pul.)
Cimic. rac.

Cinch.

Puls.
Stram., Pisc. Ery.

Hyosc.

Bell.
Diosc.
Hyosc.

Cann. sat.

Cimic. rac.
Stram.

Bry.

Aesc. H.
Bell. + (Bell.)

Bry.
Bry.

Con. mac.

Con. mac.
Rhus t.

GENERAL

Paralysis	hemiplegia, following apoplexy hysteric, neurasthenic, or following diphtheria or syphilis infantile lead, or arsenic legs of local rheumatism, after palsy, for women	Aven. <i>Strych. Ign.</i> Collins. + Aven. <i>Strych. Ign.</i> <i>Rhus t.</i> <i>Ignat., Nux Vom.</i> <i>Gels., Rhus t., Hyosc., (Delph. Staph.)</i> Vibur. pr.
Paroxysmal	complaints	Lopop.
Parturient		Mitch.
Poisoning	aconite alkali alkaloids; narcotics, or ptomaine with collapse of breathing and circulation atropine or belladonna chloroform narcosis corrosives external, by caustic alkalis irritants	<i>Digit.</i> Lin. usti. <i>Strych. Ign.</i> Piloc. <i>Strych. Ign.</i> Acac. sen. (Ol. Eur.) Lin. usti., Acac. sen., Ulm. f., Hord. (Brass. n.) Piloc. (Grind. cam.)
Prostration	general irritation of nerve centres, with nervous	Corall. Euony. <i>Caps. + Scutell.</i>
Pulsations	over body, with one-sided sweating	<i>Puls.</i>
Pulse	(see Blood).	
Purgatives		Aloe, <i>Citr. Col.</i> , <i>Ipom. Pur.</i> , <i>Podo.</i> , <i>Conv. Sca.</i>

GENERAL

Pus	to lessen, or prevent to suppurate	(Calend.) (Lin. usti.)
Quinine	(when it cannot be borne by the stomach may be applied as an ointment over the abdomen, or in groin or armpits) headache or overdose substitutes	Corn. F. Ptel. t., Menis. Can.
Rabies	Scutell.	
Recuperation	feeble power of	Rumex cr.
Refrigerents	(see Febrifuges)	Cit. Lim., (<i>Hed.</i>), Vinc. m.
Rheumatism (Acute)	(see also under Extremities). and chronic due to exposure to damp articular and chronic articular ; great thirst ; pains tearing or stitching, worse on motion and at night arthritic	Aral. rac., Api. gr., (Melal. L.), Larix. Am., Magn. v., Fer. gal., <i>Anag.</i> , Pip. meth., (Laur. n.), Prim. ver., <i>Daph. Mez.</i> Solan. dul. (Gault.)
	—, gonorrhœal —, with œdema	Bry. <i>Colch. aut.</i> (Gault.) Apoc. can.
	burning pain ; frontal headache ; red papillæ on tongue ; small, sharp pulse ; pain worse from heat diathesis with sallowness and inactivity ; fullness of tissues ; dull pain and heaviness in right hypochondrium	<i>Rhus t.</i> Podo.

GENERAL

Rheumatism (Acute) dry, hot skin ; feverish ; suppression of secretions ; dry, parched mouth ; full hard pulse ; scanty deep-red urine ; restlessness ; stiff swollen joints ; sthenic cases enlarged lymphatic glands or sore throat or mouth ; urine whitish and somewhat opaque feeble circulation ; cold hands and feet, and vital depression, with fibrous tissues, tendons, fascae, ligaments, and muscle sheaths, of inflammatory, and —, with excessively red and inflamed surfaces ; alkaline urine ; long red tongue, thinly coated white —, with swollen and painful parts, and dry membranes and skin intercostal, especially with sweating lameness, stiffness and pain, worse on commencing to move, better on motion muscular —, with dull, heavy pain, soft skin, and no fever pains, general (Menth. pul.), (Brass. n.) pain in shoulders and neck to occiput, or with irritative cough puffiness and glistening of parts affected, or of the feet, hands or eyelids ; pulse full

Piloc.

Phytol.

Guaia.

Rhus t.
Gels.

Cit. Lim.

Piloc.

Asclep. t.

Rhus t.

Rham. F.

Brun.

Stict. pul.

Apoc. can.

Rheumatism (Acute) restlessness, stiffness, paralysis, also if aggravated by warmth or rest rheumatic fever

—, muscular pain ; skin hot but moist ; tensive pain as from contraction

shifting pains, relieved by cold, worse from heat ; depression of spirits

shoulders, wrists and fingers, of

sthenic patients, or inflamed conditions

subacute, with soreness and stiffness of joints

—, pains induced by damp syphilitic

tearing, cutting, tensive pains, worse on motion, and in finger joints ; hard pulse ; flushed right cheek ; pain in head from forehead to occiput ; skin dry

toes, fingers and muscles, in, of uterus, stomach (pain after taking food) and asthenic plethora

with cervical and occipital pain worse from warmth of bed

Rheumatism (Chronic) aged, in the cold and dampness, from cold extremities, no inflammation

—, and lameness cold skin and debility

general Xanth., Phytol., Api. gr., Meny. tri., Hemid., Cimic. rac. + Phytol. + Guaia.

glandular and syphilitic troubles Iris v.

GENERAL

Rhus t.
Bell.

Cimic. rac.

Puls.

Quinine + Caps.

Verat. v.

Piloc.

Rhus t.
Thuja.

Bry.

Caul. th.
Stict. pul.
Rhus t.

Con. mac.
Solan. dul.

Guaia.
Melil. off.
Arn.

Xanth., Phytol., Api. gr., Meny. tri., Hemid., Cimic. rac. + Phytol. + Guaia.

Iris v.

GENERAL

Rheumatism (Chronic)	hip, of the kidney complaints, or scrofula long standing, of muscular pains, various relapsing sub-inflammatory, worse by motion especially when located in muscles	All. cep. Chim. umb. Chim. umb. Xanth., Cimic. rac. <i>Gels.</i> , (<i>Gels.</i>), <i>Pisc. Ery.</i> Aven. Bry.
Salt Rheum		Berb. aq.
Scarlatina		<i>Bell.</i> , <i>Rhus t.</i>
Salivation	to check	<i>Bell.</i>
Secretions	deficient salivary, gastric, intestinal and bile, to stimulate suppressed too profuse with difficulty to relieve	Piloc. Xanth., <i>Hydras.</i> , <i>Poly. sen.</i> (Brass. n.) <i>Lobel.</i>
Sedatives		<i>Acon.</i> , <i>Cyp. art.</i> , <i>Bell.</i> , <i>Vibur.</i> pr., <i>Corall.</i> , <i>Digit.</i> , <i>Con.</i> <i>mac.</i> , <i>Hyosc.</i> , <i>Pisc. Ery.</i> , <i>Cer. gr.</i> , <i>Passif.</i> , <i>Prun.</i> ser., <i>Salix nig.</i> , <i>Valer.</i> , <i>Humul.</i>
	cardiac — and nervous	<i>Lobel.</i> <i>Lyco. v.</i>
Sepsis	enfeebled circulation, with tendency to	<i>Bapt.</i> <i>Bry.</i>
Septicæmia	shivering, high temperature, weak, rapid pulse	Echin.
Scurvy	tender, spongy gums; poor appetite; diarrhoea; abdominal distention	Rhus gl.

GENERAL

Scrofulous Complaints	Helian. can., Chim. umb.	<i>Daph. Mez.</i> ,
	all forms especially eyes, nose, ears and throat	Helian. can.
	especially in children	Iodine, Echin.
	especially with urinary complaints	Chim. umb.
	hard lumps in neck, abscesses and ulcers	Helian. can.
	strumous affections	Echin., Scroph. n.
	— — — with yellowish skin	
	Dicen., Rumex cr., Still., Solan. dul., Berb. aq.	
Shock	with glandular swellings	Aln. ser.
	— — —, hard	Phytol.
	— — —, soft	Iris v.
Snake	threatened	<i>Strych. Ign.</i>
	bites, and other insects	
	(Plant. m.) + Plant. m., Alchem. v., Hier., Echin.	
Spasms	muscular	Piloc., Melal.
	tubular and sphincteric	<i>Hyosc.</i>
	vasomotor	<i>Cer. gr.</i>
Sthenic Conditions (strong or acute)	<i>Verat. v.</i> , <i>Hyosc.</i> , Piloc.	
Stimulants	Dor. Am., Sang., Crot. El., <i>Caps.</i> , Cinn. Zey., Eug. cary., Zing., Cochl. a., Piloc., Cola v., Brass. n., <i>Nux Vom.</i> , Ilex Par., Menth. pul., Menth. pip., Myrox. P., Pop. tre., Xanth., Arist. serp., Gault.	
Stings	Echin., Plant. m., Trill., Hier.	

GENERAL**Stomachics**

Pim. off., Geum, Acor. C.,
Eryth. Cen., Anth. n.,
Mars. Con., Pip. cub.,
Menth. pip., Pic. ex.,
Alet.

Strangury

Senec. aur.

Substitutes

opium *Hyosc., Pisc. Ery.*
quinine *Ptel. t., Menis. can.*

Sudorifics

(see **Diaphoretics**).
especially with sthenic patients
 Piloc., Arist. serp.

Suppuration

Echin., (Calend.)

Swellings

(see also under **Skin**).
enlargements, and, red and
glistening *Rhus t., (Senec. Jac. (poult.))*
inflammatory *(Bor. (poult.))*
white and others, to check *Dor. Am.*

Sympathetic Nervous System

sedative *Lyco. v.*
— and stimulant *Acon.*
stimulant *Lobel., Verat. v. (s.d.)*

Synovial

inflammation and swelling *Bry., Acon., (Arn.)*

Taenifuges

Mall., Hag., Dry.

Tension

high muscular and nervous *Gels.*

Tetanus

idiopathic, from indigestion *Gels.*
lips drawn back and jaws locked
together *Ol. Caps. + Ol. Lobel. + (Ol. Caps.
+ Ol. Lobel.)*

stiffness of muscles of mouth
and jaw, difficulty of swallow-
ing *Gels., Lobel., Phys. ven.,*
 Hyosc., Bell., Passif., Acon.,
 Ignat., Solan. Car.

when mouth opened *Passif. + Gels.*

Throbbing

of body *Hyper.*

Tissues

all glandular, to increase flesh
and build up strength
catarrhal outpouring and erosion
of
coldness, tenderness, lameness
and marked soreness of
fullness of, with tendency to
œdema

— — —, with full veins and
arterial flow

— — —, superficial veins with
oppressed full pulse, of

— — —, with dusky, leaden,
purplish or livid discolouration,
tendency to ulceration, and
decay

full not shrunken, and surface
flushed with blood

feeble, with tardy removal of
broken-down material and
slow reconstruction

mucous, relaxed with profuse
debilitating discharges

pale and œdematosus, with
scanty or irregular flow of
urine, and indisposition to
exertion

relaxed, flabby, with hyper-
secretion

— — —, with weak pulse and sub-
normal temperature

— — —, muscles tired and painful,
joints stiff, in aged

— — —, with profuse secretions of
thick, tenacious or yellowish
or greenish-yellowish muco-
pus

relaxation and atony of, with
free discharge
serous, inflamed

GENERAL

Seren. ser.

Berb. aq.

Melil. off.

Solan. dul.

Lobel.

Podo.

Bapt.

Verat. v.

Still.

Geran. mac.

Pip. meth.

Myric. cer.

Corn. F.

Caps.

Hydras.

Achill.

Asclep. t.

GENERAL

Tobacco habit, to overcome Ol. Sassa., Cola v.
nervous, highly strung condi-
tion, from abuse of Chrys. Par. + Cer. gr.
substitute Tuss. Far.

Tonics Alst. con., Berb. v., Apoc.
and., Meny. tri., Jateor.,
Anth. n., Swert. Ch.,
Eryth. Cen., Turn. aph.,
Gent., Cop. tri., Humul.,
Cola v., *Nux Vom.*, Myrox.
P., Chim. umb., Pop.
tre., Xanth., Pic. ex.,
Stroph., Dicen., Cham. lut.
Prun. ser., Art. Abs.

alterative, and Dicen.
—, and astringent Agrim.
asthmatic breathing, etc. Pt. t.
astringency, without Cop. tri.

blood purifier especially with Berb. aq.
torpid liver and after malarial
fever, and Verben.
convalescence from acute diseases Osmunda.
— — — exhausting diseases
dyspeptic and weak stomachs,
for Euony.
—, and scrofulous Aln. ser.
scrofulous and cachetic affec-
tions Meny. tri.
very pleasant for many affec-
tions Chrys. Par.

weak conditions arising from Cinch.

Tuberculosis All. sat., *Con. mac.*, Chim.
umb.

of spine and mesenteric glands Phytol.

Tumours (see also Cancer).
fungoid (Sang.)

GENERAL

Tumours inflamed (Bapt.)
malignant *Nux Vom.*, Bapt., Echin., Iris v.,
Phytol., Glech., (Glech.), (Phytol.), (Symph. (*poult.*)), (Hamam.), (Hydras.), (Calend.),
(Sang.), (Eucalyp.)

Twitchings muscular Matric.

Ulcers and
Ulcerations (see also under Stomach, Eye,
Nose, Mouth, Abdomen,
Genitalia, Respiration, Ex-
tremities, and Skin).

aphthous (Cop. tri.)
—, of mouth Acac. C.
cancerous (Trif.) + Trif.
—, to remove odour (Fic. Car. (*poult.*))
gastric *Con. mac.*, Hydras.
general (Senec. Jac.), (Aesc. H.)
indolent, old, and chronic (Grind. cam.)
—, or offensive (Salix nig.), (Trill.)
—, and malignant (Xanth.)
—, and scrofulous (Myric. cer. + Sang. (*poult.*))
malignant and putrescent Echin., Bapt.
nose, throat, tongue, stomach,
skin, etc., varicose ulcers and
on mouth Phytol., (Phytol.)
red glistening margins, with *Rhus t.*

Veins
congested or sluggish, with
enfeebled circulation Hamam., (Hamam.)
varicose (Hamam.)
— chronic Calend., (Calend.)
— inflamed and swollen Bell., Acon., Hamam. + Acon.
— right shoulder, due to
engorgement of liver; skin
dirty; dingy-looking, of Chel. m.

GENERAL

Veins	varicose, of legs, due to engorgement of spleen, with sallow facies, nausea, uneasiness in abdomen with distention — ulcers	<i>Card. m.</i> <i>Phytol.</i>
Wasting	of the body	<i>Aln. ser.</i>
Weeping	with despondency, fear, unrest, and irritability	<i>Puls.</i>
Weakness	(see also under Mind, Stomach, and Abdomen). debility, and pale surface and deficient recuperative power, with perspires freely upon slightest movement, and	<i>Aven.</i> <i>Cinch.</i> <i>Bry.</i>
Weight	any condition of, or constriction with or without heat increase, to	<i>Collins.</i> <i>Luc.</i>
Worms	(see also Taenifuges). in children	<i>Spig.</i>
Wounds	(see also under Skin). antiseptic, to promote healing bleeding —, small general punctured — and inflamed	(<i>Calend.</i>) (<i>Plant. m.</i>) <i>Lysim.</i> <i>Echin.</i> , (<i>Senec. Jac.</i>) (<i>Hyper.</i>) <i>Chel. m.</i>

SPECIFICS AND HIGHLY RECOMMENDED REMEDIES

(Specifics may be defined as those herbs which will produce a certain cure in a particular disorder. Others, although not quite so effective, are highly recommended by the best authorities after long experience in their use.)

Mind	debility in women — scrofulous nervous excitement, to allay — exhaustion — irritability	<i>Alet.</i> <i>Chim. umb.</i> <i>Aqua Camph.</i> <i>Puls.</i> <i>Gels.</i> + <i>Nep. Cat.</i>
Head	pains, nervous menstrual sunstroke and exhaustion from heat	<i>Cer. gr.</i>
Eye	obstinate conjunctivitis with vascularity of eyelids	<i>Menth. pul.</i> (Hamam).
Mouth	offensive breath spongy bleeding gums ulcerated mouth and throat	<i>Cary.</i> <i>Pot. rep.</i> <i>Pot. rep.</i>
Stomach	alcoholic dyspepsia with ulceration (use decoction) <i>Cop. tri.</i> + <i>Hydras.</i> + <i>Ac. Sulph.</i> <i>Arom.</i> alcohol, to destroy appetite for, (use decoction) <i>Cop. tri.</i> + <i>Hydras.</i> + <i>Ac. Sulph.</i> <i>Arom.</i> gastric surfaces, irritation or congestion of indigestion, flatulence and colic mucous tissues, disorders of	<i>Prun. Per.</i> <i>Drim. Win.</i> <i>Erech.</i>

REMEDIES

Abdomen	colic in children — flatulent and bilious mucous tissues of bowels, disorders of	Nep. Cat. + Diosc. Corall. + Diosc. Erech.
Liver	all functional diseases of hepatitis, chronic torpid conditions of	Lept. Podo. Sang.
Spleen	enlarged	Silph. per.
Rectum	colitis and other intestinal disorders constipation due to inactivity of liver — habitual condylomata, to remove diarrhoea — children's summer — infant's dysentery flatus in adults and children	Jugl. cin. Euony. Solan. ins. (Thuja.) Aegle. Polyg. er. or Erech. Rheum. r. Cyn. off.
	hæmorrhage from bowels	Asclep. t. + Diosc. Amar.
Urinary	all disorders especially with lithic acid gravel chronic affections with excessive uric acid present cystitis diabetes dropsy — to increase flow of urine gravelly deposits, to remove — — to prevent incontinence in children and old persons passages, disorders of suppression of urine with gravelly deposits urine, purulent decomposition of	Epig. Eupat. pur. Eucalyp. Agrim. Cyt. sco. Scol. Hydrang. Rhus. arom. Hyper. Gal. ap. Zea May.

Genitalia

all chronic uterine diseases amenorrhœa, not connected with some structural lesion	Caul. th.
Senec. aur. + Asar. can. + <i>Junip. sab.</i>	
chronic discharges of blood	<i>Croc. sat.</i>
deobstruent	Podo.
gleet and gonorrhœa	Agrim.
leucorrhœa and menorrhagia	Uva. U.
lochia, suppressed	Leon.
menstruation, obstructed, caused by sudden chill or cold	Menth. pul.
menstruation, obstructed	Cimic. rac.
— suppressed	Senec. aur. + Sang. Amar.
menorrhagia	
prostatorrhœa resulting from masturbation	<i>Delph. con.</i>
reproductive organs of females, disorders of	Helon.
spermatorrhœa, nocturnal emissions	Salix. nig.
syphilitic affections	Still.

Respiration

asthma, paroxysmal bronchial and pulmonary complaints	Euph. pil.
colds and coughs	<i>Lobel.</i> + Stict. pul.
hiccup, obstinate	Marr. v.
mucous tissues of lungs, disorders of	Cit. lim.
phthisis with night sweats	Ereh.
whooping cough	Chrys. L.
	Trif.

Chest

heart, palpitation, angina pectoris	
— valvular disease	<i>Cer. gr.</i> Conv. m.

Extremities

pains in joints, gouty and sciatic	
rickets	Aego. + (Aego.)
ulcers on legs, indolent	Osm. + Scutell. Stell. m.

REMEDIES

REMEDIES

Skin	eczema psoriasis, lichen, cancer and scrofula, especially if combined with strumous diathesis	Bet. alb. Gal. Ap. + (Gal. Ap.)
Fever	all (except the congestive form) general typhoid	Gels. Eupat. per. Uva. U.
General	blood purifier chorea Cimic. rac. + Scutell. + Verben. cramps, convulsions and spasms of all kinds emaciation and debility growths, cancerous inflammatory disorders, all influenza nervous system, any disorder of relaxation of system, all cases to acquire rheumatism and gout — chronic venous system, all cases of debility of worms, in children — round — tape wounds, lacerated or surgical	Arct. L. Vibur. Op Pop. tre. (Eucalyp.) Teuc. sco. Eupat. per. Scut. lat. <i>Lobel.</i> Brun. Meny. tri. Hamam. Chel. gl. Art. c. Punic. (Calend.)

CONTRA-INDICATIONS

These herbs are contra-indicated in the following conditions :—

Acon.	Typhoid fever ; great depression of the vital force ; septic peritonitis ; paralytic and chlorotic affections.
Adon.	Gastro-intestinal irritation or inflammation.
All. sat.	Marked irritation or inflammation.
Aloe.	Pregnancy, gastro-enteritis, inflamed haemorrhoids, females liable to sudden uterine evasions, persons of irritable and plethoric habits.
Anam.	Abraded surfaces.
Asafet.	Inflammatory conditions.
Asar. Can.	Inflammatory conditions.
Aven.	Diabetes or amylaceous dyspepsia.
Bapt.	Hyperæmia.
Baros.	Acute disorders.
Bell.	Paraplegia without irritation, reflex paraplegia, white softening.
Cass.	Inflammatory conditions of alimentary canal, haemorrhoids, prolapsus ani.
Cer. gr.	Inflammatory affections during acute stages.
Citr. Col.	Gastro-intestinal inflammation, great debility, or aged persons.
Coff.	All inflammatory affections of a high grade.
Commi. Myr.	Acute inflammatory conditions.
Cop. L.	Acute inflammatory gonorrhœa with pronounced urethal irritation and profuse secretion.

CONTRA-INDICATIONS

<i>Digit.</i>	Aortic regurgitation, fatty degeneration of heart, cardiac diseases of the aged, excessive dilatation of the heart, persistent conditions of a manifest hyposthenia, aneurism, atherosomatous or other structural changes in the arteries, myocarditis with sclerosis of coronary arteries, sinus arrhythmia.
<i>Eryth. Coc.</i>	Repeated attacks of hysteria and chorea.
<i>Eucalyp.</i>	Acute desquamative nephritis.
<i>Euph. cor. (Amer.)</i>	Acute gastro-inflammation.
<i>Fab. Imb.</i>	Chronic nephritis.
<i>Gal. Ap.</i>	Diseases of passive character.
<i>Gels.</i>	Congested fever where great muscular or nervous prostration with relaxation exists, determination of blood to brain or other important viscera, fevers with cardiac weakness or degeneration, prostration of debility.
<i>Gent.</i>	Gastric irritation or inflammation.
<i>Guaiac.</i>	General plethora or gastric enteritis.
<i>Crot. Tig.</i>	Hæmorrhoids, intestinal or renal inflammation, peritonitis. To children, feeble or pregnant.
<i>Ipom. Pur.</i>	Intestinal inflammation.
<i>Jateor.</i>	Acute fevers, acute gastric inflammation, impaired digestion but good appetite.
<i>Junip. com.</i>	Active nephritis.
<i>Junip. sab.</i>	General or local inflammation during pregnancy.
<i>Lin. usti.</i>	Open or abraded surfaces.
<i>Lobel.</i>	As emetic to children and old people.
<i>Myric. cer.</i>	During highly inflammatory conditions.
<i>Myrox. P.</i>	Inflammatory or febrile conditions.
<i>Nux Vom.</i>	For long periods, recent cases of paralysis, while general reaction prevails, local irritation in brain or spinal cord, determination of blood to head, when congestion or inflammation are present.

CONTRA-INDICATIONS

<i>Ol. Tereb. R.</i>	Renal inflammation or irritation.
<i>Piloc.</i>	Atonic or debilitated subjects, dropsy of cardiac origin, chronic nephritis after middle life, weak conditions of the heart.
<i>Pisc. Ery.</i>	To children and aged.
<i>Rheum.</i>	Severe febrile or inflammatory affections.
<i>Rhus arom.</i>	Inflammations in any disorder.
<i>Ruta gr.</i>	During pregnancy.
<i>Scill.</i>	Dry, hot skin, rapid circulation, pyrosis, or any symptoms of renal irritation.
<i>Selin. P. (Amer.)</i>	Abdominal obstruction or exalted sensibility of genital apparatus.
<i>Serp.</i>	Acute fever, or severe inflammation.
<i>Stroph.</i>	Cardiac muscular degeneration or mechanical defects, aneurism, fully and over-compensated heart, advanced myocardial degeneration, well-developed atheroma, arterio-sclerosis.
<i>Strych. Ign.</i>	Paralysis with remaining symptoms of congestion, myelitis or spinal meningitis, headache with vertigo and ringing noises in ears.
<i>Tarax.</i>	Weak digestive organs, irritable or acute inflammatory condition of stomach or bowels.

SYNONYMS, COMMON, OR LOCAL NAMES OF HERBS

Abelmoschus moschatus.—Muskweed, Hibiscus Abelmoschus.

Abies Canadensis.—Hemlock Spruce, Hemlock Bark, Pinus Bark, Pinus Canadensis, Tsuga Canadensis.

Abrus precatorius.—Wild or Indian Liquorice, Jequirity.

Acacia Catechu.—Catechu Acacia, Black Catechu, Cutch.

Acacia Senegal.—Gum Acacia.

Acer rubrum.—Red or Swamp Maple, Soft Maple.

Achillea millefolium.—Yarrow, Milfoil, Thousand-leaf, Sweet Maudlin, Nosebleed, Schaafgarbe (Ger.).

Aconitum Napellus.—Monkshood, Wolfsbane, Aconite, Eisen-hut (Ger.).

Acorus Calamus.—Calamus, Sweet flag, Sweet Sedge, Kalmus (Ger.).

Actaea racemosa.—Black Snakeroot, Rattleweed or root, Bugwort, Bugbane, Squawroot, Black Cohosh, Macrotyls actaeoides, Cimicifuga racemosa.

Adhatoda Vasica.—Adatodai, Arusa, Adulsa, Bakas, Malabar-nut, Justicia Adhatoda.

Adiantum Capillus-Veneris.—Maidenhair.

Adonis vernalis.—Pheasant's-eye, False Hellebore, Adonis, Adonis annua.

Aegle Marmelos.—Indian Bael or Bel, Bengal Quince.

Aegopodium podagraria.—Bishop's-weed, Goutweed, Ash-weed, Ground Ash, Herb-Gerarde.

Aesculus Hippocastanum.—Horse-chestnut, Gemeine Wild-kastanie (Ger.).

Aethusa cynapium.—Fool's or Dog Parsley, Dog poison.

Agrimonia Eupatoria.—Agrimony, Stickwort, Odermennig (Ger.).

Agropyrum repens.—Couch, Twitch or Quick Grass, Triticum repens.

Ailanthus glandulosa.—Chinese Sumach, Tree-of-Heaven, Tree-of-the-Gods, Ailanto.

Ajuga Chamoepitys.—European Ground Pine, Zwerggamander (Ger.).

Ajuga reptans.—Bugle, Bugula, Common Bugle, Gout Ivy.

Alchemilla arvensis.—Parsley Piert, Parsley Breakstone, Field Lady's Mantle.

Alchemilla vulgaris.—Lion's-foot, Common Lady's Mantle.

Aletris farinosa.—True Unicorn root. Blazing Star, Star Grass, Colic root. Ague root, Crow-corn.

Alisma plantago-aquatica.—Water Plantain, Mad-Dog weed, Gemeiner Froschlöffel (Ger.).

Alkantha tinctoria.—Alkanet, Dyer's Bugloss, Spanish Bugloss, Anchusa, Orchanet, Enchusa, Lithospermum tinctorium.

Allium Cepa.—Onion, Zwiebel (Ger.).

- Allium sativum.**—Garlic, Knoblauch (Ger.). Alnus **Andira inermis.**—Cabbage-tree Bark, Work Bark, Jamaica or glutinosa.—English Alder. Yellow Cabbage-tree, Geoffoeya inermis, Kohlbaumrinde (Ger.).
- Alnus rubra.**—Common or Tag. Alder, Red or Smooth Alder, A. serrulata, Rothe Erie (Ger.).
- Aloe Chinensis.**—Aloe, Spiked Aloe, A. Spicata, A. Perryi, A. vera, A. ferox.
- Aloysia citriodora.**—Lemon-scented Verbena, Herb-Louisa, Verbena triphylla, Lippia triphylla.
- Alpinia officinarum.**—Galangal, Galanga, East India Root. Alsidium Helminthocorton.—Corsican Moss.
- Alstonia constricta.**—Native Quinine of Australia, Australian Fever Bark or Febrifuge.
- Althaea officinalis.**—Marsh-mallow, Mallards, Guimauve, Schloss Tea, Mortification root, Eibisch (Ger.).
- Althaea rosea.**—Common or Garden Holly-hock.
- Amaranthus hypochondriacns.**—Amaranth, Red Cock's-comb, Love-lies-bleeding, Flower Gentle, Flower velure, Floramor. Velvet Flower.
- Anacyclus Pyrethrum.**—Pellitory root, Pellitory-of-Spain, Anthemis pyrethrum, Matricaria pyrethrum.
- Anagallis arvensis.**—Red Chickenweed, Red or Scarlet Pimpernel, Shepherd's Barometer, Poor Man's Weatherglass.
- Anamirta coccus or paniculata.**—Fish-berries, Indian or Levant berries, Cocculus indicus.
- Andira Araroba.**—Araroba, Bahia or Brazil Powder, Goa, Ringworm powder, Chrysarobine.
- Anemone hepatica.**—American Liverwort, Kidney-wort, Liverleaf.
- Anemone pulsatilla.**—Pasque or Passe flower. Meadow anemone, Easter flower.
- Anethum graveolens.**—Dill fruit or seed.
- Angelica Archangelica.**—European Garden Angelica.
- Anisa stellata.**—Star-anise, Chinese Anise, Badiana.
- Antennaria dioica.**—Cat's-foot, Life-everlasting, Gnaphalium dioicum.
- Anthemis Cotula.**—Stinking Mayweed, Wild or Dog Chamomile, Cotula, Dog Fennel.
- Anthemis nobilis.**—Roman Chamomile, Double Chamomile, Edie Kamillen (Ger.).
- Anthemis Pyrethrum.**—See Anacyclus pyrethrum.
- Anthoxanthum odoratum.**—Sweet Vernal-grass. Apium graveolens.—Wild Celery, Smallage.
- Apium petroselinum.**—Parsley.
- Apocynum Androsaemifolium.**—Bitter-root, Dog's-bane, Milkweed.
- Apocynum cannabinum.**—Indian or Canadian Hemp, A. pubescens.
- Aralia nudicaulis.**—Small Spikenard, American, Wild or False Sarsaparilla, Bamboo Brier.

Aralia quinquefolia.—Ginseng.

Aralia racemosa.—American or Indian Spikenard, Spignet, Petty Morrel.

Arctium Lappa.—Burdock, Lappa, Thorny Burr, Lappa minor, Klette (Ger.).

Areca Catechu.—Areca or Betel nut.

Arillus myristicae.—Mace.

Aristolochia longa.—Birthwort, A. dematitidis.

Aristolochia Serpentaria.—Virginian, Red River or Texas Snakeroot, Dutchman's Pipe, Snakeweed, A. reticulata.

Arnica montana.—Leopard's bane. Arnica, Wohlverlei (Ger.).

Artanthe elongata.—See Piper angustifolium.

Artemisia Abrotanum.—Southernwood, Old Man, Lad's love.

Artemisia Absinthium.—Wormwood, Old Woman, Ajenjo, Wermuth (Ger.).

Artemisia Cina.—Santonica, Semen cinae. Semen sanctum, Semen contra. Semen Santonici, Vermes Levant wormwood.

Artemisia vulgaris.—Mugwort, Felon herb.

Arum maculatum.—Cuckoo-pintle, Starchwort, Ramp, Lords-and-Ladies, Priest's-pintle, Calves-foot, Wake-Robin.

Arum triphyllum.—Dragonroot, Wild Turnip, Indian Turnip, American Wake-Robin, Jack-in-the-pulpit, Arisaema triphyllum.

Asafetida.—Ferula foetida, Teufeldreck (Ger.).

Asarum Canadense.—Wild or Indian Ginger, Canadian Coltsfoot, Haselwurzel (Ger.).

Asarum Europaeum.—Hazelwort, Wild Nard, Asarabacca.

Asclepias incarnata.—Swamp Milk-weed, Swamp Silk-weed, Rose-coloured Silkweed, Flesh-coloured Asclepias, White Indian Hemp.

Asclepias procera.—Mudar Bark, Calotropis.

Asclepias tuberosa.—Pleurisy-root, Butterfly-weed, Swallow-wort, Windroot, Tuber Rot.

Asparagus officinalis.—Asparagus, Spargel (Ger.). Asperula odorata.—Woodruff, Woodroof, Waldmeister Tea.

Aspidium Filix-mas.—Male-fern, Male Shield fern, Dryopteris Filix-mas, Farrenkraut (Ger.).

Aspidosperma Quebracho-blanco.—Quebracho. Astragalus gummifer.—Syrian Tragacanth, A. verus.

Atropa Belladonna.—Belladonna, Deadly Nightshade, Dwale, Black Cherry, Tollkraut (Ger.).

Avena farina, or sativa.—Oatmeal. Ballota nigra.—Black Horehound, Marrubium nigrum.

Baptisia tinctoria.—False or Wild Indigo, House-fly-weed, Rattlebush, Indigoweed, Sophora tinctoria, Podalyria tinctoria.

Barosma betulina.—Buchu, B. crenata, Diosma cre.na.ta. Belladonna.—See Atropa Belladonna.

Berberis aquifolium.—Mountain or Oregon Grape, Holly-leaved Berberry.

Berberis aristata.—Berberis, Mahonia.

Berberis vulgaris.—Barberry, Barbaridis, Pipperidge-bush. B. dumetorum.

Betonica officinalis.—Wood Betony, Bishopswort. Betula alba.—European or White Birch.

Bidens tripartita.—Burr Marigold, Water or Bastard Agrimony, Water or Bastard Hemp.

Borage officinalis.—Borage, Burrage. Brassica nigra.—Mustard, Sinapis nigra.

Brunifelsia Hopeana.—Manaca, Franciscea uniflora.

Bryonia alba, or dioica.—Bryonia, English Mandrake, White Bryony, Wild Vine, Mandragora, Ladies' seal.

Buxus sempervirens.—Common Box, Buchsbaum (Ger.).

Calaminta officinalis.—Calamint, Basil Thyme.

Calendula officinalis.—Garden Marigold, Marygold, Caltha officinalis, Ringelblume (Ger.).

Calotropis procera.—Calotropis, Mudar Bark, Asclepias procera.

Camphora officinalis.—Camphor, Laurel Camphor, Cinnamomum Camphora.

Canella alba.—Canella, White Cinnamon, West Indian Cinnamon, Weisse Kaneelrinde (Ger.).

Cannabis Indica, or sativa.—Hemp, Gnaza, Ganjah, Bhang, Dagga, Hanf (Ger.).

Capsella Bursa-pastoris.—Shepherd's purse or sprout,

Toywort, Shepherd's script or pounce. Mother's Heart, Pick-pocket, Pickpurse, Casewort.

Capsicum mininum—Cayenne Pepper, African, Guinea or Bird Pepper, Chillies, C. annum, C. fastigiatum.

Carbenia benedicta.—Holy Thistle, Cnicus benedictus.

Carduus benedictus.—Blessed Thistle.

Carduus Marianus.—Milk Thistle.

Carica Papaya.—False Cyperus.

Carthamus tinctorius.—Dyer's Saffron, American, False or Bastard Saffron, Safflower, Flores Carthami, Saflor (Ger.).

Carum Carvi.—Caraway, Alcaravea, Kummel (Ger.).

Carum petroselinum.—Parsley, Apium petroselinum, Petroselinum sativum.

Caryophyllus aromaticus.—Cloves, Clavos, Eugenia caryophyllata, Eugenia aromatica, Gewurznelken (Ger.).

Cascara Sagrada.—Sacred Bark, Chittem Bark.

Cassia acutifolia.—Senna, Alexandrian Senna, East Indian or Tinnevelly Senna, C. angusti folio..

Castanea vulgaris or sativa.—Chestnut, C. dentata, C. vesca.

Caulophyllum thalictroides.—Blue Cohosh, Pappoose root, Squawroot, Leontice thalictroides, Weisenrauten Stamm-blatt (Ger.).

Ceanothus Americanus.—Mountain Sweet Californian Lily, Wild Snow-ball, Red Root, Jersey Tea Root.

Celastrus scandens.—American Bitter-sweet, Waxwork, Staff-vine, False Bitter-sweet, Climbing Staff-tree.

Centaurea Cyanus.—Cornflower, Bluebottle, Bluebow, Cyanus, Hurtsickle.

Centaurea nigra.—Black Knapweed, Black Ray Thistle, Hardback, Ironweed.

Cerasus serotina.—Wild Cherry, Virginian Prune, Wilde Kirsche (Ger.).

Ceratonia siliqua.—John's Bread, St. John's Bread.

Cereus grandiflorus.—See Cactus grandiflorus.

Cetraria Islandica.—Iceland Moss, Iceland Lichen, Islandisches Moos (Ger.).

Chamaelirium luteum.—False Unicorn Root, Star-wort, Helonias.

Chelidonium majus.—Great, Greater or Garden Celandine, Swallow-wort, Tetterwort, Grosses Schollkraut (Ger.).

Chelone glabra.—Balmony, Bitter-herb, Snakehead, Turtle-head, Turtlebloom, Salt-rheum Weed, Glatte Chelone (Ger.).

Chenopodium anthelminticum.—Wormseed, Jerusalem Oak, C. ambrosioides.

Chenopodium olidum.—Stinking Arrach, Stinking Motherwort, Dog's or Goat's arrach. Wild Arrach, Goosefoot, Vulvaria.

Chimaphila umbellata.—Pipsissewa, Prince's Pine, Ground-holly, Wintergreen, Pyrola umbellata.

Chionanthus Virginica.—Fringetree, Old Man's Beard, Snowdrop tree. Poison Ash, Virginische Schneeblume (Ger.).

Chondrus crispus.—Irish Moss, Carragheen, Carrageen, Caragahen, Irlandisches Perlmoos (Ger.).

Chronodendron tomentosum.—Pareira, Pareira brava.

Chrysanthemum cineriaefolium.—Insect Powder or Flowers, C. Roseum, Pyrethrum dalmatian, Pyrethrum roseum, Pyrethrum persian.

Chrysanthemum Leucanthemum.—White Daisy, Ox-eye Daisy, Field Daisy, Moon Daisy, Maudlin Daisy, Great Ox-eye, White weed, Goldens, Dog Daisy, Horsegowan, Marguerite, Leucanthemum vulgare, Shasta Daisy.

Chrysanthemum Parthenium.—Feverfew, Featherfew, Feather-foil.

Cichorium Intybus.—Succory, Wild Succory, Chicory, Gemeine Cichorie (Ger.).

Cimicifuga racemosa.—See Actea racemosa.

Cinchona Calisaya.—Peruvian or Cinchona Bark, Jesuit's Bark.

Cinnamomum Camphora.—See Camphora officinarum.

Cinnamomum Cassia.—Cassia, Chinese Cinnamon, Cassia bark, Cassia lignea.

Cinnamomum Zeylanicum.—Cinnamon, Zimmt (Ger.).

Citrullus Colocynthis.—Bitter Apple, Colocynth Pulp, Bitter Cucumber.

Citrus Limonum.—Lemon, Limon, C. medico,.

Citrus vulgaris.—Bitter Orange, Seville Orange, Bigarade Orange, Naranja, C. aurantium.

Cladonia pyxidata.—Cup Moss.

Claviceps purpurea.—Ergot, Ergot-of-Rye, Smut-of-Rye, Spurred Rye.

Cochlearia armoracia.—Horseradish, Meerrettig (Ger.).

Cochlearia officinalis.—Spoonwort, Scurvygrass.

Coffea Arabica.—Coffee, Canea, Kaffe (Ger.).

Cola Vera.—Kola or Guru nut. Cola, Sterculia acuminata.

Colchicum autumnale.—Colchicum, Meadow Saffron, Naked Ladies, Naked Boys, Autumn Crocus.

Collinsonia Canadensis.—Collin's flower, Collinsonia, Rich Leaf, Knobroot, Knobweed, Horse-balm, Stoneroot, Ox-balm.

Combretum Sundaicum.—Combretum, Opium antidote.

Commiphora Myrrha.—Myrrh.

Conium maculatum.—Poison-Hemlock, Poison-Parsley, Conium, Spotted Hemlock, Gefleckter Schierling (Ger.).

Convallaria majalis.—Lily-of-the-Valley, May Lily, Convallily, Male Lily, Lily Constancy.

Convolvulus Scammonia.—Scammony, Scammomium (Ger.).

Copaifera Langsdorffii.—Copaiva-tree, Copaiva, Capivi, Balsam Copaiva, Balsam Capivi, C. officinalis.

Coptis trifolia.—Goldthread, Mouth root. Vegetable Gold.

Corallorrhiza odontorhiza.—Crawley, Coralroot, Dragon's-claw, Chicken-toe, Gezahnte Korallenwurzel (Ger.).

Coriandrum sativum.—Coriander, Gemeine Koriander (Ger.).

Cornus Florida.—American Dog-wood, Dog-tree, Flowering Cornel, Boxwood, Cornelian Cherry.

Cornus sericea.—Swamp Dog-wood, American Red Osier, Red or Rose Willow, Silky Cornel.

Corydalis Canadensis.—Turkey Corn or Pea, Squirrel Corn, Corydalis, Stagger-weed, Dicentra Canadensis, Schone Corydalis (Ger.).

Crataegus Oxycantha.—English Hawthorn, Haw, May, Thorn, Quick.

Crocus sativus.—Saffron Crocus, Alicante Saffron, Hay Saffron, Valentia Saffron, Gatinais Saffron.

Croton Eleuteria.—Cascarilla, Sweet Wood Bark.

Croton Tiglum.—Croton seeds, Tiglum, Tiglum officinale.

Cucurbita Pepo.—Pumpkin.

Curcuma zedoaria.—Zedoary.

Cuscuta epithymum.—Lesser Dodder, Dodder-of-Thyme.

Cusparia febrifuga.—True Angustura, Cusparia bark.

Cynoglossum officinale.—Hound's tongue. Dog's tongue, Grosse Hundzunge (Ger.).

Cyperus articulatus.—Guinea Rush, Adrue, Umbrella Plant, Gelingale.

Cypripedium pubescens.—Yellow Ladies'-slipper, American Valerian, Umbel, Nerve root. Yellow Moccasin-flower, Noah's

Ark, *C. hirsutum*, Weichartiger Venusschuh (Ger.).

Cytisus scoparius.—Common Broom, Besom, He-Broom (no flowers), She-Broom (with flowers), Irish Broom, Besen Bohnenbaum (Ger.).

Daphne Mezereum.—Garland Flower, Mezereon, Spurge Olive, Seidelbast (Ger.).

Datura Stramonium.—Stramonium, Thorn Apple, Stinkweed, Apple-peru, Jamestown weed, Jimson weed, Stechapfel (Ger.), Trumpet Flower.

Daucus Carota.—Wild Carrot, Bird's-nest, Wilde Mohhrube (Ger.)

Delphinium Consolida.—Larkspur, Lark's-claw or heel, Knight's Spur, Feld Ritterspom (Ger.).

Delphinium Staphisagria.—Stavesacre, Starvesacre, Lausekraut (Ger.).

Dicentra Canadensis.—See *Corydalis Canadensis*.

Digitalis purpurea.—Purple Foxglove, Purpurrother Finger-hut (Ger.).

Dioscorea villosa.—Wild Yam, Colic-root, Rheumatism-root.

Dolichos pruriens.—Cowhage, Cowage, Cowitch, Mucuna pruritus.

Dorema Ammoniacum.—Persian Gum Ammoniacum.

Dorstenia Contrayerva.—Contrayerva, D. Houstoni, D. opifera.

Dracontium foetidum.—Skunkcabbage, Spunkweed, Meadow Cabbage, Polecat-weed.

Drimys Winteri.—Wintera, Winter's Bark, Wintera aromatica, Wahre Winter's rinde (Ger.).

Drosera rotundifolia.—Round-leaved Sundew, Dew-plant, Red Rot, Youth-wort.

Dryopteris Filix-mas.—See *Aspidium Filix-mas*.

Echinacea angustifolia.—Black Sampson, Coneflower, Echinacea.

Echium vulgare.—Bugloss, Blueweed, Viper's-Bugloss.

Elettaria Cardamomum.—Cardamoms, Mysore, Cardamom seeds, Malabar Cardamoms.

Embelia Ribes.—Embelia, E. robusta.

Ephedra Sinica.—Ma Huang, Ephedra.

Epigaea repens.—Trailing Arbutus, Gravel-plant, Ground Laurel, Mountain-pink, Winter-pink, Mayflower, Gravel-weed.

Epilobium angustifolium.—Rose-bay, Willowherb, French Willow.

Equisetum arvense.—Scouring-rush, Shavegrass, Bottle-brush, Pewterwort, Horse-tail, E. hyemale.

Erechtites hieracifolia.—Fireweed, Senecio hieracifolius.

Erigeron Canadense.—Canadian Fleabane, Coltstail, Pride-weed, Scabious.

Eriodictyon glutinosum.—Yerba Santa, Mountain Balm, Bearsweed, Consumptive's weed.

Eryngium campestre.—Field Eryngo.

Eryngium maritimum.—Sea Holly.

Erythraea Centaurium.—Centaury, Century, Centory, Feverwort.

Erythraea Chilensis.—Canchalagua.

Erythronium Americanum.—Adder's-tongue, Serpent's-tongue. Dog's tooth Violet, Yellow Snowdrop, Rattlesnake Violet, Yellow Erythronium.

Erythrophleum guineense.—Sassy Bark, Mancona Bark, Casca Bark, Teli.

Erythroxylon Coca.—Coca Bolivian, E. Truxillense.

Eucalyptus globulus.—Blue Gumtree, Australian Gum.

Eugenia aromatica.—Cloves, Clavos, E. caryophyllata.

Eugenia Chequen.—Cheken, Chekan, Chequen, Myrtus Cheken.

Eugenia Jambolana.—Jambul, Jamboo, Java-plum, Jambool.

Euonymus atropurpureus.—Wahoo, Indian Arrow-wood, Bum-ing-bush, Spindletree.

Eupatorium cannabinum.—Hemp Agrimony.

Eupatorium perfoliatum.—Boneset, Thoroughwort, Indian Sage.

Eupatorium purpureum.—Queen-of-the-Meadow Root, Gravel-weed, Gravel-root, Joe-Pie, Trumpetweed.

Euphorbia pilulifera.—Asthma-weed, Catshair, Euphorbia.

Euphrasia officinalis.—Eye-bright.

Fabiana Imbricata.—Piclii, False Heath.

Ferula foetida.—See Asafetida.

Ferula galbaniflua.—Galbanum, Gum Galbanum.

Ferula sumbul.—Musk root, Sumbul, F. suaveolens.

Foeniculum dulce.—Fennel, Hinojo, F. vulgar e.

Fragaria vesca.—Wild Strawberry.

Frankenia grandifolia.—Yerba reuma, Flux Herb.

Frasera Carolinensis.—American Columbo, F. Walteri, F. Canadensis.

Fraxinus excelsior.—Flowering Ash, Common European Ash, Weeping Ash.

Fraxinus Ornus.—Manna, Flake Manna.

Fucus vesiculosus.—Sea-wrack, Kelpware, Seaweed, Bladder-fucus, Bladderwrack.

Fumaria officinalis.—Fumitory, Earth Smoke, Erdrauch (Ger.).

Galega officinalis.—Goat's Rue.

Galipea officinalis.—Angustura, G. cusparia, Cusparia febrifuge.

Galium Aparine.—Cleavers, Goose-grass, Hayriffe, Erriffe, Goose-share, Burweed, Goose-bill, Catch-weed, Bedstraw, Klebkraut (Ger.).

Galium verum.—Our Lady's Bedstraw, Ladies' Bedstraw, Maid's hair. Cheese Rennet, Gallion, Pettimugget, Wild Rosemary.

Garrya Fremontii.—Feverbrush, Skunkbush, California Fever-bush.

Gaultheria procumbens.—Shallon, Wintergreen, Yeaberry, Boxberry, Mountain Tea, Deerberry, Canada Tea, Partridgeberry.

Gelsemium sempervirens.—Yellow Jasmine, Wild Woodbine, G. nitidum.

Genista Tinctoria.—Dyer's Greenweed, Dyer's weed. Dyer's broom, Woad-waxen.

Gentiana campestris.—English Gentian, Baldmoney, Field Gentian.

Gentiana Lutea.—Gentian, Gelber Enzian (Ger.), Gentianella.

Geranium maculatum.—American Crane's bill-root. Alum-root, Spotted Geranium, Wild Crane's bill. Crowfoot.

Geum urbanum.—Avens, Colewort, Herb-Bennet, Herb-Bonnet, Radix caryophyllata.

Gillenia trifoliata.—Indian Physic, Indian Hippo, Gillenia, Bowman's root, G. stipitacea. Spiraea trifoliata, Spiraea stipulacea.

Glechoma hederacea.—Ground Ivy, Alehoof, Haymaids, Catsfoot, Tumhoof, Gill-go-over-the-Ground, Gill-creep-by-ground, Gill-go-by-ground, Robin-run-the-hedge, Nepeta glechoma.

Glycyrrhiza glabra.—Liquorice, Licorice, Gemeine Sussholz (Ger.).

Gnaphalium uliginosum.—Marsh Cud-weed, Cotton-weed, Cottin Dawes, Chaffweed, Dwarf Cotton, Petty Cotton.

Gossypium herbaceum.—Cotton root, or plant.

Gratiola officinalis.—Hedge-Hyssop.

Grindelia camporum.—Grindelia, Gum Plant, Hardy or Scaly Grindelia, G. squarrosa, G. robusta.

Guaiacum officinale.—Guaiacum, Lignum Vitae, Lignum Sanctum, G. Sanctum, Frankosenholz (Ger.).

Guarea Rusbyi.—Cocillana Bark, G. trichilioides. Sycocarpus Rusbyi.

Haematoxylon Campechianum.—Logwood, Haematoxylon, Blauholz (Ger.).

Hagenia Abyssinica.—Brayera anthelmintica, Kouoso, Coccoo, Cusso.

Hamamelis Virginiana.—Witchhazel, Spotted Alder, Winter-bloom, Snapping-hazelnut.

Hedera Helix.—Common Ivy.

Helianthemum Canadense.—Frostweed, Rockrose, Frost Plant, Frostwort, Cistus Canadensis, Sun-rose.

Helianthus annuus.—Sunflower, Helianthus.

Helleborus niger.—Black Hellebore, Bear's foot, Christmas Rose, Herb or Flower, Betterwort, or grass, Lenten Rose.

Helonias dioica.—Starwort, Helonias, American False Unicorn Root, Drooping Star-wort, Devil's bit, H. lutea, Chamaelirium luteum, Chamaelirium carolinarium, Vetratrum luteum, Melanthium dioicum.

Hemidesmus indicus.—Indian or Country Sarsaparilla,

Hemidesmus, *Asclepias pseudosarsa*, *Periploca Indica*.

Hepatica triloba.—Kidneywort, Liverleaf, *Anemone hepatica*.

Herniaria glabra.—Rupturewort.

Hieracium Pilosella.—Mousear-Hawkweed, *Pilosella*.

Hippocastanum vulgare.—Horsechestnut, *Aesculus Hippocastanum*.

Hordeum distichon.—Barley, Pearl Barley, *Perlatum*.

Humulus Lupulus.—Wild Hops.

Hydrangea arborescens.—Hydrangea, Seven-barks, Wild Hydrangea, *Hydrangea vulgaris*.

Hydrastis Canadensis.—Golden-seal, Yellow Puccoon, Orange or Yellow root. Ground Raspberry, Turmeric root, Gelbwurzel (Ger.).

Hyoscyamus niger.—Henbane, Hogbean.

Hypericum perforatum.—St. John's wort.

Hyssopus officinalis.—Hyssop.

Ignatia amara.—Bean-of-St. Ignatius, *Strychnos Ignatii*.

Impatiens aurea.—Jewelweed, Pale Touch-me-not, Balsam-weed, *I. pallida*.

Imperatoria Ostruthium.—Masterwort.

Inula Helenium.—Elecampane, Scabwort, Aunee (Fr.), Alant-wurzel (Ger.).

Ipomoea Purga.—American Bellbind, Morning Glory, Jalap, *I. Lettuce-opium*, Stinksalat (Ger.).

Jalapa, *Convolvulus Jalapa*, *Exogonium purga*, *Convolvulus purga*.

Iris foetidissima.—Gladwin, Stinking Gladwin, Gladwine, Stinking Iris, Gladdon, Roast-beef plant.

Iris lutea.—Yellow Iris, Flower-de-luce, Fleur-de-Lys, Yellow Flag, *I. aquatica*, *I. pseudacorus*.

Iris versicolor.—Blue, Water or Poison Flag, Flag Lily, Liver Lily, Snake Lily, Bunte Iris (Ger.).

Jacaranda Caroba.—Caroba, Carob Tree, Caaroba, *J. procera*, *Bignonia Caroba*.

Jateorhiza Calumba.—Calumba, Colombo, *Cocculus palmatus*.

Jeffersonia diphylla.—Twinleaf, Groundsquirrel Pea, Rheumatism root.

Juglans cinerea.—N. American Butternut, White Walnut, Oilnut.

Juglans nigra.—Black Walnut.

Juniperus communis.—Common Juniper, Gemeine Wachholder (Ger.), American ground Cedar.

Juniperus Sabina.—Savin, Savine, Sade Wachholder (Ger.).

Kalmia latifolia.—Sheep-laurel, Lambkill, Spoonwood, Kalmia, Bigleaved Ivy, Calico-bush, Mountain Laurel.

Krameria triandra.—Rhatanha, Peruvian Rhatany, *K. argentea*.

Lachnanthes tinctoria.—Spiritweed, Red or Paint root. Wool Flower.

Lactuca virosa.—Stinking Lettuce, Strong-scented Lettuce, Lettuce-opium, Stinksalat (Ger.).

Larix Americana.—Tamarac, American Larch, Black Larch, Hackmetack, *Pinus pendula*.

Larix Europaea.—European Larch, *Pinus larix*.

Laurus nobilis.—Bay, Sweet Bay, Noble Laurel, Roman Laurel.

Lavandula vera.—Lavender, *L. officinalis*, *L. spica*.

Ledum latifolium.—Labrador Tea, Jame's Tea, Marsh Tea, Wild Rosemary, *L. palustre*.

Leonurus cardiaca.—Motherwort.

Lepigonum rubrum.—Sandwort, *Arenaria rubra*, *Tissa rubra*, Buda rubra, *Spergularia rubra*, Sabline rouge (Fr.).

Leptandra Virginica.—Culver's physic or root. Tall Speedwell, Blackroot, Physic root, *Veronica Virg.*

Levisticum officinale.—Lovage, Chinese Tang-kui, Man-mu, Ligusticum Levisticum.

Liatris odoratissima.—Deer's tongue. Vanilla Leaf, Wild Vanilla, *Trilisia odoratissima*.

Liatris spicata.—Button Snakeroot, Gayfeather, Devil's bit.

Ligustrum vulgare.—Privet, Prim.

Lillium tigrinum.—Tiger Lily.

Linaria Elatine.—Flueillin, Sharp-pointed Toadflax.

Linaria vulgaris.—Yellow Toadflax. Flaxweed, Pennywort, Butter and Eggs.

Linum catharticum.—Mountain Flax, Purging Flax.

Linum usitatissimum.—Flaxseed, Linseed, Gemeine Lein (Ger.).

Lippa dulcis.—Mexican Lippia, Yerba dulcis.

Liquidamber orientalis.—Storax, Styrax, Prepared Storex, Liquid Storax, Balsam Styracis.

Liriosma ovata.—Muira-Puama.

Lobelia inflata.—Lobelia, Wild or Indian Tobacco, Pukeweed.

Lonicera Caprifolium.—Perfoliate Honeysuckle, Dutch Honeysuckle.

Lophophora Lewinii.—Mescal Buttons, Pellote, Anhalonium Lewinii.

Lucerne.—Alfalfa.

Lycopodium clavatum.—Fir Clubmoss, Vegetable Sulphur, *Lycopodium* seed. Stag's horn moss.

Lycopus Virginicus.—Bugleweed, Paul's Betony, Water Hoarhound, Sweet Bugle, Water Bugle, American Gipsy-wort.

Lysimachia vulgaris.—Loosestrife, Yellow Loosestrife.

Macrotyls actaeoides.—See *Cimicifuga racemosa*.

Magnolia glauca.—Magnolia, White Bay, Beaver-tree, Sweet Magnolia, Swamp Sassafras, *M. virginica*, *M. acuminata*, *M. tripetata*.

Mallotus Philippensis. — Kameela, Kamala, Spoonwood, *Rottlera tinctoria*.

Malva sylvestris.—Common, Blue or High Mallow, Mauls.

Maranta arundinacea.—Arrow-root, Bermuda Arrow-root, Maranta.

Marrubium vulgare.—White Hoarhound, Horehound, Weisse Andom (Ger.).

Marsdenia Condurango.—Condurango, Gnolobus

Matricaria Chamomilla.—Wild or German Chamomile, Pin Heads, Single Chamomile.

Melaleuca Leucadendron.—Cajupet, Cajeput, White Tea Tree, Swamp Tea Tree, Broad-leaved Tea Tree, Whitewood, M. Cajuputi.

Melilotus officinalis.—Yellow Melilot Clover, M. vulgaris.

Melissa officinalis.—Balm, Sweet or Lemon Balm.

Menispermum Canadense.—Yellow Parilla, Moonseed, Moonseed Sarsaparilla, Vine-maple, Canadian Moon-seed.

Mentha piperita.—Peppermint, Brandy, Curled or Balm Mint.

Mentha pulegium.—Pennyroyal, European Pennyroyal.

Mentha sativa.—Wild, Marsh or Hairy Mint.

Mentha viridis.—Common, Lamb or Spearmint, Mackerel Mint, Peamint, M. spicata, M. crispa, Yerba Buena.

Menyanthes trifoliata.—Buckbean, Beckbean, Bogbean, Marsh Trefoil, Water Shamrock.

Mitchella repens.—Partridge berry, Checker berry. Winter Clover, Deerberry, Squaw Vine, One-berry.

Monarda punctata.—Bee Balm, Oswego Tea, American Horse-mint, Sweet or Wild Bergamot.

Monsonia ovata.—Monsonia.

Myrica cerifera.—Bayberry, Wax Myrtle, Waxberry.

Myristica fragrans.—Nutmeg, Mace, M. officinalis, Arillus Myristicæ.

Myroxylon Pereirae.—Balsam of Peru, Toluifera Pereirae, M. peruiferum.

Myroxylon Toluifera.—Balsam of Tolu, Toluifera Balsamum.

Myrrhis odorata.—Sweet or Smoother Cicely, Sweet Chervil, Mirra.

Myrtus communis.—Myrtle.

Nectandra Coto.—Coto.

Nepeta Cataria.—Catnip, Catmint, Catnep, Nep.

Nymphaea odorata.—Water Pond Lily, Water Nymph, Water Cabbage.

Ocimum basilicum.—Sweet Basil.

Oenanthe Phellandrium.—Fine-leaved Drop-wort, Water Fennel, Fine-leaved Water Hemlock, Phellandrium aquaticum.

Oenothera biennis.—Tree Primrose, Evening Primrose, Sun-drops, Godetia.

Olea Europaea.—Olive.

Olea Terebinthinae Rect.—Oil or Spirit of Turpentine.

Ophioglossum vulgatum.—English Adder's tongue.

Orchis maculata.—Spotted Orchis, Salep.

Orchis mascula.—Early Purple Orchis, Cuckoo, Salep.

Origanum vulgare.—Origanum, Wild Marjoram, Origane, Grove or Eastward Marjoram.

Osmund regalis.—Buckhorn Brake. Ozalis acetosella.—Wood-sorrel, French sorrel.

Paeonia officinalis.—Peony, Poeonia, Piney, Pfingstrose (Ger.).

Panax quinquefolium.—Ginseng, Aralia quinquefolia.

Parietaria officinalis.—Pellitory-of-the-Wall.

Passiflora incarnata.—Passion Flower, Maypops.

Paullinia Cupana.—Guarana, Brazilian Cocoa. Uabano, Uaranazeiro, Paullinia sorbilis.

Pedalium Murex.—Burra, Gokeroo. Barra Gokhru.

Penthorum sedoides.—Virginian Stone-crop, Ditch stone-crop, Penthorum.

Petasites vulgaris.—Common Butterbur, Tussilago Petasites.

Petroselium sativum.—Parsley, Apium petroselium.

Peucedanum graveolens.—Dill seed or fruit, Eneldo, Anethrum graveolens.

Peumus Boldus.—Boldo, Boldu, Boldea fragrans.

Physalis Alkekengi.—Winter Cherry, Alkekengi, Strawberry-

Tomato, Cape Gooseberry.

Physostigma venenosum.—Calabar bean, Ordeal-bean, Chop-nut.

Phytolacca decandra.—Pokeroot, Pigeonberry, Garget, Scoke, Coakum.

Picraena excelsa.—Quassia, Lofty Quassia, Bitter-weed, Bitter-ash, Quassia amara, Simaruba excelsia.

Pilocarpus Jaborandi.—Jaborandi.

Pimenta officinalis.—Allspice, Pimento, Jamaica Pepper.

Pimpinella Anisum.—Anise, Aniseed, Anis (Ger.).

Piper angustifolium.—Matico, Artanthe elongata, Stephensia elongata.

Piper cubeba.—Cubeb.

Piper methysticum.—Kava-kava, Ava, Ava Pepper, Kava.

Piper nigrum.—Black Pepper.

Piscidia erythrina.—Jamaica Dogwood.

Plantago major.—Greater Plantain, Ripple Grass, Waybread, Grosser Wegetritt (Ger.).

Plantago ovata.—Fleaseed, Fleawort, Spodel, P. Psyllium, P. Ispaghula.

Podophyllum peltatum.—American Mandrake, Mayapple, Wild-lemon, Raccoonberry, Wild Mandrake.

Polemonium reptans.—American Greek-Valerian, Blue Bells, False Jacob's ladder, Sweatroot, Abscess-root.

Polygala Senega.—Seneka, Senega, Snake-root.

Polygonatum multiflorum.—Solomon's Seal.

Polygonum bistorta.—Bistort, Adderwort, Snake-weed, Passions, Osterick, English Serpentary.

Polygonum erectum.—Russian Knotgrass.

Polygonum Hydropiper.—Water Pepper, *P. punctatum*.

Polymnia Uvedalia.—Uvedalia, Leaf-cup, Yellow Leaf-cup, American Bear's foot.

Polypodium vulgare.—Rock Polypody, Female Fern, Common Polypody, Femroot, Rock-brake, Brake-root, Polypodi-of-the-Oak, Engelsiisswurzel (Ger.).

Polyporus officinalis.—White Agaric, Larch or Purging Agaric, *Boletus laricis*.

Polytrichum Juniperinum.—Hair-cap Moss, Bearsbed, Ground Moss, Robins-rye.

Populus candicans.—Balm-of-Gilead, Ontario Poplar.

Populus tremuloides.—American or White Poplar, Aspen, Quaking Aspen, Abele-tree, Zitter-Pappel (Ger.).

Potentilla reptans.—Common Cinque-foil, Five-leaf Grass, Fivefinger.

Potentilla Tormentilla.—Tormentil, Sept-foil, *Tormentilla erecta*, *Tormentilla officinalis*.

Primula veris.—Cowslip, Paigles.

Primula vulgaris.—Common Primrose, Auricula.

Prinos verticillatus.—American Black-Alder, Winterberry.

Prunella vulgaris.—Self-heal, Heal-all, Hook-heal, Prunella, Sickle-wort, Carpenter's-herb, Brown Bugle, Middle Comfrey, Middle Confound.

Prunus Laurocerasus.—Cherry Laurel. *Prunus Persica.*—Peach. *Amygdalus Persica*, *Persica vulgaris*.

Prunus serotina.—Wild Cherry, *P. virginiana*. *Cerasus serotina*, *Cerasus virginiana*.

Psychotria Ipecacuanha.—Ipecacuanha, *Cephaelis Ipecacuanha*.

Ptelea trifoliata.—Wafer-ash, Swamp Dogwood, Wingseed, Shrubby Trefoil, Hop tree, *Ptelea*.

Pterocarpus Marsupium.—Kino, Gum Kino.

Pulmonaria officinalis.—Lungwort.

Pulsatilla nigricans.—Pulsatilla, *Anemone pratensis*.

Punica Granatum.—Pomegranate.

Pyrethrum roseum.—See *Chrysanthemum roseum*.

Pyrus aucuparia.—Rowan-tree, Witchen, Mountain-ash, *Sorbus aucuparia*, *Mespilus aucuparia*.

Pyrus Cydonia.—Quinceseed, *Cydonia vulgaris*.

Quercus Lusitanica.—Nutgalls, Blue Galls.

Quercus Robur.—Common Oak, Tanner's Bark.

Quillaja Saponaria.—Soaptree, Soap Bark, *Quillaia*, Panama Bark.

- Ranunculus Ficaria.**—Pilewort, Smaller or Lesser Celandine, Fog-wort.
- Rhamnus cathartica.**—Buckthorn, Purging Buckthorn, Baccae Spinae-cervinae.
- Rhamnus Frangula.**—Alder Buckthorn, Berry-bearing Alder.
- Rhamnus Purshiana.**—Sacred or Chittem Bark, Cascara Sagrada.
- Rheum officinale.**—East Indian, China or Turkey Rhubarb, R. Palmatum.
- Rheum rhabonticum.**—English Rhubarb, R. undulatum.
- Rhus aromatica.**—Sweet or Fragrant Sumach, Smoke-tree, Wig-tree.
- Rhus glabra.**—Smooth, Upland or Pennsylvania Sumach.
- Rhus Toxicodendron.**—Poison Oak, Poison Ivy or Vine.
- Ribes nigrum.**—Black Currant, Schwarze Johannisbeere (Ger.).
- Ricinus communis.**—Castor Oil Plant or Bush, Palma Christi.
- Rosmarinus officinalis.**—Rosemary, Romero.
- Rubia tinctorum.**—Madder, Dyer's Madder, Barance (Fr.).
- Rubus idaeus.**—Wild Raspberry.
- Rubus villosus.**—American Blackberry or Bramble.
- Rumex acetosa.**—Common Sorrel.
- Rumex acetosella.**—Field or Sheep Sorrel.
- Rumex aquaticus.**—Great Water Dock, Red Dock, Bloodwort.
- Rumex crispus.**—Yellow or Curled Dock.
- Ruscus aculeatus.**—Common Butcher's Broom, Kneeholm, Knee Holly, Kneehulver, Kneeholy, Ruscus, Bruscus, Pettigree, Sweet Broom.
- Ruta graveolens.**—Rue, Garden Rue, Herb-of-Grace, Herby-grass.
- Sabal serrulata.**—See Serenoa serrulata.
- Salix alba.**—European White Willow, Huntingdon Willow.
- Salix nigra.**—Black American or Pussy Willow.
- Salvia officinalis.**—Garden Sage, Salvei (Ger.).
- Salvia sclarea.**—Clary, Clarry, Clear Eye, S. verbenaca.
- Sambucus Ebulus.**—Dwarf Elder, Danewort, Wallwort,
- Sambucus nigra.**—European or Black Elder.
- Sanguinaria Canadensis.**—Bloodroot, Red Puccoon, Burtwurzel (Ger.).
- Sanicula Europaea.**—Sanicle, Pool-root.
- Santalum album.**—Sandalwood, Santalwood.
- Santolina chamaecyparissias.**—Lavender Cotton.
- Saponaria officinalis.**—Soapwort, Soaproot, Bouncing Bet, Fuller's Herb, Seifenwurzel (Ger.).
- Sarracenia purpurea.**—North American Pitcher Plant, Flytrap,

Water Cup, Saddleplant, Side-Saddle Flower, Huntsman's Cup.

Sassafras officinale.—Sassafras, *S. variifolium*.

Scabiosa succisa.—Ofbit, Devil's-bit Scabious.

Schoenocaulon officinale.—Sabadilla, Cevadilla, Veratrum officinale, *Asagroea officinalis*.

Scilla maritima.—Squill, Urginea scilla or Indica.

Scolopendrium vulgare.—Hartstongue, *Asplenium Scolopendrium*, *Phyllitis Scolopendrium*.

Scrophularia aquatica.—Brownwort, Bishop's Leaves, Water Figwort, Water Betony, *Betonia aquatica*.

Scrophularia nodosa.—Knotted Figwort, Rosenoble, Throat-wort, Carpenter's Square.

Scutellaria lateriflora.—Scullcap, Mad-dog weed, Hoodwort, Madweed, Helmet flower. Blue Scullcap, Side-flowering Scullcap, *S. integrifolia*, *S. galericulata*.

Sempervivum tectorum.—Common Houseleek, Sengreen, Joubarbe des toits (Fr.).

Senecio aureus.—Life-root, Rag-wort, False Valerian, Golden Senecio, Squaw-weed, Female Regulator.

Senecio Jacobaea.—Rag-wort, Ragweed, Stinking Nanny, St. Jame's wort, Staggerwort, Dog-standard, Fireweed, Stammerwort, Stinking Willie, Dusty Miller, Jacobaea.

Senecio maritimus.—Cineraria maritima.

Senecio vulgaris.—Groundsel, Grounsel.

Serenoa serrulata.—Saw Palmetto, *Sabal serrulata*.

Serpentaria.—See Aristolochia Serpentaria.

Sesamum indicum.—Benne, Sesam, Sesame, Gingelly.

Siegesbeckia orientalis.—Siegesbrakia.

Silphium laciniatum.—Rosinweed, Compass Plant, Compass weed. Polar Plant.

Silphium perfoliatum.—Indian cup plant. Ragged-cup.

Simaruba officinalis.—Simaruba, Mountain Damson.

Sisymbrium officinale.—Hedge-mustard, *Eysimum officinale*.

Smilax officinalis.—Sarsaparilla.

Solanum carolinense.—Horsenettle, Bullnettle, Sandbrier Treadsoft, Treadsaf.

Solanum dulcamara.—Bittersweet, Woody Nightshade, Violet-bloom, Scarletberry, Felonwood, Felonwort, Mortal, Jerusalem Cherry, Egg-plant, *Amara dulcis*.

Solanum insidiosum.—Jurubeba.

Solidago odora.—Sweet-scented Goldenrod, Sweet Goldenrod, Fragrant-leaved Goldenrod.

Sorghum vulgare.—Sorghum seeds. Broom-corn.

Spigelia Marilandica.—Pinkwort, Carolina Pink, Wormgrass, Maryland Pink, Indian Pink.

Spiraea Ulmaria. — Meadowsweet, Queen-of-the-Meadow, Meadsweet, Bridewort, Lady-of-the-Meadow, Dolloff.

Stachys betonica.—Wood Betony, Bishop's wort, Betonica

officinalis, Lamb's Ears.

Stachys palustris.—Allheal, Panay, Opopanewort, Clownswort, Opphanewort, Hercules' Allheal or woundwort. Downy woundwort, Clown's woundwort. Marsh woundwort, Rusticum Vulna Herba.

Statice Caroliniana.—Marsh Rosemary, American Sea-Lavender, Inkroot, S. limonium.

Stellaria media.—Common Chickweed, Starweed, Star Chickweed, Alsine media.

Sticta pulmonaria.—Lungwort, Oak Lungs, Lungmoss.

Stillingia sylvatica.—Queen's root. Queen's delight. Yaw-root, Silver-leaf.

Strophanthus Kombe.—Strophanthus.

Strychnos Ignatii.—See Ignatia amara.

Strychnos Nux Vomica.—Nux Vomica. Quaker Buttons, Poison-nut.

Styraz Benzoin.—Benzoin, Gum Benzoin, Gum Benjamin, Siam, Sumatra or Palembang Benzoin.

Swertia Chirata.—Brown or white Chirata, Chirayta, Griseo, Ophelia chirata.

Symphytum officinale.—Comfrey, Nipbone, Knitbone, Consolidae.

Symplocarpus foetidus.—Skunk Cabbage, Polecat-weed, Snow-berry, Meadow cabbage, Dracontium foetidum.

Tamus communis.—Black Bryony, Black-eye root.

Tanacetum vulgare.—Tansy, Rheinfarre (Ger.).

Taraktogenos Kurzii.—Chaulmoogra, Chaulmugra, Chaulmogra.

Taraxacum officinale.—Dandelion, T. dens-leonis, Leontodon taraxacum.

Teucrium Chamaedrys.—Wall Germander, Chasse fievre (Fr.), Petit Chene (Fr.).

Teucrium Scordium.—Water Germander.

Teucrium Scorodonia.—Wood-sage, Garlic-sage, Germander.

Thuja Occidentalis.—Arbor-Vitae, Yellow or White Cedar, Tree-of-Life.

Thymus serpyllum.—Wild Thyme, Mother-of-Thyme, Serphyllum.

Thymus vulgaris.—Common or Garden Thyme, Tomillo.

Tiarella cordifolia.—Coolwort, Mitrewort, Foam-flower.

Tilia Europea.—Lime flowers. Linden flowers. Linn-flowers, T. platyphylla, T. cordata, T. vulgarts.

Trifolium pratense.—Red or Purple Clover, Trefoil.

Trigonella Foenum-graecum.—Fenugreek.

Trillium pendulum.—Bethroot, Wake-robin, Indian Balm, Birth-root, Lamb's quarter. Ground Lily, Wood-lily, T. erectum.

Tsuga Canadensis.—See Abies Canadensis.

Turnera aphrodisiaca.—Damiana.

Tussilago farfara.—Coltsfoot, Coughwort, Horsehoof, Foal's or Bull's foot.

Ulmus Fulva.—Slippery Elm, Red or Moose Elm.

Uva-ursi.—Bearberry, Arctostaphylos Uva-ursi.

Vaccinium Myrtillus.—Bilberry, Huckleberry, Whortleberry, Hurtleberry, Blackheart, Blaeberry.

Valeriana officinalis.—Great Wild or Cat Valerian.

Veratrum viride.—American Hellebore, Indian Poke, Itch-weed, Swamp or Green Hellebore, American Veratrum.

Verbascum thapsus.—Hig-taper Mullein, Blanket-herb, Wollkraut (Ger.).

Verbena officinalis.—Vervain, Wild Hyssop, Simpler's Joy, V. hastata.

Veronica Beccabunga.—Brooklime, Water Pimpernel.

Veronica officinalis.—Common Speedwell, Bird's-eye, Cat's-eye.

Viburnum opulus.—High Cranberry, Cramp-bark, Guelder Rose, Laurustinus, Snowball-tree, V. oxycoceus.

Viburnum prunifolium.—Black Haw, American Sloe, Stag-bush.

Vinca major.—Greater Periwinkle.

Viola odorata.—Sweet Violet.

Viola tricolor.—Pansy, Wild Pansy, Heartsease.

Viscum album.—European Mistletoe, Birdlime Mistletoe.

Vitis hederacea.—See Ampelopsis quinquefolia.

Xanthoxylum fraxineum.—Northern Prickly Ash, Yellow wood, Suterberry, Toothache-tree, X. fraxinifolium, X. ramiflorum, X. tricarpium, Fagara Clava-Herculis, X. Carolinianum.

Zea Mays.—Indian Corn, Corn Silk, Stigmata maidis.

Zingiber officinale.—Ginger.