

Section 2: National Data

Table 2-1. National estimates of injuries, restricted workdays, injury rate per 200,000 hours worked, and restricted workdays per 200,000 hours worked by type of farming operation, 1995

<u>Farm Type</u>	<u>Estimated Lost-time Injuries</u>	<u>Estimated Restricted Workdays</u>	<u>Estimated Lost-time Injury Rates</u>	<u>Estimated Restricted Workdays Rate</u>
Cash grain	33480.8	607160	7.6	137.4
Field crops	12403.6	138451	5.8	65.2
Veg, fruit, nuts	21406.0	204412	3.8	36.6
Nursery	15260.9	86106	7.3	41.2
Beef, hogs, sheep	84735.5	1869561	10.2	226.0
Poultry	2903.4	97487	4.0	135.7
Dairy	17122.2	318711	4.4	81.0
<u>Other farms</u>	<u>8512.2</u>	<u>66852</u>	<u>5.6</u>	<u>43.9</u>
All farms	195824.6	3388740	6.8	118.2

Table 2-2. National estimates of injuries, restricted workdays, injury rate per 200,000 hours worked, and restricted workdays per 200,000 hours worked by type of farming operation and status of the injured worker, 1995

<u>Farm Type</u>	<u>Status</u>	<u>Estimated Lost-time Injuries</u>	<u>Estimated Restricted Workdays</u>	<u>Estimated Lost-time Injury Rate</u>	<u>Estimated Restricted Workdays Rate</u>
Cash grain	Family	27174	583409	8.1	174.8
	Hired	5789	23492	7.3	29.5
Field crops	Family	10138	131765	9.1	118.6
	Hired	2265	6686	2.2	6.6
Veg, fruit, nuts	Family	4599	68401	4.5	66.2
	Hired	15750	130586	3.5	28.7
Nursery	Family	625	2089	1.3	4.2
	Hired	13290	84017	8.3	52.6
Beef, hogs, sheep	Family	68450	1652592	12.2	294.0
	Hired	15229	197678	5.8	74.8
Poultry	Family	1751	22451	4.2	54.0
	Hired	885	75036	2.9	248.8
Dairy	Family	11532	232370	8.7	77.8
	Hired	5590	86341	1.6	90.8
Other farms	Family	7424	64146	1.1	76.0
	Hired	1089	2706	4.8	4.0
All Farms	Family	131694	2757223	8.3	174.0
	Hired	59888	606542	4.9	48.4

Table 2-3. National estimates of lost-time injuries by region, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	16718.2	8.5	16718.2	8.5
South	46075.5	23.5	62793.7	32.1
Midwest	89211.8	45.6	152005.5	77.6
West	43819.1	22.4	195824.6	100.0

Table 2-4. National estimates of lost-time injuries by farm type, 1995.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	33480.8	17.1	33480.8	17.1
Field crops	12403.6	6.3	45884.4	23.4
Vegetable, fruit, nuts	21406.0	10.9	67290.4	34.4
Nursery	15260.9	7.8	82551.3	42.2
Beef, hogs, sheep	84735.5	43.3	167286.8	85.4
Poultry	2903.4	1.5	170190.2	86.9
Dairy	17122.2	8.7	187312.4	95.7
Other farms	8512.2	4.3	195824.6	100.0

Table 2-5. National estimates of lost-time injuries by status of the injured worker, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	121871.4	63.8	121871.4	63.8
Partner/family	9822.1	5.1	131693.5	68.1
Hired labor	54173.5	28.0	185867.0	96.1
Unpaid nonfamily	5714.6	3.0	191581.6	99.0
Other	1878.1	1.0	193459.7	100.0

(Frequency Missing = 2364.9)

Table 2-6. National estimates of lost-time injuries by gender, 1995.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	171743.8	88.8	171743.8	88.8
Female	21715.9	11.2	193459.7	100.0

(Frequency Missing = 2364.9)

Table 2-7. National estimates of lost-time injuries by age group, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	1586.9	0.8	1586.9	0.8
10-19	6759.6	3.5	8346.5	4.3
20-29	28672.2	14.8	37017.0	19.1
30-39	42004.7	21.7	79023.6	40.8
40-49	29304.4	15.1	108328.0	55.9
50-59	41150.6	21.2	149478.6	77.2
60-69	29812.8	15.4	179291.4	92.5
>=70	14441.7	7.5	193733.1	100.0

(Frequency Missing = 2091.5)

Table 2-8. National estimates of lost-time injuries by race or ethnic origin, 1995.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	157748.3	81.3	157748.3	81.4
Hispanic	32341.2	16.8	190089.5	98.1
Black	2135.3	1.1	192224.8	99.2
Asian	1070.1	0.6	193294.9	99.7
Other	528.9	0.3	193823.8	100.0

(Frequency Missing = 2000.8)

Table 2-9. National estimates of lost-time injuries by month, 1995.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	3573.1	1.9	3573.1	1.9
February	3022.9	1.6	6596.0	3.5
March	8859.4	4.6	15455.4	8.1
April	15646.5	8.2	31101.9	16.3
May	16744.0	8.8	47845.9	25.0
June	19258.4	10.1	67104.3	35.1
July	26697.4	14.0	93801.7	49.3
August	29801.8	15.6	123603.5	64.7
September	17055.7	8.9	140659.2	73.6
October	18327.3	9.6	158986.5	83.2
November	24528.8	12.8	183515.3	96.1
December	7531.4	3.9	191046.7	100.0

(Frequency Missing = 4777.9)

Table 2-10. National estimates of lost-time injuries by severity of the injury, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	181404.3	93.5	181404.3	93.5
Permanent	10097.7	5.2	191502.0	98.7
Fatality	2474.9	1.3	193976.9	100.0
(Frequency Missing = 1847.7)				

Table 2-11. National estimates of lost-time injuries by whether professional medical attention was sought, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	14184.6	7.3	14184.6	7.3
Yes	151261.1	77.5	165445.7	84.8
No	29605.2	15.2	195050.9	100.0
(Frequency Missing = 773.7)				

Table 2-12. National estimates of lost-time injuries by body part injured, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	11401.1	5.9	11401.1	5.9
Eye	6493.9	3.3	17895.0	9.2
Chest/trunk	11901.2	6.1	29796.2	15.4
Back	27969.7	14.4	57765.9	29.8
Arm/shoulder	25037.8	12.9	82803.7	42.7
Finger	25696.0	13.2	108499.7	55.9
Hand/wrist	17129.4	8.8	125629.1	64.8
Leg/knee/hip	33556.5	17.4	159185.6	82.1
Toe	929.4	0.5	160115.0	82.5
Foot	18899.6	9.7	179014.6	92.3
Mult. parts	9719.8	5.0	188734.4	97.3
Other	5242.5	2.7	193976.9	100.0
(Frequency Missing = 1847.7)				

Table 2-13. National estimates of lost-time injuries by nature of injury, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	3462.0	1.8	3462.0	1.8
Bruise	29490.2	15.2	32952.2	17.0
Burn	3435.4	1.8	36387.6	18.8
Cut	29528.7	15.2	65916.3	34.0
Crush	8338.2	4.3	74254.5	38.5
Fracture	33679.6	17.4	107934.1	55.7
Poisoning	221.7	0.1	108155.8	55.8
Puncture	11115.5	5.7	119271.3	61.5
Sprain/strain	54723.7	28.2	173995.0	89.8
Mult. injury	6782.4	3.5	180777.4	93.3
Other	13036.2	6.7	193813.6	100.0

(Frequency Missing = 2011.0)

Table 2-14. National estimates of lost-time injuries by type of event, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	11225.3	5.8	11225.3	5.8
Caught between	24792.7	12.8	36018.0	18.6
Caught under	9164.8	4.7	45182.8	23.3
Struck by/against	22198.6	11.4	67381.4	34.7
Struck by falling	14743.7	7.6	82125.1	42.3
Struck by flying	4463.3	2.3	86588.4	44.6
Contact sharp obj.	26208.0	13.5	112796.4	58.1
Fall, same level	13633.7	7.0	126430.1	65.2
Fall, elevation	27471.4	14.2	153901.5	79.3
Overexertion	19541.5	10.1	173443.0	89.4
Other	20533.9	10.6	193976.9	100.0

(Frequency Missing = 1847.7)

Table 2-15. National estimates of lost-time injuries by activity when worker was injured, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	38451.8	19.9	38451.8	19.9
Machine maint.	20790.8	10.7	59242.6	30.6
Field work	23185.3	12.0	82427.9	42.6
Crop handling	23759.3	12.3	106187.2	54.9
Livestock handling	64529.7	33.3	170716.9	88.2
Other	22848.8	11.8	193565.7	100.0

(Frequency Missing = 2258.9)

Table 2-16. National estimates of lost-time injuries by source of the injury, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	7902.4	4.1	7902.4	4.1
Machinery	41389.7	21.3	49292.1	25.4
Livestock	38779.4	20.0	88071.5	45.4
Hand tool	14717.3	7.6	102788.8	53.0
Power tool	5687.2	2.9	108476.0	55.9
Pesticide/chem.	915.5	0.5	109391.5	56.4
Plant/tree	7577.4	3.9	116968.9	60.3
Working surface	16502.3	8.5	133471.2	68.8
Truck/auto	2834.2	1.5	136305.4	70.1
Other vehicle	5174.8	2.7	141480.2	72.9
Liquids	505.8	0.3	141986.0	73.2
Other	52059.2	26.8	194045.2	100.0

(Frequency Missing = 1779.4)

Table 2-17. National estimates of restricted workdays by region, 1995. Temporary injuries only.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	292989	8.6	292989	8.6
South	818321	24.1	1111310	32.8
Midwest	1817799	53.6	2929109	86.4
West	459631	13.6	3388740	100.0

Table 2-18. National estimates of restricted workdays by farm type, 1995. Temporary injuries only.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	607160	17.9	607160	17.9
Field crops	138451	4.1	745611	22.0
Vegetable, fruit, nuts	204412	6.0	950023	28.0
Nursery	86106	2.5	1036129	30.6
Beef, hogs, sheep	1869561	55.2	2905690	85.7
Poultry	97487	2.9	3003177	88.6
Dairy	318711	9.4	3321888	98.0
Other	66852	2.0	3388740	100.0

Table 2-19. National estimates of restricted workdays by status of the injured worker, 1995. Temporary injuries only.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	2650198	78.2	2650198	78.2
Partner/family	107025	3.2	2757223	81.4
Hired labor	477162	14.1	3234385	95.5
Unpaid nonfamily	129380	3.8	3363765	99.3
Other	24716	0.7	3388481	100.0

(Frequency Missing = 259)

Table 2-20. National estimates of restricted workdays by gender, 1995. Temporary injuries only.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	2976934	87.9	2976934	87.9
Female	411547	12.1	3388481	100.0

(Frequency Missing = 259)

Table 2-21. National estimates of restricted workdays by age group, 1995. Temporary injuries only.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	7905	0.2	7905	0.2
10-19	96005	2.8	103910	3.1
20-29	243737	7.2	347647	10.3
30-39	559914	16.5	907561	26.8
40-49	401514	11.8	1309075	38.6
50-59	420200	12.4	1729275	51.0
60-69	1421029	41.9	3150304	93.0
>=70	238436	7.0	3388740	100.0

Table 2-22. National estimates of restricted workdays by race or ethnic origin, 1995. Temporary injuries only.

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	3068353	90.6	3068353	90.6
Hispanic	306830	9.1	3375183	99.6
Black	8398	0.2	3383581	99.9
Asian	2930	0.1	3386511	100.0
Other	1138	0.0	3387649	100.0

(Frequency Missing = 1091)

Table 2-23. National estimates of restricted workdays by month, 1995. Temporary injuries only.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	23591	0.7	23591	0.7
February	65500	1.9	89091	2.6
March	221806	6.6	310897	9.2
April	226268	6.7	537165	16.0
May	317601	9.4	854766	25.4
June	281121	8.4	1135887	33.8
July	523065	15.5	1658952	49.3
August	884301	26.3	2543253	75.6
September	213545	6.3	2756798	81.9
October	200852	6.0	2957650	87.9
November	304326	9.0	3261976	96.9
December	102830	3.1	3364806	100.0

(Frequency Missing = 23934)

Table 2-24. National estimates of restricted workdays by whether professional medical attention was sought, 1995. Temporary injuries only.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	3222036	95.3	3222036	95.3
No	157439	4.7	3379475	100.0

(Frequency Missing = 9265)

Table 2-25. National estimates of restricted workdays by body part injured, 1995. Temporary injuries only.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	54527	1.6	54527	1.6
Eye	10950	0.3	65477	1.9
Chest/trunk	611687	18.1	677164	20.0
Back	659554	19.5	1336718	39.4
Arm/shoulder	389796	11.5	1726514	50.9
Finger	374385	11.0	2100899	62.0
Hand/wrist	205451	6.1	2306350	68.1
Leg/knee/hip	469515	13.9	2775865	81.9
Toe	25033	0.7	2800898	82.7
Foot	277944	8.2	3078842	90.9
Mult. parts	188084	5.6	3266926	96.4
Other	121814	3.6	3388740	100.0

Table 2-26. National estimates of restricted workdays by nature of injury, 1995. Temporary injuries only.

<u>Nature of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Amputation	4405	0.1	4405	0.1
Bruise	174455	5.2	178860	5.3
Burn	10224	0.3	189084	5.6
Cut	275814	8.1	464898	13.7
Crush	754788	22.3	1219686	36.0
Fracture	926166	27.4	2145852	63.4
Poisoning	665	0.0	2146517	63.4
Puncture	59678	1.8	2206195	65.2
Sprain/strain	878530	26.0	3084725	91.1
Mult. injury	117100	3.5	3201825	94.6
Other	183601	5.4	3385426	100.0

(Frequency Missing = 3314)

Table 2-27. National estimates of restricted workdays by type of event, 1995. Temporary injuries only.

<u>Type of Event</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Caught in	107441	3.2	107441	3.2
Caught between	496876	14.7	604317	17.8
Caught under	769715	22.7	1374032	40.5
Struck by/against	267963	7.9	1641995	48.5
Struck by falling	135207	4.0	1777202	52.4
Struck by flying	13547	0.4	1790749	52.8
Contact sharp obj.	200046	5.9	1990795	58.7
Fall, same level	155853	4.6	2146648	63.3
Fall, elevation	376438	11.1	2523086	74.5
Overexertion	588570	17.4	3111656	91.8
Other	277084	8.2	3388740	100.0

Table 2-28. National estimates of restricted workdays by activity when worker was injured, 1995. Temporary injuries only.

<u>Activity When Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Farm maint.	422077	12.5	422077	12.5
Machine maint.	336842	9.9	758919	22.4
Field work	279379	8.2	1038298	30.6
Crop handling	453666	13.4	1491964	44.0
Livestock handling	1548889	45.7	3040853	89.8
Other	347217	10.2	3388070	100.0

(Frequency Missing = 670)

Table 2-29. National estimates of restricted workdays by source of the injury, 1995. Temporary injuries only.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	118425	3.5	118425	3.5
Machinery	737114	21.8	855539	25.3
Livestock	1182096	34.9	2037635	60.1
Hand tool	117263	3.5	2154898	63.6
Power tool	47926	1.4	2202824	65.0
Pesticide/chem.	1162	0.0	2203986	65.1
Plant/tree	48859	1.4	2252845	66.5
Working surface	262403	7.7	2515248	74.2
Truck/auto	92857	2.7	2608105	77.0
Other vehicle	115164	3.4	2723269	80.4
Liquids	12646	0.4	2735915	80.8
Other	652155	19.2	3388070	100.0

(Frequency Missing = 670)

Table 2-30. National estimates of lost-time injuries by region of the U.S. for crop operations, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	11373.3	12.5	11373.3	12.5
South	17374.4	19.1	28747.7	31.6
Midwest	32613.3	35.8	61361.0	67.4
West	29702.5	32.6	91063.5	100.0

Table 2-31. National estimates of lost-time injuries by status of the injured worker for crop operations, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	44967.7	50.4	44967.7	50.4
Partner/family	4992.8	5.6	49960.5	56.0
Hired labor	37497.3	42.0	87457.8	98.0
Unpaid nonfamily	686.1	0.8	88143.9	98.8
Other	1057.2	1.2	89201.1	100.0

(Frequency Missing = 1862.4)

Table 2-32. National estimates of lost-time injuries by gender for crop operations, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	82383.6	92.4	82383.6	92.4
Female	6817.5	7.6	89201.1	100.0
(Frequency Missing = 1862.4)				

Table 2-33. National estimates of lost-time injuries by age group for crop operations, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<10	1586.9	1.8	1586.9	1.8
10-19	3434.8	3.8	5021.7	5.6
20-29	22411.7	25.0	27433.4	30.7
30-39	19641.7	22.0	47075.1	52.6
40-49	15416.1	17.2	62491.2	69.8
50-59	10605.4	11.9	73096.6	81.7
60-69	8177.8	9.1	81274.4	90.8
>=70	8200.1	9.2	89474.5	100.0
(Frequency Missing = 1589.0)				

Table 2-34. National estimates of lost-time injuries by race or ethnic origin for crop operations, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	61593.5	68.4	60761.0	68.4
Hispanic	26326.6	29.6	87087.1	98.0
Other	1792.0	2.0	88879.1	100.0
(Frequency Missing = 1351.4)				

Table 2-35. National estimates of lost-time injuries by month for crop operations, 1995.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	2190.7	2.5	2190.7	2.5
February	1822.0	2.1	4012.7	4.6
March	3066.9	3.5	7079.6	8.1
April	7107.8	8.1	14187.4	16.1
May	6090.5	6.9	20277.9	23.1
June	8272.8	9.4	28550.7	32.5
July	16955.0	19.3	45505.7	51.7
August	16523.1	18.8	62028.8	70.5
September	6914.2	7.9	68943.0	78.4
October	9644.4	11.0	78587.4	89.4
November	6715.3	7.6	85302.7	97.0
December	2635.8	3.0	87938.5	100.0

(Frequency Missing = 3125.0)

Table 2-36. National estimates of lost-time injuries by severity of the injury for crop operations, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	84772.9	94.5	84772.9	94.5
Permanent	4701.6	5.2	89474.5	99.7
Fatality	243.8	0.3	89718.3	100.0

(Frequency Missing = 1345.2)

Table 2-37. National estimates of lost-time injuries by whether professional medical attention was sought for crop operations, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	6290.6	6.9	6290.6	6.9
Yes	69272.5	76.5	75563.1	83.5
No	14962.4	16.5	90525.5	100.0

(Frequency Missing = 538.0)

Table 2-38. National estimates of lost-time injuries by body part injured for crop operations, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	3537.0	3.9	3537.0	3.9
Eye	5701.2	6.4	9238.2	10.3
Chest/trunk	3407.3	3.8	12645.5	14.1
Back	12791.2	14.3	25436.7	28.4
Arm/shoulder	13936.3	15.5	39373.0	43.9
Finger	12455.7	13.9	51828.7	57.8
Hand/wrist	5945.8	6.6	57774.5	64.4
Leg/knee/hip	18515.4	20.6	76289.9	85.0
Toe	683.7	0.8	76973.6	85.8
Foot	7659.2	8.6	84632.8	94.3
Mult. parts	3770.1	4.2	88402.9	98.5
Other	1315.4	1.5	89718.3	100.0

(Frequency Missing = 1345.2)

Table 2-39. National estimates of lost-time injuries by nature of the injury for crop operations, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	2731.6	3.1	2731.6	3.1
Bruise	11269.6	12.6	14001.2	15.6
Burn	1931.1	2.2	15932.3	17.8
Cut	18545.3	20.7	34477.6	38.5
Crush	3193.0	3.6	37670.6	42.1
Fracture	6793.7	7.6	44464.3	49.7
Poisoning	221.7	0.2	44686.0	59.9
Puncture	4972.7	5.6	49658.7	55.5
Sprain/strain	33244.1	37.1	82902.8	92.6
Mult. injury	1013.4	1.1	83916.2	93.7
Other	5638.8	6.3	89555.0	100.0

(Frequency Missing = 1508.5)

Table 2-40. National estimates of lost-time injuries by type of event for crop operations, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	5993.0	6.7	5993.0	6.7
Caught between	8229.8	9.2	14222.8	15.9
Caught under	4093.9	4.6	18316.7	20.4
Struck by/against	7925.4	8.8	26242.1	29.2
Struck by falling	4649.0	5.2	30891.1	34.4
Struck by flying	2314.4	2.6	33205.5	37.0
Contact sharp obj.	13916.3	15.5	47124.0	52.5
Fall, same level	7104.1	7.9	54228.1	60.4
Fall, elevation	17206.0	19.2	71434.1	79.6
Overexertion	9148.9	10.2	70583.0	89.8
Other	9135.3	10.2	89718.3	100.0

(Frequency Missing = 1345.2)

Table 2-41. National estimates of lost-time injuries by activity when injured for crop operations, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	22967.4	25.7	22967.4	25.7
Machine maint.	13615.3	15.2	36582.7	40.9
Field work	19991.2	22.3	56573.9	63.2
Crop handling	10265.5	11.5	66839.4	74.7
Livestock handling	10999.1	12.3	77838.5	87.0
Other	11636.0	13.0	89474.5	100.0

(Frequency Missing = 1589)

Table 2-42. National estimates of lost-time injuries by source of injury for crop operations, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	6246.4	7.0	6246.4	7.0
Machinery	22202.7	24.7	28449.1	31.7
Livestock	8240.9	9.2	36690.5	40.9
Hand tool	9038.2	10.1	45728.2	51.0
Power tool	4261.7	4.8	49989.9	55.7
Pesticide/chem.	284.1	0.3	50274.0	56.0
Plant/tree	2694.4	3.0	52968.4	59.0
Working surface	7800.5	8.7	60768.9	67.7
Truck/auto	2249.7	2.5	63018.6	70.2
Other vehicle	2137.1	2.4	65155.7	72.6
Other	24562.6	27.4	89718.3	100.0

(Frequency Missing = 1345.2)

Table 2-43. National estimates of lost-time injuries by region of the U.S. for livestock operations, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	5344.9	5.1	5344.9	5.1
South	28701.1	27.4	34046.0	32.5
Midwest	56598.5	54.0	90644.5	86.5
West	14116.6	13.5	104761.1	100.0

Table 2-44. National estimates of lost-time injuries by status of the injured worker for livestock operations, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	76903.7	73.8	76903.7	73.8
Partner/family	4829.3	4.6	81733.0	78.4
Hired labor	16676.2	16.0	98409.2	94.4
Unpaid nonfamily	5028.5	4.8	103437.7	99.2
Other	820.9	0.8	104258.6	100.0

(Frequency Missing = 502.5)

Table 2-45. National estimates of lost-time injuries by gender for livestock operations, 1995.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	89360.2	85.7	89360.2	85.7
Female	14898.4	14.3	104257.8	100.0

(Frequency Missing = 502.5)

Table 2-46. National estimates of lost-time injuries by age group for livestock operations, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	3325.0	3.2	3325.0	3.2
20-29	6260.5	6.0	9585.5	9.2
30-39	22363.0	21.4	31948.5	30.6
40-49	13888.3	13.3	45836.8	44.0
50-59	30545.2	29.3	76382.0	73.3
60-69	21635.0	20.8	98017.0	94.0
>=70	6241.6	6.0	104258.6	100.0

(Frequency Missing = 502.5)

Table 2-47. National estimates of lost-time injuries by race or ethnic origin for livestock operations, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	96154.8	92.4	96154.8	92.4
Hispanic	6014.6	5.8	102169.4	98.1
Black	1733.5	1.7	103902.9	99.8
Other	208.8	0.2	104111.7	100.0

(Frequency Missing = 649.4)

Table 2-48. National estimates of lost-time injuries by month for livestock operations, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	1382.4	1.3	1382.4	1.3
February	1200.9	1.2	2583.3	2.5
March	5792.5	5.6	8375.8	8.1
April	8538.7	8.3	16914.5	16.4
May	10653.5	10.3	27568.0	26.7
June	10985.6	10.7	38553.6	37.4
July	9742.4	9.4	48296.0	46.8
August	13278.7	12.9	61574.7	59.7
September	10141.5	9.8	71716.2	69.6
October	8682.9	8.4	80399.1	78.0
November	17813.5	17.3	98212.6	95.3
December	4895.6	4.7	103108.2	100.0

(Frequency Missing = 1652.9)

Table 2-49. National estimates of lost-time injuries by severity of the injury for livestock operations, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	96631.4	92.7	96631.4	92.7
Permanent	5396.1	5.2	102027.5	97.9
Fatality	2231.1	2.1	104258.6	100.0

(Frequency Missing = 502.5)

Table 2-50. National estimates of lost-time injuries by whether professional medical attention was sought for livestock operations, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	7894.0	7.6	7784.0	7.6
Yes	81988.6	78.4	89882.6	86.0
No	14642.8	14.0	104525.4	100.0

(Frequency Missing = 235.7)

Table 2-51. National estimates of lost-time injuries by body part injured for livestock operations, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	7864.1	7.5	7864.1	7.5
Eye	792.7	0.8	8656.8	8.3
Chest/trunk	8493.9	8.1	17150.7	16.5
Back	15178.5	14.6	32329.2	31.0
Arm/shoulder	11101.5	10.6	43430.7	41.7
Finger	13240.3	12.7	56671.0	54.4
Hand/wrist	11183.6	10.7	67854.6	65.1
Leg/knee/hip	15041.1	14.4	82895.7	79.5
Toe	245.7	0.2	83141.4	79.7
Foot	11240.4	10.8	94381.8	90.5
Mult. parts	5949.7	5.7	100331.5	96.2
Other	3927.1	3.8	104258.6	100.0

(Frequency Missing = 502.5)

Table 2-52. National estimates of lost-time injuries by nature of the injury for livestock operations, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	730.4	0.7	730.4	0.7
Bruise	18220.6	17.5	18951.0	18.2
Burn	1504.3	1.4	20455.3	19.6
Cut	10983.4	10.5	31438.7	30.2
Crush	5145.2	4.9	36583.9	35.1
Fracture	26885.9	25.8	63469.8	60.9
Puncture	6142.8	5.9	69612.6	66.8
Sprain/strain	21479.6	20.6	91092.2	87.4
Mult. injury	5769.0	5.5	96861.2	92.9
Other	7397.4	7.1	104258.6	100.0

(Frequency Missing = 502.5)

Table 2-53. National estimates of lost-time injuries by type of event for livestock operations, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	5232.3	5.0	5232.3	5.0
Caught between	16562.9	15.9	21795.2	20.9
Caught under	5070.9	4.9	26866.1	25.8
Struck by/against	14273.2	13.7	41139.3	39.5
Struck by falling	10094.7	9.7	51234.0	49.1
Struck by flying	2148.9	2.1	53382.9	51.2
Contact sharp obj.	12289.5	11.8	65672.4	63.0
Fall, same level	6529.6	6.3	72202.0	69.3
Fall, elevation	10265.4	9.8	82467.4	79.1
Overexertion	10392.6	10.0	92856.0	89.1
Other	11398.6	10.9	104258.5	100.0

(Frequency Missing = 502.5)

Table 2-54. National estimates of lost-time injuries by activity when injured for livestock operations, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	15484.4	14.9	15484.4	14.9
Machine maint.	7175.5	6.9	22659.9	21.8
Field work	3194.1	3.1	25854.0	24.8
Crop handling	13493.8	13.0	39347.8	37.8
Livestock handling	53530.6	51.4	92878.4	89.2
Other	11212.8	10.8	104091.2	100.0

(Frequency Missing = 669.9)

Table 2-55. National estimates of lost-time injuries by source of injury for livestock operations, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1656.0	1.6	1656.0	1.6
Machinery	19187.0	18.4	20843.0	20.0
Livestock	30538.5	29.3	51381.5	49.3
Hand tool	5679.1	5.4	57060.6	54.7
Power tool	1425.5	1.4	58486.1	56.1
Pesticide/chem.	631.4	0.6	59117.5	56.7
Plant/tree	4883.0	4.7	64000.5	61.3
Working surface	8701.8	8.3	72702.3	69.7
Truck/auto	584.5	0.6	73286.8	70.2
Other vehicle	3037.7	2.9	76324.5	73.2
Liquids	505.8	0.5	76830.3	73.6
Other	27496.6	26.4	104326.9	100.0

(Frequency Missing = 434.2)

Table 2-56. National estimates of lost-time injuries by region of the U.S. for cash grain operations, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	1206.2	3.6	1206.2	3.6
South	3730.5	11.1	4936.7	14.7
Midwest	27466.0	82.0	32402.7	96.8
West	1078.1	3.2	33480.8	100.0

Table 2-57. National estimates of lost-time injuries by status of the injured worker for cash grain operations, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	23208.9	70.4	23208.9	70.4
Partner/family	3965.4	12.0	27174.3	82.4
Hired labor	5153.6	15.6	32327.9	98.1
Unpaid nonfamily	635.7	1.9	32963.6	100.0

(Frequency Missing = 517.2)

Table 2-58. National estimates of lost-time injuries by gender for cash grain operations, 1995.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	29779.0	90.3	29779.0	90.3
Female	3184.6	9.7	32963.6	100.0

(Frequency Missing = 517.2)

Table 2-59. National estimates of lost-time injuries by age group for cash grain operations, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	1586.9	4.7	1586.9	4.7
10-19	1251.5	3.7	2838.4	8.5
20-29	2361.9	7.1	5200.3	15.5
30-39	8170.3	24.4	13370.6	39.9
40-49	6768.7	20.2	20139.3	60.2
50-59	4532.4	13.5	24671.7	73.7
60-69	3101.8	9.3	27773.5	83.0
>=70	5707.3	17.0	33480.8	100.0

Table 2-60. National estimates of lost-time injuries by race or ethnic origin for cash grain operations, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	32275.9	96.4	32275.9	96.4
Hispanic	519.4	1.6	32795.3	98.0
Other	685.5	0.7	33480.8	100.0

Table 2-61. National estimates of lost-time injuries by month for cash grain operations, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	1128.9	3.5	1128.9	3.5
March	1982.1	6.2	3111.0	9.7
April	2806.0	8.7	5917.0	18.4
May	2618.8	8.1	8535.8	26.5
June	5638.2	17.5	14174.0	44.0
July	4522.4	14.0	18696.4	58.1
August	5250.0	16.3	23946.4	74.4
September	1737.5	5.4	25683.9	79.8
October	2363.2	7.3	28047.1	87.1
November	2495.4	7.8	30542.5	94.9
December	1646.1	5.1	32188.6	100.0

(Frequency Missing = 1292.2)

Table 2-62. National estimates of lost-time injuries by severity of the injury for cash grain operations, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	31255.8	93.4	31255.8	93.4
Permanent	2225.0	6.6	33480.8	100.0

Table 2-63. National estimates of lost-time injuries by whether professional medical attention was sought for cash grain operations, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	2225.0	6.6	2225.0	6.6
Yes	27379.0	81.8	29604.0	88.4
No	3876.8	11.6	33480.8	100.0

Table 2-64. National estimates of lost-time injuries by body part injured for cash grain operations, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1770.9	5.3	1770.9	5.3
Eye	2185.6	6.5	3956.5	11.8
Chest/trunk	940.1	2.8	4896.6	14.6
Back	6349.5	19.0	11246.1	33.6
Arm/shoulder	3152.4	9.4	14398.5	43.0
Finger	3655.9	10.9	18054.4	53.9
Hand/wrist	2882.2	8.6	20936.6	62.5
Leg/knee/hip	7180.5	21.4	28117.1	84.0
Foot	3296.3	9.8	31413.4	93.8
Mult. parts	1550.2	4.6	32963.6	98.5
Other	517.2	1.5	33480.8	100.0

Table 2-65. National estimates of lost-time injuries by nature of the injury for cash grain operations, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	1223.2	3.7	1223.2	3.7
Bruise	2603.0	7.8	3826.2	11.5
Burn	900.7	2.7	4726.9	14.2
Cut	5362.0	16.1	10088.9	30.3
Crush	1925.4	5.8	12014.3	36.1
Fracture	4149.1	12.5	16163.4	48.5
Puncture	1775.7	5.3	17939.1	53.8
Sprain/strain	12179.9	36.6	30119.0	90.4
Mult. injury	456.3	1.4	30575.3	91.8
Other	2742.2	8.2	33317.5	100.0

(Frequency Missing = 163.3)

Table 2-66. National estimates of lost-time injuries by type of event for cash grain operations, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	3044.2	9.1	3044.2	9.1
Caught between	2897.6	8.7	5941.8	17.7
Caught under	2502.4	7.5	8444.2	25.2
Struck by/against	2647.7	7.9	11091.9	33.1
Struck by falling	574.8	1.7	11666.7	34.8
Struck by flying	828.6	2.5	12495.3	37.3
Contact sharp obj.	3394.7	10.1	15890.0	47.5
Fall, same level	3372.1	10.1	19262.1	57.5
Fall, elevation	6278.5	18.8	25540.6	76.3
Overexertion	4529.0	13.5	30069.6	89.8
Other	3411.2	10.2	33480.8	100.0

Table 2-67. National estimates of lost-time injuries by activity when injured for cash grain operations, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2796.1	8.4	2796.1	8.4
Machine maint.	9333.1	27.9	12129.2	36.2
Field work	5295.1	15.8	17424.3	52.0
Crop handling	6452.0	19.3	23876.3	71.3
Livestock handling	6638.4	19.8	30514.7	91.1
Other	2966.1	8.9	33480.8	100.0

Table 2-68. National estimates of lost-time injuries by source of injury for cash grain operations, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	3100.2	9.3	3100.2	9.3
Machinery	8670.3	25.9	11770.5	35.2
Livestock	4028.7	12.0	15799.2	47.2
Hand tool	1939.0	5.8	17738.2	53.0
Power tool	867.3	2.6	18605.5	55.6
Plant/tree	912.6	2.7	19518.1	58.3
Working surface	3338.1	10.0	22856.2	68.3
Truck/auto	815.9	2.4	23672.1	70.7
Other vehicle	940.1	2.8	24612.2	73.5
Other	8868.6	26.5	33480.8	100.0

Table 2-69. National estimates of lost-time injuries by region of the U.S. for field crop operations, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	3093.4	24.9	3093.4	24.9
South	4165.5	33.6	7258.9	58.5
Midwest	2974.4	24.0	10233.3	82.5
West	2170.3	17.5	12403.6	100.0

Table 2-70. National estimates of lost-time injuries by status of the injured worker for field crop operations, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	9782.9	78.9	9782.9	78.9
Partner/family	355.3	2.9	10138.2	81.7
Hired labor	2265.4	18.3	12403.6	100.0

Table 2-71. National estimates of lost-time injuries by gender for field crop operations, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	11082.4	89.3	11082.2	89.3
Female	1321.4	10.7	12403.6	100.0

Table 2-72. National estimates of lost-time injuries by age group for field crop operations, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
10-19	182.0	1.5	182.0	1.5
20-29	1352.1	10.9	1534.1	12.4
30-39	3315.4	26.7	4849.5	39.1
40-49	2349.3	18.9	7198.8	58.0
50-59	2371.8	19.1	9570.6	77.2
60-69	1786.6	14.4	11357.2	91.6
>=70	1046.4	8.4	12403.6	100.0

Table 2-73. National estimates of lost-time injuries by race or ethnic origin for field crop operations, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	10159.5	81.9	10159.5	81.9
Hispanic	2083.4	16.8	12242.9	98.7
Black	160.7	1.3	12403.6	100.0

Table 2-74. National estimates of lost-time injuries by month for field crop operations, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	91.7	0.7	91.7	0.7
March	182.0	1.5	273.7	2.2
April	1263.8	10.2	1537.5	12.4
May	1448.4	11.7	2985.9	24.1
June	1501.7	12.1	4487.6	36.2
July	2629.6	21.2	7117.2	57.4
August	614.0	4.9	7731.2	62.3
September	1423.4	11.5	9154.6	73.8
October	2125.0	17.1	11279.6	90.9
November	529.8	4.3	11809.4	95.2
December	594.2	4.8	12403.6	100.0

Table 2-75. National estimates of lost-time injuries by severity of the injury for field crop operations, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	11531.7	93.0	11531.7	93.0
Permanent	871.9	7.0	12403.6	100.0

Table 2-76. National estimates of lost-time injuries by whether professional medical attention was sought for field crop operations, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	871.9	7.1	871.9	7.1
Yes	8851.6	71.7	9723.5	78.8
No	2622.2	21.2	12345.7	100.0

(Frequency Missing = 57.9)

Table 2-77. National estimates of lost-time injuries by body part injured for field crop operations, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	369.1	3.0	369.1	3.0
Eye	1736.3	14.0	2105.4	17.0
Chest/trunk	1031.7	8.3	3137.1	25.3
Back	963.6	7.8	4100.7	33.1
Arm/shoulder	1037.1	8.4	5137.8	41.4
Finger	1473.4	11.9	6611.2	53.3
Hand/wrist	815.0	6.6	7426.2	59.9
Leg/knee/hip	1545.6	12.5	8971.8	72.3
Toe	91.7	0.7	9063.5	73.1
Foot	3066.4	24.7	12129.9	97.8
Mult. parts	273.7	2.2	12403.6	100.0

Table 2-78. National estimates of lost-time injuries by nature of the injury for field crop operations, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	1081.6	8.7	1081.6	8.7
Bruise	3203.4	25.8	4285.0	34.5
Cut	742.4	6.0	5027.4	40.5
Crush	334.0	2.7	5361.4	43.2
Fracture	929.7	7.5	6291.1	50.7
Puncture	2710.7	21.9	9001.8	72.6
Sprain/strain	2824.1	22.8	11825.9	95.3
Mult. injury	152.0	1.2	11977.9	96.6
Other	425.7	3.4	12403.6	100.0

Table 2-79. National estimates of lost-time injuries by type of event for field crop operations, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1199.7	9.7	1199.7	9.7
Caught between	364.0	2.9	1563.7	12.6
Caught under	1157.5	9.3	2721.2	21.9
Struck by/against	1265.0	10.2	3986.2	32.1
Struck by falling	1955.6	15.8	5941.8	47.9
Struck by flying	1407.5	11.4	7349.3	59.3
Contact sharp obj.	1457.9	11.7	8807.2	71.0
Fall, same level	551.1	4.4	9358.3	75.5
Fall, elevation	1393.4	11.2	10751.7	86.7
Overexertion	1262.7	10.2	12014.4	96.9
Other	389.2	3.1	12403.6	100.0

Table 2-80. National estimates of lost-time injuries by activity when injured for field crop operations, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1092.6	8.8	1092.6	8.8
Machine maint.	2698.8	21.8	3791.4	30.6
Field work	4539.0	36.6	8330.4	67.2
Crop handling	2113.3	17.0	10443.7	84.2
Livestock handling	1590.8	12.8	12034.5	97.0
Other	369.1	3.0	12403.6	100.0

Table 2-81. National estimates of lost-time injuries by source of injury for field crop operations, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1339.5	10.8	1339.5	10.8
Machinery	1269.4	10.2	2608.9	21.0
Livestock	1289.2	10.4	3898.1	31.4
Hand tool	1784.1	14.4	5682.2	45.8
Power tool	985.2	7.9	6667.4	53.8
Plant/tree	369.1	3.0	7036.5	56.7
Working surface	578.8	4.7	7615.3	61.4
Truck/auto	376.6	3.0	7991.9	64.4
Other	4411.7	35.6	12403.6	100.0

Table 2-82. National estimates of lost-time injuries by region of the U.S. for vegetable, fruit and nut operations, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	857.4	4.0	857.4	4.0
South	3789.6	17.7	4647.0	21.7
Midwest	174.1	0.8	4821.1	22.5
West	16584.9	77.5	21406.0	100.0

Table 2-83. National estimates of lost-time injuries by status of the injured worker for vegetable, fruit and nut operations, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	4532.2	21.2	4532.2	21.2
Partner/family	66.4	0.3	4598.6	21.5
Hired labor	15699.4	73.3	20298.4	94.8
Unpaid nonfamily	50.2	0.2	20348.8	95.1
Other	1057.2	4.9	21406.0	100.0

Table 2-84. National estimates of lost-time injuries by gender for vegetable, fruit and nut operations, 1995.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	20971.9	98.0	20971.9	98.0
Female	434.1	2.0	21406.0	100.0

Table 2-85. National estimates of lost-time injuries by age group for vegetable, fruit and nut operations, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1337.4	6.2	1337.4	6.2
20-29	4862.9	22.7	6200.3	29.0
30-39	4140.7	19.3	10341.0	48.3
40-49	4304.6	20.1	14645.6	68.4
50-59	2873.8	13.4	17519.4	81.8
60-69	3289.4	15.4	20808.8	97.2
>=70	597.2	2.8	21406.0	100.0

Table 2-86. National estimates of lost-time injuries by race or ethnic origin for vegetable, fruit and nut operations, 1995.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	6073.1	28.4	6073.1	28.4
Hispanic	14393.3	67.2	20466.4	95.6
Asian	861.3	4.0	21327.7	99.6
Other	78.3	0.4	21406.0	100.0

Table 2-87. National estimates of lost-time injuries by month for vegetable, fruit and nut operations, 1995.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	2190.7	10.2	2190.7	10.2
February	339.8	1.6	2530.5	11.8
March	831.4	3.9	3361.9	15.7
April	2477.0	11.6	5838.9	27.3
May	1329.5	6.2	7168.4	33.5
June	728.4	3.4	7896.8	36.9
July	5977.3	27.9	13874.1	64.8
August	1202.1	5.6	15076.2	70.4
September	3070.8	14.3	18147.0	84.8
October	1057.2	4.9	19204.2	89.7
November	1890.1	8.8	21094.3	98.5
December	311.7	1.5	21406.0	100.0

Table 2-88. National estimates of lost-time injuries by severity of the injury for vegetable, fruit and nut operations, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	20427.1	95.4	20427.1	95.4
Permanent	978.9	4.6	21406.0	100.0

Table 2-89. National estimates of lost-time injuries by whether professional medical attention was sought for vegetable, fruit and nut operations, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	978.9	4.7	978.9	4.7
Yes	16768.2	80.1	17747.1	84.8
No	3185.0	15.2	20932.1	100.0

(Frequency Missing = 473.9)

Table 2-90. National estimates of lost-time injuries by body part injured for vegetable, fruit and nut operations, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1397.0	6.5	1397.0	6.5
Eye	1443.6	6.7	2840.6	13.3
Chest/trunk	928.5	4.3	3769.1	17.6
Back	3269.9	15.3	7039.0	32.9
Arm/shoulder	531.8	2.5	7570.8	35.4
Finger	3276.3	15.3	10847.1	50.7
Hand/wrist	2127.0	9.9	12974.1	60.6
Leg/knee/hip	4860.3	22.7	17834.4	83.3
Toe	395.6	1.8	18230.0	85.2
Foot	1208.7	5.6	19438.7	90.8
Mult. parts	1440.8	6.7	20879.5	97.5
Other	526.5	2.5	21406.0	100.0

Table 2-91. National estimates of lost-time injuries by nature of the injury for vegetable, fruit and nut operations, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	183.0	0.9	183.0	0.9
Bruise	4372.4	20.4	4555.4	21.3
Burn	944.7	4.4	5500.1	25.7
Cut	4793.3	22.4	10293.4	48.1
Crush	446.0	2.1	10739.4	50.2
Fracture	827.5	3.9	11566.9	54.0
Puncture	156.6	0.7	11723.5	54.8
Sprain/strain	7124.3	33.3	18847.8	88.0
Mult. injury	333.7	1.6	19181.5	89.6
Other	2224.5	10.4	21406.0	100.0

Table 2-92. National estimates of lost-time injuries by type of event for vegetable, fruit and nut operations, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1677.7	7.8	1677.7	7.8
Caught between	1161.9	5.4	2839.6	13.3
Struck by/against	2080.2	9.7	4919.8	23.0
Struck by falling	1874.8	8.8	6794.6	31.7
Struck by flying	78.3	0.4	6872.9	32.1
Contact sharp obj.	4871.6	22.8	11744.5	54.9
Fall, same level	2164.3	10.1	13908.8	65.0
Fall, elevation	312.7	1.5	14221.5	66.4
Overexertion	2556.0	11.9	16777.5	78.4
Other	4628.5	21.6	21406.0	100.0

Table 2-93. National estimates of lost-time injuries by activity when injured for vegetable, fruit and nut operations, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	3984.9	18.6	3984.9	18.6
Machine maint.	1501.8	7.0	5486.7	25.6
Field work	9260.5	43.3	14747.2	68.9
Crop handling	1106.4	5.2	15853.6	74.1
Livestock handling	1446.9	6.8	17300.5	80.8
Other	4105.5	19.2	21406.0	100.0

Table 2-94. National estimates of lost-time injuries by source of injury for vegetable, fruit and nut operations, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	715.0	3.3	715.0	3.3
Machinery	1753.2	8.2	2468.2	11.5
Livestock	1857.0	8.7	4325.2	20.2
Hand tool	1466.1	6.8	5791.3	27.1
Power tool	2409.2	11.3	8200.5	38.3
Plant/tree	1085.1	5.1	9285.6	43.4
Working surface	3282.7	15.3	12568.3	58.7
Truck/auto	1057.2	4.9	13625.5	63.7
Other vehicle	1006.8	4.7	14632.3	68.4
Other	6773.7	31.6	21406.0	100.0

Table 2-95. National estimates of lost-time injuries by region of the U.S. for nursery operations, 1995.

<u>Region</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Northeast	4486.3	29.4	4486.3	29.4
South	984.3	6.4	5470.6	35.8
Midwest	271.7	1.8	5742.3	37.6
West	9518.6	62.4	15260.9	100.0

Table 2-96. National estimates of lost-time injuries by status of the injured worker for nursery operations, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	619.1	4.4	619.1	4.4
Partner/family	6.2	0.0	625.3	4.5
Hired labor	13290.4	95.5	13915.7	100.0

(Frequency Missing = 1345.2)

Table 2-97. National estimates of lost-time injuries by gender for nursery operations, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	13304.0	95.6	13304.0	95.6
Female	611.7	4.4	13915.7	100.0

(Frequency Missing = 1345.2)

Table 2-98. National estimates of lost-time injuries by age group for nursery operations, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
10-29	12886.8	92.6	12886.8	92.6
30-39	227.9	1.6	13114.7	94.2
40-49	403.6	2.9	13518.3	97.1
>=70	397.4	2.9	13915.7	100.0

(Frequency Missing = 1345.2)

Table 2-99. National estimates of lost-time injuries by race or ethnic origin for nursery operations, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	4868.1	35.0	4868.1	35.0
Hispanic	9035.2	65.0	13903.3	100.0
Other	6.2	0.0	13909.5	100.0

(Frequency Missing = 1351.4)

Table 2-100. National estimates of lost-time injuries by month for nursery operations, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
April	221.7	1.6	221.7	1.6
May	385.0	2.8	606.7	4.4
June	214.3	1.5	821.0	5.9
July	3568.7	25.6	4389.7	31.5
August	9009.8	64.7	13399.5	96.3
September	24.8	0.2	13424.3	96.5
October	6.2	0.0	13430.5	96.5
November	472.8	3.4	13903.3	99.9
December	12.4	0.1	13915.7	100.0

(Frequency Missing = 1345.2)

Table 2-101. National estimates of lost-time injuries by severity of the injury for nursery operations, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	13915.7	100.0	13915.7	100.0

(Frequency Missing = 1345.2)

Table 2-102. National estimates of lost-time injuries by whether professional medical attention was sought for nursery operations, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	1345.2	8.8	1345.2	8.8
Yes	13442.9	88.1	14788.1	96.9
No	466.6	3.1	15254.7	100.0

(Frequency Missing = 6.2)

Table 2-103. National estimates of lost-time injuries by body part injured for nursery operations, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Eye	6.2	0.0	6.2	0.0
Chest/trunk	6.2	0.0	12.4	0.1
Back	409.8	2.9	422.2	3.0
Arm/shoulder	8959.8	64.4	9382.0	67.4
Finger	3562.5	25.6	12944.5	93.0
Hand/wrist	6.2	0.0	12950.7	93.1
Leg/knee/hip	599.3	4.3	13550.0	97.4
Toe	6.2	0.0	13556.2	97.4
Foot	87.8	0.6	13644.0	98.0
Other	271.7	2.0	13915.7	100.0

(Frequency Missing = 1345.2)

Table 2-104. National estimates of lost-time injuries by nature of the injury for nursery operations, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	466.6	3.4	466.6	3.4
Cut	3574.9	25.7	4041.5	29.0
Fracture	6.2	0.0	4047.7	29.1
Poisoning	221.7	1.6	4269.4	30.7
Puncture	214.3	1.5	4483.7	32.2
Sprain/strain	9375.8	67.4	13859.5	99.6
Other	56.2	0.4	13915.7	100.0

(Frequency Missing = 1345.2)

Table 2-105. National estimates of lost-time injuries by type of event for nursery operations, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	3562.5	25.6	3562.5	25.6
Struck by/against	687.1	4.9	4249.6	30.5
Contact sharp obj.	6.2	0.0	4255.8	30.6
Fall, elevation	8959.8	64.4	13215.6	95.0
Overexertion	459.8	3.3	13675.4	98.3
Other	240.3	1.7	13915.7	100.0

(Frequency Missing = 1345.2)

Table 2-106. National estimates of lost-time injuries by activity when injured for nursery operations, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	9175.3	65.9	9175.3	65.9
Machine maint.	81.6	0.6	9256.9	66.5
Field work	391.2	2.8	9648.1	69.3
Crop handling	403.6	2.9	10051.7	72.2
Livestock handling	6.2	0.0	10057.9	72.3
Other	3857.8	27.7	13915.7	100.0

(Frequency Missing = 1345.2)

Table 2-107. National estimates of lost-time injuries by source of injury for nursery operations, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	9426.4	67.7	9426.4	67.7
Livestock	6.2	0.0	9432.6	67.8
Pesticide/chem.	284.1	2.0	9716.7	69.8
Plant/tree	12.4	0.1	9729.1	69.9
Working surface	220.5	1.6	9949.6	71.5
Other	3966.1	28.5	13915.7	100.0

(Frequency Missing = 1345.2)

Table 2-108. National estimates of lost-time injuries by region of the U.S. for beef, hogs and sheep operations, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	1228.5	1.4	1228.5	1.4
South	25588.3	30.2	26816.8	31.6
Midwest	46675.1	55.1	73491.9	86.7
West	11243.6	13.3	84735.5	100.0

Table 2-109. National estimates of lost-time injuries by status of the injured worker for beef, hogs and sheep operations, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	66491.9	78.7	66491.9	78.7
Partner/family	1957.9	2.3	68449.8	81.0
Hired labor	10879.9	12.9	79329.7	93.9
Unpaid nonfamily	4349.2	5.1	83678.9	99.0
Other	820.9	1.0	84499.8	100.0

(Frequency Missing = 235.7)

Table 2-110. National estimates of lost-time injuries by gender for beef, hogs and sheep operations, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	71552.9	84.7	71552.9	84.7
Female	12946.9	15.3	84499.8	100.0

(Frequency Missing = 235.7)

Table 2-111. National estimates of lost-time injuries by age group for beef, hogs and sheep operations, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
<20	1204.5	1.4	1204.5	1.4
20-29	2851.1	3.4	4055.6	4.8
30-39	16603.9	19.6	20659.5	24.4
40-49	11328.7	13.4	31988.2	37.9
50-59	25452.6	30.1	57440.8	68.0
60-69	20928.5	24.8	78369.3	92.7
>=70	6130.5	7.3	84499.8	100.0

(Frequency Missing = 235.7)

Table 2-112. National estimates of lost-time injuries by race or ethnic origin for beef, hogs and sheep operations, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	78588.7	93.2	78588.7	93.2
Hispanic	3821.9	4.5	82410.6	97.7
Black	1733.5	2.1	84144.1	99.8
Asian	208.8	0.2	84352.9	100.0

(Frequency Missing = 382.6)

Table 2-113. National estimates of lost-time injuries by month for beef, hogs and sheep operations, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	529.5	0.6	529.5	0.6
March	5055.1	6.0	5584.6	6.6
April	7466.9	8.9	13051.5	15.5
May	8882.3	10.6	21933.8	26.1
June	8361.0	9.9	30294.8	36.0
July	7144.0	8.5	37438.8	44.5
August	12208.2	14.5	49647.0	59.0
September	8233.4	9.8	57880.4	68.8
October	8186.5	9.7	66066.9	78.6
November	16880.6	20.1	82947.5	98.7
December	1132.3	1.3	84079.8	100.0

(Frequency Missing = 655.7)

Table 2-114. National estimates of lost-time injuries by severity of the injury for beef, hogs and sheep operations, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	77756.9	92.0	77756.9	92.0
Permanent	4511.8	5.3	82268.7	97.4
Fatality	2231.1	2.6	84499.8	100.0
	(Frequency Missing = 235.7)			

Table 2-115. National estimates of lost-time injuries by whether professional medical attention was sought for beef, hogs and sheep operations, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	6742.9	8.0	6742.9	8.0
Yes	65869.9	78.0	72612.8	85.9
No	11887.0	14.1	84499.8	100.0
	(Frequency Missing = 235.7)			

Table 2-116. National estimates of lost-time injuries by body part injured for beef, hogs and sheep operations, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	6713.4	7.9	6713.4	7.9
Chest/trunk	7331.7	8.7	14045.1	16.6
Back	11970.8	14.2	26015.9	30.8
Arm/shoulder	6868.0	8.1	32883.9	38.9
Finger	11014.5	13.0	43898.4	52.0
Hand/wrist	9303.9	11.0	53202.3	63.0
Leg/knee/hip	13885.1	16.4	67087.4	79.4
Toe	245.7	0.3	67333.1	79.7
Foot	9178.2	10.9	76511.3	90.5
Mult. parts	4692.8	5.6	81204.1	96.1
Other	3295.7	3.9	84499.8	100.0
	(Frequency Missing = 235.7)			

Table 2-117. National estimates of lost-time injuries by nature of the injury for beef, hogs and sheep operations, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	15471.0	18.3	15471.0	18.3
Burn	620.0	0.7	16091.0	19.0
Cut	9701.8	11.5	25792.8	30.5
Crush	3455.1	4.1	29247.9	34.6
Fracture	22627.6	26.8	51875.5	61.4
Puncture	4872.6	5.8	56748.1	67.2
Sprain/strain	17222.5	20.4	73970.6	87.5
Mult. injury	4594.0	5.4	78564.6	93.0
Other	5935.2	7.0	84499.8	100.0

(Frequency Missing = 235.7)

Table 2-118. National estimates of lost-time injuries by type of event for beef, hogs and sheep operations, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	3560.1	4.2	3560.1	4.2
Caught between	13893.2	16.4	17453.3	20.7
Caught under	4406.2	5.2	21859.5	25.9
Struck by/against	11682.8	13.8	33542.3	39.7
Struck by falling	9043.0	10.7	42585.3	50.4
Struck by flying	1728.6	2.0	44313.9	52.4
Contact sharp obj.	10933.8	12.9	55247.7	65.4
Fall, same level	4358.6	5.2	59606.3	70.5
Fall, elevation	7890.1	9.3	67496.4	79.9
Overexertion	7595.9	9.0	75092.3	88.9
Other	9407.5	11.1	84499.8	100.0

(Frequency Missing = 235.7)

Table 2-119. National estimates of lost-time injuries by activity when injured for beef, hogs and sheep operations, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	13120.7	15.5	13120.7	15.5
Machine maint.	4673.9	5.5	17794.6	21.1
Field work	1522.6	1.8	19317.2	22.9
Crop handling	10215.8	12.1	29533.0	35.0
Livestock handling	46764.3	55.3	76297.3	90.3
Other	8202.5	9.7	84499.8	100.0

(Frequency Missing = 235.7)

Table 2-120. National estimates of lost-time injuries by source of injury for beef, hogs and sheep operations, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1403.1	1.7	1403.1	1.7
Machinery	15000.7	17.7	16403.8	19.4
Livestock	25076.8	29.6	41480.6	49.0
Hand tool	5426.2	6.4	46906.8	55.4
Power tool	1005.2	1.2	47912.0	56.5
Plant/tree	4143.8	4.9	52055.8	61.4
Working surface	4742.0	5.6	56797.8	67.0
Truck/auto	584.5	0.7	57382.3	67.7
Other vehicle	1638.5	1.9	59020.8	69.7
Other	25714.7	30.3	84735.5	100.0

Table 2-121. National estimates of lost-time injuries by region of the U.S. for poultry operations, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	375.0	13.4	375.0	13.4
South	1386.7	51.2	1861.7	64.1
West	1041.7	35.9	2903.4	100.0

Table 2-122. National estimates of lost-time injuries by status of the injured worker for poultry operations, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	1751.2	66.4	1751.2	66.4
Hired labor	833.3	31.6	2584.5	98.0
Unpaid nonfamily	52.1	2.0	2636.6	100.0

(Frequency Missing = 266.8)

Table 2-123. National estimates of lost-time injuries by gender for poultry operations, 1995.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	2636.6	100.0	2636.6	100.0

(Frequency Missing = 266.8)

Table 2-124. National estimates of lost-time injuries by age group for poultry operations, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
30-39	1192.4	45.2	1192.4	45.2
40-49	526.5	20.0	1718.9	65.2
50-59	750.3	28.5	2469.2	93.7
60-69	167.4	6.3	2636.6	100.0

(Frequency Missing = 266.8)

Table 2-125. National estimates of lost-time injuries by race or ethnic origin for poultry operations, 1995.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	1751.2	66.4	1751.2	66.4
Hispanic	885.4	33.6	2636.6	100.0

(Frequency Missing = 266.8)

Table 2-126. National estimates of lost-time injuries by month for poultry operations, 1995.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
February	167.4	6.3	167.4	6.3
March	323.2	12.3	490.6	18.6
April	191.7	7.3	682.3	25.9
July	833.3	31.6	1515.6	57.5
August	167.4	6.3	1683.0	63.8
September	359.1	13.6	2042.1	77.5
October	375.0	14.2	2417.1	91.7
November	52.1	2.0	2469.2	93.7
December	167.4	6.3	2636.6	100.0

(Frequency Missing = 266.8)

Table 2-127. National estimates of lost-time injuries by severity of the injury for poultry operations, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	2636.6	100.0	2636.6	100.0

(Frequency Missing = 266.8)

Table 2-128. National estimates of lost-time injuries by whether professional medical attention was sought for poultry operations, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	266.8	9.2	266.8	9.2
Yes	2110.1	72.7	2376.9	81.9
No	526.5	18.1	2903.4	100.0

Table 2-129. National estimates of lost-time injuries by body part injured for poultry operations, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	167.4	6.3	167.4	6.3
Back	1244.5	47.2	1411.9	53.6
Arm/shoulder	155.8	5.9	1567.7	59.5
Finger	375.0	14.2	1942.7	73.7
Foot	167.4	6.3	2110.1	80.0
Mult. parts	526.5	20.0	2636.6	100.0

(Frequency Missing = 266.8)

Table 2-130. National estimates of lost-time injuries by nature of the injury for poultry operations, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	167.4	6.3	167.4	6.3
Fracture	542.4	20.6	709.8	26.9
Puncture	167.4	6.3	877.2	33.3
Sprain/strain	1567.7	59.5	2444.9	92.7
Mult. injury	191.7	7.3	2636.6	100.0

(Frequency Missing = 266.8)

Table 2-131. National estimates of lost-time injuries by type of event for poultry operations, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught between	191.7	7.3	191.7	7.3
Struck by/against	375.0	14.2	566.7	21.5
Struck by falling	167.4	6.3	734.1	27.8
Struck by flying	167.4	6.3	901.5	34.2
Fall, same level	334.8	12.7	1236.3	46.9
Fall, elevation	155.8	5.9	1392.1	52.8
Overexertion	1244.5	47.2	2636.6	100.0

(Frequency Missing = 266.8)

Table 2-132. National estimates of lost-time injuries by activity when injured for poultry operations, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	502.2	20.3	502.2	20.3
Field work	155.8	6.3	658.0	26.6
Crop handling	427.1	17.3	1085.1	43.9
Livestock handling	167.4	6.8	1252.5	50.7
Other	1216.7	49.3	2469.2	100.0

(Frequency Missing = 434.2)

Table 2-133. National estimates of lost-time injuries by source of injury for poultry operations, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	1025.0	41.5	1025.0	41.5
Power tool	167.4	6.8	1192.4	48.3
Plant/tree	167.4	6.8	1359.8	55.1
Other vehicle	514.9	20.9	1874.7	75.9
Other	594.5	24.1	2469.2	100.0

(Frequency Missing = 434.2)

Table 2-134. National estimates of lost-time injuries by region of the U.S. for dairy operations, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	3741.4	21.8	3741.4	21.8
South	1626.1	9.5	5367.5	31.3
Midwest	9923.4	58.0	15290.9	89.3
West	1831.3	10.7	17122.2	100.0

Table 2-135. National estimates of lost-time injuries by status of the injured worker for dairy operations, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	8660.6	50.6	8660.6	50.6
Partner/family	2871.4	16.8	11532.0	67.4
Hired labor	4963.0	29.0	16495.0	96.3
Unpaid nonfamily	627.2	3.7	17122.2	100.0

Table 2-136. National estimates of lost-time injuries by gender for dairy operations, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	15170.7	88.6	15170.7	88.6
Female	1951.5	11.4	17122.2	100.0

Table 2-137. National estimates of lost-time injuries by age group for dairy operations, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
10-19	2120.5	12.4	2120.5	12.4
20-29	3409.4	19.9	5529.9	32.3
30-39	4566.7	26.7	10096.6	59.0
40-49	2033.1	11.9	12129.7	70.8
50-59	4342.3	25.4	16472.0	96.2
60-69	539.1	3.1	17011.1	99.4
>=70	111.1	0.6	17122.2	100.0

Table 2-138. National estimates of lost-time injuries by race or ethnic origin for dairy operations, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	15814.9	92.4	15814.9	92.4
Hispanic	1307.3	7.6	17122.2	100.0

Table 2-139. National estimates of lost-time injuries by month for dairy operations, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	852.9	5.2	852.9	5.2
February	1033.5	6.3	1886.4	11.5
March	414.2	2.5	2300.6	14.0
April	880.1	5.4	3180.7	19.4
May	1771.2	10.8	4951.9	30.2
June	2624.6	16.0	7576.5	46.2
July	1765.1	10.8	9341.6	57.0
August	903.1	5.5	10244.7	62.5
September	1549.0	9.5	11793.7	71.9
October	121.4	0.7	11915.1	72.7
November	880.8	5.4	12795.9	78.1
December	3595.9	21.9	16391.8	100.0

(Frequency Missing = 730.4)

Table 2-140. National estimates of lost-time injuries by severity of the injury for dairy operations, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	16237.9	94.8	16237.9	94.8
Permanent	884.3	5.2	17122.2	100.0

Table 2-141. National estimates of lost-time injuries by whether professional medical attention was sought for dairy operations, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	884.3	5.2	884.3	5.2
Yes	14008.6	81.8	14892.9	87.0
No	2229.3	13.0	17122.2	100.0

Table 2-142. National estimates of lost-time injuries by body part injured for dairy operations, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	983.3	5.7	983.3	5.7
Eye	792.7	4.6	1776.0	10.4
Chest/trunk	1162.2	6.8	2938.2	17.2
Back	1963.2	11.5	4901.4	28.6
Arm/shoulder	4077.7	23.8	8979.1	52.4
Finger	1850.8	10.8	10829.6	63.3
Hand/wrist	1879.7	11.0	12709.6	74.2
Leg/knee/hip	1156.0	6.8	13865.6	81.0
Foot	1894.8	11.1	15760.4	92.0
Mult. parts	730.4	4.3	16490.8	96.3
Other	631.4	3.7	17122.2	100.0

Table 2-143. National estimates of lost-time injuries by nature of the injury for dairy operations, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	730.4	4.3	730.4	4.3
Bruise	2582.2	15.1	3312.6	19.3
Burn	884.3	5.2	4196.9	24.5
Cut	1281.6	7.5	5478.5	32.0
Crush	1690.1	9.9	7168.6	41.9
Fracture	3715.9	21.7	10884.5	63.6
Puncture	1102.8	6.4	11987.3	70.0
Sprain/strain	2689.4	15.7	14676.7	85.7
Mult. injury	983.3	5.7	15660.0	91.5
Other	1462.2	8.5	17122.2	100.0

Table 2-144. National estimates of lost-time injuries by type of event for dairy operations, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1672.2	9.8	1672.2	9.8
Caught between	2478.0	14.5	4150.2	24.2
Caught under	664.7	3.9	4814.9	28.1
Struck by/against	2215.4	12.9	7030.3	41.1
Struck by falling	884.3	5.2	7914.6	46.2
Struck by flying	252.9	1.5	8167.5	47.7
Contact sharp obj.	1355.7	7.9	9523.2	55.6
Fall, same level	1836.2	10.7	11359.4	66.3
Fall, elevation	2219.5	13.0	13578.9	79.3
Overexertion	1552.2	9.1	15131.1	88.4
Other	1991.1	11.6	17122.2	100.0

Table 2-145. National estimates of lost-time injuries by activity when injured for dairy operations, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1861.5	10.9	1861.5	10.9
Machine maint.	2501.6	14.6	4363.1	25.5
Field work	1515.7	8.9	5878.8	34.3
Crop handling	2850.9	16.7	8729.7	51.0
Livestock handling	6598.9	38.5	15328.6	89.5
Other	1793.6	10.5	17122.2	100.0

Table 2-146. National estimates of lost-time injuries by source of injury for dairy operations, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	252.9	1.5	252.9	1.5
Machinery	3161.3	18.5	3414.2	19.9
Livestock	5461.7	31.9	8875.9	51.8
Hand tool	252.9	1.5	9128.8	53.3
Power tool	252.9	1.5	9381.7	54.8
Pesticide/chem.	631.4	3.7	10013.1	58.5
Plant/tree	571.8	3.3	10584.9	61.8
Working surface	3959.8	23.1	14544.7	84.9
Other vehicle	884.3	5.2	15429.0	90.1
Liquids	505.8	3.0	15934.8	93.1
Other	1187.2	6.9	17122.2	100.0

Table 2-147. National estimates of lost-time injuries by region of the U.S. for other farm operations, 1995.

<u>Region</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Northeast	1730.0	20.3	1730.0	20.3
South	4704.5	55.3	6434.5	75.6
Midwest	1727.1	20.3	8161.6	95.9
West	350.6	4.1	8512.2	100.0

Table 2-148. National estimates of lost-time injuries by status of the injured worker for other farm operations, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	6824.4	80.2	6824.4	80.2
Partner/family	599.0	7.0	7423.7	87.2
Hired labor	1088.5	12.8	8512.2	100.0

Table 2-149. National estimates of lost-time injuries by gender for other farm operations, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	7246.5	85.1	7246.5	85.1
Female	1265.7	14.9	8512.2	100.0

Table 2-150. National estimates of lost-time injuries by age group for other farm operations, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
10-19	657.7	8.0	657.7	8.0
20-29	954.2	11.5	1611.9	19.5
30-39	3787.4	45.8	5399.3	65.3
40-49	1589.9	19.2	6989.2	84.5
50-59	827.4	10.0	7816.6	94.5
>=70	451.8	5.5	8268.4	100.0

(Frequency Missing = 243.8)

Table 2-151. National estimates of lost-time injuries by race or ethnic origin for other farm operations, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	8216.9	96.5	8216.9	96.5
Hispanic	295.3	3.8	8512.2	100.0

Table 2-152. National estimates of lost-time injuries by month for other farm operations, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	261.6	3.3	261.6	3.3
March	71.4	0.9	333.0	4.1
April	339.3	4.2	672.3	8.4
May	308.8	3.8	981.1	12.2
June	190.2	2.4	1171.3	14.6
July	257.0	3.2	1428.3	17.8
August	447.2	5.6	1875.5	23.4
September	657.7	8.2	2533.2	31.6
October	4092.8	51.0	6626.0	82.6
November	1327.2	16.5	7953.2	99.1
December	71.4	0.9	8024.6	100.0

(Frequency Missing = 487.6)

Table 2-153. National estimates of lost-time injuries by severity of the injury for other farm operations, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	7642.6	89.8	7642.6	89.9
Permanent	625.8	7.4	8268.4	97.1
Fatality	243.8	2.9	8512.2	100.0

Table 2-154. National estimates of lost-time injuries by whether professional medical attention was sought for other farm operations, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	869.6	10.2	869.6	10.2
Yes	2823.8	33.3	3700.4	43.5
No	4811.8	56.5	8512.2	100.0

Table 2-155. National estimates of lost-time injuries by body part injured for other farm operations, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Eye	329.5	3.9	329.5	3.9
Chest/trunk	500.8	5.9	830.3	9.8
Back	1798.4	21.1	2628.7	30.9
Arm/shoulder	255.2	3.0	2883.9	33.9
Finger	487.6	5.7	3371.5	39.6
Hand/wrist	115.4	1.4	3486.9	41.0
Leg/knee/hip	4329.7	50.9	7816.6	91.8
Toe	190.2	2.2	8006.8	94.1
Mult. parts	505.4	5.9	8512.2	100.0

Table 2-156. National estimates of lost-time injuries by nature of the injury for other farm operations, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	243.8	2.9	243.8	2.9
Bruise	624.2	7.3	868.0	10.2
Burn	85.7	1.0	953.7	11.2
Cut	4072.7	47.8	5026.4	59.0
Crush	487.6	5.7	5514.0	64.8
Fracture	881.2	10.4	6395.9	75.1
Puncture	115.4	1.4	6510.6	76.5
Sprain/strain	1740.0	20.4	8256.0	96.9
Mult. injury	71.4	0.8	8322.0	97.8
Other	190.2	2.2	8512.2	100.0

Table 2-157. National estimates of lost-time injuries by type of event for other farm operations, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	71.4	0.8	71.4	0.8
Caught between	243.8	2.9	315.2	3.7
Caught under	434.0	5.1	749.2	8.8
Struck by/against	1245.4	14.6	1994.6	23.4
Struck by falling	243.8	2.9	2238.4	26.3
Contact sharp obj.	4188.1	49.2	6426.5	75.5
Fall, same level	1016.6	11.9	7443.1	87.4
Fall, elevation	261.6	3.1	7704.7	90.5
Overexertion	341.4	4.0	8046.1	94.5
Other	466.1	5.5	8512.2	100.0

Table 2-158. National estimates of lost-time injuries by activity when injured for other farm operations, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	5918.5	71.6	5918.5	71.6
Field work	505.4	6.8	6423.9	77.7
Crop handling	190.2	2.3	6614.1	80.0
Livestock handling	1316.2	15.9	7930.9	95.9
Other	337.5	4.1	8268.4	100.0

(Frequency Missing = 243.8)

Table 2-159. National estimates of lost-time injuries by source of injury for other farm operations, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1091.7	12.8	1091.7	14.2
Machinery	1083.4	12.7	2175.1	17.5
Livestock	1059.8	12.5	3234.9	31.3
Hand tool	3849.0	45.2	7083.9	81.4
Plant/tree	315.2	3.7	7399.1	85.5
Working surface	380.4	4.5	7779.5	90.5
Other vehicle	190.2	2.2	7969.7	92.9
Other	542.5	6.4	8512.2	100.0

Table 2-160. National estimates of lost-time injuries by region of the U.S. for family workers, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	9815.3	7.5	9815.3	7.5
South	34828.6	26.4	44643.9	33.9
Midwest	76976.6	58.5	121620.5	92.4
West	10073.0	7.6	131693.5	100.0

Table 2-161. National estimates of lost-time injuries by farm type for family workers, 1995.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	27174.3	20.6	27174.3	20.6
Field crops	10138.2	7.7	37312.5	28.3
Vegetable, fruit, nuts	4599.0	3.5	41911.5	31.8
Nursery	625.3	0.5	42536.8	32.3
Beef, hogs, sheep	68449.8	52.0	110986.6	84.3
Poultry	1751.2	1.3	112737.8	85.6
Dairy	11532.0	8.8	124269.8	94.4
Other farms	7423.7	5.6	131693.5	100.0

Table 2-162. National estimates of lost-time injuries by gender for family workers, 1995.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	113238.6	86.0	113238.6	86.0
Female	18454.9	14.0	131693.5	100.0

Table 2-163. National estimates of lost-time injuries by age group for family workers, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	1069.7	0.8	1069.7	0.8
10-19	3470.9	2.6	4540.6	3.5
20-29	5622.0	4.3	10162.6	7.7
30-39	28733.8	21.9	38896.4	29.6
40-49	23442.7	17.8	62339.1	47.4
50-59	29591.1	22.5	91930.2	69.9
60-69	26321.2	20.0	118251.4	90.0
>=70	13198.3	10.0	131449.7	100.0

(Frequency Missing = 243.8)

Table 2-164. National estimates of lost-time injuries by race or ethnic origin for family workers, 1995.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	129683.6	98.6	129683.6	98.6
Hispanic	308.9	0.2	129992.5	98.8
Black	817.1	0.6	130809.6	99.4
Asian	730.8	0.6	131540.4	100.0

(Frequency Missing = 153.1)

Table 2-165. National estimates of lost-time injuries by month for family workers, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	1583.5	1.2	1583.5	1.2
February	2611.7	2.0	4195.2	3.2
March	6050.4	4.7	10245.6	7.9
April	11257.5	8.7	21503.1	16.6
May	11768.4	9.1	33271.5	25.7
June	17209.8	13.3	50481.3	38.9
July	14940.0	11.5	65421.3	50.5
August	14955.0	11.5	80376.3	62.0
September	9359.0	7.2	89735.3	69.2
October	12073.9	9.3	101809.2	78.5
November	21236.0	16.4	123045.2	94.9
December	6611.8	5.1	129657.0	100.0

(Frequency Missing = 2036.5)

Table 2-166. National estimates of lost-time injuries by severity of the injury for family workers, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	120415.0	91.4	120415.0	91.4
Permanent	8803.6	6.7	129218.6	98.1
Fatality	2474.9	1.9	131693.5	100.0

Table 2-167. National estimates of lost-time injuries by whether professional medical attention was sought for family workers, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	11278.5	8.6	11278.5	8.6
Yes	96589.0	73.4	107867.5	81.9
No	23768.1	18.1	131635.6	100.0

(Frequency Missing = 57.9)

Table 2-168. National estimates of lost-time injuries by body part injured for family workers, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	8781.1	6.7	8781.1	6.7
Eye	3965.8	3.0	12746.9	9.7
Chest/trunk	9953.5	7.6	22700.4	17.2
Back	21146.3	16.1	43846.7	33.3
Arm/shoulder	11949.7	9.1	55796.4	42.4
Finger	13379.2	10.2	69175.6	52.5
Hand/wrist	14766.8	11.2	83942.4	63.7
Leg/knee/hip	24358.8	18.5	108301.2	82.2
Toe	343.6	0.3	108644.8	82.5
Foot	12579.0	9.6	121223.8	92.0
Mult. parts	7508.3	5.7	128732.1	97.8
Other	2961.4	2.2	131693.5	100.0

Table 2-169. National estimates of lost-time injuries by nature of injury for family workers, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	2548.6	1.9	2548.6	1.9
Bruise	19821.8	15.1	22370.4	17.0
Burn	724.6	0.6	23095.0	17.6
Cut	19186.2	14.6	42281.2	32.1
Crush	7218.6	5.5	49499.8	37.6
Fracture	29957.8	22.7	79457.6	60.3
Poisoning	221.7	0.2	79679.3	60.5
Puncture	8858.2	6.7	88537.5	67.2
Sprain/strain	29050.6	22.1	117588.1	89.3
Mult. injury	5499.4	4.2	123087.5	93.5
Other	8606.0	6.5	131693.5	100.0

Table 2-170. National estimates of lost-time injuries by type of event for family workers, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	7051.7	5.4	7051.7	5.4
Caught between	15858.5	12.0	22910.2	17.4
Caught under	8939.8	6.8	1850.0	24.2
Struck by/against	17779.2	13.5	49629.2	37.7
Struck by falling	10112.8	7.7	59742.0	45.4
Struck by flying	4463.3	3.4	64205.3	48.8
Contact sharp obj.	18323.5	13.9	82528.8	62.7
Fall, same level	7074.8	5.4	89603.6	68.0
Fall, elevation	16564.6	12.6	106168.2	80.6
Overexertion	16481.6	12.5	122649.8	93.1
Other	9043.7	6.9	131693.5	100.0

Table 2-171. National estimates of lost-time injuries by activity when worker was injured for family workers, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	24439.2	18.6	24439.2	18.6
Machine maint.	14862.4	11.3	39301.6	29.9
Field work	9552.6	7.3	48854.2	37.2
Crop handling	21337.6	16.3	70191.8	53.5
Livestock handling	53224.8	40.5	123416.6	94.0
Other	7865.7	6.0	131282.3	100.0

(Frequency Missing = 411.2)

Table 2-172. National estimates of lost-time injuries by source of the injury for family workers, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	6122.5	4.7	6122.5	4.7
Machinery	23736.2	18.0	29858.7	22.7
Livestock	33385.4	25.4	63244.1	48.1
Hand tool	11506.6	8.7	74750.7	56.8
Power tool	3166.8	2.4	77917.5	59.2
Pesticide/chem.	853.1	0.6	78770.6	59.9
Plant/tree	5735.8	4.4	84506.4	64.3
Working surface	10655.0	8.1	95161.4	72.4
Truck/auto	1612.5	1.2	96773.9	73.6
Other vehicle	3425.8	2.6	100199.7	76.2
Liquids	252.9	0.2	100452.6	76.4
Other	31073.5	23.6	131526.1	100.0

(Frequency Missing = 167.4)

Table 2-173. National estimates of lost-time injuries by region for hired workers, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	5996.9	10.0	5996.9	10.0
South	10205.3	17.0	16202.2	27.1
Midwest	11757.0	19.6	27959.2	46.7
West	31928.9	53.3	59888.1	100.0

Table 2-174. National estimates of lost-time injuries by farm type for hired workers, 1995.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Grain grain	5789.3	9.7	5789.3	9.7
Field crops	2265.4	3.8	8054.7	13.4
Vegetable, fruit, nuts	15749.8	26.3	23804.5	39.7
Nursery	13290.4	22.2	37094.9	61.9
Beef, hogs, sheep	15229.1	25.4	52324	87.4
Poultry	885.4	1.5	53209.4	88.8
Dairy	5590.2	9.3	58799.6	98.2
Other	1088.5	1.8	59888.1	100.0

Table 2-175. National estimates of lost-time injuries by gender for hired workers, 1995.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	56705.4	94.7	56705.4	94.7
Female	3182.7	5.3	59888.1	100.0

Table 2-176. National estimates of lost-time injuries by age group for hired workers, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	517.2	0.9	517.2	0.9
10-19	3210.6	5.4	3727.8	6.2
20-29	22121.7	36.9	25849.5	43.2
30-39	12850.2	21.5	38699.7	64.6
40-49	5861.7	9.8	44561.4	74.4
50-59	11559.5	19.3	56120.9	93.7
60-69	2809.9	4.7	58930.8	98.4
>=70	957.3	1.6	59888.1	100.0

Table 2-177. National estimates of lost-time injuries by race or ethnic origin for hired workers, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	27096.9	45.2	27096.9	45.2
Hispanic	31103.8	51.9	58200.7	97.2
Black	897.5	1.5	59098.2	98.7
Other	789.9	1.4	59888.1	100.0

Table 2-178. National estimates of lost-time injuries by month for hired workers, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	1989.6	3.4	1989.6	3.4
February	411.2	0.7	2400.8	4.1
March	2809.0	4.8	5209.8	8.8
April	4389.0	7.4	9598.8	16.3
May	4811.1	8.2	14409.9	24.4
June	1110.7	1.9	15520.6	26.3
July	11521.7	19.5	27042.3	45.8
August	13918.3	23.6	40960.6	69.4
September	7696.7	13.0	48657.3	82.5
October	6175.1	10.5	54832.4	92.9
November	3292.8	5.6	58125.2	98.5
December	869.2	1.5	58994.4	100.0

(Frequency Missing = 893.7)

Table 2-179. National estimates of lost-time injuries by severity of the injury for hired workers, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	58644.4	97.9	58644.4	97.9
Permanent	1243.7	2.1	59888.1	100.0

Table 2-180. National estimates of lost-time injuries by whether professional medical attention was sought for hired workers, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	1243.7	2.1	1243.7	2.1
Yes	52844.4	89.0	54088.1	91.0
No	5319.9	9.0	59408.0	100.0

(Frequency Missing = 480.1)

Table 2-181. National estimates of lost-time injuries by body part injured for hired workers, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2620.0	4.4	2620.0	4.4
Eye	2528.1	4.2	5148.1	8.6
Chest/trunk	854.7	1.4	6002.8	10.0
Back	6823.4	11.4	12826.2	21.4
Arm/shoulder	13088.1	21.9	25914.3	43.3
Finger	11817.8	19.7	37732.1	63.0
Hand/wrist	2076.5	3.5	39808.6	66.5
Leg/knee/hip	9197.7	15.4	49006.3	81.8
Toe	585.8	1.0	49592.1	82.8
Foot	5803.4	9.7	55395.5	92.5
Mult. parts	2211.5	3.7	57607.0	96.2
Other	2281.1	3.8	59888.1	100.0

Table 2-182. National estimates of lost-time injuries by nature of injury for hired workers, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	863.0	1.4	863.0	1.4
Bruise	9668.4	16.2	10531.4	17.6
Burn	2710.8	4.5	13242.2	22.2
Cut	10028.5	16.8	23270.7	39.0
Crush	1119.6	1.9	24390.3	40.8
Fracture	3136.6	5.3	27526.9	46.1
Puncture	2257.3	3.8	29784.2	49.9
Sprain/strain	24227.4	40.6	54011.6	90.4
Mult. injury	1283.0	2.1	55294.6	92.6
Other	4430.2	7.4	59724.8	100.0

(Frequency Missing = 163.3)

Table 2-183. National estimates of lost-time injuries by type of event for hired workers, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	3185.3	5.3	3185.3	5.3
Caught between	8934.2	14.9	12119.5	20.2
Caught under	225.0	0.4	12344.5	20.6
Struck by/against	4419.4	7.4	16763.9	28.0
Struck by falling	4630.9	7.7	21394.8	35.7
Contact sharp obj.	7570.5	12.6	28965.3	48.4
Fall, same level	6558.9	11.0	35524.2	59.3
Fall, elevation	10906.8	18.2	46431.0	77.5
Overexertion	2131.4	3.6	48562.4	81.1
Other	11325.7	18.9	59888.1	100.0

Table 2-184. National estimates of lost-time injuries by activity when worker was injured for hired workers, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	13591.9	22.7	13591.9	22.7
Machine maint.	5928.4	9.9	19520.3	32.6
Field work	12136.6	20.3	31656.9	52.9
Crop handling	2421.7	4.0	34078.6	56.9
Livestock handling	10904.7	18.2	44983.3	75.1
Other	14904.8	24.9	59888.1	100.0

Table 2-185. National estimates of lost-time injuries by source of the injury for hired workers, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1779.9	3.0	1779.9	3.0
Machinery	17182.4	28.7	18962.3	31.7
Livestock	4758.1	7.9	23720.4	39.6
Hand tool	3210.7	5.4	26931.1	45.0
Power tool	2442.1	4.1	29373.2	49.0
Pesticide/chem.	62.4	0.1	29435.6	49.2
Plant/tree	1841.6	3.1	31277.2	52.2
Working surface	5847.3	9.8	37124.5	62.0
Truck/auto	1221.7	2.0	38346.2	64.0
Other vehicle	1231.8	2.1	39578.0	66.1
Liquids	252.9	0.4	39830.9	66.5
Other	20057.2	33.5	59888.1	100.0

Table 2-186. National estimates of lost-time injuries by region of the U.S. for male workers, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	14242.9	8.3	14242.9	8.3
South	40070.1	23.2	54313.0	31.5
Midwest	77135.3	44.9	131448.3	76.4
West	40295.5	23.6	171743.8	100.0

Table 2-187. National estimates of lost-time injuries by farm type for male workers, 1995.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	29779.0	17.3	29779.0	17.3
Field crops	11082.2	6.5	40861.2	23.8
Vegetable, fruit, nuts	20971.9	12.2	61833.1	36.0
Nursery	13304.0	7.7	75137.1	43.7
Beef, hogs, sheep	71552.9	41.7	146690.0	85.4
Poultry	2636.6	1.5	149326.6	86.9
Dairy	15170.7	8.8	164497.3	95.8
Other farms	7246.5	4.2	171743.8	100.0

Table 2-188. National estimates of lost-time injuries by status of the injured worker for male workers, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	105738.3	61.6	105738.3	61.6
Partner/family	7500.3	4.4	113238.6	65.9
Hired labor	53195.3	31.0	166434.1	96.9
Unpaid nonfamily	3509.9	2.0	169944.0	99.0
Other	1799.8	1.0	171743.8	100.0

Table 2-189. National estimates of lost-time injuries by age group for male workers, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	758.3	0.4	758.3	0.4
10-19	6049.5	3.5	6807.8	4.0
20-29	28147.3	16.4	34955.1	20.4
30-39	39994.2	23.3	74949.3	43.7
40-49	25728.9	15.0	100678.2	58.7
50-59	34420.5	20.1	135098.7	78.8
60-69	22623.7	13.2	157722.4	92.0
>=70	13777.6	8.0	171500.0	100.0

(Frequency Missing = 243.8)

Table 2-190. National estimates of lost-time injuries by race or ethnic origin for male workers, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	135985.8	79.3	135985.8	79.3
Hispanic	32341.2	18.8	168327	98.1
Black	1899.6	1.1	170226.6	99.2
Asian	913.5	0.5	171140.1	99.7
Other	450.6	0.3	171590.7	100.0

(Frequency Missing = 153.1)

Table 2-191. National estimates of lost-time injuries by month for male workers, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	2737.4	1.6	2737.4	1.6
February	2931.2	1.7	5668.6	3.4
March	7752.0	4.6	13420.6	7.9
April	13809.1	8.2	27229.7	16.1
May	16500.2	9.8	43729.9	25.9
June	16869.7	10.0	60599.6	35.8
July	20662.9	12.2	81262.5	48.1
August	24748.9	14.6	106011.4	62.7
September	14819.9	8.8	120831.3	71.5
October	17555.2	10.4	138386.5	81.9
November	23310.2	13.8	161696.7	95.6
December	7360.7	4.4	169057.4	100.0

(Frequency Missing = 2686.4)

Table 2-192. National estimates of lost-time injuries by severity of the injury for male workers, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	159961.3	93.1	159961.3	93.1
Permanent	9307.6	5.4	169268.9	98.6
Fatality	2474.9	1.4	171743.8	100.0

Table 2-193. National estimates of lost-time injuries by whether professional medical attention was sought for male workers, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	11782.5	6.9	11782.5	6.9
Yes	130935.0	76.4	142717.5	83.3
No	28566.6	16.7	171284.1	100.0

(Frequency Missing = 459.7)

Table 2-194. National estimates of lost-time injuries by body part injured for male workers, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	10836.8	6.3	10836.8	6.3
Eye	6487.7	3.8	17324.5	10.1
Chest/trunk	11404.5	6.6	28729.0	16.7
Back	23789.5	13.9	52518.5	30.6
Arm/shoulder	20820.2	12.1	73338.7	42.7
Finger	24777.3	14.4	98116.0	57.1
Hand/wrist	15757.5	9.2	113873.5	66.3
Leg/knee/hip	29124.7	17.0	142998.2	83.3
Toe	923.2	0.5	143921.4	83.8
Foot	14106.7	8.2	158028.1	92.0
Mult. parts	8473.2	4.9	166501.3	96.9
Other	5242.5	3.1	171743.8	100.0

Table 2-195. National estimates of lost-time injuries by nature of injury for male workers, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	3218.2	1.9	3218.2	1.9
Bruise	28288.3	16.5	31506.5	18.4
Burn	3419.2	2.0	34925.7	20.4
Cut	27968.0	16.3	62893.7	36.7
Crush	7853.3	4.6	70747.0	41.2
Fracture	26154.8	15.2	96901.8	56.5
Poisoning	221.7	0.1	97123.5	56.6
Puncture	10122.2	5.9	107245.7	62.5
Sprain/strain	45719.6	26.6	152965.3	89.2
Mult. injury	5717.8	3.3	158683.1	92.5
Other	12897.4	7.5	171580.5	100.0

(Frequency Missing = 163.3)

Table 2-196. National estimates of lost-time injuries by type of event for male workers, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	10547.4	6.1	10547.4	6.1
Caught between	21256.8	12.4	31804.2	18.5
Caught under	8503.7	5.0	40307.9	23.5
Struck by/against	20608.4	12.0	60916.3	35.5
Struck by falling	11596.2	6.8	72512.5	42.2
Struck by flying	4210.4	2.5	76722.9	44.7
Contact sharp obj.	25092.9	14.6	101815.8	59.3
Fall, same level	10697.5	6.2	112513.3	65.5
Fall, elevation	25468.6	14.8	137981.9	80.3
Overexertion	13465.6	7.8	151447.5	88.2
Other	20296.3	11.8	171743.8	100.0

Table 2-197. National estimates of lost-time injuries by activity when worker was injured for male workers, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	33790.1	19.7	33790.1	19.7
Machine maint.	16902.5	9.9	50692.6	29.6
Field work	22006.0	12.8	72698.6	42.4
Crop handling	21372.3	12.5	94070.9	54.9
Livestock handling	55106.0	32.2	149176.9	87.1
Other	22155.7	12.9	171332.6	100.0

(Frequency Missing = 411.2)

Table 2-198. National estimates of lost-time injuries by source of the injury for male workers, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	6590.1	3.8	6590.1	3.8
Machinery	35306.9	20.6	41897.0	24.4
Livestock	35975.1	21.0	77872.1	45.4
Hand tool	14386.1	8.4	92258.2	53.8
Power tool	5608.9	3.3	97867.1	57.0
Pesticide/chem.	909.3	0.5	98776.4	57.6
Plant/tree	7106.0	4.1	105882.4	61.7
Working surface	14383.7	8.4	120266.1	70.1
Truck/auto	2135.0	1.2	122401.1	71.3
Other vehicle	4657.6	2.7	127058.7	74.1
Liquids	252.9	0.1	127311.6	74.2
Other	44264.8	25.8	171576.4	100.0

(Frequency Missing = 167.4)

Table 2-199. National estimates of lost-time injuries by region of the U.S. for female workers, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	1619.7	7.5	1619.7	7.5
South	5620.2	25.9	7239.9	33.3
Midwest	11598.3	53.4	18838.2	86.7
West	2877.7	13.3	21715.9	100.0

Table 2-200. National estimates of lost-time injuries by farm type for female workers, 1995.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grain	3184.6	14.7	3184.6	14.7
Field crops	1321.4	6.1	4506	20.7
Vegetable, fruit, nuts	434.1	2.0	4940.1	22.7
Nursery	611.7	2.8	5551.8	25.6
Beef, hogs, sheep	12946.9	59.6	18498.7	85.2
Dairy	1951.5	9.0	20450.2	94.2
Other	1265.7	5.8	21715.9	100.0

Table 2-201. National estimates of lost-time injuries by status of the injured worker for female workers, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	16133.1	74.3	16133.1	74.3
Partner/family	2321.8	10.7	18454.9	85.0
Hired labor	978.0	4.5	19432.9	89.5
Unpaid nonfamily	2204.7	10.2	21637.6	99.6
Other	78.3	0.4	21715.9	100.0

Table 2-202. National estimates of lost-time injuries by age group for female workers, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	828.6	3.8	828.6	3.8
10-19	710.3	3.3	1538.9	7.1
20-29	524.9	2.4	2063.8	9.5
30-39	2010.5	9.3	4074.3	18.8
40-49	3575.5	16.5	7649.8	35.2
50-59	6730.1	31.0	14379.9	66.2
60-69	6671.9	30.7	21051.8	96.9
>=70	664.1	3.1	21715.9	100.0

Table 2-203. National estimates of lost-time injuries by race or ethnic origin for female workers, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	21245.3	97.8	21245.3	97.8
Black	235.7	1.1	21481.0	98.9
Asian	156.6	0.7	21637.6	99.6
Other	78.3	0.4	21715.9	100.0

Table 2-204. National estimates of lost-time injuries by month for female workers, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	835.7	3.9	835.7	3.9
February	91.7	0.4	927.4	4.3
March	1107.4	5.2	2034.8	9.5
April	1837.4	8.6	3872.2	18.0
May	243.8	1.1	4116.0	19.2
June	1871.5	8.7	5987.5	27.9
July	6034.5	28.1	12022.0	56.0
August	5052.9	23.5	17074.9	79.5
September	2235.8	10.4	19310.7	89.9
October	772.1	3.6	20082.8	93.5
November	1218.6	5.7	21301.4	99.2
December	170.7	0.8	21472.1	100.0

(Frequency Missing = 243.8)

Table 2-205. National estimates of lost-time injuries by severity of the injury for female workers, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	20925.8	96.4	20925.8	96.4
Permanent	790.1	3.6	21715.9	100.0

Table 2-206. National estimates of lost-time injuries by whether professional medical attention was sought for female workers, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	790.1	3.7	790.1	3.7
Yes	20326.1	93.9	21116.2	97.6
No	521.4	2.4	21637.6	100.0

(Frequency Missing = 78.3)

Table 2-207. National estimates of lost-time injuries by body part injured for female workers, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	570.5	2.6	570.5	2.6
Chest/trunk	496.7	2.3	1067.2	4.9
Back	4180.2	19.2	5247.4	24.2
Arm/shoulder	4217.6	19.4	9465.0	43.6
Finger	918.7	4.2	10383.7	47.8
Hand/wrist	1371.9	6.3	11755.6	54.1
Leg/knee/hip	4431.8	20.4	16187.4	74.5
Foot	4281.9	19.7	20469.3	94.3
Mult. parts	1246.6	5.7	21715.9	100.0

Table 2-208. National estimates of lost-time injuries by nature of injury for female workers, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	243.8	1.1	243.8	1.1
Bruise	1201.9	5.5	1445.7	6.7
Burn	16.2	0.1	1461.9	6.7
Cut	1560.7	7.2	3022.6	13.9
Crush	484.9	2.2	3507.5	16.2
Fracture	7524.8	34.7	11032.3	50.8
Puncture	993.3	4.6	12025.6	55.4
Sprain/strain	8486.9	39.1	20512.5	94.5
Mult. injury	1064.6	4.9	21577.1	99.4
Other	138.8	0.6	21715.9	100.0

Table 2-209. National estimates of lost-time injuries by type of event for female workers, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	160.7	0.7	160.7	0.7
Caught between	3535.9	16.3	3696.6	17.0
Caught under	661.1	3.0	4357.7	20.1
Struck by/against	1590.2	7.3	5947.9	27.4
Struck by falling	3147.5	14.5	9095.4	41.9
Struck by flying	252.9	1.2	9348.3	43.0
Contact sharp obj.	1115.1	5.1	10463.4	48.2
Fall, same level	2936.2	13.5	13399.6	61.7
Fall, elevation	2002.8	9.2	15402.4	70.9
Overexertion	6075.9	28.0	21478.3	98.9
Other	237.6	1.1	21715.9	100.0

Table 2-210. National estimates of lost-time injuries by activity when injured for female workers, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	4661.7	21.5	4661.7	21.5
Machine maint.	3888.3	17.9	8550.0	39.4
Field work	662.1	3.0	9212.1	42.4
Crop handling	2387.0	11.0	11599.1	53.4
Livestock handling	9423.7	43.4	21022.8	96.8
Other	693.1	3.2	21715.9	100.0

Table 2-211. National estimates of lost-time injuries by source of the injury for female workers, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1312.3	6.0	1312.3	6.0
Machinery	6082.8	28.0	7395.1	34.1
Livestock	2568.6	11.8	9963.7	45.9
Hand tool	331.2	1.5	10294.9	47.4
Power tool	78.3	0.4	10373.2	47.8
Plant/tree	471.4	2.2	10844.6	50.0
Working surface	2118.6	9.8	12963.2	59.7
Truck/auto	699.2	3.2	13662.4	62.9
Liquids	252.9	1.2	13915.3	64.1
Other	7800.6	35.9	21715.9	100.0

Table 2-212. National estimates of lost-time injuries by region for workers <20 years of age, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	1017.2	12.2	1017.2	12.2
South	1406.7	16.9	2423.9	29.0
Midwest	4473.9	53.6	6897.8	82.6
West	1448.9	17.4	8346.7	100.0

Table 2-213. National estimates of lost-time injuries by farm type for workers <20 years of age, 1995.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	2838.4	34.0	2838.4	34.0
Field crops	182.0	2.2	3020.4	36.2
Vegetable, fruit, nuts	1337.4	16.0	4357.8	52.2
Beef, hogs, sheep	1204.5	14.4	5562.3	66.6
Dairy	2120.5	25.4	7682.8	92.0
Other	663.9	8.0	8346.7	100.0

Table 2-214. National estimates of lost-time injuries by status of injured worker for workers <20 years of age, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	3277.2	39.3	3277.2	39.3
Partner/family	1263.4	15.1	4540.6	54.4
Hired labor	3210.6	38.5	7751.2	92.9
Unpaid nonfamily	517.2	6.2	8268.4	99.1
Other	78.3	0.9	8346.7	100.0

Table 2-215. National estimates of lost-time injuries by gender for workers <20 years of age, 1995.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	6807.8	81.6	6807.8	81.6
Female	1538.9	18.4	8346.7	100.0

Table 2-216. National estimates of lost-time injuries by race or ethnic origin for workers <20 years of age, 1995.

Race/Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	7226.8	86.6	7226.8	86.6
Hispanic	1006.8	12.1	8233.6	98.6
Asian	34.8	0.4	8268.4	99.1
Other	78.3	0.9	8346.7	100.0

Table 2-217. National estimates of lost-time injuries by month for workers <20 years of age, 1995.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
February	730.4	8.8	730.4	8.8
March	113.1	1.4	843.5	10.1
April	636.8	7.6	1480.3	17.7
June	2047.4	24.5	3527.7	42.3
July	1178.3	14.1	4706.0	56.4
August	1698.6	20.4	6404.6	76.7
September	1446.4	17.3	7851.0	94.1
October	78.3	0.9	7929.3	95.0
November	252.9	3.0	8182.2	98.0
December	164.5	2.0	8346.7	100.0

Table 2-218. National estimates of lost-time injuries by severity of the injury for workers <20 years of age, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	8346.7	100.0	8346.7	100.0

Table 2-219. National estimates of lost-time injuries by whether professional medical attention was sought for workers <20 years of age, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	7759.3	93.0	7759.3	93.0
No	587.4	7.0	8346.7	100.0

Table 2-220. National estimates of lost-time injuries by body part injured for workers <20 years of age, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	242.8	2.9	242.8	2.9
Arm/shoulder	1247.6	14.9	1490.4	17.9
Finger	1656.6	19.8	3147.0	37.7
Hand/wrist	1249.3	15.0	4396.3	52.7
Leg/knee/hip	1790.1	21.4	6186.4	74.1
Toe	190.2	2.3	6376.6	76.4
Foot	1550.1	18.6	7926.7	95.0
Mult. parts	420.0	5.0	8346.7	100.0

Table 2-221. National estimates of lost-time injuries by nature of the injury for workers <20 years of age, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	354.7	4.2	354.7	4.2
Cut	2980.6	35.7	3335.3	40.0
Crush	434.9	5.2	3770.2	45.2
Fracture	2443.3	29.3	6213.5	74.4
Puncture	863.4	10.3	7076.9	84.8
Sprain/strain	849.8	10.2	7926.7	95.0
Mult. injury	420.0	5.0	8346.7	100.0

Table 2-222. National estimates of lost-time injuries by type of event for workers <20 years of age, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	517.2	6.2	517.2	6.2
Caught between	1263.5	15.1	1780.7	21.3
Caught under	821.6	9.8	2602.3	31.2
Struck by/against	319.4	3.8	2921.7	35.0
Struck by falling	672.9	8.1	3594.6	43.1
Contact sharp obj.	3007.4	36.0	6602.0	79.1
Fall, same level	730.4	8.8	7332.4	87.8
Fall, elevation	1014.3	12.2	8346.7	100.0

Table 2-223. National estimates of lost-time injuries by activity when injured for workers <20 years of age, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2358.1	28.3	2358.1	28.3
Machine maint.	1982.1	23.7	4340.2	52.0
Field work	1538.7	18.4	5878.9	70.4
Crop handling	724.0	8.7	6602.9	79.1
Livestock handling	830.7	10.0	7433.6	89.1
Other	913.1	10.9	8346.7	100.0

Table 2-224. National estimates of lost-time injuries by source of injury for workers <20 years of age, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2573.9	30.8	2573.9	30.8
Machinery	252.9	3.0	2826.8	33.9
Livestock	1093.0	13.1	3919.8	47.0
Hand tool	1400.3	16.8	5320.1	63.7
Power tool	495.7	5.9	5815.8	69.7
Working surface	730.4	8.8	6546.2	78.4
Other vehicle	821.6	9.8	7367.8	88.3
Other	978.9	11.7	8346.7	100.0

Table 2-225. National estimates of lost-time injuries by region for workers 20-29 years of age, 1995.

<u>Region</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Northeast	6369.7	22.2	6369.7	22.2
South	2152.4	7.5	8522.1	29.7
Midwest	6120.5	21.3	14642.6	51.1
West	14029.6	48.9	28672.2	100.0

Table 2-226. National estimates of lost-time injuries by farm type for workers 20-29 years of age, 1995.

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	2361.9	8.2	2361.9	8.2
Field crops	1352.1	4.7	3714	13.0
Vegetable, fruit, nut	4862.9	17.0	8576.9	29.9
Nursery	12880.6	44.9	21457.5	74.8
Beef, hogs, sheep	2851.1	9.9	24308.6	84.8
Dairy	3409.4	11.9	27718	96.7
Other	954.2	3.3	28672.2	100.0

Table 2-227. National estimates of lost-time injuries by status of injured worker for workers 20-29 years of age, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	3612	12.6	3612	12.6
Partner/family	2010	7.0	5622	19.6
Hired labor	21868.8	76.3	27490.8	95.9
Unpaid nonfamily	252.9	0.9	27743.7	96.8
Other	928.5	3.2	28672.2	100.0

Table 2-228. National estimates of lost-time injuries by gender for workers 20-29 years of age, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	28147.3	98.2	28147.3	98.2
Female	524.9	1.8	28672.2	100.0

Table 2-229. National estimates of lost-time injuries by race or ethnic origin for workers 20-29 years of age, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	14642.7	51.1	14642.7	51.1
Hispanic	13669.1	47.7	28311.8	98.7
Black	241.1	0.8	28552.9	99.6
Asian	113.1	0.4	28666.0	100.0
Other	6.2	0.0	28672.2	100.0

Table 2-230. National estimates of lost-time injuries by month for workers 20-29 years of age, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	1129.6	4.0	1129.6	4.0
February	261.6	0.9	1391.2	5.0
March	78.3	0.3	1469.5	5.3
April	1274.8	4.6	2744.3	9.8
May	3576.9	12.8	6321.2	22.6
June	1010.2	3.6	7331.4	26.2
July	6664.1	23.8	13995.5	50.0
August	11558.8	41.3	25554.3	91.4
September	1813.4	6.5	27367.7	97.9
October	56.6	0.2	27424.3	98.1
November	470.5	1.7	27894.8	99.7
December	71.4	0.3	27966.2	100.0

(Frequency Missing = 706.0)

Table 2-231. National estimates of lost-time injuries by severity of the injury for workers 20-29 years of age, 1995.

<u>Severity Of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	28290.2	98.7	28290.2	98.7
Permanent	382.0	1.3	28672.2	100.0

Table 2-232. National estimates of lost-time injuries by whether professional medical attention was sought for workers 20-29 years of age, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	382.0	1.3	382.0	1.3
Yes	26792.4	93.5	27174.4	94.8
No	1491.6	5.2	28666.0	100.0

(Frequency Missing = 6.2)

Table 2-233. National estimates of lost-time injuries by body part injured for workers 20-29 years of age, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Eye	3039.5	10.6	3039.5	10.6
Chest/trunk	1185.5	4.1	4225.0	14.7
Back	2219.4	7.7	6444.4	22.5
Arm/shoulder	10329.9	36.0	16774.3	58.5
Finger	5701.8	19.9	22476.1	78.4
Hand/wrist	1391.9	4.9	23868.0	83.2
Leg/knee/hip	1718.0	6.0	25586.0	89.2
Foot	532.6	1.9	26118.6	91.1
Mult. parts	272.5	1.0	26391.1	92.0
Other	2281.1	8.0	28672.2	100.0

Table 2-234. National estimates of lost-time injuries by nature of the injury for workers 20-29 years of age, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	4619.2	16.1	4619.2	16.1
Burn	34.8	0.1	4654.0	16.2
Cut	3763.3	13.1	8417.3	29.4
Crush	422.9	1.5	8840.2	30.8
Fracture	1801.1	6.3	10641.3	37.1
Puncture	2081.5	7.3	12722.8	44.4
Sprain/strain	12764.4	44.5	25487.2	88.9
Mult. injury	272.5	1.0	25759.7	89.8
Other	2912.5	10.2	28672.2	100.0

Table 2-235. National estimates of lost-time injuries by type of event for workers 20-29 years of age, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1743.6	6.1	1743.6	6.1
Caught between	4491.0	15.7	6234.6	21.7
Caught under	422.9	1.5	6657.5	23.2
Struck by/against	3093.0	10.8	9750.5	34.0
Struck by falling	1590.4	5.5	11340.9	39.6
Struck by flying	1157.5	4.0	12498.4	43.6
Contact sharp obj.	279.1	1.0	12777.5	44.6
Fall, same level	452.2	1.6	13229.7	46.1
Fall, elevation	9462.6	33.0	22692.3	79.1
Overexertion	1779.5	6.2	24471.8	85.4
Other	4200.4	14.6	28672.2	100.0

Table 2-236. National estimates of lost-time injuries by activity when injured for workers 20-29 years of age, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	11047.4	38.5	11047.4	38.5
Machine maint.	3448.3	12.0	14495.7	50.6
Field work	2760.5	9.6	17256.2	60.2
Crop handling	540.7	1.9	17796.9	62.1
Livestock handling	5578.8	19.5	23375.7	81.5
Other	5296.5	18.5	28672.2	100.0

Table 2-237. National estimates of lost-time injuries by source of injury for workers 20-29 years of age, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	241.1	0.8	241.1	0.8
Machinery	12156.7	42.4	12397.8	43.2
Livestock	2034.1	7.1	14431.9	50.3
Hand tool	1157.5	4.0	15589.4	54.4
Pesticide/chem.	687.6	2.4	16277.0	56.8
Plant/tree	1256.8	4.4	17533.8	61.2
Working surface	718.6	2.5	18252.4	63.7
Other vehicle	164.5	0.6	18416.9	64.2
Liquids	252.9	0.9	18669.8	65.1
Other	10002.4	34.9	28672.2	100.0

Table 2-238. National estimates of lost-time injuries by region for workers 30-39 years of age, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	1340.2	3.2	1340.2	3.2
South	12742.5	30.3	14082.7	33.5
Midwest	18715.5	44.6	32798.2	78.1
West	9206.5	21.9	42004.7	100.0

Table 2-239. National estimates of lost-time injuries by farm type for workers 30-39 years of age, 1995.

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	8170.3	19.5	8170.3	19.5
Field crops	3315.4	7.9	11485.7	27.3
Vegetable, fruit, nuts	4140.7	9.9	15626.4	37.2
Nursery	227.9	0.5	15854.3	37.7
Beef, hogs, sheep	16603.9	39.5	32458.2	77.3
Poultry	1192.4	2.8	33650.6	80.1
Dairy	4566.7	10.9	38217.3	91.0
Other	3787.4	9.0	42004.7	100.0

Table 2-240. National estimates of lost-time injuries by status of injured worker for workers 30-39 years of age, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	25489.1	60.7	25489.1	60.7
Partner/family	3244.7	7.7	28733.8	68.4
Hired labor	12444.0	29.6	41177.8	98.0
Unpaid nonfamily	406.2	1.0	41584.0	99.0
Other	420.7	1.0	42004.7	100.0

Table 2-241. National estimates of lost-time injuries by gender for workers 30-39 years of age, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	39994.2	95.2	39994.2	95.2
Female	2010.5	4.8	42004.7	100.0

Table 2-242. National estimates of lost-time injuries by race or ethnic origin for workers 30-39 years of age, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	32392.9	77.1	32392.9	77.1
Hispanic	8319.6	19.8	40712.5	96.9
Black	656.4	1.6	41368.9	98.5
Asian	191.4	0.5	41560.3	98.9
Other	444.4	1.1	42004.7	100.0

Table 2-243. National estimates of lost-time injuries by month for workers 30-39 years of age, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	2043.7	4.9	2043.7	4.9
February	762.7	1.8	2806.4	6.7
March	1761.9	4.2	4568.3	10.9
April	4850.8	11.5	9419.1	22.4
May	2533.3	6.0	11952.4	28.5
June	3991.3	9.5	15943.7	38.0
July	2852.0	6.8	18795.7	44.7
August	494.1	1.2	19289.8	45.9
September	6473.1	15.4	25762.9	61.3
October	6568.1	15.6	32331.0	77.0
November	6970.9	16.6	39301.9	93.6
December	2702.8	6.4	42004.7	100.0

Table 2-244. National estimates of lost-time injuries by severity of the injury for workers 30-39 years of age, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	41312.7	98.4	41312.7	98.4
Permanent	692.0	1.6	42004.7	100.0

Table 2-245. National estimates of lost-time injuries by whether professional medical attention was sought for workers 30-39 years of age, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	692.0	1.7	692.0	1.7
Yes	33314.9	80.2	34006.9	81.9
No	7523.9	18.1	41530.8	100.0

(Frequency Missing = 473.9)

Table 2-246. National estimates of lost-time injuries by body part injured for workers 30-39 years of age, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2392.5	5.7	2392.5	5.7
Eye	1176.7	2.8	3569.2	8.5
Chest/trunk	768.2	1.8	4337.4	10.3
Back	9548.6	22.7	13886.0	33.1
Arm/shoulder	3189.3	7.6	17075.3	40.7
Finger	5362.2	12.8	22437.5	53.4
Hand/wrist	2277.9	5.4	24715.4	58.8
Leg/knee/hip	10670.2	25.4	35385.6	84.2
Toe	401.8	1.0	35787.4	85.2
Foot	5009.0	11.9	40796.4	97.1
Mult. parts	986.6	2.3	41783.0	99.5
Other	221.7	0.5	42004.7	100.0

Table 2-247. National estimates of lost-time injuries by nature of the injury for workers 30-39 years of age, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	342.3	0.8	342.3	0.8
Bruise	5877.8	14.0	6220.1	14.8
Burn	1075.8	2.6	7295.9	17.4
Cut	9333.7	22.2	16629.6	39.6
Crush	1770.5	4.2	18400.1	43.8
Fracture	3684.6	8.8	22084.7	52.6
Poisoning	221.7	0.5	22306.4	53.1
Puncture	2874.2	6.8	25180.6	59.9
Sprain/strain	11438.5	27.2	36619.1	87.2
Mult. injury	1503.2	3.6	38122.3	90.8
Other	3882.4	9.2	42004.7	100.0

Table 2-248. National estimates of lost-time injuries by type of event for workers 30-39 years of age, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1786.2	4.3	1786.2	4.3
Caught between	3768.4	9.0	5554.6	13.2
Caught under	1296.3	3.1	6850.9	16.3
Struck by/against	1377.7	3.3	8228.6	19.6
Struck by falling	2695.1	6.4	10923.7	26.0
Struck by flying	899.7	2.1	11823.4	28.1
Contact sharp obj.	9184.2	21.9	21007.6	50.0
Fall, same level	1537.5	3.7	22545.1	53.7
Fall, elevation	6814.5	16.2	29359.6	69.9
Overexertion	3789.1	9.0	33148.7	78.9
Other	8856.0	21.1	42004.7	100.0

Table 2-249. National estimates of lost-time injuries by activity when injured for workers 30-39 years of age, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	6287.3	15.0	6287.3	15.0
Machine maint.	2776.2	6.6	9063.5	21.6
Field work	8308.7	19.8	17372.2	41.4
Crop handling	1964.3	4.7	19336.5	46.0
Livestock handling	17517.8	41.7	36854.3	87.7
Other	5150.4	12.3	42004.7	100.0

Table 2-250. National estimates of lost-time injuries by source of injury for workers 30-39 years of age, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	1286.9	3.1	1286.9	3.1
Machinery	6103.2	14.5	7390.1	17.6
Livestock	10495.3	25.0	17885.4	42.6
Hand tool	7194.5	17.1	25079.9	59.7
Power tool	395.6	0.9	25475.5	60.6
Pesticide/chem.	221.7	0.5	25697.2	61.2
Plant/tree	419.3	1.0	26116.5	62.2
Working surface	3561.8	8.5	29678.3	70.7
Truck/auto	78.3	0.2	29756.6	70.8
Other	12248.1	29.2	42004.7	100.0

Table 2-251. National estimates of lost-time injuries by region for workers 40-49 years of age, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	2102.6	7.2	2102.6	7.2
South	8138.5	27.8	10241.1	34.9
Midwest	13244.3	45.2	23485.4	80.1
West	5819.0	19.9	29304.4	100.0

Table 2-252. National estimates of lost-time injuries by farm type for workers 40-49 years of age, 1995.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	6768.7	23.1	6768.7	23.1
Field crops	2349.3	8.0	9118	31.1
Vegetable, fruit, nuts	4304.6	14.7	13422.6	45.8
Nursery	403.6	1.4	13826.2	47.2
Beef, hogs, sheep	1328.7	38.7	25154.9	85.8
Poultry	26.5	1.8	25681.4	87.6
Dairy	2033.1	6.9	27714.5	94.6
Other	1589.9	5.4	29304.4	100.0

Table 2-253. National estimates of lost-time injuries by status of injured worker for workers 40-49 years of age, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	21995.8	75.1	21995.8	75.1
Partner/family	1446.9	4.9	23442.7	80.0
Hired labor	5740.3	19.6	29183	99.6
Unpaid nonfamily	121.4	0.4	29304.4	100.0

Table 2-254. National estimates of lost-time injuries by gender for workers 40-49 years of age, 1995.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	25728.9	87.8	25728.9	87.8
Female	3575.5	12.2	29304.4	100.0

Table 2-255. National estimates of lost-time injuries by race or ethnic origin for workers 40-49 years of age, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	24972.7	85.2	24972.7	85.2
Hispanic	3788.2	12.9	28760.9	98.1
Black	160.7	0.5	28921.6	98.7
Asian	382.8	1.3	29304.4	100.0

Table 2-256. National estimates of lost-time injuries by month for workers 40-49 years of age, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	958.9	3.3	958.9	3.3
March	2398.3	8.3	3357.2	11.6
April	4198.6	14.5	7555.8	26.1
May	2485.3	8.6	10041.1	34.7
June	1418.2	4.9	11459.3	39.7
July	4367.6	15.1	15826.9	54.8
August	4912.3	17.0	20739.2	71.8
September	1337.8	4.6	22077.0	76.4
October	3671.4	12.7	25748.4	89.1
November	1958.4	6.8	27706.8	95.9
December	1190.5	4.1	28897.3	100.0

(Frequency Missing = 407.1)

Table 2-257. National estimates of lost-time injuries by severity of the injury for workers 40-49 years of age, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	26554.4	90.6	26554.4	90.6
Permanent	2750.0	9.4	29304.4	100.0

Table 2-258. National estimates of lost-time injuries by whether professional medical attention was sought for workers 40-49 years of age, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	2750.0	9.4	2750	9.4
Yes	21235.7	72.5	23985.7	81.9
No	5318.7	18.1	29304.4	100.0

Table 2-259. National estimates of lost-time injuries by body part injured for workers 40-49 years of age, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	2146.4	7.3	2146.4	7.3
Eye	1239.4	4.2	3385.8	11.6
Chest/trunk	664.5	2.3	4050.3	13.8
Back	7234.0	24.7	11284.3	38.5
Arm/shoulder	1307.2	4.5	12591.5	43.0
Finger	1339.2	4.6	13930.7	47.5
Hand/wrist	3796.6	13.0	17727.3	60.5
Leg/knee/hip	6654.2	22.7	24381.5	83.2
Foot	2414.5	8.2	26796.0	91.4
Mult. parts	1350.5	4.6	28146.5	96.0
Other	1157.9	4.0	29304.4	100.0

Table 2-260. National estimates of lost-time injuries by nature of the injury for workers 40-49 years of age, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	243.8	0.8	243.8	0.8
Bruise	4788.5	16.4	5032.3	17.3
Burn	794.9	2.7	5827.2	20.0
Cut	2760.1	9.5	8587.3	29.5
Crush	737.8	2.5	9325.1	32.0
Fracture	3593.2	12.3	12918.3	44.3
Puncture	3682.1	12.6	16600.4	57.0
Sprain/strain	9571.3	32.8	26171.7	89.8
Mult. injury	577.2	2.0	26748.9	91.8
Other	2392.2	8.2	29141.1	100.0

(Frequency Missing = 163.3)

Table 2-261. National estimates of lost-time injuries by type of event for workers 40-49 years of age, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	828.6	2.8	828.6	2.8
Caught between	941.3	3.2	1769.9	6.0
Caught under	275.9	0.9	2045.8	7.0
Struck by/against	5720.1	19.5	7765.9	26.5
Struck by falling	2958.1	10.1	10724.0	36.6
Struck by flying	530.5	1.8	11254.5	38.4
Contact sharp obj.	5633.1	19.2	16887.6	57.6
Fall, same level	5553.9	19.0	22441.5	76.6
Fall, elevation	2639.4	9.0	25080.9	85.6
Overexertion	2753.6	9.4	27834.5	95.0
Other	1469.9	5.0	29304.4	100.0

Table 2-262. National estimates of lost-time injuries by activity when injured for workers 40-49 years of age, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	2980.5	10.2	2980.5	10.2
Machine maint.	2627.1	9.0	5607.6	19.1
Field work	4211.0	14.4	9818.6	33.5
Crop handling	6337.4	21.6	16156.0	55.1
Livestock handling	9635.3	32.9	25791.3	88.0
Other	3513.1	12.0	29304.4	100.0

Table 2-263. National estimates of lost-time injuries by source of injury for workers 40-49 years of age, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	190.2	0.6	190.2	0.6
Machinery	3643.3	12.4	3833.5	13.1
Livestock	5273.6	18.0	9107.1	31.1
Hand tool	670.0	2.3	9777.1	33.4
Power tool	1844.2	6.3	11621.3	39.7
Plant/tree	1861.6	6.4	13482.9	46.0
Working surface	5141.6	17.5	18624.5	63.6
Other vehicle	557.7	1.9	19182.2	65.5
Other	10122.2	34.5	29304.4	100.0

Table 2-264. National estimates of lost-time injuries by region for workers 50-59 years of age, 1995.

<u>Region</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Northeast	1185.5	2.9	1185.5	2.9
South	9999.1	24.3	11184.6	27.2
Midwest	21754.1	52.9	32938.7	80.0
West	8211.9	20.0	41150.6	100.0

Table 2-265. National estimates of lost-time injuries by farm type for workers 50-59 years of age, 1995.

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	4532.4	11.0	4532.4	11.0
Field crops	2371.8	5.8	6904.2	16.8
Vegetable, fruit, nuts	2873.8	7.0	9778	23.8
Beef, hogs, sheep	25452.6	61.9	35230.6	85.6
Poultry	750.3	1.8	35980.9	87.4
Dairy	4342.3	10.6	40323.2	98.0
Other	827.4	2.0	41150.6	100.0

Table 2-266. National estimates of lost-time injuries by status of injured worker for workers 50-59 years of age, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	28667.2	69.7	28667.2	69.7
Partner/family	923.9	2.2	29591.1	71.9
Hired labor	7193.0	17.5	36784.1	89.4
Unpaid nonfamily	4366.5	10.6	41150.6	100.0

Table 2-267. National estimates of lost-time injuries by gender for workers 50-59 years of age, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	34420.5	83.6	34420.5	83.6
Female	6730.1	16.4	41150.6	100.0

Table 2-268. National estimates of lost-time injuries by race or ethnic origin for workers 50-59 years of age, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	35692.7	87.0	35692.7	87.0
Hispanic	4155.6	10.1	39848.3	97.2
Black	1077.1	2.6	40925.4	99.8
Asian	78.3	0.2	41003.7	100.0

(Frequency Missing = 146.9)

Table 2-269. National estimates of lost-time injuries by month for workers 50-59 years of age, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
February	141.9	0.4	141.9	0.4
March	2664.4	6.6	2806.3	6.9
April	2427.0	6.0	5233.3	12.9
May	4585.9	11.3	9819.2	24.3
June	5107.7	12.6	14926.9	36.9
July	5265.4	13.0	20192.3	50.0
August	2571.0	6.4	22763.3	56.3
September	4015.8	9.9	26779.1	66.3
October	3778.4	9.3	30557.5	75.6
November	7579.2	18.8	38136.7	94.4
December	2283.5	5.6	40420.2	100.0

(Frequency Missing = 730.4)

Table 2-270. National estimates of lost-time injuries by severity of the injury for workers 50-59 years of age, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	38390.3	93.3	38390.3	93.3
Permanent	2760.3	6.7	41150.6	100.0

Table 2-271. National estimates of lost-time injuries by whether professional medical attention was sought for workers 50-59 years of age, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	2760.3	6.7	2760.3	6.7
Yes	32212.2	78.4	34972.5	85.1
No	6120.2	14.9	41092.7	100.0

(Frequency Missing = 57.9)

Table 2-272. National estimates of lost-time injuries by body part injured for workers 50-59 years of age, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	4541.8	11.0	4541.8	11.0
Eye	209.7	0.5	4751.5	11.5
Chest/trunk	5290.2	12.9	10041.7	24.4
Back	5102.8	12.4	15144.5	36.8
Arm/shoulder	3834.8	9.3	18979.3	46.1
Finger	3973.6	9.7	22952.9	55.8
Hand/wrist	5860.6	14.2	28813.5	70.0
Leg/knee/hip	6655.9	16.2	35469.4	86.2
Toe	91.7	0.2	35561.1	86.4
Foot	840.0	2.0	36401.1	88.5
Mult. parts	3167.7	7.7	39568.8	96.2
Other	1581.8	3.8	41150.6	100.0

Table 2-273. National estimates of lost-time injuries by nature of the injury for workers 50-59 years of age, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	730.4	1.8	730.4	1.8
Bruise	5554.0	13.5	6284.4	15.3
Burn	420.7	1.0	6705.1	16.3
Cut	6502.6	15.8	13207.7	32.1
Crush	656.4	1.6	13864.1	33.7
Fracture	8483.1	20.6	22347.2	54.3
Puncture	1579.5	3.8	23926.7	58.1
Sprain/strain	12991.9	31.6	36918.6	89.7
Mult. injury	1211.5	2.9	38130.1	92.7
Other	3020.5	7.3	41150.6	100.0

Table 2-274. National estimates of lost-time injuries by type of event for workers 50-59 years of age, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1089.2	2.6	1089.2	2.6
Caught between	6379.8	15.5	7469.0	18.2
Caught under	63.1	0.2	7532.1	18.3
Struck by/against	6882.4	16.7	14414.5	35.0
Struck by falling	872.7	2.1	15287.2	37.1
Struck by flying	235.7	0.6	15522.9	37.7
Contact sharp obj.	6870.4	16.7	22393.3	54.4
Fall, same level	4083.7	9.9	26477.0	64.3
Fall, elevation	4421.0	10.7	30898.0	75.1
Overexertion	7747.2	18.8	38645.2	93.9
Other	2505.4	6.1	41150.6	100.0

Table 2-275. National estimates of lost-time injuries by activity when injured for workers 50-59 years of age, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	8016.6	19.5	8016.6	19.5
Machine maint.	2302.1	5.6	10318.7	25.1
Field work	1286.5	3.1	11605.2	28.2
Crop handling	10310.4	25.1	21915.6	53.3
Livestock handling	14611.7	35.5	36527.3	88.8
Other	4623.3	11.2	41150.6	100.0

Table 2-276. National estimates of lost-time injuries by source of injury for workers 50-59 years of age, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	635.9	1.5	635.9	1.5
Machinery	9679.9	23.5	10315.8	25.1
Livestock	8279.2	20.1	18595.0	45.2
Hand tool	2327.1	5.7	20922.1	50.8
Power tool	1345.9	3.3	22268.0	54.1
Plant/tree	420.7	1.0	22688.7	55.1
Working surface	3482.3	8.5	26171.0	63.6
Truck/auto	1227.2	3.0	27398.2	66.6
Other vehicle	2290.7	5.6	29688.9	72.1
Other	11461.7	27.9	41150.6	100.0

Table 2-277. National estimates of lost-time injuries by region for workers 60-69 years of age, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	2893	9.7	2893	9.7
South	7181.5	24.1	10074.5	33.8
Midwest	15983.9	53.6	26058.4	87.4
West	3754.4	12.6	29812.8	100.0

Table 2-278. National estimates of lost-time injuries by farm type for workers 60-69 years of age, 1995.

Farm Type	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Cash grains	3101.8	10.4	3101.8	10.4
Field crops	1786.6	6.0	4888.4	16.4
Vegetable, fruit, nuts	3289.4	11.0	8177.8	27.4
Beef, hogs, sheep	20928.5	70.2	29106.3	97.6
Poultry	167.4	0.6	29273.7	98.2
Dairy	539.1	1.8	29812.8	100.0

Table 2-279. National estimates of lost-time injuries by status of injured worker for workers 60-69 years of age, 1995.

Status of Injured Worker	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Operator/family	26052.1	88.9	26052.1	88.9
Partner/family	269.1	0.9	26321.2	89.8
Hired labor	2809.9	9.6	29131.1	99.4
Other	164.5	0.6	29295.6	100.0

(Frequency Missing = 517.2)

Table 2-280. National estimates of lost-time injuries by gender for workers 60-69 years of age, 1995.

Gender	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Male	22623.7	77.2	22623.7	77.2
Female	6671.9	22.8	29295.6	100.0

(Frequency Missing = 517.2)

Table 2-281. National estimates of lost-time injuries by race or ethnic origin for workers 60-69 years of age, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	28443.7	95.4	28443.7	95.4
Hispanic	1290.8	4.3	29734.5	99.7
Asian	78.3	0.3	29812.8	100.0

Table 2-282. National estimates of lost-time injuries by month for workers 60-69 years of age, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	252.9	0.8	252.9	0.8
February	167.4	0.6	420.3	1.4
March	1247.9	4.2	1668.2	5.6
April	2187.1	7.3	3855.3	12.9
May	1513.7	5.1	5369.0	18.0
June	2373.6	8.0	7742.6	26.0
July	4912.3	16.5	12654.9	42.4
August	7810.6	26.2	20465.5	68.6
September	1625.9	5.5	22091.4	74.1
October	1263.9	4.2	23355.3	78.3
November	6212.5	20.8	29567.8	99.2
December	245.0	0.8	29812.8	100.0

Table 2-283. National estimates of lost-time injuries by severity of the injury for workers 60-69 years of age, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	25960.0	87.1	25960.0	87.1
Permanent	1621.7	5.4	27581.7	92.5
Fatality	2231.1	7.5	29812.8	100.0

Table 2-284. National estimates of lost-time injuries by whether professional medical attention was sought for workers 60-69 years of age, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	3852.8	12.9	3852.8	12.9
Yes	22129.8	74.2	25982.6	87.2
No	3830.2	12.8	29812.8	100.0

Table 2-285. National estimates of lost-time injuries by body part injured for workers 60-69 years of age, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1376.0	4.6	1376.0	4.6
Eye	828.6	2.8	2204.6	7.4
Chest/trunk	3986.6	13.4	6191.2	20.8
Back	2011.1	6.7	8202.3	27.5
Arm/shoulder	4569.7	15.3	12772.0	42.8
Finger	1738.6	5.8	14510.6	48.7
Hand/wrist	963.3	3.2	15473.9	51.9
Leg/knee/hip	3126.7	10.5	18600.6	62.4
Toe	245.7	0.8	18846.3	63.2
Foot	8254.7	27.7	27101.0	90.9
Mult. parts	2711.8	9.1	29812.8	100.0

Table 2-286. National estimates of lost-time injuries by nature of the injury for workers 60-69 years of age, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	194.6	0.7	194.6	0.7
Bruise	4866.4	16.3	5061.0	17.0
Burn	1109.2	3.7	6170.2	20.7
Cut	1906.4	6.4	8076.6	27.1
Crush	3773.2	12.7	11849.8	39.7
Fracture	11652.1	39.1	23501.9	78.8
Sprain/strain	3251.2	10.9	26753.1	89.7
Mult. injury	2231.1	7.5	28984.2	97.2
Other	828.6	2.8	29812.8	100.0

Table 2-287. National estimates of lost-time injuries by type of event for workers 60-69 years of age, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1056.7	3.5	1056.7	3.5
Caught between	6031.2	20.2	7087.9	23.8
Caught under	5443.8	18.3	12531.7	42.0
Struck by/against	3505.4	11.8	16037.1	53.8
Struck by falling	5534.5	18.6	21571.6	72.4
Struck by flying	993.1	3.3	22564.7	75.7
Contact sharp obj.	963.3	3.2	23528.0	78.9
Fall, elevation	1678.7	5.6	25206.7	84.5
Overexertion	2296.6	7.7	27503.3	92.3
Other	2309.5	7.7	29812.8	100.0

Table 2-288. National estimates of lost-time injuries by activity when injured for workers 60-69 years of age, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	7243.1	24.4	7243.1	24.4
Machine maint.	3841.6	13.0	11084.7	37.4
Field work	2659.9	9.0	13744.6	46.4
Crop handling	2857.9	9.6	16602.5	56.0
Livestock handling	10138.9	34.2	26741.4	90.2
Other	2904.0	9.8	29645.4	100.0

(Frequency Missing = 167.4)

Table 2-289. National estimates of lost-time injuries by source of injury for workers 60-69 years of age, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	2133.2	7.2	2133.2	7.2
Machinery	7095.2	23.9	9228.4	31.1
Livestock	8838.6	29.8	18067.0	60.9
Hand tool	197.3	0.7	18264.3	61.6
Power tool	928.5	3.1	19192.8	64.7
Plant/tree	3541.4	11.9	22734.2	76.7
Working surface	1524.0	5.1	24258.2	81.8
Truck/auto	541.1	1.8	24799.3	83.7
Other vehicle	752.9	2.5	25552.2	86.2
Liquids	252.9	0.9	25805.1	87.0
Other	3840.3	13.0	29645.4	100.0

(Frequency Missing = 167.4)

Table 2-290. National estimates of lost-time injuries by region for workers >=70 years of age, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	710.6	4.9	710.6	4.9
South	4108.6	28.4	4819.2	33.4
Midwest	8919.6	61.8	13738.8	95.1
West	702.9	4.9	14441.7	100.0

Table 2-291. National estimates of lost-time injuries by farm type for workers >=70 years of age, 1995.

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	5707.3	39.5	5707.3	39.5
Field crops	1046.4	7.2	6753.7	46.8
Vegetable, fruit, nuts	597.2	4.1	7350.9	50.9
Nursery	397.4	2.8	7748.3	53.7
Beef, hogs, sheep	6130.5	42.4	13878.8	96.1
Dairy	111.1	0.8	13989.9	96.9
Other	451.8	3.1	14441.7	100.0

Table 2-292. National estimates of lost-time injuries by status of injured worker for workers >=70 years of age, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	12534.2	86.8	12534.2	86.8
Partner/family	664.1	4.6	13198.3	91.4
Hired labor	906.9	6.3	14105.2	97.7
Unpaid nonfamily	50.4	0.3	14155.6	98.0
Other	286.1	2.0	14441.7	100.0

Table 2-293. National estimates of lost-time injuries by gender for workers >=70 years of age, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	13777.6	95.4	13777.6	95.4
Female	664.1	4.6	14441.7	100.0

Table 2-294. National estimates of lost-time injuries by race or ethnic origin for workers >=70 years of age, 1995.

<u>Race/ Ethnic Origin</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
White	14133.0	97.9	14133.0	97.9
Hispanic	111.1	0.8	14244.1	98.7
Asian	191.4	1.3	14435.5	100.0

(Frequency Missing = 6.2)

Table 2-295. National estimates of lost-time injuries by month for workers ≥ 70 years of age, 1995.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	146.9	1.1	146.9	1.1
March	595.5	4.4	742.4	5.5
April	71.4	0.5	813.8	6.0
May	2048.9	15.1	2862.7	21.1
June	3310	24.3	6172.7	45.4
July	1457.7	10.7	7630.4	56.1
August	756.4	5.6	8386.8	61.7
September	343.3	2.5	8730.1	64.2
October	2910.6	21.4	11640.7	85.6
November	1084.4	8.0	12725.1	93.6
December	873.7	6.4	13598.8	100.0

(Frequency Missing = 842.9)

Table 2-296. National estimates of lost-time injuries by severity of the injury for workers ≥ 70 years of age, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	12550.0	86.9	12550.0	86.9
Permanent	1891.7	13.1	14441.7	100.0

Table 2-297. National estimates of lost-time injuries by whether professional medical attention was sought for workers ≥ 70 years of age, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	1891.7	13.1	1891.7	13.1
Yes	7816.8	54.1	9708.5	67.2
No	4733.2	32.8	14441.7	100.0

Table 2-298. National estimates of lost-time injuries by body part injured for workers \geq 70 years of age, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	701.6	4.9	701.6	4.9
Back	1853.8	12.8	2555.4	17.7
Arm/shoulder	559.3	3.9	3114.7	21.6
Finger	5924.0	41.0	9038.7	62.6
Hand/wrist	1589.8	11.0	10628.5	73.6
Leg/knee/hip	2941.4	20.4	13569.9	94.0
Foot	298.7	2.1	13868.6	96.1
Mult. parts	566.9	3.9	14435.5	100.0
Other	6.2	0.0	14441.7	100.0

Table 2-299. National estimates of lost-time injuries by nature of the injury for workers \geq 70 years of age, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	1950.9	13.5	1950.9	13.5
Bruise	3429.6	23.7	5380.5	37.3
Cut	2282.0	15.8	7662.5	53.1
Crush	298.7	2.1	7961.2	55.1
Fracture	2022.2	14.0	9983.4	69.1
Puncture	34.8	0.2	10018.2	69.4
Sprain/strain	3856.6	26.7	13874.8	96.1
Mult. injury	566.9	3.9	14441.7	100.0

Table 2-300. National estimates of lost-time injuries by type of event for workers \geq 70 years of age, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	4203.8	29.1	4203.8	29.1
Caught between	1917.5	13.3	6121.3	42.4
Caught under	597.4	4.1	6718.7	46.5
Struck by/against	1300.6	9.0	8019.3	55.5
Struck by falling	420.0	2.9	8439.3	58.4
Struck by flying	646.8	4.5	9086.1	62.9
Contact sharp obj.	270.5	1.9	9356.6	64.8
Fall, same level	1276.0	8.8	10632.6	73.6
Fall, elevation	1440.9	10.0	12073.5	83.6
Overexertion	1175.5	8.1	13249.0	91.7
Other	1192.7	8.3	14441.7	100.0

Table 2-301. National estimates of lost-time injuries by activity when injured for workers ≥ 70 years of age, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	518.8	3.6	518.8	3.6
Machine maint.	3813.4	26.4	4332.2	30.0
Field work	2420.0	16.8	6752.2	46.8
Crop handling	1024.6	7.1	7776.8	53.8
Livestock handling	6216.5	43.0	13993.3	96.9
Other	448.4	3.1	14441.7	100.0

Table 2-302. National estimates of lost-time injuries by source of injury for workers ≥ 70 years of age, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	597.4	4.1	597.4	4.1
Machinery	2458.5	17.0	3055.9	21.2
Livestock	2529.9	17.5	5585.8	38.7
Hand tool	1770.6	12.3	7356.4	50.9
Power tool	677.3	4.7	8033.7	55.6
Plant/tree	77.6	0.5	8111.3	56.2
Working surface	1343.6	9.3	9454.9	65.5
Truck/auto	987.6	6.8	10442.5	72.3
Other vehicle	587.4	4.1	11029.9	76.4
Other	3411.8	23.6	14441.7	100.0

Table 2-303. National estimates of lost-time injuries by region of the U.S. for white workers, 1995.

Region	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Northeast	15726.8	10.0	15726.8	10.0
South	40269.1	25.5	55995.9	35.5
Midwest	88936.5	56.4	144932.4	91.9
West	12815.9	8.1	157748.3	100.0

Table 2-304. National estimates of lost-time injuries by farm type for white workers, 1995.

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	32275.9	20.5	32275.9	20.5
Field crops	10159.5	6.4	42435.4	26.9
Vegetable, fruit, nuts	6073.1	3.8	48508.5	30.8
Nursery	4868.1	3.1	53376.6	33.8
Beef, hogs, sheep	78588.7	49.8	131965.3	83.7
Poultry	1751.2	1.1	133716.5	84.8
Dairy	15814.9	10.0	149531.4	94.8
Other	8216.9	5.2	157748.3	100.0

Table 2-305. National estimates of lost-time injuries by status of the injured worker for white workers, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	120132.0	76.4	120132.0	76.4
Partner/family	9551.6	6.1	129683.6	82.5
Hired labor	21434.4	13.6	151118.0	96.1
Unpaid nonfamily	5662.5	3.6	156780.5	99.7
Other	450.6	0.3	157231.1	100.0

(Frequency Missing = 517.2)

Table 2-306. National estimates of lost-time injuries by gender for white workers, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	135985.8	86.5	135985.8	86.5
Female	21245.3	13.5	157231.1	100.0

(Frequency Missing = 517.2)

Table 2-307. National estimates of lost-time injuries by age group for white workers, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
<10	1586.9	1.0	1586.9	1.0
10-19	5639.9	3.6	7226.8	4.6
20-29	14642.7	9.3	21869.5	13.9
30-39	32392.9	20.6	54262.4	34.5
40-49	24972.7	15.9	79235.1	50.3
50-59	35692.7	22.7	114927.8	73.0
60-69	28443.7	18.1	143371.5	91.0
>=70	14133.0	9.0	157504.5	100.0

(Frequency Missing = 243.8)

Table 2-308. National estimates of lost-time injuries by month for white workers, 1995.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1347.8	0.9	1347.8	0.9
February	2951.5	1.9	4299.3	2.8
March	7496.6	4.8	11795.9	7.6
April	13204.8	8.5	25000.7	16.1
May	15587.0	10.1	40587.7	26.2
June	18575.3	12.0	59163.0	38.2
July	21545.3	13.9	80708.3	52.1
August	19597.9	12.7	100306.2	64.8
September	9968.8	6.4	110275.0	71.2
October	15065.7	9.7	125340.7	81.0
November	22195.9	14.3	147536.6	95.3
December	7281.5	4.7	154818.1	100.0

Frequency Missing = 2930.2

Table 2-309. National estimates of lost-time injuries by severity of the injury for white workers, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	146411.3	92.8	146411.3	92.8
Permanent	8862.1	5.6	155273.4	98.4
Fatality	2474.9	1.6	157748.3	100.0

Table 2-310. National estimates of lost-time injuries by whether professional medical attention was sought for white workers, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	11337.0	7.2	11337	7.2
Yes	120158.5	76.2	131495.5	83.4
No	26188.7	16.6	157684.2	100.0

(Frequency Missing = 64.1)

Table 2-311. National estimates of lost-time injuries by body part injured for white workers, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	9415.0	6.0	9415.0	6.0
Eye	4265.8	2.7	13680.8	8.7
Chest/trunk	10905.9	6.9	24586.7	15.6
Back	24061.0	15.3	48647.7	30.8
Arm/shoulder	14244.1	9.0	62891.8	39.9
Finger	20827.5	13.2	83719.3	53.1
Hand/wrist	16580.9	10.5	100300.2	63.6
Leg/knee/hip	29102.4	18.4	129402.6	82.0
Toe	533.8	0.3	129936.4	82.4
Foot	13910.7	8.8	143847.1	91.2
Mult. parts	8658.7	5.5	152505.8	96.7
Other	5242.5	3.3	157748.3	100.0

Table 2-312. National estimates of lost-time injuries by nature of the injury for white workers, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	3329.4	2.1	3329.4	2.1
Bruise	22283.6	14.1	25613.0	16.3
Burn	1321.2	0.8	26934.2	17.1
Cut	25820.5	16.4	52754.7	33.5
Crush	7521.9	4.8	60276.6	38.3
Fracture	32492.6	20.6	92769.2	58.9
Poisoning	221.7	0.1	92990.9	59.0
Puncture	10642.0	6.8	103632.9	65.8
Sprain/strain	36740.6	23.3	140373.5	89.1
Mult. injury	6502.9	4.1	146876.4	93.2
Other	10708.6	6.8	157585.0	100.0

(Frequency Missing = 163.3)

Table 2-313. National estimates of lost-time injuries by type of event for white workers, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	9088.2	5.8	9088.2	5.8
Caught between	23310.9	14.8	32399.1	20.5
Caught under	9096.7	5.8	41495.8	26.3
Struck by/against	19073.7	12.1	60569.5	38.4
Struck by falling	11038.1	7.0	71607.6	45.4
Struck by flying	4350.2	2.8	75957.8	48.2
Contact sharp obj.	22406.5	14.2	98364.3	62.4
Fall, same level	11432.7	7.2	109797.0	69.6
Fall, elevation	18288.3	11.6	128085.3	81.2
Overexertion	16665.9	10.6	144751.2	91.8
Other	12997.1	8.2	157748.3	100.0

Table 2-314. National estimates of lost-time injuries by activity when injured for white workers, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	25594.6	16.3	25594.6	16.3
Machine maint.	19101.5	12.1	44696.1	28.4
Field work	12515.7	8.0	57211.8	36.4
Crop handling	22807.0	14.5	80018.8	50.9
Livestock handling	61900.4	39.3	141919.2	90.2
Other	15417.9	9.8	157337.1	100.0

(Frequency Missing = 411.2)

Table 2-315. National estimates of lost-time injuries by source of injury for white workers, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	7661.3	4.9	7661.3	4.9
Machinery	28640.2	18.2	36301.5	23.0
Livestock	35621.9	22.6	71923.4	45.6
Hand tool	13632.2	8.7	85555.6	54.3
Power tool	3785.8	2.4	89341.4	56.7
Pesticide/chem.	915.5	0.6	90256.9	57.3
Plant/tree	6157.8	3.9	96414.7	61.2
Working surface	13274.1	8.4	109688.8	69.6
Truck/auto	1662.9	1.1	111351.7	70.7
Other vehicle	3712.5	2.4	115064.2	73.0
Liquids	505.8	0.3	115570.0	73.3
Other	42010.9	26.7	157580.9	100.0

(Frequency Missing = 167.4)

Table 2-316. National estimates of lost-time injuries by region of the U.S. for Hispanic workers, 1995.

<u>Region</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Northeast	123.4	0.4	123.4	0.4
South	3178.0	9.8	3301.4	10.2
Midwest	275.3	0.9	3576.7	11.1
West	28764.5	88.9	32341.2	100.0

Table 2-317. National estimates of lost-time injuries by farm type of the U.S. for Hispanic workers, 1995.

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	519.4	1.6	519.4	1.6
Field crops	2083.4	6.4	2602.8	8.0
Vegetable, fruit, nuts	14393.3	44.5	16996.1	52.6
Nursery	9035.2	27.9	26031.3	80.5
Beef, hogs, sheep	3821.9	11.8	29853.2	92.3
Poultry	885.4	2.7	30738.6	95.0
Dairy	1307.3	4.0	32045.9	99.1
Other	295.3	0.9	32341.2	100.0

Table 2-318. National estimates of lost-time injuries by status of the injured worker for Hispanic workers, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	308.9	1.0	308.9	1.0
Hired labor	31051.7	96.0	31360.6	97.0
Unpaid nonfamily	52.1	0.2	31412.7	97.1
Other	928.5	2.9	32341.2	100.0

Table 2-319. National estimates of lost-time injuries by gender for Hispanic workers, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	32341.2	100.0	32341.2	100.0

Table 2-320. National estimates of lost-time injuries by age group for Hispanic workers, 1995.

Age Group (Years)	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	1006.8	3.1	1006.8	3.1
20-29	13669.1	42.3	14675.9	45.4
30-39	8319.6	25.7	22995.5	71.1
40-49	3788.2	11.7	26783.7	82.8
50-59	4155.6	12.8	30939.3	95.7
60-69	1290.8	4.0	32230.1	99.7
>=70	111.1	0.3	32341.2	100.0

Table 2-321. National estimates of lost-time injuries by month for Hispanic workers, 1995.

Month	Frequency	Percent	Cumulative Frequency	Cumulative Percent
January	1989.6	6.2	1989.6	6.2
February	71.4	0.2	2061.0	6.4
March	149.7	0.5	2210.7	6.8
April	1942.7	6.0	4153.4	12.8
May	1157.0	3.6	5310.4	16.4
June	227.6	0.7	5538.0	17.1
July	5073.8	15.7	10611.8	32.8
August	10090.8	31.2	20702.6	64.0
September	6501.3	20.1	27203.9	84.1
October	2987.8	9.2	30191.7	93.4
November	1905.8	5.9	32097.5	99.2
December	243.7	0.8	32341.2	100.0

Table 2-322. National estimates of lost-time injuries by severity of the injury for Hispanic workers, 1995.

Severity of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Temporary	31341.3	96.9	31341.3	96.9
Permanent	999.9	3.1	32341.2	100.0

Table 2-323. National estimates of lost-time injuries by whether professional medical attention was sought for Hispanic workers, 1995.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	999.9	3.1	999.9	3.1
Yes	27920.7	87.4	28920.6	90.5
No	3025.0	9.5	31945.6	100.0

(Frequency Missing = 395.6)

Table 2-324. National estimates of lost-time injuries by body part injured for Hispanic workers, 1995.

Body Part Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Head/neck	1603.5	5.0	1603.5	5.0
Eye	1470.5	4.5	3074.0	9.5
Chest/trunk	995.3	3.1	4069.3	12.6
Back	3632.8	11.2	7702.1	23.8
Arm/shoulder	10645.8	32.9	18347.9	56.7
Finger	3870.5	12.0	22218.4	68.7
Hand/wrist	111.1	0.3	22329.5	69.0
Leg/knee/hip	3714.0	11.5	26043.5	80.5
Toe	395.6	1.2	26439.1	81.8
Foot	4841.0	15.0	31280.1	96.7
Mult. parts	1061.1	3.3	32341.2	100.0

Table 2-325. National estimates of lost-time injuries by nature of the injury for Hispanic workers, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Amputation	132.6	0.4	132.6	0.4
Bruise	6808.9	21.1	6941.5	21.5
Burn	1635.0	5.1	8576.5	26.5
Cut	3124.7	9.7	11701.2	36.2
Crush	395.6	1.2	12096.8	37.4
Fracture	369.9	1.1	12466.7	38.5
Puncture	369.1	1.1	12835.8	39.7
Sprain/strain	17515.8	54.2	30351.6	93.8
Mult. injury	132.6	0.4	30484.2	94.3
Other	1857.0	5.7	32341.2	100.0

Table 2-326. National estimates of lost-time injuries by type of event for Hispanic workers, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	1716.4	5.3	1716.4	5.3
Caught between	1061.1	3.3	2777.5	8.6
Caught under	33.3	0.1	2810.8	8.7
Struck by/against	2570.0	7.9	5380.8	16.6
Struck by falling	3627.3	11.2	9008.1	27.9
Contact sharp obj.	3154.6	9.8	12162.7	37.6
Fall, same level	2087.9	6.5	14250.6	44.1
Fall, elevation	8947.4	27.7	23198.0	71.7
Overexertion	2556.2	7.9	25754.2	79.6
Other	6587.0	20.4	32341.2	100.0

Table 2-327. National estimates of lost-time injuries by activity when injured for Hispanic workers, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	11235.8	34.7	11235.8	34.7
Machine maint.	1244.9	3.8	12480.7	38.6
Field work	10434.7	32.3	22915.4	70.9
Crop handling	711.2	2.2	23626.6	73.1
Livestock handling	1992.1	6.2	25618.7	79.2
Other	6722.5	20.8	32341.2	100.0

Table 2-328. National estimates of lost-time injuries by source of injury for Hispanic workers, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	11717.5	36.2	11717.5	36.2
Livestock	2740.1	8.5	14457.6	44.7
Hand tool	1006.8	3.1	15464.4	47.8
Power tool	1324.1	4.1	16788.5	51.9
Plant/tree	1384.8	4.3	18173.3	56.2
Working surface	2835.9	8.8	21009.2	65.0
Truck/auto	1093.0	3.4	22102.2	68.3
Other vehicle	1006.8	3.1	23109.0	71.5
Other	9232.2	28.5	32341.2	100.0

Table 2-329. National estimates of lost-time injuries by region of for black workers, 1995.

<u>Region</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
South	2135.3	100.0	2135.3	100.0

Table 2-330. National estimates of lost-time injuries by farm type for black workers, 1995.

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	241.1	11.3	241.1	11.3
Field crops	160.7	7.5	401.8	18.8
Beef, hogs, sheep	1733.5	81.2	2135.3	100.0

Table 2-331. National estimates of lost-time injuries by status of the injured worker for black workers, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	581.4	27.2	581.4	27.2
Partner/family	235.7	11.0	817.1	38.3
Hired labor	897.5	42.0	1714.6	80.3
Other	420.7	19.7	2135.3	100.0

Table 2-332. National estimates of lost-time injuries by gender for black workers, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	1899.6	89.0	1899.6	89.0
Female	235.7	11.0	2135.3	100.0

Table 2-333. National estimates of lost-time injuries by age group for black workers, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
20-29	241.1	11.3	241.1	11.3
30-39	656.4	30.7	897.5	42.0
40-49	160.7	7.5	1058.2	49.6
50-59	1077.1	50.4	2135.3	100.0

Table 2-334. National estimates of lost-time injuries by month for black workers, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
January	235.7	11.0	235.7	11.0
March	420.7	19.7	656.4	30.7
April	420.7	19.7	1077.1	50.4
June	420.7	19.7	1497.8	70.1
September	241.1	11.3	1738.9	81.4
October	160.7	7.5	1899.6	89.0
November	235.7	11.0	2135.3	100.0

Table 2-335. National estimates of lost-time injuries by severity of the injury for black workers, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	1899.6	89.0	1899.6	89.0
Permanent	235.7	11.0	2135.3	100.0

Table 2-336. National estimates of lost-time injuries by whether professional medical attention was sought for black workers, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Unknown	235.7	11.0	235.7	11.0
Yes	1899.6	89.0	2135.3	100.0

Table 2-337. National estimates of lost-time injuries by body part injured for black workers, 1995.

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Head/neck	235.7	11.0	235.7	11.0
Finger	841.4	39.4	1077.1	50.4
Hand/wrist	396.4	18.6	1473.5	69.0
Leg/knee/hip	661.8	31.0	2135.3	100.0

Table 2-338. National estimates of lost-time injuries by nature of the injury for black workers, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	241.1	11.3	241.1	11.3
Cut	420.7	19.7	661.8	31.0
Crush	420.7	19.7	1082.5	50.7
Fracture	817.1	38.3	1899.6	89.0
Other	235.7	11.0	2135.3	100.0

Table 2-339. National estimates of lost-time injuries by type of event for black workers, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	420.7	19.7	420.7	19.7
Caught between	420.7	19.7	841.4	39.4
Struck by/against	401.8	18.8	1243.2	58.2
Contact sharp obj.	420.7	19.7	1663.9	77.9
Fall, elevation	235.7	11.0	1899.6	89.0
Other	235.7	11.0	2135.3	100.0

Table 2-340. National estimates of lost-time injuries by activity when injured for black workers, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	1473.5	69.0	1473.5	69.0
Livestock handling	420.7	19.7	1894.2	88.7
Other	241.1	11.3	2135.3	100.0

Table 2-341. National estimates of lost-time injuries by source of injury for black workers, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	241.1	11.3	241.1	11.3
Machinery	581.4	27.2	822.5	38.5
Power tool	420.7	19.7	1243.2	58.2
Working surface	235.7	11.0	1478.9	69.3
Other vehicle	420.7	19.7	1899.6	89.0
Other	235.7	11.0	2135.3	100.0

Table 2-342. National estimates of lost-time injuries by region of for other race workers, 1995.

<u>Region</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
West	1592.8	100.0	1592.8	100.0
(Frequency Missing = 6.2)				

Table 2-343. National estimates of lost-time injuries by farm type for other race workers, 1995.

<u>Farm Type</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Cash grains	444.4	27.8	444.4	27.8
Vegetable, fruit, nuts	939.6	58.8	1384.0	86.6
Beef, hogs, sheep	208.8	13.1	1592.8	100.0
(Frequency Missing = 6.2)				

Table 2-344. National estimates of lost-time injuries by status of the injured worker for other race workers, 1995.

<u>Status of Injured Worker</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Operator/family	696.0	43.5	696.0	43.5
Partner/family	34.8	2.2	730.8	45.7
Hired labor	789.9	49.4	1520.7	95.1
Other	78.3	4.9	1599.0	100.0

Table 2-345. National estimates of lost-time injuries by gender for other race workers, 1995.

<u>Gender</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Male	1364.1	85.3	1364.1	85.3
Female	234.9	14.7	1599.0	100.0

Table 2-346. National estimates of lost-time injuries by age group for other race workers, 1995.

<u>Age Group (Years)</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
10-19	13.1	7.1	113.1	7.1
20-29	119.3	7.5	232.4	14.5
30-39	635.8	39.8	868.2	54.3
40-49	382.8	23.9	1251.0	78.2
50-59	78.3	4.9	1329.3	83.1
60-69	78.3	4.9	1407.6	88.0
>=70	191.4	12.0	1599.0	100.0

Table 2-347. National estimates of lost-time injuries by month for other race workers, 1995.

<u>Month</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
March	792.4	49.6	792.4	49.6
April	78.3	4.9	870.7	54.5
June	34.8	2.2	905.5	56.6
July	78.3	4.9	983.8	61.5
August	113.1	7.1	1096.9	68.6
September	197.6	12.4	1294.5	81.0
October	113.1	7.1	1407.6	88.0
November	191.4	12.0	1599.0	100.0

Table 2-348. National estimates of lost-time injuries by severity of the injury for other race workers, 1995.

<u>Severity of Injury</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Temporary	1599.0	100.0	1599.0	100.0

Table 2-349. National estimates of lost-time injuries by whether professional medical attention was sought for other race workers, 1995.

<u>Medical Attention Required</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Yes	1129.2	74.3	1129.2	74.3
No	391.5	25.7	1520.7	100.0

(Frequency Missing = 78.3)

Table 2-350. National estimates of lost-time injuries by body part injured for other race workers, 1995.

<u>Body Part Injured</u>	<u>Frequency</u>	<u>Percent</u>	<u>Cumulative Frequency</u>	<u>Cumulative Percent</u>
Eye	757.6	47.4	757.6	47.4
Back	275.9	17.3	1033.5	64.6
Arm/shoulder	147.9	9.2	1181.4	73.9
Finger	156.6	9.8	1338.0	83.7
Hand/wrist	34.8	2.2	1372.8	85.9
Leg/knee/hip	78.3	4.9	1451.1	90.8
Foot	147.9	9.2	1599.0	100.0

Table 2-351. National estimates of lost-time injuries by nature of the injury for other race workers, 1995.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	156.6	9.8	156.6	9.8
Burn	479.2	30.0	635.8	39.8
Cut	156.6	9.8	792.4	49.6
Puncture	104.4	6.5	896.8	56.1
Sprain/strain	467.3	29.2	1364.1	85.3
Other	234.9	14.7	1599.0	100.0

Table 2-352. National estimates of lost-time injuries by type of event for other race workers, 1995.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught under	34.8	2.2	34.8	2.2
Struck by falling	78.3	4.9	113.1	7.1
Struck by flying	113.1	7.1	226.2	14.1
Contact sharp obj.	226.2	14.1	452.4	28.3
Fall, same level	113.1	7.1	565.5	35.4
Overexertion	319.4	20.0	884.9	55.3
Other	714.1	44.7	1599.0	100.0

Table 2-353. National estimates of lost-time injuries by activity when injured for other race workers, 1995.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Farm maint.	147.9	9.2	147.9	9.2
Machine maint.	444.4	27.8	592.3	37.0
Field work	234.9	14.7	827.2	51.7
Crop handling	234.9	14.7	1062.1	66.4
Livestock handling	69.6	4.4	1131.7	70.8
Other	467.3	29.2	1599.0	100.0

Table 2-354. National estimates of lost-time injuries by source of injury for other race workers, 1995.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	444.4	27.8	444.4	27.8
Livestock	34.8	2.2	479.2	30.0
Hand tool	78.3	4.9	557.5	34.9
Power tool	156.6	9.8	714.1	44.7
Plant/tree	34.8	2.2	748.9	46.8
Working surface	156.6	9.8	905.5	56.6
Truck/auto	78.3	4.9	983.8	61.5
Other vehicle	34.8	2.2	1018.6	63.7
Other	580.4	36.3	1599.0	100.0

Table 2-355. National estimates of lost-time injuries by source of injury and the nature of injury, 1995.

Nature of Injury

Source of Injury	Amputation	Bruise	Burn	Cut	Crush	Fracture	Total
Tractor	0	3205.9	16.2	467.5	965.6	1621	7902
Machinery	2346.3	2199.6	444.4	5741.8	2908.9	11758	41226
Livestock	243.8	13144	0	2159	3153.4	8001.7	38544
Hand tool	0	0	0	10320	0	294.2	14717
Power tool	677.3	0	0	4002.5	395.6	0	5687
Pesticide/chem.	0	0	0	0	0	0	916
Plant/tree	0	2236.9	877	0	0	413.1	7577
Working surface	0	578.4	1559.9	113.5	0	4902.3	16502
Truck/auto	194.6	232.4	164.5	517.2	0	0	2834
Other vehicles	0	740.2	252.9	235.7	420.7	1461.6	5175
Liquids	0	0	0	0	0	252.9	506
Other	0	7152.4	120.5	5971.8	494	4975.3	52059
Total	3462	29490.2	3435.4	29528.7	8338.2	33679.6	193646

Table 2-356. National estimates of lost-time injuries by source of injury and the nature of injury (continued).

Source of Injury	Nature of Injury					Total
	Poisoning	Puncture	Sprain/Strain	Mult. Injury	Other	
Tractor	0	0	1016.0	420.0	190.2	7902
Machinery	0	1199.0	14246.0	201.1	182.0	41226
Livestock	0	778.3	8571.8	1138.0	1353.3	38544
Hand tool	0	3077.5	1025.9	0	0	14717
Power tool	0	167.4	444.4	0	0	5687
Pesticide/chem.	221.7	0	6.2	0	687.6	916
Plant/tree	0	1031.9	280.9	2231.1	506.5	7577
Working Surface	0	634.3	6918.9	1795.0	0	16502
Truck/auto	0	0	377.0	420.0	928.5	2834
Other vehicles	0	0	1636.3	191.7	235.7	5175
Liquids	0	0	252.9	0	0	506
Other	0	4227.1	19780.0	385.5	8952.4	52059
Total	221.7	11115.5	54556.3	6782.4	13036.2	193646

(Frequency Missing - 2178.4)

Table 2-357. National estimates of lost-time injuries by source of injury and type of injury event, 1995.

Source of Injury	Type of Injury Event						Total
	Caught in	Caught between	Caught under	Struck by/against	Struck by falling	Struck by flying	
Tractor	1120.4	1010.6	2061.8	404.2	672.9	0	7902
Machinery	2974.4	8556.2	1144.5	4489.1	3397.5	646.8	41390
Livestock	849.7	9551.5	4625.3	10135.0	408.3	164.5	38544
Hand tool	0	1064.6	0	760.5	0	2307.2	14717
Power tool	677.3	0	0	0	395.6	167.4	5687
Pesticide/chem.	0	0	0	0	0	0	916
Plant/tree	0	0	0	3062.3	3100.5	34.8	7577
Working surface	0	0	0	404.5	0	0	16502
Truck/auto	928.5	182.0	0	517.2	420.0	0	2834
Other vehicles	517.2	612.4	1092.1	389.7	0	235.7	5175
Liquids	0	0	0	0	0	0	506
Other	4157.8	3815.4	241.1	2035.8	6348.9	906.9	52059
Total	11225.3	24792.7	9164.8	22198.6	14743.7	4463.3	193810

Table 2-358. National estimates of lost-time injuries by source of injury and type of injury event, 1995 (continued).

Source of Injury	Type of Injury Event					Total
	Contact sharp obj.	Fall, same level	Fall, elevation	Over-exertion	Other	
Tractor	467.5	0	1748.6	0	380.4	7902
Machinery	3464.0	2707.7	10695.0	2870.6	444.4	41390
Livestock	1164.2	1838.8	4537.2	2326.9	2942.0	38544
Hand tool	9559.1	0	0	1025.9	0	14717
Power tool	4002.5	0	0	0	444.4	5687
Pesticide/chem.	0	0	0	50.0	865.5	916
Plant/tree	628.0	0	71.4	209.5	470.9	7577
Working Surface	1164.9	5273.1	6878.7	142.95	1638.2	16502
Truck/auto	0	0	50.4	377.0	359.1	2834
Other vehicles	253.7	331.9	578.7	0	1181.4	5175
Liquids	0	0	505.8	0	0	506
Other	5522.1	3482.2	2370.1	11371.0	11808.0	52059
Total	26208.0	13633.7	27471.4	19374.1	20533.9	193810

(Frequency Missing - 2015.1)

Table 2-359. National estimates of lost-time injuries by nature of injury and body part injured, 1995.

Nature of Injury	Body Part Injured						Total
	Head/neck	Eye	Chest/trunk	Back	Arm/Shoulder	Finger	
Amputation	730.4	0	0	0	0	2486.6	3462
Bruise	1279.5	1250.6	952.4	2004.1	2057.9	4578.8	29490
Burn	164.5	986.4	0	0	647.6	0	3435
Cut	4352.8	313.0	0	0	951.1	10195.0	29529
Crush	0	0	2596.3	0	252.9	3707.8	8338
Fracture	2570.0	0	5898.6	1121.1	6122.0	3593.2	33680
Poisoning	0	0	0	0	0	0	222
Puncture	369.1	1736.0	0	0	34.8	1134.9	11116
Sprain/Strain	167.4	0	2033.2	21496.0	13238.0	0	54724
Mult. injury	603.2	0	0	0	152.0	0	6782
Other	1164.2	2207.6	420.7	3185.0	1581.6	0	13036
Total	11401.1	6493.9	11901.2	27806.4	25037.8	25696.0	193814

Table 2-360. National estimates of lost-time injuries by nature of injury and body part injured, 1995 (continued).

Body Part Injured

Nature of Injury	Hand/wrist	Leg/knee/hip	Toe	Foot	Mult. parts	Other	Total
Amputation	50.4	0	0	194.6	0	0	3462
Bruise	2570.9	9243.6	281.9	4920.7	349.4	0	29490
Burn	252.9	420.7	0	963.3	0	0	3435
Cut	4955.4	8526.5	0	235.2	0	0	29529
Crush	602.0	0	395.6	241.1	542.5	0	8338
Fracture	2635.2	3763.4	251.9	6482.5	1241.7	0	33680
Poisoning	0	0	0	0	0	221.7	222
Puncture	3587.8	2620.5	0	1632.1	0	0	11116
Sprain/Strain	2239.1	7800.4	0	4230.1	1297.3	2222.5	54724
Mult. injury	0	252.9	0	0	5774.3	0	6782
Other	235.7	928.5	0	0	514.6	2798.3	13036
Total	17129.4	33556.5	929.4	18899.6	9719.8	5242.5	193814

(Frequency Missing - 2011.0)