

2000 Monitoring Schedule

Allotments/Pastures by Watershed	2000 Effects Determinations ++	Grazing System for 2000	Monitoring Frequency	Monitoring Parameter		Channel Sensitivity ***/Proper Functioning Condition determination****	Pastures scheduled for monitoring in FY-2000
			Annual	20%**	Stubble	Utilization	
Warner Basin							
<u>Barley Camp</u>							
Barley Camp	LAA	Deferred Rotation	x		x	FP	H/ARUT
Deep/Mosquito Spray	LAA	Deferred Rotation	x		x	FP	H/PFC
Cabin Pasture	LAA	Deferred Rotation	x		x	FP	H/ARUT
Twelvemile RIP	NLAA	Early Season Rest		x	x	FP	H/ARUT
Deep Creek RIP	NLAA	Rest		x	x	FP	H/PFC
Dismal RIP	LAA	High Intensity	x		x	FP	H/ARUT
<u>Crane Mtn.</u>							
Crane Mtn. Burn	LAA	Deferred Rotation	x		x	FP	H/PFC
	LAA	Deferred Rotation	x		x	FP	H/PFC
<u>Crane/Kelly</u>							
Burnt Creek	LAA	Rest	x		x	FP	H/ARUT
Willow Creek	LAA	Deferred Rotation	x		x	FP	H/ARUT
Willow Creek (RIP)	NE	Rest		xxxxx	x	FP	H/ARUT
<u>Sage Allotment</u>							
Hickey Lower Camas RIP	NLAA	Early Season		x		DM	NA
	LAA	Rest	x		x	FP	H/?
<u>Horse Prairie</u>							
Horse Prairie	LAA	Deferred Rotation	x		x	FP	H/PFC
Twin Springs	LAA	Rest	x		x	FP	H/ARUT
Upper Camas RIP	LAA	Rest	x		x	FP	H/ARUT
Burnt RIP	NE	Rest		x	x	FP	H/ARUT

Allotments/Pastures by Watershed	2000 Effects Determinations ++	Grazing System for 2000	Monitoring Frequency	Monitoring Parameter	Channel Sensitivity ***/Proper Functioning Condition determination****	Pastures scheduled for monitoring in FY-2000
			Annual	20%**	Stubble	Utilization

<u>Rogger Peak</u> Rogger Meadow Summit Prairie	LAA LAA	Deferred Rotation Deferred Rotation	x x		x x	FP FP	H/PFC H/PFC	x x
<u>Squaw Butte</u> Upper Squaw (Key Area) Lower Squaw (Key Area)	LAA LAA	Deferred Rotation	x x		x x	FP FP	H/PFC H/PFC	x x
<u>Little Cove</u>	NLAA	Season Long		x	x	FP	H/?	
<u>Porcupine</u>	LAA	Deferred Rotation	x		x	FP	H/PFC	x
<u>McDowell</u> McDowell Twelvemile	NLAA NLAA	Deferred Rotation Deferred Rotation		x x	x x	FP FP	H/ARUT H/PFC	
<u>Honey Creek</u> Big Honey Burn Blue Springs RIP	LAA NLAA LAA	Deferred Rotation Deferred Rotation High Intensity	x x	xxxx	x x x	FP FP FP	H/PFC H/PFC H/?	x x
<u>White Pine</u> White Pine Sherman Valley	LAA LAA	Deferred Rotation Deferred Rotation	x x		x	FP DM	H/ARUT H/PFC	x x

Lost River Watershed

<u>Yokum Valley</u> Stateline Yokum	LAA LAA	Deferred Rotation Deferred Rotation	x x		x x	FP FP	H/ARUT H/PFC	x x
<u>Wildhorse</u> Barnes Valley Wildhorse Bear Valley	NLAA LAA LAA	Early Season Deferred Rotation Deferred Rotation	x x	x		WM FP FP	No channel H/ARUT H/ARUT	x x

Allotments/Pastures by Watershed	2000 Effects Determinations ++	Grazing System for 2000	Monitoring Frequency	Monitoring Parameter	Channel Sensitivity ***/Proper Functioning Condition determination****	Pastures scheduled for monitoring in FY-2000		
			Annual	20%**	Stubble	Utilization		
Fort Springs	NLAA	Early Season		x		DM	NA	
<u>Pitchlog</u> Southern Pitchlog RIP	LAA LAA	Deferred Rotation Deferred Rotation	x x		x x	FP FP	H/ARUT H/ARUT	x x
<u>Barnes Valley</u> Little Squaw Branch Creek Long Branch RIP	LAA LAA LAA	Deferred Rotation Deferred Rotation Rest	x x x		x x	DM FP FP	NA H/? H/ARUT	x x x
<u>Arkansas</u> Arkansas Flat Juniper Mountain Blue Monday Creed Lapham Creek (RIP)	LAA NLAA NLAA LAA NE	Rest Rotation Rest Rest Rotation Season Long Rest	x x xXXX x	x x x x x	x x x x x	FP FP FP FP FP	H/PFC H/PFC H/PFC H/PFC H/PFC	x x x
Privy Springs	NLAA	Early Season		x		DM	NA	

Allotments/Pastures by Watershed	2000 Effects Determinations ++	Grazing System for 2000	Monitoring Frequency	Monitoring Parameter	Channel Sensitivity ***/Proper Functioning Condition determination****	Pastures scheduled for monitoring in FY-2000
			Annual	20%**	Stubble	Utilization

Sprague River/Lost River Watershed

<u>Horsefly</u>								
South Horsefly	NLAA	Early Season	x	x	DM	DM		
Tub Butte	NLAA	Early Season	xxxxx	x	FP	H/PFC	x	
Big Meadow	NLAA	Deferred Rotation	x	x	FP	M/PFC		
East Fishhole	LAA	Deferred Rotation	x	x	FP	H/ARUT	x	
Upper KA				x	FP	H/PFC	x	
Lower KA				x	FP	H/ARNAT		
Lost Burn	NLAA	Deferred Rotation	x	x	FP	M/ARUT		
Picket Flat	NLAA	Deferred Rotation	x	x	FP	H/ARUT	x	
Fishhole RIP	NLAA	Rest	xxxxx	x	FP	H/PFC		
Gooch Meadow (RIP)	NLAA	Rest	x	x	FP	NA		
Privy Burn	NE	Deferred Rotation	x		DM	NA		
Taylor Draw	NE	Deferred Rotation	x		DM	NA		
Devil Lake	NLAA	Early Season	xxxxx		DM	NA	x	
<u>Yainax</u>								
Vinson	LAA	Deferred Rotation	x	x	FP	H/PFC	x	
Dry Prairie	NLAA	Deferred Rotation	x		DM	NA		
Deer Springs#	NLAA	Deferred Rotation	x	x	FP	M/PFC		
Yellow Jacket#	NLAA	Deferred Rotation	x		DM	M/PFC		
Mineral Springs#	NLAA	Deferred Rotation	xxxxx		DM	NA	x	
Yainax#	NLAA	Deferred Rotation	x		DM	M/PFC		
Round Prairie	NLAA	Deferred Rotation	x		DM	NA		
Harrison	NLAA	Deferred Rotation	x	x	FP	H/PFC		
Mahoney	NLAA	Deferred Rotation	xxxxx		DM	NA	x	
Capon	NLAA	Deferred Rotation	x		DM	NA		
Goodlow	Closed	Closed	x		DM	NA		
Keno Springs	NE	Rest	x		DM	NA		

Allotments/Pastures by Watershed	2000 Effects Determinations ++	Grazing System for 2000	Monitoring Frequency	Monitoring Parameter		Channel Sensitivity ***/Proper Functioning Condition determination****	Pastures scheduled for monitoring in FY-2000
			Annual	20%**	Stubble	Utilization	
<u>Bly Ridge</u> Whiskey John Mineral Creek	Vacant Vacant	Rest Rest					H/PFC H/ARUT
<u>Blaisdall</u> Round Butte Owen Butte	NLAA NLAA	Deferred Deferred	x	x	x	FP FP	M/PFC H/ARUT
<u>Pothole</u> Mitten ¹ Brownsworth ¹ Whitworth (RIP) Drews	NLAA NE NE NLAA	Deferred Rotation Rest Rest Early Season	x	xXXX x x	x x x x	FP FP FP FP	H/PFC H/ARDT H/PFC H/ARNAT
Deming Creek ¹	Closed	Closed					H/PFC
<u>Dairy Creek¹</u> Dairy Creek	LAA	Season Long	x		x	FP	H/PFC
<u>Swede/Deming</u> Swede Cabin Deming Creek	NLAA NLAA	Deferred Rotation Deferred Rotation		x xXXX	x	DM FP	NA H/ARUT
<u>Horse Glades</u> Horse Glades Dicks Well Horse Glade Spring	NLAA NLAA NLAA	Season Long Season Long Season Long		x x x	x x	FP FP DM	H/PFC H/PFC NA
<u>North Fork</u> North Fork Griffin Ranch	LAA NLAA	Early Season Early Season	x	x	x	FP DM	H/ARNAT NA
Trap House	NLAA	Early Season		x		DM	NA
Reservoir Creek	NLAA	Early Season		x	x	FP	H/ARUT

Allotments/Pastures by Watershed	2000 Effects Determinations ++	Grazing System for 2000	Monitoring Frequency	Monitoring Parameter		Channel Sensitivity ***/Proper Functioning Condition determination****	Pastures scheduled for monitoring in FY-2000	
				20%**	Stubble	Utilization		
<u>Black Hills</u> Black Hills Sycan RIP Blue Creek (SU) Teddy Powers (RIP)	NLAA NLAA NLAA NLAA	Season Long Rest Season Long Rest		xXXX x x x	x x x x	FP FP FP FP	H/PFC H/PFC H/PFC H/ARUT	x
Yaden Flat	NLAA	Early Season		xXXX	x	FP	H/ARNAT	x
<u>Meryl Creek</u> N. Meryl Creek S. Meryl Creek Ivory Pine	NLAA NLAA NLAA	Season Long Season Long Season Long		x x x		DM DM DM	NA NA NA	
<u>Five Mile</u> Riverbed Butte Swamp Cr. RIP North Piaute Five Mile RIP	LAA LAA NLAA NE	Deferred High Intensity Deferred Rest	x x x x		x x x x	FP FP DM FP	H/ARNAT H/ARNAT NA H/PFC	x x
<u>Paradise Creek</u> ¹ North Paradise South Paradise Fuller Walker (RIP) Lee Thomas Sprague River (RIP)	LAA LAA NE Closed LAA	Deferred Rotation Deferred Rotation Rest Closed Early Season	x x x x		x x x x	FP FP FP FP	H/PFC H/PFC H/? H/PFC H/PFC	x x
Sycan ¹	LAA	Season Long	x		x	FP	H/PFC	x
<u>Currier Camp</u> ¹ Hog Wallow Squaw Flat Skull Creek	LAA LAA LAA	Deferred Rotation Deferred Rotation Deferred Rotation	x x x		x x x	FP FP FP	H/PFC H/PFC H/PFC	x x x

Allotments/Pastures by Watershed	2000 Effects Determinations ++	Grazing System for 2000	Monitoring Frequency	Monitoring Parameter	Channel Sensitivity ***/Proper Functioning Condition determination****	Pastures scheduled for monitoring in FY-2000		
				20%**	Stubble	Utilization		
<u>Withers Special Use¹</u> East Pasture West Pasture	LAA LAA	Deferred Deferred	x x		x	FP FP	H/PFC H/PFC	x x
<u>Riverbeds</u> Riverbeds	NLA A	Season Long		xXXX		FP	H/ARUT	x
Bear/Lakes ¹ Bald Butte N.F. Sprague (KA) Upper Sycan (KA)	LAA	Deferred	x		x x	FP FP	H/PFC H/PFC	x x
Foster Butte ¹ Silver Creek	LAA	Early Season	x		x	FP	H/PFC	x
Winter Rim Fremont	NLA A	Deferred Rotation		x		DM	NA	
Yamsey ¹	Closed	Closed					H/?	

Table definitions next page

++ Effectes Determination abbreviations

NE = no effect

NLAA = (may affect) not likely to adversely affect

LAA = (may affect) likely to adversely affect

* Annual parameters identified should be monitored every year at the end of the growing season.

** Only 20 percent of these pastures will be monitored on an annual basis.

*** H = Highly sensitive M = Moderately sensitive

**** PFC - Proper Functioning Condition

ARUT - At Risk Upward Trend

ARDT - At Risk Downward Trend

ARNAT - At Risk Nonapparent Trend

NF - Non-Functional

? - PFC Assessment has not been completed

NA - Not Applicable

KA - Key Area

1 Pastures within bull trout subsheds.

