

2001 Monitoring Schedule

Allotments/ Pastures by Watershed	2001 Effects Determin- ations ++	Grazing System for 2001	Monitoring Frequency		Monitoring Parameter		Channel Sensitivity** */Proper Functioning Condition determin- ation****	Pasture schemul e for monitor -ing in FY- 2001
			Annual	20%**	Stubble	Utilization		
Warner Basin			Annual	20%**	Stubble	Utilization		
<u>Barley Camp</u>								
Barley Camp	LAA	Deferred Rotation	x		x	FP	H/ARUT	x
Deep/Mosquito	LAA	Deferred Rotation	x			FP	H/PFC	x
Spray	LAA	Deferred Rotation	x		x	FP	H/ARUT	x
Cabin Pasture	NLAA	Early Season		x	x	FP	H/ARUT	
Twelvemile	NLAA	Rest		x	x	FP	H/PFC	
RIP	NLAA	Rest		x	x	FP	H/ARUT	
Deep Creek	NLAA	Rest		x	x	FP	H/PFC	
RIP								
Dismal RIP	LAA	High Intensity	x					x
<u>Crane Mtn.</u>								
Crane Mtn.	LAA	Deferred Rotation	x		x	FP	H/PFC	x
Burn	LAA	Deferred Rotation	x		x	FP	H/PFC	x
<u>Crane/Kelly</u>								
Burnt Creek	LAA	Deferred Rotation	x			WM	H/ARUT	x
Willow Creek	LAA	Rest	x		x	FP	H/ARUT	x
Willow Creek (RIP)	NE	Rest		x	x	FP	H/ARUT	
<u>Sage Allotment</u>								
Hickey	NLAA	Early Season		x		DM	NA	
Lower Camas RIP	LAA	Rest	x		x	FP	H/?	x
<u>Horse Prairie</u>								
Horse Prairie	LAA	Deferred Rotation	x			DM	H/PFC	x
Twin Springs	LAA	Deferred Rotation	x		x	FP	H/ARUT	x
Upper Camas RIP	NLAA	Rest		x	x	FP	H/ARUT	
Burnt RIP	NE	Rest		x	x	FP	H/ARUT	

Allotments/ Pastures by Watershed	2001 Effects Determin- ations ++	Grazing System for 2001	Monitoring Frequency		Monitoring Parameter		Channel Sensitivity* **/Proper Functioning Condition determin- ation****	Pasture schedule for monitor- ing in FY-2001
			Annual	20%**	Stubble	Utilization		
Warner Basin (con't)								
<u>Rogger Peak</u>								
Rogger Meadow	LAA	Deferred Rotation	x		x	FP	H/PFC	x
** Summit Prairie	LAA	Deferred Rotation	x		x	FP	H/PFC	x
<u>Squaw Butte</u>		Deferred Rotation						
Upper Squaw (Key Area)	LAA		x		x	FP	H/PFC	x
Lower Squaw (Key Area)	LAA		x		x	FP	H/PFC	x
Little Cove	NLAA	Season Long		x		WM	H/?	
Porcupine	LAA	Deferred Rotation	x		x	FP	H/PFC	x
<u>McDowell</u>								
McDowell	NLAA	Deferred Rotation		x	x	FP	H/ARUT	
Twelvemile	NLAA	Deferred Rotation		x	x	FP	H/PFC	
<u>Honey Creek</u>								
Big Honey	LAA	Deferred Rotation	x		x	FP	H/PFC	x
Burn	NLAA	Deferred Rotation		x	x	FP	H/PFC	
Blue Springs RIP	LAA	High Intensity	x		x	FP	H/?	
<u>White Pine</u>								
White Pine	LAA	Deferred Rotation	x		x	FP	H/ARUT	x
Sherman Valley	LAA	Deferred Rotation	x			DM	H/PFC	x

**Summit Prairie: Monitor Spring Spring Ck key area in years if late season use. Area is a wet meadow without a defined stream channel, utilization would be the monitoring parameter of this key area.

Allotments/ Pastures by Watershed	2001 Effects Determin- ations ++	Grazing System for 2001	Monitoring Frequency		Monitoring Parameter		Channel Sensitivity ***/Proper Functioning Condition determin- ation****	Pasture schedule for monitor- ing in FY-2001
Lost River Watershed			Annual	20%**	Stubble	Utilization		
Ft. Springs	NLAA	Early Season		x		DM	NA	
<u>Yokum Valley</u>								
Stateline	LAA	Deferred Rotation	x		x	FP	H/ARUT	x
Yokum	LAA	Deferred Rotation	x		x	FP	H/PFC	x
<u>Wildhorse</u>								
Barnes Valley	NLAA	Deferred Rotation		x		WM	No channel	
Wildhorse	LAA	Deferred Rotation	x			FP	H/ARUT	x
Bear Valley	LAA	Deferred Rotation	x			DM	H/ARUT	x
<u>Arkansas</u>								
Arkansas Flat	LAA	Rest Rotation	x		x	FP	H/PFC	x
Juniper	NLAA	Rest		x	x	FP	H/PFC	
Mountain	NLAA	Rest Rotation		x	x	FP	H/PFC	
Blue Monday	LAA	Season Long	x		x	FP	H/PFC	x
Creed	NE	Rest		x	x	FP	H/PFC	
Laphum Creek (RIP)								
Privy Springs	NLAA	Early Season		x		DM	NA	
<u>Pitchlog</u>								
Southern	LAA	Deferred Rotation	x			DM	H/ARUT	x
Pitchlog RIP	LAA	Deferred Rotation	x			FP	H/ARUT	x

Allotments /Pastures by Watershed	2001 Effects Determinations ++	Grazing System for 2001	Monitoring Frequency		Monitoring Parameter		Channel Sensitivity ***/Proper Functioning Condition determination****	Pasture schedule for monitoring in FY-2001
Sprague/ Sycan River			Annual	20%**	Stubble	Utilization		
<u>Bly Ridge</u> Whiskey John Mineral Creek	Vacant Vacant	Rest Rest					H/PFC H/ARUT	
<u>Blaisdall</u> Round Butte Owen Butte	NLAA NLAA	Deferred Deferred	x	x	x	FP FP	M/PFC H/ARUT	
<u>Pothole</u> Mitten ¹ Brownsworth ¹ ##Whitworth (RIP) Drews	NLAA NE NE NLAA	Deferred Rotation Rest Short Duration Early Season		xXXX x x	x x x	FP FP FP FP	H/PFC H/ARUT H/PFC H/ARNAT	x x
<u>Deming Creek</u> ¹	Closed	Closed					H/PFC	
<u>Dairy Creek</u> ¹ Dairy Creek	LAA	Vacant, Permit Cancelled	x		x	FP	H/PFC	x
<u>Swede/Deming</u> Swede Cabin Deming Creek	NLAA NLAA	Deferred Rotation Deferred Rotation		x xXXX	x	DM FP	NA H/ARUT	x
<u>Horse Glades</u> Horse Glades Dicks Well Horse Glade Spring	NLAA NLAA NLAA	Season Long Season Long Season Long		x x x	x x	FP FP DM	H/PFC H/PFC NA	
<u>North Fork</u> North Fork Griffin Ranch	LAA NLAA	Early Season Early Season	x	x	x	FP DM	H/ARNAT NA	x
Trap House	NLAA	Early Season		x		DM	NA	
Reservoir Creek	NLAA	Early Season		x	x	FP	H/ARUT	

Allotments /Pastures by Watershed	2001 Effects Determin- ations ++	Grazing System for 2001	Monitoring Frequency		Monitoring Parameter		Channel Sensitivity *** /Proper Functioning Condition determin- ation****	Pasture schedule for monitor- ing in FY-2001
			Annual	20% **	Stubble	Utilization		
Sprague/Sycan River			Annual	20% **	Stubble	Utilization		
<u>Black Hills</u>								
Black Hills	NLAA	Season Long		x	x	FP	H/PFC	
Sycan RIP	NLAA	Rest		x	x	FP	H/PFC	
Blue Creek (SU)	NLAA	Season Long		x	x	FP	H/PFC	
Teddy Powers (RIP)	NLAA	Rest		x	x	FP	H/ARUT	
Yaden Flat	NLAA	Early Season		x	x	FP	H/ARNAT	
<u>Meryl Creek</u>								
N. Meryl Creek	NLAA	Season Long		x		DM	NA	
S. Meryl Creek	NLAA	Season Long		x		DM	NA	
Ivory Pine	NLAA	Season Long		x		DM	NA	
<u>Five Mile</u>								
Riverbed Butte	LAA	Deferred	x		x	FP	H/ARNAT	x
Swamp Cr. RIP	LAA	High Intensity	x		x	FP	H/ARNAT	x
North Piante	NLAA	Deferred		x	x	DM	NA	
Five Mile RIP	NE	Rest		x	x	FP	H/PFC	
<u>Paradise Creek¹</u>								
North Paradise	LAA	Deferred Rotation	x		x	FP	H/PFC	x
South Paradise	LAA	Deferred Rotation	x		x	FP	H/PFC	x
Fuller Walker (RIP)	NE	Rest		x	x	FP	H/?	
Lee Thomas	Closed	Closed		x			H/PFC	
Sprague River (RIP)	LAA	Early Season	x		x	FP	H/PFC	x
Sycan ¹	LAA	Season Long	x		x	FP	H/PFC	x
<u>Currier Camp¹</u>								
Hog Wallow	LAA	Deferred Rotation	x		x	FP	H/PFC	x
Squaw Flat	LAA	Deferred Rotation	x		x	FP	H/PFC	x
	LAA	Deferred Rotation	x		x	FP	H/PFC	x

Allotments /Pastures by Watershed	2001 Effects Determinations ++	Grazing System for 2001	Monitoring Frequency	Monitoring Parameter	Channel Sensitivity *** /Proper Functioning Condition determination****	Pasture schedule for monitoring in FY-2001
Skull Creek						

Allotments /Pastures by Watershed	2001 Effects Determinations ++	Grazing System for 2000	Monitoring Frequency	Monitoring Parameter	Channel Sensitivity *** /Proper Functioning Condition determination****	Pasture schedule for monitoring in FY-2001	
			20% **	Stubble	Utilization		
<u>Withers Special Use¹</u>							
East Pasture	LAA	Deferred	x		FP	H/PFC	x
West Pasture	LAA	Deferred	x		FP	H/PFC	x
<u>Riverbeds</u>							
Riverbeds	NLAA	Late season High Intensity	x		FP	H/ARUT	x
<u>Bear/Lakes¹</u>							
Bald Butte	LAA	High Intensity/ Low Frequency	x				
N.F. Sprague (KA)				x	FP	H/PFC	x
Upper Sycan (KA)				x	FP	H/PFC	x
<u>Foster Butte¹</u>							
Silver Creek	LAA	Early Season	x		FP	H/PFC	x

Allotments /Pastures by Watershed	2001 Effects Determinations ++	Grazing System for 2000	Monitoring Frequency		Monitoring Parameter		Channel Sensitivity *** /Proper Functioning Condition determination ****	Pasture schedule d for monitoring in FY-2001
Winter Rim Fremont	NLAA	Early Season	x			DM	NA	x
Yamsey ¹	Closed	Closed					H/?	

Table definitions next page

++ Effectes Determination abbreviations

NE = no effect

NLAA = (may affect) not likely to adversely affect

LAA = (may affect) likely to adversely affect

* Annual parameters identified should be monitored every year at the end of the growing season.

** Only 20 percent of these pastures will be monitored on an annual basis.

*** H = Highly sensitive M = Moderately sensitive

**** PFC - Proper Functioning Condition

ARUT - At Risk Upward Trend

ARDT - At Risk Downward Trend

ARNAT - At Risk Nonapparent Trend

NF - Non-Functional

? - PFC Assessment has not been completed

NA - Not Applicable

KA - Key Area

DM- Dry Meadow

WM- Wet Meadow

FP= Flood Plain

¹ Pastures within bull trout subsheds.

Cattle are gathered off the Mitten pasture, put in the upper end of the Whitworth Ck. Riparian pasture for part of a day or held overnight then moved on to the Drews Pasture and then to the ranch. This is a short duration use of the riparian pasture for about a 2 week period.

