



Faint, illegible text running vertically along the right edge of the page, possibly bleed-through from the reverse side.

Agiolax®
Suspected Cases of Dysphagia Outside the US
1980 - 2003

MADAUS REF NO/ BfArM-NO	COUNTRY	SOURCE	AGE	SEX	TOTAL DOSE per day	TREATMENT DURATION m/h/d	CO- MEDICATION	REACTION DESCRIPTION	SERIOUS- NESS	OUTCOME	CAUSALITY/ COMMENT
87-087	Germany	health prof.	67	f	1 x 1,5 teaspoon- ful	1 day	Natrium + Calcium Digitoxin	Dysphagia	non- serious	recovered	insufficient evidence
87-146	Finland	health authorities	?	?	unknown	unknown	unknown	Dysphagia	non- serious	recovered	insufficient evidence insufficient fluid intake
91-002 91014727	Belgium	health prof.	67	f	unknown	unknown	Lorazepam Amitryptilin	Dysphagia	serious	recovered	definite insufficient fluid intake
91-003 91014728	Belgium	health prof.	69	m	3 x 2 teaspoon- ful	unknown	Sulpirid Clotiazepam	Dysphagia	non- serious	recovered	definite
92-091	Australia	patient	85	m	1 x 1 teaspoon- ful	unknown	unknown	Dysphagia	non- serious	recovered	probable
01-031	Germany	pharma- cist	84	f	unknown	unknown	Digitoxin Furosemid Novaminsulfon Insulin Fentanyl Kyttä- Sedativum® Insumon®	Nausea Vomiting	non- serious	recovered	improbable

MADAUS AG
Drug Safety Dept.

Agiolax®
suspected cases of dysphagia without US
1980 - 2003

MADAUS REF NO/ BfArM-NO	COUNTRY	SOURCE	AGE	SEX	TOTAL DOSE per day	TREATMENT DURATION m/h/d	CO- MEDICATION	REACTION DESCRIPTION	SERIOUS- NESS	OUTCOME	CAUSALITY/ COMMENT
02-034	Portugal	patient	85	f	unknown	several years	unknown	Dysphagia	serious	recovered	probable
02-048	Canada	patient	?	f	unknown	one day	vitamins	Dysphagia Vomiting	serious	recovered	probable