



Fact Sheet 552

Hardening Vegetable Transplants

Many home gardeners want to grow their own vegetable transplants rather than purchase plants from a commercial supplier. In order for homegrown plants to best survive the transplant process and their subsequent exposure to adverse conditions, they should be hardened first. Hardening is a treatment that limits growth by exposing plants to conditions that are less than optimum for growth.

Helping Plants Protect Themselves

Hardening can help protect plants from adverse conditions including varying temperatures, drying winds, bright sunlight, lack of soil moisture, physical injury from handling, and transplant shock. Certain vegetables such as cabbage and lettuce also gain greater resistance to frost or freezing temperatures from hardening.

Several changes occur in the plant during the hardening process. One of these is an accumulation of the carbohydrates that are produced by photosynthesis. These stored carbohydrates are then readily available to the plant for growth of roots and foliage after transplanting. Proper hardening shortens the delay in the resumption of growth after transplanting, especially if environmental conditions are unfavorable.

Slowing Plant Growth

In order for carbohydrates to accumulate, the growth of the plants must be slowed. The following methods will slow plant growth.

1. Gradually reduce the water supply. As growth slows, water only lightly and increase the length of time between watering. Be careful not to let the plants dry out suddenly and wilt.



- 2. Expose the plants to temperatures lower than those that give optimum growth, but not more than 5°F lower than the recommended night temperature. Very low temperatures are not needed. Optimum day and night temperatures are given in Fact Sheet 551, "Growing Vegetable Transplants."
- 3. Use a combination of reduced water and lower temperatures (this method is probably the most effective).
- 4. Withhold nitrogen fertilizer during the final two weeks of transplant production.

Outdoor Hardening

A simple method for hardening transplants is to set flats or containers outdoors in a sunny location. If the plants are in a coldframe or hotbed, the covering could be opened or removed during the day. Warmseason plants that would be injured by frost chilling or freezing temperatures need to be taken indoors or protected when temperatures of less than 55°F are predicted.

A hardening period of 7 to 10 days is usually sufficient, so you should start the process that many days before transplanting. Hardening for a longer period does not provide any additional benefit to the plants and may even result in a delay in the resumption of growth.

Large transplants of cabbage, broccoli, and cauliflower should not be exposed to cold temperatures for more than a few days, or the plant may begin to produce a seedstalk rather than the desired vegetative growth. Exposure of tomato transplants to temperatures of 50°F to 60°F for more than one week may result in misshapen fruit later in the season. Vine crops such as cucumber, muskmelon, and watermelon may be injured by exposure

to chilling temperatures of 55°F or lower.

Growing Vegetable Transplants

by

Charles A. McClurg Extension Vegetable Specialist Department of Natural Resource Sciences and Landscape Architecture University of Maryland, College Park

Reviewed by:

Dr. Stephen A. Garrison Extension Vegetable Specialist Rutgers, The State University of New Jersey

Dr. Michael D. Orzolek Extension Vegetable Specialist The Pennsylvania State University

Issued in furtherance of Cooperative Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, University of Maryland, College Park, and local governments. Bruce Gardner, Interim Director of Maryland Cooperative Extension, University of Maryland.

The University of Maryland is equal opportunity. The University's policies, programs, and activities are in conformance with pertinent Federal and State laws and regulations on nondiscrimination regarding race, color, religion, age, national origin, gender, sexual orientation, marital or parental status, or disability. Inquiries regarding compliance with Title VI of the Civil Rights Act of 1964, as amended; Title IX of the Educational Amendments; Section 504 of the Rehabilitation Act of 1973; and the Americans With Disabilities Act of 1990; or related legal requirements should be directed to the Director of Human Resources Management, Office of the Dean, College of Agriculture and Natural Resources, Symons Hall, College Park, MD 20742.



