



Environmental Programs

P.O. Box 1663, MS J591
Los Alamos, New Mexico 87545
505-606-2337/FAX 505-665-1812

National Nuclear Security Administration

Los Alamos Site Office, MS A316
Environmental Restoration Program
Los Alamos, New Mexico 87544
505-667-4255/FAX 505-667-5948



Date: April 25, 2007
Refer To: EP2007-0232

James P. Bearzi
Bureau Chief
Hazardous Waste Bureau
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505-6303

Subject: Review of March 2007 Groundwater Data

Dear Mr. Bearzi:

The Los Alamos National Laboratory Water Stewardship Project (LWSP) met on April 10, 2007, to review new groundwater data received in March 2007. At that time, two water samples were identified with contaminant concentrations above the New Mexico water quality standards. The LWSP Director notified the Hazardous Waste Bureau by telephone on April 11, 2007.

This letter is our written submission that indicates (in Table 1) the contaminant(s) shown to have exceeded New Mexico water-quality standards or the federal maximum contaminant level. It appears that high explosives samples from the upper two intermediate ports at Cañon de Valle well R-25 were switched in the field or analytical laboratory. The RDX concentration at 891 ft of 38 µg/L is the highest yet measured, and was previously only <1 µg/L. This is the first RDX detection at this screen above the standard.


Additional details regarding these analytical results are provided in our monthly data report e-mail for March, sent the week of April 16, 2007.

Regional well R-25 will be sampled during the next Water/Cañon de Valle watershed monitoring event which is scheduled from May 8 to 28, 2007. Regional well R-17 will be sampled the week of April 23, 2007.

April 25, 2007

If you have questions, please contact Ardyth Simmons at (505) 665-3935 (asimmons@lanl.gov) or Mat Johansen at (505) 665-5046 (mjohansen@doeal.gov).

Sincerely,



Carolyn A. Mangeng, Acting Associate Director
Environmental Programs
Los Alamos National Laboratory

Sincerely,



George J. Rael, Assistant Manager
Environmental Operations
Los Alamos Site Office

CM/GR/AS/DB:am

Enclosure: Table 1: New Groundwater Analytical Data Exceeding New Mexico Water Quality Standards or the Federal Maximum Contaminant Level in March 2007 (EP2007-0232)

Cy: (w/enc.)

Laurie King, EPA Region 6, Dallas, TX
Steve Yanicak, NMED-OB, White Rock, NM
Tom Skibitski, NMED-OB, Santa Fe, NM
George Rael, DOE-LASO, MS A316
David Gregory, DOE-LASO, MS A316
Mat Johansen, DOE-LASO, MS A316
Ardyth Simmons, EP-LWSP, MS M992
David Rogers, EP-LWSP, MS M992
Tina Behr-Andres, EP-LWSP, MS M992
Jean Dewart, EP-LWSP, MS M992
Carolyn Mangeng, ADEP, MS J591
Alison M. Dorries, EP-ERSS, MS M992
Peggy Reneau, EP-ERSS, MS M992
EP-LWSP File, MS M992
RPF, MS M707
Public Reading Room, MS M992
IRM-RMMSO, MS A150
ADEP File

Table 1
New Groundwater Analytical Data Exceeding New Mexico Water Quality Standards
or the Federal Maximum Contaminant Level in March 2007

Location Name	Port Depth (ft)	Date	Field Prep.	Analyte Desc.	Analyte	Result	MDL ^a (µg/L)	Dilution Factor	Lab. Qual. Code	Validation Flag Code	Validation Reason Code	Prelim. Flag	Anyl. Meth. Code	Lab. Code	EPA TAP Screening Level	NM GW LIM. Screening Level
R-17	1057	02/22/07	UF ^b	Phenol	108-95-2	15.8	1.08	1	None	None	None	N ^c	SW-846:8270C	GEL ^d	None	5
R-25	891.8	02/07/07	UF	RDX	121-82-4	38.4	1.3	20	None	J ^e	LMS1 ^f	N	SW-846:8321A_MOD	GEL	0.611	None

Note: R-17 located at Northing 1765861.23 and Easting 1627795.96. R-25 is located at Northing 1764060.5 and Easting 1615178.42.

^a MDL = Minimum detection limit.

^b UF = Unfiltered.

^c N = No.

^d GEL = General Engineering Laboratories, Inc., Charleston, SC.

^e J = The result for this analyte was greater than the MDL but less than the practical quantitation limit.

^f LMS1 = An applicable matrix spike/matrix spike duplicate (MS/MSD) analysis was not performed.