# Guidance for Industry

# Warnings and Precautions, Contraindications, and Boxed Warning Sections of Labeling for Human Prescription Drug and Biological Products— Content and Format

# DRAFT GUIDANCE

This guidance document is being distributed for comment purposes only.

Comments and suggestions regarding this draft document should be submitted within 90 days of publication in the *Federal Register* of the notice announcing the availability of the draft guidance. Submit comments to the Division of Dockets Management (HFA-305), Food and Drug Administration, 5630 Fishers Lane, rm. 1061, Rockville, MD 20852. All comments should be identified with the docket number listed in the notice of availability that publishes in the *Federal Register*.

For questions regarding this draft document contact (CDER) Janet Norden at 301-796-2270, or (CBER) Toni Stifano at 301-827-6190.

U.S. Department of Health and Human Services
Food and Drug Administration
Center for Drug Evaluation and Research (CDER)
Center for Biologics Evaluation and Research (CBER)

January 2006 Labeling

# Guidance for Industry

# Warnings and Precautions, Contraindications, and Boxed Warning Sections of Labeling for Human Prescription Drug and Biological Products— Content and Format

Additional copies are available from:

Office of Training and Communications
Division of Drug Information, HFD-210
5600 Fishers Lane
Rockville, MD 20857
(Tel) 301-827-4573
(Internet) http://www.fda.gov/cder/guidance/index.htm

or

Office of Communication, Training and Manufacturers Assistance, HFM-40 Center for Biologics Evaluation and Research Food and Drug Administration 1401 Rockville Pike, Rockville, MD 20852-1448 (Tel) 800-835-4709 or 301-827-1800 (Internet) http://www.fda.gov/cber/guidelines.htm.

U.S. Department of Health and Human Services
Food and Drug Administration
Center for Drug Evaluation and Research (CDER)
Center for Biologics Evaluation and Research (CBER)

January 2006 Labeling

Draft — Not for Implementation

# TABLE OF CONTENTS

I.	INTRODUCTION	1
II.	WARNINGS AND PRECAUTIONS SECTION (§ 201.57(c)(6))	2
A.	Adverse Reactions and Information to Include	2
2		
C.	Format	5
2	<ol> <li>Subheadings</li> <li>Order of Adverse Reactions</li> <li>Emphasis in Text</li> <li>Cross-Referencing</li> <li>CONTRAINDICATIONS SECTION (§ 201.57(c)(5))</li> </ol>	6 6 6
A.	When to Contraindicate	6
2	1. Observed Adverse Reactions	
C.	Format	8
4	1. Subheadings	
A.	When to Use a Boxed Warning	9
В.	Information to Provide	10
C.	Format	10
GLO	OSSARY	11

Draft — Not for Implementation

# **Guidance for Industry**<sup>1</sup>

Warnings and Precautions, Contraindications, and Boxed Warning Sections of Labeling for Human Prescription Drug and Biological Products — Content and Format<sup>2</sup>

This draft guidance, when finalized, will represent the Food and Drug Administration's (FDA's) current thinking on this topic. It does not create or confer any rights for or on any person and does not operate to bind FDA or the public. An alternative approach may be used if such approach satisfies the requirements of the applicable statutes and regulations. If you want to discuss an alternative approach, contact the FDA staff responsible for implementing this guidance. If you cannot identify the appropriate FDA staff, call the appropriate number listed on the title page of this guidance.

# I. INTRODUCTION

This guidance is intended to assist applicants and reviewers in drafting the WARNINGS AND PRECAUTIONS, CONTRAINDICATIONS, and BOXED WARNING sections of labeling, as described in the final rule amending the requirements for the content and format of labeling for human prescription drug and biological products (21 CFR 201.56 and 201.57).<sup>3</sup> The recommendations in this guidance are intended to help ensure that the labeling is clear, useful, informative, and to the extent possible, consistent in content and format.

This guidance provides recommendations on the following:

• How to decide which adverse reactions are significant enough to warrant inclusion in the WARNINGS AND PRECAUTIONS section; what information to include when describing those adverse reactions; and how to organize the section

<sup>&</sup>lt;sup>1</sup> This guidance has been prepared by the Medical Policy Coordinating Committees in the Center for Drug Evaluation and Research (CDER) and Center for Biologics Evaluation and Research (CBER) at the Food and Drug Administration.

<sup>&</sup>lt;sup>2</sup> This guidance applies to drugs, including biological drug products. For the purposes of this guidance, *drug product* or *drug* will be used to refer to human prescription drug and biological products that are regulated as drugs.

<sup>&</sup>lt;sup>3</sup> See the final rule "Requirements on Content and Format of Labeling for Human Prescription Drug and Biological Products" published in the *Federal Register* in January 2006.

Draft — Not for Implementation

35 36 37	•	sit	hat situations warrant a contraindication; what information to provide in those uations when the use of the product is contraindicated; and how to organize the DNTRAINDICATIONS section
38 39	•	W	hen to include a boxed warning; and what information to include in the BOXED ARNING section
40 41 42 43 44 45 46	responded be view cited.	sibi wed The	idance documents, including this guidance, do not establish legally enforceable elities. Instead, guidances describe the Agency's current thinking on a topic and should only as recommendations, unless specific regulatory or statutory requirements are to use of the word <i>should</i> in Agency guidances means that something is suggested or nided, but not required.
47	II.	W	ARNINGS AND PRECAUTIONS SECTION (§ 201.57(c)(6))
48 49 50		A.	Adverse Reactions and Information to Include
51 52		1.	Observed Adverse Reactions
53 54 55		the	is section includes clinically significant adverse reactions observed in association with e use of a drug for which there is reasonable evidence of a causal association between e drug and the adverse reaction (a causal relationship need not have been established):
56 57			<i>IF</i>
58 59		•	The adverse reaction is serious (see glossary for definition of serious adverse reaction).
60			OR
61 62 63		•	The adverse reaction does not meet the definition of a serious adverse reaction, but is still considered clinically significant ( <i>otherwise clinically significant</i> ). Adverse reactions that are considered <i>otherwise clinically significant</i> could include:
64 65			— Adverse reactions that require discontinuation, dosage or regimen adjustment, or addition of another drug
66 67			— Adverse reactions that could be prevented or managed with appropriate patient selection or avoidance of concomitant therapy
68			— Adverse reactions that significantly affect patient compliance
69			OR
70		•	The product interferes with a laboratory test.
71 72		2.	Expected Adverse Reactions
73 74			here are circumstances in which an adverse reaction can be expected to occur with a lag, despite its not having been observed with that drug, based on observations from

Draft — Not for Implementation

other members of the drug class or animal studies. An expected adverse reaction may not be observed, for example, in clinical trials for newer drugs in a class where the trials are designed to exclude populations that were determined to be vulnerable to the adverse reaction with earlier members of the drug class.

The WARNINGS AND PRECAUTIONS section includes adverse reactions that are expected to occur with a drug, but have yet to be observed if:

• The reaction is *serious* or *otherwise clinically significant* as discussed above

# AND EITHER

• Based on what is known about the pharmacology, chemistry, or class of the drug, it appears likely that the adverse reaction will occur with the drug.

OR

 Animal data raise substantial concern about the potential for occurrence of the adverse reaction in humans (e.g., animal data demonstrating that a drug has teratogenic effects).

In these cases, the labeling should acknowledge that the adverse reaction has not been observed, but may be expected to occur.

# 3. Additional Considerations

The following factors should also be considered in determining whether to include an adverse reaction in the WARNINGS AND PRECAUTIONS section of labeling:

# • Indication

The relative seriousness of the disease or condition for which a drug is indicated will influence whether an adverse reaction would be considered clinically significant and thus appropriate for inclusion in the WARNINGS AND PRECAUTIONS section. For example, for a drug intended to treat a minor, self-limiting condition (e.g., allergic rhinitis, cosmetic conditions, transient insomnia), a nonserious adverse reaction (e.g., nausea, pruritis, alopecia) may be considered clinically significant and, therefore, appropriate for inclusion in the section. For a drug intended to treat a serious or life-threatening condition (e.g., cancer), the same adverse reaction may be considered much less clinically significant and not appropriate for inclusion in the section.

Draft — Not for Implementation

1	11	
1	12	

# Incidence

Typically, the nature of an adverse reaction and a drug's indication are the most influential factors in determining whether an adverse reaction should be included in the WARNINGS AND PRECAUTIONS section. In some cases, however, the absolute risk or rate of an adverse reaction can be an important factor when deciding whether to include the reaction in this section (e.g., when the risk or rate is high).

# • Ability to Manage or Prevent an Adverse Reaction

The ability to manage or prevent an adverse reaction through patient monitoring, proper dose selection or titration, or avoidance of concomitant therapy can also be an important factor in deciding whether to discuss an adverse reaction in the WARNINGS AND PRECAUTIONS section.

# 4. Adverse Reactions Associated with Unapproved Uses

FDA may require a specific warning relating to an unapproved use if the drug is commonly prescribed for a disease or condition and such usage is associated with a clinically significant risk or hazard (§ 201.57(c)(6)(i)). Clinically significant adverse reactions that appear to be linked primarily to an unapproved use of a drug (e.g., use for a disease, condition, or population not included in the INDICATIONS AND USE section, use of an unapproved dose or regimen) should be identified and discussed in the WARNINGS AND PRECAUTIONS section. The discussion should include a statement indicating that safety and effectiveness have not been established in that setting and that the use is not approved by FDA.

# 5. Drug Interactions

The WARNINGS AND PRECAUTIONS section should include a discussion of any known or predicted drug interactions with serious or otherwise clinically significant outcomes, with a cross-reference to any additional information in the DRUG INTERACTIONS or CLINICAL PHARMACOLOGY sections.

# 6. *Monitoring*

The WARNINGS AND PRECAUTIONS section must identify any laboratory tests helpful in following the patient's response or in identifying possible adverse reactions (§ 201.57(c)(6)(iii)), and, if appropriate, information about the frequency of testing and expected ranges of normal and abnormal values.

# **B.** Information to Provide

The WARNINGS AND PRECAUTIONS section should contain the following information for each adverse reaction, if such information is known:

		Draft — Not for Implementation
157 158 159		A description of the adverse reaction and outcome (e.g., time to resolution, significant sequelae)
160	• 1	An estimate of risk or adverse reaction rate <sup>4</sup>
161 162		A discussion of known risk factors for the adverse reaction (e.g., age, gender, race, comorbid conditions, dose, duration of use, coadministered drugs)
163 164 165 166 167 168	t i c	A discussion of steps to take to reduce the risk of, decrease the likelihood of, shorten he duration of, or minimize the severity of an adverse reaction. These steps could nelude, for example, necessary evaluation prior to use, titration and other kinds of dose adjustment, monitoring during dose adjustment or prolonged use, avoidance of other drugs or substances, or special care during comorbid events (e.g., dehydration, nfection)
169 170		A discussion of how to treat, or otherwise manage, an adverse reaction that has occurred
171 172 173 174 175	can	ough the following issues would typically be discussed elsewhere in labeling, they also be mentioned in the WARNINGS AND PRECAUTIONS section when such rmation would help prescribers understand the clinical significance of an adverse tion:
176	• 1	A discussion of the mechanism of the adverse reaction
177 178 179	ŀ	The source of information about the adverse reaction (e.g., it may be informative to know whether the information is from clinical trials or postmarketing reports, or whether an adverse reaction was seen only in foreign experience with the drug)
180 181 182 183 184	when	information and advice provided in this section should be reasonably qualified, re appropriate, to convey whatever uncertainties may exist about judgments and clusions made (e.g., concerning causality assessments, estimated adverse reaction s, and value of proposed monitoring).
185 186	C.	Format
187		
188 189	1.	Subheadings

FDA recommends that each adverse reaction, syndrome, or constellation of reactions (e.g., thrombotic events, hemorrhagic events) included in the WARNINGS AND PRECAUTIONS section have its own subheading. There would ordinarily be no reason

190

191

<sup>&</sup>lt;sup>4</sup> When the risk for an adverse reaction is highest during early exposure, crude risk (# of adverse reactions/# patients exposed) may be the best estimate. For adverse reactions that occur after prolonged exposure, there should be an adjustment for duration of exposure by use of either overall exposed person time if the risk is constant over time, or by calculation of cumulative incidence for a specified exposure time in a survival analysis.

Draft — Not for Implementation

to further subcategorize adverse reactions (e.g., separating observed and expected adverse reactions by placing them under different subheadings).

# 2. Order of Adverse Reactions

The order in which adverse reactions are presented should reflect the relative public health significance of the adverse reactions. Factors to consider include the relative seriousness of the adverse reaction, the ability to prevent or mitigate the adverse reaction, the likelihood of occurrence, and the size of the population that is potentially affected. In general, the relative seriousness of the adverse reaction and the ability to prevent or mitigate it weigh more heavily than the likelihood of occurrence or the size of the affected population.

# 3. Emphasis in Text

Bolded text, or other emphasis, can be used to highlight particular adverse reactions or parts of the discussion of particular adverse reactions (e.g., steps to be taken to avoid a problem, subpopulations at particular risk). Emphasis should be used sparingly so that its impact is not diminished. When information is to be emphasized, also consider whether that information should be in a boxed warning (see section IV on BOXED WARNING section).

# 4. Cross-Referencing

Information discussed in the WARNINGS AND PRECAUTIONS section often is discussed or mentioned in other sections of the labeling (e.g., ADVERSE REACTIONS, DOSAGE AND ADMINISTRATION, DRUG INTERACTIONS). Information appearing in other locations should be appropriately cross-referenced.

# III. CONTRAINDICATIONS SECTION (§ 201.57(c)(5))

## A. When to Contraindicate

A drug should be contraindicated only in those clinical situations for which the risk from use clearly outweighs any possible therapeutic benefit. Only known hazards, and not theoretical possibilities, must be listed. If there are no known contraindications for a drug, this section must state "None."

# 1. Observed Adverse Reactions

For observed adverse reactions, the following would ordinarily be reason to contraindicate a drug:

Draft — Not for Implementation 237 The risk of the adverse reaction in the clinical situation to which the contraindication 238 will apply, based on both likelihood and severity of the adverse reaction, outweighs 239 any potential benefit to the patient. 240 AND 241 • The causal relationship between exposure to the drug and the adverse reaction is well 242 established. 243 244 2. **Expected Adverse Reactions** 245 246 Adverse reactions that are expected to occur when a drug is used in a specific clinical situation can be the basis for a contraindication.<sup>5</sup> The following would ordinarily be 247 248 reason to contraindicate a drug on the basis of an expected adverse reaction. 249 250 The risk of the adverse reaction in the clinical situation to which the contraindication will 251 apply, based on both likelihood and severity of the adverse reaction, outweighs any potential benefit to the patient 252 253

# AND EITHER

Based on what is known about the pharmacology, chemistry, or class of the drug, it appears highly likely that the adverse reaction will occur with the drug.

## OR

Animal data raise substantial concern about the potential for occurrence of the adverse reaction in humans (e.g., animal data demonstrating that a drug has teratogenic effects).

The labeling should acknowledge that the adverse reaction has not yet been observed, but is expected to occur.

### 3. Likely Clinical Situations

A contraindication usually involves one or more of the following clinical situations:

- Comorbid condition or coexistent physiological state (e.g., existing hepatic disease, renal disease, congenital long QT syndrome, hypokalemia, pregnancy or childbearing potential, CYP 2D6 poor metabolizer<sup>6</sup>)
- Demographic risk factor (e.g., age, sex, race, genetic vulnerability)

<sup>5</sup> Expected adverse reactions are distinguishable from "theoretical possibilities" because there are data (e.g., from class, chemistry, animal studies) to support the expected adverse reaction.

254

255 256

257

258

259

260 261

262

263 264

265 266

267 268

269

<sup>&</sup>lt;sup>6</sup> Use of a particular drug in a patient with a slow metabolizer status would be contraindicated only if there were no way to lower the dose to adjust for the compromised metabolic state.

Draft — Not for Implementation

 • The risks of the drug are such that the drug should never be used in a selected subset of the larger population with a disease<sup>7</sup>

• Coadministered drug where the combination is dangerous (e.g., MAO inhibitor and sympathomimetic drug, a drug known to prolong the QT interval and a drug known to interfere with the metabolism of that drug)<sup>8</sup>

Contraindications based on drug interactions with serious outcomes should be described in the CONTRAINDICATIONS section and cross-referenced to more detailed information in the DRUG INTERACTIONS or CLINICAL PHARMACOLOGY sections.

# **B.** Information to Provide

For each listed contraindication, provide the following information:

- Brief description of the contraindicated situation or scenario, including any pertinent demographic or identifiable predisposing characteristics
- Description of anticipated consequences of the contraindicated use

# C. Format

# 1. Subheadings

FDA recommends that each contraindication be identified by its own subheading.

# 2. *Order of Contraindications*

The order in which contraindications are presented should reflect the relative public health significance of the listed contraindications. Factors to consider include the likelihood of occurrence and the size of the population that is potentially affected.

<sup>&</sup>lt;sup>7</sup> The INDICATIONS AND USAGE section must contain information about use of the drug when safety considerations are such that the drug should be reserved for certain patients (e.g., patients with severe disease) or situations (e.g., patients refractory to other drugs) (§ 201.57(c)(2)(i)(B) and (E)). In rare cases, when the risks of the drug clearly outweigh any possible therapeutic benefit and the drug should never be used in a selected patient subset, a contraindication for use of the drug in that subset should also be described in the CONTRAINDICATIONS section.

<sup>&</sup>lt;sup>8</sup> There should be consistency across labeling for contraindicated products (i.e., if use of drug A with drug B is contraindicated in the labeling for drug A, the use of drug B with drug A should be contraindicated in the labeling for drug B). For drugs that are regulated in different reviewing divisions, there should be cross-divisional coordination and agreement on contraindicated coadministration of drugs.

Draft — Not for Implementation

		2	
307		3.	Text Emphasis
808		D a l	ded tout on other analysis can be used to highlight monticular control diseased
309			ded text, or other emphasis, can be used to highlight particular contraindicated
310			ations or parts of the discussions of these situations. Emphasis should be used
311		_	ringly so that its impact is not diminished. When information is to be emphasized,
312			o consider whether that information should be in a boxed warning (see BOXED
313		WA	ARNING below).
314			
315	TX 7	DO	VED 11/4 DAILNIC (\$ 201 57(-)(1))
316 317	IV.	во	<b>XED WARNING (§ 201.57(c)(1))</b>
817 818		Α.	When to Use a Boxed Warning
319		Α.	when to use a boxed warning
320		Λh	oxed warning is ordinarily used to highlight for prescribers one of the following
320			ations:
322		Situ	ations.
323		•	There is an adverse reaction so serious in proportion to the potential benefit from the
324			drug (e.g., a fatal, life-threatening or permanently disabling adverse reaction) that it is
325			essential that it be considered in assessing the risks and benefits of using a drug
326			OR
327		•	There is a serious adverse reaction that can be prevented or reduced in frequency or
328			severity by appropriate use of the drug (e.g., patient selection, careful monitoring,
329			avoiding certain concomitant therapy, addition of another drug or managing patients
330			in a specific manner, avoiding use in a specific clinical situation)
331			OR .
332		•	FDA approved the drug with restrictions to assure safe use because FDA concluded
333			that the drug can be safely used only if distribution or use is restricted (e.g., under 21
334			CFR part 314, subpart H, § 314.520 "Approval with restrictions to assure safe use").
			or it part 311, subpart 11, § 311.320 Approval with restrictions to assure said use ).
335		1 h	avad vyamina oon alsa ha yaad in athan situations to highlight vyamina information
336 337			oxed warning can also be used in other situations to highlight warning information is especially important to the prescriber. Information included in the WARNINGS
338			D PRECAUTIONS and CONTRAINDICATIONS sections should therefore be
339			
340		eva	luated to determine whether it should also be placed in a boxed warning.
341		Roy	xed warnings are more likely to be based on observed adverse reactions, but there are
342			ances when a boxed warning based on an expected adverse reaction would be
343			ropriate. For example, a contraindication during pregnancy based on evidence in
344			nans that drugs in a pharmacologic class pose a serious risk of developmental toxicity
345			ing that time would usually be in a boxed warning for all drugs in that class, even
346			se in which the adverse reaction has not been seen.
347			
348		A b	oxed warning can also be considered for a drug that has important risk/benefit
349			ormation that is unique among drugs in a drug class (e.g., to note that a drug is the

Draft — Not for Implementation

350	only one in its class to have a particular risk that makes it inappropriate for use as a first
351	line therapy).
352	
353	B. Information to Provide
354	
355	A boxed warning provides a brief, concise summary of the information that is critical for
356	a prescriber to be aware of, including any restriction on distribution or use. If there is a
357	more detailed discussion of the concern in either the CONTRAINDICATIONS or
358	WARNINGS AND PRECAUTIONS section, or any other labeling section that contains
359	pertinent information (e.g., DOSAGE AND ADMINISTRATION), a cross-reference to
360	that section must be provided (§ 201.57(c)(1)).
361	
362	C. Format
363	
364	FDA recommends the information in the boxed warning be presented in a bulleted forma
365	(or some alternative format, such as subheadings) that helps to make the information
366	visually accessible.
367	·

Draft — Not for Implementation

370 371 372 Adverse Reaction (21 CFR 201.57(c)(7)): For purposes of prescription drug labeling and this guidance, an <i>adverse reaction</i> is an undesirable effect, reasonably associated with the use of a drug, that may occur as part of the pharmacological action of the drug or may be unpredictable in its occurrence. This definition does not include all adverse events observed during use of a drug, only those for which there is some basis to believe there is a causal relationship between the drug and the occurrence of the adverse event.  Adverse reactions may include signs and symptoms, changes in laboratory parameters, and changes in other measures of critical body function, such as vital signs and electrocardiogram (ECG).  Adverse Event (or adverse experience): For the purposes of this guidance, an <i>adverse event</i> refers to any untoward medical event associated with the use of a drug in humans, whether or not considered drug-related.
Adverse Reaction (21 CFR 201.57(c)(7)): For purposes of prescription drug labeling and this guidance, an <i>adverse reaction</i> is an undesirable effect, reasonably associated with the use of a drug, that may occur as part of the pharmacological action of the drug or may be unpredictable in its occurrence. This definition does not include all adverse events observed during use of a drug, only those for which there is some basis to believe there is a causal relationship between the drug and the occurrence of the adverse event.  Adverse reactions may include signs and symptoms, changes in laboratory parameters, and changes in other measures of critical body function, such as vital signs and electrocardiogram (ECG).  Adverse Event (or adverse experience): For the purposes of this guidance, an <i>adverse event</i> refers to any untoward medical event associated with the use of a drug in humans, whether or not considered drug-related.
Adverse Reaction (21 CFR 201.57(c)(7)): For purposes of prescription drug labeling and this guidance, an <i>adverse reaction</i> is an undesirable effect, reasonably associated with the use of a drug, that may occur as part of the pharmacological action of the drug or may be unpredictable in its occurrence. This definition does not include all adverse events observed during use of a drug, only those for which there is some basis to believe there is a causal relationship between the drug and the occurrence of the adverse event.  Adverse reactions may include signs and symptoms, changes in laboratory parameters, and changes in other measures of critical body function, such as vital signs and electrocardiogram (ECG).  Adverse Event (or adverse experience): For the purposes of this guidance, an <i>adverse event</i> refers to any untoward medical event associated with the use of a drug in humans, whether or not considered drug-related.
guidance, an <i>adverse reaction</i> is an undesirable effect, reasonably associated with the use of a drug, that may occur as part of the pharmacological action of the drug or may be unpredictable in its occurrence. This definition does not include all adverse events observed during use of a drug, only those for which there is some basis to believe there is a causal relationship between the drug and the occurrence of the adverse event.  Adverse reactions may include signs and symptoms, changes in laboratory parameters, and changes in other measures of critical body function, such as vital signs and electrocardiogram (ECG).  Adverse Event (or adverse experience): For the purposes of this guidance, an <i>adverse event</i> refers to any untoward medical event associated with the use of a drug in humans, whether or not considered drug-related.
drug, that may occur as part of the pharmacological action of the drug or may be unpredictable in its occurrence. This definition does not include all adverse events observed during use of a drug, only those for which there is some basis to believe there is a causal relationship between the drug and the occurrence of the adverse event.  Adverse reactions may include signs and symptoms, changes in laboratory parameters, and changes in other measures of critical body function, such as vital signs and electrocardiogram (ECG).  Adverse Event (or adverse experience): For the purposes of this guidance, an adverse event refers to any untoward medical event associated with the use of a drug in humans, whether or not considered drug-related.
its occurrence. This definition does not include all adverse events observed during use of a drug, only those for which there is some basis to believe there is a causal relationship between the drug and the occurrence of the adverse event.  Adverse reactions may include signs and symptoms, changes in laboratory parameters, and changes in other measures of critical body function, such as vital signs and electrocardiogram (ECG).  Adverse Event (or adverse experience): For the purposes of this guidance, an adverse event refers to any untoward medical event associated with the use of a drug in humans, whether or not considered drug-related.
only those for which there is some basis to believe there is a causal relationship between the drug and the occurrence of the adverse event.  Adverse reactions may include signs and symptoms, changes in laboratory parameters, and changes in other measures of critical body function, such as vital signs and electrocardiogram (ECG).  Adverse Event (or adverse experience): For the purposes of this guidance, an <i>adverse event</i> refers to any untoward medical event associated with the use of a drug in humans, whether or not considered drug-related.
and the occurrence of the adverse event.  Adverse reactions may include signs and symptoms, changes in laboratory parameters, and changes in other measures of critical body function, such as vital signs and electrocardiogram (ECG).  Adverse Event (or adverse experience): For the purposes of this guidance, an adverse event refers to any untoward medical event associated with the use of a drug in humans, whether or not considered drug-related.
Adverse reactions may include signs and symptoms, changes in laboratory parameters, and changes in other measures of critical body function, such as vital signs and electrocardiogram (ECG).  Adverse Event (or adverse experience): For the purposes of this guidance, an adverse event refers to any untoward medical event associated with the use of a drug in humans, whether or not considered drug-related.
Adverse reactions may include signs and symptoms, changes in laboratory parameters, and changes in other measures of critical body function, such as vital signs and electrocardiogram (ECG).  Adverse Event (or adverse experience): For the purposes of this guidance, an <i>adverse event</i> refers to any untoward medical event associated with the use of a drug in humans, whether or not considered drug-related.
changes in other measures of critical body function, such as vital signs and electrocardiogram (ECG).  Adverse Event (or adverse experience): For the purposes of this guidance, an <i>adverse event</i> refers to any untoward medical event associated with the use of a drug in humans, whether or not considered drug-related.
381 (ECG). 382  383 Adverse Event (or adverse experience): For the purposes of this guidance, an <i>adverse event</i> 384 refers to any untoward medical event associated with the use of a drug in humans, whether or not considered drug-related.
382 383 <b>Adverse Event (or adverse experience):</b> For the purposes of this guidance, an <i>adverse event</i> 384 refers to any untoward medical event associated with the use of a drug in humans, whether or not considered drug-related.
383 <b>Adverse Event (or adverse experience):</b> For the purposes of this guidance, an <i>adverse event</i> 384 refers to any untoward medical event associated with the use of a drug in humans, whether or not 385 considered drug-related.
refers to any untoward medical event associated with the use of a drug in humans, whether or not considered drug-related.
385 considered drug-related.
e
380
Serious Adverse Reaction: For purposes of this guidance, the term serious adverse reaction
refers to any reaction occurring at any dose that results in any of the following outcomes: Death,
a life-threatening adverse experience, inpatient hospitalization or prolongation of existing
hospitalization, a persistent or significant disability or incapacity, or a congenital anomaly or birth defect. Important medical events that may not result in death, be life-threatening, or require
birth defect. Important medical events that may not result in death, be life-threatening, or require hospitalization may be considered serious adverse drug reactions when, based upon appropriate
medical judgment, they may jeopardize the patient or subject and may require medical or
surgical intervention to prevent one of the outcomes listed in this definition.
395