

LA-UR-07-7245  
November 2007  
EP2007-0670

# **Periodic Monitoring Report for Los Alamos Watershed, April 9–April 29, 2007**


Prepared by Environmental Programs Directorate

Los Alamos National Laboratory, operated by Los Alamos National Security, LLC, for the U.S. Department of Energy under Contract No. DE-AC52-06NA25396, has prepared this document pursuant to the Compliance Order on Consent, signed March 1, 2005. The Compliance Order on Consent contains requirements for the investigation and cleanup, including corrective action, of contamination at Los Alamos National Laboratory. The U.S. government has rights to use, reproduce, and distribute this document. The public may copy and use this document without charge, provided that this notice and any statement of authorship are reproduced on all copies.

# Periodic Monitoring Report for Los Alamos Watershed April 9–April 29, 2007

November 2007

Responsible project leader:

Ardyth Simmons		Program Manager	Environmental Programs	11/20/07
Printed Name	Signature	Title	Organization	Date

Responsible LANS representative:

Susan G. Stiger		Associate Director	Environmental Programs	11/26/07
Printed Name	Signature	Title	Organization	Date

Responsible DOE representative:

David R. Gregory		Project Director	DOE-LASO	11/29/07
Printed Name	Signature	Title	Organization	Date



## EXECUTIVE SUMMARY

The purpose of this report is to provide the results of the periodic monitoring event (PME) conducted by Los Alamos National Laboratory (the Laboratory) in the Los Alamos Watershed. The PME for Los Alamos Watershed was conducted pursuant to the "Interim Facility-Wide Groundwater Monitoring Plan," prepared under the Compliance Order on Consent (Consent Order).

The PME documented in this report occurred between April 9 and April 29, 2007, and included sampling of groundwater wells or well ports, springs, and base flow stations.

Water samples obtained from various locations during this PME were analyzed for target analyte list metals, volatile organic compounds, semivolatile organic compounds, cyanide, pesticides, polychlorinated biphenyls, high explosives, radionuclides, low-level tritium, general inorganics, perchlorate, stable isotopes, and field parameters (alkalinity, dissolved oxygen, iron, pH, specific conductance, temperature, and turbidity).

Two surface-water perchlorate concentrations were above the Consent Order screening level for perchlorate of 4 µg/L. At Pueblo 3 and Pueblo above State Highway 502, the results by the ion chromatography (IC) method were 25.8 µg/L and 5.5 µg/L, respectively. However, the results in duplicate samples from these locations using the liquid chromatography/mass spectrometry (LC/MS) method were below 0.12 µg/L.

One unfiltered mercury result at Pueblo 3 was 123% of the 0.77 µg/L New Mexico wildlife habitat criterion. This is the first mercury detection at this location since the 1990s.

Three surface-water samples, which were collected during this PME from Los Alamos Canyon, exceeded regulatory standards or screening levels.

The perchlorate concentrations measured in duplicate samples at alluvial well APCO-1 were above the Consent Order screening level for perchlorate of 4 µg/L but below the U.S. Environmental Protection Agency drinking water equivalent level of 24.5 µg/L. The results by the IC method were 4.4 µg/L and 8.3 µg/L. However, the companion results in duplicate samples from these locations using the LC/MS method were nondetections. An alluvial sample in Los Alamos Canyon had a perchlorate concentration of 8.5 µg/L at LAO-0.6. This is the first perchlorate result above the Consent Order screening level at LAO-0.6.

Concentrations in Los Alamos Canyon intermediate groundwater were above the Consent Order screening level for perchlorate of 4 µg/L at R-6i, LAOI-3.2, and LAOI-3.2a. At each location, these values are consistent with prior results.

The chloride and total dissolved solids concentrations in alluvial well LAUZ-1 were 202% and 116% of the New Mexico Water Quality Control Commission (NMWQCC) groundwater standards (applicable to domestic water supply) of 250 mg/L and 1000 mg/L, respectively.

At alluvial well LLAO-1b (on San Ildefonso Pueblo), the nitrate concentration was 134% of the standard. This value is the highest to date for this location.

The duplicate filtered iron and manganese results at alluvial well APCO-1 were up to 1.4 times and 28 times the respective NMWQCC groundwater standards (applicable domestic water supply) of 1000 µg/L and 200 µg/L.

Ten groundwater samples, which were collected during this PME from Los Alamos Canyon, exceeded regulatory standards or screening levels.



**CONTENTS**

**1.0 INTRODUCTION ..... 1**

    1.1 Background..... 1

    1.2 Conceptual Model..... 1

**2.0 SCOPE OF ACTIVITIES ..... 1**

**3.0 MONITORING RESULTS ..... 2**

    3.1 Methods and Procedures ..... 2

    3.2 Field Parameter Results ..... 2

    3.3 Water-Level Observations ..... 2

    3.4 Deviations from Planned Scope ..... 2

**4.0 ANALYTICAL DATA RESULTS..... 2**

    4.1 Methods and Procedures ..... 2

    4.2 Analytical Data..... 2

        4.2.1 Surface Water (Base Flow) ..... 5

        4.2.2 Groundwater..... 5

    4.3 Sampling Program Modifications ..... 6

**5.0 INVESTIGATION-DERIVED WASTE ..... 7**

**6.0 SUMMARY AND INTERPRETATIONS..... 7**

    6.1 Monitoring Results ..... 7

    6.2 Analytical Results ..... 7

        6.2.1 Surface Water (Base Flow) ..... 7

        6.2.2 Groundwater..... 7

    6.3 Data Gaps..... 7

**7.0 REFERENCES ..... 7**

**Figures**

Figure 2.0-1 Watershed map with monitored locations ..... 9

Figure 3.3-1 Alluvial groundwater-level measurements ..... 10

Figure 3.3-2 Intermediate and regional groundwater-level measurements ..... 11

Figure 4.2-1 Analytical results ..... 12

**Tables**

Table 2.0-1 Monitoring Locations and General Information..... 13

Table 3.4-1 Observations and Deviations ..... 16

Table 4.2-1 Cleanup Standards, Risk-Based Screening Levels, and Risk-Based Cleanup Levels for Groundwater and Surface Water at Los Alamos National Laboratory ..... 16

Table 4.2-2 Number of Results above Standards or Screening Levels for Groundwater and Surface Water ..... 16

**Appendixes**

Appendix A	Los Alamos Watershed Conceptual Model
Appendix B	Field Parameter Results
Appendix C	Groundwater-Level Measurements
Appendix D	Analytical Results
Appendix E	Screening Results
Appendix F	Statement on Investigation-Derived Waste Management
Appendix G	Analytical Reports (see enclosed DVD)



## ACRONYMS AND ABBREVIATIONS

AK	acceptable knowledge
AOC	area of concern
BCG	Biota Concentration Guide (DOE)
bgs	below ground surface
C	cancer
Consent Order	Compliance Order on Consent
DCG	Derived Concentration Guidelines (DOE)
DOE	U.S. Department of Energy
DOT	U.S. Department of Transportation
DP	Delta Prime
EPA	U.S. Environmental Protection Agency
F	filtered
HE	high explosives
IFGMP	Interim Facility-Wide Groundwater Monitoring Plan
LANL	Los Alamos National Laboratory (the Laboratory)
LC/MS	liquid chromatography/mass spectrometry
MCL	maximum contaminant level (EPA)
MDL	method detection limit
MTBE	methyl tertiary butyl ether
N	noncancer
NMED	New Mexico Environment Department
NMEIB	New Mexico Environmental Improvement Board
NMWQCC	New Mexico Water Quality Control Commission
NOI	notice of intent
PCB	polychlorinated biphenyl
PME	periodic monitoring event
PMR	periodic monitoring report

QA	quality assurance
QC	quality control
RCRA	Resource Conservation and Recovery Act
RLWTF	Radioactive Liquid Waste Treatment Facility
RPF	Records Processing Facility
SERF	Sanitary Effluent Reclamation Facility
SVOA	semivolatile organic analyte
SVOC	semivolatile organic compound
SWMU	solid waste management unit
SWSC	Sanitary Wastewater Systems Consolidation (Plant)
TA	technical area
TSD	treatment, storage, and disposal
UF	unfiltered
VOC	volatile organic compound
WCSF	waste characterization strategy form
WPF	waste profile form

## 1.0 INTRODUCTION

This report provides documentation of semiannual groundwater and surface-water monitoring conducted by Los Alamos National Laboratory (LANL or the Laboratory) in the Los Alamos Watershed pursuant to the "Interim Facility-Wide Groundwater Monitoring Plan" (IFGMP) (LANL 2006, 094043), prepared under the Compliance Order on Consent (Consent Order). The periodic monitoring event (PME) occurred between April 9 and April 29, 2007. This event included sampling at groundwater wells or screens, springs, and base flow stations.

This report presents the following information:

- General background information on the watershed
- The watershed conceptual model
- Field-measurement monitoring results
- Water-quality monitoring results
- Results of the screening analysis (comparing the PME's results with regulatory standards and results from previous reports)
- Conclusions drawn based on the data and the screening analysis

Information on radioactive materials and radionuclides, including the results of sampling and analysis of radioactive constituents, is voluntarily provided to the New Mexico Environment Department (NMED) in accordance with U.S. Department of Energy (DOE) policy.

### 1.1 Background

The Los Alamos Watershed encompasses approximately 57 mi<sup>2</sup>. It includes Los Alamos, Pueblo, Delta Prime (DP), and Acid Canyons. Bayo, Guaje, Rendija, and Barrancas Canyons (collectively known as the North Canyons) are smaller tributary canyons in the watershed. The watershed contains numerous springs, perennial and ephemeral stream segments, and alluvial groundwater. Portions of Los Alamos townsite, Los Alamos County, Santa Fe County, and San Ildefonso Pueblo tribal lands are located within the Los Alamos Watershed.

Laboratory operations have been associated with the release of treated and untreated effluent into the watershed since the establishment of the Laboratory in the 1940s and up to the present. Runoff from solid waste management units (SWMUs) and areas of concern (AOCs) at former and current Technical Areas (TAs) TA-00, -01, -02, -03, -19, -21, -31, -41, -43, -53, -72, and -73 have contributed to contaminant releases within the watershed.

### 1.2 Conceptual Model

The conceptual model for the Los Alamos Watershed as provided in the IFGMP is reproduced in Table A-1 (Appendix A) of this document.

## 2.0 SCOPE OF ACTIVITIES

The PME for the Los Alamos Watershed was conducted pursuant to the 2006 IFGMP.

Table 2.0-1 provides the location name, sample collection date, port name, port depth, screened interval, top and bottom screen depths, base flow or water level, and the water-level method for each of the monitored locations. These locations are spatially represented in Figure 2.0-1.

### **3.0 MONITORING RESULTS**

#### **3.1 Methods and Procedures**

All methods and procedures used to perform the field activities associated with the PME are documented in the 2006 IFGMP.

#### **3.2 Field Parameter Results**

Table B-1 (Appendix B) contains the field parameter results for the PME and the previous three PMEs.

#### **3.3 Water-Level Observations**

The periodic monitoring water-level data for this event and the previous three monitoring events are located in Table C-1 (Appendix C). For wells equipped with transducers, the reported water level is the water-level measurement taken earliest on the day of sampling. All manual measurements are reported at the time immediately before sampling. The water-level measurements taken during this periodic monitoring event are shown graphically in Figure 3.3-1.

#### **3.4 Deviations from Planned Scope**

Table 3.4-1 describes the deviations from the planned scope of the PME.

### **4.0 ANALYTICAL DATA RESULTS**

#### **4.1 Methods and Procedures**

All methods and procedures used to perform the analytical activities of the PME are documented in the 2006 IFGMP.

#### **4.2 Analytical Data**

Appendix D presents the analytical data from this PME and from the last three sampling events immediately before the April 2007 sampling event. The regulatory standards to which the results are compared are shown in Table 4.2-1. The analytical laboratory reports (including chains of custody, etc.) can be found in Appendix G.

Appendix D contains all data obtained during the PME (that is, all data that have been independently reviewed for conformance with Laboratory requirements), with the following constraints.

- All data
  - ◆ Data that are R qualified (rejected because of noncompliance regarding quality control [QC] acceptance criteria) during independent validation are considered “not detected” but are reported.
  - ◆ Analytical laboratory QC results, including matrix spike and matrix spike duplicates, are not included in the data set.

- Radionuclides
  - ◆ All low-detection-limit tritium data are reported. Results greater than 3 times the 1 standard deviation total propagated analytical uncertainty (or  $3\sigma$ ) are considered to be detections.
  - ◆ Americium-241 and uranium-235 are reported only by chemical separation alpha spectroscopy. No gamma spectroscopy results are presented for these analytes.
  - ◆ Only cesium-137, cobalt-60, neptunium-237, potassium-40, and sodium-22 are reported (or analyzed) for the gamma spectroscopy suite.
  - ◆ Otherwise, all results without a laboratory qualifier of U or X (abbreviations that indicate the analyte was not detected) are reported at all locations.
- Nonradionuclides
  - ◆ All results, excluding nondetections, are reported. Field duplicates, reanalyses, field blanks, trip blanks, equipment blanks, and different analytical methods are also reported.


The standards applied to all media are listed in Table 4.2-1. Table 4.2-1 indicates the type of standard and the agency that promulgated the standard.

Data for PMRs are evaluated using the following screening process.

- Surface-water and groundwater perchlorate data were compared with the screening level of 4  $\mu\text{g/L}$  established in Section VIII.A.1.a of the Consent Order. Surface-water sample results were compared with all surface-water standards without consideration of the designated use for the particular reach. The New Mexico Water Quality Control Commission (NMWQCC) groundwater standards apply to the dissolved (filtered) portion of specified contaminants; however, the standards for mercury, organic compounds, and nonaqueous phase liquids apply to the total unfiltered concentrations of the contaminants.
- As required by the Consent Order, U.S. Environmental Protection Agency (EPA) Region 6 tap water screening levels are used for constituents having no other regulatory standard and for which toxicological information is published. For these screening levels, the tables indicate a risk type of C (excess cancer risk level of  $10^{-5}$ ) or N (noncancer). The Consent Order specifies screening for excess cancer risk at a risk level of  $10^{-5}$  (rather than  $10^{-6}$  as given in the Region 6 tables). Therefore, the Region 6 values were multiplied by 10 to obtain the  $10^{-5}$  excess cancer risk level.
- The analytical results for radioactivity are compared with the DOE Biota Concentration Guides (BCGs) for surface water and Derived Concentration Guidelines (DCGs) for groundwater.

Tables E-1 through E-11 (Appendix E) show all values for perchlorate, radioactivity, and organic compounds and all values greater than half the lowest applicable standard for metals and general inorganic compounds.

Analytical results are presented graphically in Figure 4.2-1. Figure 4.2-1 contains diagrams displaying a series of select analytes around the circumference and showing the concentration by the length of the radius. An example of a diagram displaying metal concentrations is shown below.



**Figure 4.2-1 Metal concentrations**

The analytes displayed in Figure 4.2-1 were selected from data acquired during the PMEs. Diagrams are shown for both groundwater and surface-water data. The analytes were chosen for display on Figure 4.2 1 because of their geochemical affinities or historical presence in groundwater in this watershed.

Analytes that are not shown on the diagrams were either not detected or were radionuclides. The solid red lines, when shown, depict applicable regulatory standards or screening levels. A break in the diagrams' scale may be shown for certain analytes whose concentrations are considerably greater than other measurements displayed on the figure. Note that some standards or screening levels may exceed the highest concentration displayed and may not appear on the diagram. Standards and screening-level values may be found in Tables E-1 through E-11 in Appendix E.

A summary of the results from comparing the surface-water analytical data with regulatory standards is shown in Tables E-1 through E-5 (Appendix E). Graphical representations of select surface-water analytical results are shown in Figure 4.2-1.

A summary of the results comparing the groundwater analytical data with regulatory standards is shown in Tables E-6 through E-11 (Appendix E). Graphical representations of select groundwater analytical results (section 4.2) are shown in Figure 4.2-1.

Table 4.2-2 gives the number of surface-water and groundwater analytical results (by hydrogeologic zone for a specific analytical suite) that are above a standard or screening level. Multiple detections of a particular constituent at a location are counted as one result. For example, if aluminum is detected above a standard or screening level in both a primary sample and a field duplicate, the detection is counted as one result.

#### 4.2.1 Surface Water (Base Flow)

Two surface-water perchlorate concentrations were above the Consent Order screening level for perchlorate of 4 µg/L. At Pueblo 3 and Pueblo above State Highway 502, the results by the ion chromatography (IC) method were 25.8 µg/L and 5.5 µg/L, respectively. A duplicate IC result at the latter location was a nondetection for perchlorate. However, the results in duplicate samples from these locations using the liquid chromatography/mass spectrometry method (LC/MS) were below 0.12 µg/L. These latter results are similar to prior data. No other general inorganic compound results for this PME exceeded regulatory standards.

One unfiltered mercury result at Pueblo 3 was 123% of the 0.77 µg/L New Mexico wildlife habitat criterion. This is the first mercury detection at this location since the 1990s. Otherwise, no metals were found in surface-water samples at concentrations above either New Mexico human health criteria or the New Mexico aquatic life chronic standards applicable in these ephemeral reaches.

Bis(2-ethylhexyl)phthalate was detected at Los Alamos Canyon near Otowi Bridge at a concentration just above the detection limit, at about 10% of the New Mexico human health criterion of 22 µg/L.

No radioactivity results were measured above standards or screening levels. Radium-226 was detected at three locations. Strontium-90 and plutonium-239/240 were detected at two locations. These latter results agree with earlier data. Tritium results for five surface-water locations ranged from 2.5 to 74 pCi/L, similar to earlier results.

#### 4.2.2 Groundwater

The perchlorate concentrations measured in duplicate samples at alluvial well APCO-1 were above the Consent Order screening level for perchlorate of 4 µg/L but below the EPA drinking water equivalent level of 24.5 µg/L. The results by the IC method were 4.4 µg/L and 8.3 µg/L. However, the companion results in duplicate samples from these locations using the LC/MS method were nondetections. These latter results agree with prior data at this well. Results for other alluvial locations in Pueblo and Guaje Canyons were below 0.52 µg/L. The perchlorate concentrations measured in alluvial samples in Los Alamos Canyon were below 1 µg/L, except for a concentration of 8.5 µg/L at LAO-0.6. The perchlorate concentration from one prior sample at this location was nondetect, so this is the first result above the Consent Order screening level at LAO-0.6.

Concentrations in Los Alamos Canyon intermediate groundwater were above the Consent Order screening level for perchlorate of 4 µg/L at R-6i, LAOI-3.2, and LAOI-3.2a. In Pueblo Canyon, the perchlorate concentration was 2.6 µg/L at R-3i. In Los Alamos Canyon at R-9, the perchlorate concentration was 0.9 µg/L. Regional groundwater perchlorate concentrations in Pueblo Canyon were at their highest value of 2.6 µg/L at R-4. At each location, these values are consistent with prior results.

The chloride and total dissolved solids (TDS) concentrations in alluvial well LAUZ-1 were 202% and 116% of the NMWQCC groundwater standards (applicable to domestic water supply) of 250 mg/L and 1000 mg/L, respectively. Chloride concentrations at alluvial locations PAO-2 and DP Spring were 54% and 70% of the standard, respectively. The three chloride concentrations are the highest measured to date at each location.

The nitrate (as nitrogen) value at POI-4 was 75% of the NMWQCC groundwater standard of 10 mg/L, the highest value to date. The data indicate an upward trend at this well during its history. At alluvial well LLAO-1b and intermediate Basalt Spring (both on San Ildefonso Pueblo), the nitrate concentrations were 134% and 69% of the standard; the LLAO-1b value is the highest to date. The fluoride values in R-5

(intermediate at 384 ft) and Los Alamos Spring are 66% and 56% of the NMWQCC groundwater standard of 1.6 mg/L and are consistent with prior data.

The duplicate filtered iron and manganese results at alluvial well APCO-1 were up to 1.4 times and 28 times the respective NMWQCC groundwater standards (applicable domestic water supply) of 1000 µg/L and 200 µg/L. These results are among the higher values observed in the well but are not the highest. The filtered arsenic result of 5.1 µg/L is just over 50% of the EPA maximum contaminant level (MCL) for drinking water of 10 µg/L but 5% of the NMWQCC groundwater standard of 100 µg/L; this result is similar to earlier samples.

Several organic compounds were found in groundwater and QC samples, but none were at concentrations above standards or screening levels. The first detection of butanone[2-] (1.76 µg/L) in Los Alamos Canyon DP Spring is close to a method detection limit (MDL) of 1.25 µg/L. The concentration is less than 1% of the noncancer risk EPA tap screening level of 7065 µg/L for this compound. Butanone[2-] was not detected in the companion field trip blank or in eight prior samples collected since 1997.

The organic compound BHC[delta-] (0.411 µg/L) was detected for the first time at Los Alamos Canyon alluvial well LAO-3a. There is no standard for this organic compound. BHC[delta-] was not detected in two prior measurements made since 2004. This compound is an impurity of the pesticide Lindane, which was not detected in the sample.

Chloroform was detected in Los Alamos Canyon intermediate well LAOI-3.2a in the fourth consecutive sample since July 2006. The concentration (0.279 µg/L and MDL 0.25 µg/L) was less than 1% of the EPA MCL of 80 µg/L. Chloroform was not detected in the companion field trip blank.

Toluene (41.1 µg/L, MDL 0.25 µg/L) at intermediate well LAOI-7 was detected at 5% of the NMWQCC groundwater standard of 750 µg/L. Toluene has been detected in the last five sample rounds since May 2006, and the levels are decreasing from a high of 112 µg/L in August 2006.

Dioxane[1,4-] (1.13 µg/L, J-qualifier) in Los Alamos Canyon intermediate well R-6i was detected at 1.8% of the EPA Region 6  $10^{-5}$  excess cancer risk tap water screening level of 61 µg/L. This value is less than the prior result (2.66 µg/L, J-qualifier) in July 2006. Dioxane[1,4-] has only been measured twice with the more sensitive semivolatiles organic analyte (SVOA) method, and detected both times.

The results for uranium in R-3i at 29% of the NMWQCC groundwater standard of 30 µg/L are consistent with earlier measurements. Tritium activities at three intermediate wells (R-6i, LAOI-7, and LAOI-3.2a) are consistent with earlier measurements and range from 5% to 21% of the EPA MCL for drinking water. The fourth tritium result (2990 pCi/L) from upper Los Alamos Canyon intermediate well LAOI-3.2 is the highest to date and at 15% of the EPA MCL for drinking water of 20,000 pCi/L. This result is over three times as large as the three earlier measurement values, which were between 754 and 888 pCi/L.

Low-detection-limit tritium activities in alluvial groundwater wells ranged up to 85 pCi/L in Pueblo Canyon and 135 pCi/L in Los Alamos Canyon. The result in intermediate well POI-4 was 18 pCi/L and the regional aquifer results from R-6 and R-7 were both nondetections.

#### 4.3 Sampling Program Modifications

No modifications to the periodic monitoring sampling for the Los Alamos Watershed are proposed at this time.



## **5.0 INVESTIGATION-DERIVED WASTE**

Appendix F discusses the management of wastes produced during this PME and contains the waste management records for waste streams generated during the sampling events.

## **6.0 SUMMARY AND INTERPRETATIONS**

### **6.1 Monitoring Results**

An evaluation of the field parameter monitoring results presented in Table B-1 (Appendix B) and subsequent monitoring events will be provided in the annual update to the IFGMP.

### **6.2 Analytical Results**

#### **6.2.1 Surface Water (Base Flow)**

The types of contaminants detected and their concentrations during this PME are consistent between events and also with prior data.

Overall, three surface-water samples collected during this PME from Los Alamos Canyons exceeded regulatory standards or screening levels.

#### **6.2.2 Groundwater**

The types of contaminants detected during this PME and their concentrations are consistent with data from previous sampling events.

Overall, 10 groundwater samples, which were collected during this PME from Los Alamos Canyon, exceeded regulatory standards or screening levels.

### **6.3 Data Gaps**

A summary of the field parameter gaps encountered during the PMEs may be found in Table 3.4-1. The table provides detailed accounts of sampling event deviations.

## **7.0 REFERENCES**

*The following list includes all documents cited in this report. Parenthetical information following each reference provides the author(s), publication date, and ER ID number. This information is also included in text citations. ER ID numbers are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the ENV-ERS Program master reference set.*

*Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau; the U.S. Department of Energy–Los Alamos Site Office; the U.S. Environmental Protection Agency, Region VI; and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.*

LANL (Los Alamos National Laboratory), July 2006. "Interim Facility-Wide Groundwater Monitoring Plan, Revision 1.1," Los Alamos National Laboratory document LA-UR-06-4975, Los Alamos, New Mexico. (LANL 2006, 094043)




Figure 2.0-1 Watershed map with monitored locations






Figure 3.3-1 Alluvial groundwater-level measurements










Figure 4.2-1 Analytical results



**Table 2.0-1  
Monitoring Locations and General Information**

Location	Sample Collection Date	Port Name	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Instantaneous Stream Flow (ft <sup>3</sup> /s)	Water Level (ft above msl) <sup>a</sup>	Water-Level Method
Base Flow									
Acid above Pueblo	18-Apr-07	n/a <sup>b</sup>	n/a	n/a	n/a	n/a	0.017	n/a	n/a
DP above TA-21	11-Apr-07	n/a	n/a	n/a	n/a	n/a	Dry <sup>c</sup>	n/a	n/a
DP below Meadow at TA-21	17-Apr-07	n/a	n/a	n/a	n/a	n/a	0.01	n/a	n/a
Guaje above Rendija	20-Apr-07	n/a	n/a	n/a	n/a	n/a	2.3	n/a	n/a
Pueblo 3	20-Apr-07	n/a	n/a	n/a	n/a	n/a	1.2	n/a	n/a
Pueblo above Acid	18-Apr-07	n/a	n/a	n/a	n/a	n/a	0.83	n/a	n/a
Pueblo above State Highway 502	11-Apr-07	n/a	n/a	n/a	n/a	n/a	0.90	n/a	n/a
Los Alamos above DP Canyon	17-Apr-07	n/a	n/a	n/a	n/a	n/a	1.00	n/a	n/a
Los Alamos above State Highway 4	12-Apr-07	n/a	n/a	n/a	n/a	n/a	1.31	n/a	n/a
Los Alamos below Ice Rink	16-Apr-07	n/a	n/a	n/a	n/a	n/a	1.32	n/a	n/a
Los Alamos below LA Weir	12-Apr-07	n/a	n/a	n/a	n/a	n/a	0.65	n/a	n/a
Los Alamos Canyon near Otowi Bridge	10-Apr-07	n/a	n/a	n/a	n/a	n/a	1.17	n/a	n/a
Springs									
Basalt Spring	26-Apr-07	n/a	n/a	n/a	n/a	n/a	~0.0012	n/a	n/a
DP Spring	18-Apr-07	n/a	n/a	n/a	n/a	n/a	~0.029	n/a	n/a
GU-0.01 Spring	26-Apr-07	n/a	n/a	n/a	n/a	n/a	~0.004	n/a	n/a
Los Alamos Spring	26-Apr-07	n/a	n/a	n/a	n/a	n/a	~0.0006	n/a	n/a

Table 2.0-1 (continued)

Location	Sample Collection Date	Port Name	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Instantaneous Stream Flow (ft <sup>3</sup> /s)	Water Level (ft above ms) <sup>a</sup>	Water-Level Method
Alluvial									
APCO-1	25-Apr-07	Single	4.7	10	4.7	14.7	n/a	6361.94	Manual
LADP-3	26-Apr-07	Single	316	9	316	325	n/a	6436.45	Transducer
LAO-0.3	13-Apr-07	Single	5.9	5	5.9	10.9	n/a	6962.9	Transducer
LAO-0.6	10-Apr-07	Single	8	5	8	13	n/a	6906.31	Transducer
LAO-1	11-Apr-07	Single	8	20	8	28	n/a	6831.61	Transducer
LAO-1.6g	10-Apr-07	Single	10.47	15	10.47	25.47	n/a	6652.83	Transducer
LAO-1.8	12-Apr-07	Single	8	10	8	18	n/a	6666.17	Transducer
LAO-2	18-Apr-07	Single	7	25	7	32	n/a	6582.89	Transducer
LAO-3a	12-Apr-07	Single	4.7	10	4.7	14.7	n/a	6573.89	Manual
LAO-4.5c	12-Apr-07	Single	13.3	10	13.3	23.3	n/a	6451.75	Manual
LAO-5	16-Apr-07	Single	5	20	5	25	n/a	6388.45	Manual
LAO-6	n/a	Single	6	10	6	16	n/a	Dry	n/a
LAO-6a	18-Apr-07	Single	4.2	10	4.2	14.2	n/a	6386.12	Transducer
LAO-B	9-Apr-07	Single	11.84	15	11.84	26.84	n/a	7316.53	Transducer
LAUZ-1	17-Apr-07	Single	5.35	5	5.35	10.35	n/a	7029.98	Transducer
LLAO-1b	24-Apr-07	Single	11.32	10	11.32	21.32	n/a	5839.53	Transducer
LLAO-4	24-Apr-07	Single	5.24	10	5.24	15.24	n/a	5513.01	Transducer
PAO-1	23-Apr-07	Single	5.89	5	5.89	10.89	n/a	6949.35	Transducer
PAO-2	23-Apr-07	Single	6.06	5	6.06	11.06	n/a	6922.67	Transducer
PAO-3	n/a	Single	5.62	5	5.62	10.62	n/a	Dry	n/a
PAO-4	19-Apr-07	Single	1.97	5	1.97	6.97	n/a	6434.74	Transducer
Intermediate									
LAOI(a)-1.1	25-Apr-07	Single	295.2	9.8	295.2	305	n/a	6543.96	Transducer
LAOI-3.2	19-Apr-07	Single	153.3	9.5	153.3	162.8	n/a	6489.7	Transducer
LAOI-3.2a	25-Apr-07	Single	181.4	9.6	181.4	191	n/a	6439.32	Manual



Table 2.0-1 (continued)

Location	Sample Collection Date	Port Name	Port Depth (ft)	Screened Interval (ft)	Top Screen Depth (ft)	Bottom Screen Depth (ft)	Instantaneous Stream Flow (ft <sup>3</sup> /s)	Water Level (ft above msl) <sup>a</sup>	Water-Level Method
LAOI-7	18-Apr-07	Single	240	19.6	240	259.6	n/a	6234.08	Manual
POI-4	25-Apr-07	Single	159	15	159	174	n/a	6212.34	Manual
R-3i	9-Apr-07	Single	215.2	6.8	215.2	222	n/a	6197.21	Manual
R-5	17-Apr-07	MP1A	329.5	5.1	326.4	331.5	n/a	Dry	n/a
R-5	17-Apr-07	MP2A	383.9	16	372.8	388.8	n/a	6134.87	Transducer
R-6i	12-Apr-07	Single	602	10	602	612	n/a	6403.63	Manual
R-7	13-Apr-07	MP1A	378	16	363.2	379.2	n/a	Dry	n/a
R-7	13-Apr-07	MP2A	744.8	16	730.4	746.4	n/a	Dry	n/a
R-9i	9-Apr-07	MP1A	198.8	10.4	189.1	199.5	n/a	6245.04	Transducer
R-9i	9-Apr-07	MP2A	278.8	10.7	269.6	280.3	n/a	6127.73	Transducer
Regional									
R-2	17-Apr-07	Single	918	23.12	906.45	929.57	n/a	5871.25	Manual
R-24	16-Apr-07	Single	825	23	825	848	n/a	5832.94	Manual
R-4	17-Apr-07	Single	792.9	23.1	792.9	816	n/a	5833.58	Manual
R-5	18-Apr-07	MP3B	695.1	43.4	676.9	720.3	n/a	5766.85	Transducer
R-5	17-Apr-07	MP4A	860.9	5	858.7	863.7	n/a	5744.67	Transducer
R-6	12-Apr-07	Single	1205	23	1205	1228	n/a	5839.75	Manual
R-7	13-Apr-07	MP3A	915.1	41.9	895.5	937.4	n/a	5877.67	Transducer
R-8	10-Apr-07	MP1A	711.1	50.39	705.31	755.7	n/a	5853.97	Transducer
R-8	10-Apr-07	MP2A	825	7	821	828	n/a	5835.24	Transducer
R-9	10-Apr-07	Single	684	65.5	683	748.5	n/a	5692.612	Manual

<sup>a</sup> msl = Mean sea level.<sup>b</sup> n/a = Not applicable.<sup>c</sup> See Table 3.4-1 for explanation.

**Table 3.4-1  
Observations and Deviations**

Location	Deviation	Cause	Comment
DP above TA-21	No data are included in this report for this location.	The location was not sampled on 04/01/07 because it was dry.	Location will be checked again during next scheduled sampling round.
R-5 Screen 1	No data are included in this report for this location.	The location was not sampled on 04/17/07 because it was dry.	Location will be checked again during next scheduled sampling round.
R-7 Screens 1&2	No data are included in this report for these well screens.	The well screens were not sampled on 04/13/07 because they were dry.	Screens will be sampled when sufficient water is present in a future sampling round.

**Table 4.2-1  
Cleanup Standards, Risk-Based Screening Levels, and Risk-Based Cleanup Levels  
for Groundwater and Surface Water at Los Alamos National Laboratory**

Standard Type	Groundwater	Surface Water
BCG	n/a <sup>a</sup>	x <sup>b</sup>
DOE 100 mrem Public Dose DCG	x	n/a
DOE 4 mrem Drinking Water DCG	x	n/a
MCL	x	n/a
EPA Region 6 Tap Water Screening Level	x	n/a
New Mexico Environmental Improvement Board Radiation Protection Standards	x	x
NMWQCC Fisheries Standards Chronic	n/a	x
NMWQCC Fisheries Standards Chronic, Hardness = 100 mg/L	n/a	x
NMWQCC Groundwater Standard	x	n/a
NMWQCC Livestock Watering Standard	n/a	x
NMWQCC Wildlife Habitat Standard	n/a	x
NMWQCC Human Health Standard Ephemeral	n/a	x
NMWQCC Human Health Standard Perennial	n/a	x

<sup>a</sup> n/a = Not applicable.

<sup>b</sup> x = Standard applied to data screen for this report.

**Table 4.2-2  
Number of Results above Standards or Screening Levels for Groundwater and Surface Water**

Sample Origin	Metals	General Inorganic	Organic	Radioactivity
Surface Water	1	2	0	0
Alluvial Groundwater	2	5	0	0
Intermediate Groundwater	0	3	0	0
Regional Groundwater	0	0	0	0

Note: Multiple detections of a particular constituent at a location are counted as one result.

# **Appendix A**

---

*Los Alamos Watershed Conceptual Model*



This appendix contains the conceptual model as described in Table A-3 of the “2006 Interim Facility-Wide Groundwater Monitoring Plan, Revision 1.1” (LANL 2006, 094043).

**Los Alamos Watershed Conceptual Model**

Conceptual Model Element	Characteristic	Upper Los Alamos Canyon (including DP Canyon)	Pueblo Canyon (including Acid Canyon)	Lower Los Alamos Canyon
Surface Water	Flow	<p>Perennial flow originates from springs and interflow through hillslope soils in the upper watershed. The downcanyon extent of perennial flow is variable but generally terminates in the upper portions of Los Alamos Canyon, west of Technical Area (TA) 41. The magnitude of snowmelt runoff is the predominant factor affecting the duration and extent of surface-water flow. The remainder of upper Los Alamos Canyon down to its confluence with Pueblo Canyon has intermittent surface-water flow. Segments that have persistent flow for most of the year or during periods of extended snowmelt runoff sometimes exhibit interrupted flow.</p> <p>Delta Prime (DP) Canyon is ephemeral, although some persistent surface water is sometimes observed in small, shallow bedrock pools, generally less than a few meters across, which are filled by runoff originating in the southeastern portion of the Los Alamos townsite. Flow sometimes exists for very short distances in Reach DP-2 because of discharge of groundwater stored within alluvium and immediately above in Reach DP-4, where groundwater discharges at DP Spring.</p>	<p>Surface-water flow in upper Pueblo and Acid Canyons is generally ephemeral, with runoff events caused by summer storms. Locally persistent surface-water flow in the upper canyon is associated with townsite runoff and snowmelt runoff. Gage data (E055) are available for 2002 and 2003, showing that surface water rarely flows through the length of upper Pueblo Canyon; only 14 d of this flow occurred in 2002.</p> <p>In the south fork of Acid Canyon, the channel is bedrock dominated, and stormwater runoff and periodic releases of water from the Walkup Aquatic Center result in small pools of water that persist for several weeks or even months in narrow and confined and/or shaded canyon areas.</p> <p>In lower Pueblo Canyon, effluent-dependent flow is present for about 3 km from the discharge from the Los Alamos County WWTP.</p>	<p>Surface-water flow in lower Los Alamos Canyon is from Basalt Spring and a lesser amount is from Los Alamos Spring. The flow from Basalt Spring and the downcanyon extent of surface-water flow depend on the amount of water that is discharged from the wastewater treatment plant (WWTP). At times of high discharge, flow can be continuous for approximately 7.5 km to the confluence with the Rio Grande. During periods of low discharge, flow may only extend from 1 to 3 km.</p> <p>Within approximately 1–2 km of the confluence with the Rio Grande, surface-water flow is common and believed to be related to discharge of deep groundwater to the surface</p>

Conceptual Model Element	Characteristic	Upper Los Alamos Canyon (including DP Canyon)	Pueblo Canyon (including Acid Canyon)	Lower Los Alamos Canyon
	Quality	<p>Key contaminants in upper Los Alamos Canyon surface water include nitrate, polycyclic aromatic hydrocarbons (PAHs), strontium-90, and plutonium-239/240. The plutonium-239 is related to outfalls (likely Hillsides 137 and 138) in former TA-01. Strontium-90 originated from the outfall at TA-21, which ceased operation in 1986. PAHs may come from automobile exhaust and other urban combustion sources.</p> <p>The key contaminant in DP Canyon surface water and springs includes strontium-90. The radionuclides are contaminants only for the unfiltered samples, indicating the potential that the detections are related to the presence of suspended sediment in the samples. DP Spring consistently shows elevated strontium-90 concentrations related to surface water and alluvial groundwater discharge from Reach DP-2 where strontium-90 is present throughout the sediment due to historical releases from SWMU 21-011(k).</p>	<p>Key contaminants in Acid Canyon surface water include PAHs (e.g., benzoapyrene and dibenzahanthracene) and radionuclides (plutonium-239/240 and strontium-90). The PAHs are believed to be associated with runoff from developed areas within the Los Alamos townsite. The radionuclides were detected in bedrock pools in the south fork of Acid Canyon and are consistent with contaminants found in sediment within the canyon from historical releases from TA-45. The radionuclide contamination generally does not extend beyond the Acid/Pueblo Canyon confluence in detectable concentrations, except for plutonium-239/240 in unfiltered samples. Surface water in Pueblo Canyon above the confluence with Acid Canyon also has PAHs that have a source in townsite runoff. Surface water in Pueblo Canyon below the confluence with Acid Canyon shows organic contaminants (PAHs) that are likely from townsite, national forest, or Cerro Grande fire sources. Radionuclides include plutonium-239/240.</p>	<p>Key contaminants in surface water and springs in lower Los Alamos Canyon include the PAH (benzokfluoranthene) and strontium-90 only from unfiltered surface water. Strontium-90 could be either from Los Alamos Canyon or Pueblo Canyon, but based on estimated inventories of strontium-90, it is most likely associated with Los Alamos Canyon, specifically solid waste management unit (SWMU) 21-011(k).</p>
Springs	Flow	<p>Discharge at DP Spring is highly variable, generally ranging from 0 to less than 1 gal./min and has been observed to respond rapidly to stormwater runoff from upper DP Canyon. Surface-water flow generally extends for less than 50 ft downcanyon from the point where spring flow joins the stream channel.</p>	<p>There are no springs in Pueblo Canyon.</p>	<p>Basalt Spring is recharged by water from the WWTP in Pueblo Canyon. It has variable estimated discharge rates ranging from 1 to 10 gal./min.</p> <p>Los Alamos Spring discharges along the south slope of the canyon, approximately 300 m downstream of Basalt Spring.</p>

Conceptual Model Element	Characteristic	Upper Los Alamos Canyon (including DP Canyon)	Pueblo Canyon (including Acid Canyon)	Lower Los Alamos Canyon
	Quality	Strontium-90 and gross beta are present above applicable standards.	There are no springs in Pueblo Canyon.	Nitrate is occasionally present above regulatory standards.
Alluvial Groundwater	Extent/Hydrology	<p>In DP Canyon, two separate alluvial saturated zones exist: one in Reach DP-2 and the other in Reach DP-4. In general, groundwater-level variations in DP Canyon are directly related to runoff generated in the Los Alamos townsite throughout the year. Alluvial groundwater monitoring wells in Reach DP-2 consistently show some amount of saturation. The second saturated zone is separated from Reach DP-2 by a bedrock-dominated portion of the canyon. Intermittent flow from DP Spring recharges the alluvium in Reach DP-4. This alluvial groundwater is a component of the groundwater observed in well LAO-2 at the confluence of DP and Los Alamos Canyons. Contaminants unique to the portion of upper Los Alamos Canyon above the confluence with DP Canyon (e.g., molybdenum) are detected in LAO-2, indicating that mixing of groundwater from distinct sources occurs in this area.</p>	<p>Alluvial groundwater occurs in two distinct modes. Wells located upcanyon of the WWTP show groundwater-level variations closely tied to precipitation and associated flood events and to winter and spring snowmelt. The extent of saturation is seasonally variable but often extends downcanyon to the portion of the canyon where effluent from the Bayo WWTP is discharged into the canyon. Below the WWTP, saturated conditions occur year-round, but the degree of saturation is variable because of changes in runoff and the volume of effluent released throughout the year. The variation in water-level elevations downcanyon of the WWTP is controlled primarily by seasonal routing of effluent for uses such as irrigation for the municipal golf course.</p>	<p>Groundwater saturation in most of lower Los Alamos Canyon down to the area around LLAO-4 is related to infiltration of surface water discharged from Basalt Spring, which is hydrologically linked to surface water discharged from the Bayo WWTP to Pueblo Canyon (LANL 1995, 050290). Groundwater levels in the upper portion of lower Los Alamos Canyon are highly variable and are related to seasonal variations in discharge rates from the WWTP and to floods from upper Los Alamos and Pueblo Canyons. In the lowermost portion of lower Los Alamos Canyon, the water-level record from LLAO-5 shows relatively constant saturation, with much less variability than is exhibited in the upper portions of lower Los Alamos Canyon. The geochemistry of groundwater from LLAO-5 indicates that alluvial groundwater in the lowermost portion of the watershed represents mixing of waters from Los Alamos Canyon and regional groundwater discharging to the Rio Grande.</p>

Conceptual Model Element	Characteristic	Upper Los Alamos Canyon (including DP Canyon)	Pueblo Canyon (including Acid Canyon)	Lower Los Alamos Canyon
	Quality	<p>Key contaminants in alluvial groundwater above the confluence with DP Canyon include molybdenum, gross beta, and strontium-90. Molybdenum is related to discharge from National Pollutant Discharge Elimination System-permitted outfalls from TA-53 where sodium molybdate was used as a water treatment chemical in cooling towers (LANL 2002, 093580). The use of molybdate has been discontinued. The strontium-90 is related to contamination in a septic leach field east of the Omega West Reactor at TA-02.</p> <p>Below the confluence with DP Canyon, the contaminants include strontium-90. Concentrations of strontium-90 in Los Alamos Canyon initially increase below the confluence with DP Canyon, indicating that in DP Canyon SWMU 21-011(k) is a more significant source of strontium-90 than is TA-02.</p> <p>Key alluvial groundwater contaminants in DP Canyon include strontium-90 from SWMU 21-011(k). Strontium-90 has been present in DP Canyon alluvial groundwater for years, and concentrations do not show significant decline.</p>	<p>The key contaminants in Pueblo Canyon alluvial groundwater include nitrate from the WWTP.</p>	<p>No contaminants exceed regulatory standards.</p>



Conceptual Model Element	Characteristic	Upper Los Alamos Canyon (including DP Canyon)	Pueblo Canyon (including Acid Canyon)	Lower Los Alamos Canyon
	Extent/Hydrology	Intermediate depth perched groundwater beneath Los Alamos Canyon has variable depth and lithology of the saturated zones. Intermediate depth groundwater was encountered near the top of the Puye Formation (below the Guaje Pumice Bed) at approximately 680 ft below ground surface (bgs) in R-7 in the Guaje Pumice Bed, at 325 ft in LADP-3 and at 295 ft in LAOI(A)-1.1. Deeper saturation was also encountered at about 317 ft in the Puye Formation in borehole LAOI(A)-1.1 within the Guaje Pumice Bed. Intermediate depth perched groundwater was also encountered during drilling of supply well O-4 near the confluence with DP Canyon (Stoker et al. 1992, 058718). Zones of intermediate depth perched groundwater occur within Cerros del Rio Basalts at approximately 179 ft and 264 ft at well R-9i in the lower portion of upper Los Alamos Canyon.	Intermediate depth groundwater occurs beneath Pueblo Canyon. At Test Well 2A, in the middle portion of Pueblo Canyon, the perched groundwater occurs within the Puye Formation at a depth of approximately 120 ft bgs. In lower Pueblo Canyon, TW-1A and POI-4 perched groundwater was encountered within Cerros del Rio basalts at a depth of about 188 ft bgs. This intermediate perched zone may be one source of water contributing to the flow from Basalt Spring in Los Alamos Canyon.	No information
Intermediate Groundwater	Quality	No contaminants exceed regulatory standards.	No contaminants exceed regulatory standards.	No information
	Depth/Hydrology	Depth to the regional aquifer in upper Los Alamos Canyon is about 900 ft bgs in the Puye Formation at R-7 in the upper portion of the canyon and 688 ft bgs in Santa Fe Group basalts at R-9 in the lower portion of upper Los Alamos Canyon (Broxton et al. 2001, 071250; Stone et al. 2002, 072717).	Depth to the regional aquifer is known from several locations in Pueblo Canyon and ranges from approximately 890 ft bgs at R-2 in upper Pueblo Canyon to approximately 650 ft bgs at TW-1 in lower Pueblo Canyon. Historical data indicate that recharge pathways between alluvial groundwater and deeper zones of saturation exist beneath Pueblo Canyon. A discussion of the data is presented below.	Discussions of regional groundwater beneath lower Los Alamos Canyon are presented in a section of the monitoring plan that addresses San Ildefonso Pueblo and White Rock Canyon.

Conceptual Model Element	Characteristic	Upper Los Alamos Canyon (including DP Canyon)	Pueblo Canyon (including Acid Canyon)	Lower Los Alamos Canyon
Regional Aquifer	Quality	No contaminants exceed regulatory standards.	No contaminants exceed regulatory standards.	See above.
	Potential Sources	TA-01, -02, -41, and -21	TA-00, -01 and -45	See above.
Contaminants	Type	<p>TA-01 Hillside 137, 138, and 140 received discharges from septic tank outfalls from 1943 to the late 1950s. Radionuclides are the primary contaminants at these hillside sites, although some metals contamination is also present.</p> <p>TA-02 housed a series of research nuclear reactors, including the Omega West Reactor, which was a source of tritium releases into alluvial groundwater. Other SWMUs at TA-02 include leach fields for water boiler reactors. Cesium-137 and strontium-90 are the primary contaminants associated with the leach fields; strontium-90 has historically been detected in alluvial groundwater-monitoring wells downcanyon of the site.</p> <p>TA-41 was used for weapons development and long-term studies of weapon subsystems. The primary contaminant sources are a septic system and a sewage treatment plant. Initial data from these SWMUs indicate radionuclides at levels above background values, but characterization of TA-41 is incomplete.</p>	No information	No information

Conceptual Model Element	Characteristic	Upper Los Alamos Canyon (including DP Canyon)	Pueblo Canyon (including Acid Canyon)	Lower Los Alamos Canyon
Contaminants (continued)		<p>TA-21 was the site of a plutonium processing plant and polonium and tritium research laboratories. Outfalls were the primary source of radionuclide contaminants in DP and upper Los Alamos Canyons. Radionuclides, particularly cesium-137 and strontium-90, are the primary contaminants discharged from this outfall.</p> <p>TA-53 includes a proton accelerator and associated experimental and support buildings used for research with subatomic particles; it is the current site of the Los Alamos Neutron Science Center (LANL 1994, 034756). The accelerator became fully operational in 1974. Occasional releases occurred from three surface impoundments at the east end of TA-53, referred to as Consolidated Unit 53-002(a)-99. These releases have contributed contamination to an unnamed tributary drainage to Los Alamos Canyon. The impoundments received sanitary, radioactive, and industrial wastewater from various TA-53 buildings as well as septic tank sludge from other Los Alamos National Laboratory buildings. The northern impoundments were active from the early 1970s to 1993. The southern impoundment was active from 1985 to 1998. Inorganic chemicals, organic chemicals, and radionuclide contaminants have been identified at the impoundments and in the drainage (LANL 1998, 058841).</p>		

Conceptual Model Element	Characteristic	Upper Los Alamos Canyon (including DP Canyon)	Pueblo Canyon (including Acid Canyon)	Lower Los Alamos Canyon
		<p>SWMU 21-018(a), Material Disposal Area (MDA) V, received liquid waste effluent from laundry operations and includes three absorption beds on the south side of DP Mesa that sometimes overflowed into Los Alamos Canyon (LANL 1991, 007529; LANL 1996, 054969). Sediment sampling in 1946 documented that plutonium from this source was entering the main channel in Los Alamos Canyon (Kingsley 1947, 004186). Additional outfalls that discharged off the south rim of DP Mesa include those from SWMUs 21-023(c), 21-024(b), 21-024(c), 21-024(i), and 21-027(a) (LANL 1991, 007529; LANL 1995, 052350).</p> <p>SWMU 21-029, the DP Tank Farm, was a fuel distribution station with aboveground and underground fuel tanks from 1946 to 1985. Diesel range organic and gasoline range organic hydrocarbon contamination were identified at two areas of bedrock seeps in the DP Canyon channel and observed to periodically form a sheen in surface water adjacent to the site. (LANL 1996, 052270; LANL 2001, 071303; LANL 2001, 073436).</p> <p>The other MDAs at TA-21 are not considered to contribute important releases into the canyons.</p>		

## A.1-0 REFERENCES

*The following list includes all documents cited in this appendix. Parenthetical information following each reference provides the author(s), publication date, and ER ID number. This information is also included in text citations. ER ID numbers are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the master reference set.*

*Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau; the U.S. Department of Energy—Los Alamos Site Office; the U.S. Environmental Protection Agency, Region 6; and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.*

- Broxton, D., R. Gilkeson, P. Longmire, J. Marin, R. Warren, D. Vaniman, A. Crowder, B. Newman, B. Lowry, D. Rogers, W. Stone, S. McLin, G. WoldeGabriel, D. Daymon, and D. Wycoff, May 2001. "Characterization Well R-9 Completion Report," Los Alamos National Laboratory report LA-13742-MS, Los Alamos, New Mexico. (Broxton et al. 2001, 071250)
- Kingsley, W.H., February 20, 1947. "Survey of Los Alamos and Pueblo Canyon for Radioactive Contamination and Radioassay Test Run on Sewer-Water Samples and Water and Soil Samples Taken from Los Alamos and Pueblo Canyons," Los Alamos Scientific Laboratory report LAMS-516, Los Alamos, New Mexico. (Kingsley 1947, 004186)
- LANL (Los Alamos National Laboratory), May 1991. "TA-21 Operable Unit RFI Work Plan for Environmental Restoration," Vol. II (Chapters 14 to 16), Los Alamos National Laboratory document LA-UR-91-962, Los Alamos, New Mexico. (LANL 1991, 007529)
- LANL (Los Alamos National Laboratory), May 1994. "RFI Work Plan for Operable Unit 1100," Los Alamos National Laboratory document LA-UR-94-1097, Los Alamos, New Mexico. (LANL 1994, 034756)
- LANL (Los Alamos National Laboratory), November 1995. "Task/Site Work Plan for Operable Unit 1049, Los Alamos Canyon and Pueblo Canyon," Los Alamos National Laboratory document LA-UR-95-2053, Los Alamos, New Mexico. (LANL 1995, 050290)
- LANL (Los Alamos National Laboratory), January 1995. "Phase Report Addendum 1B and 1C Operable Unit 1106 RCRA Facility Investigation," Los Alamos National Laboratory document LA-UR-94-4360, Los Alamos, New Mexico. (LANL 1995, 052350)
- LANL (Los Alamos National Laboratory), August 1996. "RFI Report for Potential Release Sites in TA-21, 21-018(a), Material Disposal Area V (Located in Former Operable Unit 1106) Field Unit 1," Los Alamos National Laboratory document LA-UR-96-2735, Los Alamos, New Mexico. (LANL 1996, 054969)
- LANL (Los Alamos National Laboratory), January 1996. "RFI Report for Potential Release Site 21-029," Los Alamos National Laboratory document LA-UR-95-3693, Los Alamos, New Mexico. (LANL 1996, 052270)
- LANL (Los Alamos National Laboratory), June 1998. "RFI Work Plan and SAP for Potential Release Sites 53-002(a), 53-002(b), and Associated Piping and Drainages at TA-53," Los Alamos National Laboratory document LA-UR-98-2547, Los Alamos, New Mexico. (LANL 1998, 058841)

LANL (Los Alamos National Laboratory), September 2001. "Phase II RFI Report for Potential Release Site 21-029, DP Tank Farm," Los Alamos National Laboratory document LA-UR-01-5254, Los Alamos, New Mexico. (LANL 2001, 071303)

LANL (Los Alamos National Laboratory), December 13, 2001. "Response to Request for Supplemental Information for the Phase II RFI Report for Potential Release Site 21-029, DP Tank Farm," Los Alamos National Laboratory document LA-UR-01-6737, Los Alamos, New Mexico. (LANL 2001, 073436)

LANL (Los Alamos National Laboratory), September 2002. "Environmental Surveillance at Los Alamos During 2001," Los Alamos National Laboratory report LA-13979-ENV, Los Alamos, New Mexico. (LANL 2002, 093580)

LANL (Los Alamos National Laboratory), July 2006. "Interim Facility-Wide Groundwater Monitoring Plan, Revision 1.1," Los Alamos National Laboratory document LA-UR-06-4975, Los Alamos, New Mexico. (LANL 2006, 094043)

Stoker, A.K., S.G. McLin, W.D. Purtymun, M.N. Maes, and B.G. Hammock, May 1992. "Water Supply at Los Alamos During 1989," Los Alamos National Laboratory report LA-12276-PR, Los Alamos, New Mexico. (Stoker et al. 1992, 058718)

Stone, W., D. Vaniman, P. Longmire, D. Broxton, M. Everett, R. Lawrence, and D. Larssen, April 2002. "Characterization Well R-7 Completion Report," Los Alamos National Laboratory report LA-13932-MS, Los Alamos, New Mexico. (Stone et al. 2002, 072717)

# **Appendix B**

---

## *Field Parameter Results*





**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
APCO-1	5211	4.7	04/25/07	WG	Dissolved Oxygen	1.02	mg/L	FU070400G1PA01
APCO-1	5211	4.7	08/08/06	WG	Dissolved Oxygen	2.4	mg/L	FU060700G1PA01
APCO-1	5211	4.7	05/09/05	WG	Dissolved Oxygen	2.3	mg/L	FU05050G1PA01
APCO-1	5211	4.7	04/25/07	WG	Oxidation Reduction Potential	119	mV	FU070400G1PA01
APCO-1	5211	4.7	08/08/06	WG	Oxidation Reduction Potential	275.1	mV	FU060700G1PA01
APCO-1	5211	4.7	04/25/07	WG	Specific Conductance	665	µS/cm	FU070400G1PA01
APCO-1	5211	4.7	08/08/06	WG	Specific Conductance	472	µS/cm	FU060700G1PA01
APCO-1	5211	4.7	05/09/05	WG	Specific Conductance	668	µS/cm	FU05050G1PA01
APCO-1	5211	4.7	10/06/04	WG	Specific Conductance	545	µS/cm	FU04090G1PA01
APCO-1	5211	4.7	08/08/03	WG	Specific Conductance	546	µS/cm	FU03080G1PA01
APCO-1	5211	4.7	04/25/07	WG	Temperature	7.9	deg C	FU070400G1PA01
APCO-1	5211	4.7	08/08/06	WG	Temperature	16.6	deg C	FU060700G1PA01
APCO-1	5211	4.7	05/09/05	WG	Temperature	10.3	deg C	FU05050G1PA01
APCO-1	5211	4.7	10/06/04	WG	Temperature	13.9	deg C	FU04090G1PA01
APCO-1	5211	4.7	08/08/03	WG	Temperature	17.3	deg C	FU03080G1PA01
APCO-1	5211	4.7	04/25/07	WG	Turbidity	1.07	NTU	FU070400G1PA01
APCO-1	5211	4.7	08/08/06	WG	Turbidity	84.5	NTU	FU060700G1PA01
APCO-1	5211	4.7	05/09/05	WG	Turbidity	3.25	NTU	FU05050G1PA01
APCO-1	5211	4.7	10/06/04	WG	Turbidity	18.5	NTU	FU04090G1PA01
APCO-1	5211	4.7	08/08/03	WG	Turbidity	2.61	NTU	FU03080G1PA01
APCO-1	5211	4.7	04/25/07	WG	pH	6.53	SU	FU070400G1PA01
APCO-1	5211	4.7	08/08/06	WG	pH	7	SU	FU060700G1PA01
APCO-1	5211	4.7	05/09/05	WG	pH	6.98	SU	FU05050G1PA01
APCO-1	5211	4.7	10/06/04	WG	pH	6.87	SU	FU04090G1PA01
APCO-1	5211	4.7	08/08/03	WG	pH	6.5	SU	FU03080G1PA01
Acid above Pueblo	–	–	04/18/07	WS	Dissolved Oxygen	5.5	mg/L	FU070400P05601
Acid above Pueblo	–	–	07/27/06	WS	Dissolved Oxygen	4.36	mg/L	FU060700P05601
Acid above Pueblo	–	–	04/18/07	WS	Instantaneous Stream Flow	0.017	CFS	FU070400P05601
Acid above Pueblo	–	–	04/18/07	WS	Specific Conductance	879	µS/cm	FU070400P05601
Acid above Pueblo	–	–	07/27/06	WS	Specific Conductance	390	µS/cm	FU060700P05601
Acid above Pueblo	–	–	04/18/07	WS	Temperature	8.3	deg C	FU070400P05601
Acid above Pueblo	–	–	07/27/06	WS	Temperature	9.8	deg C	FU060700P05601

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Acid above Pueblo	–	–	04/18/07	WS	Turbidity	1.06	NTU	FU070400P05601
Acid above Pueblo	–	–	07/27/06	WS	Turbidity	12.5	NTU	FU060700P05601
Acid above Pueblo	–	–	04/18/07	WS	pH	6.24	SU	FU070400P05601
Acid above Pueblo	–	–	07/27/06	WS	pH	6.13	SU	FU060700P05601
Basalt Spring	–	–	04/26/07	WG	Dissolved Oxygen	0.79	mg/L	FU070400GGSB01
Basalt Spring	–	–	08/08/06	WG	Dissolved Oxygen	3.26	mg/L	FU060700GGSB01
Basalt Spring	–	–	05/11/05	WG	Dissolved Oxygen		mg/L	FU05050GGSB01
Basalt Spring	–	–	04/26/07	WG	Oxidation Reduction Potential	-46.6	mV	FU070400GGSB01
Basalt Spring	–	–	08/08/06	WG	Oxidation Reduction Potential	19.5	mV	FU060700GGSB01
Basalt Spring	–	–	04/26/07	WG	Specific Conductance	359	µS/cm	FU070400GGSB01
Basalt Spring	–	–	08/08/06	WG	Specific Conductance	481	µS/cm	FU060700GGSB01
Basalt Spring	–	–	05/11/05	WG	Specific Conductance	329	µS/cm	FU05050GGSB01
Basalt Spring	–	–	08/25/04	WG	Specific Conductance	490	µS/cm	FU04080GGSB01
Basalt Spring	–	–	07/22/03	WG	Specific Conductance	436	µS/cm	FU03070GGSB01
Basalt Spring	–	–	04/26/07	WG	Temperature	9	deg C	FU070400GGSB01
Basalt Spring	–	–	08/08/06	WG	Temperature	10.2	deg C	FU060700GGSB01
Basalt Spring	–	–	05/11/05	WG	Temperature	9.7	deg C	FU05050GGSB01
Basalt Spring	–	–	08/25/04	WG	Temperature	12	deg C	FU04080GGSB01
Basalt Spring	–	–	07/22/03	WG	Temperature	13.3	deg C	FU03070GGSB01
Basalt Spring	–	–	04/26/07	WG	Turbidity	0.54	NTU	FU070400GGSB01
Basalt Spring	–	–	08/08/06	WG	Turbidity	3.34	NTU	FU060700GGSB01
Basalt Spring	–	–	05/11/05	WG	Turbidity	3.65	NTU	FU05050GGSB01
Basalt Spring	–	–	08/25/04	WG	Turbidity	8.93	NTU	FU04080GGSB01
Basalt Spring	–	–	07/22/03	WG	Turbidity	1.02	NTU	FU03070GGSB01
Basalt Spring	–	–	04/26/07	WG	pH	6.7	SU	FU070400GGSB01
Basalt Spring	–	–	08/08/06	WG	pH	6.68	SU	FU060700GGSB01
Basalt Spring	–	–	05/11/05	WG	pH	8	SU	FU05050GGSB01
Basalt Spring	–	–	08/25/04	WG	pH	7.28	SU	FU04080GGSB01
Basalt Spring	–	–	07/22/03	WG	pH	6.82	SU	FU03070GGSB01
DP Spring	–	–	04/18/07	WG	Dissolved Oxygen	8.6	mg/L	FU070400GSPD01
DP Spring	–	–	08/03/06	WG	Dissolved Oxygen	8.68	mg/L	FU060700GSPD01
DP Spring	–	–	05/06/05	WG	Dissolved Oxygen	9.68	mg/L	FU05050GSPD01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
DP Spring	–	–	04/18/07	WG	Oxidation Reduction Potential	94.8	mV	FU070400GSPD01
DP Spring	–	–	08/03/06	WG	Oxidation Reduction Potential	51.9	mV	FU060700GSPD01
DP Spring	–	–	04/18/07	WG	Specific Conductance	741	µS/cm	FU070400GSPD01
DP Spring	–	–	08/03/06	WG	Specific Conductance	348	µS/cm	FU060700GSPD01
DP Spring	–	–	05/06/05	WG	Specific Conductance	879	µS/cm	FU05050GSPD01
DP Spring	–	–	08/27/03	WG	Specific Conductance	413	µS/cm	FU03080GSPD01
DP Spring	–	–	04/03/01	WG	Specific Conductance	367	µS/cm	GU01031GSDP
DP Spring	–	–	04/18/07	WG	Temperature	10.4	deg C	FU070400GSPD01
DP Spring	–	–	08/03/06	WG	Temperature	10.7	deg C	FU060700GSPD01
DP Spring	–	–	05/06/05	WG	Temperature	8.5	deg C	FU05050GSPD01
DP Spring	–	–	08/27/03	WG	Temperature	12.8	deg C	FU03080GSPD01
DP Spring	–	–	04/03/01	WG	Temperature	9.6	deg C	GU01031GSDP
DP Spring	–	–	04/18/07	WG	Turbidity	2.01	NTU	FU070400GSPD01
DP Spring	–	–	08/03/06	WG	Turbidity	31.8	NTU	FU060700GSPD01
DP Spring	–	–	05/06/05	WG	Turbidity	2.13	NTU	FU05050GSPD01
DP Spring	–	–	08/27/03	WG	Turbidity	6.05	NTU	FU03080GSPD01
DP Spring	–	–	04/03/01	WG	Turbidity	2.85	NTU	GU01031GSDP
DP Spring	–	–	04/18/07	WG	pH	7.45	SU	FU070400GSPD01
DP Spring	–	–	08/03/06	WG	pH	7.56	SU	FU060700GSPD01
DP Spring	–	–	05/06/05	WG	pH	7.68	SU	FU05050GSPD01
DP Spring	–	–	08/27/03	WG	pH	7.67	SU	FU03080GSPD01
DP below Meadow at TA-21	–	–	04/17/07	WS	Dissolved Oxygen	3.65	mg/L	FU070400P03901
DP below Meadow at TA-21	–	–	07/26/06	WS	Dissolved Oxygen	5.28	mg/L	FU060700P03901
DP below Meadow at TA-21	–	–	04/17/07	WS	Instantaneous Stream Flow	0.01	CFS	FU070400P03901
DP below Meadow at TA-21	–	–	04/17/07	WS	Specific Conductance	119.4	µS/cm	FU070400P03901
DP below Meadow at TA-21	–	–	07/26/06	WS	Specific Conductance	696	µS/cm	FU060700P03901
DP below Meadow at TA-21	–	–	04/17/07	WS	Temperature	11	deg C	FU070400P03901
DP below Meadow at TA-21	–	–	07/26/06	WS	Temperature	17.5	deg C	FU060700P03901
DP below Meadow at TA-21	–	–	04/17/07	WS	Turbidity	0.57	NTU	FU070400P03901
DP below Meadow at TA-21	–	–	07/26/06	WS	Turbidity	1.36	NTU	FU060700P03901
DP below Meadow at TA-21	–	–	04/17/07	WS	pH	7.03	SU	FU070400P03901
DP below Meadow at TA-21	–	–	07/26/06	WS	pH	7.42	SU	FU060700P03901

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
GU-0.01 Spring	–	–	04/26/07	WG	Dissolved Oxygen	4.3	mg/L	FU07040GGU0101
GU-0.01 Spring	–	–	08/08/06	WG	Dissolved Oxygen	4.91	mg/L	FU06070GGU0101
GU-0.01 Spring	–	–	04/26/07	WG	Oxidation Reduction Potential	430	mV	FU07040GGU0101
GU-0.01 Spring	–	–	08/08/06	WG	Oxidation Reduction Potential	7.4	mV	FU06070GGU0101
GU-0.01 Spring	–	–	04/26/07	WG	Specific Conductance	327	µS/cm	FU07040GGU0101
GU-0.01 Spring	–	–	08/08/06	WG	Specific Conductance	275	µS/cm	FU06070GGU0101
GU-0.01 Spring	–	–	04/26/07	WG	Temperature	15.1	deg C	FU07040GGU0101
GU-0.01 Spring	–	–	08/08/06	WG	Temperature	19.5	deg C	FU06070GGU0101
GU-0.01 Spring	–	–	04/26/07	WG	Turbidity	0.39	NTU	FU07040GGU0101
GU-0.01 Spring	–	–	08/08/06	WG	Turbidity	4.87	NTU	FU06070GGU0101
GU-0.01 Spring	–	–	04/26/07	WG	pH	6.96	SU	FU07040GGU0101
GU-0.01 Spring	–	–	08/08/06	WG	pH	6.93	SU	FU06070GGU0101
Guaje above Rendija	–	–	04/20/07	WP	Dissolved Oxygen	10.1	mg/L	FU070400P08901
Guaje above Rendija	–	–	04/20/07	WP	Instantaneous Stream Flow	2.3	CFS	FU070400P08901
Guaje above Rendija	–	–	04/20/07	WP	Specific Conductance	107.7	µS/cm	FU070400P08901
Guaje above Rendija	–	–	04/20/07	WP	Temperature	7	deg C	FU070400P08901
Guaje above Rendija	–	–	04/20/07	WP	Turbidity	4.47	NTU	FU070400P08901
Guaje above Rendija	–	–	04/20/07	WP	pH	7.15	SU	FU070400P08901
LAO-0.3	5511	5.9	04/13/07	WG	Dissolved Oxygen	2.8	mg/L	FU07040GLA0301
LAO-0.3	5511	5.9	07/31/06	WG	Dissolved Oxygen	4.55	mg/L	FU06070GLA0301
LAO-0.3	5511	5.9	04/13/07	WG	Oxidation Reduction Potential	255	mV	FU07040GLA0301
LAO-0.3	5511	5.9	07/31/06	WG	Oxidation Reduction Potential	123.1	mV	FU06070GLA0301
LAO-0.3	5511	5.9	04/13/07	WG	Specific Conductance	7.34	µS/cm	FU07040GLA0301
LAO-0.3	5511	5.9	07/31/06	WG	Specific Conductance	339	µS/cm	FU06070GLA0301
LAO-0.3	5511	5.9	04/13/07	WG	Temperature	4.9	deg C	FU07040GLA0301
LAO-0.3	5511	5.9	07/31/06	WG	Temperature	11.9	deg C	FU06070GLA0301
LAO-0.3	5511	5.9	04/13/07	WG	Turbidity	28	NTU	FU07040GLA0301
LAO-0.3	5511	5.9	07/31/06	WG	Turbidity	3.19	NTU	FU06070GLA0301
LAO-0.3	5511	5.9	04/13/07	WG	pH	7.04	SU	FU07040GLA0301
LAO-0.3	5511	5.9	07/31/06	WG	pH	7.01	SU	FU06070GLA0301
LAO-0.6	6701	8	04/10/07	WG	Dissolved Oxygen	2.23	mg/L	FU07040GLA0601
LAO-0.6	6701	8	08/03/06	WG	Dissolved Oxygen	0.8	mg/L	FU06070GLA0601

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LAO-0.6	6701	8	04/10/07	WG	Oxidation Reduction Potential	393	mV	FU07040GLA0601
LAO-0.6	6701	8	08/03/06	WG	Oxidation Reduction Potential	405.3	mV	FU06070GLA0601
LAO-0.6	6701	8	04/10/07	WG	Specific Conductance	432	µS/cm	FU07040GLA0601
LAO-0.6	6701	8	08/03/06	WG	Specific Conductance	463	µS/cm	FU06070GLA0601
LAO-0.6	6701	8	04/10/07	WG	Temperature	6.8	deg C	FU07040GLA0601
LAO-0.6	6701	8	08/03/06	WG	Temperature	13.3	deg C	FU06070GLA0601
LAO-0.6	6701	8	04/10/07	WG	Turbidity	3.17	NTU	FU07040GLA0601
LAO-0.6	6701	8	08/03/06	WG	Turbidity	8.19	NTU	FU06070GLA0601
LAO-0.6	6701	8	04/10/07	WG	pH	6.82	SU	FU07040GLA0601
LAO-0.6	6701	8	08/03/06	WG	pH	6.94	SU	FU06070GLA0601
LAO-1	4381	8	04/11/07	WG	Dissolved Oxygen	6.51	mg/L	FU070400G1OL01
LAO-1	4381	8	05/10/05	WG	Dissolved Oxygen	5.55	mg/L	FU05050G1OL01
LAO-1	4381	8	04/11/07	WG	Oxidation Reduction Potential	419	mV	FU070400G1OL01
LAO-1	4381	8	04/11/07	WG	Specific Conductance	393	µS/cm	FU070400G1OL01
LAO-1	4381	8	05/10/05	WG	Specific Conductance	448	µS/cm	FU05050G1OL01
LAO-1	4381	8	09/18/03	WG	Specific Conductance	538	µS/cm	FU03090G1OL01
LAO-1	4381	8	08/05/02	WG	Specific Conductance	321	µS/cm	FU02070G1OL01
LAO-1	4381	8	04/11/07	WG	Temperature	9.4	deg C	FU070400G1OL01
LAO-1	4381	8	05/10/05	WG	Temperature	7.9	deg C	FU05050G1OL01
LAO-1	4381	8	09/18/03	WG	Temperature	12.1	deg C	FU03090G1OL01
LAO-1	4381	8	08/05/02	WG	Temperature	13.5	deg C	FU02070G1OL01
LAO-1	4381	8	04/05/01	WG	Temperature	7	deg C	GU01031G1OL
LAO-1	4381	8	04/11/07	WG	Turbidity	1.52	NTU	FU070400G1OL01
LAO-1	4381	8	05/10/05	WG	Turbidity	1.18	NTU	FU05050G1OL01
LAO-1	4381	8	09/18/03	WG	Turbidity	0.46	NTU	FU03090G1OL01
LAO-1	4381	8	08/05/02	WG	Turbidity	1.61	NTU	FU02070G1OL01
LAO-1	4381	8	04/05/01	WG	Turbidity	3.05	NTU	GU01031G1OL
LAO-1	4381	8	04/11/07	WG	pH	6.75	SU	FU070400G1OL01
LAO-1	4381	8	05/10/05	WG	pH	7.01	SU	FU05050G1OL01
LAO-1	4381	8	09/18/03	WG	pH	6.74	SU	FU03090G1OL01
LAO-1	4381	8	08/05/02	WG	pH	6.78	SU	FU02070G1OL01
LAO-1.6g	5551	10.47	04/10/07	WG	Dissolved Oxygen	11.93	mg/L	FU070400G16G01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LAO-1.6g	5551	10.47	08/01/06	WG	Dissolved Oxygen	6.22	mg/L	FU060700G16G01
LAO-1.6g	5551	10.47	05/04/05	WG	Dissolved Oxygen	5.65	mg/L	FU05050G16G01
LAO-1.6g	5551	10.47	04/10/07	WG	Oxidation Reduction Potential	487	mV	FU070400G16G01
LAO-1.6g	5551	10.47	08/01/06	WG	Oxidation Reduction Potential	258.8	mV	FU060700G16G01
LAO-1.6g	5551	10.47	04/10/07	WG	Specific Conductance	424	µS/cm	FU070400G16G01
LAO-1.6g	5551	10.47	08/01/06	WG	Specific Conductance	371	µS/cm	FU060700G16G01
LAO-1.6g	5551	10.47	05/04/05	WG	Specific Conductance	404	µS/cm	FU05050G16G01
LAO-1.6g	5551	10.47	04/10/07	WG	Temperature	9.2	deg C	FU070400G16G01
LAO-1.6g	5551	10.47	08/01/06	WG	Temperature	11	deg C	FU060700G16G01
LAO-1.6g	5551	10.47	05/04/05	WG	Temperature	9.2	deg C	FU05050G16G01
LAO-1.6g	5551	10.47	04/10/07	WG	Turbidity	1.11	NTU	FU070400G16G01
LAO-1.6g	5551	10.47	08/01/06	WG	Turbidity	1.57	NTU	FU060700G16G01
LAO-1.6g	5551	10.47	05/04/05	WG	Turbidity	1.45	NTU	FU05050G16G01
LAO-1.6g	5551	10.47	04/10/07	WG	pH	6.6	SU	FU070400G16G01
LAO-1.6g	5551	10.47	08/01/06	WG	pH	6.58	SU	FU060700G16G01
LAO-1.6g	5551	10.47	05/04/05	WG	pH	6.76	SU	FU05050G16G01
LAO-1.8	6721	8	04/12/07	WG	Dissolved Oxygen	9.75	mg/L	FU07040GLA1801
LAO-1.8	6721	8	04/12/07	WG	Oxidation Reduction Potential	315	mV	FU07040GLA1801
LAO-1.8	6721	8	04/12/07	WG	Specific Conductance	309	µS/cm	FU07040GLA1801
LAO-1.8	6721	8	04/12/07	WG	Temperature	7.1	deg C	FU07040GLA1801
LAO-1.8	6721	8	04/12/07	WG	Turbidity	115	NTU	FU07040GLA1801
LAO-1.8	6721	8	04/12/07	WG	pH	6.91	SU	FU07040GLA1801
LAO-2	4391	7	04/18/07	WG	Dissolved Oxygen	6.01	mg/L	FU070400G2OL01
LAO-2	4391	7	07/27/06	WG	Dissolved Oxygen	16.9	mg/L	FU060700G2OL01
LAO-2	4391	7	05/02/05	WG	Dissolved Oxygen	5.13	mg/L	FU05050G2OL01
LAO-2	4391	7	04/18/07	WG	Oxidation Reduction Potential	256	mV	FU070400G2OL01
LAO-2	4391	7	07/27/06	WG	Oxidation Reduction Potential	276.4	mV	FU060700G2OL01
LAO-2	4391	7	04/18/07	WG	Specific Conductance	494	µS/cm	FU070400G2OL01
LAO-2	4391	7	07/27/06	WG	Specific Conductance	379	µS/cm	FU060700G2OL01
LAO-2	4391	7	05/02/05	WG	Specific Conductance	572	µS/cm	FU05050G2OL01
LAO-2	4391	7	06/04/04	WG	Specific Conductance	516	µS/cm	FU04050G2OL01
LAO-2	4391	7	09/19/03	WG	Specific Conductance	444	µS/cm	FU03090G2OL01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LAO-2	4391	7	04/18/07	WG	Temperature	11	deg C	FU070400G2OL01
LAO-2	4391	7	07/27/06	WG	Temperature	12	deg C	FU060700G2OL01
LAO-2	4391	7	05/02/05	WG	Temperature	9.7	deg C	FU05050G2OL01
LAO-2	4391	7	06/04/04	WG	Temperature	11.3	deg C	FU04050G2OL01
LAO-2	4391	7	09/19/03	WG	Temperature	11.2	deg C	FU03090G2OL01
LAO-2	4391	7	04/18/07	WG	Turbidity	1.96	NTU	FU070400G2OL01
LAO-2	4391	7	07/27/06	WG	Turbidity	8.77	NTU	FU060700G2OL01
LAO-2	4391	7	05/02/05	WG	Turbidity	2.71	NTU	FU05050G2OL01
LAO-2	4391	7	06/04/04	WG	Turbidity	1.65	NTU	FU04050G2OL01
LAO-2	4391	7	09/19/03	WG	Turbidity	1.65	NTU	FU03090G2OL01
LAO-2	4391	7	04/18/07	WG	pH	6.67	SU	FU070400G2OL01
LAO-2	4391	7	07/27/06	WG	pH	6.76	SU	FU060700G2OL01
LAO-2	4391	7	05/02/05	WG	pH	6.92	SU	FU05050G2OL01
LAO-2	4391	7	06/04/04	WG	pH	6.95	SU	FU04050G2OL01
LAO-2	4391	7	09/19/03	WG	pH	6.74	SU	FU03090G2OL01
LAO-3a	4401	4.7	04/12/07	WG	Dissolved Oxygen	7.6	mg/L	FU070400GA3L01
LAO-3a	4401	4.7	08/01/06	WG	Dissolved Oxygen	5.98	mg/L	FU060700GA3L01
LAO-3a	4401	4.7	04/12/07	WG	Oxidation Reduction Potential	325	mV	FU070400GA3L01
LAO-3a	4401	4.7	08/01/06	WG	Oxidation Reduction Potential	227.3	mV	FU060700GA3L01
LAO-3a	4401	4.7	04/12/07	WG	Specific Conductance	461	µS/cm	FU070400GA3L01
LAO-3a	4401	4.7	08/01/06	WG	Specific Conductance	416	µS/cm	FU060700GA3L01
LAO-3a	4401	4.7	06/02/04	WG	Specific Conductance	239	µS/cm	FU04050GA3L01
LAO-3a	4401	4.7	09/17/03	WG	Specific Conductance	468	µS/cm	FU03090GA3L01
LAO-3a	4401	4.7	04/12/07	WG	Temperature	8.9	deg C	FU070400GA3L01
LAO-3a	4401	4.7	08/01/06	WG	Temperature	13.9	deg C	FU060700GA3L01
LAO-3a	4401	4.7	06/02/04	WG	Temperature	11.4	deg C	FU04050GA3L01
LAO-3a	4401	4.7	09/17/03	WG	Temperature	13.8	deg C	FU03090GA3L01
LAO-3a	4401	4.7	04/12/07	WG	Turbidity	3.38	NTU	FU070400GA3L01
LAO-3a	4401	4.7	08/01/06	WG	Turbidity	1.06	NTU	FU060700GA3L01
LAO-3a	4401	4.7	06/02/04	WG	Turbidity	2.72	NTU	FU04050GA3L01
LAO-3a	4401	4.7	09/17/03	WG	Turbidity	1.84	NTU	FU03090GA3L01
LAO-3a	4401	4.7	04/12/07	WG	pH	6.69	SU	FU070400GA3L01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LAO-3a	4401	4.7	08/01/06	WG	pH	6.91	SU	FU060700GA3L01
LAO-3a	4401	4.7	06/02/04	WG	pH	6.95	SU	FU04050GA3L01
LAO-3a	4401	4.7	09/17/03	WG	pH	6.86	SU	FU03090GA3L01
LAO-4.5c	4431	13.3	04/12/07	WG	Dissolved Oxygen	7.69	mg/L	FU070400GC5401
LAO-4.5c	4431	13.3	05/02/05	WG	Dissolved Oxygen	5.4	mg/L	FU05050GC5401
LAO-4.5c	4431	13.3	04/12/07	WG	Oxidation Reduction Potential	330	mV	FU070400GC5401
LAO-4.5c	4431	13.3	04/12/07	WG	Specific Conductance	302	µS/cm	FU070400GC5401
LAO-4.5c	4431	13.3	05/02/05	WG	Specific Conductance	421	µS/cm	FU05050GC5401
LAO-4.5c	4431	13.3	06/04/04	WG	Specific Conductance	395	µS/cm	FU04050GC5401
LAO-4.5c	4431	13.3	03/28/01	WG	Specific Conductance	318	µS/cm	GU01031GC54
LAO-4.5c	4431	13.3	04/12/07	WG	Temperature	7.1	deg C	FU070400GC5401
LAO-4.5c	4431	13.3	05/02/05	WG	Temperature	7	deg C	FU05050GC5401
LAO-4.5c	4431	13.3	06/04/04	WG	Temperature	9.6	deg C	FU04050GC5401
LAO-4.5c	4431	13.3	03/28/01	WG	Temperature	8.6	deg C	GU01031GC54
LAO-4.5c	4431	13.3	04/12/07	WG	Turbidity	4	NTU	FU070400GC5401
LAO-4.5c	4431	13.3	05/02/05	WG	Turbidity	1.27	NTU	FU05050GC5401
LAO-4.5c	4431	13.3	06/04/04	WG	Turbidity	1.67	NTU	FU04050GC5401
LAO-4.5c	4431	13.3	03/28/01	WG	Turbidity	1.42	NTU	GU01031GC54
LAO-4.5c	4431	13.3	04/12/07	WG	pH	6.35	SU	FU070400GC5401
LAO-4.5c	4431	13.3	05/02/05	WG	pH	7.16	SU	FU05050GC5401
LAO-4.5c	4431	13.3	06/04/04	WG	pH	6.83	SU	FU04050GC5401
LAO-4.5c	4431	13.3	03/28/01	WG	pH	7	SU	GU01031GC54
LAO-5	6731	5	04/16/07	WG	Dissolved Oxygen	8.15	mg/L	FU07040GLAO501
LAO-5	6731	5	04/16/07	WG	Oxidation Reduction Potential	350	mV	FU07040GLAO501
LAO-5	6731	5	04/16/07	WG	Specific Conductance	264	uS/cm	FU07040GLAO501
LAO-5	6731	5	04/16/07	WG	Temperature	11.1	deg C	FU07040GLAO501
LAO-5	6731	5	04/16/07	WG	Turbidity	1.74	NTU	FU07040GLAO501
LAO-5	6731	5	04/16/07	WG	pH	6.79	SU	FU07040GLAO501
LAO-6a	4451	4.2	04/18/07	WG	Dissolved Oxygen	9.98	mg/L	FU070400GA6L01
LAO-6a	4451	4.2	04/18/07	WG	Oxidation Reduction Potential	307	mV	FU070400GA6L01
LAO-6a	4451	4.2	04/18/07	WG	Specific Conductance	307	µS/cm	FU070400GA6L01
LAO-6a	4451	4.2	03/28/01	WG	Specific Conductance	312	µS/cm	GU01031GA6L



**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LAO-6a	4451	4.2	04/18/07	WG	Temperature	9.8	deg C	FU070400GA6L01
LAO-6a	4451	4.2	03/28/01	WG	Temperature	7.2	deg C	GU01031GA6L
LAO-6a	4451	4.2	04/18/07	WG	Turbidity	1.8	NTU	FU070400GA6L01
LAO-6a	4451	4.2	03/28/01	WG	Turbidity	1.44	NTU	GU01031GA6L
LAO-6a	4451	4.2	04/18/07	WG	pH	6.64	SU	FU070400GA6L01
LAO-6a	4451	4.2	03/28/01	WG	pH	7.52	SU	GU01031GA6L
LAO-B	5221	11.84	04/09/07	WG	Dissolved Oxygen	7.42	mg/L	FU070400GBAL01
LAO-B	5221	11.84	08/03/06	WG	Dissolved Oxygen	3.44	mg/L	FU060700GBAL01
LAO-B	5221	11.84	05/10/05	WG	Dissolved Oxygen	5.7	mg/L	FU05050GBAL02
LAO-B	5221	11.84	03/03/05	WG	Dissolved Oxygen	5.12	mg/L	FU05020GBAL01
LAO-B	5221	11.84	04/09/07	WG	Oxidation Reduction Potential	244	mV	FU070400GBAL01
LAO-B	5221	11.84	08/03/06	WG	Oxidation Reduction Potential	390.6	mV	FU060700GBAL01
LAO-B	5221	11.84	04/09/07	WG	Specific Conductance	140.3	µS/cm	FU070400GBAL01
LAO-B	5221	11.84	08/03/06	WG	Specific Conductance	177.1	µS/cm	FU060700GBAL01
LAO-B	5221	11.84	05/10/05	WG	Specific Conductance	179.6	µS/cm	FU05050GBAL02
LAO-B	5221	11.84	03/03/05	WG	Specific Conductance	184.2	µS/cm	FU05020GBAL01
LAO-B	5221	11.84	04/09/07	WG	Temperature	5.1	deg C	FU070400GBAL01
LAO-B	5221	11.84	08/03/06	WG	Temperature	12.6	deg C	FU060700GBAL01
LAO-B	5221	11.84	05/10/05	WG	Temperature	6.8	deg C	FU05050GBAL02
LAO-B	5221	11.84	03/03/05	WG	Temperature	5	deg C	FU05020GBAL01
LAO-B	5221	11.84	04/09/07	WG	Turbidity	1.94	NTU	FU070400GBAL01
LAO-B	5221	11.84	08/03/06	WG	Turbidity	1.08	NTU	FU060700GBAL01
LAO-B	5221	11.84	05/10/05	WG	Turbidity	2.48	NTU	FU05050GBAL02
LAO-B	5221	11.84	04/09/07	WG	pH	6.77	SU	FU070400GBAL01
LAO-B	5221	11.84	08/03/06	WG	pH	7.23	SU	FU060700GBAL01
LAO-B	5221	11.84	05/10/05	WG	pH	7.2	SU	FU05050GBAL02
LAO-B	5221	11.84	03/03/05	WG	pH	7.48	SU	FU05020GBAL01
LAOI(a)-1.1	5391	295.2	04/25/07	WG	Dissolved Oxygen	8.9	mg/L	FU070400G11L01
LAOI(a)-1.1	5391	295.2	08/04/06	WG	Dissolved Oxygen	9.78	mg/L	FU060700G11L01
LAOI(a)-1.1	5391	295.2	05/07/05	WG	Dissolved Oxygen	7.42	mg/L	FU05050G11L01
LAOI(a)-1.1	5391	295.2	03/07/05	WG	Dissolved Oxygen	7.4	mg/L	FU05030G11L02
LAOI(a)-1.1	5391	295.2	03/04/05	WG	Dissolved Oxygen	15.25	mg/L	FU05020G11L01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LAOI(a)-1.1	5391	295.2	04/25/07	WG	Oxidation Reduction Potential	124	mV	FU070400G11L01
LAOI(a)-1.1	5391	295.2	08/04/06	WG	Oxidation Reduction Potential	367.1	mV	FU060700G11L01
LAOI(a)-1.1	5391	295.2	04/25/07	WG	Specific Conductance	205	µS/cm	FU070400G11L01
LAOI(a)-1.1	5391	295.2	08/04/06	WG	Specific Conductance	91.7	µS/cm	FU060700G11L01
LAOI(a)-1.1	5391	295.2	05/07/05	WG	Specific Conductance	119.9	µS/cm	FU05050G11L01
LAOI(a)-1.1	5391	295.2	03/07/05	WG	Specific Conductance	128.5	µS/cm	FU05030G11L02
LAOI(a)-1.1	5391	295.2	03/04/05	WG	Specific Conductance	147.9	µS/cm	FU05020G11L01
LAOI(a)-1.1	5391	295.2	04/25/07	WG	Temperature	14	deg C	FU070400G11L01
LAOI(a)-1.1	5391	295.2	08/04/06	WG	Temperature	11.1	deg C	FU060700G11L01
LAOI(a)-1.1	5391	295.2	05/07/05	WG	Temperature	9.3	deg C	FU05050G11L01
LAOI(a)-1.1	5391	295.2	03/07/05	WG	Temperature	9.5	deg C	FU05030G11L02
LAOI(a)-1.1	5391	295.2	03/04/05	WG	Temperature	9.5	deg C	FU05020G11L01
LAOI(a)-1.1	5391	295.2	04/25/07	WG	Turbidity	7.8	NTU	FU070400G11L01
LAOI(a)-1.1	5391	295.2	08/04/06	WG	Turbidity	18.8	NTU	FU060700G11L01
LAOI(a)-1.1	5391	295.2	05/07/05	WG	Turbidity	15.6	NTU	FU05050G11L01
LAOI(a)-1.1	5391	295.2	06/03/04	WG	Turbidity	19.8	NTU	FU04050G11L01
LAOI(a)-1.1	5391	295.2	04/25/07	WG	pH	9.7	SU	FU070400G11L01
LAOI(a)-1.1	5391	295.2	08/04/06	WG	pH	9.06	SU	FU060700G11L01
LAOI(a)-1.1	5391	295.2	05/07/05	WG	pH	7.46	SU	FU05050G11L01
LAOI(a)-1.1	5391	295.2	03/07/05	WG	pH	8.27	SU	FU05030G11L02
LAOI(a)-1.1	5391	295.2	03/04/05	WG	pH	9.26	SU	FU05020G11L01
LAOI-3.2	6001	153.3	04/19/06	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	90	mg/L	FU06040G32L01
LAOI-3.2	6001	153.3	04/19/07	WG	Dissolved Oxygen	9.92	mg/L	FU070400G32L01
LAOI-3.2	6001	153.3	10/12/06	WG	Dissolved Oxygen	29.6	mg/L	FU061000G32L01
LAOI-3.2	6001	153.3	07/25/06	WG	Dissolved Oxygen	8.76	mg/L	FU060700G32L01
LAOI-3.2	6001	153.3	04/19/06	WG	Dissolved Oxygen	6.38	mg/L	FU06040G32L01
LAOI-3.2	6001	153.3	11/15/05	WG	Dissolved Oxygen	31.7	mg/L	FU05110G32L01
LAOI-3.2	6001	153.3	04/19/07	WG	Oxidation Reduction Potential	211	mV	FU070400G32L01
LAOI-3.2	6001	153.3	10/12/06	WG	Oxidation Reduction Potential	126.7	mV	FU061000G32L01
LAOI-3.2	6001	153.3	07/25/06	WG	Oxidation Reduction Potential	173.6	mV	FU060700G32L01
LAOI-3.2	6001	153.3	04/19/06	WG	Oxidation Reduction Potential	127.5	mV	FU06040G32L01
LAOI-3.2	6001	153.3	11/15/05	WG	Oxidation Reduction Potential	76.7	mV	FU05110G32L01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LAOI-3.2	6001	153.3	04/19/07	WG	Specific Conductance	246	µS/cm	FU070400G32L01
LAOI-3.2	6001	153.3	10/12/06	WG	Specific Conductance	162.8	µS/cm	FU061000G32L01
LAOI-3.2	6001	153.3	07/25/06	WG	Specific Conductance	209	µS/cm	FU060700G32L01
LAOI-3.2	6001	153.3	04/19/06	WG	Specific Conductance	252	µS/cm	FU06040G32L01
LAOI-3.2	6001	153.3	11/15/05	WG	Specific Conductance	352	µS/cm	FU05110G32L01
LAOI-3.2	6001	153.3	04/19/07	WG	Temperature	12.5	deg C	FU070400G32L01
LAOI-3.2	6001	153.3	10/12/06	WG	Temperature	12.2	deg C	FU061000G32L01
LAOI-3.2	6001	153.3	07/25/06	WG	Temperature	14.6	deg C	FU060700G32L01
LAOI-3.2	6001	153.3	04/19/06	WG	Temperature	14.3	deg C	FU06040G32L01
LAOI-3.2	6001	153.3	11/15/05	WG	Temperature	11.7	deg C	FU05110G32L01
LAOI-3.2	6001	153.3	04/19/07	WG	Turbidity	0.77	NTU	FU070400G32L01
LAOI-3.2	6001	153.3	10/12/06	WG	Turbidity	0.93	NTU	FU061000G32L01
LAOI-3.2	6001	153.3	07/25/06	WG	Turbidity	1.38	NTU	FU060700G32L01
LAOI-3.2	6001	153.3	04/19/06	WG	Turbidity	2.43	NTU	FU06040G32L01
LAOI-3.2	6001	153.3	11/15/05	WG	Turbidity	1.64	NTU	FU05110G32L01
LAOI-3.2	6001	153.3	04/19/07	WG	pH	6.7	SU	FU070400G32L01
LAOI-3.2	6001	153.3	10/12/06	WG	pH	6.87	SU	FU061000G32L01
LAOI-3.2	6001	153.3	07/25/06	WG	pH	7.19	SU	FU060700G32L01
LAOI-3.2	6001	153.3	04/19/06	WG	pH	6.97	SU	FU06040G32L01
LAOI-3.2	6001	153.3	11/15/05	WG	pH	7.14	SU	FU05110G32L01
LAOI-3.2	6001	153.3	04/19/06	WG	Iron	30	ug/L	FU06040G32L01
LAOI-3.2a	7691	181.4	10/13/06	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	121	mg/L	FU06100GI32A01
LAOI-3.2a	7691	181.4	04/25/07	WG	Dissolved Oxygen	6.97	mg/L	FU07040GI32A01
LAOI-3.2a	7691	181.4	02/16/07	WG	Dissolved Oxygen	6.87	mg/L	FU07020GI32A01
LAOI-3.2a	7691	181.4	04/25/07	WG	Oxidation Reduction Potential	502	mV	FU07040GI32A01
LAOI-3.2a	7691	181.4	02/16/07	WG	Oxidation Reduction Potential	130.1	mV	FU07020GI32A01
LAOI-3.2a	7691	181.4	04/25/07	WG	Specific Conductance	250	µS/cm	FU07040GI32A01
LAOI-3.2a	7691	181.4	02/16/07	WG	Specific Conductance	238	µS/cm	FU07020GI32A01
LAOI-3.2a	7691	181.4	10/13/06	WG	Specific Conductance	189.1	µS/cm	FU06100GI32A01
LAOI-3.2a	7691	181.4	07/26/06	WG	Specific Conductance	230	µS/cm	FU06070GI32A01
LAOI-3.2a	7691	181.4	04/25/07	WG	Temperature	12.4	deg C	FU07040GI32A01
LAOI-3.2a	7691	181.4	02/16/07	WG	Temperature	10.3	deg C	FU07020GI32A01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LAOI-3.2a	7691	181.4	10/13/06	WG	Temperature	12.9	deg C	FU06100GI32A01
LAOI-3.2a	7691	181.4	07/26/06	WG	Temperature	14.3	deg C	FU06070GI32A01
LAOI-3.2a	7691	181.4	04/25/07	WG	Turbidity	0.2	NTU	FU07040GI32A01
LAOI-3.2a	7691	181.4	02/16/07	WG	Turbidity	0.14	NTU	FU07020GI32A01
LAOI-3.2a	7691	181.4	10/13/06	WG	Turbidity	0.2	NTU	FU06100GI32A01
LAOI-3.2a	7691	181.4	07/26/06	WG	Turbidity	1.12	NTU	FU06070GI32A01
LAOI-3.2a	7691	181.4	04/25/07	WG	pH	6.8	SU	FU07040GI32A01
LAOI-3.2a	7691	181.4	02/16/07	WG	pH		SU	FU07020GI32A01
LAOI-3.2a	7691	181.4	07/26/06	WG	pH	6.95	SU	FU06070GI32A01
LAOI-7	6411	240	05/09/06	WG	Alkalinity-CO3+HCO3	50	mg/L	FU06050LAOI701
LAOI-7	6411	240	04/18/07	WG	Dissolved Oxygen	6.7	mg/L	FU07040LAOI701
LAOI-7	6411	240	02/15/07	WG	Dissolved Oxygen	6.31	mg/L	FU07020LAOI701
LAOI-7	6411	240	11/07/06	WG	Dissolved Oxygen	7.32	mg/L	FU06100LAOI701
LAOI-7	6411	240	08/01/06	WG	Dissolved Oxygen	6.82	mg/L	FU06070LAOI701
LAOI-7	6411	240	05/09/06	WG	Dissolved Oxygen	5.59	mg/L	FU06050LAOI701
LAOI-7	6411	240	04/18/07	WG	Oxidation Reduction Potential	71.2	mV	FU07040LAOI701
LAOI-7	6411	240	02/15/07	WG	Oxidation Reduction Potential	148.6	mV	FU07020LAOI701
LAOI-7	6411	240	11/07/06	WG	Oxidation Reduction Potential	161.6	mV	FU06100LAOI701
LAOI-7	6411	240	08/01/06	WG	Oxidation Reduction Potential	174	mV	FU06070LAOI701
LAOI-7	6411	240	05/09/06	WG	Oxidation Reduction Potential	4.43	mV	FU06050LAOI701
LAOI-7	6411	240	04/18/07	WG	Specific Conductance	181.7	µS/cm	FU07040LAOI701
LAOI-7	6411	240	02/15/07	WG	Specific Conductance	185.9	µS/cm	FU07020LAOI701
LAOI-7	6411	240	11/07/06	WG	Specific Conductance	180.2	µS/cm	FU06100LAOI701
LAOI-7	6411	240	08/01/06	WG	Specific Conductance	174.6	µS/cm	FU06070LAOI701
LAOI-7	6411	240	05/09/06	WG	Specific Conductance	188.7	µS/cm	FU06050LAOI701
LAOI-7	6411	240	04/18/07	WG	Temperature	14.9	deg C	FU07040LAOI701
LAOI-7	6411	240	02/15/07	WG	Temperature	13.1	deg C	FU07020LAOI701
LAOI-7	6411	240	11/07/06	WG	Temperature	14.5	deg C	FU06100LAOI701
LAOI-7	6411	240	08/01/06	WG	Temperature	14.4	deg C	FU06070LAOI701
LAOI-7	6411	240	05/09/06	WG	Temperature	16.5	deg C	FU06050LAOI701
LAOI-7	6411	240	04/18/07	WG	Turbidity	1.74	NTU	FU07040LAOI701
LAOI-7	6411	240	02/15/07	WG	Turbidity	0.79	NTU	FU07020LAOI701

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LAOI-7	6411	240	11/07/06	WG	Turbidity	1.25	NTU	FU06100LAOI701
LAOI-7	6411	240	08/01/06	WG	Turbidity	2.65	NTU	FU06070LAOI701
LAOI-7	6411	240	05/09/06	WG	Turbidity	4.16	NTU	FU06050LAOI701
LAOI-7	6411	240	04/18/07	WG	pH	7.22	SU	FU07040LAOI701
LAOI-7	6411	240	02/15/07	WG	pH	6.72	SU	FU07020LAOI701
LAOI-7	6411	240	11/07/06	WG	pH	7.2	SU	FU06100LAOI701
LAOI-7	6411	240	08/01/06	WG	pH	7.05	SU	FU06070LAOI701
LAOI-7	6411	240	05/09/06	WG	pH	6.97	SU	FU06050LAOI701
LAOI-7	6411	240	05/09/06	WG	Iron	0	ug/L	FU06050LAOI701
LAUZ-1	5361	5.35	04/17/07	WG	Dissolved Oxygen	0.47	mg/L	FU070400G1ZL01
LAUZ-1	5361	5.35	08/02/06	WG	Dissolved Oxygen	0.8	mg/L	FU060700G1ZL01
LAUZ-1	5361	5.35	05/03/05	WG	Dissolved Oxygen	57.4	mg/L	FU05050G1ZL01
LAUZ-1	5361	5.35	04/17/07	WG	Oxidation Reduction Potential	332	mV	FU070400G1ZL01
LAUZ-1	5361	5.35	08/02/06	WG	Oxidation Reduction Potential	314.1	mV	FU060700G1ZL01
LAUZ-1	5361	5.35	04/17/07	WG	Specific Conductance	2060	µS/cm	FU070400G1ZL01
LAUZ-1	5361	5.35	08/02/06	WG	Specific Conductance	735	µS/cm	FU060700G1ZL01
LAUZ-1	5361	5.35	05/03/05	WG	Specific Conductance	1280	µS/cm	FU05050G1ZL01
LAUZ-1	5361	5.35	04/17/07	WG	Temperature	7.7	deg C	FU070400G1ZL01
LAUZ-1	5361	5.35	08/02/06	WG	Temperature	14.6	deg C	FU060700G1ZL01
LAUZ-1	5361	5.35	05/03/05	WG	Temperature	7.1	deg C	FU05050G1ZL01
LAUZ-1	5361	5.35	04/17/07	WG	Turbidity	0.26	NTU	FU070400G1ZL01
LAUZ-1	5361	5.35	08/02/06	WG	Turbidity	2.65	NTU	FU060700G1ZL01
LAUZ-1	5361	5.35	05/03/05	WG	Turbidity	0.45	NTU	FU05050G1ZL01
LAUZ-1	5361	5.35	04/17/07	WG	pH	6.78	SU	FU070400G1ZL01
LAUZ-1	5361	5.35	08/02/06	WG	pH	6.89	SU	FU060700G1ZL01
LAUZ-1	5361	5.35	05/03/05	WG	pH	7.1	SU	FU05050G1ZL01
LLAO-1b	5231	11.32	04/24/07	WG	Dissolved Oxygen	5.91	mg/L	FU070400GB1L01
LLAO-1b	5231	11.32	08/09/06	WG	Dissolved Oxygen	7.8	mg/L	FU060700GB1L01
LLAO-1b	5231	11.32	05/11/05	WG	Dissolved Oxygen	4.45	mg/L	FU05050GB1L01
LLAO-1b	5231	11.32	04/24/07	WG	Oxidation Reduction Potential	259	mV	FU070400GB1L01
LLAO-1b	5231	11.32	08/09/06	WG	Oxidation Reduction Potential	379.3	mV	FU060700GB1L01
LLAO-1b	5231	11.32	04/24/07	WG	Specific Conductance	552	µS/cm	FU070400GB1L01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
LLAO-1b	5231	11.32	08/09/06	WG	Specific Conductance	472	µS/cm	FU060700GB1L01
LLAO-1b	5231	11.32	05/11/05	WG	Specific Conductance	467	µS/cm	FU05050GB1L01
LLAO-1b	5231	11.32	04/24/07	WG	Temperature	9	deg C	FU070400GB1L01
LLAO-1b	5231	11.32	08/09/06	WG	Temperature	15.2	deg C	FU060700GB1L01
LLAO-1b	5231	11.32	05/11/05	WG	Temperature	11.1	deg C	FU05050GB1L01
LLAO-1b	5231	11.32	04/24/07	WG	Turbidity	0.75	NTU	FU070400GB1L01
LLAO-1b	5231	11.32	08/09/06	WG	Turbidity	9.88	NTU	FU060700GB1L01
LLAO-1b	5231	11.32	05/11/05	WG	Turbidity	0.75	NTU	FU05050GB1L01
LLAO-1b	5231	11.32	04/24/07	WG	pH	6.77	SU	FU070400GB1L01
LLAO-1b	5231	11.32	08/09/06	WG	pH	6.68	SU	FU060700GB1L01
LLAO-1b	5231	11.32	05/11/05	WG	pH	7.03	SU	FU05050GB1L01
LLAO-4	5661	5.24	04/24/07	WG	Dissolved Oxygen	1.31	mg/L	FU070400G4LL01
LLAO-4	5661	5.24	08/09/06	WG	Dissolved Oxygen	7.8	mg/L	FU060700G4LL01
LLAO-4	5661	5.24	05/11/05	WG	Dissolved Oxygen	3.32	mg/L	FU05050G4LL01
LLAO-4	5661	5.24	04/24/07	WG	Oxidation Reduction Potential	286	mV	FU070400G4LL01
LLAO-4	5661	5.24	08/09/06	WG	Oxidation Reduction Potential	379.3	mV	FU060700G4LL01
LLAO-4	5661	5.24	04/24/07	WG	Specific Conductance	504	µS/cm	FU070400G4LL01
LLAO-4	5661	5.24	08/09/06	WG	Specific Conductance	472	µS/cm	FU060700G4LL01
LLAO-4	5661	5.24	05/11/05	WG	Specific Conductance	442	µS/cm	FU05050G4LL01
LLAO-4	5661	5.24	04/24/07	WG	Temperature	11.2	deg C	FU070400G4LL01
LLAO-4	5661	5.24	08/09/06	WG	Temperature	15.2	deg C	FU060700G4LL01
LLAO-4	5661	5.24	05/11/05	WG	Temperature	14	deg C	FU05050G4LL01
LLAO-4	5661	5.24	04/24/07	WG	Turbidity	0.43	NTU	FU070400G4LL01
LLAO-4	5661	5.24	08/09/06	WG	Turbidity	9.88	NTU	FU060700G4LL01
LLAO-4	5661	5.24	05/11/05	WG	Turbidity	0.25	NTU	FU05050G4LL01
LLAO-4	5661	5.24	04/24/07	WG	pH	6.83	SU	FU070400G4LL01
LLAO-4	5661	5.24	08/09/06	WG	pH	6.68	SU	FU060700G4LL01
LLAO-4	5661	5.24	05/11/05	WG	pH	7.16	SU	FU05050G4LL01
Los Alamos Canyon near Otowi Bridge	–	–	04/10/07	WS	Dissolved Oxygen	8.26	mg/L	FU070400P11001
Los Alamos Canyon near Otowi Bridge	–	–	07/25/06	WP	Dissolved Oxygen	13.35	mg/L	FU060700P11001
Los Alamos Canyon near Otowi Bridge	–	–	04/27/05	WM	Dissolved Oxygen	8.82	mg/L	FU05040P11001
Los Alamos Canyon near Otowi Bridge	–	–	07/25/06	WP	Instantaneous Stream Flow	0.04		FN060700P11001

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Los Alamos Canyon near Otowi Bridge	–	–	04/10/07	WS	Instantaneous Stream Flow	1.17	CFS	FU070400P11001
Los Alamos Canyon near Otowi Bridge	–	–	04/10/07	WS	Specific Conductance	353	µS/cm	FU070400P11001
Los Alamos Canyon near Otowi Bridge	–	–	07/25/06	WP	Specific Conductance	422	µS/cm	FU060700P11001
Los Alamos Canyon near Otowi Bridge	–	–	04/27/05	WM	Specific Conductance	194.2	µS/cm	FU05040P11001
Los Alamos Canyon near Otowi Bridge	–	–	04/10/07	WS	Temperature	10.7	deg C	FU070400P11001
Los Alamos Canyon near Otowi Bridge	–	–	07/25/06	WP	Temperature	27.5	deg C	FU060700P11001
Los Alamos Canyon near Otowi Bridge	–	–	04/27/05	WM	Temperature	10.6	deg C	FU05040P11001
Los Alamos Canyon near Otowi Bridge	–	–	04/10/07	WS	Turbidity	160	NTU	FU070400P11001
Los Alamos Canyon near Otowi Bridge	–	–	07/25/06	WP	Turbidity	1.53	NTU	FU060700P11001
Los Alamos Canyon near Otowi Bridge	–	–	04/27/05	WM	Turbidity	5.9	NTU	FU05040P11001
Los Alamos Canyon near Otowi Bridge	–	–	04/10/07	WS	pH	7.4	SU	FU070400P11001
Los Alamos Canyon near Otowi Bridge	–	–	03/28/07	WM	pH	7.75	SU	FU070300M11001
Los Alamos Canyon near Otowi Bridge	–	–	07/25/06	WP	pH	8.35	SU	FU060700P11001
Los Alamos Canyon near Otowi Bridge	–	–	04/27/05	WM	pH	7.78	SU	FU05040P11001
Los Alamos Canyon near Otowi Bridge	–	–	04/20/05	WM	pH	7.54	SU	FU05030M11001
Los Alamos Spring	–	–	04/26/07	WG	Dissolved Oxygen	6.7	mg/L	FU070400GLAS01
Los Alamos Spring	–	–	04/26/07	WG	Oxidation Reduction Potential	392	mV	FU070400GLAS01
Los Alamos Spring	–	–	04/26/07	WG	Specific Conductance	276	µS/cm	FU070400GLAS01
Los Alamos Spring	–	–	04/26/07	WG	Temperature	10.5	deg C	FU070400GLAS01
Los Alamos Spring	–	–	04/26/07	WG	Turbidity	0.57	NTU	FU070400GLAS01
Los Alamos Spring	–	–	04/26/07	WG	pH	7.53	SU	FU070400GLAS01
Los Alamos above DP Canyon	–	–	04/17/07	WS	Dissolved Oxygen	7.85	mg/L	FU070400P03001
Los Alamos above DP Canyon	–	–	04/28/05	WM	Dissolved Oxygen	8.91	mg/L	FU05040P03001
Los Alamos above DP Canyon	–	–	04/17/07	WS	Instantaneous Stream Flow	1	CFS	FU070400P03001
Los Alamos above DP Canyon	–	–	04/17/07	WS	Specific Conductance	270	µS/cm	FU070400P03001
Los Alamos above DP Canyon	–	–	04/28/05	WM	Specific Conductance	140.6	µS/cm	FU05040P03001
Los Alamos above DP Canyon	–	–	04/17/07	WS	Temperature	12.5	deg C	FU070400P03001
Los Alamos above DP Canyon	–	–	04/28/05	WM	Temperature	7.5	deg C	FU05040P03001
Los Alamos above DP Canyon	–	–	04/17/07	WS	Turbidity	4.96	NTU	FU070400P03001
Los Alamos above DP Canyon	–	–	04/28/05	WM	Turbidity	26.6	NTU	FU05040P03001
Los Alamos above DP Canyon	–	–	03/22/07	WM	Visual Inspection	1		FN070300M03001
Los Alamos above DP Canyon	–	–	04/10/07	WM	Visual Inspection	1		FU070400M03001

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Los Alamos above DP Canyon	–	–	04/17/07	WS	pH	7.87	SU	FU070400P03001
Los Alamos above DP Canyon	–	–	04/10/07	WM	pH	7.79	SU	FU070400M03001
Los Alamos above DP Canyon	–	–	03/21/07	WM	pH	7.06	SU	FU070300M03001
Los Alamos above DP Canyon	–	–	04/28/05	WM	pH	8.14	SU	FU05040P03001
Los Alamos above DP Canyon	–	–	03/18/05	WM	pH	8	SU	FU05030M03001
Los Alamos above SR-4	–	–	04/12/07	WS	Dissolved Oxygen	10.01	mg/L	FU070400P04201
Los Alamos above SR-4	–	–	04/28/05	WM	Dissolved Oxygen	9.46	mg/L	FU05040P04201
Los Alamos above SR-4	–	–	04/12/07	WS	Instantaneous Stream Flow	1.31	CFS	FU070400P04201
Los Alamos above SR-4	–	–	04/12/07	WS	Specific Conductance	228	µS/cm	FU070400P04201
Los Alamos above SR-4	–	–	04/28/05	WM	Specific Conductance	156	µS/cm	FU05040P04201
Los Alamos above SR-4	–	–	04/12/07	WS	Temperature	6	deg C	FU070400P04201
Los Alamos above SR-4	–	–	04/28/05	WM	Temperature	7.2	deg C	FU05040P04201
Los Alamos above SR-4	–	–	04/12/07	WS	Turbidity	6	NTU	FU070400P04201
Los Alamos above SR-4	–	–	04/28/05	WM	Turbidity	29	NTU	FU05040P04201
Los Alamos above SR-4	–	–	04/10/07	WM	Visual Inspection	1		FU070400M04201
Los Alamos above SR-4	–	–	04/12/07	WS	pH	7.7	SU	FU070400P04201
Los Alamos above SR-4	–	–	04/10/07	WM	pH	7.44	SU	FU070400M04201
Los Alamos above SR-4	–	–	04/28/05	WM	pH	8.06	SU	FU05040P04201
Los Alamos above SR-4	–	–	03/18/05	WM	pH	7.4	SU	FU05030M04201
Los Alamos below Ice Rink	–	–	04/16/07	WS	Dissolved Oxygen	8.72	mg/L	FU070400P02601
Los Alamos below Ice Rink	–	–	04/29/05	WM	Dissolved Oxygen	9.33	mg/L	FU05040P02601
Los Alamos below Ice Rink	–	–	04/16/07	WS	Instantaneous Stream Flow	1.32	CFS	FU070400P02601
Los Alamos below Ice Rink	–	–	04/16/07	WS	Specific Conductance	135.8	µS/cm	FU070400P02601
Los Alamos below Ice Rink	–	–	04/29/05	WM	Specific Conductance	144.5	µS/cm	FU05040P02601
Los Alamos below Ice Rink	–	–	04/16/07	WS	Temperature	9.4	deg C	FU070400P02601
Los Alamos below Ice Rink	–	–	04/29/05	WM	Temperature	6	deg C	FU05040P02601
Los Alamos below Ice Rink	–	–	04/16/07	WS	Turbidity	6.06	NTU	FU070400P02601
Los Alamos below Ice Rink	–	–	04/29/05	WM	Turbidity	17.3	NTU	FU05040P02601
Los Alamos below Ice Rink	–	–	04/10/07	WM	Visual Inspection	1		FU070400M02601
Los Alamos below Ice Rink	–	–	04/16/07	WS	pH	7.05	SU	FU070400P02601
Los Alamos below Ice Rink	–	–	04/10/07	WM	pH	7.45	SU	FU070400M02601
Los Alamos below Ice Rink	–	–	03/06/07	WM	pH	6.87	SU	FU070300M02601



**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Los Alamos below Ice Rink	–	–	04/29/05	WM	pH	8.18	SU	FU05040P02601
Los Alamos below Ice Rink	–	–	03/18/05	WM	pH	6.1	SU	FU05030M02601
Los Alamos below LA Weir	–	–	04/12/07	WP	Dissolved Oxygen	8.66	mg/L	FU070400P05001
Los Alamos below LA Weir	–	–	04/27/05	WM	Dissolved Oxygen	8.61	mg/L	FU05040P05001
Los Alamos below LA Weir	–	–	04/12/07	WP	Instantaneous Stream Flow	0.65	CFS	FU070400P05001
Los Alamos below LA Weir	–	–	04/12/07	WP	Specific Conductance	218	µS/cm	FU070400P05001
Los Alamos below LA Weir	–	–	04/27/05	WM	Specific Conductance	158	µS/cm	FU05040P05001
Los Alamos below LA Weir	–	–	04/12/07	WP	Temperature	5.9	deg C	FU070400P05001
Los Alamos below LA Weir	–	–	04/27/05	WM	Temperature	13.9	deg C	FU05040P05001
Los Alamos below LA Weir	–	–	04/12/07	WP	Turbidity	11.9	NTU	FU070400P05001
Los Alamos below LA Weir	–	–	04/27/05	WM	Turbidity	44	NTU	FU05040P05001
Los Alamos below LA Weir	–	–	04/10/07	WM	Visual Inspection	1		FU070400M05001
Los Alamos below LA Weir	–	–	04/12/07	WP	pH	7.1	SU	FU070400P05001
Los Alamos below LA Weir	–	–	04/10/07	WM	pH	7.39	SU	FU070400M05001
Los Alamos below LA Weir	–	–	04/27/05	WM	pH	7.73	SU	FU05040P05001
Los Alamos below LA Weir	–	–	03/22/05	WM	pH	7.5	SU	FU05030M05001
PAO-1	5561	5.89	04/23/07	WG	Dissolved Oxygen	6.2	mg/L	FU07040G1OAP01
PAO-1	5561	5.89	08/10/06	WG	Dissolved Oxygen	1.26	mg/L	FU06070G1OAP01
PAO-1	5561	5.89	05/12/05	WG	Dissolved Oxygen	3.2	mg/L	FU0505G1OAP01
PAO-1	5561	5.89	04/23/07	WG	Oxidation Reduction Potential	126.4	mV	FU07040G1OAP01
PAO-1	5561	5.89	08/10/06	WG	Oxidation Reduction Potential	198.4	mV	FU06070G1OAP01
PAO-1	5561	5.89	04/23/07	WG	Specific Conductance	439	µS/cm	FU07040G1OAP01
PAO-1	5561	5.89	08/10/06	WG	Specific Conductance	333	µS/cm	FU06070G1OAP01
PAO-1	5561	5.89	05/12/05	WG	Specific Conductance	349	µS/cm	FU0505G1OAP01
PAO-1	5561	5.89	04/23/07	WG	Temperature	8.7	deg C	FU07040G1OAP01
PAO-1	5561	5.89	08/10/06	WG	Temperature	17	deg C	FU06070G1OAP01
PAO-1	5561	5.89	05/12/05	WG	Temperature	11.2	deg C	FU0505G1OAP01
PAO-1	5561	5.89	04/23/07	WG	Turbidity	4.91	NTU	FU07040G1OAP01
PAO-1	5561	5.89	08/10/06	WG	Turbidity	10.7	NTU	FU06070G1OAP01
PAO-1	5561	5.89	05/12/05	WG	Turbidity	13.3	NTU	FU0505G1OAP01
PAO-1	5561	5.89	04/23/07	WG	pH	7.35	SU	FU07040G1OAP01
PAO-1	5561	5.89	08/10/06	WG	pH	6.94	SU	FU06070G1OAP01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
PAO-1	5561	5.89	05/12/05	WG	pH	7.51	SU	FU0505G1OAP01
PAO-2	6801	6.06	04/23/07	WG	Dissolved Oxygen	8.67	mg/L	FU07040GPAO201
PAO-2	6801	6.06	08/10/06	WG	Dissolved Oxygen	5.4	mg/L	FU06070GPAO201
PAO-2	6801	6.06	04/23/07	WG	Oxidation Reduction Potential	131.8	mV	FU07040GPAO201
PAO-2	6801	6.06	08/10/06	WG	Oxidation Reduction Potential	365.5	mV	FU06070GPAO201
PAO-2	6801	6.06	04/23/07	WG	Specific Conductance	626	μS/cm	FU07040GPAO201
PAO-2	6801	6.06	08/10/06	WG	Specific Conductance	269	μS/cm	FU06070GPAO201
PAO-2	6801	6.06	04/23/07	WG	Temperature	8.8	deg C	FU07040GPAO201
PAO-2	6801	6.06	08/10/06	WG	Temperature	17.9	deg C	FU06070GPAO201
PAO-2	6801	6.06	04/23/07	WG	Turbidity	2.08	NTU	FU07040GPAO201
PAO-2	6801	6.06	08/10/06	WG	Turbidity	32.2	NTU	FU06070GPAO201
PAO-2	6801	6.06	04/23/07	WG	pH	7.44	SU	FU07040GPAO201
PAO-2	6801	6.06	08/10/06	WG	pH	6.91	SU	FU06070GPAO201
PAO-4	5591	1.97	04/19/07	WG	Dissolved Oxygen	0.53	mg/L	FU07040G4OAP01
PAO-4	5591	1.97	08/10/06	WG	Dissolved Oxygen	0.5	mg/L	FU06070G4OAP01
PAO-4	5591	1.97	05/09/05	WG	Dissolved Oxygen	3	mg/L	FU0505G4OAP01
PAO-4	5591	1.97	04/19/07	WG	Oxidation Reduction Potential	-118	mV	FU07040G4OAP01
PAO-4	5591	1.97	08/10/06	WG	Oxidation Reduction Potential	316.4	mV	FU06070G4OAP01
PAO-4	5591	1.97	04/19/07	WG	Specific Conductance	751	μS/cm	FU07040G4OAP01
PAO-4	5591	1.97	08/10/06	WG	Specific Conductance	617	μS/cm	FU06070G4OAP01
PAO-4	5591	1.97	05/09/05	WG	Specific Conductance	577	μS/cm	FU0505G4OAP01
PAO-4	5591	1.97	04/19/07	WG	Temperature	10.6	deg C	FU07040G4OAP01
PAO-4	5591	1.97	08/10/06	WG	Temperature	16.6	deg C	FU06070G4OAP01
PAO-4	5591	1.97	05/09/05	WG	Temperature	10.2	deg C	FU0505G4OAP01
PAO-4	5591	1.97	04/19/07	WG	Turbidity	3.43	NTU	FU07040G4OAP01
PAO-4	5591	1.97	08/10/06	WG	Turbidity	2.79	NTU	FU06070G4OAP01
PAO-4	5591	1.97	05/09/05	WG	Turbidity	1.3	NTU	FU0505G4OAP01
PAO-4	5591	1.97	04/19/07	WG	pH	6.88	SU	FU07040G4OAP01
PAO-4	5591	1.97	08/10/06	WG	pH	6.41	SU	FU06070G4OAP01
PAO-4	5591	1.97	05/09/05	WG	pH	6.67	SU	FU0505G4OAP01
POI-4	4291	159	04/25/07	WG	Dissolved Oxygen	5.93	mg/L	FU070400G4OP01
POI-4	4291	159	08/08/06	WG	Dissolved Oxygen	8.47	mg/L	FU060700G4OP01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
POI-4	4291	159	05/07/05	WG	Dissolved Oxygen	6.28	mg/L	FU05050G4OP01
POI-4	4291	159	03/08/05	WG	Dissolved Oxygen	6.45	mg/L	FU05020G4OP01
POI-4	4291	159	04/25/07	WG	Oxidation Reduction Potential	560	mV	FU070400G4OP01
POI-4	4291	159	08/08/06	WG	Oxidation Reduction Potential	208.4	mV	FU060700G4OP01
POI-4	4291	159	04/25/07	WG	Specific Conductance	583	µS/cm	FU070400G4OP01
POI-4	4291	159	08/08/06	WG	Specific Conductance	561	µS/cm	FU060700G4OP01
POI-4	4291	159	05/07/05	WG	Specific Conductance	578	µS/cm	FU05050G4OP01
POI-4	4291	159	03/08/05	WG	Specific Conductance	555	µS/cm	FU05020G4OP01
POI-4	4291	159	06/24/04	WG	Specific Conductance	560	µS/cm	FU04060G4OP01
POI-4	4291	159	04/25/07	WG	Temperature	12.7	deg C	FU070400G4OP01
POI-4	4291	159	08/08/06	WG	Temperature	12.3	deg C	FU060700G4OP01
POI-4	4291	159	05/07/05	WG	Temperature	13.3	deg C	FU05050G4OP01
POI-4	4291	159	03/08/05	WG	Temperature	12.7	deg C	FU05020G4OP01
POI-4	4291	159	06/24/04	WG	Temperature	13.4	deg C	FU04060G4OP01
POI-4	4291	159	04/25/07	WG	Turbidity	1.61	NTU	FU070400G4OP01
POI-4	4291	159	08/08/06	WG	Turbidity	0.74	NTU	FU060700G4OP01
POI-4	4291	159	05/07/05	WG	Turbidity	0.39	NTU	FU05050G4OP01
POI-4	4291	159	06/24/04	WG	Turbidity	0.25	NTU	FU04060G4OP01
POI-4	4291	159	08/20/03	WG	Turbidity	0.83	NTU	FU03080G4OP01
POI-4	4291	159	04/25/07	WG	pH	7.11	SU	FU070400G4OP01
POI-4	4291	159	08/08/06	WG	pH	7.19	SU	FU060700G4OP01
POI-4	4291	159	05/07/05	WG	pH	7.47	SU	FU05050G4OP01
POI-4	4291	159	03/08/05	WG	pH	7.4	SU	FU05020G4OP01
POI-4	4291	159	06/24/04	WG	pH	7.38	SU	FU04060G4OP01
Pueblo 3	–	–	04/20/07	WS	Dissolved Oxygen	6.12	mg/L	FU070400P3LP01
Pueblo 3	–	–	07/28/06	WS	Dissolved Oxygen	0.16	mg/L	FU060700P3LP01
Pueblo 3	–	–	07/28/06	WS	Instantaneous Stream Flow	0.345		FN060700P3LP01
Pueblo 3	–	–	04/20/07	WS	Instantaneous Stream Flow	1.2	CFS	FU070400P3LP01
Pueblo 3	–	–	04/20/07	WS	Specific Conductance	574	µS/cm	FU070400P3LP01
Pueblo 3	–	–	07/28/06	WS	Specific Conductance	658	µS/cm	FU060700P3LP01
Pueblo 3	–	–	06/09/04	WS	Specific Conductance	704	µS/cm	FU04060W3LP01
Pueblo 3	–	–	07/29/03	WS	Specific Conductance	676	µS/cm	FU03070W3LP01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Pueblo 3	–	–	04/20/07	WS	Temperature	18.3	deg C	FU070400P3LP01
Pueblo 3	–	–	07/28/06	WS	Temperature	18	deg C	FU060700P3LP01
Pueblo 3	–	–	06/09/04	WS	Temperature	19.1	deg C	FU04060W3LP01
Pueblo 3	–	–	07/29/03	WS	Temperature	17.2	deg C	FU03070W3LP01
Pueblo 3	–	–	11/27/01	WS	Temperature	10.6	deg C	AU01111W3LP
Pueblo 3	–	–	11/27/01	WS	Temperature	10.6	deg C	GU01111W3LP
Pueblo 3	–	–	04/20/07	WS	Turbidity	28.1	NTU	FU070400P3LP01
Pueblo 3	–	–	07/28/06	WS	Turbidity	32.1	NTU	FU060700P3LP01
Pueblo 3	–	–	06/09/04	WS	Turbidity	27	NTU	FU04060W3LP01
Pueblo 3	–	–	07/29/03	WS	Turbidity	8.06	NTU	FU03070W3LP01
Pueblo 3	–	–	11/27/01	WS	Turbidity	37.9	NTU	GU01111W3LP
Pueblo 3	–	–	11/27/01	WS	Turbidity	37.9	NTU	AU01111W3LP
Pueblo 3	–	–	04/20/07	WS	pH	7.59	SU	FU070400P3LP01
Pueblo 3	–	–	07/28/06	WS	pH	7.15	SU	FU060700P3LP01
Pueblo 3	–	–	06/09/04	WS	pH	7.3	SU	FU04060W3LP01
Pueblo 3	–	–	07/29/03	WS	pH	7.2	SU	FU03070W3LP01
Pueblo above Acid	–	–	04/18/07	WP	Dissolved Oxygen	6.53	mg/L	FU070400P05501
Pueblo above Acid	–	–	04/18/07	WP	Instantaneous Stream Flow	0.83	CFS	FU070400P05501
Pueblo above Acid	–	–	04/18/07	WP	Specific Conductance	340	µS/cm	FU070400P05501
Pueblo above Acid	–	–	04/18/07	WP	Temperature	10.2	deg C	FU070400P05501
Pueblo above Acid	–	–	04/18/07	WP	Turbidity	4.49	NTU	FU070400P05501
Pueblo above Acid	–	–	04/18/07	WP	pH	7.51	SU	FU070400P05501
Pueblo above Acid	–	–	03/30/05	WM	pH	8.11	SU	FU05030M05501
Pueblo above SR-502	–	–	04/11/07	WS	Dissolved Oxygen	8.62	mg/L	FU070400P06001
Pueblo above SR-502	–	–	07/28/06	WP	Dissolved Oxygen	1	mg/L	FU060700P06001
Pueblo above SR-502	–	–	05/02/05	WS	Dissolved Oxygen	4.52	mg/L	FU05040P06001
Pueblo above SR-502	–	–	04/11/07	WS	Instantaneous Stream Flow	0.9	CFS	FU070400P06001
Pueblo above SR-502	–	–	04/11/07	WS	Specific Conductance	619	µS/cm	FU070400P06001
Pueblo above SR-502	–	–	07/28/06	WP	Specific Conductance	651	µS/cm	FU060700P06001
Pueblo above SR-502	–	–	05/02/05	WS	Specific Conductance	649	µS/cm	FU05040P06001
Pueblo above SR-502	–	–	12/17/03	WS	Specific Conductance	553	µS/cm	FU03120W06001
Pueblo above SR-502	–	–	04/11/07	WS	Temperature	9.8	deg C	FU070400P06001

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
Pueblo above SR-502	–	–	07/28/06	WP	Temperature	16.5	deg C	FU060700P06001
Pueblo above SR-502	–	–	05/02/05	WS	Temperature	10.2	deg C	FU05040P06001
Pueblo above SR-502	–	–	12/17/03	WS	Temperature	4.9	deg C	FU03120W06001
Pueblo above SR-502	–	–	04/11/07	WS	Turbidity	39.1	NTU	FU070400P06001
Pueblo above SR-502	–	–	07/28/06	WP	Turbidity	11.8	NTU	FU060700P06001
Pueblo above SR-502	–	–	05/02/05	WS	Turbidity	45.6	NTU	FU05040P06001
Pueblo above SR-502	–	–	12/17/03	WS	Turbidity	59	NTU	FU03120W06001
Pueblo above SR-502	–	–	04/11/07	WS	pH	7.8	SU	FU070400P06001
Pueblo above SR-502	–	–	07/28/06	WP	pH	6.8	SU	FU060700P06001
Pueblo above SR-502	–	–	05/02/05	WS	pH	7.6	SU	FU05040P06001
Pueblo above SR-502	–	–	12/17/03	WS	pH	7.33	SU	FU03120W06001
R-2	1711	918	02/27/06	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	103	mg/L	FU06020G02R01
R-2	1711	918	11/09/05	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	56	mg/L	FU05110G02R01
R-2	1711	918	08/09/05	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	61	mg/L	FU05080G02R01
R-2	1711	918	04/17/07	WG	Dissolved Oxygen	4	mg/L	FU070400G02R01
R-2	1711	918	07/24/06	WG	Dissolved Oxygen	3.1	mg/L	FU060700G02R01
R-2	1711	918	02/27/06	WG	Dissolved Oxygen	3.08	mg/L	FU06020G02R01
R-2	1711	918	11/09/05	WG	Dissolved Oxygen	4.65	mg/L	FU05110G02R01
R-2	1711	918	08/09/05	WG	Dissolved Oxygen	4.8	mg/L	FU05080G02R01
R-2	1711	918	08/09/05	WG	Dissolved Oxygen	4.8	mg/L	GU05080G02R01
R-2	1711	918	04/17/07	WG	Oxidation Reduction Potential	37.4	mV	FU070400G02R01
R-2	1711	918	07/24/06	WG	Oxidation Reduction Potential	146.9	mV	FU060700G02R01
R-2	1711	918	02/27/06	WG	Oxidation Reduction Potential	108.2	mV	FU06020G02R01
R-2	1711	918	11/09/05	WG	Oxidation Reduction Potential	45.8	mV	FU05110G02R01
R-2	1711	918	08/09/05	WG	Oxidation Reduction Potential	65	mV	FU05080G02R01
R-2	1711	918	08/09/05	WG	Oxidation Reduction Potential	65	mV	GU05080G02R01
R-2	1711	918	04/17/07	WG	Specific Conductance	129.6	µS/cm	FU070400G02R01
R-2	1711	918	07/24/06	WG	Specific Conductance	103.6	µS/cm	FU060700G02R01
R-2	1711	918	02/27/06	WG	Specific Conductance	143.4	µS/cm	FU06020G02R01
R-2	1711	918	11/09/05	WG	Specific Conductance	143.6	µS/cm	FU05110G02R01
R-2	1711	918	08/09/05	WG	Specific Conductance	147.8	µS/cm	FU05080G02R01
R-2	1711	918	08/09/05	WG	Specific Conductance	147.8	µS/cm	GU05080G02R01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-2	1711	918	04/17/07	WG	Temperature	23.3	deg C	FU070400G02R01
R-2	1711	918	07/24/06	WG	Temperature	24.3	deg C	FU060700G02R01
R-2	1711	918	02/27/06	WG	Temperature	25.1	deg C	FU06020G02R01
R-2	1711	918	11/09/05	WG	Temperature	23.9	deg C	FU05110G02R01
R-2	1711	918	08/09/05	WG	Temperature	24.6	deg C	GU05080G02R01
R-2	1711	918	08/09/05	WG	Temperature	24.6	deg C	FU05080G02R01
R-2	1711	918	04/17/07	WG	Turbidity	4.7	NTU	FU070400G02R01
R-2	1711	918	07/24/06	WG	Turbidity	7.64	NTU	FU060700G02R01
R-2	1711	918	02/27/06	WG	Turbidity	4.9	NTU	FU06020G02R01
R-2	1711	918	11/09/05	WG	Turbidity	8.9	NTU	FU05110G02R01
R-2	1711	918	08/09/05	WG	Turbidity	11.6	NTU	FU05080G02R01
R-2	1711	918	08/09/05	WG	Turbidity	11.6	NTU	GU05080G02R01
R-2	1711	918	04/17/07	WG	pH	7.5	SU	FU070400G02R01
R-2	1711	918	07/24/06	WG	pH	7.56	SU	FU060700G02R01
R-2	1711	918	02/27/06	WG	pH	7.46	SU	FU06020G02R01
R-2	1711	918	11/09/05	WG	pH	7.43	SU	FU05110G02R01
R-2	1711	918	08/09/05	WG	pH	7.39	SU	GU05080G02R01
R-2	1711	918	08/09/05	WG	pH	7.39	SU	FU05080G02R01
R-2	1711	918	02/27/06	WG	Iron	130	µg/L	FU06020G02R01
R-2	1711	918	11/09/05	WG	Iron	90	µg/L	FU05110G02R01
R-2	1711	918	08/09/05	WG	Iron	250	µg/L	FU05080G02R01
R-24	6321	825	05/10/06	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	110	mg/L	FU060500GR2401
R-24	6321	825	03/06/06	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	117	mg/L	FU06020GR2401
R-24	6321	825	04/16/07	WG	Dissolved Oxygen	1.8	mg/L	FU070400GR2401
R-24	6321	825	07/27/06	WG	Dissolved Oxygen	10.31	mg/L	FU060700GR2401
R-24	6321	825	05/10/06	WG	Dissolved Oxygen	1.82	mg/L	FU060500GR2401
R-24	6321	825	03/06/06	WG	Dissolved Oxygen	1.31	mg/L	FU06020GR2401
R-24	6321	825	11/15/05	WG	Dissolved Oxygen	2.32	mg/L	FU05110GR2401
R-24	6321	825	04/16/07	WG	Oxidation Reduction Potential	-115.1	mV	FU070400GR2401
R-24	6321	825	07/27/06	WG	Oxidation Reduction Potential	-10.9	mV	FU060700GR2401
R-24	6321	825	05/10/06	WG	Oxidation Reduction Potential	203.4	mV	FU060500GR2401
R-24	6321	825	03/06/06	WG	Oxidation Reduction Potential	71.1	mV	FU06020GR2401

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-24	6321	825	11/15/05	WG	Oxidation Reduction Potential	70.3	mV	FU05110GR2401
R-24	6321	825	04/16/07	WG	Specific Conductance	247	µS/cm	FU070400GR2401
R-24	6321	825	07/27/06	WG	Specific Conductance	252	µS/cm	FU060700GR2401
R-24	6321	825	05/10/06	WG	Specific Conductance	292	µS/cm	FU060500GR2401
R-24	6321	825	03/06/06	WG	Specific Conductance	300	µS/cm	FU06020GR2401
R-24	6321	825	11/15/05	WG	Specific Conductance	277	µS/cm	FU05110GR2401
R-24	6321	825	04/16/07	WG	Temperature	29	deg C	FU070400GR2401
R-24	6321	825	07/27/06	WG	Temperature	28.7	deg C	FU060700GR2401
R-24	6321	825	05/10/06	WG	Temperature	28.1	deg C	FU060500GR2401
R-24	6321	825	03/06/06	WG	Temperature	28.7	deg C	FU06020GR2401
R-24	6321	825	11/15/05	WG	Temperature	26.2	deg C	FU05110GR2401
R-24	6321	825	04/16/07	WG	Turbidity	0.55	NTU	FU070400GR2401
R-24	6321	825	07/27/06	WG	Turbidity	0.67	NTU	FU060700GR2401
R-24	6321	825	05/10/06	WG	Turbidity	4.05	NTU	FU060500GR2401
R-24	6321	825	03/06/06	WG	Turbidity	0.97	NTU	FU06020GR2401
R-24	6321	825	11/15/05	WG	Turbidity	0.77	NTU	FU05110GR2401
R-24	6321	825	04/16/07	WG	pH	7.7	SU	FU070400GR2401
R-24	6321	825	07/27/06	WG	pH	7.86	SU	FU060700GR2401
R-24	6321	825	05/10/06	WG	pH	7.74	SU	FU060500GR2401
R-24	6321	825	03/06/06	WG	pH	7.66	SU	FU06020GR2401
R-24	6321	825	11/15/05	WG	pH	7.82	SU	FU05110GR2401
R-24	6321	825	05/10/06	WG	Iron	20	µg/L	FU060500GR2401
R-24	6321	825	03/06/06	WG	Iron	0	µg/L	FU06020GR2401
R-3i	7701	215.2	01/11/07	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	106	mg/L	FU061000G3iR01
R-3i	7701	215.2	08/10/06	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	145	mg/L	FU060700G3iR01
R-3i	7701	215.2	01/11/07	WG	Dissolved Oxygen	7.35	mg/L	FU061000G3iR01
R-3i	7701	215.2	08/10/06	WG	Dissolved Oxygen	6.3	mg/L	FU060700G3iR01
R-3i	7701	215.2	04/09/07	WG	Dissolved Oxygen	7.3	mg/L	FU070400G3iR01
R-3i	7701	215.2	01/11/07	WG	Oxidation Reduction Potential	68.3	mV	FU061000G3iR01
R-3i	7701	215.2	08/10/06	WG	Oxidation Reduction Potential	89.5	mV	FU060700G3iR01
R-3i	7701	215.2	04/09/07	WG	Oxidation Reduction Potential	257.7	mV	FU070400G3iR01
R-3i	7701	215.2	01/11/07	WG	Specific Conductance	472	µS/cm	FU061000G3iR01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-3i	7701	215.2	08/10/06	WG	Specific Conductance	467	µS/cm	FU060700G3iR01
R-3i	7701	215.2	04/09/07	WG	Specific Conductance	473	µS/cm	FU070400G3iR01
R-3i	7701	215.2	01/11/07	WG	Temperature	13.9	deg C	FU061000G3iR01
R-3i	7701	215.2	08/10/06	WG	Temperature	19.8	deg C	FU060700G3iR01
R-3i	7701	215.2	04/09/07	WG	Temperature	13.3	deg C	FU070400G3iR01
R-3i	7701	215.2	01/11/07	WG	Turbidity	0.77	NTU	FU061000G3iR01
R-3i	7701	215.2	08/10/06	WG	Turbidity	0.58	NTU	FU060700G3iR01
R-3i	7701	215.2	04/09/07	WG	Turbidity	1.44	NTU	FU070400G3iR01
R-3i	7701	215.2	01/11/07	WG	pH	7.51	SU	FU061000G3iR01
R-3i	7701	215.2	08/10/06	WG	pH	7.43	SU	FU060700G3iR01
R-3i	7701	215.2	04/09/07	WG	pH	7.52	SU	FU070400G3iR01
R-3i	7701	215.2	01/11/07	WG	Iron	60	µg/L	FU061000G3iR01
R-3i	7701	215.2	08/10/06	WG	Iron	10	µg/L	FU060700G3iR01
R-4	1721	792.9	02/28/06	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	73	mg/L	FU06020G04R01
R-4	1721	792.9	11/14/05	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	63.5	mg/L	FU05110G04R01
R-4	1721	792.9	08/08/05	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	52	mg/L	FU05080G04R02
R-4	1721	792.9	04/17/07	WG	Dissolved Oxygen	2.5	mg/L	FU070400G04R01
R-4	1721	792.9	07/25/06	WG	Dissolved Oxygen	5.08	mg/L	FU060700G04R01
R-4	1721	792.9	02/28/06	WG	Dissolved Oxygen	1.54	mg/L	FU06020G04R01
R-4	1721	792.9	11/14/05	WG	Dissolved Oxygen	4.01	mg/L	FU05110G04R01
R-4	1721	792.9	08/08/05	WG	Dissolved Oxygen	3.57	mg/L	FU05080G04R02
R-4	1721	792.9	08/08/05	WG	Dissolved Oxygen	3.57	mg/L	GU05080G04R01
R-4	1721	792.9	04/17/07	WG	Oxidation Reduction Potential	-56.2	mV	FU070400G04R01
R-4	1721	792.9	07/25/06	WG	Oxidation Reduction Potential	180.9	mV	FU060700G04R01
R-4	1721	792.9	02/28/06	WG	Oxidation Reduction Potential	3.57	mV	FU06020G04R01
R-4	1721	792.9	11/14/05	WG	Oxidation Reduction Potential	93.2	mV	FU05110G04R01
R-4	1721	792.9	08/08/05	WG	Oxidation Reduction Potential	42.6	mV	FU05080G04R02
R-4	1721	792.9	08/08/05	WG	Oxidation Reduction Potential	42.6	mV	GU05080G04R01
R-4	1721	792.9	04/17/07	WG	Specific Conductance	160.2	µS/cm	FU070400G04R01
R-4	1721	792.9	07/25/06	WG	Specific Conductance	160.4	µS/cm	FU060700G04R01
R-4	1721	792.9	02/28/06	WG	Specific Conductance	182.9	µS/cm	FU06020G04R01
R-4	1721	792.9	11/14/05	WG	Specific Conductance	180.4	µS/cm	FU05110G04R01



**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-4	1721	792.9	08/08/05	WG	Specific Conductance	172.6	µS/cm	GU05080G04R01
R-4	1721	792.9	08/08/05	WG	Specific Conductance	172.6	µS/cm	FU05080G04R02
R-4	1721	792.9	04/17/07	WG	Temperature	24.4	deg C	FU070400G04R01
R-4	1721	792.9	07/25/06	WG	Temperature	25.4	deg C	FU060700G04R01
R-4	1721	792.9	02/28/06	WG	Temperature	23.5	deg C	FU06020G04R01
R-4	1721	792.9	11/14/05	WG	Temperature	24.8	deg C	FU05110G04R01
R-4	1721	792.9	08/08/05	WG	Temperature	25.4	deg C	GU05080G04R01
R-4	1721	792.9	08/08/05	WG	Temperature	25.4	deg C	FU05080G04R02
R-4	1721	792.9	04/17/07	WG	Turbidity	0.32	NTU	FU070400G04R01
R-4	1721	792.9	07/25/06	WG	Turbidity	0.12	NTU	FU060700G04R01
R-4	1721	792.9	02/28/06	WG	Turbidity	0.32	NTU	FU06020G04R01
R-4	1721	792.9	11/14/05	WG	Turbidity	0.13	NTU	FU05110G04R01
R-4	1721	792.9	08/08/05	WG	Turbidity	0.19	NTU	GU05080G04R01
R-4	1721	792.9	08/08/05	WG	Turbidity	0.19	NTU	FU05080G04R02
R-4	1721	792.9	04/17/07	WG	pH	7.88	SU	FU070400G04R01
R-4	1721	792.9	07/25/06	WG	pH	7.9	SU	FU060700G04R01
R-4	1721	792.9	02/28/06	WG	pH	8.29	SU	FU06020G04R01
R-4	1721	792.9	11/14/05	WG	pH	7.96	SU	FU05110G04R01
R-4	1721	792.9	08/08/05	WG	pH	7.95	SU	FU05080G04R02
R-4	1721	792.9	08/08/05	WG	pH	7.95	SU	GU05080G04R01
R-5	2452	383.9	04/17/07	WG	Specific Conductance	215	µS/cm	FU07040G05R201
R-5	2452	383.9	07/25/06	WG	Specific Conductance	228	µS/cm	FU06070G05R201
R-5	2452	383.9	05/02/05	WG	Specific Conductance	261	µS/cm	FU0504G05R201
R-5	2452	383.9	09/27/04	WG	Specific Conductance	263	µS/cm	GU0409G05R201
R-5	2452	383.9	04/28/04	WG	Specific Conductance	254	µS/cm	GU0404G05R201
R-5	2452	383.9	04/17/07	WG	Temperature	17.9	deg C	FU07040G05R201
R-5	2452	383.9	07/25/06	WG	Temperature	23.9	deg C	FU06070G05R201
R-5	2452	383.9	05/02/05	WG	Temperature	16.1	deg C	FU0504G05R201
R-5	2452	383.9	09/27/04	WG	Temperature	16.7	deg C	GU0409G05R201
R-5	2452	383.9	04/28/04	WG	Temperature	19.3	deg C	GU0404G05R201
R-5	2452	383.9	04/17/07	WG	Turbidity	0.21	NTU	FU07040G05R201
R-5	2452	383.9	07/25/06	WG	Turbidity	0.24	NTU	FU06070G05R201

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-5	2452	383.9	05/02/05	WG	Turbidity	0.1	NTU	FU0504G05R201
R-5	2452	383.9	09/27/04	WG	Turbidity	0.15	NTU	GU0409G05R201
R-5	2452	383.9	04/28/04	WG	Turbidity	0.07	NTU	GU0404G05R201
R-5	2452	383.9	04/17/07	WG	pH	8.04	SU	FU07040G05R201
R-5	2452	383.9	07/25/06	WG	pH	7.87	SU	FU06070G05R201
R-5	2452	383.9	05/02/05	WG	pH	7.69	SU	FU0504G05R201
R-5	2452	383.9	09/27/04	WG	pH	8.27	SU	GU0409G05R201
R-5	2452	383.9	04/28/04	WG	pH	8.02	SU	GU0404G05R201
R-5	2512	718.6	04/18/07	WG	Specific Conductance	249	µS/cm	FU07040G05R301
R-5	2512	718.6	07/26/06	WG	Specific Conductance	252	µS/cm	FU06070G05R301
R-5	2512	718.6	05/03/05	WG	Specific Conductance	270	µS/cm	FU0504G05R301
R-5	2512	718.6	09/28/04	WG	Specific Conductance	267	µS/cm	GU0409G05R301
R-5	2512	718.6	04/30/04	WG	Specific Conductance	262	µS/cm	GU0404G05R301
R-5	2512	718.6	04/18/07	WG	Temperature	22.4	deg C	FU07040G05R301
R-5	2512	718.6	07/26/06	WG	Temperature	25.5	deg C	FU06070G05R301
R-5	2512	718.6	05/03/05	WG	Temperature	19.5	deg C	FU0504G05R301
R-5	2512	718.6	09/28/04	WG	Temperature	21.1	deg C	GU0409G05R301
R-5	2512	718.6	04/30/04	WG	Temperature	17.4	deg C	GU0404G05R301
R-5	2512	718.6	04/18/07	WG	Turbidity	0.3	NTU	FU07040G05R301
R-5	2512	718.6	07/26/06	WG	Turbidity	0.24	NTU	FU06070G05R301
R-5	2512	718.6	05/03/05	WG	Turbidity	0.25	NTU	FU0504G05R301
R-5	2512	718.6	09/28/04	WG	Turbidity	0.18	NTU	GU0409G05R301
R-5	2512	718.6	04/30/04	WG	Turbidity	0.18	NTU	GU0404G05R301
R-5	2512	718.6	04/18/07	WG	pH	8.15	SU	FU07040G05R301
R-5	2512	718.6	07/26/06	WG	pH	8.12	SU	FU06070G05R301
R-5	2512	718.6	05/03/05	WG	pH	7.87	SU	FU0504G05R301
R-5	2512	718.6	09/28/04	WG	pH	8.22	SU	GU0409G05R301
R-5	2512	718.6	04/30/04	WG	pH	8.06	SU	GU0404G05R301
R-5	2552	860.9	04/17/07	WG	Specific Conductance	222	µS/cm	FU07040G05R401
R-5	2552	860.9	07/27/06	WG	Specific Conductance	286	µS/cm	FU06070G05R401
R-5	2552	860.9	05/05/05	WG	Specific Conductance	254	µS/cm	FU0504G05R401
R-5	2552	860.9	05/04/05	WG	Specific Conductance	245	µS/cm	GU0504G05R401

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-5	2552	860.9	09/30/04	WG	Specific Conductance	227	µS/cm	GU0409G05R401
R-5	2552	860.9	04/17/07	WG	Temperature	22	deg C	FU07040G05R401
R-5	2552	860.9	07/27/06	WG	Temperature	24	deg C	FU06070G05R401
R-5	2552	860.9	05/05/05	WG	Temperature	22.1	deg C	FU0504G05R401
R-5	2552	860.9	05/04/05	WG	Temperature	22.3	deg C	GU0504G05R401
R-5	2552	860.9	09/30/04	WG	Temperature	18.2	deg C	GU0409G05R401
R-5	2552	860.9	04/17/07	WG	Turbidity	0.21	NTU	FU07040G05R401
R-5	2552	860.9	07/27/06	WG	Turbidity	1.18	NTU	FU06070G05R401
R-5	2552	860.9	05/05/05	WG	Turbidity	0.5	NTU	FU0504G05R401
R-5	2552	860.9	05/04/05	WG	Turbidity	2.13	NTU	GU0504G05R401
R-5	2552	860.9	09/30/04	WG	Turbidity	1.69	NTU	GU0409G05R401
R-5	2552	860.9	04/17/07	WG	pH	7.8	SU	FU07040G05R401
R-5	2552	860.9	07/27/06	WG	pH	7.53	SU	FU06070G05R401
R-5	2552	860.9	05/05/05	WG	pH	7.7	SU	FU0504G05R401
R-5	2552	860.9	05/04/05	WG	pH	7.48	SU	GU0504G05R401
R-5	2552	860.9	09/30/04	WG	pH	7.76	SU	GU0409G05R401
R-6	5871	1205	05/11/06	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	74	mg/L	FU060500G06R01
R-6	5871	1205	03/01/06	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	75	mg/L	FU06020G06R01
R-6	5871	1205	11/17/05	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	63	mg/L	FU05110G06R01
R-6	5871	1205	04/12/07	WG	Dissolved Oxygen	4	mg/L	FU070400G06R01
R-6	5871	1205	07/26/06	WG	Dissolved Oxygen	3.8	mg/L	FU060700G06R01
R-6	5871	1205	05/11/06	WG	Dissolved Oxygen	2.33	mg/L	FU060500G06R01
R-6	5871	1205	03/01/06	WG	Dissolved Oxygen	2.93	mg/L	FU06020G06R01
R-6	5871	1205	11/17/05	WG	Dissolved Oxygen	3.47	mg/L	FU05110G06R01
R-6	5871	1205	04/12/07	WG	Oxidation Reduction Potential	197.6	mV	FU070400G06R01
R-6	5871	1205	07/26/06	WG	Oxidation Reduction Potential	225.9	mV	FU060700G06R01
R-6	5871	1205	05/11/06	WG	Oxidation Reduction Potential	232.6	mV	FU060500G06R01
R-6	5871	1205	03/01/06	WG	Oxidation Reduction Potential	252.1	mV	FU06020G06R01
R-6	5871	1205	11/17/05	WG	Oxidation Reduction Potential	154.4	mV	FU05110G06R01
R-6	5871	1205	04/12/07	WG	Specific Conductance	143.1	µS/cm	FU070400G06R01
R-6	5871	1205	07/26/06	WG	Specific Conductance	152.8	µS/cm	FU060700G06R01
R-6	5871	1205	05/11/06	WG	Specific Conductance	156.3	µS/cm	FU060500G06R01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-6	5871	1205	03/01/06	WG	Specific Conductance	156.4	µS/cm	FU06020G06R01
R-6	5871	1205	11/17/05	WG	Specific Conductance	162.2	µS/cm	FU05110G06R01
R-6	5871	1205	04/12/07	WG	Temperature	20.4	deg C	FU070400G06R01
R-6	5871	1205	07/26/06	WG	Temperature	22.7	deg C	FU060700G06R01
R-6	5871	1205	05/11/06	WG	Temperature	22.1	deg C	FU060500G06R01
R-6	5871	1205	03/01/06	WG	Temperature	20.8	deg C	FU06020G06R01
R-6	5871	1205	11/17/05	WG	Temperature	22.3	deg C	FU05110G06R01
R-6	5871	1205	04/12/07	WG	Turbidity	0.67	NTU	FU070400G06R01
R-6	5871	1205	07/26/06	WG	Turbidity	0.8	NTU	FU060700G06R01
R-6	5871	1205	05/11/06	WG	Turbidity	2.7	NTU	FU060500G06R01
R-6	5871	1205	03/01/06	WG	Turbidity	1.35	NTU	FU06020G06R01
R-6	5871	1205	11/17/05	WG	Turbidity	0.89	NTU	FU05110G06R01
R-6	5871	1205	04/12/07	WG	pH	8.27	SU	FU070400G06R01
R-6	5871	1205	07/26/06	WG	pH	8.35	SU	FU060700G06R01
R-6	5871	1205	05/11/06	WG	pH	8.43	SU	FU060500G06R01
R-6	5871	1205	03/01/06	WG	pH	8.2	SU	FU06020G06R01
R-6	5871	1205	11/17/05	WG	pH	8.17	SU	FU05110G06R01
R-6	5871	1205	05/11/06	WG	Iron	30	ug/L	FU060500G06R01
R-6	5871	1205	03/01/06	WG	Iron	0	ug/L	FU06020G06R01
R-6	5871	1205	11/17/05	WG	Iron	10	ug/L	FU05110G06R01
R-6i	5881	602	05/11/06	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	77	mg/L	FU060500G6IR01
R-6i	5881	602	03/01/06	WG	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	80	mg/L	FU06020G6IR01
R-6i	5881	602	04/12/07	WG	Dissolved Oxygen	4.3	mg/L	FU070400G6IR01
R-6i	5881	602	07/26/06	WG	Dissolved Oxygen	6.27	mg/L	FU060700G6IR01
R-6i	5881	602	05/11/06	WG	Dissolved Oxygen	5.43	mg/L	FU060500G6IR01
R-6i	5881	602	03/01/06	WG	Dissolved Oxygen	5.17	mg/L	FU06020G6IR01
R-6i	5881	602	11/17/05	WG	Dissolved Oxygen	5.8	mg/L	FU05110G6IR01
R-6i	5881	602	04/12/07	WG	Oxidation Reduction Potential	157.6	mV	FU070400G6IR01
R-6i	5881	602	07/26/06	WG	Oxidation Reduction Potential	120.8	mV	FU060700G6IR01
R-6i	5881	602	05/11/06	WG	Oxidation Reduction Potential	90.6	mV	FU060500G6IR01
R-6i	5881	602	03/01/06	WG	Oxidation Reduction Potential	120.1	mV	FU06020G6IR01
R-6i	5881	602	11/17/05	WG	Oxidation Reduction Potential	100.8	mV	FU05110G6IR01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-6i	5881	602	04/12/07	WG	Specific Conductance	241	µS/cm	FU070400G6IR01
R-6i	5881	602	07/26/06	WG	Specific Conductance	256	µS/cm	FU060700G6IR01
R-6i	5881	602	05/11/06	WG	Specific Conductance	257	µS/cm	FU060500G6IR01
R-6i	5881	602	03/01/06	WG	Specific Conductance	265	µS/cm	FU06020G6IR01
R-6i	5881	602	11/17/05	WG	Specific Conductance	270	µS/cm	FU05110G6IR01
R-6i	5881	602	04/12/07	WG	Temperature	13.6	deg C	FU070400G6IR01
R-6i	5881	602	07/26/06	WG	Temperature	18.6	deg C	FU060700G6IR01
R-6i	5881	602	05/11/06	WG	Temperature	17.9	deg C	FU060500G6IR01
R-6i	5881	602	03/01/06	WG	Temperature	17.5	deg C	FU06020G6IR01
R-6i	5881	602	11/17/05	WG	Temperature	17.4	deg C	FU05110G6IR01
R-6i	5881	602	04/12/07	WG	Turbidity	1.48	NTU	FU070400G6IR01
R-6i	5881	602	07/26/06	WG	Turbidity	1.03	NTU	FU060700G6IR01
R-6i	5881	602	05/11/06	WG	Turbidity	1.71	NTU	FU060500G6IR01
R-6i	5881	602	03/01/06	WG	Turbidity	2.04	NTU	FU06020G6IR01
R-6i	5881	602	11/17/05	WG	Turbidity	2.47	NTU	FU05110G6IR01
R-6i	5881	602	04/12/07	WG	pH	7.34	SU	FU070400G6IR01
R-6i	5881	602	07/26/06	WG	pH	7.36	SU	FU060700G6IR01
R-6i	5881	602	05/11/06	WG	pH	7.2	SU	FU060500G6IR01
R-6i	5881	602	03/01/06	WG	pH	7.34	SU	FU06020G6IR01
R-6i	5881	602	11/17/05	WG	pH	7.23	SU	FU05110G6IR01
R-6i	5881	602	05/11/06	WG	Iron	90	ug/L	FU060500G6IR01
R-6i	5881	602	03/01/06	WG	Iron	90	ug/L	FU06020G6IR01
R-7	1442	915.1	04/13/07	WG	Specific Conductance	105.5	µS/cm	FU07040G07R301
R-7	1442	915.1	07/31/06	WG	Specific Conductance	106.3	µS/cm	FU06070G07R301
R-7	1442	915.1	04/26/05	WG	Specific Conductance	108.3	µS/cm	FU0504G07R301
R-7	1442	915.1	05/26/04	WG	Specific Conductance	107.4	µS/cm	GU0405G07R301
R-7	1442	915.1	12/18/03	WG	Specific Conductance	181.7	µS/cm	GU0311G07R301
R-7	1442	915.1	04/13/07	WG	Temperature	12.2	deg C	FU07040G07R301
R-7	1442	915.1	07/31/06	WG	Temperature	18.2	deg C	FU06070G07R301
R-7	1442	915.1	04/26/05	WG	Temperature	15.5	deg C	FU0504G07R301
R-7	1442	915.1	05/26/04	WG	Temperature	17.9	deg C	GU0405G07R301
R-7	1442	915.1	12/18/03	WG	Temperature	10.3	deg C	GU0311G07R301

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-7	1442	915.1	04/13/07	WG	Turbidity	2.64	NTU	FU07040G07R301
R-7	1442	915.1	07/31/06	WG	Turbidity	0.99	NTU	FU06070G07R301
R-7	1442	915.1	04/26/05	WG	Turbidity	1.25	NTU	FU0504G07R301
R-7	1442	915.1	05/26/04	WG	Turbidity	1.28	NTU	GU0405G07R301
R-7	1442	915.1	12/18/03	WG	Turbidity	1.62	NTU	GU0311G07R301
R-7	1442	915.1	04/13/07	WG	pH	6.55	SU	FU07040G07R301
R-7	1442	915.1	07/31/06	WG	pH	6.85	SU	FU06070G07R301
R-7	1442	915.1	04/26/05	WG	pH	7.09	SU	FU0504G07R301
R-7	1442	915.1	05/26/04	WG	pH	6.85	SU	GU0405G07R301
R-7	1442	915.1	12/18/03	WG	pH	7.95	SU	GU0311G07R301
R-8	2302	711.1	04/10/07	WG	Specific Conductance	138.9	µS/cm	FU07040G08R101
R-8	2302	711.1	08/01/06	WG	Specific Conductance	126.2	µS/cm	FU06070G08R101
R-8	2302	711.1	04/27/05	WG	Specific Conductance	149.5	µS/cm	FU0504G08R101
R-8	2302	711.1	08/24/04	WG	Specific Conductance	152.2	µS/cm	GU0407G08R101
R-8	2302	711.1	04/26/04	WG	Specific Conductance	148.1	µS/cm	GU0404G08R101
R-8	2302	711.1	04/10/07	WG	Temperature	19.8	deg C	FU07040G08R101
R-8	2302	711.1	08/01/06	WG	Temperature	22.5	deg C	FU06070G08R101
R-8	2302	711.1	04/27/05	WG	Temperature	19.9	deg C	FU0504G08R101
R-8	2302	711.1	08/24/04	WG	Temperature	21.3	deg C	GU0407G08R101
R-8	2302	711.1	04/26/04	WG	Temperature	19.7	deg C	GU0404G08R101
R-8	2302	711.1	04/10/07	WG	Turbidity	0.17	NTU	FU07040G08R101
R-8	2302	711.1	08/01/06	WG	Turbidity	0.15	NTU	FU06070G08R101
R-8	2302	711.1	04/27/05	WG	Turbidity	0.13	NTU	FU0504G08R101
R-8	2302	711.1	08/24/04	WG	Turbidity	0.12	NTU	GU0407G08R101
R-8	2302	711.1	04/26/04	WG	Turbidity	0.1	NTU	GU0404G08R101
R-8	2302	711.1	04/10/07	WG	pH	8.19	SU	FU07040G08R101
R-8	2302	711.1	08/01/06	WG	pH	8.3	SU	FU06070G08R101
R-8	2302	711.1	04/27/05	WG	pH	8.3	SU	FU0504G08R101
R-8	2302	711.1	08/24/04	WG	pH	8.52	SU	GU0407G08R101
R-8	2302	711.1	04/26/04	WG	pH	8.55	SU	GU0404G08R101
R-8	2302	711.1	08/24/04	WG	Iron	0	ug/L	GU0407G08R101
R-8	2372	825	04/10/07	WG	Specific Conductance	178.7	µS/cm	FU07040G08R201

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-8	2372	825	08/02/06	WG	Specific Conductance	151.6	µS/cm	FU06070G08R201
R-8	2372	825	04/28/05	WG	Specific Conductance	183.5	µS/cm	FU0504G08R201
R-8	2372	825	08/25/04	WG	Specific Conductance	185.4	µS/cm	GU0407G08R201
R-8	2372	825	04/28/04	WG	Specific Conductance	246	µS/cm	UU0404G08R201
R-8	2372	825	04/10/07	WG	Temperature	20.2	deg C	FU07040G08R201
R-8	2372	825	08/02/06	WG	Temperature	24.2	deg C	FU06070G08R201
R-8	2372	825	04/28/05	WG	Temperature	19.2	deg C	FU0504G08R201
R-8	2372	825	08/25/04	WG	Temperature	22.2	deg C	GU0407G08R201
R-8	2372	825	04/28/04	WG	Temperature	20.8	deg C	UU0404G08R201
R-8	2372	825	04/10/07	WG	Turbidity	0.17	NTU	FU07040G08R201
R-8	2372	825	08/02/06	WG	Turbidity	0.22	NTU	FU06070G08R201
R-8	2372	825	04/28/05	WG	Turbidity	0.75	NTU	FU0504G08R201
R-8	2372	825	08/25/04	WG	Turbidity	1.91	NTU	GU0407G08R201
R-8	2372	825	04/28/04	WG	Turbidity	0.67	NTU	UU0404G08R201
R-8	2372	825	04/10/07	WG	pH	8.63	SU	FU07040G08R201
R-8	2372	825	08/02/06	WG	pH	9.09	SU	FU06070G08R201
R-8	2372	825	04/28/05	WG	pH	9.26	SU	FU0504G08R201
R-8	2372	825	08/25/04	WG	pH	9.52	SU	GU0407G08R201
R-8	2372	825	04/28/04	WG	pH	8.89	SU	UU0404G08R201
R-9	1731	684	04/28/05	WG	Dissolved Oxygen	6.23	mg/L	FU05040G09R02
R-9	1731	684	04/06/05	WG	Dissolved Oxygen	4.22	mg/L	FU05040G09R01
R-9	1731	684	02/28/00	WG	Dissolved Oxygen	4.63	mg/L	CALA-00-0013
R-9	1731	684	04/10/07	WG	Dissolved Oxygen	4.5	mg/L	FU070400G09R01
R-9	1731	684	04/10/07	WG	Oxidation Reduction Potential	272	mV	FU070400G09R01
R-9	1731	684	04/28/05	WG	Specific Conductance	257.9	µS/cm	FU05040G09R02
R-9	1731	684	04/06/05	WG	Specific Conductance	254	µS/cm	FU05040G09R01
R-9	1731	684	03/19/05	WG	Specific Conductance	256	µS/cm	FU05030G09R01
R-9	1731	684	04/10/07	WG	Specific Conductance	213	µS/cm	FU070400G09R01
R-9	1731	684	04/28/05	WG	Temperature	22.27	deg C	FU05040G09R02
R-9	1731	684	04/06/05	WG	Temperature	22.1	deg C	FU05040G09R01
R-9	1731	684	03/19/05	WG	Temperature	21.7	deg C	FU05030G09R01
R-9	1731	684	05/27/04	WG	Temperature	23.6	deg C	GU04050G09R01

**Los Alamos Watershed Last Four Field Results  
for Sampling April 9–April 29, 2007**

Location	Port	Depth (ft)	Date	Field Matrix	Analyte	Result	Units	Sample
R-9	1731	684	04/10/07	WG	Temperature	20.9	deg C	FU070400G09R01
R-9	1731	684	04/28/05	WG	Turbidity	3.6	NTU	FU05040G09R02
R-9	1731	684	03/19/05	WG	Turbidity	0.31	NTU	FU05030G09R01
R-9	1731	684	05/27/04	WG	Turbidity	0.36	NTU	GU04050G09R01
R-9	1731	684	12/12/03	WG	Turbidity	1.1	NTU	GU03120G09R01
R-9	1731	684	04/10/07	WG	Turbidity	2.28	NTU	FU070400G09R01
R-9	1731	684	04/28/05	WG	pH	7.8	SU	FU05040G09R02
R-9	1731	684	04/06/05	WG	pH	8.15	SU	FU05040G09R01
R-9	1731	684	03/19/05	WG	pH	8.28	SU	FU05030G09R01
R-9	1731	684	04/10/07	WG	pH	8.06	SU	FU070400G09R01



# **Appendix C**

---

## *Groundwater-Level Measurements*



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/29/2007	6361.94	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/28/2007	6362.09	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/27/2007	6361.9	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/26/2007	6361.92	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/25/2007	6361.94	Manual
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/25/2007	6361.92	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/24/2007	6361.99	Manual
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/24/2007	6361.94	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/23/2007	6361.91	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/22/2007	6361.89	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/21/2007	6361.97	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/20/2007	6362	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/19/2007	6362.07	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/18/2007	6362.15	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/17/2007	6362.18	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/16/2007	6362.19	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/15/2007	6362.23	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/14/2007	6362.32	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/13/2007	6361.97	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/12/2007	6361.95	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/11/2007	6361.96	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/10/2007	6362	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/9/2007	6362.01	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/8/2007	6362.07	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/7/2007	6362.19	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/6/2007	6362.03	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/5/2007	6362.1	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/4/2007	6362.17	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/3/2007	6362.26	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/2/2007	6362.33	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/1/2007	6362.45	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/31/2007	6362.23	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/30/2007	6362.22	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/29/2007	6362.24	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/28/2007	6362.25	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/27/2007	6362.26	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/26/2007	6362.01	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/25/2007	6361.97	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/24/2007	6361.94	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/23/2007	6361.93	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/22/2007	6361.85	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/21/2007	6361.85	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/20/2007	6361.86	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/19/2007	6361.85	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/18/2007	6361.83	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/17/2007	6361.8	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/16/2007	6361.76	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/15/2007	6361.72	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/14/2007	6361.67	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/13/2007	6361.62	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/12/2007	6361.57	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/11/2007	6361.53	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/10/2007	6361.5	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/9/2007	6361.46	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/8/2007	6361.41	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/7/2007	6361.37	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/6/2007	6361.35	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/5/2007	6361.36	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/4/2007	6361.39	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/3/2007	6361.44	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/2/2007	6361.48	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	3/1/2007	6361.51	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/28/2007	6361.51	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/27/2007	6361.48	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/26/2007	6361.48	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/25/2007	6361.49	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/24/2007	6361.54	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/23/2007	6361.53	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/22/2007	6361.51	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/21/2007	6361.49	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/20/2007	6361.48	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/19/2007	6361.46	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/18/2007	6361.44	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/17/2007	6361.45	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/16/2007	6361.46	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/15/2007	6361.47	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/14/2007	6361.47	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/13/2007	6361.41	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/12/2007	6361.32	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/11/2007	6361.28	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/10/2007	6361.24	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/9/2007	6361.21	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/8/2007	6361.16	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/7/2007	6361.11	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/6/2007	6361.07	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/5/2007	6361.06	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/4/2007	6361.05	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/3/2007	6361.04	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/2/2007	6361.08	Manual
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/2/2007	6361.04	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	2/1/2007	6361.06	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/31/2007	6361.06	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/30/2007	6361.05	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/29/2007	6361.03	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/28/2007	6361.04	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/27/2007	6361.06	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/26/2007	6361.04	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/25/2007	6361.05	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/24/2007	6361.06	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/23/2007	6361.08	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/22/2007	6361.08	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/21/2007	6361.12	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/20/2007	6361.15	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/19/2007	6361.16	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/18/2007	6361.16	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/17/2007	6361.14	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/16/2007	6361.09	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/15/2007	6361.06	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/14/2007	6361.03	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/13/2007	6360.99	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/12/2007	6360.98	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/11/2007	6360.97	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/10/2007	6360.96	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/9/2007	6360.97	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/8/2007	6360.98	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/7/2007	6361	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/6/2007	6361.02	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/5/2007	6361.05	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/4/2007	6361.06	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/3/2007	6361.07	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/2/2007	6361.09	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	1/1/2007	6361.11	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/31/2006	6361.14	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/30/2006	6361.17	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/29/2006	6361.2	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/28/2006	6361.25	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/27/2006	6361.27	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/26/2006	6361.3	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/25/2006	6361.33	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/24/2006	6361.36	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/23/2006	6361.39	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/22/2006	6361.41	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/21/2006	6361.45	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/20/2006	6361.49	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/19/2006	6361.52	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/18/2006	6361.56	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/17/2006	6361.62	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/16/2006	6361.67	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/15/2006	6361.72	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/14/2006	6361.78	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/13/2006	6361.83	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/12/2006	6361.89	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/11/2006	6361.95	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/10/2006	6361.99	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/9/2006	6362.04	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/8/2006	6362.08	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/7/2006	6362.12	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/6/2006	6362.16	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/5/2006	6362.19	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/4/2006	6362.21	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/3/2006	6362.25	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/2/2006	6362.31	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	12/1/2006	6362.38	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/30/2006	6362.44	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/29/2006	6362.1	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/28/2006	6362.13	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/27/2006	6362.15	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/26/2006	6362.17	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/25/2006	6362.2	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/24/2006	6362.22	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/23/2006	6362.24	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/22/2006	6362.29	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/21/2006	6362.3	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/20/2006	6362.31	Manual
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/20/2006	6362.3	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/19/2006	6362.32	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/18/2006	6362.37	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/17/2006	6362.4	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/16/2006	6362.44	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/15/2006	6362.48	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/14/2006	6362.53	Manual
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/14/2006	6362.53	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/13/2006	6362.57	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/12/2006	6362.64	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/11/2006	6362.68	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/10/2006	6362.74	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/9/2006	6362.81	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/8/2006	6362.91	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/7/2006	6362.99	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/6/2006	6363.09	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/5/2006	6363.18	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/4/2006	6363.31	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/3/2006	6363.39	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/2/2006	6363.46	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	11/1/2006	6363.27	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/31/2006	6363.5	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/30/2006	6363.46	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/29/2006	6363.37	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/28/2006	6363.32	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/27/2006	6363.41	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/26/2006	6363.38	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/25/2006	6363.35	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/24/2006	6363.33	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/23/2006	6363.32	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/22/2006	6363.26	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/21/2006	6363.25	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/20/2006	6363.32	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/19/2006	6363.28	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/18/2006	6362.96	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/17/2006	6363.06	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/16/2006	6363.15	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/15/2006	6363.01	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/14/2006	6363.05	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/13/2006	6362.96	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/12/2006	6362.99	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/11/2006	6362.98	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/10/2006	6362.96	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/9/2006	6362.61	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/8/2006	6362.46	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/7/2006	6362.59	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/6/2006	6362.37	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/5/2006	6362.5	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/4/2006	6362.58	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/3/2006	6362.59	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/2/2006	6362.62	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	10/1/2006	6362.6	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/30/2006	6362.74	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/29/2006	6362.6	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/28/2006	6362.61	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/27/2006	6362.66	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/26/2006	6362.82	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/25/2006	6362.97	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/24/2006	6362.94	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/23/2006	6362.92	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/22/2006	6362.87	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/21/2006	6362.94	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/20/2006	6362.95	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/19/2006	6363.01	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/18/2006	6363.08	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/17/2006	6363.14	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/16/2006	6363.17	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/15/2006	6363.2	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/14/2006	6363.21	Manual
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/14/2006	6363.24	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/13/2006	6363.26	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/12/2006	6363.28	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/11/2006	6363.3	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/10/2006	6363.34	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/9/2006	6363.38	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/8/2006	6363.39	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/7/2006	6363.33	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/6/2006	6363.31	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/5/2006	6363.36	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/4/2006	6363.4	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/3/2006	6363.42	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/2/2006	6363.43	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	9/1/2006	6363.44	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/31/2006	6363.43	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/30/2006	6363.52	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/29/2006	6363.57	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/28/2006	6363.63	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/27/2006	6363.72	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/26/2006	6363.9	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/25/2006	6363.47	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/24/2006	6363.48	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/23/2006	6363.5	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/22/2006	6363.53	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/21/2006	6363.54	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/20/2006	6363.54	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/19/2006	6363.54	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/18/2006	6363.58	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/17/2006	6363.61	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/16/2006	6363.64	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/15/2006	6363.66	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/14/2006	6363.64	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/13/2006	6363.68	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/12/2006	6363.73	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/11/2006	6363.83	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/10/2006	6363.96	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/9/2006	6364.35	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/8/2006	6364.12	Manual
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/8/2006	6364.41	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/7/2006	6363.52	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/6/2006	6363.51	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/5/2006	6363.43	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/4/2006	6363.38	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/3/2006	6363.34	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/2/2006	6363.37	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	8/1/2006	6362.96	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/31/2006	6362.33	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/30/2006	6362.56	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/29/2006	6362.82	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/28/2006	6362.97	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/27/2006	6363.01	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/26/2006	6362.88	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/25/2006	6362.96	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/24/2006	6362.99	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/23/2006	6362.97	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/22/2006	6363.01	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/21/2006	6363.04	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/20/2006	6362.84	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/19/2006	6363	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/18/2006	6363.04	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/17/2006	6363.08	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/16/2006	6363.15	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/15/2006	6363.22	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/14/2006	6363.27	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/13/2006	6363.36	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/12/2006	6363.42	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/11/2006	6363.53	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/10/2006	6363.74	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/9/2006	6363.26	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/8/2006	6363.35	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/7/2006	6363.48	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/6/2006	6363.52	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/5/2006	6363.2	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/4/2006	6363.08	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/3/2006	6363	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/2/2006	6363.13	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	7/1/2006	6362.98	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/30/2006	6363.11	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/29/2006	6362.91	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/28/2006	6363.03	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/27/2006	6362.96	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/26/2006	6362.75	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/25/2006	6362.63	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/24/2006	6362.15	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/23/2006	6362.14	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/22/2006	6362.34	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/21/2006	6362.57	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/20/2006	6362.7	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/19/2006	6362.79	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/18/2006	6362.71	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/17/2006	6362.65	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/16/2006	6362.45	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/15/2006	6362.49	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/14/2006	6362.75	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/13/2006	6362.86	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/12/2006	6362.96	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/11/2006	6363.04	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/10/2006	6362.86	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/9/2006	6362.81	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/8/2006	6362.38	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/7/2006	6362.61	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/6/2006	6362.8	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/5/2006	6362.86	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/4/2006	6362.85	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/3/2006	6362.5	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/2/2006	6362.31	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	6/1/2006	6362.51	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/31/2006	6362.73	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/30/2006	6362.87	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/29/2006	6362.91	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/28/2006	6362.83	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/27/2006	6362.86	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/26/2006	6362.86	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/25/2006	6362.85	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/24/2006	6362.95	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/23/2006	6362.99	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/22/2006	6363.03	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/21/2006	6363.05	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/20/2006	6363.16	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/19/2006	6363.05	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/18/2006	6362.97	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/17/2006	6363.18	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/16/2006	6363.16	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/15/2006	6362.81	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/14/2006	6362.81	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/13/2006	6363.08	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/12/2006	6363.02	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/11/2006	6362.72	Manual
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/11/2006	6362.81	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/10/2006	6363.09	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/9/2006	6363.22	Manual
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/9/2006	6363.2	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/8/2006	6363.25	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/7/2006	6363.23	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/6/2006	6363.25	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/5/2006	6363.36	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/4/2006	6363.38	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/3/2006	6363.28	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/2/2006	6363.26	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	5/1/2006	6363.4	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/30/2006	6363.28	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/29/2006	6363.26	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/28/2006	6363.23	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/27/2006	6363.18	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/26/2006	6363.33	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/25/2006	6363.44	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/24/2006	6363.31	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/23/2006	6363.21	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/22/2006	6363.3	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/21/2006	6363.31	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/20/2006	6363.31	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/19/2006	6363.32	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/18/2006	6363.29	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/17/2006	6363.38	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/16/2006	6363.43	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/15/2006	6363.25	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/14/2006	6363.15	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/13/2006	6363.3	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/12/2006	6363.36	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/11/2006	6363.38	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/10/2006	6363.43	Transducer
APCO-1	4.7	Single Completion	5211	10	4.7	14.7	2	2.5	4/9/2006	6363.3	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/29/2007	6962.92	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/28/2007	6962.89	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/27/2007	6962.88	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/26/2007	6962.88	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/25/2007	6962.91	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/24/2007	6962.81	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/23/2007	6962.79	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/22/2007	6962.79	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/21/2007	6962.8	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/20/2007	6962.78	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/19/2007	6962.78	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/18/2007	6962.77	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/17/2007	6962.77	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/16/2007	6962.78	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/15/2007	6962.79	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/14/2007	6962.9	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/13/2007	6962.81	Manual
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/13/2007	6962.9	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/12/2007	6962.9	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/11/2007	6962.93	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/10/2007	6962.95	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/9/2007	6962.97	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/8/2007	6962.99	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/7/2007	6962.99	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/6/2007	6962.98	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/5/2007	6962.98	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/4/2007	6963	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/3/2007	6963.03	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/2/2007	6963.09	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/1/2007	6963.15	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/31/2007	6963.22	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/30/2007	6963.26	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/29/2007	6963.3	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/28/2007	6963.33	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/27/2007	6963.35	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/26/2007	6963.37	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/25/2007	6963.39	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/24/2007	6963.37	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/23/2007	6963.27	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/22/2007	6963.3	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/21/2007	6963.29	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/20/2007	6963.32	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/19/2007	6963.33	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/18/2007	6963.34	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/17/2007	6963.35	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/16/2007	6963.34	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/15/2007	6963.3	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/14/2007	6963.27	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/13/2007	6963.25	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/12/2007	6963.23	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/11/2007	6963.22	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/10/2007	6963.18	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/9/2007	6963.14	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/8/2007	6963.13	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/7/2007	6963.13	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/6/2007	6963.12	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/5/2007	6963.11	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/4/2007	6963.11	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/3/2007	6963.1	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/2/2007	6963.1	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	3/1/2007	6963.12	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/28/2007	6963.13	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/27/2007	6963.13	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/26/2007	6963.13	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/25/2007	6963.12	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/24/2007	6963.18	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/23/2007	6963.12	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/22/2007	6963.11	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/21/2007	6963.1	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/20/2007	6963.1	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/19/2007	6963.1	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/18/2007	6963.09	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/17/2007	6963.09	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/16/2007	6963.03	Manual
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/16/2007	6963.04	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/15/2007	6962.96	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/14/2007	6962.94	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/13/2007	6962.89	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/12/2007	6962.8	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/11/2007	6962.76	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/10/2007	6962.74	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/9/2007	6962.72	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/8/2007	6962.69	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/7/2007	6962.66	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/6/2007	6962.63	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/5/2007	6962.58	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/4/2007	6962.54	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/3/2007	6962.55	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/2/2007	6962.55	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	2/1/2007	6962.5	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/31/2007	6962.42	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/30/2007	6962.41	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/29/2007	6962.43	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/28/2007	6962.46	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/27/2007	6962.54	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/26/2007	6962.54	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/25/2007	6962.53	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/24/2007	6962.55	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/23/2007	6962.56	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/22/2007	6962.67	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/21/2007	6962.64	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/20/2007	6962.66	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/19/2007	6962.67	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/18/2007	6962.68	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/17/2007	6962.67	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/16/2007	6962.67	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/15/2007	6962.64	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/14/2007	6962.61	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/13/2007	6962.56	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/12/2007	6962.54	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/11/2007	6962.51	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/10/2007	6962.5	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/9/2007	6962.49	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/8/2007	6962.49	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/7/2007	6962.52	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/6/2007	6962.52	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/5/2007	6962.51	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/4/2007	6962.51	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/3/2007	6962.46	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/2/2007	6962.46	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	1/1/2007	6962.43	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/31/2006	6962.38	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/30/2006	6962.31	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/29/2006	6962.3	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/28/2006	6962.21	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/27/2006	6962.12	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/26/2006	6962.16	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/25/2006	6962.27	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/24/2006	6962.34	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/23/2006	6962.39	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/22/2006	6962.38	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/21/2006	6962.41	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/20/2006	6962.42	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/19/2006	6962.35	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/18/2006	6962.36	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/17/2006	6962.39	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/16/2006	6962.4	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/15/2006	6962.41	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/14/2006	6962.43	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/13/2006	6962.46	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/12/2006	6962.49	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/11/2006	6962.56	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/10/2006	6962.57	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/9/2006	6962.6	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/8/2006	6962.59	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/7/2006	6962.6	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/6/2006	6962.64	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/5/2006	6962.72	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/4/2006	6962.8	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/3/2006	6962.66	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/2/2006	6962.69	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	12/1/2006	6962.67	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/30/2006	6962.68	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/29/2006	6962.62	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/28/2006	6962.64	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/27/2006	6962.64	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/26/2006	6962.63	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/25/2006	6962.58	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/24/2006	6962.63	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/23/2006	6962.63	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/22/2006	6962.66	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/21/2006	6962.65	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/20/2006	6962.68	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/19/2006	6962.66	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/18/2006	6962.67	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/17/2006	6962.67	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/16/2006	6962.71	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/15/2006	6962.64	Manual
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/15/2006	6962.66	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/14/2006	6962.67	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/13/2006	6962.67	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/12/2006	6962.62	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/11/2006	6962.65	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/10/2006	6962.65	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/9/2006	6962.64	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/8/2006	6962.62	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/7/2006	6962.62	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/6/2006	6962.62	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/5/2006	6962.63	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/4/2006	6962.61	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/3/2006	6962.63	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/2/2006	6962.64	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	11/1/2006	6962.64	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/31/2006	6962.63	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/30/2006	6962.6	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/29/2006	6962.59	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/28/2006	6962.6	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/27/2006	6962.62	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/26/2006	6962.62	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/25/2006	6962.58	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/24/2006	6962.58	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/23/2006	6962.59	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/22/2006	6962.58	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/21/2006	6962.59	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/20/2006	6962.58	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/19/2006	6962.58	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/18/2006	6962.59	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/17/2006	6962.59	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/16/2006	6962.61	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/15/2006	6962.52	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/14/2006	6962.55	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/13/2006	6962.57	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/12/2006	6962.6	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/11/2006	6962.66	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/10/2006	6962.87	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/9/2006	6962.55	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/8/2006	6962.42	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/7/2006	6962.41	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/6/2006	6962.42	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/5/2006	6962.42	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/4/2006	6962.41	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/3/2006	6962.4	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/2/2006	6962.4	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	10/1/2006	6962.43	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/30/2006	6962.41	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/29/2006	6962.39	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/28/2006	6962.4	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/27/2006	6962.4	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/26/2006	6962.39	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/25/2006	6962.43	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/24/2006	6962.43	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/23/2006	6962.41	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/22/2006	6962.44	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/21/2006	6962.54	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/20/2006	6962.41	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/19/2006	6962.45	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/18/2006	6962.46	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/17/2006	6962.47	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/16/2006	6962.5	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/15/2006	6962.44	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/14/2006	6962.46	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/13/2006	6962.47	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/12/2006	6962.59	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/11/2006	6962.54	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/10/2006	6962.42	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/9/2006	6962.59	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/8/2006	6962.56	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/7/2006	6962.59	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/6/2006	6962.5	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/5/2006	6962.52	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/4/2006	6962.54	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/3/2006	6962.56	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/2/2006	6962.7	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	9/1/2006	6962.58	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/31/2006	6962.66	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/30/2006	6962.74	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/29/2006	6962.74	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/28/2006	6962.91	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/27/2006	6963.11	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/26/2006	6963.63	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/25/2006	6962.72	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/24/2006	6962.77	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/23/2006	6962.81	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/22/2006	6962.87	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/21/2006	6962.98	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/20/2006	6963.11	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/19/2006	6962.79	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/18/2006	6962.89	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/17/2006	6962.97	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/16/2006	6963.11	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/15/2006	6963.18	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/14/2006	6963.33	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/13/2006	6963.29	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/12/2006	6963.33	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/11/2006	6963.44	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/10/2006	6963.55	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/9/2006	6963.98	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/8/2006	6963.29	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/7/2006	6962.84	Manual
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/7/2006	6962.55	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/6/2006	6961.84	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/5/2006	6959.58	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/4/2006	6959.73	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/3/2006	6959.91	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/2/2006	6959.99	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/1/2006	6959.02	Manual
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	8/1/2006	6959.04	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/31/2006	6959.06	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/30/2006	6959.08	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/29/2006	6959.1	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/28/2006	6959.12	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/27/2006	6959.14	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/26/2006	6959.16	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/25/2006	6959.19	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/24/2006	6959.22	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/23/2006	6959.29	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/22/2006	6959.3	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/21/2006	6959.24	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/20/2006	6959.26	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/19/2006	6959.28	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/18/2006	6959.31	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/17/2006	6959.34	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/16/2006	6959.38	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/15/2006	6959.43	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/14/2006	6959.49	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/13/2006	6959.59	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/12/2006	6959.71	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/11/2006	6959.91	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/10/2006	6960.26	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/9/2006	6960.05	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/8/2006	6959.94	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/7/2006	6960.26	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/6/2006	6959.96	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/5/2006	6959.82	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/4/2006	6959.74	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/3/2006	6959.47	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/2/2006	6959.44	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	7/1/2006	6959.63	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/30/2006	6959.71	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/29/2006	6959.12	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/28/2006	6959.18	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/27/2006	6959.26	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/26/2006	6959.36	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/25/2006	6959.48	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/24/2006	6959.66	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/23/2006	6959.76	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/22/2006	6959.14	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/21/2006	6959.18	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/20/2006	6959.21	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/19/2006	6959.25	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/18/2006	6959.28	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/17/2006	6959.32	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/16/2006	6959.35	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/15/2006	6959.38	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/14/2006	6959.41	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/13/2006	6959.44	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/12/2006	6959.48	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/11/2006	6959.51	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/10/2006	6959.55	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/9/2006	6959.59	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/8/2006	6959.63	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/7/2006	6959.68	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/6/2006	6959.73	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/5/2006	6959.78	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/4/2006	6959.83	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/3/2006	6959.88	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/2/2006	6959.94	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	6/1/2006	6960	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/31/2006	6960.06	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/30/2006	6960.13	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/29/2006	6960.19	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/28/2006	6960.26	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/27/2006	6960.33	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/26/2006	6960.39	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/25/2006	6960.45	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/24/2006	6960.52	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/23/2006	6960.6	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/22/2006	6960.67	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/21/2006	6960.73	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/20/2006	6960.77	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/19/2006	6960.82	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/18/2006	6960.85	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/17/2006	6960.86	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/16/2006	6960.87	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/15/2006	6960.85	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/14/2006	6960.84	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/13/2006	6960.8	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/12/2006	6960.75	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/11/2006	6960.66	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/10/2006	6960.54	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/9/2006	6960.41	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/8/2006	6960.31	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/7/2006	6960.27	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/6/2006	6960.29	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/5/2006	6960.32	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/4/2006	6960.37	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/3/2006	6960.42	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/2/2006	6960.46	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	5/1/2006	6960.51	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/30/2006	6960.55	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/29/2006	6960.62	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/28/2006	6960.62	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/27/2006	6960.63	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/26/2006	6960.65	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/25/2006	6960.67	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/24/2006	6960.67	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/23/2006	6960.65	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/22/2006	6960.62	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/21/2006	6960.57	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/20/2006	6960.49	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/19/2006	6960.38	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/18/2006	6960.26	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/17/2006	6960.14	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/16/2006	6960.01	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/15/2006	6959.9	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/14/2006	6959.79	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/13/2006	6959.71	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/12/2006	6959.66	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/11/2006	6959.63	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/10/2006	6959.61	Transducer
LAO-0.3	5.9	Single Completion	5511	5	5.9	10.9	4	4.5	4/9/2006	6959.59	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/29/2007	6906.2	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/28/2007	6906.2	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/27/2007	6906.21	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/26/2007	6906.22	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/25/2007	6906.23	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/24/2007	6906.24	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/23/2007	6906.24	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/22/2007	6906.24	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/21/2007	6906.25	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/20/2007	6906.23	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/19/2007	6906.24	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/18/2007	6906.23	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/17/2007	6906.25	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/16/2007	6906.26	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/15/2007	6906.27	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/14/2007	6906.29	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/13/2007	6906.29	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/12/2007	6906.3	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/11/2007	6906.31	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/10/2007	6906.32	Manual
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/10/2007	6906.34	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/9/2007	6906.34	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/8/2007	6906.36	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/7/2007	6906.34	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/6/2007	6906.32	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/5/2007	6906.33	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/4/2007	6906.33	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/3/2007	6906.36	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/2/2007	6906.41	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/1/2007	6906.46	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/31/2007	6906.5	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/30/2007	6906.52	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/29/2007	6906.55	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/28/2007	6906.58	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/27/2007	6906.57	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/26/2007	6906.57	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/25/2007	6906.54	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/24/2007	6906.53	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/23/2007	6906.41	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/22/2007	6906.41	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/21/2007	6906.4	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/20/2007	6906.41	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/19/2007	6906.41	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/18/2007	6906.41	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/17/2007	6906.39	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/16/2007	6906.35	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/15/2007	6906.32	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/14/2007	6906.29	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/13/2007	6906.27	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/12/2007	6906.24	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/11/2007	6906.23	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/10/2007	6906.19	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/9/2007	6906.15	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/8/2007	6906.15	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/7/2007	6906.14	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/6/2007	6906.14	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/5/2007	6906.14	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/4/2007	6906.13	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/3/2007	6906.13	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/2/2007	6906.15	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	3/1/2007	6906.16	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/28/2007	6906.18	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/27/2007	6906.16	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/26/2007	6906.16	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/25/2007	6906.14	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/24/2007	6906.17	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/23/2007	6906.15	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/22/2007	6906.13	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/21/2007	6906.12	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/20/2007	6906.11	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/19/2007	6906.11	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/18/2007	6906.08	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/17/2007	6906.08	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/16/2007	6906.07	Manual
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/16/2007	6906.16	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/15/2007	6906.16	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/14/2007	6906.15	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/13/2007	6906.11	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/12/2007	6906.04	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/11/2007	6905.99	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/10/2007	6905.97	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/9/2007	6905.96	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/8/2007	6905.94	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/7/2007	6905.93	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/6/2007	6905.92	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/5/2007	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/4/2007	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/3/2007	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/2/2007	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	2/1/2007	6905.92	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/31/2007	6905.93	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/30/2007	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/29/2007	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/28/2007	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/27/2007	6905.92	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/26/2007	6905.92	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/25/2007	6905.9	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/24/2007	6905.9	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/23/2007	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/22/2007	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/21/2007	6905.93	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/20/2007	6905.93	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/19/2007	6905.93	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/18/2007	6905.93	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/17/2007	6905.93	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/16/2007	6905.9	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/15/2007	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/14/2007	6905.92	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/13/2007	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/12/2007	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/11/2007	6905.92	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/10/2007	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/9/2007	6905.89	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/8/2007	6905.9	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/7/2007	6905.89	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/6/2007	6905.88	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/5/2007	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/4/2007	6905.9	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/3/2007	6905.9	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/2/2007	6905.89	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	1/1/2007	6905.89	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/31/2006	6905.88	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/30/2006	6905.9	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/29/2006	6905.9	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/28/2006	6905.92	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/27/2006	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/26/2006	6905.9	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/25/2006	6905.88	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/24/2006	6905.9	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/23/2006	6905.89	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/22/2006	6905.89	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/21/2006	6905.89	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/20/2006	6905.92	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/19/2006	6905.9	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/18/2006	6905.89	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/17/2006	6905.9	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/16/2006	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/15/2006	6905.9	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/14/2006	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/13/2006	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/12/2006	6905.92	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/11/2006	6905.98	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/10/2006	6905.98	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/9/2006	6905.96	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/8/2006	6905.94	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/7/2006	6905.97	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/6/2006	6905.97	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/5/2006	6905.94	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/4/2006	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/3/2006	6905.93	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/2/2006	6905.95	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	12/1/2006	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/30/2006	6905.92	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/29/2006	6905.92	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/28/2006	6905.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/27/2006	6905.92	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/26/2006	6905.92	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/25/2006	6905.92	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/24/2006	6905.92	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/23/2006	6905.93	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/22/2006	6905.93	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/21/2006	6905.93	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/20/2006	6905.93	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/19/2006	6905.93	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/18/2006	6905.94	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/17/2006	6905.95	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/16/2006	6905.95	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/15/2006	6905.9	Manual
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/15/2006	6905.94	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/14/2006	6905.97	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/13/2006	6905.95	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/12/2006	6905.98	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/11/2006	6905.95	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/10/2006	6905.96	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/9/2006	6905.98	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/8/2006	6905.98	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/7/2006	6905.98	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/6/2006	6905.98	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/5/2006	6905.98	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/4/2006	6905.99	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/3/2006	6906	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/2/2006	6905.99	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	11/1/2006	6906	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/31/2006	6906.01	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/30/2006	6906.03	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/29/2006	6906.02	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/28/2006	6906.01	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/27/2006	6906	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/26/2006	6906.03	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/25/2006	6906.02	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/24/2006	6906.01	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/23/2006	6906.01	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/22/2006	6906	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/21/2006	6906.02	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/20/2006	6906.02	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/19/2006	6906.01	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/18/2006	6906.02	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/17/2006	6906.04	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/16/2006	6906.08	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/15/2006	6906.09	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/14/2006	6906.02	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/13/2006	6906.04	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/12/2006	6906.07	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/11/2006	6906.1	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/10/2006	6906.22	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/9/2006	6905.99	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/8/2006	6905.97	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/7/2006	6905.98	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/6/2006	6905.97	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/5/2006	6905.96	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/4/2006	6905.96	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/3/2006	6905.97	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/2/2006	6905.98	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	10/1/2006	6905.98	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/30/2006	6905.99	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/29/2006	6906	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/28/2006	6905.99	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/27/2006	6906.01	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/26/2006	6906.01	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/25/2006	6906.02	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/24/2006	6906.02	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/23/2006	6906.03	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/22/2006	6906.05	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/21/2006	6906.07	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/20/2006	6906.04	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/19/2006	6906.04	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/18/2006	6906.05	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/17/2006	6906.06	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/16/2006	6906.08	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/15/2006	6906.08	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/14/2006	6906.09	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/13/2006	6906.09	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/12/2006	6906.13	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/11/2006	6906.09	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/10/2006	6906.1	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/9/2006	6906.12	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/8/2006	6906.14	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/7/2006	6906.17	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/6/2006	6906.11	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/5/2006	6906.12	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/4/2006	6906.16	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/3/2006	6906.17	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/2/2006	6906.2	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	9/1/2006	6906.22	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/31/2006	6906.26	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/30/2006	6906.31	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/29/2006	6906.36	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/28/2006	6906.44	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/27/2006	6906.58	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/26/2006	6906.83	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/25/2006	6906.41	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/24/2006	6906.42	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/23/2006	6906.43	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/22/2006	6906.45	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/21/2006	6906.55	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/20/2006	6906.53	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/19/2006	6906.43	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/18/2006	6906.45	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/17/2006	6906.48	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/16/2006	6906.51	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/15/2006	6906.58	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/14/2006	6906.56	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/13/2006	6906.58	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/12/2006	6906.59	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/11/2006	6906.64	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/10/2006	6906.65	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/9/2006	6906.51	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/8/2006	6905.77	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/7/2006	6905.55	Manual
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/7/2006	6905.49	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/6/2006	6905.31	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/5/2006	6904.72	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/4/2006	6904.72	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/3/2006	6904.71	Manual
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/3/2006	6904.76	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/2/2006	6904.68	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	8/1/2006	6904.24	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/31/2006	6904.29	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/30/2006	6904.36	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/29/2006	6904.4	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/28/2006	6904.44	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/27/2006	6904.42	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/26/2006	6904.3	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/25/2006	6904.34	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/24/2006	6904.41	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/23/2006	6904.46	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/22/2006	6904.42	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/21/2006	6904.37	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/20/2006	6904.41	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/19/2006	6904.46	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/18/2006	6904.5	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/17/2006	6904.55	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/16/2006	6904.6	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/15/2006	6904.66	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/14/2006	6904.73	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/13/2006	6904.81	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/12/2006	6904.91	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/11/2006	6905.01	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/10/2006	6905.03	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/9/2006	6904.86	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/8/2006	6904.78	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/7/2006	6904.85	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/6/2006	6904.74	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/5/2006	6904.67	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/4/2006	6904.61	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/3/2006	6904.5	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/2/2006	6904.43	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	7/1/2006	6904.41	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/30/2006	6904.22	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/29/2006	6903.89	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/28/2006	6903.89	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/27/2006	6903.87	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/26/2006	6903.86	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/25/2006	6903.86	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/24/2006	6903.84	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/23/2006	6903.74	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/22/2006	6903.57	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/21/2006	6903.57	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/20/2006	6903.56	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/19/2006	6903.55	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/18/2006	6903.54	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/17/2006	6903.53	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/16/2006	6903.52	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/15/2006	6903.5	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/14/2006	6903.49	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/13/2006	6903.47	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/12/2006	6903.46	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/11/2006	6903.44	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/10/2006	6903.41	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/9/2006	6903.39	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/8/2006	6903.37	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/7/2006	6903.36	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/6/2006	6903.36	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/5/2006	6903.34	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/4/2006	6903.34	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/3/2006	6903.33	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/2/2006	6903.32	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	6/1/2006	6903.32	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/31/2006	6903.32	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/30/2006	6903.32	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/29/2006	6903.33	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/28/2006	6903.33	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/27/2006	6903.33	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/26/2006	6903.34	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/25/2006	6903.35	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/24/2006	6903.37	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/23/2006	6903.37	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/22/2006	6903.39	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/21/2006	6903.41	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/20/2006	6903.42	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/19/2006	6903.44	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/18/2006	6903.46	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/17/2006	6903.47	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/16/2006	6903.49	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/15/2006	6903.5	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/14/2006	6903.53	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/13/2006	6903.54	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/12/2006	6903.56	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/11/2006	6903.58	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/10/2006	6903.6	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/9/2006	6903.62	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/8/2006	6903.61	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/7/2006	6903.63	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/6/2006	6903.65	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/5/2006	6903.66	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/4/2006	6903.68	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/3/2006	6903.69	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/2/2006	6903.7	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	5/1/2006	6903.72	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/30/2006	6903.73	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/29/2006	6903.72	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/28/2006	6903.74	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/27/2006	6903.76	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/26/2006	6903.78	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/25/2006	6903.8	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/24/2006	6903.82	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/23/2006	6903.84	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/22/2006	6903.86	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/21/2006	6903.87	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/20/2006	6903.89	Transducer
LAO-0.6	8	Single Completion	6701	5	8	13	4	4.5	4/19/2006	6903.89	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/29/2007	6831.42	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/28/2007	6831.42	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/27/2007	6831.43	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/26/2007	6831.45	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/25/2007	6831.45	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/24/2007	6831.48	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/23/2007	6831.49	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/22/2007	6831.48	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/21/2007	6831.51	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/20/2007	6831.49	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/19/2007	6831.5	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/18/2007	6831.48	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/17/2007	6831.49	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/16/2007	6831.51	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/15/2007	6831.52	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/14/2007	6831.55	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/13/2007	6831.59	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/12/2007	6831.61	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/11/2007	6831.53	Manual
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/11/2007	6831.65	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/10/2007	6831.69	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/9/2007	6831.72	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/8/2007	6831.74	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/7/2007	6831.77	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/6/2007	6831.76	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/5/2007	6831.77	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/4/2007	6831.79	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/3/2007	6831.84	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/2/2007	6831.9	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	4/1/2007	6831.96	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/31/2007	6832.03	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/30/2007	6832.07	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/29/2007	6832.11	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/28/2007	6832.17	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/27/2007	6832.17	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/26/2007	6832.18	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/25/2007	6832.17	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/24/2007	6832.19	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/23/2007	6832.14	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/22/2007	6832.16	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/21/2007	6832.15	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/20/2007	6832.18	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/19/2007	6832.2	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/18/2007	6832.21	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/17/2007	6832.22	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/16/2007	6832.21	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/15/2007	6832.19	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/14/2007	6832.16	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/13/2007	6832.15	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/12/2007	6832.14	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/11/2007	6832.13	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/10/2007	6832.1	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/9/2007	6832.05	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/8/2007	6832.05	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/7/2007	6832.04	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/6/2007	6832.03	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/5/2007	6832.02	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/4/2007	6832.02	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/3/2007	6832.03	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/2/2007	6832.05	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	3/1/2007	6832.06	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/28/2007	6832.09	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/27/2007	6832.07	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/26/2007	6832.05	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/25/2007	6832.03	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/24/2007	6832.05	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/23/2007	6832.01	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/22/2007	6831.97	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/21/2007	6831.93	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/20/2007	6831.89	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/19/2007	6831.81	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/18/2007	6831.69	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/17/2007	6831.58	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/16/2007	6831.63	Manual
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/16/2007	6831.38	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/15/2007	6830.76	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/14/2007	6825.63	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/13/2007	6825.34	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/12/2007	6825.33	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/11/2007	6825.32	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/10/2007	6825.31	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/9/2007	6825.31	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/8/2007	6825.3	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/7/2007	6825.3	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/6/2007	6825.29	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/5/2007	6825.28	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/4/2007	6825.28	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/3/2007	6825.28	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/2/2007	6825.28	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	2/1/2007	6825.27	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/31/2007	6825.27	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/30/2007	6825.27	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/29/2007	6825.26	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/28/2007	6825.27	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/27/2007	6825.27	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/26/2007	6825.27	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/25/2007	6825.28	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/24/2007	6825.29	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/23/2007	6825.3	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/22/2007	6825.31	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/21/2007	6825.33	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/20/2007	6825.34	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/19/2007	6825.35	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/18/2007	6825.36	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/17/2007	6825.37	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/16/2007	6825.39	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/15/2007	6825.4	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/14/2007	6825.42	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/13/2007	6825.43	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/12/2007	6825.44	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/11/2007	6825.45	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/10/2007	6825.47	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/9/2007	6825.48	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/8/2007	6825.49	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/7/2007	6825.5	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/6/2007	6825.51	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/5/2007	6825.52	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/4/2007	6825.53	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/3/2007	6825.54	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/2/2007	6825.55	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	1/1/2007	6825.56	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/31/2006	6825.57	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/30/2006	6825.57	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/29/2006	6825.58	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/28/2006	6825.59	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/27/2006	6825.6	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/26/2006	6825.61	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/25/2006	6825.61	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/24/2006	6825.62	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/23/2006	6825.63	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/22/2006	6825.64	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/21/2006	6825.65	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/20/2006	6825.66	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/19/2006	6825.68	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/18/2006	6825.69	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/17/2006	6825.71	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/16/2006	6825.74	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/15/2006	6825.76	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/14/2006	6825.79	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/13/2006	6825.83	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/12/2006	6825.89	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/11/2006	6825.97	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/10/2006	6826.07	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/9/2006	6826.2	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/8/2006	6826.34	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/7/2006	6826.48	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/6/2006	6826.66	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/5/2006	6826.84	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/4/2006	6827.02	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/3/2006	6827.22	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/2/2006	6827.45	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	12/1/2006	6827.67	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/30/2006	6827.91	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/29/2006	6828.16	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/28/2006	6828.4	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/27/2006	6828.62	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/26/2006	6828.82	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/25/2006	6829	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/24/2006	6829.17	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/23/2006	6829.31	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/22/2006	6829.44	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/21/2006	6829.56	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/20/2006	6829.67	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/19/2006	6829.78	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/18/2006	6829.88	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/17/2006	6829.98	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/16/2006	6830.05	Manual

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/16/2006	6830.08	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/15/2006	6830.13	Manual
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/15/2006	6830.23	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/14/2006	6830.32	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/13/2006	6830.41	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/12/2006	6830.51	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/11/2006	6830.58	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/10/2006	6830.71	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/9/2006	6830.81	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/8/2006	6830.88	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/7/2006	6830.97	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/6/2006	6831.08	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/5/2006	6831.19	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/4/2006	6831.25	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/3/2006	6831.29	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/2/2006	6831.29	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	11/1/2006	6831.31	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/31/2006	6831.31	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/30/2006	6831.34	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/29/2006	6831.33	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/28/2006	6831.31	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/27/2006	6831.3	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/26/2006	6831.31	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/25/2006	6831.28	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/24/2006	6831.26	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/23/2006	6831.23	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/22/2006	6831.21	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/21/2006	6831.22	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/20/2006	6831.19	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/19/2006	6831.18	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/18/2006	6831.18	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/17/2006	6831.19	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/16/2006	6831.19	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/15/2006	6831.03	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/14/2006	6831.01	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/13/2006	6831.03	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/12/2006	6831.02	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/11/2006	6831.01	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/10/2006	6830.95	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/9/2006	6830.19	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/8/2006	6830.28	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/7/2006	6830.4	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/6/2006	6830.49	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/5/2006	6830.58	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/4/2006	6830.7	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/3/2006	6830.8	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/2/2006	6830.92	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	10/1/2006	6831.02	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/30/2006	6831.11	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/29/2006	6831.2	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/28/2006	6831.27	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/27/2006	6831.33	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/26/2006	6831.38	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/25/2006	6831.39	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/24/2006	6831.4	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/23/2006	6831.43	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/22/2006	6831.46	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/21/2006	6831.5	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/20/2006	6831.45	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/19/2006	6831.46	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/18/2006	6831.48	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/17/2006	6831.5	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/16/2006	6831.54	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/15/2006	6831.54	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/14/2006	6831.55	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/13/2006	6831.54	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/12/2006	6831.59	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/11/2006	6831.55	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/10/2006	6831.56	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/9/2006	6831.6	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/8/2006	6831.64	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/7/2006	6831.67	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/6/2006	6831.58	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/5/2006	6831.6	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/4/2006	6831.64	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/3/2006	6831.67	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/2/2006	6831.71	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	9/1/2006	6831.72	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/31/2006	6831.76	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/30/2006	6831.8	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/29/2006	6831.84	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/28/2006	6831.9	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/27/2006	6831.97	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/26/2006	6832.19	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/25/2006	6831.85	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/24/2006	6831.87	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/23/2006	6831.88	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/22/2006	6831.88	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/21/2006	6831.93	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/20/2006	6831.88	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/19/2006	6831.76	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/18/2006	6831.76	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/17/2006	6831.75	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/16/2006	6831.76	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/15/2006	6831.72	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/14/2006	6831.55	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/13/2006	6831.3	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/12/2006	6830.91	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/11/2006	6830.29	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/10/2006	6829.48	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/9/2006	6828.4	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/8/2006	6826.92	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/7/2006	6826.25	Manual
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/7/2006	6826.09	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/6/2006	6817.3	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/5/2006	6813.01	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/4/2006	6812.64	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/3/2006	6811.87	Transducer
LAO-1	8	Single Completion	4381	20	8	28	3	3.5	8/2/2006	6811.83	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/29/2007	6652.75	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/28/2007	6652.72	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/27/2007	6652.75	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/26/2007	6652.76	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/25/2007	6652.86	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/24/2007	6652.78	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/23/2007	6652.78	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/22/2007	6652.77	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/21/2007	6652.79	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/20/2007	6652.76	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/19/2007	6652.78	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/18/2007	6652.74	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/17/2007	6652.75	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/16/2007	6652.76	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/15/2007	6652.77	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/14/2007	6652.79	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/13/2007	6652.84	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/12/2007	6652.82	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/11/2007	6652.83	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/10/2007	6652.72	Manual
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/10/2007	6652.86	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/9/2007	6652.86	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/8/2007	6652.88	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/7/2007	6652.88	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/6/2007	6652.84	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/5/2007	6652.85	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/4/2007	6652.85	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/3/2007	6652.89	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/2/2007	6652.92	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/1/2007	6652.96	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/31/2007	6652.99	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/30/2007	6652.99	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/29/2007	6653.01	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/28/2007	6653.06	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/27/2007	6653.03	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/26/2007	6653.03	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/25/2007	6653	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/24/2007	6653.07	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/23/2007	6652.99	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/22/2007	6653.07	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/21/2007	6652.97	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/20/2007	6652.96	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/19/2007	6652.95	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/18/2007	6652.94	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/17/2007	6652.9	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/16/2007	6652.85	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/15/2007	6652.83	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/14/2007	6652.78	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/13/2007	6652.72	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/12/2007	6652.63	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/11/2007	6652.52	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/10/2007	6652.36	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/9/2007	6652.16	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/8/2007	6651.93	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/7/2007	6651.66	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/6/2007	6651.31	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/5/2007	6650.8	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/4/2007	6650.37	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/3/2007	6649.86	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/2/2007	6649.12	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	3/1/2007	6647.67	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/28/2007	6645.1	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/27/2007	6642.63	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/26/2007	6641.09	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/25/2007	6641.01	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/24/2007	6640.97	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/23/2007	6640.94	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/22/2007	6640.93	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/21/2007	6640.93	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/20/2007	6640.94	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/19/2007	6640.96	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/18/2007	6640.99	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/17/2007	6641.03	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/16/2007	6641.02	Manual
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/16/2007	6641.08	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/15/2007	6641.11	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/14/2007	6641.1	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/13/2007	6640.98	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/12/2007	6640.93	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/11/2007	6640.94	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/10/2007	6640.96	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/9/2007	6640.97	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/8/2007	6640.99	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/7/2007	6641	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/6/2007	6641.01	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/5/2007	6641.03	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/4/2007	6641.04	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/3/2007	6641.06	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/2/2007	6641.07	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	2/1/2007	6641.09	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/31/2007	6641.1	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/30/2007	6641.11	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/29/2007	6641.13	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/28/2007	6641.14	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/27/2007	6641.15	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/26/2007	6641.16	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/25/2007	6641.18	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/24/2007	6641.19	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/23/2007	6641.2	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/22/2007	6641.21	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/21/2007	6641.23	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/20/2007	6641.24	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/19/2007	6641.25	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/18/2007	6641.26	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/17/2007	6641.28	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/16/2007	6641.29	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/15/2007	6641.3	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/14/2007	6641.32	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/13/2007	6641.33	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/12/2007	6641.34	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/11/2007	6641.35	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/10/2007	6641.36	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/9/2007	6641.37	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/8/2007	6641.38	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/7/2007	6641.4	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/6/2007	6641.41	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/5/2007	6641.42	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/4/2007	6641.43	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/3/2007	6641.44	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/2/2007	6641.46	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	1/1/2007	6641.47	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/31/2006	6641.48	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/30/2006	6641.5	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/29/2006	6641.51	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/28/2006	6641.52	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/27/2006	6641.53	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/26/2006	6641.54	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/25/2006	6641.55	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/24/2006	6641.57	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/23/2006	6641.58	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/22/2006	6641.59	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/21/2006	6641.61	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/20/2006	6641.63	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/19/2006	6641.64	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/18/2006	6641.66	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/17/2006	6641.68	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/16/2006	6641.69	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/15/2006	6641.71	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/14/2006	6641.73	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/13/2006	6641.75	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/12/2006	6641.77	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/11/2006	6641.79	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/10/2006	6641.81	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/9/2006	6641.83	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/8/2006	6641.85	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/7/2006	6641.88	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/6/2006	6641.9	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/5/2006	6641.93	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/4/2006	6641.96	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/3/2006	6641.99	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/2/2006	6642.03	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	12/1/2006	6642.06	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/30/2006	6642.09	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/29/2006	6642.13	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/28/2006	6642.16	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/27/2006	6642.2	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/26/2006	6642.24	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/25/2006	6642.29	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/24/2006	6642.33	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/23/2006	6642.38	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/22/2006	6642.43	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/21/2006	6642.49	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/20/2006	6642.56	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/19/2006	6642.62	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/18/2006	6642.69	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/17/2006	6642.73	Manual
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/17/2006	6642.77	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/16/2006	6642.81	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/16/2006	6642.77	Manual
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/7/2006	6643.83	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/6/2006	6643.97	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/5/2006	6644.12	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/4/2006	6644.28	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/3/2006	6644.43	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/2/2006	6644.59	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	11/1/2006	6644.76	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/31/2006	6644.93	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/30/2006	6645.11	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/29/2006	6645.29	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/28/2006	6645.48	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/27/2006	6645.68	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/26/2006	6645.9	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/25/2006	6646.11	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/24/2006	6646.33	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/23/2006	6646.55	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/22/2006	6646.79	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/21/2006	6647.05	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/20/2006	6647.29	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/19/2006	6647.55	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/18/2006	6647.84	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/17/2006	6648.13	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/16/2006	6648.27	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/15/2006	6647.56	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/14/2006	6647.8	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/13/2006	6648.1	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/12/2006	6648.39	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/11/2006	6648.42	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/10/2006	6646.58	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/9/2006	6646.31	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/8/2006	6646.51	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/7/2006	6646.71	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/6/2006	6646.93	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/5/2006	6647.11	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/4/2006	6647.32	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/3/2006	6647.53	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/2/2006	6647.74	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	10/1/2006	6647.96	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/30/2006	6648.17	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/29/2006	6648.38	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/28/2006	6648.59	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/27/2006	6648.81	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/26/2006	6649.03	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/25/2006	6649.25	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/24/2006	6649.48	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/23/2006	6649.81	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/22/2006	6649.97	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/21/2006	6650.3	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/20/2006	6650.39	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/19/2006	6650.6	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/18/2006	6650.81	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/17/2006	6651.02	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/16/2006	6651.24	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/15/2006	6651.44	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/14/2006	6651.63	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/13/2006	6651.89	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/12/2006	6651.94	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/11/2006	6651.88	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/10/2006	6652.19	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/9/2006	6652.35	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/8/2006	6652.33	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/7/2006	6651.98	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/6/2006	6651.91	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/5/2006	6652.14	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/4/2006	6652.38	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/3/2006	6652.52	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/2/2006	6652.65	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	9/1/2006	6652.62	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/31/2006	6652.63	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/30/2006	6652.62	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/29/2006	6652.62	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/28/2006	6652.6	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/27/2006	6652.57	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/26/2006	6652.5	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/25/2006	6652.1	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/24/2006	6652.06	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/23/2006	6652.01	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/22/2006	6651.94	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/21/2006	6651.91	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/20/2006	6651.84	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/19/2006	6651.54	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/18/2006	6651.37	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/17/2006	6651.22	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/16/2006	6651.09	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/15/2006	6650.93	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/14/2006	6650.7	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/13/2006	6650.46	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/12/2006	6650.1	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/11/2006	6649.62	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/10/2006	6648.8	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/9/2006	6647.16	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/8/2006	6644.74	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/7/2006	6643.21	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/6/2006	6642.9	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/5/2006	6642.7	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/4/2006	6642.7	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/3/2006	6642.78	Manual
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/3/2006	6642.71	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/2/2006	6642.74	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	8/1/2006	6642.71	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/31/2006	6642.76	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/30/2006	6642.81	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/29/2006	6642.88	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/28/2006	6642.95	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/27/2006	6643.04	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/26/2006	6643.13	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/25/2006	6643.22	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/24/2006	6643.32	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/23/2006	6643.41	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/22/2006	6643.51	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/21/2006	6643.62	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/20/2006	6643.74	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/19/2006	6643.85	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/18/2006	6643.97	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/17/2006	6644.1	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/16/2006	6644.24	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/15/2006	6644.39	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/14/2006	6644.56	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/13/2006	6644.72	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/12/2006	6644.9	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/11/2006	6645.02	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/10/2006	6644.75	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/9/2006	6643.54	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/8/2006	6642.08	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	7/7/2006	6633.23	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/27/2006	6633.14	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/26/2006	6633.68	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/25/2006	6634.34	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/24/2006	6635.01	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/23/2006	6635.73	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/22/2006	6636.34	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/21/2006	6636.93	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/20/2006	6637.52	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/19/2006	6638.1	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/18/2006	6638.7	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/17/2006	6639.31	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/16/2006	6639.7	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/15/2006	6639.78	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/14/2006	6639.82	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/13/2006	6639.86	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/12/2006	6639.89	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/11/2006	6639.91	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/10/2006	6639.95	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/9/2006	6639.98	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/8/2006	6640	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/7/2006	6640.02	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/6/2006	6640.03	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/5/2006	6640.05	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/4/2006	6640.07	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/3/2006	6640.08	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/2/2006	6640.1	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	5/1/2006	6640.12	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/30/2006	6640.14	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/29/2006	6640.15	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/28/2006	6640.17	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/27/2006	6640.18	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/26/2006	6640.19	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/25/2006	6640.21	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/24/2006	6640.22	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/23/2006	6640.24	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/22/2006	6640.25	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/21/2006	6640.26	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/20/2006	6640.28	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/19/2006	6640.29	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/18/2006	6640.3	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/17/2006	6640.32	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/16/2006	6640.33	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/15/2006	6640.34	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/14/2006	6640.35	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/13/2006	6640.36	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/12/2006	6640.38	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/11/2006	6640.39	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/10/2006	6640.4	Transducer
LAO-1.6g	10.47	Single Completion	5551	15	10.47	25.47	4	4.5	4/9/2006	6640.41	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/29/2007	6665.87	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/28/2007	6665.84	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/27/2007	6665.85	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/26/2007	6665.88	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/25/2007	6665.87	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/24/2007	6665.91	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/23/2007	6665.91	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/22/2007	6665.93	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/21/2007	6665.95	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/20/2007	6665.94	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/19/2007	6665.96	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/18/2007	6665.95	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/17/2007	6665.97	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/16/2007	6666	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/15/2007	6666.02	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/14/2007	6666.09	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/13/2007	6666.16	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/12/2007	6666.11	Manual
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/12/2007	6666.2	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/11/2007	6666.26	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/10/2007	6666.31	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/9/2007	6666.34	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/8/2007	6666.39	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/7/2007	6666.45	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/6/2007	6666.48	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/5/2007	6666.56	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/4/2007	6666.63	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/3/2007	6666.76	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/2/2007	6666.89	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	4/1/2007	6667.06	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/31/2007	6667.23	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/30/2007	6667.39	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/29/2007	6667.57	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/28/2007	6667.76	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/27/2007	6667.93	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/26/2007	6668.25	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/25/2007	6668.59	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/24/2007	6669.02	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/23/2007	6669.19	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/22/2007	6669.25	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/21/2007	6669.33	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/20/2007	6669.38	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/19/2007	6669.44	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/18/2007	6669.48	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/17/2007	6669.5	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/16/2007	6669.51	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/15/2007	6669.48	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/14/2007	6669.39	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/13/2007	6669.3	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/12/2007	6669.2	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/11/2007	6669.08	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/10/2007	6668.93	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/9/2007	6668.78	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/8/2007	6668.65	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/7/2007	6668.53	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/6/2007	6668.41	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/5/2007	6668.26	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/4/2007	6668.26	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/3/2007	6668.45	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/2/2007	6668.26	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	3/1/2007	6668.05	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	2/28/2007	6667.8	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	2/27/2007	6667.4	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	2/26/2007	6667.02	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	2/25/2007	6666.3	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	2/24/2007	6665.29	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	9/1/2006	6665.2	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	8/31/2006	6665.26	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	8/30/2006	6665.28	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	8/29/2006	6665.29	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	8/28/2006	6665.24	Transducer
LAO-1.8	8	Single Completion	6721	10	8	18	3	3.5	8/27/2006	6665.18	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/29/2007	6582.39	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/28/2007	6582.42	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/27/2007	6582.47	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/26/2007	6582.51	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/25/2007	6582.55	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/24/2007	6582.59	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/23/2007	6582.63	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/22/2007	6582.67	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/21/2007	6582.73	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/20/2007	6582.8	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/19/2007	6582.88	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/18/2007	6582.79	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/17/2007	6582.95	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/16/2007	6583	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/15/2007	6583	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/14/2007	6583.16	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/13/2007	6582.65	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/12/2007	6582.68	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/11/2007	6582.71	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/10/2007	6582.76	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/9/2007	6582.8	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/8/2007	6582.83	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/7/2007	6582.85	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/6/2007	6582.86	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/5/2007	6582.9	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/4/2007	6582.94	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/3/2007	6582.99	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/2/2007	6583.07	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	4/1/2007	6583.15	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/31/2007	6583.24	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/30/2007	6583.31	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/29/2007	6583.4	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/28/2007	6583.54	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/27/2007	6583.64	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/26/2007	6583.66	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/25/2007	6583.56	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/24/2007	6583.45	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/23/2007	6582.91	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/22/2007	6582.41	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/21/2007	6582.32	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/20/2007	6582.19	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/19/2007	6582.03	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/18/2007	6581.82	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/17/2007	6581.55	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/16/2007	6581.2	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/15/2007	6580.77	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/14/2007	6580.27	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/13/2007	6579.61	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/12/2007	6578.75	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/11/2007	6577.58	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/10/2007	6577.29	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/9/2007	6577.31	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/8/2007	6577.34	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/7/2007	6577.38	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/6/2007	6577.42	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/5/2007	6577.47	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/4/2007	6577.54	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/3/2007	6577.64	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/2/2007	6577.72	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	3/1/2007	6577.8	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/28/2007	6577.87	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/27/2007	6577.9	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/26/2007	6577.79	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/25/2007	6577.4	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/24/2007	6564.43	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/23/2007	6564.04	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/20/2007	6563.89	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/19/2007	6563.89	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/18/2007	6563.87	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/17/2007	6563.88	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/16/2007	6563.88	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/15/2007	6563.85	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/14/2007	6563.86	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/13/2007	6563.87	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/12/2007	6563.88	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/11/2007	6563.89	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/10/2007	6563.91	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/9/2007	6563.94	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/8/2007	6563.96	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/7/2007	6563.97	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/6/2007	6563.98	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/5/2007	6563.99	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/4/2007	6563.99	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/3/2007	6564	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/2/2007	6564	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	2/1/2007	6564	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/31/2007	6564.16	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/30/2007	6564.36	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/29/2007	6564.59	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/28/2007	6564.82	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/27/2007	6565.06	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/26/2007	6565.3	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/25/2007	6565.6	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/24/2007	6565.93	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/23/2007	6566.36	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/22/2007	6566.92	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/21/2007	6567.56	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/20/2007	6568.19	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/19/2007	6568.81	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/18/2007	6569.48	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/17/2007	6570.21	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/16/2007	6571.01	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/15/2007	6571.89	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/14/2007	6572.88	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/13/2007	6573.92	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/12/2007	6575.24	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/11/2007	6576.46	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/10/2007	6576.89	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/9/2007	6577	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/8/2007	6577	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/7/2007	6576.98	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/6/2007	6577.07	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/5/2007	6576.99	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/4/2007	6576.94	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/3/2007	6576.99	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/2/2007	6577.06	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	1/1/2007	6577.13	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/31/2006	6577.17	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/30/2006	6577.23	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/29/2006	6577.3	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/28/2006	6577.35	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/27/2006	6577.39	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/26/2006	6577.45	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/25/2006	6577.52	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/24/2006	6577.61	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/23/2006	6577.71	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/22/2006	6577.81	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/21/2006	6577.89	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/20/2006	6577.9	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/19/2006	6577.66	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/18/2006	6565.85	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/17/2006	6564.01	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/16/2006	6564.01	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/15/2006	6564.01	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/14/2006	6564.01	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/13/2006	6564.01	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/12/2006	6564.01	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/11/2006	6564.02	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/10/2006	6564.02	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/9/2006	6564.02	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/8/2006	6564.1	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/7/2006	6564.33	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/6/2006	6564.57	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/5/2006	6564.83	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/4/2006	6565.1	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/3/2006	6565.38	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/2/2006	6565.71	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	12/1/2006	6566.1	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/30/2006	6566.6	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/29/2006	6567.24	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/28/2006	6567.92	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/27/2006	6568.56	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/26/2006	6569.23	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/25/2006	6569.96	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/24/2006	6570.75	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/23/2006	6571.59	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/22/2006	6572.51	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/21/2006	6573.48	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/20/2006	6574.54	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/19/2006	6575.65	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/18/2006	6576.44	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/17/2006	6576.71	Manual
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/17/2006	6576.82	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/16/2006	6576.89	Manual
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/16/2006	6576.94	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/15/2006	6576.97	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/14/2006	6576.99	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/13/2006	6577.01	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/12/2006	6577.05	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/11/2006	6577.09	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/10/2006	6577.12	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/9/2006	6577.14	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/8/2006	6577.16	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/7/2006	6577.17	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/6/2006	6577.2	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/5/2006	6577.23	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/4/2006	6577.27	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/3/2006	6577.31	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/2/2006	6577.36	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	11/1/2006	6577.42	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/31/2006	6577.49	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/30/2006	6577.57	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/29/2006	6577.64	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/28/2006	6577.76	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/27/2006	6577.89	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/26/2006	6577.99	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/25/2006	6578.11	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/24/2006	6578.23	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/23/2006	6578.37	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/22/2006	6578.55	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/21/2006	6578.77	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/20/2006	6578.99	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/19/2006	6579.18	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/18/2006	6579.39	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/17/2006	6579.61	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/16/2006	6579.91	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/15/2006	6579.07	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/14/2006	6579.3	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/13/2006	6579.48	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/12/2006	6579.73	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/11/2006	6580.05	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/10/2006	6578.95	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/9/2006	6578.05	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/8/2006	6578.11	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/7/2006	6578.19	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/6/2006	6578.27	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/5/2006	6578.34	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/4/2006	6578.42	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/3/2006	6578.5	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/2/2006	6578.59	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	10/1/2006	6578.7	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/30/2006	6578.82	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/29/2006	6578.94	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/28/2006	6579.08	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/27/2006	6579.23	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/26/2006	6579.37	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/25/2006	6579.5	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/24/2006	6579.62	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/23/2006	6579.75	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/22/2006	6579.89	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/21/2006	6580.03	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/20/2006	6580.15	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/19/2006	6580.27	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/18/2006	6580.4	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/17/2006	6580.51	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/16/2006	6580.58	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/15/2006	6580.7	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/14/2006	6580.8	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/13/2006	6580.98	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/12/2006	6581.41	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/11/2006	6580.68	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/10/2006	6580.87	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/9/2006	6581.1	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/8/2006	6581.27	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/7/2006	6581.1	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/6/2006	6581.25	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/5/2006	6581.48	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/4/2006	6581.73	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/3/2006	6582	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/2/2006	6582.18	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	9/1/2006	6582.42	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/31/2006	6582.63	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/30/2006	6582.76	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/29/2006	6582.87	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/28/2006	6583.02	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/27/2006	6583.36	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/26/2006	6583.32	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/25/2006	6582.27	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/24/2006	6582.42	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/23/2006	6582.52	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/22/2006	6582.72	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/21/2006	6582.46	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/20/2006	6582.57	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/19/2006	6582.21	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/18/2006	6582.38	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/17/2006	6582.51	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/16/2006	6582.75	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/15/2006	6582.43	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/14/2006	6582.26	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/13/2006	6582.56	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/12/2006	6582.15	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/11/2006	6582.35	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/10/2006	6582.62	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/9/2006	6582.59	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/8/2006	6581.72	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/7/2006	6580.65	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/6/2006	6579.93	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/5/2006	6578.46	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/4/2006	6578.51	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/3/2006	6578.77	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/2/2006	6579.04	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	8/1/2006	6577.99	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/31/2006	6578.01	Manual
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/31/2006	6578.1	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/30/2006	6578.2	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/29/2006	6578.3	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/28/2006	6578.4	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/27/2006	6578.35	Manual
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/27/2006	6578.5	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/26/2006	6578.61	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/25/2006	6578.75	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/24/2006	6578.89	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/23/2006	6579.04	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/22/2006	6579.22	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/21/2006	6579.43	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/20/2006	6579.62	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/19/2006	6579.81	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/18/2006	6579.98	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/17/2006	6580.13	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/16/2006	6580.25	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/15/2006	6580.4	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/14/2006	6580.56	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/13/2006	6580.77	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/12/2006	6581.04	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/11/2006	6581.33	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/10/2006	6581.08	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/9/2006	6579.96	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/8/2006	6579.74	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/7/2006	6579.81	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/6/2006	6579.49	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/5/2006	6578.99	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/4/2006	6578.6	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/3/2006	6578.65	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/2/2006	6578.78	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	7/1/2006	6578.89	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/30/2006	6578.7	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/29/2006	6578.47	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/28/2006	6578.44	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/27/2006	6578.4	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/26/2006	6578.36	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/25/2006	6578.34	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/24/2006	6578.31	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/23/2006	6578.27	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/22/2006	6578.25	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/21/2006	6578.21	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/20/2006	6578.17	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/19/2006	6578.12	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/18/2006	6578.05	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/17/2006	6578	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/16/2006	6577.94	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/15/2006	6577.85	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/14/2006	6577.74	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/13/2006	6577.62	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/12/2006	6577.55	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/11/2006	6577.43	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/10/2006	6572.46	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/9/2006	6565.05	Transducer
LAO-2	7	Single Completion	4391	25	7	32	3	3.5	6/8/2006	6564.03	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/12/2007	6573.89	Manual
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/29/2007	6574.19	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/28/2007	6574.22	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/27/2007	6574.21	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/26/2007	6574.21	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/25/2007	6574.17	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/24/2007	6574.16	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/23/2007	6574.05	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/22/2007	6574.05	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/21/2007	6574.03	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/20/2007	6574.05	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/19/2007	6574.04	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/18/2007	6574.03	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/17/2007	6574.01	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/16/2007	6573.97	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/15/2007	6573.89	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/14/2007	6573.76	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/13/2007	6573.62	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/12/2007	6573.42	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/11/2007	6572.92	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/10/2007	6570.44	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/9/2007	6570.55	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/8/2007	6570.68	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/7/2007	6570.69	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/6/2007	6570.74	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/5/2007	6570.79	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/4/2007	6570.86	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/3/2007	6570.94	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/2/2007	6571.01	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	3/1/2007	6571.1	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/28/2007	6571.2	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/27/2007	6571.41	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/26/2007	6571.64	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/25/2007	6570.78	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/24/2007	6570.97	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/23/2007	6570.6	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/22/2007	6570.06	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/21/2007	6570.12	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/20/2007	6570.19	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/19/2007	6570.21	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/18/2007	6569.95	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/17/2007	6569.03	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/16/2007	6569.03	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/15/2007	6569.06	Manual
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/15/2007	6569.04	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/14/2007	6569.06	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/13/2007	6569.08	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/12/2007	6569.08	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/11/2007	6569.11	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/10/2007	6569.15	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/9/2007	6569.2	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/8/2007	6569.27	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/7/2007	6569.35	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/6/2007	6569.47	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/5/2007	6569.6	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/4/2007	6569.77	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/3/2007	6570	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/2/2007	6570.27	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	2/1/2007	6570.55	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/31/2007	6570.12	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/30/2007	6570.39	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/29/2007	6570.21	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/28/2007	6570.38	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/27/2007	6570.06	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/26/2007	6570.23	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/25/2007	6570.34	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/24/2007	6570.57	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/23/2007	6570.12	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/22/2007	6570.07	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/21/2007	6570.37	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/20/2007	6569.96	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/19/2007	6570.22	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/18/2007	6569.94	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/17/2007	6570.19	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/16/2007	6570.43	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/15/2007	6570.66	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/14/2007	6570.8	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/13/2007	6571.05	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/12/2007	6571.05	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/11/2007	6571.28	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/10/2007	6571.49	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/9/2007	6571.71	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/8/2007	6571.95	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/7/2007	6571.35	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/6/2007	6571.54	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/5/2007	6571.7	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/4/2007	6570.39	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/3/2007	6570.43	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/2/2007	6570.59	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	1/1/2007	6570.76	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/31/2006	6570.71	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/30/2006	6570.27	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/29/2006	6570.14	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/28/2006	6570.13	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/27/2006	6569.99	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/26/2006	6569.89	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/25/2006	6569.94	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/24/2006	6569.89	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/23/2006	6569.84	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/22/2006	6569.77	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/21/2006	6569.69	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/20/2006	6569.59	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/19/2006	6569.65	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/18/2006	6569.7	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/17/2006	6569.64	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/16/2006	6569.62	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/15/2006	6569.7	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/14/2006	6569.76	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/13/2006	6569.72	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/12/2006	6569.69	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/11/2006	6569.69	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/10/2006	6569.66	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/9/2006	6569.67	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/8/2006	6569.73	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/7/2006	6569.72	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/6/2006	6569.72	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/5/2006	6569.71	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/4/2006	6569.73	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/3/2006	6569.76	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/2/2006	6569.79	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	12/1/2006	6569.9	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/30/2006	6569.8	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/29/2006	6569.88	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/28/2006	6569.89	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/27/2006	6569.9	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/26/2006	6569.93	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/25/2006	6569.95	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/24/2006	6569.96	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/23/2006	6570.03	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/22/2006	6570.04	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/21/2006	6569.98	Manual
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/21/2006	6570.04	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/20/2006	6570.05	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/19/2006	6570.07	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/18/2006	6570.09	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/17/2006	6570.14	Manual
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/17/2006	6570.2	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/16/2006	6570.2	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/15/2006	6570.2	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/14/2006	6570.2	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/13/2006	6570.19	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/12/2006	6570.19	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/11/2006	6570.2	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/10/2006	6570.31	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/9/2006	6570.31	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/8/2006	6570.31	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/7/2006	6570.21	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/6/2006	6570.27	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/5/2006	6570.3	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/4/2006	6570.41	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/3/2006	6570.52	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/2/2006	6570.55	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	11/1/2006	6570.59	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/31/2006	6570.64	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/30/2006	6570.75	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/29/2006	6570.75	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/28/2006	6570.85	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/27/2006	6571	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/26/2006	6571.1	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/25/2006	6571.21	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/24/2006	6571.33	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/23/2006	6571.47	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/22/2006	6571.59	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/21/2006	6571.72	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/20/2006	6571.87	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/19/2006	6571.97	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/18/2006	6572.07	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/17/2006	6572.17	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/16/2006	6572.28	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/15/2006	6572.05	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/14/2006	6572.22	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/13/2006	6572.36	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/12/2006	6572.52	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/11/2006	6572.72	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/10/2006	6572.84	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/9/2006	6571.37	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/8/2006	6571.45	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/7/2006	6571.55	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/6/2006	6571.68	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/5/2006	6571.77	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/4/2006	6571.87	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/3/2006	6571.96	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/2/2006	6572.06	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	10/1/2006	6572.15	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/30/2006	6572.25	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/29/2006	6572.39	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/28/2006	6572.47	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/27/2006	6572.56	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/26/2006	6572.63	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/25/2006	6572.69	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/24/2006	6572.7	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/23/2006	6572.77	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/22/2006	6572.87	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/21/2006	6572.99	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/20/2006	6573.03	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/19/2006	6573.08	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/18/2006	6573.13	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/17/2006	6573.13	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/16/2006	6573.2	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/15/2006	6573.23	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/14/2006	6573.31	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/13/2006	6573.37	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/12/2006	6573.47	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/11/2006	6573.25	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/10/2006	6573.33	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/9/2006	6573.41	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/8/2006	6573.45	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/7/2006	6573.44	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/6/2006	6573.4	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/5/2006	6573.45	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/4/2006	6573.49	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/3/2006	6573.54	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/2/2006	6573.58	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	9/1/2006	6573.63	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/31/2006	6573.65	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/30/2006	6573.69	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/29/2006	6573.73	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/28/2006	6573.78	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/27/2006	6573.87	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/26/2006	6574.23	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/25/2006	6573.83	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/24/2006	6573.84	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/23/2006	6573.85	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/22/2006	6573.89	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/21/2006	6573.96	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/20/2006	6574.04	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/19/2006	6573.91	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/18/2006	6573.94	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/17/2006	6573.95	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/16/2006	6573.94	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/15/2006	6573.95	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/14/2006	6573.93	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/13/2006	6573.84	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/12/2006	6573.82	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/11/2006	6573.87	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/10/2006	6573.89	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/9/2006	6574.08	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/8/2006	6572.99	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/7/2006	6572.33	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/6/2006	6572.2	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/5/2006	6571.67	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/4/2006	6571.79	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/3/2006	6571.83	Manual
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/3/2006	6571.93	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/2/2006	6572.13	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/1/2006	6571.5	Manual
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	8/1/2006	6571.63	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/31/2006	6571.71	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/30/2006	6571.8	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/29/2006	6571.88	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/28/2006	6571.96	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/27/2006	6572.05	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/26/2006	6572.1	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/25/2006	6572.17	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/24/2006	6572.24	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/23/2006	6572.3	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/22/2006	6572.41	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/21/2006	6572.52	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/20/2006	6572.59	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/19/2006	6572.64	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/18/2006	6572.69	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/17/2006	6572.74	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/16/2006	6572.8	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/15/2006	6572.84	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/14/2006	6572.9	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/13/2006	6572.96	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/12/2006	6573	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/11/2006	6573.05	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/10/2006	6573.04	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/9/2006	6572.6	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/8/2006	6572.31	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/7/2006	6572.23	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/6/2006	6572.08	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/5/2006	6571.86	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/4/2006	6571.75	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/3/2006	6571.64	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/2/2006	6571.69	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	7/1/2006	6571.77	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/30/2006	6571.74	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/29/2006	6571.4	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/28/2006	6571.33	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/27/2006	6571.23	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/26/2006	6571.12	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/25/2006	6571.13	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/24/2006	6571.17	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/23/2006	6571.08	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/22/2006	6570.98	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/21/2006	6570.88	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/20/2006	6570.8	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/19/2006	6570.72	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/18/2006	6570.64	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/17/2006	6570.61	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/16/2006	6570.52	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/15/2006	6570.42	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/14/2006	6570.28	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/13/2006	6570.21	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/12/2006	6570.15	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/11/2006	6570.13	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/10/2006	6570.09	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/9/2006	6569.96	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/8/2006	6569.83	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/7/2006	6569.74	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/6/2006	6569.67	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/5/2006	6569.62	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/4/2006	6569.6	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/3/2006	6569.54	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/2/2006	6569.4	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	6/1/2006	6569.26	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/31/2006	6569.16	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/30/2006	6569.12	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/29/2006	6569.11	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/28/2006	6569.16	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/27/2006	6569.2	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/26/2006	6569.15	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/25/2006	6569.13	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/24/2006	6569.13	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/23/2006	6569.18	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/22/2006	6569.27	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/21/2006	6569.3	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/20/2006	6569.3	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/19/2006	6569.35	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/18/2006	6569.42	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/17/2006	6569.52	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/16/2006	6569.52	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/15/2006	6569.55	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/14/2006	6569.53	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/13/2006	6569.54	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/12/2006	6569.54	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/11/2006	6569.54	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/10/2006	6569.54	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/9/2006	6569.57	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/8/2006	6569.55	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/7/2006	6569.44	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/6/2006	6569.44	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/5/2006	6569.43	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/4/2006	6569.4	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/3/2006	6569.42	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/2/2006	6569.45	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	5/1/2006	6569.42	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/30/2006	6569.42	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/29/2006	6569.38	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/28/2006	6569.28	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/27/2006	6569.25	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/26/2006	6569.21	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/25/2006	6569.28	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/24/2006	6569.25	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/23/2006	6569.23	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/22/2006	6569.19	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/21/2006	6569.23	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/20/2006	6569.31	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/19/2006	6569.24	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/18/2006	6569.24	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/17/2006	6569.25	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/16/2006	6569.23	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/15/2006	6569.22	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/14/2006	6569.22	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/13/2006	6569.19	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/12/2006	6569.25	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/11/2006	6569.35	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/10/2006	6569.38	Transducer
LAO-3a	4.7	Single Completion	4401	10	4.7	14.7	2	2.375	4/9/2006	6569.31	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	4/12/2007	6451.75	Manual
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/27/2007	6444.51	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/26/2007	6444.52	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/25/2007	6444.52	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/24/2007	6444.53	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/23/2007	6444.53	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/22/2007	6444.54	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/21/2007	6444.55	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/20/2007	6444.56	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/19/2007	6444.58	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/18/2007	6444.59	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/17/2007	6444.61	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/16/2007	6444.63	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/15/2007	6444.6	Manual
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/15/2007	6444.65	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/14/2007	6444.66	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/13/2007	6444.67	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/12/2007	6444.68	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/11/2007	6444.69	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/10/2007	6444.7	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/9/2007	6444.71	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/8/2007	6444.73	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/7/2007	6444.75	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/6/2007	6444.78	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/5/2007	6444.8	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/4/2007	6444.83	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/3/2007	6444.85	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/2/2007	6444.88	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	2/1/2007	6444.9	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/31/2007	6444.92	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/30/2007	6444.95	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/29/2007	6444.97	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/28/2007	6445	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/27/2007	6445.03	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/26/2007	6445.05	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/25/2007	6445.08	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/24/2007	6445.1	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/23/2007	6445.13	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/22/2007	6445.16	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/21/2007	6445.18	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/20/2007	6445.2	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/19/2007	6445.23	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/18/2007	6445.26	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/17/2007	6445.29	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/16/2007	6445.33	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/15/2007	6445.36	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/14/2007	6445.4	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/13/2007	6445.44	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/12/2007	6445.48	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/11/2007	6445.52	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/10/2007	6445.56	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/9/2007	6445.6	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/8/2007	6445.64	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/7/2007	6445.68	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/6/2007	6445.72	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/5/2007	6445.76	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/4/2007	6445.8	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/3/2007	6445.84	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/2/2007	6445.87	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	1/1/2007	6445.91	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/31/2006	6445.96	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/30/2006	6446	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/29/2006	6446.05	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/28/2006	6446.09	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/27/2006	6446.12	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/26/2006	6446.16	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/25/2006	6446.2	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/24/2006	6446.24	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/23/2006	6446.28	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/22/2006	6446.32	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/21/2006	6446.36	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/20/2006	6446.39	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/19/2006	6446.42	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/18/2006	6446.19	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/17/2006	6446.23	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/16/2006	6446.26	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/15/2006	6446.29	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/14/2006	6446.33	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/13/2006	6446.36	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/12/2006	6446.4	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/11/2006	6446.44	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/10/2006	6446.47	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/9/2006	6446.51	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/8/2006	6446.53	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/7/2006	6446.58	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/6/2006	6446.62	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/5/2006	6446.65	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/4/2006	6446.68	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/3/2006	6446.73	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/2/2006	6446.77	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	12/1/2006	6446.8	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/30/2006	6446.84	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/29/2006	6446.88	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/28/2006	6446.92	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/27/2006	6446.95	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/26/2006	6446.99	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/25/2006	6447.02	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/24/2006	6447.06	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/23/2006	6447.1	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/22/2006	6447.14	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/21/2006	6447.18	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/20/2006	6447.23	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/19/2006	6447.28	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/18/2006	6447.32	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/17/2006	6447.35	Manual
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/17/2006	6447.37	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/16/2006	6447.4	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/15/2006	6447.45	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/14/2006	6447.48	Manual
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/14/2006	6447.47	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/13/2006	6447.5	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/12/2006	6447.55	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/11/2006	6447.57	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/10/2006	6447.62	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/9/2006	6447.66	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/8/2006	6447.69	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/7/2006	6447.72	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/6/2006	6447.75	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/5/2006	6447.79	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/4/2006	6447.82	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/3/2006	6447.84	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/2/2006	6447.87	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	11/1/2006	6447.9	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/31/2006	6447.93	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/30/2006	6447.95	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/29/2006	6447.95	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/28/2006	6447.95	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/27/2006	6447.96	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/26/2006	6447.98	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/25/2006	6447.98	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/24/2006	6447.96	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/23/2006	6447.95	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/22/2006	6447.93	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/21/2006	6447.92	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/20/2006	6447.89	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/19/2006	6447.85	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/18/2006	6447.82	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/17/2006	6447.79	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/16/2006	6447.75	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/15/2006	6447.7	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/14/2006	6447.65	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/13/2006	6447.63	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/12/2006	6447.63	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/11/2006	6447.76	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/10/2006	6447.68	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/9/2006	6447.1	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/8/2006	6447.04	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/7/2006	6446.98	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/6/2006	6446.93	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/5/2006	6446.87	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/4/2006	6446.83	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/3/2006	6446.79	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/2/2006	6446.75	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	10/1/2006	6446.71	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/30/2006	6446.68	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/29/2006	6446.66	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/28/2006	6446.63	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/27/2006	6446.64	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/26/2006	6446.65	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/25/2006	6446.68	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/24/2006	6446.73	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/23/2006	6446.8	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/22/2006	6446.87	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/21/2006	6446.95	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/20/2006	6447.02	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/19/2006	6447.12	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/18/2006	6447.21	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/17/2006	6447.32	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/16/2006	6447.43	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/15/2006	6447.54	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/14/2006	6447.65	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/13/2006	6447.79	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/12/2006	6448.08	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/11/2006	6447.73	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/10/2006	6447.79	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/9/2006	6447.84	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/8/2006	6447.87	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/7/2006	6447.88	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/6/2006	6447.88	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/5/2006	6447.89	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/4/2006	6447.89	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/3/2006	6447.88	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/2/2006	6447.89	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	9/1/2006	6447.94	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/31/2006	6448.08	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/30/2006	6448.45	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/29/2006	6448.74	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/28/2006	6448.59	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/27/2006	6448.2	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/26/2006	6447.59	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/25/2006	6446.48	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/24/2006	6446.77	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/23/2006	6447.18	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/22/2006	6447.38	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/21/2006	6447.11	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/20/2006	6446.56	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/19/2006	6446.62	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/18/2006	6446.99	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/17/2006	6447.47	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/16/2006	6448.06	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/15/2006	6448.33	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/14/2006	6448.7	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/13/2006	6448.65	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/12/2006	6448.5	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/11/2006	6448.29	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/10/2006	6448.09	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/9/2006	6447.99	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/8/2006	6446.61	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/7/2006	6445.75	Manual
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/7/2006	6445.89	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/6/2006	6445.51	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/5/2006	6444.53	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/4/2006	6444.67	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/3/2006	6439.69	Manual
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	8/3/2006	6438.67	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	7/15/2006	6439.58	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	7/14/2006	6441.56	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	7/13/2006	6442.19	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	7/12/2006	6440.16	Transducer
LAO-4.5c	13.3	Single Completion	4431	10	13.3	23.3	2	2.5	7/11/2006	6438.46	Transducer
LAO-5	5	Single Completion	6731	20	5	25	3	3.5	12/8/2006	6386.15	Manual
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/29/2007	6385.95	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/28/2007	6385.96	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/27/2007	6385.99	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/26/2007	6386.01	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/25/2007	6386.03	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/24/2007	6386.06	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/23/2007	6386.07	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/22/2007	6386.08	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/21/2007	6386.09	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/20/2007	6386.09	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/19/2007	6386.12	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/18/2007	6386.13	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/17/2007	6386.17	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/16/2007	6386.22	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/15/2007	6386.29	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/14/2007	6386.37	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/13/2007	6386.49	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/12/2007	6386.6	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/11/2007	6386.76	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/10/2007	6386.88	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/9/2007	6386.94	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/8/2007	6386.97	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/7/2007	6387.02	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/6/2007	6387.03	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/5/2007	6387.06	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/4/2007	6387.06	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/3/2007	6387.13	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/2/2007	6387.17	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	4/1/2007	6387.18	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	3/31/2007	6387.17	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	3/30/2007	6387.14	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	3/29/2007	6387.18	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	3/28/2007	6387.23	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	3/27/2007	6387.19	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	3/26/2007	6387.16	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	3/25/2007	6387.22	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	3/24/2007	6387.43	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	3/23/2007	6387.53	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	3/22/2007	6387.26	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	3/21/2007	6386.2	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	3/20/2007	6385.9	Transducer
LAO-6a	4.2	Single Completion	4451	10	4.2	14.2	2	2.5	3/19/2007	6382.32	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/29/2007	7316.34	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/28/2007	7316.33	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/27/2007	7316.35	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/26/2007	7316.36	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/25/2007	7316.36	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/24/2007	7316.42	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/23/2007	7316.38	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/22/2007	7316.38	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/21/2007	7316.37	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/20/2007	7316.37	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/19/2007	7316.37	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/18/2007	7316.39	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/17/2007	7316.4	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/16/2007	7316.42	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/15/2007	7316.44	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/14/2007	7316.64	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/13/2007	7316.47	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/12/2007	7316.51	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/11/2007	7316.5	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/10/2007	7316.54	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/9/2007	7316.41	Manual
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/9/2007	7316.48	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/8/2007	7316.5	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/7/2007	7316.48	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/6/2007	7316.46	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/5/2007	7316.47	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/4/2007	7316.49	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/3/2007	7316.53	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/2/2007	7316.57	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/1/2007	7316.62	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/31/2007	7316.67	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/30/2007	7316.71	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/29/2007	7316.73	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/28/2007	7316.76	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/27/2007	7316.76	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/26/2007	7316.77	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/25/2007	7316.78	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/24/2007	7316.78	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/23/2007	7316.68	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/22/2007	7316.72	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/21/2007	7316.7	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/20/2007	7316.73	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/19/2007	7316.74	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/18/2007	7316.76	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/17/2007	7316.78	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/16/2007	7316.79	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/15/2007	7316.77	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/14/2007	7316.73	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/13/2007	7316.71	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/12/2007	7316.68	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/11/2007	7316.61	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/10/2007	7316.54	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/9/2007	7316.49	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/8/2007	7316.47	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/7/2007	7316.45	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/6/2007	7316.45	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/5/2007	7316.46	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/4/2007	7316.46	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/3/2007	7316.47	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/2/2007	7316.48	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	3/1/2007	7316.48	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/28/2007	7316.48	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/27/2007	7316.47	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/26/2007	7316.48	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/25/2007	7316.47	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/24/2007	7316.47	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/23/2007	7316.46	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/22/2007	7316.45	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/21/2007	7316.44	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/20/2007	7316.45	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/19/2007	7316.45	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/18/2007	7316.44	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/17/2007	7316.45	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/16/2007	7316.44	Manual
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/16/2007	7316.55	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/15/2007	7316.45	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/14/2007	7316.44	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/13/2007	7316.42	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/12/2007	7316.38	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/11/2007	7316.35	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/10/2007	7316.31	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/9/2007	7316.28	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/8/2007	7316.27	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/7/2007	7316.26	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/6/2007	7316.25	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/5/2007	7316.25	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/4/2007	7316.24	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/3/2007	7316.34	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/2/2007	7316.32	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	2/1/2007	7316.24	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/31/2007	7316.24	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/30/2007	7316.23	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/29/2007	7316.23	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/28/2007	7316.29	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/27/2007	7316.29	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/26/2007	7316.25	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/25/2007	7316.21	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/24/2007	7316.2	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/23/2007	7316.2	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/22/2007	7316.19	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/21/2007	7316.18	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/20/2007	7316.17	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/19/2007	7316.16	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/18/2007	7316.15	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/17/2007	7316.14	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/16/2007	7316.13	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/15/2007	7316.13	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/14/2007	7316.13	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/13/2007	7316.12	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/12/2007	7316.13	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/11/2007	7316.1	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/10/2007	7316.11	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/9/2007	7316.11	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/8/2007	7316.08	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/7/2007	7316.07	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/6/2007	7316.07	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/5/2007	7316.08	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/4/2007	7316.08	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/3/2007	7316.08	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/2/2007	7316.08	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	1/1/2007	7316.08	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/31/2006	7316.08	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/30/2006	7316.08	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/29/2006	7316.08	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/28/2006	7316.06	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/27/2006	7316.07	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/26/2006	7316.07	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/25/2006	7316.07	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/24/2006	7316.07	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/23/2006	7316.07	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/22/2006	7316.08	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/21/2006	7316.07	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/20/2006	7316.07	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/19/2006	7316.06	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/18/2006	7316.05	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/17/2006	7316.02	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/16/2006	7316	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/15/2006	7316.01	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/14/2006	7316	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/13/2006	7316.01	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/12/2006	7316.07	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/11/2006	7316.04	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/10/2006	7316.02	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/9/2006	7316.02	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/8/2006	7316.02	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/7/2006	7316.02	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/6/2006	7316.02	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	12/5/2006	7316.02	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	10/9/2006	7316.1	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	10/8/2006	7316.06	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	10/7/2006	7316.06	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	10/6/2006	7316.1	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	10/5/2006	7316.04	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	10/4/2006	7316.05	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	10/3/2006	7316.04	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	10/2/2006	7316.05	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	10/1/2006	7316.05	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/30/2006	7316.06	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/29/2006	7316.07	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/28/2006	7316.07	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/27/2006	7316.08	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/26/2006	7316.08	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/25/2006	7316.09	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/24/2006	7316.09	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/23/2006	7316.16	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/22/2006	7316.1	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/21/2006	7316.17	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/20/2006	7316.1	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/19/2006	7316.1	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/18/2006	7316.1	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/17/2006	7316.11	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/16/2006	7316.11	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/15/2006	7316.12	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/14/2006	7316.11	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/13/2006	7316.1	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/12/2006	7316.13	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/11/2006	7316.16	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/10/2006	7316.1	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/9/2006	7316.18	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/8/2006	7316.16	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/7/2006	7316.17	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/6/2006	7316.11	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/5/2006	7316.12	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/4/2006	7316.13	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/3/2006	7316.14	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/2/2006	7316.21	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	9/1/2006	7316.17	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/31/2006	7316.18	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/30/2006	7316.2	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/29/2006	7316.21	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/28/2006	7316.23	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/27/2006	7316.26	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/26/2006	7316.39	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/25/2006	7316.2	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/24/2006	7316.22	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/23/2006	7316.23	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/22/2006	7316.25	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/21/2006	7316.28	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/20/2006	7316.32	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/19/2006	7316.28	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/18/2006	7316.34	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/17/2006	7316.31	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/16/2006	7316.37	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/15/2006	7316.37	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/14/2006	7316.42	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/13/2006	7316.37	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/12/2006	7316.37	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/11/2006	7316.41	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/10/2006	7316.33	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/9/2006	7316.31	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/8/2006	7316.14	Manual
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/8/2006	7316.12	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/7/2006	7316.02	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/6/2006	7315.88	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/5/2006	7315.56	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/4/2006	7315.52	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/3/2006	7315.48	Manual
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/3/2006	7315.51	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/2/2006	7315.53	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	8/1/2006	7315.58	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/31/2006	7315.53	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/30/2006	7315.58	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/29/2006	7315.55	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/28/2006	7315.5	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/27/2006	7315.5	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/26/2006	7315.48	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/25/2006	7315.47	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/24/2006	7315.47	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/23/2006	7315.45	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/22/2006	7315.47	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/21/2006	7315.44	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/20/2006	7315.38	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/19/2006	7315.37	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/18/2006	7315.31	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/17/2006	7315.32	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/16/2006	7315.32	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/15/2006	7315.34	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/14/2006	7315.36	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/13/2006	7315.38	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/12/2006	7315.39	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/11/2006	7315.41	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/10/2006	7315.44	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/9/2006	7315.39	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/8/2006	7315.34	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/7/2006	7315.34	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/6/2006	7315.35	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/5/2006	7315.26	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/4/2006	7315.17	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/3/2006	7315.14	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/2/2006	7315.11	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	7/1/2006	7315.15	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/30/2006	7315.18	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/29/2006	7315.22	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/28/2006	7315.13	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/27/2006	7315.19	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/26/2006	7315.2	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/25/2006	7315.15	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/24/2006	7315.18	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/23/2006	7315.19	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/22/2006	7315.17	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/21/2006	7315.21	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/20/2006	7315.25	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/19/2006	7315.29	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/18/2006	7315.32	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/17/2006	7315.36	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/16/2006	7315.39	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/15/2006	7315.42	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/14/2006	7315.46	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/13/2006	7315.49	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/12/2006	7315.53	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/11/2006	7315.56	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/10/2006	7315.58	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/9/2006	7315.64	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/8/2006	7315.62	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/7/2006	7315.67	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/6/2006	7315.66	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/5/2006	7315.68	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/4/2006	7315.7	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/3/2006	7315.72	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/2/2006	7315.71	Manual
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/2/2006	7315.72	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	6/1/2006	7315.73	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/31/2006	7315.75	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/30/2006	7315.77	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/29/2006	7315.79	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/28/2006	7315.81	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/27/2006	7315.83	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/26/2006	7315.86	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/25/2006	7315.87	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/24/2006	7315.86	Manual
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/24/2006	7315.89	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/23/2006	7315.95	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/22/2006	7315.91	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/21/2006	7315.93	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/20/2006	7315.95	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/19/2006	7315.97	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/18/2006	7315.99	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/17/2006	7316	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/16/2006	7316.01	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/15/2006	7316.05	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/14/2006	7316.03	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/13/2006	7316.04	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/12/2006	7316.05	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/11/2006	7316.06	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/10/2006	7316.06	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/9/2006	7316.08	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/8/2006	7316.09	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/7/2006	7316.1	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/6/2006	7316.14	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/5/2006	7316.11	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/4/2006	7316.13	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/3/2006	7316.14	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/2/2006	7316.15	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	5/1/2006	7316.15	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/30/2006	7316.16	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/29/2006	7316.21	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/28/2006	7316.17	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/27/2006	7316.19	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/26/2006	7316.21	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/25/2006	7316.22	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/24/2006	7316.24	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/23/2006	7316.27	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/22/2006	7316.29	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/21/2006	7316.31	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/20/2006	7316.33	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/19/2006	7316.34	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/18/2006	7316.31	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/17/2006	7316.26	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/16/2006	7316.26	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/15/2006	7316.23	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/14/2006	7316.15	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/13/2006	7316.16	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/12/2006	7316.17	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/11/2006	7316.17	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/10/2006	7316.17	Transducer
LAO-B	11.84	Single Completion	5221	15	11.84	26.84	4	4.5	4/9/2006	7316.16	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/29/2007	6543.4	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/28/2007	6543.41	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/27/2007	6543.65	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/26/2007	6543.61	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/25/2007	6543.75	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/24/2007	6543.85	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/23/2007	6543.81	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/22/2007	6543.83	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/21/2007	6543.89	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/20/2007	6543.86	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/19/2007	6543.99	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/18/2007	6543.75	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/17/2007	6543.83	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/16/2007	6543.81	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/15/2007	6543.68	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/14/2007	6543.69	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/13/2007	6544.04	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/12/2007	6543.92	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/11/2007	6543.93	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/10/2007	6544	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/9/2007	6543.95	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/8/2007	6543.86	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/7/2007	6543.74	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/6/2007	6543.65	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/5/2007	6543.67	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/4/2007	6543.6	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/3/2007	6543.75	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/2/2007	6543.8	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/1/2007	6543.82	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/31/2007	6543.82	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/30/2007	6543.73	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/29/2007	6543.92	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/28/2007	6544.12	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/27/2007	6543.78	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/26/2007	6543.73	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/25/2007	6543.65	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/24/2007	6543.93	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/23/2007	6543.8	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/22/2007	6543.75	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/21/2007	6543.83	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/20/2007	6543.72	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/19/2007	6543.82	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/18/2007	6543.73	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/17/2007	6543.59	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/16/2007	6543.57	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/15/2007	6543.78	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/14/2007	6543.82	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/13/2007	6543.7	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/12/2007	6543.58	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/11/2007	6543.75	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/10/2007	6543.74	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/9/2007	6543.76	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/8/2007	6543.71	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/7/2007	6543.67	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/6/2007	6543.63	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/5/2007	6543.48	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/4/2007	6543.53	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/3/2007	6543.84	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/2/2007	6544.03	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	3/1/2007	6544.21	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/28/2007	6544.17	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/27/2007	6544.03	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/26/2007	6544.14	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/25/2007	6543.91	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/24/2007	6544.29	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/23/2007	6543.94	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/22/2007	6543.73	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/21/2007	6543.8	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/20/2007	6544.3	Manual
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/20/2007	6544.03	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/19/2007	6543.94	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/18/2007	6543.57	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/17/2007	6543.7	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/16/2007	6543.7	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/15/2007	6543.88	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/14/2007	6543.97	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/13/2007	6543.91	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/12/2007	6544.02	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/11/2007	6543.81	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/10/2007	6543.71	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/9/2007	6543.73	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/8/2007	6543.73	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/7/2007	6543.71	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/6/2007	6543.58	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/5/2007	6543.61	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/4/2007	6543.66	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/3/2007	6543.84	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/2/2007	6544.14	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	2/1/2007	6544.29	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/31/2007	6544.07	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/30/2007	6543.85	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/29/2007	6543.79	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/28/2007	6543.8	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/27/2007	6543.98	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/26/2007	6543.77	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/25/2007	6543.55	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/24/2007	6543.65	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/23/2007	6543.83	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/22/2007	6543.87	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/21/2007	6544.18	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/20/2007	6543.96	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/19/2007	6543.62	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/18/2007	6543.77	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/17/2007	6543.74	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/16/2007	6543.64	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/15/2007	6543.88	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/14/2007	6544.16	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/13/2007	6544.09	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/12/2007	6544.08	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/11/2007	6544.06	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/10/2007	6543.73	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/9/2007	6543.55	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/8/2007	6543.66	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/7/2007	6543.85	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/6/2007	6543.94	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/5/2007	6544.19	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/4/2007	6543.99	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/3/2007	6543.84	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/2/2007	6543.79	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	1/1/2007	6543.8	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/31/2006	6543.9	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/30/2006	6544.09	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/29/2006	6544.15	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/28/2006	6544.29	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/27/2006	6543.89	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/26/2006	6543.71	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/25/2006	6543.64	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/24/2006	6543.8	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/23/2006	6543.93	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/22/2006	6543.94	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/21/2006	6544.12	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/20/2006	6544.16	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/19/2006	6543.86	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/18/2006	6543.94	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/17/2006	6544.06	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/16/2006	6544.04	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/15/2006	6543.86	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/14/2006	6543.84	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/13/2006	6543.76	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/12/2006	6543.76	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/11/2006	6544.04	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/10/2006	6543.9	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/9/2006	6543.77	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/8/2006	6543.56	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/7/2006	6543.71	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/6/2006	6543.8	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/5/2006	6543.68	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/4/2006	6543.52	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/3/2006	6543.65	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/2/2006	6543.91	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	12/1/2006	6543.81	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/30/2006	6543.98	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/29/2006	6544.24	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/28/2006	6544.17	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/27/2006	6544	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/26/2006	6544.04	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/25/2006	6544	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/24/2006	6543.91	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/23/2006	6543.8	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/22/2006	6543.74	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/21/2006	6543.67	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/20/2006	6543.59	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/19/2006	6543.74	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/18/2006	6543.86	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/17/2006	6543.98	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/16/2006	6543.9	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/15/2006	6544	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/14/2006	6544.06	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/13/2006	6543.89	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/12/2006	6544.12	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/11/2006	6543.74	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/10/2006	6544.1	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/9/2006	6544.12	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/8/2006	6543.96	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/7/2006	6543.82	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/6/2006	6543.85	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/5/2006	6543.91	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/4/2006	6543.93	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/3/2006	6543.84	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/2/2006	6543.83	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	11/1/2006	6544.03	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/31/2006	6544.04	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/30/2006	6544.16	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/29/2006	6543.88	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/28/2006	6543.68	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/27/2006	6543.77	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/26/2006	6544.09	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/25/2006	6544.07	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/24/2006	6543.92	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/23/2006	6543.83	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/22/2006	6543.87	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/21/2006	6544.15	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/20/2006	6544.04	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/19/2006	6543.99	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/18/2006	6544.15	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/17/2006	6544.3	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/16/2006	6544.3	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/15/2006	6544.19	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/14/2006	6544.01	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/13/2006	6544.02	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/12/2006	6544.02	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/11/2006	6543.96	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/10/2006	6544	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/9/2006	6543.91	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/8/2006	6543.89	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/7/2006	6543.88	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/6/2006	6543.77	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/5/2006	6543.7	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/4/2006	6543.8	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/3/2006	6543.86	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/2/2006	6543.88	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	10/1/2006	6543.93	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/30/2006	6543.94	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/29/2006	6543.9	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/28/2006	6543.83	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/27/2006	6543.84	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/26/2006	6543.8	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/25/2006	6543.79	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/24/2006	6543.85	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/23/2006	6544.12	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/22/2006	6544.31	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/21/2006	6544.25	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/20/2006	6543.98	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/19/2006	6543.89	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/18/2006	6543.98	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/17/2006	6544.05	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/16/2006	6544.15	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/15/2006	6544.14	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/14/2006	6544.04	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/13/2006	6543.82	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/12/2006	6543.82	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/11/2006	6543.9	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/10/2006	6543.97	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/9/2006	6543.99	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/8/2006	6543.97	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/7/2006	6543.88	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/6/2006	6543.76	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/5/2006	6543.74	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/4/2006	6543.83	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/3/2006	6543.8	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/2/2006	6543.85	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	9/1/2006	6543.89	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/31/2006	6543.95	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/30/2006	6543.89	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/29/2006	6543.81	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/28/2006	6543.88	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/27/2006	6543.95	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/26/2006	6543.99	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/25/2006	6543.96	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/24/2006	6543.89	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/23/2006	6543.74	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/22/2006	6543.71	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/21/2006	6543.79	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/20/2006	6543.8	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/19/2006	6543.83	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/18/2006	6543.85	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/17/2006	6543.89	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/16/2006	6543.87	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/15/2006	6543.84	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/14/2006	6543.82	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/13/2006	6543.95	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/12/2006	6543.86	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/11/2006	6543.82	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/10/2006	6543.77	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/9/2006	6543.69	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/8/2006	6543.65	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/7/2006	6543.98	Manual
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/7/2006	6543.65	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/6/2006	6543.68	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/5/2006	6543.53	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/4/2006	6543.91	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/3/2006	6544.29	Manual
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/3/2006	6543.96	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/2/2006	6544.03	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	8/1/2006	6544.14	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/31/2006	6544.16	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/30/2006	6544.02	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/29/2006	6543.96	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/28/2006	6543.95	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/27/2006	6544.03	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/26/2006	6544.01	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/25/2006	6544.04	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/24/2006	6543.97	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/23/2006	6543.85	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/22/2006	6543.78	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/21/2006	6543.84	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/20/2006	6543.88	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/19/2006	6543.87	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/18/2006	6543.85	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/17/2006	6543.88	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/16/2006	6543.8	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/15/2006	6543.82	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/14/2006	6543.94	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/13/2006	6543.96	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/12/2006	6543.94	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/11/2006	6544.02	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/10/2006	6544	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/9/2006	6543.92	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/8/2006	6543.85	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/7/2006	6543.82	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/6/2006	6543.87	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/5/2006	6543.86	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/4/2006	6543.89	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/3/2006	6543.87	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/2/2006	6543.94	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	7/1/2006	6543.94	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/30/2006	6543.9	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/29/2006	6543.88	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/28/2006	6543.87	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/27/2006	6543.86	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/26/2006	6543.77	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/25/2006	6543.78	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/24/2006	6543.86	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/23/2006	6543.86	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/22/2006	6544.04	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/21/2006	6544.06	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/20/2006	6544.05	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/19/2006	6544.03	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/18/2006	6544.04	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/17/2006	6544.15	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/16/2006	6544.28	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/15/2006	6544.17	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/14/2006	6544.02	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/13/2006	6543.97	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/12/2006	6544.11	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/11/2006	6544.21	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/10/2006	6544.12	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/9/2006	6543.94	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/8/2006	6543.94	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/7/2006	6543.96	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/6/2006	6544.13	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/5/2006	6544.17	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/4/2006	6544.12	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/3/2006	6543.97	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/2/2006	6543.91	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	6/1/2006	6543.93	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/31/2006	6544.1	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/30/2006	6544.13	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/29/2006	6544.18	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/28/2006	6544.37	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/27/2006	6544.39	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/26/2006	6544.29	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/25/2006	6544.1	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/24/2006	6544.04	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/23/2006	6544.19	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/22/2006	6544.14	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/21/2006	6544.13	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/20/2006	6544.11	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/19/2006	6544.1	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/18/2006	6544.05	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/17/2006	6544.01	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/16/2006	6543.9	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/15/2006	6543.92	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/14/2006	6544.11	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/13/2006	6544.18	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/12/2006	6544.13	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/11/2006	6544	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/10/2006	6544.18	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/9/2006	6544.34	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/8/2006	6544.77	Manual
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/8/2006	6544.28	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/7/2006	6544.28	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/6/2006	6544.26	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/5/2006	6544.22	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/4/2006	6544.22	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/3/2006	6544.23	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/2/2006	6544.18	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	5/1/2006	6544.26	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/30/2006	6544.25	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/29/2006	6544.23	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/28/2006	6544.37	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/27/2006	6544.2	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/26/2006	6544.15	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/25/2006	6544.21	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/24/2006	6544.32	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/23/2006	6544.26	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/22/2006	6544.19	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/21/2006	6544.22	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/20/2006	6544.31	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/19/2006	6544.22	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/18/2006	6544.37	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/17/2006	6544.33	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/16/2006	6544.3	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/15/2006	6544.5	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/14/2006	6544.19	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/13/2006	6544.02	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/12/2006	6544.11	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/11/2006	6544.35	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/10/2006	6544.32	Transducer
LAOI(a)-1.1	295.2	Single Completion	5391	9.8	295.2	305	3	3.5	4/9/2006	6544.16	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/29/2007	6489.49	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/28/2007	6489.5	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/27/2007	6489.72	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/26/2007	6489.7	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/25/2007	6489.69	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/24/2007	6489.78	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/23/2007	6489.72	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/22/2007	6489.71	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/21/2007	6489.76	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/20/2007	6489.7	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/19/2007	6489.81	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/18/2007	6489.55	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/17/2007	6489.61	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/16/2007	6489.59	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/15/2007	6489.43	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/14/2007	6489.41	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/13/2007	6489.75	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/12/2007	6489.61	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/11/2007	6489.61	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/10/2007	6489.67	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/9/2007	6489.6	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/8/2007	6489.48	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/7/2007	6489.33	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/6/2007	6489.23	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/5/2007	6489.23	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/4/2007	6489.14	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/3/2007	6489.27	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/2/2007	6489.31	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/1/2007	6489.3	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/31/2007	6489.27	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/30/2007	6489.17	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/29/2007	6489.34	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/28/2007	6489.52	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/27/2007	6489.17	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/26/2007	6489.08	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/25/2007	6488.99	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/24/2007	6489.23	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/23/2007	6489.09	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/22/2007	6489.01	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/21/2007	6489.07	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/20/2007	6488.94	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/19/2007	6489.02	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/18/2007	6488.91	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/17/2007	6488.73	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/16/2007	6488.68	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/15/2007	6488.87	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/14/2007	6488.87	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/13/2007	6488.73	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/12/2007	6488.59	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/11/2007	6488.72	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/10/2007	6488.69	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/9/2007	6488.68	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/8/2007	6488.59	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/7/2007	6488.53	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/6/2007	6488.46	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/5/2007	6488.29	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/4/2007	6488.31	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/3/2007	6488.6	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/2/2007	6488.77	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	3/1/2007	6488.94	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/28/2007	6488.89	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/27/2007	6488.73	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/26/2007	6488.82	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/25/2007	6488.57	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/24/2007	6488.93	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/23/2007	6488.57	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/22/2007	6488.34	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/21/2007	6488.38	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/20/2007	6488.52	Manual
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/20/2007	6488.65	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/19/2007	6488.53	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/18/2007	6488.14	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/17/2007	6488.26	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/16/2007	6488.23	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/15/2007	6488.38	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/14/2007	6488.45	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/13/2007	6488.37	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/12/2007	6488.46	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/11/2007	6488.22	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/10/2007	6488.08	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/9/2007	6488.07	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/8/2007	6488.04	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/7/2007	6487.99	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/6/2007	6487.83	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/5/2007	6487.83	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/4/2007	6487.87	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/3/2007	6488.02	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/2/2007	6488.31	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	2/1/2007	6488.43	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/31/2007	6488.19	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/30/2007	6487.94	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/29/2007	6487.85	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/28/2007	6487.83	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/27/2007	6487.99	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/26/2007	6487.75	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/25/2007	6487.5	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/24/2007	6487.58	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/23/2007	6487.72	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/22/2007	6487.74	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/21/2007	6488.03	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/20/2007	6487.76	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/19/2007	6487.4	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/18/2007	6487.52	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/17/2007	6487.47	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/16/2007	6487.34	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/15/2007	6487.55	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/14/2007	6487.82	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/13/2007	6487.71	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/12/2007	6487.68	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/11/2007	6487.61	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/10/2007	6487.26	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/9/2007	6487.04	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/8/2007	6487.12	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/7/2007	6487.28	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/6/2007	6487.35	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/5/2007	6487.58	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/4/2007	6487.34	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/3/2007	6487.17	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/2/2007	6487.09	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	1/1/2007	6487.07	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/31/2006	6487.15	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/30/2006	6487.31	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/29/2006	6487.35	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/28/2006	6487.47	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/27/2006	6487.04	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/26/2006	6486.82	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/25/2006	6486.73	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/24/2006	6486.86	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/23/2006	6486.95	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/22/2006	6486.94	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/21/2006	6487.1	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/20/2006	6487.12	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/19/2006	6486.8	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/18/2006	6486.85	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/17/2006	6486.95	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/16/2006	6486.89	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/15/2006	6486.68	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/14/2006	6486.63	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/13/2006	6486.52	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/12/2006	6486.49	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/11/2006	6486.73	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/10/2006	6486.55	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/9/2006	6486.39	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/8/2006	6486.13	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/7/2006	6486.26	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/6/2006	6486.31	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/5/2006	6486.15	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/4/2006	6485.96	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/3/2006	6486.05	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/2/2006	6486.29	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	12/1/2006	6486.16	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/30/2006	6486.3	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/29/2006	6486.55	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/28/2006	6486.45	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/27/2006	6486.25	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/26/2006	6486.26	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/25/2006	6486.16	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/24/2006	6486.04	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/23/2006	6485.89	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/22/2006	6485.78	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/21/2006	6485.68	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/20/2006	6485.56	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/19/2006	6485.67	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/18/2006	6485.77	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/17/2006	6485.77	Manual
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/17/2006	6485.81	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/16/2006	6485.7	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/15/2006	6485.78	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/14/2006	6485.81	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/13/2006	6485.6	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/12/2006	6485.81	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/11/2006	6485.39	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/10/2006	6485.72	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/9/2006	6485.78	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/8/2006	6485.52	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/7/2006	6485.35	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/6/2006	6485.36	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/5/2006	6485.38	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/4/2006	6485.38	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/3/2006	6485.25	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/2/2006	6485.2	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	11/1/2006	6485.39	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/31/2006	6485.36	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/30/2006	6485.44	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/29/2006	6485.14	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/28/2006	6484.89	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/27/2006	6484.96	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/26/2006	6485.24	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/25/2006	6485.21	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/24/2006	6485.03	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/23/2006	6484.91	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/22/2006	6484.92	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/21/2006	6485.18	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/20/2006	6485.05	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/19/2006	6484.97	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/18/2006	6485.11	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/17/2006	6485.24	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/16/2006	6485.22	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/15/2006	6485.08	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/14/2006	6484.88	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/13/2006	6484.85	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/12/2006	6484.8	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/11/2006	6484.71	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/10/2006	6484.71	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/9/2006	6484.6	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/8/2006	6484.55	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/7/2006	6484.51	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/6/2006	6484.37	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/5/2006	6484.28	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/4/2006	6484.36	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/3/2006	6484.38	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/2/2006	6484.37	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	10/1/2006	6484.39	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/30/2006	6484.37	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/29/2006	6484.3	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/28/2006	6484.2	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/27/2006	6484.19	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/26/2006	6484.13	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/25/2006	6484.08	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/24/2006	6484.13	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/23/2006	6484.37	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/22/2006	6484.55	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/21/2006	6484.46	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/20/2006	6484.18	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/19/2006	6484.06	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/18/2006	6484.12	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/17/2006	6484.17	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/16/2006	6484.25	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/15/2006	6484.22	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/14/2006	6484.1	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/13/2006	6483.85	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/12/2006	6483.83	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/11/2006	6483.89	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/10/2006	6483.93	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/9/2006	6483.93	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/8/2006	6483.88	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/7/2006	6483.77	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/6/2006	6483.63	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/5/2006	6483.57	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/4/2006	6483.65	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/3/2006	6483.59	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/2/2006	6483.62	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	9/1/2006	6483.64	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/31/2006	6483.69	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/30/2006	6483.6	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/29/2006	6483.5	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/28/2006	6483.55	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/27/2006	6483.59	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/26/2006	6483.62	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/25/2006	6483.56	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/24/2006	6483.47	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/23/2006	6483.3	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/22/2006	6483.25	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/21/2006	6483.32	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/20/2006	6483.3	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/19/2006	6483.32	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/18/2006	6483.32	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/17/2006	6483.34	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/16/2006	6483.3	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/15/2006	6483.25	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/14/2006	6483.23	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/13/2006	6483.35	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/12/2006	6483.25	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/11/2006	6483.2	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/10/2006	6483.14	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/9/2006	6483.06	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/8/2006	6483.02	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/7/2006	6483.04	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/6/2006	6483.1	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/5/2006	6483.07	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/4/2006	6483.03	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/3/2006	6483.05	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/2/2006	6483.12	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/1/2006	6483.2	Manual
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	8/1/2006	6483.24	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/31/2006	6483.25	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/30/2006	6483.09	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/29/2006	6483.02	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/28/2006	6482.99	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/27/2006	6483.05	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/26/2006	6483	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/25/2006	6483.02	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/24/2006	6482.93	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/23/2006	6482.79	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/22/2006	6482.7	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/21/2006	6482.75	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/20/2006	6482.76	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/19/2006	6482.73	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/18/2006	6482.69	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/17/2006	6482.69	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/16/2006	6482.59	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/15/2006	6482.59	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/14/2006	6482.69	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/13/2006	6482.7	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/12/2006	6482.66	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/11/2006	6482.71	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/10/2006	6482.67	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/9/2006	6482.57	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/8/2006	6482.47	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/7/2006	6482.42	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/6/2006	6482.46	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/5/2006	6482.41	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/4/2006	6482.42	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/3/2006	6482.38	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/2/2006	6482.41	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	7/1/2006	6482.4	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/30/2006	6482.34	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/29/2006	6482.29	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/28/2006	6482.26	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/27/2006	6482.22	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/26/2006	6482.11	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/25/2006	6482.1	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/24/2006	6482.16	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/23/2006	6482.14	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/22/2006	6482.31	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/21/2006	6482.3	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/20/2006	6482.27	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/19/2006	6482.24	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/18/2006	6482.23	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/17/2006	6482.31	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/16/2006	6482.42	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/15/2006	6482.29	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/14/2006	6482.12	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/13/2006	6482.05	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/12/2006	6482.18	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/11/2006	6482.25	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/10/2006	6482.14	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/9/2006	6481.93	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/8/2006	6481.92	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/7/2006	6481.92	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/6/2006	6482.07	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/5/2006	6482.09	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/4/2006	6482.02	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/3/2006	6481.84	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/2/2006	6481.76	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	6/1/2006	6481.76	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/31/2006	6481.92	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/30/2006	6481.94	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/29/2006	6481.96	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/28/2006	6482.13	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/27/2006	6482.15	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/26/2006	6482.03	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/25/2006	6481.81	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/24/2006	6481.74	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/23/2006	6481.86	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/22/2006	6481.8	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/21/2006	6481.76	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/20/2006	6481.72	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/19/2006	6481.68	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/18/2006	6481.61	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/17/2006	6481.54	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/16/2006	6481.42	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/15/2006	6481.41	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/14/2006	6481.59	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/13/2006	6481.64	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/12/2006	6481.57	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/11/2006	6481.41	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/10/2006	6481.57	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/9/2006	6481.69	Manual
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/9/2006	6481.7	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/8/2006	6481.63	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/7/2006	6481.6	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/6/2006	6481.56	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/5/2006	6481.5	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/4/2006	6481.49	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/3/2006	6481.49	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/2/2006	6481.42	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	5/1/2006	6481.48	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/30/2006	6481.44	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/29/2006	6481.41	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/28/2006	6481.54	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/27/2006	6481.35	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/26/2006	6481.28	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/25/2006	6481.32	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/24/2006	6481.41	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/23/2006	6481.34	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/22/2006	6481.26	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/21/2006	6481.27	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/20/2006	6481.34	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/19/2006	6481.25	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/18/2006	6481.39	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/17/2006	6481.33	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/16/2006	6481.29	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/15/2006	6481.48	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/14/2006	6481.16	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/13/2006	6480.96	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/12/2006	6481.03	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/11/2006	6481.27	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/10/2006	6481.22	Transducer
LAOI-3.2	153.3	Single Completion	6001	9.5	153.3	162.8	2.1	3.5	4/9/2006	6481.05	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/29/2007	6439.04	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/28/2007	6439.01	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/27/2007	6439.11	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/26/2007	6439.12	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/25/2007	6439.11	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/24/2007	6439.16	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/23/2007	6439.17	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/22/2007	6439.14	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/21/2007	6439.19	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/20/2007	6439.16	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/19/2007	6439.23	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/18/2007	6439.12	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/17/2007	6439.15	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/16/2007	6439.15	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/15/2007	6439.12	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/14/2007	6439.07	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/13/2007	6439.23	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/12/2007	6439.17	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/11/2007	6439.16	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/10/2007	6439.21	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/9/2007	6439.17	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/8/2007	6439.14	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/7/2007	6439.09	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/6/2007	6439.05	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/5/2007	6439.09	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/4/2007	6439.06	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/3/2007	6439.1	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/2/2007	6439.14	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	4/1/2007	6439.14	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/31/2007	6439.15	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/30/2007	6439.11	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/29/2007	6439.17	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/28/2007	6439.28	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/27/2007	6439.13	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/26/2007	6439.11	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/25/2007	6439.06	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/24/2007	6439.19	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/23/2007	6439.14	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/22/2007	6439.11	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/21/2007	6439.15	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/20/2007	6439.1	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/19/2007	6439.14	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/18/2007	6439.12	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/17/2007	6439.07	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/16/2007	6439.02	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/15/2007	6439.13	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/14/2007	6439.14	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/13/2007	6439.11	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/12/2007	6439.05	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/11/2007	6439.1	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/10/2007	6439.12	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/9/2007	6439.11	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/8/2007	6439.12	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/7/2007	6439.1	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/6/2007	6439.12	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/5/2007	6439.08	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/4/2007	6439.06	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/3/2007	6439.14	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/2/2007	6439.24	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	3/1/2007	6439.29	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/28/2007	6439.34	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/27/2007	6439.25	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/26/2007	6439.31	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/25/2007	6439.14	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/24/2007	6439.36	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/23/2007	6439.23	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/22/2007	6439.12	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/21/2007	6439.13	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/20/2007	6439.33	Manual
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/20/2007	6439.27	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/19/2007	6439.28	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/18/2007	6439.12	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/17/2007	6439.14	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/16/2007	6439.14	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/15/2007	6439.19	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/14/2007	6439.26	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/13/2007	6439.2	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/12/2007	6439.29	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/11/2007	6439.2	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/10/2007	6439.14	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/9/2007	6439.16	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/8/2007	6439.17	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/7/2007	6439.19	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/6/2007	6439.15	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/5/2007	6439.15	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/4/2007	6439.15	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/3/2007	6439.18	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/2/2007	6439.31	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	2/1/2007	6439.44	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/31/2007	6439.36	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/30/2007	6439.23	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/29/2007	6439.21	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/28/2007	6439.19	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/27/2007	6439.29	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/26/2007	6439.24	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/25/2007	6439.12	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/24/2007	6439.14	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/23/2007	6439.23	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/22/2007	6439.19	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/21/2007	6439.38	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/20/2007	6439.32	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/19/2007	6439.14	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/18/2007	6439.21	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/17/2007	6439.24	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/16/2007	6439.15	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/15/2007	6439.21	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/14/2007	6439.41	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/13/2007	6439.36	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/12/2007	6439.36	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/11/2007	6439.39	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/10/2007	6439.27	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/9/2007	6439.15	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/8/2007	6439.19	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/7/2007	6439.23	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/6/2007	6439.22	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/5/2007	6439.44	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/4/2007	6439.32	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/3/2007	6439.26	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/2/2007	6439.22	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	1/1/2007	6439.23	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/31/2006	6439.24	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/30/2006	6439.36	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/29/2006	6439.34	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/28/2006	6439.52	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/27/2006	6439.32	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/26/2006	6439.21	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/25/2006	6439.14	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/24/2006	6439.26	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/23/2006	6439.29	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/22/2006	6439.29	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/21/2006	6439.37	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/20/2006	6439.47	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/19/2006	6439.29	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/18/2006	6439.29	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/17/2006	6439.37	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/16/2006	6439.39	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/15/2006	6439.3	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/14/2006	6439.31	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/13/2006	6439.26	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/12/2006	6439.21	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/11/2006	6439.4	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/10/2006	6439.33	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/9/2006	6439.31	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/8/2006	6439.2	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/7/2006	6439.23	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/6/2006	6439.31	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/5/2006	6439.28	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/4/2006	6439.21	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/3/2006	6439.17	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/2/2006	6439.35	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	12/1/2006	6439.28	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/30/2006	6439.31	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/29/2006	6439.53	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/28/2006	6439.5	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/27/2006	6439.39	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/26/2006	6439.42	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/25/2006	6439.4	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/24/2006	6439.37	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/23/2006	6439.33	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/22/2006	6439.31	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/21/2006	6439.29	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/20/2006	6439.23	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/19/2006	6439.23	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/18/2006	6439.3	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/17/2006	6439.38	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/16/2006	6439.32	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/15/2006	6439.38	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/14/2006	6439.46	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/13/2006	6439.31	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/12/2006	6439.54	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/11/2006	6439.2	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/10/2006	6439.49	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/9/2006	6439.53	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/8/2006	6439.44	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/7/2006	6439.34	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/6/2006	6439.34	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/5/2006	6439.37	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/4/2006	6439.42	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/3/2006	6439.35	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/2/2006	6439.3	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	11/1/2006	6439.5	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/31/2006	6439.53	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/30/2006	6439.65	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/29/2006	6439.46	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/28/2006	6439.27	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/27/2006	6439.26	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/26/2006	6439.55	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/25/2006	6439.56	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/24/2006	6439.43	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/23/2006	6439.33	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/22/2006	6439.34	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/21/2006	6439.61	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/20/2006	6439.51	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/19/2006	6439.49	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/18/2006	6439.65	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/17/2006	6439.8	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/16/2006	6439.8	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/15/2006	6439.69	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/14/2006	6439.54	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/13/2006	6439.56	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/12/2006	6439.57	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/11/2006	6439.51	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/10/2006	6439.55	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/9/2006	6439.49	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/8/2006	6439.48	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/7/2006	6439.48	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/6/2006	6439.38	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/5/2006	6439.3	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/4/2006	6439.37	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/3/2006	6439.42	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/2/2006	6439.45	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	10/1/2006	6439.5	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/30/2006	6439.51	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/29/2006	6439.48	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/28/2006	6439.42	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/27/2006	6439.43	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/26/2006	6439.39	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/25/2006	6439.37	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/24/2006	6439.45	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/23/2006	6439.72	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/22/2006	6439.91	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/21/2006	6439.84	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/20/2006	6439.59	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/19/2006	6439.51	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/18/2006	6439.61	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/17/2006	6439.69	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/16/2006	6439.79	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/15/2006	6439.79	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/14/2006	6439.68	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/13/2006	6439.48	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/12/2006	6439.5	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/11/2006	6439.58	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/10/2006	6439.66	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/9/2006	6439.68	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/8/2006	6439.66	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/7/2006	6439.57	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/6/2006	6439.46	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/5/2006	6439.44	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/4/2006	6439.54	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/3/2006	6439.51	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/2/2006	6439.57	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	9/1/2006	6439.62	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/31/2006	6439.7	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/30/2006	6439.64	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/29/2006	6439.57	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/28/2006	6439.65	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/27/2006	6439.71	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/26/2006	6439.76	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/25/2006	6439.73	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/24/2006	6439.66	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/23/2006	6439.51	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/22/2006	6439.5	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/21/2006	6439.58	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/20/2006	6439.6	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/19/2006	6439.65	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/18/2006	6439.68	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/17/2006	6439.72	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/16/2006	6439.72	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/15/2006	6439.68	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/14/2006	6439.71	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/13/2006	6439.84	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/12/2006	6439.77	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/11/2006	6439.74	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/10/2006	6439.71	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/9/2006	6439.65	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/8/2006	6439.64	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/7/2006	6439.64	Transducer
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	8/7/2006	6439.8	Manual
LAOI-3.2a	181.4	Single Completion	7691	9.6	181.4	191	3.1	3.5	7/26/2006	6439.97	Manual
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/29/2007	6235.66	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/28/2007	6235.43	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/27/2007	6235.37	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/26/2007	6235.22	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/25/2007	6235	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/24/2007	6234.9	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/23/2007	6234.75	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/22/2007	6234.54	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/21/2007	6234.47	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/20/2007	6234.29	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/19/2007	6234.21	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/18/2007	6234.01	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/17/2007	6233.93	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/16/2007	6233.83	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/15/2007	6233.73	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/14/2007	6233.53	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/13/2007	6233.61	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/12/2007	6233.5	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/11/2007	6233.4	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/10/2007	6233.39	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/9/2007	6233.3	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/8/2007	6233.25	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/7/2007	6233.2	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/6/2007	6233.1	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/5/2007	6233.14	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/4/2007	6233.06	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/3/2007	6233.08	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/2/2007	6233.11	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	4/1/2007	6233.09	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/31/2007	6233.09	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/30/2007	6233.03	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/29/2007	6233.05	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/28/2007	6233.16	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/27/2007	6233	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/26/2007	6233	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/25/2007	6232.92	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/24/2007	6233.05	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/23/2007	6233.01	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/22/2007	6232.98	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/21/2007	6233.03	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/20/2007	6232.99	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/19/2007	6233.04	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/18/2007	6233.07	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/17/2007	6233.04	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/16/2007	6232.98	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/15/2007	6233.12	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/14/2007	6233.13	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/13/2007	6233.15	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/12/2007	6233.12	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/11/2007	6233.17	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/10/2007	6233.23	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/9/2007	6233.23	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/8/2007	6233.27	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/7/2007	6233.27	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/6/2007	6233.3	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/5/2007	6233.3	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/4/2007	6233.25	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/3/2007	6233.29	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/2/2007	6233.39	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	3/1/2007	6233.38	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/28/2007	6233.41	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/27/2007	6233.34	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/26/2007	6233.35	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/25/2007	6233.21	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/24/2007	6233.38	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/23/2007	6233.31	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/22/2007	6233.21	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/21/2007	6233.19	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/20/2007	6233.26	Manual
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/20/2007	6233.3	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/19/2007	6233.36	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/18/2007	6233.24	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/17/2007	6233.26	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/16/2007	6233.27	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/15/2007	6233.29	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/14/2007	6233.37	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/13/2007	6233.31	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/12/2007	6233.41	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/11/2007	6233.35	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/10/2007	6233.33	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/9/2007	6233.34	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/8/2007	6233.37	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/7/2007	6233.42	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/6/2007	6233.4	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/5/2007	6233.4	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/4/2007	6233.4	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/3/2007	6233.4	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/2/2007	6233.45	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	2/1/2007	6233.52	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/31/2007	6233.5	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/30/2007	6233.38	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/29/2007	6233.39	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/28/2007	6233.38	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/27/2007	6233.44	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/26/2007	6233.47	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/25/2007	6233.39	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/24/2007	6233.4	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/23/2007	6233.49	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/22/2007	6233.42	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/21/2007	6233.55	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/20/2007	6233.58	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/19/2007	6233.45	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/18/2007	6233.49	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/17/2007	6233.56	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/16/2007	6233.46	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/15/2007	6233.49	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/14/2007	6233.63	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/13/2007	6233.57	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/12/2007	6233.58	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/11/2007	6233.64	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/10/2007	6233.59	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/9/2007	6233.5	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/8/2007	6233.57	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/7/2007	6233.58	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/6/2007	6233.5	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/5/2007	6233.73	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/4/2007	6233.66	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/3/2007	6233.63	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/2/2007	6233.59	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	1/1/2007	6233.63	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/31/2006	6233.59	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/30/2006	6233.69	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/29/2006	6233.6	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/28/2006	6233.74	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/27/2006	6233.63	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/26/2006	6233.57	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/25/2006	6233.48	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/24/2006	6233.64	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/23/2006	6233.61	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/22/2006	6233.63	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/21/2006	6233.61	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/20/2006	6233.76	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/19/2006	6233.61	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/18/2006	6233.57	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/17/2006	6233.63	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/16/2006	6233.64	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/15/2006	6233.6	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/14/2006	6233.62	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/13/2006	6233.61	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/12/2006	6233.55	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/11/2006	6233.69	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/10/2006	6233.65	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/9/2006	6233.68	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/8/2006	6233.63	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/7/2006	6233.66	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/6/2006	6233.72	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/5/2006	6233.74	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/4/2006	6233.72	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/3/2006	6233.67	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/2/2006	6233.81	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	12/1/2006	6233.79	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/30/2006	6233.7	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/29/2006	6233.85	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/28/2006	6233.82	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/27/2006	6233.76	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/26/2006	6233.78	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/25/2006	6233.79	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/24/2006	6233.77	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/23/2006	6233.77	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/22/2006	6233.77	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/21/2006	6233.79	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/20/2006	6233.77	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/19/2006	6233.77	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/18/2006	6233.87	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/17/2006	6233.88	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/16/2006	6233.89	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/15/2006	6233.81	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/14/2006	6233.95	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/13/2006	6233.84	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/12/2006	6234.03	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/11/2006	6233.81	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/10/2006	6233.91	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/9/2006	6233.97	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/8/2006	6233.95	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/7/2006	6233.9	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/6/2006	6233.9	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/5/2006	6233.93	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/4/2006	6233.99	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/3/2006	6233.97	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/2/2006	6233.93	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	11/1/2006	6234.02	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/31/2006	6234	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/30/2006	6234.12	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/29/2006	6234.07	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/28/2006	6233.99	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/27/2006	6233.93	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/26/2006	6234.06	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/25/2006	6234.13	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/24/2006	6234.13	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/23/2006	6234.08	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/22/2006	6234.03	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/21/2006	6234.16	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/20/2006	6234.17	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/19/2006	6234.08	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/18/2006	6234.1	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/17/2006	6234.12	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/16/2006	6234.12	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/15/2006	6234.09	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/14/2006	6234.02	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/13/2006	6234	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/12/2006	6234.02	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/11/2006	6234	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/10/2006	6234.03	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/9/2006	6234.04	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/8/2006	6234.01	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/7/2006	6234.04	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/6/2006	6234.03	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/5/2006	6234.02	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/4/2006	6234.06	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/3/2006	6234.1	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/2/2006	6234.1	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	10/1/2006	6234.13	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/30/2006	6234.15	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/29/2006	6234.19	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/28/2006	6234.14	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/27/2006	6234.19	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/26/2006	6234.19	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/25/2006	6234.19	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/24/2006	6234.15	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/23/2006	6234.18	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/22/2006	6234.28	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/21/2006	6234.25	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/20/2006	6234.19	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/19/2006	6234.13	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/18/2006	6234.14	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/17/2006	6234.13	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/16/2006	6234.17	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/15/2006	6234.16	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/14/2006	6234.16	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/13/2006	6234.08	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/12/2006	6234.09	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/11/2006	6234.11	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/10/2006	6234.12	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/9/2006	6234.13	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/8/2006	6234.15	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/7/2006	6234.15	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/6/2006	6234.12	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/5/2006	6234.1	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/4/2006	6234.16	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/3/2006	6234.16	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/2/2006	6234.19	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	9/1/2006	6234.2	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/31/2006	6234.23	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/30/2006	6234.23	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/29/2006	6234.19	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/28/2006	6234.22	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/27/2006	6234.25	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/26/2006	6234.28	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/25/2006	6234.26	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/24/2006	6234.3	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/23/2006	6234.28	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/22/2006	6234.26	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/21/2006	6234.32	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/20/2006	6234.34	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/19/2006	6234.35	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/18/2006	6234.36	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/17/2006	6234.41	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/16/2006	6234.42	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/15/2006	6234.44	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/14/2006	6234.39	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/13/2006	6234.47	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/12/2006	6234.44	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/11/2006	6234.49	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/10/2006	6234.5	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/9/2006	6234.52	Manual
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/9/2006	6234.48	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/8/2006	6234.51	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/7/2006	6234.52	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/6/2006	6234.57	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/5/2006	6234.6	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/4/2006	6234.6	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/3/2006	6234.61	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/2/2006	6234.63	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	8/1/2006	6234.65	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/31/2006	6234.67	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/30/2006	6234.67	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/29/2006	6234.67	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/28/2006	6234.66	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/27/2006	6234.69	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/26/2006	6234.67	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/25/2006	6234.71	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/24/2006	6234.72	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/23/2006	6234.72	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/22/2006	6234.71	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/21/2006	6234.74	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/20/2006	6234.77	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/19/2006	6234.81	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/18/2006	6234.78	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/17/2006	6234.85	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/16/2006	6234.84	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/15/2006	6234.87	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/14/2006	6234.92	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/13/2006	6234.95	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/12/2006	6234.94	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/11/2006	6234.98	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/10/2006	6234.99	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/9/2006	6235.04	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/8/2006	6235.02	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/7/2006	6235.03	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/6/2006	6235.06	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/5/2006	6235.03	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/4/2006	6235.11	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/3/2006	6235.12	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/2/2006	6235.14	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	7/1/2006	6235.17	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/30/2006	6235.2	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/29/2006	6235.22	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/28/2006	6235.23	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/27/2006	6235.27	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/26/2006	6235.26	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/25/2006	6235.25	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/24/2006	6235.31	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/23/2006	6235.3	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/22/2006	6235.4	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/21/2006	6235.44	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/20/2006	6235.46	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/19/2006	6235.47	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/18/2006	6235.47	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/17/2006	6235.49	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/16/2006	6235.55	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/15/2006	6235.58	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/14/2006	6235.56	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/13/2006	6235.53	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/12/2006	6235.58	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/11/2006	6235.63	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/10/2006	6235.66	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/9/2006	6235.6	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/8/2006	6235.63	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/7/2006	6235.64	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/6/2006	6235.7	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/5/2006	6235.74	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/4/2006	6235.77	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/3/2006	6235.75	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/2/2006	6235.75	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	6/1/2006	6235.74	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/31/2006	6235.83	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/30/2006	6235.86	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/29/2006	6235.8	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/28/2006	6235.87	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/27/2006	6235.93	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/26/2006	6235.94	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/25/2006	6235.91	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/24/2006	6236.07	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/23/2006	6236.24	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/22/2006	6236.28	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/21/2006	6236.35	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/20/2006	6236.39	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/19/2006	6236.44	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/18/2006	6236.55	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/17/2006	6236.7	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/16/2006	6236.87	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/15/2006	6236.85	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/14/2006	6236.76	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/13/2006	6236.82	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/12/2006	6236.83	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/11/2006	6236.04	Transducer
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/11/2006	6236.09	Manual
LAOI-7	240	Single Completion	6411	19.6	240	259.6	3	3.5	5/9/2006	6236.16	Manual
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/29/2007	7029.65	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/28/2007	7029.69	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/27/2007	7029.73	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/26/2007	7029.76	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/25/2007	7029.8	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/24/2007	7029.83	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/23/2007	7029.86	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/22/2007	7029.86	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/21/2007	7029.9	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/20/2007	7029.93	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/19/2007	7029.96	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/18/2007	7029.98	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/17/2007	7030	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/16/2007	7030.01	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/15/2007	7030.05	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/14/2007	7030.09	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/13/2007	7029.88	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/12/2007	7029.9	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/11/2007	7029.94	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/10/2007	7029.99	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/9/2007	7029.76	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/8/2007	7029.79	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/7/2007	7029.84	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/6/2007	7029.85	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/5/2007	7029.88	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/4/2007	7029.91	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/3/2007	7029.94	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/2/2007	7029.97	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/1/2007	7029.99	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/31/2007	7030.02	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/30/2007	7030.03	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/29/2007	7030.06	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/28/2007	7030.07	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/27/2007	7030.09	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/26/2007	7030.06	Manual
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/26/2007	7030.12	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/25/2007	7030.19	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/24/2007	7030.27	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/23/2007	7030.14	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/22/2007	7030.53	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/21/2007	7029.99	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/20/2007	7030.02	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/19/2007	7030.05	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/18/2007	7030.08	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/17/2007	7030.09	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/16/2007	7030.1	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/15/2007	7030.12	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/14/2007	7030.11	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/13/2007	7030.1	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/12/2007	7030.09	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/11/2007	7030.06	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/10/2007	7030.05	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/9/2007	7030.03	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/8/2007	7030.03	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/7/2007	7029.98	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/6/2007	7029.94	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/5/2007	7029.93	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/4/2007	7029.94	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/3/2007	7029.97	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/2/2007	7030	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	3/1/2007	7030	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/28/2007	7030.02	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/27/2007	7030.01	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/26/2007	7030	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/25/2007	7030	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/24/2007	7030.01	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/23/2007	7030.01	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/22/2007	7030.01	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/21/2007	7030.01	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/20/2007	7030.01	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/19/2007	7030.02	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/18/2007	7030.03	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/17/2007	7030.04	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/16/2007	7030.16	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/15/2007	7030.03	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/14/2007	7030.05	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/13/2007	7030.13	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/12/2007	7030.6	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/11/2007	7029.66	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/10/2007	7029.62	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/9/2007	7029.63	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/8/2007	7029.63	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/7/2007	7029.65	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/6/2007	7029.65	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/5/2007	7029.64	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/4/2007	7029.67	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/3/2007	7029.71	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/2/2007	7029.75	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	2/1/2007	7029.82	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/31/2007	7029.84	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/30/2007	7029.84	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/29/2007	7029.88	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/28/2007	7029.9	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/27/2007	7029.94	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/26/2007	7029.96	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/25/2007	7029.96	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/24/2007	7029.98	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/23/2007	7030.01	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/22/2007	7030.02	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/21/2007	7030.04	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/20/2007	7030.06	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/19/2007	7030.05	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/18/2007	7030.02	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/17/2007	7030.02	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/16/2007	7030.03	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/15/2007	7030.03	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/14/2007	7030.04	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/13/2007	7028.95	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/12/2007	7028.94	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/11/2007	7028.95	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/10/2007	7028.95	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/9/2007	7028.97	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/8/2007	7029	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/7/2007	7029.03	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/6/2007	7029.07	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/5/2007	7029.14	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/4/2007	7029.17	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/3/2007	7029.2	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/2/2007	7029.22	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	1/1/2007	7029.25	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/31/2006	7029.28	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/30/2006	7029.33	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/29/2006	7029.32	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/28/2006	7029.36	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/27/2006	7029.38	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/26/2006	7029.41	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/25/2006	7029.44	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/24/2006	7029.5	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/23/2006	7029.57	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/22/2006	7029.61	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/21/2006	7029.63	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/20/2006	7029.66	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/19/2006	7029.63	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/18/2006	7029.62	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/17/2006	7029.62	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/16/2006	7029.61	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/15/2006	7029.59	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/14/2006	7029.72	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/13/2006	7030.28	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/12/2006	7027.99	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/11/2006	7028.03	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/10/2006	7028.03	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/9/2006	7028.06	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/8/2006	7028.09	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/7/2006	7028.12	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/6/2006	7028.15	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/5/2006	7028.18	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/4/2006	7028.21	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/3/2006	7028.27	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/2/2006	7028.31	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/1/2006	7028.31	Manual
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	12/1/2006	7028.34	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/30/2006	7028.37	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/29/2006	7028.41	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/28/2006	7028.44	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/27/2006	7028.46	Manual
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/27/2006	7028.48	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/26/2006	7028.52	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/25/2006	7028.55	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/24/2006	7028.59	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/23/2006	7028.63	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/22/2006	7028.67	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/21/2006	7028.71	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/20/2006	7028.75	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/19/2006	7028.76	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/18/2006	7028.81	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/17/2006	7028.85	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/16/2006	7028.9	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/15/2006	7028.97	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/14/2006	7029.02	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/13/2006	7029.04	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/12/2006	7029.09	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/11/2006	7029.13	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/10/2006	7029.22	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/9/2006	7029.27	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/8/2006	7029.31	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/7/2006	7029.37	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/6/2006	7029.42	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/5/2006	7029.46	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/4/2006	7029.51	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/3/2006	7029.56	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/2/2006	7029.61	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	11/1/2006	7029.63	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/31/2006	7029.68	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/30/2006	7029.75	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/29/2006	7029.79	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/28/2006	7029.81	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/27/2006	7029.85	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/26/2006	7029.89	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/25/2006	7029.91	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/24/2006	7029.93	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/23/2006	7029.96	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/22/2006	7029.98	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/21/2006	7030.01	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/20/2006	7030.04	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/19/2006	7030.02	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/18/2006	7030.06	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/17/2006	7030.08	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/16/2006	7030.12	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/15/2006	7030.64	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/14/2006	7030.07	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/13/2006	7030.09	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/12/2006	7030.09	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/11/2006	7030.11	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/10/2006	7030.57	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/9/2006	7029.11	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/8/2006	7029.15	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/7/2006	7029.2	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/6/2006	7029.26	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/5/2006	7029.31	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/4/2006	7029.38	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/3/2006	7029.44	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/2/2006	7029.5	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	10/1/2006	7029.56	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/30/2006	7029.6	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/29/2006	7029.65	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/28/2006	7029.73	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/27/2006	7029.78	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/26/2006	7029.82	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/25/2006	7029.83	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/24/2006	7029.87	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/23/2006	7029.92	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/22/2006	7030	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/21/2006	7030.14	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/20/2006	7029.86	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/19/2006	7029.91	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/18/2006	7029.96	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/17/2006	7030.01	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/16/2006	7030.08	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/15/2006	7030.12	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/14/2006	7030.16	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/13/2006	7030.18	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/12/2006	7030.28	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/11/2006	7030.06	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/10/2006	7030.08	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/9/2006	7030.08	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/8/2006	7030.1	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/7/2006	7030.1	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/6/2006	7029.82	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/5/2006	7029.83	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/4/2006	7029.88	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/3/2006	7029.92	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/2/2006	7029.97	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	9/1/2006	7030.03	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/31/2006	7030.06	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/30/2006	7030.08	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/29/2006	7030.12	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/28/2006	7030.16	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/27/2006	7030.23	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/26/2006	7030.49	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/25/2006	7030.05	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/24/2006	7030.07	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/23/2006	7030.1	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/22/2006	7030.13	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/21/2006	7030.88	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/20/2006	7030.2	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/19/2006	7030.11	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/18/2006	7030.16	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/17/2006	7030.19	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/16/2006	7030.22	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/15/2006	7031.57	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/14/2006	7030.41	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/13/2006	7030.32	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/12/2006	7030.3	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/11/2006	7030.36	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/10/2006	7030.41	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/9/2006	7030.55	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/8/2006	7030.19	Manual
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/8/2006	7030.28	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/7/2006	7030.15	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/6/2006	7030.19	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/5/2006	7030.51	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/4/2006	7030.17	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/3/2006	7030.2	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/2/2006	7030.3	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	8/1/2006	7029.7	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/31/2006	7029.8	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/30/2006	7029.9	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/29/2006	7030.01	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/28/2006	7030.13	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/27/2006	7030.28	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/26/2006	7029.48	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/25/2006	7029.59	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/24/2006	7029.69	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/23/2006	7029.76	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/22/2006	7030.19	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/21/2006	7029.5	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/20/2006	7029.6	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/19/2006	7029.71	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/18/2006	7029.8	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/17/2006	7029.91	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/16/2006	7030.01	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/15/2006	7030.14	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/14/2006	7030.25	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/13/2006	7030.31	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/12/2006	7030.33	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/11/2006	7030.37	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/10/2006	7030.54	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/9/2006	7030.55	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/8/2006	7030.36	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/7/2006	7030.39	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/6/2006	7030.42	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/5/2006	7030.39	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/4/2006	7030.57	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/3/2006	7030.29	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/2/2006	7029.95	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	7/1/2006	7030.13	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/30/2006	7030.47	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/29/2006	7028.91	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/28/2006	7029.07	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/27/2006	7029.8	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/26/2006	7028.48	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/25/2006	7028.57	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/24/2006	7028.72	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/23/2006	7029.11	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/22/2006	7027.42	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/21/2006	7027.45	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/20/2006	7027.47	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/19/2006	7027.51	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/18/2006	7027.54	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/17/2006	7027.57	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/16/2006	7027.63	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/15/2006	7027.66	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/14/2006	7027.69	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/13/2006	7027.72	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/12/2006	7027.76	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/11/2006	7027.76	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/10/2006	7027.79	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/9/2006	7027.81	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/8/2006	7027.85	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/7/2006	7027.88	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/6/2006	7027.95	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/5/2006	7027.98	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/4/2006	7028.01	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/3/2006	7028.05	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/2/2006	7028.08	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	6/1/2006	7028.12	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/31/2006	7028.16	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/30/2006	7028.21	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/29/2006	7028.24	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/28/2006	7028.3	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/27/2006	7028.34	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/26/2006	7028.38	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/25/2006	7028.43	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/24/2006	7028.48	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/23/2006	7028.52	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/22/2006	7028.58	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/21/2006	7028.63	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/20/2006	7028.67	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/19/2006	7028.73	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/18/2006	7028.78	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/17/2006	7028.82	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/16/2006	7028.87	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/15/2006	7028.91	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/14/2006	7028.96	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/13/2006	7029.02	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/12/2006	7029.08	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/11/2006	7029.13	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/10/2006	7029.19	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/9/2006	7029.27	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/8/2006	7029.39	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/7/2006	7030	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/6/2006	7028.61	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/5/2006	7028.64	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/4/2006	7028.67	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/3/2006	7028.69	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/2/2006	7028.72	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	5/1/2006	7028.74	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/30/2006	7028.73	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/29/2006	7028.43	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/28/2006	7028.47	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/27/2006	7028.51	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/26/2006	7028.54	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/25/2006	7028.59	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/24/2006	7028.63	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/23/2006	7028.66	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/22/2006	7028.7	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/21/2006	7028.74	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/20/2006	7028.78	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/19/2006	7028.81	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/18/2006	7028.85	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/17/2006	7028.89	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/16/2006	7028.92	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/15/2006	7029.01	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/14/2006	7029.02	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/13/2006	7029.03	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/12/2006	7029.06	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/11/2006	7029.09	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/10/2006	7029.11	Transducer
LAUZ-1	5.35	Single Completion	5361	5	5.35	10.35	0	0	4/9/2006	7029.13	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/29/2007	5838.2	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/28/2007	5838.54	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/27/2007	5838.91	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/26/2007	5839.23	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/25/2007	5839.52	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/24/2007	5839.81	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/23/2007	5840.08	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/22/2007	5840.34	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/21/2007	5840.62	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/20/2007	5840.86	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/19/2007	5841.09	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/18/2007	5841.28	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/17/2007	5841.49	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/16/2007	5841.67	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/15/2007	5841.8	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/14/2007	5841.92	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/13/2007	5842.06	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/12/2007	5842.12	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/11/2007	5842.17	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/10/2007	5842.22	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/9/2007	5842.21	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/8/2007	5842.17	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/7/2007	5842.15	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/6/2007	5842.11	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/5/2007	5842.05	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/4/2007	5841.89	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/3/2007	5841.72	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/2/2007	5841.37	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/1/2007	5840.87	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/31/2007	5840.25	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/30/2007	5839.48	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/29/2007	5838.61	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/28/2007	5837.71	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/27/2007	5836.33	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/26/2007	5835.2	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/25/2007	5833.21	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/24/2007	5830.76	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/23/2007	5830.68	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/22/2007	5830.69	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/21/2007	5830.93	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/20/2007	5830.99	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/19/2007	5831.2	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/18/2007	5831.41	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/17/2007	5831.63	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/16/2007	5831.91	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/15/2007	5832.6	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/14/2007	5833.21	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/13/2007	5833.8	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/12/2007	5834.27	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/11/2007	5834.51	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/10/2007	5834.66	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/9/2007	5834.75	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/8/2007	5834.82	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/7/2007	5834.8	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/6/2007	5834.75	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/5/2007	5834.55	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/4/2007	5834.06	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/3/2007	5833.54	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/2/2007	5833.42	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	3/1/2007	5833.92	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/28/2007	5834.48	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/27/2007	5834.69	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/26/2007	5834.76	Manual
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/26/2007	5834.86	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/25/2007	5835.01	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/24/2007	5835.38	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/23/2007	5835.74	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/22/2007	5836.12	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/21/2007	5836.5	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/20/2007	5836.87	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/19/2007	5837.2	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/18/2007	5837.55	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/17/2007	5837.89	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/16/2007	5838.18	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/15/2007	5838.57	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/14/2007	5838.99	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/13/2007	5839.38	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/12/2007	5839.71	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/11/2007	5840.05	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/10/2007	5840.39	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/9/2007	5840.73	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/8/2007	5841.05	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/7/2007	5841.35	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/6/2007	5841.6	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/5/2007	5841.86	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/4/2007	5842.07	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/3/2007	5842.27	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/2/2007	5842.49	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	2/1/2007	5842.77	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/31/2007	5843	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/30/2007	5843.22	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/29/2007	5843.46	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/28/2007	5843.64	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/27/2007	5843.86	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/26/2007	5844.03	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/25/2007	5844.15	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/24/2007	5844.31	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/23/2007	5844.44	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/22/2007	5844.59	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/21/2007	5844.78	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/20/2007	5844.89	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/19/2007	5844.99	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/18/2007	5845.12	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/17/2007	5845.25	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/16/2007	5845.31	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/15/2007	5845.39	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/14/2007	5845.52	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/13/2007	5845.5	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/12/2007	5845.53	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/11/2007	5845.55	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/10/2007	5845.48	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/9/2007	5845.38	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/8/2007	5845.34	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/7/2007	5845.3	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/6/2007	5845.35	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/5/2007	5845.55	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/4/2007	5845.52	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/3/2007	5845.43	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/2/2007	5845.35	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	1/1/2007	5845.28	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/31/2006	5845.22	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/30/2006	5845.15	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/29/2006	5845.18	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/28/2006	5844.99	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/27/2006	5844.85	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/26/2006	5844.73	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/25/2006	5844.6	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/24/2006	5844.5	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/23/2006	5844.43	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/22/2006	5844.32	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/21/2006	5844.48	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/20/2006	5844.41	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/19/2006	5844.45	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/18/2006	5844.57	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/17/2006	5844.7	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/16/2006	5844.75	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/15/2006	5844.68	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/14/2006	5844.58	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/13/2006	5844.5	Manual
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/13/2006	5844.44	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/12/2006	5844.28	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/11/2006	5844.13	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/10/2006	5843.96	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/9/2006	5843.75	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/8/2006	5843.5	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/7/2006	5843.23	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/6/2006	5842.95	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/5/2006	5842.67	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/4/2006	5842.41	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/3/2006	5842.2	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/2/2006	5842.03	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	12/1/2006	5841.7	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/30/2006	5841.34	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/29/2006	5841.22	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/28/2006	5841.12	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/27/2006	5841.1	Manual
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/27/2006	5841.1	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/26/2006	5841.15	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/25/2006	5841.2	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/24/2006	5841.25	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/23/2006	5841.24	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/22/2006	5841.32	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/21/2006	5841.36	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/20/2006	5841.33	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/19/2006	5841.23	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/18/2006	5841.1	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/17/2006	5840.94	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/16/2006	5840.75	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/15/2006	5840.56	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/14/2006	5840.52	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/13/2006	5840.75	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/12/2006	5841.08	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/11/2006	5841.33	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/10/2006	5841.66	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/9/2006	5841.91	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/8/2006	5842.14	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/7/2006	5842.34	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/6/2006	5842.54	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/5/2006	5842.69	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/4/2006	5842.8	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/3/2006	5842.83	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/2/2006	5842.89	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	11/1/2006	5842.95	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/31/2006	5843	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/30/2006	5843.01	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/29/2006	5842.89	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/28/2006	5842.81	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/27/2006	5842.77	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/26/2006	5842.74	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/25/2006	5842.58	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/24/2006	5842.33	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/23/2006	5842	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/22/2006	5841.61	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/21/2006	5841.24	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/20/2006	5840.83	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/19/2006	5840.36	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/18/2006	5839.91	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/17/2006	5839.48	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/16/2006	5839.06	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/15/2006	5838.71	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/14/2006	5838.49	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/13/2006	5838.33	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/12/2006	5838.39	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/11/2006	5838.57	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/10/2006	5838.36	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/9/2006	5838.73	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/8/2006	5839.09	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/7/2006	5839.43	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/6/2006	5839.74	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/5/2006	5840.04	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/4/2006	5840.35	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/3/2006	5840.65	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/2/2006	5840.93	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	10/1/2006	5841.2	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/30/2006	5841.44	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/29/2006	5841.66	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/28/2006	5841.85	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/27/2006	5842.03	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/26/2006	5842.17	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/25/2006	5842.15	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/24/2006	5842.1	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/23/2006	5842.2	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/22/2006	5842.23	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/21/2006	5842.27	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/20/2006	5842.22	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/19/2006	5842.31	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/18/2006	5842.37	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/17/2006	5842.35	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/16/2006	5842.45	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/15/2006	5842.32	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/14/2006	5842.24	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/13/2006	5842.15	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/12/2006	5842.03	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/11/2006	5842.13	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/10/2006	5842.32	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/9/2006	5842.49	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/8/2006	5842.65	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/7/2006	5842.77	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/6/2006	5842.9	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/5/2006	5843.01	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/4/2006	5843.16	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/3/2006	5843.25	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/2/2006	5843.38	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	9/1/2006	5843.43	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/31/2006	5843.52	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/30/2006	5843.55	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/29/2006	5843.52	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/28/2006	5843.36	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/27/2006	5842.95	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/26/2006	5842.59	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/25/2006	5841.91	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/24/2006	5841.96	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/23/2006	5841.86	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/22/2006	5841.78	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/21/2006	5841.49	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/20/2006	5841.23	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/19/2006	5840.7	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/18/2006	5840.87	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/17/2006	5841.02	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/16/2006	5841.14	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/15/2006	5840.77	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/14/2006	5840.83	Manual
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/14/2006	5840.85	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/13/2006	5840.92	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/12/2006	5840.83	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/11/2006	5840.87	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/10/2006	5840.32	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/9/2006	5839.86	Manual
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/9/2006	5839.36	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/8/2006	5837.73	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/7/2006	5835.9	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/6/2006	5835.13	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/5/2006	5835.07	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/4/2006	5835.47	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/3/2006	5835.8	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/2/2006	5835.84	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	8/1/2006	5836.2	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/31/2006	5836.56	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/30/2006	5836.97	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/29/2006	5837.42	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/28/2006	5837.67	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/27/2006	5837.81	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/26/2006	5838.03	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/25/2006	5838.22	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/24/2006	5838.39	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/23/2006	5838.53	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/22/2006	5838.65	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/21/2006	5838.78	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/20/2006	5838.92	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/19/2006	5839.03	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/18/2006	5839.15	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/17/2006	5839.28	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/16/2006	5839.24	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/15/2006	5839.05	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/14/2006	5838.85	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/13/2006	5838.6	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/12/2006	5838.29	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/11/2006	5837.99	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/10/2006	5837.49	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/9/2006	5836.05	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/8/2006	5833.54	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/7/2006	5830.63	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/6/2006	5829.26	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/5/2006	5828.2	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/4/2006	5828.18	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/3/2006	5828.14	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/2/2006	5828.11	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	7/1/2006	5828.11	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/30/2006	5828.11	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/29/2006	5828.13	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/28/2006	5828.18	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/27/2006	5828.23	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/26/2006	5828.27	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/25/2006	5828.32	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/24/2006	5828.38	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/23/2006	5828.43	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/22/2006	5828.49	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/21/2006	5828.55	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/20/2006	5828.61	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/19/2006	5828.62	Manual
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/19/2006	5828.67	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/18/2006	5828.72	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/17/2006	5828.8	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/16/2006	5828.84	Manual
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/16/2006	5828.9	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/15/2006	5828.96	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/14/2006	5828.98	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	6/14/2006	5828.98	Manual
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/22/2006	5831.41	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/21/2006	5831.56	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/20/2006	5831.75	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/19/2006	5832.11	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/18/2006	5832.25	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/17/2006	5832.37	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/16/2006	5832.25	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/15/2006	5832.4	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/14/2006	5832.81	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/13/2006	5833.07	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/12/2006	5833.33	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/11/2006	5833.51	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/10/2006	5833.76	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/9/2006	5834.18	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/8/2006	5834.29	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/7/2006	5834.38	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/6/2006	5834.51	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/5/2006	5834.53	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/4/2006	5834.47	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/3/2006	5834.5	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/2/2006	5834.62	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	5/1/2006	5834.6	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/30/2006	5834.62	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/29/2006	5834.58	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/28/2006	5834.61	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/27/2006	5834.64	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/26/2006	5834.73	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/25/2006	5834.66	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/24/2006	5834.58	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/23/2006	5834.7	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/22/2006	5834.75	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/21/2006	5834.68	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/20/2006	5834.74	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/19/2006	5834.66	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/18/2006	5834.75	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/17/2006	5834.79	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/16/2006	5834.62	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/15/2006	5834.64	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/14/2006	5834.67	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/13/2006	5834.73	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/12/2006	5834.74	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/11/2006	5834.78	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/10/2006	5834.7	Transducer
LLAO-1b	11.32	Single Completion	5231	10	11.32	21.32	4	4.5	4/9/2006	5834.7	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/29/2007	5512.78	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/28/2007	5513.01	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/27/2007	5513	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/26/2007	5513.08	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/25/2007	5513.01	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/24/2007	5513	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/23/2007	5513.01	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/22/2007	5512.82	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/21/2007	5512.93	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/20/2007	5512.97	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/19/2007	5512.92	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/18/2007	5513.01	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/17/2007	5513.04	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/16/2007	5513.01	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/15/2007	5512.99	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/14/2007	5512.94	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/13/2007	5512.94	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/12/2007	5512.89	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/11/2007	5512.85	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/10/2007	5512.82	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/9/2007	5512.74	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/8/2007	5512.51	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/7/2007	5512.22	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/6/2007	5512.3	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/5/2007	5512.42	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/4/2007	5512.52	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/3/2007	5512.75	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/2/2007	5512.75	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/1/2007	5512.69	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/31/2007	5512.63	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/30/2007	5512.59	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/29/2007	5512.57	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/28/2007	5512.58	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/27/2007	5512.54	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/26/2007	5512.51	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/25/2007	5512.51	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/24/2007	5512.21	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/23/2007	5512	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/22/2007	5512.02	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/21/2007	5512.05	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/20/2007	5512.1	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/19/2007	5512.11	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/18/2007	5512.15	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/17/2007	5512.19	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/16/2007	5512.23	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/15/2007	5512.35	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/14/2007	5512.41	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/13/2007	5512.39	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/12/2007	5512.45	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/11/2007	5512.49	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/10/2007	5512.47	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/9/2007	5512.47	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/8/2007	5512.48	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/7/2007	5512.47	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/6/2007	5512.48	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/5/2007	5512.47	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/4/2007	5512.47	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/3/2007	5512.53	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/2/2007	5512.57	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	3/1/2007	5512.62	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/28/2007	5512.65	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/27/2007	5512.61	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/26/2007	5512.56	Manual
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/26/2007	5512.57	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/25/2007	5512.52	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/24/2007	5512.49	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/23/2007	5512.41	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/22/2007	5512.32	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/21/2007	5512.26	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/20/2007	5512.18	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/19/2007	5512.08	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/18/2007	5511.97	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/17/2007	5511.93	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/16/2007	5511.9	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/15/2007	5511.82	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/14/2007	5511.73	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/13/2007	5511.65	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/12/2007	5511.58	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/11/2007	5511.45	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/10/2007	5511.32	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/9/2007	5511.21	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/8/2007	5511.09	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/7/2007	5510.99	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/6/2007	5510.93	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/5/2007	5510.85	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/4/2007	5510.82	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/3/2007	5510.82	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/2/2007	5510.84	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	2/1/2007	5510.8	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/31/2007	5510.76	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/30/2007	5510.72	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/29/2007	5510.7	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/28/2007	5510.67	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/27/2007	5510.62	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/26/2007	5510.57	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/25/2007	5510.51	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/24/2007	5510.47	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/23/2007	5510.46	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/22/2007	5510.44	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/21/2007	5510.45	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/20/2007	5510.41	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/19/2007	5510.34	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/18/2007	5510.32	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/17/2007	5510.3	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/16/2007	5510.27	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/15/2007	5510.23	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/14/2007	5510.21	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/13/2007	5510.19	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/12/2007	5510.17	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/11/2007	5510.15	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/10/2007	5510.13	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/9/2007	5510.1	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/8/2007	5510.1	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/7/2007	5510.08	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/6/2007	5510.06	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/5/2007	5510.07	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/4/2007	5510.04	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/3/2007	5510.02	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/2/2007	5510.01	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	1/1/2007	5509.98	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/31/2006	5509.97	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/30/2006	5509.97	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/29/2006	5509.95	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/28/2006	5509.96	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/27/2006	5509.93	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/26/2006	5509.92	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/25/2006	5509.9	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/24/2006	5509.9	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/23/2006	5509.89	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/22/2006	5509.88	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/21/2006	5509.86	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/20/2006	5509.86	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/19/2006	5509.81	Manual
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/19/2006	5509.84	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/18/2006	5509.83	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/17/2006	5509.82	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/16/2006	5509.81	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/15/2006	5509.79	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/14/2006	5509.77	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/13/2006	5509.75	Manual
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/13/2006	5509.76	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/12/2006	5509.75	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/11/2006	5509.75	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/10/2006	5509.74	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/9/2006	5509.73	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/8/2006	5509.71	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/7/2006	5509.7	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/6/2006	5509.7	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/5/2006	5509.69	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/4/2006	5509.66	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/3/2006	5509.65	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/2/2006	5509.65	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	12/1/2006	5509.63	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/30/2006	5509.61	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/29/2006	5509.62	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/28/2006	5509.61	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/27/2006	5509.58	Manual
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/27/2006	5509.63	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/26/2006	5509.62	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/25/2006	5509.61	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/24/2006	5509.59	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/23/2006	5509.58	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/22/2006	5509.56	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/21/2006	5509.54	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/20/2006	5509.53	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/19/2006	5509.51	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/18/2006	5509.51	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/17/2006	5509.49	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/16/2006	5509.47	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/15/2006	5509.46	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/14/2006	5509.44	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/13/2006	5509.42	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/12/2006	5509.41	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/11/2006	5509.38	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/10/2006	5509.37	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/9/2006	5509.35	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/8/2006	5509.33	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/7/2006	5509.31	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/6/2006	5509.29	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/5/2006	5509.27	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/4/2006	5509.26	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/3/2006	5509.24	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/2/2006	5509.22	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	11/1/2006	5509.21	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/31/2006	5509.19	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/30/2006	5509.18	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/29/2006	5509.15	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/28/2006	5509.13	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/27/2006	5509.12	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/26/2006	5509.11	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/25/2006	5509.1	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/24/2006	5509.08	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/23/2006	5509.06	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/22/2006	5509.05	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/21/2006	5509.04	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/20/2006	5509.03	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/19/2006	5509.02	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/18/2006	5509.01	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/17/2006	5509.01	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/16/2006	5509	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/15/2006	5508.91	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/14/2006	5508.9	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/13/2006	5508.89	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/12/2006	5508.88	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/11/2006	5508.87	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/10/2006	5508.78	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/9/2006	5508.74	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/8/2006	5508.72	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/7/2006	5508.73	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/6/2006	5508.73	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/5/2006	5508.73	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/4/2006	5508.74	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/3/2006	5508.74	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/2/2006	5508.75	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	10/1/2006	5508.75	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/30/2006	5508.76	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/29/2006	5508.76	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/28/2006	5508.76	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/27/2006	5508.76	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/26/2006	5508.76	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/25/2006	5508.76	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/24/2006	5508.76	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/23/2006	5508.77	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/22/2006	5508.79	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/21/2006	5508.77	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/20/2006	5508.77	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/19/2006	5508.78	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/18/2006	5508.8	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/17/2006	5508.81	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/16/2006	5508.84	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/15/2006	5508.85	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/14/2006	5508.87	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/13/2006	5508.87	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/12/2006	5508.89	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/11/2006	5508.9	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/10/2006	5508.92	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/9/2006	5508.93	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/8/2006	5508.95	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/7/2006	5508.97	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/6/2006	5508.99	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/5/2006	5509.03	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/4/2006	5509.07	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/3/2006	5509.11	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/2/2006	5509.17	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	9/1/2006	5509.22	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/31/2006	5509.27	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/30/2006	5509.36	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/29/2006	5509.46	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/28/2006	5509.62	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/27/2006	5509.68	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/26/2006	5509.28	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/25/2006	5508.91	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/24/2006	5508.96	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/23/2006	5509.03	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/22/2006	5509.13	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/21/2006	5509.23	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/20/2006	5509.07	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/19/2006	5508.5	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/18/2006	5508.55	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/17/2006	5508.62	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/16/2006	5508.7	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/15/2006	5508.55	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/14/2006	5508.52	Manual
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/14/2006	5508.58	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/13/2006	5508.68	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/12/2006	5508.81	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/11/2006	5508.97	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/10/2006	5509.17	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/9/2006	5508.86	Manual
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/9/2006	5508.62	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/8/2006	5508.07	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/7/2006	5507.81	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/6/2006	5507.57	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/5/2006	5507.58	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/4/2006	5507.58	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/3/2006	5507.58	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/2/2006	5507.59	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	8/1/2006	5507.6	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/31/2006	5507.61	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/30/2006	5507.62	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/29/2006	5507.63	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/28/2006	5507.64	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/27/2006	5507.66	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/26/2006	5507.67	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/25/2006	5507.69	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/24/2006	5507.71	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/23/2006	5507.72	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/22/2006	5507.74	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/21/2006	5507.76	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/20/2006	5507.78	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/19/2006	5507.8	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/18/2006	5507.82	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/17/2006	5507.85	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/16/2006	5507.87	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/15/2006	5507.89	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/14/2006	5507.93	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/13/2006	5507.97	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/12/2006	5508.01	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/11/2006	5508.03	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/10/2006	5507.83	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/9/2006	5507.8	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/8/2006	5507.83	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/7/2006	5507.79	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/6/2006	5507.68	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/5/2006	5507.5	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/4/2006	5507.5	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/3/2006	5507.51	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/2/2006	5507.52	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	7/1/2006	5507.52	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/30/2006	5507.53	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/29/2006	5507.54	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/28/2006	5507.55	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/27/2006	5507.56	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/26/2006	5507.57	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/25/2006	5507.59	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/24/2006	5507.6	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/23/2006	5507.61	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/22/2006	5507.63	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/21/2006	5507.65	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/20/2006	5507.66	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/19/2006	5507.68	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/18/2006	5507.69	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/17/2006	5507.71	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/16/2006	5507.72	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/15/2006	5507.74	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/14/2006	5507.73	Manual
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/14/2006	5507.74	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/13/2006	5507.76	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/12/2006	5507.78	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/11/2006	5507.8	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/10/2006	5507.82	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/9/2006	5507.84	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/8/2006	5507.87	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/7/2006	5507.89	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/6/2006	5507.91	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/5/2006	5507.94	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/4/2006	5507.98	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/3/2006	5508	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/2/2006	5508.04	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	6/1/2006	5508.06	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/31/2006	5508.11	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/30/2006	5508.14	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/29/2006	5508.18	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/28/2006	5508.22	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/27/2006	5508.26	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/26/2006	5508.31	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/25/2006	5508.35	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/24/2006	5508.39	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/23/2006	5508.42	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/22/2006	5508.46	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/21/2006	5508.52	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/20/2006	5508.57	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/19/2006	5508.61	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/18/2006	5508.64	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/17/2006	5508.67	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/16/2006	5508.7	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/15/2006	5508.72	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/14/2006	5508.76	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/13/2006	5508.79	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/12/2006	5508.83	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/11/2006	5508.86	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/10/2006	5508.89	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/9/2006	5508.92	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/8/2006	5508.95	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/7/2006	5508.97	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/6/2006	5509	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/5/2006	5509.02	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/4/2006	5509.03	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/3/2006	5509.05	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/2/2006	5509.06	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	5/1/2006	5509.07	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/30/2006	5509.09	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/29/2006	5509.08	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/28/2006	5509.09	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/27/2006	5509.11	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/26/2006	5509.12	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/25/2006	5509.13	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/24/2006	5509.14	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/23/2006	5509.15	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/22/2006	5509.16	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/21/2006	5509.15	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/20/2006	5509.16	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/19/2006	5509.16	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/18/2006	5509.18	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/17/2006	5509.19	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/16/2006	5509.18	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/15/2006	5509.19	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/14/2006	5509.17	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/13/2006	5509.18	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/12/2006	5509.17	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/11/2006	5509.17	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/10/2006	5509.17	Transducer
LLAO-4	5.24	Single Completion	5661	10	5.24	15.24	4	4.5	4/9/2006	5509.17	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/29/2007	6949.29	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/28/2007	6949.29	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/27/2007	6949.3	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/26/2007	6949.31	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/25/2007	6949.33	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/24/2007	6949.36	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/23/2007	6949.3	Manual
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/23/2007	6949.3	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/22/2007	6949.31	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/21/2007	6949.32	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/20/2007	6949.33	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/19/2007	6949.34	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/18/2007	6949.35	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/17/2007	6949.36	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/16/2007	6949.37	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/15/2007	6949.4	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/14/2007	6949.45	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/13/2007	6949.37	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/12/2007	6949.38	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/11/2007	6949.39	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/10/2007	6949.42	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/9/2007	6949.4	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/8/2007	6949.41	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/7/2007	6949.42	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/6/2007	6949.42	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/5/2007	6949.44	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/4/2007	6949.44	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/3/2007	6949.46	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/2/2007	6949.47	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/1/2007	6949.48	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/31/2007	6949.5	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/30/2007	6949.52	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/29/2007	6949.55	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/28/2007	6949.59	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/27/2007	6949.62	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/26/2007	6949.67	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/25/2007	6949.72	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/24/2007	6949.73	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/23/2007	6949.55	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/22/2007	6949.61	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/21/2007	6949.53	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/20/2007	6949.53	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/19/2007	6949.54	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/18/2007	6949.55	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/17/2007	6949.55	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/16/2007	6949.55	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/15/2007	6949.56	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/14/2007	6949.55	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/13/2007	6949.53	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/12/2007	6949.53	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/11/2007	6949.51	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/10/2007	6949.5	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/9/2007	6949.48	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/8/2007	6949.42	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/7/2007	6949.4	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/6/2007	6949.4	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/5/2007	6949.39	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/4/2007	6949.39	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/3/2007	6949.41	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/2/2007	6949.41	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	3/1/2007	6949.42	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	2/28/2007	6949.43	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	2/27/2007	6949.42	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	2/27/2007	6949.42	Manual
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	12/3/2006	6947.27	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	12/2/2006	6947.35	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	12/1/2006	6947.42	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/30/2006	6947.51	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/29/2006	6947.56	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/28/2006	6947.63	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/27/2006	6947.69	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/26/2006	6947.76	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/25/2006	6947.83	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/24/2006	6947.89	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/23/2006	6947.97	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/22/2006	6948.05	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/21/2006	6948.09	Manual
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/21/2006	6948.15	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/20/2006	6948.19	Manual
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/20/2006	6948.25	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/19/2006	6948.37	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/18/2006	6948.49	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/17/2006	6948.61	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/16/2006	6948.73	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/15/2006	6948.84	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/14/2006	6948.92	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/13/2006	6949.01	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/12/2006	6949.09	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/11/2006	6949.14	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/10/2006	6949.2	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/9/2006	6949.23	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/8/2006	6949.24	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/7/2006	6949.25	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/6/2006	6949.26	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/5/2006	6949.27	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/4/2006	6949.27	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/3/2006	6949.27	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/2/2006	6949.27	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	11/1/2006	6949.28	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/31/2006	6949.29	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/30/2006	6949.3	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/29/2006	6949.29	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/28/2006	6949.3	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/27/2006	6949.31	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/26/2006	6949.3	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/25/2006	6949.3	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/24/2006	6949.3	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/23/2006	6949.3	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/22/2006	6949.31	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/21/2006	6949.32	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/20/2006	6949.33	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/19/2006	6949.36	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/18/2006	6949.37	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/17/2006	6949.4	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/16/2006	6949.43	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/15/2006	6949.85	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/14/2006	6949.32	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/13/2006	6949.34	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/12/2006	6949.36	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/11/2006	6949.4	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/10/2006	6949.63	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/9/2006	6948.35	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/8/2006	6948.37	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/7/2006	6948.45	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/6/2006	6948.53	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/5/2006	6948.59	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/4/2006	6948.69	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/3/2006	6948.78	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/2/2006	6948.89	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	10/1/2006	6948.99	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/30/2006	6949.11	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/29/2006	6949.19	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/28/2006	6949.23	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/27/2006	6949.26	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/26/2006	6949.28	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/25/2006	6949.28	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/24/2006	6949.28	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/23/2006	6949.29	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/22/2006	6949.3	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/21/2006	6949.32	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/20/2006	6949.32	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/19/2006	6949.32	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/18/2006	6949.33	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/17/2006	6949.34	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/16/2006	6949.35	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/15/2006	6949.36	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/14/2006	6949.37	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/13/2006	6949.38	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/12/2006	6949.41	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/11/2006	6949.43	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/10/2006	6949.39	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/9/2006	6949.42	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/8/2006	6949.47	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/7/2006	6949.49	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/6/2006	6949.37	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/5/2006	6949.37	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/4/2006	6949.38	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/3/2006	6949.39	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/2/2006	6949.41	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	9/1/2006	6949.41	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/31/2006	6949.42	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/30/2006	6949.44	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/29/2006	6949.46	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/28/2006	6949.51	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/27/2006	6949.58	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/26/2006	6949.77	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/25/2006	6949.34	Manual
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/25/2006	6949.31	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/24/2006	6949.32	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/23/2006	6949.33	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/22/2006	6949.37	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/21/2006	6949.45	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/20/2006	6949.53	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/19/2006	6949.34	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/18/2006	6949.38	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/17/2006	6949.37	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/16/2006	6949.4	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/15/2006	6949.54	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/14/2006	6949.46	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/13/2006	6949.41	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/12/2006	6949.45	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/11/2006	6949.54	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/10/2006	6949.57	Manual
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/10/2006	6949.65	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/9/2006	6949.91	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/8/2006	6949.76	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/7/2006	6949.57	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/6/2006	6949.53	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/5/2006	6949.46	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/4/2006	6949.41	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/3/2006	6949.32	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/2/2006	6949.39	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	8/1/2006	6949.23	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/31/2006	6948.42	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/30/2006	6948.49	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/29/2006	6947.7	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/28/2006	6947.27	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/27/2006	6947.42	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/26/2006	6947.51	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/25/2006	6947.68	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/24/2006	6947.87	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/23/2006	6948.08	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/22/2006	6948.35	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/21/2006	6948.51	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/20/2006	6948.78	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/19/2006	6948.99	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/18/2006	6949.04	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/17/2006	6949.09	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/16/2006	6949.09	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/15/2006	6949.09	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/14/2006	6949.1	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/13/2006	6949.13	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/12/2006	6949.13	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/11/2006	6949.12	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/10/2006	6949.16	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/9/2006	6949.21	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/8/2006	6949.02	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/7/2006	6949	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/6/2006	6948.77	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/5/2006	6945.92	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/4/2006	6947.07	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/3/2006	6944.19	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/2/2006	6944.22	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	7/1/2006	6944.25	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/30/2006	6944.22	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/29/2006	6944.21	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/28/2006	6944.22	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/27/2006	6944.24	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/26/2006	6944.26	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/25/2006	6944.28	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/24/2006	6944.31	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/23/2006	6944.35	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/22/2006	6944.39	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/21/2006	6944.43	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/20/2006	6944.47	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/19/2006	6944.53	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/18/2006	6944.59	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/17/2006	6944.64	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/16/2006	6944.71	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/15/2006	6944.75	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/14/2006	6944.79	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/13/2006	6944.85	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/12/2006	6944.91	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/11/2006	6944.97	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/10/2006	6945.02	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/9/2006	6945.07	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/8/2006	6945.11	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/7/2006	6945.12	Manual
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/7/2006	6945.14	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/6/2006	6945.18	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/5/2006	6945.22	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/4/2006	6945.25	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/3/2006	6945.28	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/2/2006	6945.3	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	6/1/2006	6945.33	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/31/2006	6945.36	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/30/2006	6945.4	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/29/2006	6945.43	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/28/2006	6945.46	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/27/2006	6945.49	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/26/2006	6945.52	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/25/2006	6945.54	Manual
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/25/2006	6945.6	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/24/2006	6945.63	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/23/2006	6945.67	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/22/2006	6945.71	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/21/2006	6945.75	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/20/2006	6945.79	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/19/2006	6945.84	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/18/2006	6945.89	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/17/2006	6945.94	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/16/2006	6945.99	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/15/2006	6946.04	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/14/2006	6946.12	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/13/2006	6946.2	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/12/2006	6946.27	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/11/2006	6946.34	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/10/2006	6946.46	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/9/2006	6946.55	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/8/2006	6946.64	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/7/2006	6946.73	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/6/2006	6946.81	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/5/2006	6946.88	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/4/2006	6946.97	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/3/2006	6947.07	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/2/2006	6947.16	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	5/1/2006	6947.26	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/30/2006	6947.37	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/29/2006	6947.45	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/28/2006	6947.55	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/27/2006	6947.65	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/26/2006	6947.75	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/25/2006	6947.87	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/24/2006	6948	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/23/2006	6948.11	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/22/2006	6948.21	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/21/2006	6948.33	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/20/2006	6948.45	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/19/2006	6948.54	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/18/2006	6948.66	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/17/2006	6948.72	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/16/2006	6948.71	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/15/2006	6948.73	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/14/2006	6948.67	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/13/2006	6948.62	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/12/2006	6948.59	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/11/2006	6948.56	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/10/2006	6948.51	Transducer
PAO-1	5.89	Single Completion	5561	5	5.89	10.89	4	4.5	4/9/2006	6948.39	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/29/2007	6921.58	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/28/2007	6921.97	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/27/2007	6922.61	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/26/2007	6922.8	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/25/2007	6922.87	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/24/2007	6922.67	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/23/2007	6922.78	Manual
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/23/2007	6922.78	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/22/2007	6922.82	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/21/2007	6922.88	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/20/2007	6922.91	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/19/2007	6922.95	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/18/2007	6922.97	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/17/2007	6922.99	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/16/2007	6923.04	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/15/2007	6923.12	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/14/2007	6923.25	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/13/2007	6923.03	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/12/2007	6923.04	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/11/2007	6923.08	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/10/2007	6923.14	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/9/2007	6923.14	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/8/2007	6923.15	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/7/2007	6923.16	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/6/2007	6923.2	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/5/2007	6923.24	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/4/2007	6923.26	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/3/2007	6923.3	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/2/2007	6923.34	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	4/1/2007	6923.38	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/31/2007	6923.41	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/30/2007	6923.43	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/29/2007	6923.47	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/28/2007	6923.54	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/27/2007	6923.62	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/26/2007	6923.72	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/25/2007	6923.77	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/24/2007	6923.78	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/23/2007	6923.55	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/22/2007	6923.67	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/21/2007	6923.57	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/20/2007	6923.67	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/19/2007	6923.74	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/18/2007	6923.79	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/17/2007	6923.82	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/16/2007	6923.84	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/15/2007	6923.91	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/14/2007	6923.93	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/13/2007	6923.93	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/12/2007	6923.97	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/11/2007	6923.97	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/10/2007	6924.02	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/9/2007	6924.03	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/8/2007	6923.86	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/7/2007	6923.85	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/6/2007	6923.87	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/5/2007	6923.87	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/4/2007	6923.93	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/3/2007	6924	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/2/2007	6923.97	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	3/1/2007	6923.98	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/28/2007	6924.02	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/27/2007	6924.04	Manual
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/27/2007	6924.02	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/26/2007	6924.04	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/25/2007	6924.03	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/24/2007	6924.07	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/23/2007	6924.06	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/22/2007	6924.04	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/21/2007	6924.02	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/20/2007	6924.04	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/19/2007	6924.04	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/18/2007	6924.03	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/17/2007	6924.06	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/16/2007	6924.06	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/15/2007	6924.02	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/14/2007	6923.91	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/13/2007	6923.88	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/12/2007	6923.85	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/11/2007	6920.59	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	2/10/2007	6920.08	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/21/2006	6919.13	Manual
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/15/2006	6919.39	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/14/2006	6919.53	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/13/2006	6919.66	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/12/2006	6920.05	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/11/2006	6920.28	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/10/2006	6920.71	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/9/2006	6921.03	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/8/2006	6921.29	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/7/2006	6921.55	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/6/2006	6921.81	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/5/2006	6922.1	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/4/2006	6922.35	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/3/2006	6922.5	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/2/2006	6922.73	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	11/1/2006	6923.01	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/31/2006	6923.2	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/30/2006	6923.31	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/29/2006	6923.32	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/28/2006	6923.32	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/27/2006	6923.35	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/26/2006	6923.37	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/25/2006	6923.38	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/24/2006	6923.38	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/23/2006	6923.38	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/22/2006	6923.39	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/21/2006	6923.42	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/20/2006	6923.44	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/19/2006	6923.48	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/18/2006	6923.52	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/17/2006	6923.54	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/16/2006	6923.59	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/15/2006	6923.82	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/14/2006	6923.43	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/13/2006	6923.49	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/12/2006	6923.47	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/11/2006	6923.46	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/10/2006	6923.72	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	10/9/2006	6921.2	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/29/2006	6919.52	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/28/2006	6919.63	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/27/2006	6919.83	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/26/2006	6920.05	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/25/2006	6920.29	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/24/2006	6920.7	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/23/2006	6921.35	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/22/2006	6921.85	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/21/2006	6922.52	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/20/2006	6922.53	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/19/2006	6922.77	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/18/2006	6922.97	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/17/2006	6923.08	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/16/2006	6923.17	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/15/2006	6923.2	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/14/2006	6923.25	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/13/2006	6923.27	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/12/2006	6923.32	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/11/2006	6923.3	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/10/2006	6923.25	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/9/2006	6923.29	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/8/2006	6923.37	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/7/2006	6923.4	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/6/2006	6923.16	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/5/2006	6923.22	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/4/2006	6923.26	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/3/2006	6923.29	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/2/2006	6923.34	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	9/1/2006	6923.35	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/31/2006	6923.39	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/30/2006	6923.43	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/29/2006	6923.48	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/28/2006	6923.54	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/27/2006	6923.64	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/26/2006	6923.87	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/25/2006	6923.49	Manual
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/25/2006	6923.51	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/24/2006	6923.51	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/23/2006	6923.55	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/22/2006	6923.6	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/21/2006	6923.83	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/20/2006	6923.78	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/19/2006	6923.52	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/18/2006	6923.59	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/17/2006	6923.6	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/16/2006	6923.66	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/15/2006	6923.7	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/14/2006	6923.78	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/13/2006	6923.75	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/12/2006	6923.8	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/11/2006	6923.85	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/10/2006	6923.73	Manual
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/10/2006	6923.9	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/9/2006	6924.31	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/8/2006	6923.64	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/7/2006	6923.13	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/6/2006	6923.14	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/5/2006	6922.95	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/4/2006	6922.91	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/3/2006	6922.75	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/2/2006	6922.54	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	8/1/2006	6920.1	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/31/2006	6919.44	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/30/2006	6919.46	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/29/2006	6919.47	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/28/2006	6919.49	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/27/2006	6919.5	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/26/2006	6919.52	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/25/2006	6919.53	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/24/2006	6919.53	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/23/2006	6919.53	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/22/2006	6919.53	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/21/2006	6919.54	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/20/2006	6919.54	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/19/2006	6919.6	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/18/2006	6919.76	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/17/2006	6920.45	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/16/2006	6921.21	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/15/2006	6921.67	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/14/2006	6922.13	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/13/2006	6922.41	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/12/2006	6922.19	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/11/2006	6921.93	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/10/2006	6921.65	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/9/2006	6921.2	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/8/2006	6920.58	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/7/2006	6920.44	Transducer
PAO-2	6.06	Single Completion	6801	5	6.06	11.06	4	4.5	7/6/2006	6919.34	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/29/2007	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/28/2007	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/27/2007	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/26/2007	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/25/2007	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/24/2007	6434.77	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/23/2007	6434.77	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/22/2007	6434.77	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/21/2007	6434.7	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/20/2007	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/19/2007	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/18/2007	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/17/2007	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/16/2007	6434.83	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/15/2007	6434.84	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/14/2007	6434.85	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/13/2007	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/12/2007	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/11/2007	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/10/2007	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/9/2007	6434.82	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/8/2007	6434.83	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/7/2007	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/6/2007	6434.8	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/5/2007	6434.77	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/4/2007	6434.82	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/3/2007	6434.82	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/2/2007	6434.86	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/1/2007	6434.86	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/31/2007	6434.86	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/30/2007	6434.87	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/29/2007	6434.87	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/28/2007	6434.88	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/27/2007	6434.87	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/26/2007	6434.89	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/25/2007	6434.9	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/24/2007	6434.88	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/23/2007	6434.85	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/22/2007	6434.83	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/21/2007	6434.79	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/20/2007	6434.8	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/19/2007	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/18/2007	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/17/2007	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/16/2007	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/15/2007	6434.83	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/14/2007	6434.83	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/13/2007	6434.83	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/12/2007	6434.84	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/11/2007	6434.84	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/10/2007	6434.84	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/9/2007	6434.84	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/8/2007	6434.84	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/7/2007	6434.83	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/6/2007	6434.82	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/5/2007	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/4/2007	6434.79	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/3/2007	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/2/2007	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	3/1/2007	6434.83	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/28/2007	6434.86	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/27/2007	6434.84	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/26/2007	6434.84	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/25/2007	6434.83	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/24/2007	6434.86	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/23/2007	6434.86	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/22/2007	6434.86	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/21/2007	6434.85	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/20/2007	6434.86	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/19/2007	6434.84	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/18/2007	6434.83	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/17/2007	6434.83	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/16/2007	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/15/2007	6434.83	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/14/2007	6434.87	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/13/2007	6434.93	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/12/2007	6435.01	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/11/2007	6434.88	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/10/2007	6434.83	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/9/2007	6434.84	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/8/2007	6434.82	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/7/2007	6434.79	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/6/2007	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/5/2007	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/4/2007	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/3/2007	6434.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/2/2007	6434.71	Manual
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/2/2007	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	2/1/2007	6434.77	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/31/2007	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/30/2007	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/29/2007	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/28/2007	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/27/2007	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/26/2007	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/25/2007	6434.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/24/2007	6434.73	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/23/2007	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/22/2007	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/21/2007	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/20/2007	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/19/2007	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/18/2007	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/17/2007	6434.77	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/16/2007	6434.79	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/15/2007	6434.8	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/14/2007	6434.82	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/13/2007	6434.77	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/12/2007	6434.71	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/11/2007	6434.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/10/2007	6434.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/9/2007	6434.71	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/8/2007	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/7/2007	6434.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/6/2007	6434.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/5/2007	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/4/2007	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/3/2007	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/2/2007	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	1/1/2007	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/31/2006	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/30/2006	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/29/2006	6434.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/28/2006	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/27/2006	6434.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/26/2006	6434.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/25/2006	6434.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/24/2006	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/23/2006	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/22/2006	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/21/2006	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/20/2006	6434.77	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/19/2006	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/18/2006	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/17/2006	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/16/2006	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/15/2006	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/14/2006	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/13/2006	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/12/2006	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/11/2006	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/10/2006	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/9/2006	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/8/2006	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/7/2006	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/6/2006	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/5/2006	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/4/2006	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/3/2006	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/2/2006	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	12/1/2006	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/30/2006	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/29/2006	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/28/2006	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/27/2006	6434.73	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/26/2006	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/25/2006	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/24/2006	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/23/2006	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/22/2006	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/21/2006	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/20/2006	6434.72	Manual
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/20/2006	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/19/2006	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/18/2006	6434.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/17/2006	6434.69	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/16/2006	6434.71	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/15/2006	6434.7	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/14/2006	6434.72	Manual
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/14/2006	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/13/2006	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/12/2006	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/11/2006	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/10/2006	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/9/2006	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/8/2006	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/7/2006	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/6/2006	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/5/2006	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/4/2006	6434.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/3/2006	6434.73	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/2/2006	6434.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	11/1/2006	6434.71	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/31/2006	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/30/2006	6434.77	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/29/2006	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/28/2006	6434.71	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/27/2006	6434.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/26/2006	6434.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/25/2006	6434.77	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/24/2006	6434.78	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/23/2006	6434.78	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/22/2006	6434.77	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/21/2006	6434.79	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/20/2006	6434.8	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/19/2006	6434.79	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/18/2006	6434.77	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/17/2006	6434.79	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/16/2006	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/15/2006	6434.8	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/14/2006	6434.82	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/13/2006	6434.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/12/2006	6434.85	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/11/2006	6434.91	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/10/2006	6435.02	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/9/2006	6434.94	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/8/2006	6434.85	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/7/2006	6434.98	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/6/2006	6434.87	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/5/2006	6434.85	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/4/2006	6434.97	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/3/2006	6434.98	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/2/2006	6434.97	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	10/1/2006	6434.99	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/30/2006	6434.96	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/29/2006	6434.99	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/28/2006	6435	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/27/2006	6434.92	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/26/2006	6435	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/25/2006	6435.05	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/24/2006	6435.09	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/23/2006	6435.06	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/22/2006	6435.11	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/21/2006	6435.12	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/20/2006	6435.13	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/19/2006	6435.16	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/18/2006	6435.18	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/17/2006	6435.21	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/16/2006	6435.21	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/15/2006	6435.22	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/14/2006	6435.25	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/13/2006	6435.28	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/12/2006	6435.32	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/11/2006	6435.36	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/10/2006	6435.38	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/9/2006	6435.39	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/8/2006	6435.46	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/7/2006	6435.44	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/6/2006	6435.4	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/5/2006	6435.46	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/4/2006	6435.5	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/3/2006	6435.5	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/2/2006	6435.5	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	9/1/2006	6435.53	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/31/2006	6435.51	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/30/2006	6435.55	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/29/2006	6435.58	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/28/2006	6435.58	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/27/2006	6435.6	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/26/2006	6436.05	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/25/2006	6435.69	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/24/2006	6435.51	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/23/2006	6435.43	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/22/2006	6435.5	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/21/2006	6435.51	Manual
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/21/2006	6435.68	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/20/2006	6435.49	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/19/2006	6435.46	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/18/2006	6435.51	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/17/2006	6435.53	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/16/2006	6435.57	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/15/2006	6435.8	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/14/2006	6435.57	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/13/2006	6435.45	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/12/2006	6435.39	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/11/2006	6435.35	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/10/2006	6435.23	Manual
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/10/2006	6435.3	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/9/2006	6435.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/8/2006	6435.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/7/2006	6435.02	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/6/2006	6434.77	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/5/2006	6434.52	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/4/2006	6434.4	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/3/2006	6434.29	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/2/2006	6434.38	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	8/1/2006	6434	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/31/2006	6433.98	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/30/2006	6433.91	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/29/2006	6433.93	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/28/2006	6433.99	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/27/2006	6434.12	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/26/2006	6433.89	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/25/2006	6433.91	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/24/2006	6433.97	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/23/2006	6433.98	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/22/2006	6433.89	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/21/2006	6433.99	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/20/2006	6433.9	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/19/2006	6433.92	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/18/2006	6433.93	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/17/2006	6434	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/16/2006	6433.99	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/15/2006	6434.08	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/14/2006	6434.08	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/13/2006	6434.19	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/12/2006	6434.27	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/11/2006	6434.42	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/10/2006	6434.84	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/9/2006	6434.02	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/8/2006	6433.99	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/7/2006	6434.13	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/6/2006	6434.27	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/5/2006	6433.93	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/4/2006	6433.92	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/3/2006	6433.89	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/2/2006	6433.93	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	7/1/2006	6433.87	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/30/2006	6433.94	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/29/2006	6433.78	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/28/2006	6433.78	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/27/2006	6433.85	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/26/2006	6433.83	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/25/2006	6433.77	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/24/2006	6433.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/23/2006	6433.53	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/22/2006	6433.6	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/21/2006	6433.56	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/20/2006	6433.66	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/19/2006	6433.78	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/18/2006	6433.78	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/17/2006	6433.64	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/16/2006	6433.69	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/15/2006	6433.64	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/14/2006	6433.6	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/13/2006	6433.66	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/12/2006	6433.75	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/11/2006	6433.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/10/2006	6433.77	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/9/2006	6433.65	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/8/2006	6433.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/7/2006	6433.56	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/6/2006	6433.65	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/5/2006	6433.78	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/4/2006	6433.8	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/3/2006	6433.61	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/2/2006	6433.64	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	6/1/2006	6433.58	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/31/2006	6433.64	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/30/2006	6433.68	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/29/2006	6433.79	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/28/2006	6433.65	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/27/2006	6433.66	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/26/2006	6433.69	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/25/2006	6433.68	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/24/2006	6433.68	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/23/2006	6433.79	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/22/2006	6433.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/21/2006	6433.71	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/20/2006	6433.85	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/19/2006	6433.83	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/18/2006	6433.69	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/17/2006	6433.76	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/16/2006	6433.87	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/15/2006	6433.82	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/14/2006	6433.67	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/13/2006	6433.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/12/2006	6433.83	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/11/2006	6433.72	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/10/2006	6433.69	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/9/2006	6433.86	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/8/2006	6433.79	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/7/2006	6433.87	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/6/2006	6433.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/5/2006	6433.91	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/4/2006	6433.92	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/3/2006	6433.9	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/2/2006	6433.79	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	5/1/2006	6433.94	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/30/2006	6433.89	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/29/2006	6433.88	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/28/2006	6433.88	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/27/2006	6433.86	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/26/2006	6433.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/25/2006	6433.94	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/24/2006	6433.94	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/23/2006	6433.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/22/2006	6433.81	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/21/2006	6433.93	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/20/2006	6433.84	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/19/2006	6433.94	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/18/2006	6433.85	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/17/2006	6433.9	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/16/2006	6433.99	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/15/2006	6433.94	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/14/2006	6433.74	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/13/2006	6433.8	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/12/2006	6433.9	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/11/2006	6433.91	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/10/2006	6433.83	Manual
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/10/2006	6433.89	Transducer
PAO-4	1.97	Single Completion	5591	5	1.97	6.97	4	4.5	4/9/2006	6433.85	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/29/2007	6212.18	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/28/2007	6212.29	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/27/2007	6212.45	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/26/2007	6212.51	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/25/2007	6212.46	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/24/2007	6212.55	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/23/2007	6212.56	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/22/2007	6212.66	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/21/2007	6212.62	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/20/2007	6212.65	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/19/2007	6212.55	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/18/2007	6212.47	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/17/2007	6212.51	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/16/2007	6212.41	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/15/2007	6212.47	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/14/2007	6212.82	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/13/2007	6212.98	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/12/2007	6212.91	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/11/2007	6213.03	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/10/2007	6212.97	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/9/2007	6212.71	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/8/2007	6212.42	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/7/2007	6212.32	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/6/2007	6212.25	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/5/2007	6212.26	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/4/2007	6212.34	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/3/2007	6212.5	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/2/2007	6212.56	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/1/2007	6212.58	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/31/2007	6212.58	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/30/2007	6212.75	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/29/2007	6213.05	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/28/2007	6212.81	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/27/2007	6212.52	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/26/2007	6212.51	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/25/2007	6212.69	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/24/2007	6212.76	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/23/2007	6212.64	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/22/2007	6212.69	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/21/2007	6212.65	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/20/2007	6212.64	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/19/2007	6212.55	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/18/2007	6212.36	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/17/2007	6212.35	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/16/2007	6212.51	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/15/2007	6212.64	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/14/2007	6212.51	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/13/2007	6212.36	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/12/2007	6212.43	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/11/2007	6212.51	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/10/2007	6212.45	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/9/2007	6212.36	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/8/2007	6212.24	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/7/2007	6212.15	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/6/2007	6212.11	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/5/2007	6212.23	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/4/2007	6212.42	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/3/2007	6212.84	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/2/2007	6213.1	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	3/1/2007	6213.27	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/28/2007	6213.16	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/27/2007	6213.14	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/26/2007	6213.16	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/25/2007	6213.22	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/24/2007	6213.28	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/23/2007	6212.83	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/22/2007	6212.85	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/21/2007	6213.09	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/20/2007	6213.12	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/19/2007	6212.71	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/18/2007	6212.57	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/17/2007	6212.78	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/16/2007	6212.99	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/15/2007	6213.19	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/14/2007	6213.25	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/13/2007	6213.26	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/12/2007	6213.19	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/11/2007	6212.97	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/10/2007	6212.87	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/9/2007	6212.88	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/8/2007	6212.77	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/7/2007	6212.61	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/6/2007	6212.59	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/5/2007	6212.68	Manual
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/5/2007	6212.77	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/4/2007	6213.03	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/3/2007	6213.35	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/2/2007	6213.61	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	2/1/2007	6213.63	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/31/2007	6213.34	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/30/2007	6213.21	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/29/2007	6213.18	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/28/2007	6213.29	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/27/2007	6213.28	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/26/2007	6212.94	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/25/2007	6212.94	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/24/2007	6213.1	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/23/2007	6213.31	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/22/2007	6213.49	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/21/2007	6213.59	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/20/2007	6213.21	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/19/2007	6213.05	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/18/2007	6213.15	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/17/2007	6213.14	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/16/2007	6213.27	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/15/2007	6213.57	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/14/2007	6213.74	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/13/2007	6213.73	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/12/2007	6213.7	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/11/2007	6213.5	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/10/2007	6213.13	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/9/2007	6213.1	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/8/2007	6213.27	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/7/2007	6213.49	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/6/2007	6213.61	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/5/2007	6213.74	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/4/2007	6213.56	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/3/2007	6213.43	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/2/2007	6213.43	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	1/1/2007	6213.49	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/31/2006	6213.64	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/30/2006	6213.82	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/29/2006	6214.05	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/28/2006	6213.93	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/27/2006	6213.59	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/26/2006	6213.45	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/25/2006	6213.46	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/24/2006	6213.59	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/23/2006	6213.69	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/22/2006	6213.77	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/21/2006	6214	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/20/2006	6213.9	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/19/2006	6213.76	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/18/2006	6213.95	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/17/2006	6214.09	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/16/2006	6213.97	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/15/2006	6213.8	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/14/2006	6213.79	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/13/2006	6213.77	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/12/2006	6213.96	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/11/2006	6214.18	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/10/2006	6213.97	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/9/2006	6213.76	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/8/2006	6213.64	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/7/2006	6213.76	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/6/2006	6213.77	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/5/2006	6213.62	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/4/2006	6213.55	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/3/2006	6213.65	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/2/2006	6213.81	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	12/1/2006	6213.82	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/30/2006	6214.24	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/29/2006	6214.49	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/28/2006	6214.39	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/27/2006	6214.31	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/26/2006	6214.4	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/25/2006	6214.29	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/24/2006	6214.18	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/23/2006	6213.99	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/22/2006	6213.85	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/21/2006	6213.74	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/20/2006	6213.7	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/19/2006	6213.86	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/18/2006	6213.98	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/17/2006	6214.09	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/16/2006	6214.04	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/15/2006	6214.32	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/14/2006	6214.2	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/13/2006	6214.15	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/12/2006	6214.16	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/11/2006	6214.02	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/10/2006	6214.43	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/9/2006	6214.36	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/8/2006	6214.1	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/7/2006	6213.95	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/6/2006	6214.03	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/5/2006	6214.08	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/4/2006	6214.03	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/3/2006	6213.91	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/2/2006	6214.02	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	11/1/2006	6214.26	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/31/2006	6214.3	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/30/2006	6214.2	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/29/2006	6213.83	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/28/2006	6213.71	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/27/2006	6213.92	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/26/2006	6214.14	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/25/2006	6213.98	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/24/2006	6213.79	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/23/2006	6213.73	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/22/2006	6213.81	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/21/2006	6214	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/20/2006	6213.86	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/19/2006	6213.93	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/18/2006	6214.23	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/17/2006	6214.41	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/16/2006	6214.35	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/15/2006	6214.16	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/14/2006	6214.04	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/13/2006	6214.06	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/12/2006	6214.04	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/11/2006	6214	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/10/2006	6213.98	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/9/2006	6213.9	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/8/2006	6213.88	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/7/2006	6213.8	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/6/2006	6213.71	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/5/2006	6213.68	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/4/2006	6213.76	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/3/2006	6213.79	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/2/2006	6213.83	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	10/1/2006	6213.85	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/30/2006	6213.82	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/29/2006	6213.74	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/28/2006	6213.68	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/27/2006	6213.66	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/26/2006	6213.62	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/25/2006	6213.62	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/24/2006	6213.73	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/23/2006	6214.11	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/22/2006	6214.22	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/21/2006	6214.01	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/20/2006	6213.78	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/19/2006	6213.74	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/18/2006	6213.87	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/17/2006	6214.02	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/16/2006	6214.12	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/15/2006	6214.09	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/14/2006	6213.87	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/13/2006	6213.73	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/12/2006	6213.75	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/11/2006	6213.86	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/10/2006	6213.96	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/9/2006	6213.96	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/8/2006	6213.89	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/7/2006	6213.78	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/6/2006	6213.69	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/5/2006	6213.68	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/4/2006	6213.73	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/3/2006	6213.7	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/2/2006	6213.75	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	9/1/2006	6213.77	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/31/2006	6213.77	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/30/2006	6213.71	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/29/2006	6213.67	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/28/2006	6213.73	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/27/2006	6213.79	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/26/2006	6213.79	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/25/2006	6213.71	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/24/2006	6213.61	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/23/2006	6213.5	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/22/2006	6213.49	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/21/2006	6213.55	Manual
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/21/2006	6213.51	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/20/2006	6213.49	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/19/2006	6213.51	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/18/2006	6213.5	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/17/2006	6213.5	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/16/2006	6213.46	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/15/2006	6213.45	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/14/2006	6213.47	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/13/2006	6213.53	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/12/2006	6213.43	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/11/2006	6213.35	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/10/2006	6213.27	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/9/2006	6213.17	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/8/2006	6213.2	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/7/2006	6213.26	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/6/2006	6213.3	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/5/2006	6213.27	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/4/2006	6213.31	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/3/2006	6213.4	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/2/2006	6213.52	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	8/1/2006	6213.61	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/31/2006	6213.56	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/30/2006	6213.44	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/29/2006	6213.42	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/28/2006	6213.5	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/27/2006	6213.55	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/26/2006	6213.53	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/25/2006	6213.52	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/24/2006	6213.35	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/23/2006	6213.23	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/22/2006	6213.23	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/21/2006	6213.24	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/20/2006	6213.25	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/19/2006	6213.24	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/18/2006	6213.19	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/17/2006	6213.13	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/16/2006	6213.08	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/15/2006	6213.17	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/14/2006	6213.24	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/13/2006	6213.26	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/12/2006	6213.29	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/11/2006	6213.32	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/10/2006	6213.21	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/9/2006	6213.09	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/8/2006	6213.01	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/7/2006	6213.04	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/6/2006	6213.09	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/5/2006	6213.06	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/4/2006	6213.14	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/3/2006	6213.17	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/2/2006	6213.21	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	7/1/2006	6213.16	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/30/2006	6213.1	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/29/2006	6213.06	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/28/2006	6213.01	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/27/2006	6212.88	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/26/2006	6212.8	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/25/2006	6212.87	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/24/2006	6212.94	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/23/2006	6213.01	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/22/2006	6213.17	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/21/2006	6213.17	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/20/2006	6213.16	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/19/2006	6213.19	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/18/2006	6213.27	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/17/2006	6213.45	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/16/2006	6213.47	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/15/2006	6213.28	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/14/2006	6213.16	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/13/2006	6213.24	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/12/2006	6213.41	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/11/2006	6213.41	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/10/2006	6213.26	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/9/2006	6213.13	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/8/2006	6213.19	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/7/2006	6213.3	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/6/2006	6213.42	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/5/2006	6213.39	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/4/2006	6213.25	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/3/2006	6213.09	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/2/2006	6213.07	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	6/1/2006	6213.14	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/31/2006	6213.31	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/30/2006	6213.41	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/29/2006	6213.54	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/28/2006	6213.66	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/27/2006	6213.65	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/26/2006	6213.53	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/25/2006	6213.38	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/24/2006	6213.44	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/23/2006	6213.53	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/22/2006	6213.49	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/21/2006	6213.48	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/20/2006	6213.45	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/19/2006	6213.39	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/18/2006	6213.29	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/17/2006	6213.19	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/16/2006	6213.12	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/15/2006	6213.2	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/14/2006	6213.37	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/13/2006	6213.37	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/12/2006	6213.29	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/11/2006	6213.29	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/10/2006	6213.49	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/9/2006	6213.58	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/8/2006	6213.55	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/7/2006	6213.52	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/6/2006	6213.5	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/5/2006	6213.45	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/4/2006	6213.45	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/3/2006	6213.44	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/2/2006	6213.43	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	5/1/2006	6213.5	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/30/2006	6213.48	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/29/2006	6213.53	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/28/2006	6213.56	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/27/2006	6213.42	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/26/2006	6213.42	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/25/2006	6213.49	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/24/2006	6213.51	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/23/2006	6213.46	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/22/2006	6213.43	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/21/2006	6213.5	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/20/2006	6213.53	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/19/2006	6213.52	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/18/2006	6213.61	Manual
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/18/2006	6213.55	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/17/2006	6213.52	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/16/2006	6213.53	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/15/2006	6213.54	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/14/2006	6213.24	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/13/2006	6213.17	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/12/2006	6213.35	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/11/2006	6213.48	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/10/2006	6213.4	Transducer
POI-4	159	Single Completion	4291	15	159	174	4	4.5	4/9/2006	6213.33	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/29/2007	5870.89	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/28/2007	5870.92	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/27/2007	5871.17	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/26/2007	5871.17	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/25/2007	5871.19	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/24/2007	5871.3	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/23/2007	5871.26	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/22/2007	5871.28	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/21/2007	5871.34	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/20/2007	5871.31	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/19/2007	5871.45	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/18/2007	5871.2	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/17/2007	5871.29	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/16/2007	5871.27	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/15/2007	5871.14	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/14/2007	5871.15	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/13/2007	5871.52	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/12/2007	5871.39	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/11/2007	5871.41	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/10/2007	5871.53	Manual
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/10/2007	5871.63	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/9/2007	5871.57	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/8/2007	5871.49	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/7/2007	5871.35	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/6/2007	5871.26	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/5/2007	5871.28	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/4/2007	5871.21	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/3/2007	5871.37	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/2/2007	5871.42	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/1/2007	5871.45	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/31/2007	5871.44	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/30/2007	5871.35	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/29/2007	5871.55	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/28/2007	5871.76	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/27/2007	5871.41	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/26/2007	5871.35	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/25/2007	5871.27	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/24/2007	5871.55	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/23/2007	5871.42	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/22/2007	5871.36	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/21/2007	5871.45	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/20/2007	5871.32	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/19/2007	5871.43	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/18/2007	5871.33	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/17/2007	5871.17	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/16/2007	5871.16	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/15/2007	5871.36	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/14/2007	5871.4	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/13/2007	5871.28	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/12/2007	5871.15	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/11/2007	5871.31	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/10/2007	5871.3	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/9/2007	5871.32	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/8/2007	5871.25	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/7/2007	5871.22	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/6/2007	5871.17	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/5/2007	5871.02	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/4/2007	5871.08	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/3/2007	5871.4	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/2/2007	5871.6	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	3/1/2007	5871.8	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/28/2007	5871.76	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/27/2007	5871.61	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/26/2007	5871.73	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/25/2007	5871.5	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/24/2007	5871.88	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/23/2007	5871.54	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/22/2007	5871.31	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/21/2007	5871.39	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/20/2007	5871.64	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/19/2007	5871.55	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/18/2007	5871.16	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/17/2007	5871.31	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/16/2007	5871.3	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/15/2007	5871.49	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/14/2007	5871.58	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/13/2007	5871.51	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/12/2007	5871.62	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/11/2007	5871.41	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/10/2007	5871.29	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/9/2007	5871.31	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/8/2007	5871.31	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/7/2007	5871.29	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/6/2007	5871.16	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/5/2007	5871.19	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/4/2007	5871.25	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/3/2007	5871.43	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/2/2007	5871.75	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	2/1/2007	5871.9	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/31/2007	5871.67	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/30/2007	5871.44	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/29/2007	5871.38	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/28/2007	5871.39	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/27/2007	5871.57	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/26/2007	5871.35	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/25/2007	5871.14	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/24/2007	5871.24	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/23/2007	5871.42	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/22/2007	5871.46	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/21/2007	5871.78	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/20/2007	5871.56	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/19/2007	5871.22	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/18/2007	5871.37	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/17/2007	5871.35	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/16/2007	5871.26	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/15/2007	5871.51	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/14/2007	5871.8	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/13/2007	5871.73	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/12/2007	5871.72	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/11/2007	5871.69	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/10/2007	5871.36	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/9/2007	5871.17	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/8/2007	5871.28	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/7/2007	5871.48	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/6/2007	5871.57	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/5/2007	5871.83	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/4/2007	5871.62	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/3/2007	5871.48	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/2/2007	5871.42	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	1/1/2007	5871.43	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/31/2006	5871.54	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/30/2006	5871.72	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/29/2006	5871.79	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/28/2006	5871.93	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/27/2006	5871.53	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/26/2006	5871.34	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/25/2006	5871.28	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/24/2006	5871.44	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/23/2006	5871.56	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/22/2006	5871.58	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/21/2006	5871.76	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/20/2006	5871.8	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/19/2006	5871.5	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/18/2006	5871.58	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/17/2006	5871.71	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/16/2006	5871.68	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/15/2006	5871.49	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/14/2006	5871.47	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/13/2006	5871.39	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/12/2006	5871.38	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/11/2006	5871.66	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/10/2006	5871.51	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/9/2006	5871.37	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/8/2006	5871.15	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/7/2006	5871.31	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/6/2006	5871.39	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/5/2006	5871.26	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/4/2006	5871.11	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/3/2006	5871.24	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/2/2006	5871.5	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	12/1/2006	5871.39	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/30/2006	5871.57	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/29/2006	5871.84	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/28/2006	5871.77	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/27/2006	5871.59	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/26/2006	5871.63	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/25/2006	5871.56	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/24/2006	5871.47	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/23/2006	5871.35	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/22/2006	5871.29	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/21/2006	5871.22	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/20/2006	5871.13	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/19/2006	5871.28	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/18/2006	5871.41	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/17/2006	5871.52	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/16/2006	5871.44	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/15/2006	5871.55	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/14/2006	5871.61	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/13/2006	5871.43	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/12/2006	5871.68	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/11/2006	5871.28	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/10/2006	5871.64	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/9/2006	5871.67	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/8/2006	5871.5	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/7/2006	5871.36	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/6/2006	5871.39	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/5/2006	5871.44	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/4/2006	5871.46	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/3/2006	5871.37	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/2/2006	5871.36	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	11/1/2006	5871.56	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/31/2006	5871.56	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/30/2006	5871.69	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/29/2006	5871.41	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/28/2006	5871.2	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/27/2006	5871.3	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/26/2006	5871.61	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/25/2006	5871.61	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/24/2006	5871.45	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/23/2006	5871.37	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/22/2006	5871.41	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/21/2006	5871.7	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/20/2006	5871.59	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/19/2006	5871.54	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/18/2006	5871.72	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/17/2006	5871.87	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/16/2006	5871.87	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/15/2006	5871.76	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/14/2006	5871.58	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/13/2006	5871.59	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/12/2006	5871.59	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/11/2006	5871.51	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/10/2006	5871.55	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/9/2006	5871.45	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/8/2006	5871.42	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/7/2006	5871.41	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/6/2006	5871.3	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/5/2006	5871.23	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/4/2006	5871.32	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/3/2006	5871.38	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/2/2006	5871.4	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	10/1/2006	5871.45	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/30/2006	5871.45	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/29/2006	5871.41	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/28/2006	5871.34	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/27/2006	5871.36	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/26/2006	5871.32	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/25/2006	5871.31	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/24/2006	5871.38	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/23/2006	5871.67	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/22/2006	5871.87	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/21/2006	5871.81	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/20/2006	5871.54	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/19/2006	5871.45	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/18/2006	5871.54	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/17/2006	5871.62	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/16/2006	5871.73	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/15/2006	5871.67	Manual
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/15/2006	5871.72	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/14/2006	5871.62	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/13/2006	5871.4	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/12/2006	5871.4	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/11/2006	5871.48	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/10/2006	5871.56	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/9/2006	5871.58	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/8/2006	5871.56	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/7/2006	5871.47	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/6/2006	5871.35	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/5/2006	5871.33	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/4/2006	5871.43	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/3/2006	5871.4	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/2/2006	5871.45	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	9/1/2006	5871.5	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/31/2006	5871.57	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/30/2006	5871.51	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/29/2006	5871.43	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/28/2006	5871.5	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/27/2006	5871.57	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/26/2006	5871.62	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/25/2006	5871.58	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/24/2006	5871.51	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/23/2006	5871.36	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/22/2006	5871.33	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/21/2006	5871.42	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/20/2006	5871.43	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/19/2006	5871.47	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/18/2006	5871.5	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/17/2006	5871.54	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/16/2006	5871.52	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/15/2006	5871.5	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/14/2006	5871.49	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/13/2006	5871.62	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/12/2006	5871.55	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/11/2006	5871.52	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/10/2006	5871.48	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/9/2006	5871.41	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/8/2006	5871.4	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/7/2006	5871.44	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/6/2006	5871.54	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/5/2006	5871.51	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/4/2006	5871.5	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/3/2006	5871.55	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/2/2006	5871.63	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	8/1/2006	5871.75	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/31/2006	5871.77	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/30/2006	5871.63	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/29/2006	5871.57	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/28/2006	5871.56	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/27/2006	5871.65	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/26/2006	5871.62	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/25/2006	5871.66	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/24/2006	5871.58	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/23/2006	5871.46	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/22/2006	5871.39	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/21/2006	5871.45	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/20/2006	5871.49	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/19/2006	5871.48	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/18/2006	5871.46	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/17/2006	5871.49	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/16/2006	5871.41	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/15/2006	5871.43	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/14/2006	5871.56	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/13/2006	5871.58	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/12/2006	5871.56	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/11/2006	5871.63	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/10/2006	5871.61	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/9/2006	5871.54	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/8/2006	5871.45	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/7/2006	5871.42	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/6/2006	5871.48	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/5/2006	5871.46	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/4/2006	5871.49	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/3/2006	5871.47	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/2/2006	5871.53	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	7/1/2006	5871.54	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/30/2006	5871.5	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/29/2006	5871.47	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/28/2006	5871.46	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/27/2006	5871.44	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/26/2006	5871.36	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/25/2006	5871.36	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/24/2006	5871.45	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/23/2006	5871.46	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/22/2006	5871.65	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/21/2006	5871.66	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/20/2006	5871.65	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/19/2006	5871.64	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/18/2006	5871.66	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/17/2006	5871.76	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/16/2006	5871.9	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/15/2006	5871.79	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/14/2006	5871.64	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/13/2006	5871.58	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/12/2006	5871.73	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/11/2006	5871.83	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/10/2006	5871.75	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/9/2006	5871.56	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/8/2006	5871.56	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/7/2006	5871.58	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/6/2006	5871.75	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/5/2006	5871.79	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/4/2006	5871.74	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/3/2006	5871.59	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/2/2006	5871.53	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	6/1/2006	5871.55	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/31/2006	5871.74	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/30/2006	5871.78	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/29/2006	5871.83	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/28/2006	5872.02	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/27/2006	5872.05	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/26/2006	5871.95	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/25/2006	5871.74	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/24/2006	5871.69	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/23/2006	5871.84	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/22/2006	5871.79	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/21/2006	5871.78	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/20/2006	5871.75	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/19/2006	5871.73	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/18/2006	5871.68	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/17/2006	5871.63	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/16/2006	5871.52	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/15/2006	5871.53	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/14/2006	5871.74	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/13/2006	5871.8	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/12/2006	5871.76	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/11/2006	5871.63	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/10/2006	5871.81	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/9/2006	5871.98	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/8/2006	5871.91	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/7/2006	5871.9	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/6/2006	5871.89	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/5/2006	5871.85	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/4/2006	5871.85	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/3/2006	5871.86	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/2/2006	5871.81	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	5/1/2006	5871.9	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/30/2006	5871.89	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/29/2006	5871.86	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/28/2006	5872.01	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/27/2006	5871.83	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/26/2006	5871.78	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/25/2006	5871.85	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/24/2006	5871.96	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/23/2006	5871.9	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/22/2006	5871.83	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/21/2006	5871.86	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/20/2006	5871.95	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/19/2006	5871.86	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/18/2006	5871.93	Manual
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/18/2006	5872.03	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/17/2006	5871.98	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/16/2006	5871.94	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/15/2006	5872.15	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/14/2006	5871.84	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/13/2006	5871.65	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/12/2006	5871.74	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/11/2006	5872	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/10/2006	5871.96	Transducer
R-2	918	Single Completion	1711	23.12	906.45	929.57	4.5	5.27	4/9/2006	5871.8	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/29/2007	5831.87	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/28/2007	5832.15	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/27/2007	5832.36	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/26/2007	5832.43	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/25/2007	5832.55	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/24/2007	5832.76	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/23/2007	5832.56	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/22/2007	5832.85	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/21/2007	5833.34	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/20/2007	5833.39	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/19/2007	5833.45	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/18/2007	5833.13	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/17/2007	5833.06	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/16/2007	5832.84	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/15/2007	5832.84	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/14/2007	5832.66	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/13/2007	5832.88	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/12/2007	5832.75	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/11/2007	5832.64	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/10/2007	5832.71	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/9/2007	5832.44	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/8/2007	5832.57	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/7/2007	5832.35	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/6/2007	5832.29	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/5/2007	5832.36	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/4/2007	5832.44	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/3/2007	5832.54	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/2/2007	5832.61	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/1/2007	5832.63	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/31/2007	5832.8	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/30/2007	5832.67	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/29/2007	5832.77	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/28/2007	5832.99	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/27/2007	5832.67	Manual
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/27/2007	5832.78	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/26/2007	5832.51	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/25/2007	5832.82	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/24/2007	5833.07	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/23/2007	5832.99	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/22/2007	5832.88	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/21/2007	5832.88	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/20/2007	5832.7	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/19/2007	5832.64	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/18/2007	5832.44	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/17/2007	5832.75	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/16/2007	5832.72	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/15/2007	5832.9	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/14/2007	5832.9	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/13/2007	5832.75	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/12/2007	5832.56	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/11/2007	5832.73	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/10/2007	5832.77	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/9/2007	5832.74	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/8/2007	5832.55	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/7/2007	5832.73	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/6/2007	5832.65	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/5/2007	5832.42	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/4/2007	5832.53	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/3/2007	5832.9	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/2/2007	5833.08	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	3/1/2007	5833.27	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/28/2007	5833.4	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/27/2007	5833.17	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/26/2007	5833.09	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/25/2007	5832.79	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/24/2007	5833.22	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/23/2007	5832.94	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/22/2007	5832.75	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/21/2007	5832.62	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/20/2007	5832.79	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/19/2007	5832.61	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/18/2007	5832.33	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/17/2007	5832.56	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/16/2007	5832.52	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/15/2007	5832.72	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/14/2007	5832.81	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/13/2007	5832.56	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/12/2007	5832.58	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/11/2007	5832.42	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/10/2007	5832.37	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/9/2007	5832.35	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/8/2007	5832.29	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/7/2007	5832.15	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/6/2007	5832.2	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/5/2007	5832.12	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/4/2007	5832.28	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/3/2007	5832.55	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/2/2007	5832.6	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	2/1/2007	5832.69	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/31/2007	5832.42	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/30/2007	5832.15	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/29/2007	5831.87	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/28/2007	5832.26	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/27/2007	5832.5	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/26/2007	5832.27	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/25/2007	5832.08	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/24/2007	5832.16	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/23/2007	5832.22	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/22/2007	5832.25	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/21/2007	5832.6	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/20/2007	5832.21	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/19/2007	5831.9	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/18/2007	5832.02	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/17/2007	5831.98	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/16/2007	5831.67	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/15/2007	5831.71	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/14/2007	5831.79	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/13/2007	5831.81	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/12/2007	5831.89	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/11/2007	5831.66	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/10/2007	5831.49	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/9/2007	5831.45	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/8/2007	5831.35	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/7/2007	5831.23	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/6/2007	5831.6	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/5/2007	5831.83	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/4/2007	5831.75	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/3/2007	5831.39	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/2/2007	5831.09	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	1/1/2007	5831.4	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/31/2006	5831.7	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/30/2006	5831.8	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/29/2006	5831.68	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/28/2006	5831.49	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/27/2006	5831.44	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/26/2006	5831.37	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/25/2006	5831.17	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/24/2006	5831.4	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/23/2006	5831.39	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/22/2006	5831.51	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/21/2006	5831.5	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/20/2006	5831.18	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/19/2006	5830.67	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/18/2006	5831.24	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/17/2006	5831.39	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/16/2006	5831.12	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/15/2006	5830.92	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/14/2006	5831.16	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/13/2006	5831.16	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/12/2006	5831.21	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/11/2006	5831.52	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/10/2006	5831.52	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/9/2006	5831.26	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/8/2006	5830.82	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/7/2006	5830.96	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/6/2006	5831.18	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/5/2006	5831.13	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/4/2006	5831.05	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/3/2006	5831.36	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/2/2006	5831.54	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	12/1/2006	5831.3	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/30/2006	5831.54	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/29/2006	5831.56	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/28/2006	5831.54	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/27/2006	5831.44	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/26/2006	5831.64	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/25/2006	5831.5	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/24/2006	5831.23	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/23/2006	5830.94	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/22/2006	5830.91	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/21/2006	5830.87	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/20/2006	5830.86	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/19/2006	5831.16	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/18/2006	5831.16	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/17/2006	5831.05	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/16/2006	5830.99	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/15/2006	5831.14	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/14/2006	5831.18	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/13/2006	5831.06	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/12/2006	5831.35	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/11/2006	5830.88	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/10/2006	5830.97	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/9/2006	5831.14	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/8/2006	5831.01	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/7/2006	5830.88	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/6/2006	5830.66	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/5/2006	5830.67	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/4/2006	5830.68	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/3/2006	5830.89	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/2/2006	5830.91	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	11/1/2006	5831.12	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/31/2006	5831.15	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/30/2006	5831.27	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/29/2006	5831.16	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/28/2006	5830.85	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/27/2006	5830.69	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/26/2006	5830.98	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/25/2006	5830.96	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/24/2006	5830.83	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/23/2006	5830.74	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/22/2006	5830.89	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/21/2006	5830.91	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/20/2006	5830.79	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/19/2006	5830.72	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/18/2006	5830.8	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/17/2006	5830.86	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/16/2006	5830.65	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/15/2006	5830.65	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/14/2006	5830.67	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/13/2006	5830.92	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/12/2006	5830.86	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/11/2006	5830.72	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/10/2006	5830.59	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/9/2006	5830.86	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/8/2006	5830.95	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/7/2006	5830.72	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/6/2006	5830.63	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/5/2006	5830.49	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/4/2006	5830.59	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/3/2006	5830.72	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/2/2006	5830.88	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	10/1/2006	5830.94	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/30/2006	5831.03	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/29/2006	5831.21	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/28/2006	5831.18	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/27/2006	5831.13	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/26/2006	5831.11	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/25/2006	5830.9	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/24/2006	5831.13	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/23/2006	5831.51	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/22/2006	5831.69	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/21/2006	5832.04	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/20/2006	5831.79	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/19/2006	5831.78	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/18/2006	5831.92	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/17/2006	5832.01	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/16/2006	5832.47	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/15/2006	5832.36	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/14/2006	5832.3	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/13/2006	5832.11	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/12/2006	5832.07	Manual
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/12/2006	5831.98	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/11/2006	5831.81	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/10/2006	5831.67	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/9/2006	5832.32	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/8/2006	5832.24	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/7/2006	5832.1	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/6/2006	5831.95	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/5/2006	5831.87	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/4/2006	5831.87	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/3/2006	5831.73	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/2/2006	5831.57	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	9/1/2006	5831.45	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/31/2006	5831.47	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/30/2006	5831.7	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/29/2006	5831.33	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/28/2006	5831.84	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/27/2006	5831.82	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/26/2006	5831.77	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/25/2006	5831.61	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/24/2006	5831.32	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/23/2006	5831.44	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/22/2006	5831.34	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/21/2006	5831.33	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/20/2006	5831.22	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/19/2006	5831.11	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/18/2006	5830.95	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/17/2006	5830.78	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/16/2006	5830.73	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/15/2006	5830.36	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/14/2006	5829.95	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/13/2006	5830.46	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/12/2006	5830.2	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/11/2006	5830.04	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/10/2006	5829.86	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/9/2006	5829.72	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/8/2006	5829.15	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/7/2006	5829.3	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/6/2006	5829.74	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/5/2006	5829.13	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/4/2006	5829.31	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/3/2006	5829.26	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/2/2006	5829.06	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	8/1/2006	5828.9	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/31/2006	5828.58	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/30/2006	5828.44	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/29/2006	5828.33	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/28/2006	5827.77	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/27/2006	5827.84	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/26/2006	5827.79	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/25/2006	5827.79	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/24/2006	5827.49	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/23/2006	5827.07	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/22/2006	5827.41	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/21/2006	5828.17	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/20/2006	5828.14	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/19/2006	5828.02	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/18/2006	5828.17	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/17/2006	5828.14	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/16/2006	5828.52	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/15/2006	5829.02	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/14/2006	5829.56	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/13/2006	5829.72	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/12/2006	5829.96	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/11/2006	5830.39	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/10/2006	5830.07	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/9/2006	5829.87	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/8/2006	5829.62	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/7/2006	5829.57	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/6/2006	5829.62	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/5/2006	5829.47	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/4/2006	5829.31	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/3/2006	5829.26	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/2/2006	5828.57	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	7/1/2006	5828.96	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/30/2006	5828.94	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/29/2006	5829.17	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/28/2006	5829.19	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/27/2006	5828.77	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/26/2006	5828.85	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/25/2006	5829.13	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/24/2006	5829.14	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/23/2006	5828.4	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/22/2006	5828.81	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/21/2006	5828.97	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/20/2006	5829.48	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/19/2006	5828.98	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/18/2006	5829.37	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/17/2006	5830.09	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/16/2006	5831.14	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/15/2006	5830.92	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/14/2006	5830.65	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/13/2006	5830.12	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/12/2006	5830.24	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/11/2006	5830.37	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/10/2006	5830.64	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/9/2006	5830.41	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/8/2006	5830.24	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/7/2006	5830.05	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/6/2006	5829.43	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/5/2006	5829.21	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/4/2006	5829.73	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/3/2006	5830.57	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/2/2006	5830.91	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	6/1/2006	5830.74	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/31/2006	5830.71	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/30/2006	5830.84	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/29/2006	5830.64	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/28/2006	5830.68	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/27/2006	5830.4	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/26/2006	5830.8	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/25/2006	5830.69	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/24/2006	5830.91	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/23/2006	5830.99	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/22/2006	5830.46	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/21/2006	5830.69	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/20/2006	5831.17	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/19/2006	5831.74	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/18/2006	5831.36	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/17/2006	5831.41	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/16/2006	5831.54	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/15/2006	5831.14	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/14/2006	5831.11	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/13/2006	5831.67	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/12/2006	5831.92	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/11/2006	5831.63	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/10/2006	5831.89	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/9/2006	5832.27	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/8/2006	5831.9	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/7/2006	5832.48	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/6/2006	5832.43	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/5/2006	5832.34	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/4/2006	5832.17	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/3/2006	5832.2	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/2/2006	5832.38	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	5/1/2006	5832.19	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/30/2006	5832.5	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/29/2006	5832.48	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/28/2006	5832.6	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/27/2006	5832.18	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/26/2006	5832.1	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/25/2006	5831.77	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/24/2006	5832.21	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/23/2006	5832.5	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/22/2006	5833	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/21/2006	5833.01	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/20/2006	5833.03	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/19/2006	5832.92	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/18/2006	5832.84	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/17/2006	5832.78	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/16/2006	5833.24	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/15/2006	5833.63	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/14/2006	5833.44	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/13/2006	5833.77	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/12/2006	5833.61	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/11/2006	5833.6	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/10/2006	5833.2	Transducer
R-24	825	Single Completion	6321	23	825	848	4.46	5.27	4/9/2006	5833.7	Transducer
R-3i	215.2	Single Completion	7701	6.8	215.2	222	2	2.3	4/29/2007	6196.61	Transducer
R-3i	215.2	Single Completion	7701	6.8	215.2	222	2	2.3	4/28/2007	6196.61	Transducer
R-3i	215.2	Single Completion	7701	6.8	215.2	222	2	2.3	4/27/2007	6196.82	Transducer
R-3i	215.2	Single Completion	7701	6.8	215.2	222	2	2.3	4/26/2007	6196.82	Transducer
R-3i	215.2	Single Completion	7701	6.8	215.2	222	2	2.3	4/25/2007	6196.79	Transducer
R-3i	215.2	Single Completion	7701	6.8	215.2	222	2	2.3	4/24/2007	6196.98	Transducer
R-3i	215.2	Single Completion	7701	6.8	215.2	222	2	2.3	4/24/2007	6197	Manual
R-3i	215.2	Single Completion	7701	6.8	215.2	222	2	2.3	4/23/2007	6196.94	Manual
R-3i	215.2	Single Completion	7701	6.8	215.2	222	2	2.3	4/9/2007	6197.21	Manual
R-3i	215.2	Single Completion	7701	6.8	215.2	222	2	2.3	3/13/2007	6198.22	Manual
R-3i	215.2	Single Completion	7701	6.8	215.2	222	2	2.3	1/11/2007	6200.23	Manual
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/29/2007	5832.55	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/28/2007	5832.59	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/27/2007	5832.84	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/26/2007	5832.85	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/25/2007	5832.86	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/24/2007	5832.97	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/23/2007	5832.93	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/22/2007	5832.94	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/21/2007	5833.02	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/20/2007	5832.98	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/19/2007	5833.09	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/18/2007	5832.83	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/17/2007	5832.85	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/16/2007	5832.81	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/15/2007	5832.67	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/14/2007	5832.64	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/13/2007	5833	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/12/2007	5832.86	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/11/2007	5832.86	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/10/2007	5832.94	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/9/2007	5832.87	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/8/2007	5832.78	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/7/2007	5832.63	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/6/2007	5832.56	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/5/2007	5832.58	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/4/2007	5832.5	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/3/2007	5832.65	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/2/2007	5832.7	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/1/2007	5832.71	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/31/2007	5832.69	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/30/2007	5832.59	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/29/2007	5832.78	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/28/2007	5832.98	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/27/2007	5832.62	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/26/2007	5832.55	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/25/2007	5832.48	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/24/2007	5832.73	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/23/2007	5832.61	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/22/2007	5832.53	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/21/2007	5832.6	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/20/2007	5832.48	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/19/2007	5832.57	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/18/2007	5832.48	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/17/2007	5832.33	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/16/2007	5832.29	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/15/2007	5832.5	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/14/2007	5832.52	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/13/2007	5832.38	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/12/2007	5832.25	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/11/2007	5832.4	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/10/2007	5832.39	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/9/2007	5832.4	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/8/2007	5832.33	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/7/2007	5832.29	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/6/2007	5832.23	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/5/2007	5832.06	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/4/2007	5832.11	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/3/2007	5832.4	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/2/2007	5832.59	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	3/1/2007	5832.76	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/28/2007	5832.72	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/27/2007	5832.56	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/26/2007	5832.64	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/25/2007	5832.38	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/24/2007	5832.76	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/23/2007	5832.4	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/22/2007	5832.17	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/21/2007	5832.21	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/20/2007	5832.45	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/19/2007	5832.35	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/18/2007	5831.96	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/17/2007	5832.09	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/16/2007	5832.06	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/15/2007	5832.23	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/14/2007	5832.3	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/13/2007	5832.22	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/12/2007	5832.32	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/11/2007	5832.1	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/10/2007	5831.98	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/9/2007	5831.99	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/8/2007	5831.98	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/7/2007	5831.93	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/6/2007	5831.8	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/5/2007	5831.8	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/4/2007	5831.84	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/3/2007	5832	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/2/2007	5832.29	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	2/1/2007	5832.42	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/31/2007	5832.18	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/30/2007	5831.95	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/29/2007	5831.87	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/28/2007	5831.88	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/27/2007	5832.04	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/26/2007	5831.81	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/25/2007	5831.57	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/24/2007	5831.65	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/23/2007	5831.79	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/22/2007	5831.82	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/21/2007	5832.1	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/20/2007	5831.81	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/19/2007	5831.45	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/19/2007	5832.13	Manual
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/18/2007	5832.12	Manual
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/18/2007	5832.17	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/17/2007	5832.13	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/16/2007	5832	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/15/2007	5832.23	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/14/2007	5832.52	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/13/2007	5832.45	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/12/2007	5832.44	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/11/2007	5832.39	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/10/2007	5832.07	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/9/2007	5831.87	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/8/2007	5831.97	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/7/2007	5832.15	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/6/2007	5832.25	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/5/2007	5832.51	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/4/2007	5832.29	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/3/2007	5832.12	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/2/2007	5832.06	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	1/1/2007	5832.08	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/31/2006	5832.19	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/30/2006	5832.36	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/29/2006	5832.41	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/28/2006	5832.56	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/27/2006	5832.16	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/26/2006	5831.96	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/25/2006	5831.88	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/24/2006	5832.04	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/23/2006	5832.14	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/22/2006	5832.15	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/21/2006	5832.31	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/20/2006	5832.34	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/19/2006	5832.04	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/18/2006	5832.16	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/17/2006	5832.29	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/16/2006	5832.25	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/15/2006	5832.07	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/14/2006	5832.07	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/13/2006	5831.99	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/12/2006	5831.99	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/11/2006	5832.27	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/10/2006	5832.13	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/9/2006	5831.97	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/8/2006	5831.74	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/7/2006	5831.91	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/6/2006	5832.01	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/5/2006	5831.88	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/4/2006	5831.71	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/3/2006	5831.84	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/2/2006	5832.09	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	12/1/2006	5831.96	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/30/2006	5832.12	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/29/2006	5832.39	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/28/2006	5832.32	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/27/2006	5832.15	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/26/2006	5832.2	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/25/2006	5832.1	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/24/2006	5832	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/23/2006	5831.87	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/22/2006	5831.81	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/21/2006	5831.74	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/20/2006	5831.66	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/19/2006	5831.8	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/18/2006	5831.91	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/17/2006	5832.01	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/16/2006	5831.93	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/15/2006	5832.04	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/14/2006	5832.1	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/13/2006	5831.92	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/12/2006	5832.15	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/11/2006	5831.74	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/10/2006	5832.1	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/9/2006	5832.14	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/8/2006	5831.98	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/7/2006	5831.83	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/6/2006	5831.85	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/5/2006	5831.9	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/4/2006	5831.95	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/3/2006	5831.87	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/2/2006	5831.86	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	11/1/2006	5832.08	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/31/2006	5832.08	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/30/2006	5832.2	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/29/2006	5831.92	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/28/2006	5831.69	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/27/2006	5831.77	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/26/2006	5832.08	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/25/2006	5832.09	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/24/2006	5831.94	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/23/2006	5831.85	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/22/2006	5831.88	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/21/2006	5832.17	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/20/2006	5832.05	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/19/2006	5831.99	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/18/2006	5832.17	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/17/2006	5832.33	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/16/2006	5832.34	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/15/2006	5832.25	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/14/2006	5832.1	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/13/2006	5832.12	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/12/2006	5832.12	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/11/2006	5832.06	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/10/2006	5832.1	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/9/2006	5832.05	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/8/2006	5832.02	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/7/2006	5832.01	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/6/2006	5831.91	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/5/2006	5831.84	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/4/2006	5831.97	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/3/2006	5832.05	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/2/2006	5832.08	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	10/1/2006	5832.14	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/30/2006	5832.16	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/29/2006	5832.14	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/28/2006	5832.08	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/27/2006	5832.09	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/26/2006	5832.05	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/25/2006	5832.04	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/24/2006	5832.11	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/23/2006	5832.4	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/22/2006	5832.6	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/21/2006	5832.55	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/20/2006	5832.28	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/19/2006	5832.18	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/18/2006	5832.27	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/17/2006	5832.33	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/16/2006	5832.44	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/15/2006	5832.41	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/14/2006	5832.29	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/13/2006	5832.04	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/12/2006	5832.04	Manual
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/12/2006	5831.99	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/11/2006	5832.05	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/10/2006	5832.1	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/9/2006	5832.13	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/8/2006	5832.08	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/7/2006	5831.97	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/6/2006	5831.82	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/5/2006	5831.77	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/4/2006	5831.84	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/3/2006	5831.78	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/2/2006	5831.81	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	9/1/2006	5831.84	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/31/2006	5831.9	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/30/2006	5831.83	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/29/2006	5831.71	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/28/2006	5831.77	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/27/2006	5831.81	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/26/2006	5831.83	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/25/2006	5831.76	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/24/2006	5831.66	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/23/2006	5831.51	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/22/2006	5831.44	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/21/2006	5831.5	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/20/2006	5831.47	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/19/2006	5831.48	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/18/2006	5831.47	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/17/2006	5831.48	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/16/2006	5831.43	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/15/2006	5831.36	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/14/2006	5831.35	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/13/2006	5831.48	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/12/2006	5831.37	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/11/2006	5831.34	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/10/2006	5831.29	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/9/2006	5831.21	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/8/2006	5831.18	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/7/2006	5831.23	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/6/2006	5831.31	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/5/2006	5831.27	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/4/2006	5831.25	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/3/2006	5831.29	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/2/2006	5831.36	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	8/1/2006	5831.47	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/31/2006	5831.48	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/30/2006	5831.35	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/29/2006	5831.3	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/28/2006	5831.29	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/27/2006	5831.39	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/26/2006	5831.38	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/25/2006	5831.43	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/24/2006	5831.37	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/23/2006	5831.27	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/22/2006	5831.24	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/21/2006	5831.35	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/20/2006	5831.4	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/19/2006	5831.41	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/18/2006	5831.42	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/17/2006	5831.46	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/16/2006	5831.42	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/15/2006	5831.47	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/14/2006	5831.62	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/13/2006	5831.66	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/12/2006	5831.65	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/11/2006	5831.74	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/10/2006	5831.7	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/9/2006	5831.62	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/8/2006	5831.55	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/7/2006	5831.53	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/6/2006	5831.6	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/5/2006	5831.58	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/4/2006	5831.63	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/3/2006	5831.62	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/2/2006	5831.68	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	7/1/2006	5831.72	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/30/2006	5831.71	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/29/2006	5831.71	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/28/2006	5831.72	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/27/2006	5831.72	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/26/2006	5831.66	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/25/2006	5831.7	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/24/2006	5831.81	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/23/2006	5831.83	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/22/2006	5832.07	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/21/2006	5832.12	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/20/2006	5832.15	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/19/2006	5832.16	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/18/2006	5832.21	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/17/2006	5832.35	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/16/2006	5832.53	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/15/2006	5832.42	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/14/2006	5832.27	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/13/2006	5832.22	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/12/2006	5832.39	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/11/2006	5832.51	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/10/2006	5832.45	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/9/2006	5832.27	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/8/2006	5832.29	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/7/2006	5832.32	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/6/2006	5832.5	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/5/2006	5832.57	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/4/2006	5832.59	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/3/2006	5832.49	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/2/2006	5832.45	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	6/1/2006	5832.48	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/31/2006	5832.67	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/30/2006	5832.72	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/29/2006	5832.77	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/28/2006	5832.98	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/27/2006	5833.05	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/26/2006	5833	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/25/2006	5832.82	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/24/2006	5832.79	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/23/2006	5832.96	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/22/2006	5832.93	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/21/2006	5832.96	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/20/2006	5832.98	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/19/2006	5833	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/18/2006	5832.96	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/17/2006	5833.03	Manual
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/17/2006	5833.04	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/16/2006	5832.95	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/15/2006	5832.97	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/14/2006	5833.2	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/13/2006	5833.31	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/12/2006	5833.29	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/11/2006	5833.16	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/10/2006	5833.36	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/9/2006	5833.55	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/8/2006	5833.51	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/7/2006	5833.53	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/6/2006	5833.52	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/5/2006	5833.49	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/4/2006	5833.51	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/3/2006	5833.54	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/2/2006	5833.51	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	5/1/2006	5833.59	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/30/2006	5833.6	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/29/2006	5833.59	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/28/2006	5833.77	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/27/2006	5833.6	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/26/2006	5833.56	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/25/2006	5833.64	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/24/2006	5833.79	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/23/2006	5833.78	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/22/2006	5833.75	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/21/2006	5833.78	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/20/2006	5833.87	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/19/2006	5833.79	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/18/2006	5833.97	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/17/2006	5833.94	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/16/2006	5833.94	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/15/2006	5834.17	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/14/2006	5833.88	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/13/2006	5833.71	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/12/2006	5833.79	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/11/2006	5834.03	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/10/2006	5834.01	Transducer
R-4	792.9	Single Completion	1721	23.1	792.9	816	4.5	5.27	4/9/2006	5833.87	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/29/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/28/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/27/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/26/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/25/2007	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/24/2007	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/23/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/22/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/21/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/20/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/19/2007	6135.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/17/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/16/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/15/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/14/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/13/2007	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/12/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/11/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/10/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/9/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/8/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/7/2007	6135.25	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/6/2007	6135.25	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/5/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/4/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/3/2007	6135.25	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/2/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/1/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/31/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/30/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/29/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/28/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/27/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/26/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/25/2007	6135.27	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/24/2007	6135.25	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/23/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/22/2007	6135.25	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/21/2007	6135.27	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/20/2007	6135.27	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/19/2007	6135.25	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/18/2007	6135.25	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/17/2007	6135.25	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/16/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/15/2007	6135.25	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/14/2007	6135.25	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/13/2007	6135.25	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/12/2007	6135.25	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/11/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/10/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/9/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/8/2007	6135.23	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/7/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/6/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/5/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/4/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/3/2007	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/2/2007	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	3/1/2007	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/28/2007	6135.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/27/2007	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/26/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/25/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/24/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/23/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/22/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/21/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/20/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/19/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/18/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/17/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/16/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/15/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/14/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/13/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/12/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/11/2007	6135.25	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/10/2007	6135.25	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/9/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/8/2007	6135.25	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/7/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/6/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/5/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/4/2007	6135.21	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/3/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/2/2007	6135.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	2/1/2007	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/31/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/30/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/29/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/28/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/27/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/26/2007	6135.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/25/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/24/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/23/2007	6135.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/22/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/21/2007	6135.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/20/2007	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/19/2007	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/18/2007	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/17/2007	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/16/2007	6135.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/15/2007	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/14/2007	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/13/2007	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/12/2007	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/11/2007	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/10/2007	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/9/2007	6135.2	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/8/2007	6135.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/7/2007	6135.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/6/2007	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/5/2007	6135.13	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/4/2007	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/3/2007	6135.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/2/2007	6135.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	1/1/2007	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/31/2006	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/30/2006	6135.13	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/29/2006	6135.13	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/28/2006	6135.13	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/27/2006	6135.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/26/2006	6135.2	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/25/2006	6135.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/24/2006	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/23/2006	6135.13	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/22/2006	6135.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/21/2006	6135.13	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/20/2006	6135.13	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/19/2006	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/18/2006	6135.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/17/2006	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/16/2006	6135.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/15/2006	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/14/2006	6135.18	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/13/2006	6135.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/12/2006	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/11/2006	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/10/2006	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/9/2006	6135.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/8/2006	6135.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/7/2006	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/6/2006	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/5/2006	6135.13	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/4/2006	6135.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/3/2006	6135.09	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/2/2006	6135.1	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	12/1/2006	6135.09	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/30/2006	6135.07	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/29/2006	6135.05	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/28/2006	6135.06	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/27/2006	6135.07	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/26/2006	6135.09	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/25/2006	6135.09	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/24/2006	6135.09	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/23/2006	6135.09	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/22/2006	6135.09	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/21/2006	6135.09	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/20/2006	6135.07	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/19/2006	6135.06	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/18/2006	6135.04	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/17/2006	6135.04	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/16/2006	6135.02	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/15/2006	6135.02	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/14/2006	6135.04	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/13/2006	6135.04	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/12/2006	6135.02	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/11/2006	6135.02	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/10/2006	6135.02	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/9/2006	6135	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/8/2006	6135.02	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/7/2006	6135.02	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/6/2006	6135.02	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/5/2006	6135.02	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/4/2006	6135	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/3/2006	6135	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/2/2006	6134.97	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	11/1/2006	6134.99	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/31/2006	6134.97	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/30/2006	6134.97	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/29/2006	6134.99	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/28/2006	6134.97	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/27/2006	6134.97	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/26/2006	6134.92	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/25/2006	6134.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/24/2006	6134.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/23/2006	6134.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/22/2006	6134.92	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/21/2006	6134.9	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/20/2006	6134.92	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/19/2006	6134.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/18/2006	6134.9	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/17/2006	6134.9	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/16/2006	6134.92	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/15/2006	6134.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/14/2006	6134.95	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/13/2006	6134.95	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/12/2006	6134.95	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/11/2006	6134.92	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/10/2006	6134.95	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/9/2006	6134.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/8/2006	6134.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/7/2006	6134.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/6/2006	6134.95	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/5/2006	6134.93	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/4/2006	6134.92	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/3/2006	6134.92	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/2/2006	6134.9	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	10/1/2006	6134.88	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/30/2006	6134.9	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/29/2006	6134.9	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/28/2006	6134.88	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/27/2006	6134.88	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/26/2006	6134.86	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/25/2006	6134.84	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/24/2006	6134.84	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/23/2006	6134.79	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/22/2006	6134.79	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/21/2006	6134.81	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/20/2006	6134.84	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/19/2006	6134.86	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/18/2006	6134.84	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/17/2006	6134.84	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/16/2006	6134.81	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/15/2006	6134.83	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/14/2006	6134.84	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/13/2006	6134.86	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/12/2006	6134.84	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/11/2006	6134.84	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/10/2006	6134.83	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/9/2006	6134.83	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/8/2006	6134.83	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/7/2006	6134.84	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/6/2006	6134.84	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/5/2006	6134.83	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/4/2006	6134.84	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/3/2006	6134.81	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/2/2006	6134.79	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	9/1/2006	6134.79	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/31/2006	6134.77	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/30/2006	6134.79	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/29/2006	6134.77	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/28/2006	6134.77	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/27/2006	6134.75	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/26/2006	6134.76	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/25/2006	6134.77	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/24/2006	6134.77	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/23/2006	6134.84	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/22/2006	6134.82	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/21/2006	6134.82	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/20/2006	6134.8	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/19/2006	6134.78	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/18/2006	6134.78	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/17/2006	6134.77	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/16/2006	6134.77	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/15/2006	6134.78	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/14/2006	6134.77	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/13/2006	6134.77	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/12/2006	6134.77	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/11/2006	6134.75	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/10/2006	6134.75	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/9/2006	6134.77	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/8/2006	6134.75	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/7/2006	6134.73	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/6/2006	6134.73	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/5/2006	6134.71	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	8/4/2006	6134.64	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/25/2006	6134.68	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/24/2006	6134.67	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/23/2006	6134.65	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/22/2006	6134.65	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/21/2006	6134.65	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/20/2006	6134.63	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/19/2006	6134.61	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/18/2006	6134.61	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/17/2006	6134.61	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/16/2006	6134.6	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/15/2006	6134.58	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/14/2006	6134.58	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/13/2006	6134.58	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/12/2006	6134.58	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/11/2006	6134.58	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/10/2006	6134.58	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/9/2006	6134.58	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/8/2006	6134.56	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/7/2006	6134.56	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/6/2006	6134.58	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/5/2006	6134.56	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/4/2006	6134.54	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/3/2006	6134.52	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/2/2006	6134.53	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	7/1/2006	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/30/2006	6134.52	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/29/2006	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/28/2006	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/27/2006	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/26/2006	6134.51	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/25/2006	6134.47	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/24/2006	6134.45	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/23/2006	6134.44	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/22/2006	6134.42	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/21/2006	6134.42	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/20/2006	6134.42	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/19/2006	6134.42	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/18/2006	6134.4	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/17/2006	6134.4	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/16/2006	6134.4	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/15/2006	6134.39	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/14/2006	6134.38	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/13/2006	6134.38	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/12/2006	6134.39	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/11/2006	6134.38	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/10/2006	6134.39	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/9/2006	6134.37	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/8/2006	6134.39	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/7/2006	6134.37	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/6/2006	6134.33	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/5/2006	6134.35	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/4/2006	6134.35	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/3/2006	6134.35	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/2/2006	6134.35	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	6/1/2006	6134.35	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/31/2006	6134.33	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/30/2006	6134.31	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/29/2006	6134.31	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/28/2006	6134.3	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/27/2006	6134.28	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/26/2006	6134.31	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/25/2006	6134.3	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/24/2006	6134.33	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/23/2006	6134.31	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/22/2006	6134.3	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/21/2006	6134.28	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/20/2006	6134.3	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/19/2006	6134.31	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/18/2006	6134.28	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/17/2006	6134.3	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/16/2006	6134.3	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/15/2006	6134.28	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/14/2006	6134.24	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/13/2006	6134.24	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/12/2006	6134.24	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/11/2006	6134.24	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/10/2006	6134.21	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/9/2006	6134.21	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/8/2006	6134.21	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/7/2006	6134.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/6/2006	6134.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/5/2006	6134.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/4/2006	6134.22	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/3/2006	6134.23	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/2/2006	6134.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	5/1/2006	6134.21	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/30/2006	6134.21	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/29/2006	6134.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/28/2006	6134.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/27/2006	6134.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/26/2006	6134.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/25/2006	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/24/2006	6134.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/23/2006	6134.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/22/2006	6134.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/21/2006	6134.19	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/20/2006	6134.17	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/19/2006	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/18/2006	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/17/2006	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/16/2006	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/15/2006	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/14/2006	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/13/2006	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/12/2006	6134.16	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/11/2006	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/10/2006	6134.14	Transducer
R-5	383.9	MP2A	2452	16	372.8	388.8	4.5	5.56	4/9/2006	6134.14	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/29/2007	5744.93	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/28/2007	5745.76	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/27/2007	5745.37	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/26/2007	5745.74	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/25/2007	5745.53	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/24/2007	5744.86	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/23/2007	5744.93	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/22/2007	5744.8	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/21/2007	5744.73	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/20/2007	5744.28	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/19/2007	5744.35	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/17/2007	5744.67	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/23/2006	5746.18	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/22/2006	5745.69	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/21/2006	5745.04	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/20/2006	5745.21	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/19/2006	5745.55	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/18/2006	5745.67	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/17/2006	5745.93	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/16/2006	5746.11	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/15/2006	5746.23	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/14/2006	5745.6	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/13/2006	5745.31	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/12/2006	5745.58	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/11/2006	5746.07	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/10/2006	5746.22	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/9/2006	5747.02	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/8/2006	5747.09	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/7/2006	5746.23	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/6/2006	5745.65	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/5/2006	5745.51	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	8/4/2006	5745.54	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/27/2006	5746.17	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/24/2006	5746.39	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/23/2006	5746.46	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/22/2006	5747.27	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/21/2006	5746.81	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/20/2006	5747.11	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/19/2006	5747.57	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/18/2006	5747.15	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/17/2006	5747.01	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/16/2006	5746.92	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/15/2006	5746.6	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/14/2006	5746.43	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/13/2006	5746.57	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/12/2006	5746.39	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/11/2006	5746.46	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/10/2006	5747.04	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/9/2006	5746.46	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/8/2006	5747.24	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/7/2006	5746.83	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/6/2006	5746.21	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/5/2006	5746.48	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/4/2006	5746.88	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/3/2006	5747.75	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/2/2006	5747.78	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	7/1/2006	5746.72	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/30/2006	5746.48	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/29/2006	5746.62	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/28/2006	5746.78	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/27/2006	5747.2	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/26/2006	5747.83	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/25/2006	5748.27	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/24/2006	5748.88	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/23/2006	5748.63	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/22/2006	5748.31	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/21/2006	5748.2	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/20/2006	5748.1	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/19/2006	5748.4	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/18/2006	5749.1	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/17/2006	5749.61	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/16/2006	5749.03	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/15/2006	5748.89	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/14/2006	5748.93	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/13/2006	5749.12	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/12/2006	5748.91	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/11/2006	5748.58	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/10/2006	5748.56	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/9/2006	5748.15	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/8/2006	5747.59	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/7/2006	5747.52	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/6/2006	5746.81	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/5/2006	5746.85	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/4/2006	5746.8	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/3/2006	5747.2	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/2/2006	5746.88	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	6/1/2006	5746.25	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/31/2006	5746.58	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/30/2006	5746.83	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/29/2006	5746.87	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/28/2006	5747.31	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/27/2006	5746.85	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/25/2006	5747.02	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/24/2006	5747.48	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/23/2006	5747.38	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/22/2006	5747.9	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/21/2006	5748.03	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/20/2006	5747.6	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/19/2006	5746.64	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/18/2006	5747.18	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/17/2006	5746.56	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/16/2006	5746.73	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/15/2006	5747.06	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/14/2006	5747.55	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/13/2006	5747.24	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/12/2006	5746.58	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/11/2006	5746.74	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/10/2006	5747.04	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/9/2006	5747.57	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/8/2006	5746.83	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/7/2006	5746.51	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/6/2006	5746.51	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/5/2006	5746.6	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/4/2006	5746.57	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/3/2006	5746.88	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/2/2006	5746.69	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	5/1/2006	5746.55	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/30/2006	5746.73	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/29/2006	5747.04	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/28/2006	5747.04	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/27/2006	5747.6	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/26/2006	5748.4	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/25/2006	5748.84	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/24/2006	5747.85	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/23/2006	5747.27	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/22/2006	5746.99	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/21/2006	5747.18	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/20/2006	5747.01	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/19/2006	5747.59	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/18/2006	5747.59	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/17/2006	5746.83	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/16/2006	5747.01	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/15/2006	5747.24	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/14/2006	5747.18	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/13/2006	5747.6	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/12/2006	5748.33	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/11/2006	5748.31	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/10/2006	5747.24	Transducer
R-5	860.9	MP4A	2552	5	858.7	863.7	4.5	5.56	4/9/2006	5747.57	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/29/2007	5839.24	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/28/2007	5839.3	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/27/2007	5839.55	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/26/2007	5839.55	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/25/2007	5839.57	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/24/2007	5839.68	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/23/2007	5839.62	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/22/2007	5839.65	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/21/2007	5839.72	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/20/2007	5839.7	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/19/2007	5839.82	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/18/2007	5839.56	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/17/2007	5839.64	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/16/2007	5839.6	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/15/2007	5839.48	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/14/2007	5839.49	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/13/2007	5839.83	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/12/2007	5839.69	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/11/2007	5839.71	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/10/2007	5839.77	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/9/2007	5839.7	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/8/2007	5839.62	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/7/2007	5839.48	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/6/2007	5839.4	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/5/2007	5839.41	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/4/2007	5839.35	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/3/2007	5839.49	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/2/2007	5839.54	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/1/2007	5839.55	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/31/2007	5839.55	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/30/2007	5839.47	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/29/2007	5839.66	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/28/2007	5839.85	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/27/2007	5839.55	Manual
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/27/2007	5839.68	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/26/2007	5839.6	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/25/2007	5839.53	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/24/2007	5839.8	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/23/2007	5839.68	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/22/2007	5839.61	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/21/2007	5839.68	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/20/2007	5839.57	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/19/2007	5839.65	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/18/2007	5839.53	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/17/2007	5839.41	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/16/2007	5839.41	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/15/2007	5839.61	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/14/2007	5839.64	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/13/2007	5839.52	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/12/2007	5839.38	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/11/2007	5839.54	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/10/2007	5839.54	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/9/2007	5839.56	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/8/2007	5839.49	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/7/2007	5839.46	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/6/2007	5839.4	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/5/2007	5839.25	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/4/2007	5839.32	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/3/2007	5839.64	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/2/2007	5839.82	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	3/1/2007	5840.01	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/28/2007	5839.97	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/27/2007	5839.81	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/26/2007	5839.91	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/25/2007	5839.67	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/24/2007	5840.05	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/23/2007	5839.7	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/22/2007	5839.47	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/21/2007	5839.54	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/20/2007	5839.78	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/19/2007	5839.66	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/18/2007	5839.29	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/17/2007	5839.44	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/16/2007	5839.43	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/15/2007	5839.63	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/14/2007	5839.71	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/13/2007	5839.62	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/12/2007	5839.71	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/11/2007	5839.49	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/10/2007	5839.4	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/9/2007	5839.42	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/8/2007	5839.42	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/7/2007	5839.38	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/6/2007	5839.25	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/5/2007	5839.28	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/4/2007	5839.32	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/3/2007	5839.51	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/2/2007	5839.81	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	2/1/2007	5839.93	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/31/2007	5839.69	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/30/2007	5839.48	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/29/2007	5839.39	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/28/2007	5839.42	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/27/2007	5839.61	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/26/2007	5839.38	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/25/2007	5839.15	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/24/2007	5839.25	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/23/2007	5839.42	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/22/2007	5839.45	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/21/2007	5839.77	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/20/2007	5839.52	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/19/2007	5839.18	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/18/2007	5839.32	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/17/2007	5839.3	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/16/2007	5839.19	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/15/2007	5839.41	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/14/2007	5839.66	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/13/2007	5839.59	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/12/2007	5839.6	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/11/2007	5839.54	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/10/2007	5839.22	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/9/2007	5839.05	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/8/2007	5839.14	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/7/2007	5839.32	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/6/2007	5839.42	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/5/2007	5839.65	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/4/2007	5839.46	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/3/2007	5839.3	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/2/2007	5839.22	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	1/1/2007	5839.24	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/31/2006	5839.37	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/30/2006	5839.55	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/29/2006	5839.61	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/28/2006	5839.7	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/27/2006	5839.33	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/26/2006	5839.15	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/25/2006	5839.06	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/24/2006	5839.22	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/23/2006	5839.34	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/22/2006	5839.36	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/21/2006	5839.53	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/20/2006	5839.52	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/19/2006	5839.2	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/18/2006	5839.32	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/17/2006	5839.45	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/16/2006	5839.4	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/15/2006	5839.21	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/14/2006	5839.22	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/13/2006	5839.13	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/12/2006	5839.14	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/11/2006	5839.4	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/10/2006	5839.27	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/9/2006	5839.12	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/8/2006	5838.88	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/7/2006	5839.05	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/6/2006	5839.14	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/5/2006	5839.01	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/4/2006	5838.85	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/3/2006	5839	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/2/2006	5839.26	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	12/1/2006	5839.13	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/30/2006	5839.32	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/29/2006	5839.54	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/28/2006	5839.47	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/27/2006	5839.28	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/26/2006	5839.34	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/25/2006	5839.25	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/24/2006	5839.16	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/23/2006	5839	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/22/2006	5838.96	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/21/2006	5838.87	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/20/2006	5838.8	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/19/2006	5838.96	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/18/2006	5839.08	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/17/2006	5839.17	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/16/2006	5839.09	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/15/2006	5839.21	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/14/2006	5839.24	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/13/2006	5839.07	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/12/2006	5839.3	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/11/2006	5838.91	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/10/2006	5839.24	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/9/2006	5839.27	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/8/2006	5839.1	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/7/2006	5838.97	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/6/2006	5838.98	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/5/2006	5839.02	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/4/2006	5839.05	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/3/2006	5838.98	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/2/2006	5838.98	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	11/1/2006	5839.18	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/31/2006	5839.19	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/30/2006	5839.28	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/29/2006	5839.02	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/28/2006	5838.81	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/27/2006	5838.88	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/26/2006	5839.19	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/25/2006	5839.17	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/24/2006	5839.02	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/23/2006	5838.94	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/22/2006	5838.99	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/21/2006	5839.23	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/20/2006	5839.13	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/19/2006	5839.08	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/18/2006	5839.25	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/17/2006	5839.38	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/16/2006	5839.37	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/15/2006	5839.27	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/14/2006	5839.11	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/13/2006	5839.15	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/12/2006	5839.14	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/11/2006	5839.07	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/10/2006	5839.09	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/9/2006	5839.03	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/8/2006	5839.01	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/7/2006	5838.99	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/6/2006	5838.89	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/5/2006	5838.82	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/4/2006	5838.93	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/3/2006	5839	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/2/2006	5839.02	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	10/1/2006	5839.09	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/30/2006	5839.1	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/29/2006	5839.09	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/28/2006	5839.04	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/27/2006	5839.04	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/26/2006	5839	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/25/2006	5838.97	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/24/2006	5839.05	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/23/2006	5839.34	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/22/2006	5839.53	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/21/2006	5839.53	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/20/2006	5839.26	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/19/2006	5839.18	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/18/2006	5839.26	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/17/2006	5839.33	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/16/2006	5839.45	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/15/2006	5839.43	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/14/2006	5839.33	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/13/2006	5839.11	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/12/2006	5839.08	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/12/2006	5839.09	Manual

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/11/2006	5839.15	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/10/2006	5839.21	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/9/2006	5839.25	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/8/2006	5839.21	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/7/2006	5839.11	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/6/2006	5838.98	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/5/2006	5838.96	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/4/2006	5839.05	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/3/2006	5839	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/2/2006	5839.04	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	9/1/2006	5839.08	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/31/2006	5839.14	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/30/2006	5839.07	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/29/2006	5838.99	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/28/2006	5839.07	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/27/2006	5839.12	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/26/2006	5839.15	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/25/2006	5839.1	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/24/2006	5839.01	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/23/2006	5838.87	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/22/2006	5838.82	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/21/2006	5838.9	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/20/2006	5838.9	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/19/2006	5838.92	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/18/2006	5838.93	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/17/2006	5838.95	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/16/2006	5838.92	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/15/2006	5838.87	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/14/2006	5838.84	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/13/2006	5838.99	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/12/2006	5838.9	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/11/2006	5838.87	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/10/2006	5838.83	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/9/2006	5838.78	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/8/2006	5838.75	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/7/2006	5838.77	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/6/2006	5838.87	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/5/2006	5838.82	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/4/2006	5838.79	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/3/2006	5838.84	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/2/2006	5838.91	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	8/1/2006	5839.03	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/31/2006	5839.03	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/30/2006	5838.89	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/29/2006	5838.83	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/28/2006	5838.81	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/27/2006	5838.91	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/26/2006	5838.88	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/25/2006	5838.91	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/24/2006	5838.83	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/23/2006	5838.69	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/22/2006	5838.65	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/21/2006	5838.76	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/20/2006	5838.79	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/19/2006	5838.77	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/18/2006	5838.77	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/17/2006	5838.79	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/16/2006	5838.74	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/15/2006	5838.76	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/14/2006	5838.91	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/13/2006	5838.93	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/12/2006	5838.92	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/11/2006	5839.01	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/10/2006	5838.98	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/9/2006	5838.88	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/8/2006	5838.79	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/7/2006	5838.77	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/6/2006	5838.82	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/5/2006	5838.79	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/4/2006	5838.83	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/3/2006	5838.81	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/2/2006	5838.85	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	7/1/2006	5838.85	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/30/2006	5838.82	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/29/2006	5838.8	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/28/2006	5838.79	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/27/2006	5838.76	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/26/2006	5838.65	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/25/2006	5838.68	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/24/2006	5838.79	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/23/2006	5838.81	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/22/2006	5839.01	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/21/2006	5839.01	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/20/2006	5839.01	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/19/2006	5838.96	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/18/2006	5838.98	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/17/2006	5839.13	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/16/2006	5839.3	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/15/2006	5839.19	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/14/2006	5839.04	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/13/2006	5838.98	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/12/2006	5839.12	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/11/2006	5839.23	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/10/2006	5839.16	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/9/2006	5839.01	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/8/2006	5839.01	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/7/2006	5839.04	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/6/2006	5839.21	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/5/2006	5839.23	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/4/2006	5839.2	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/3/2006	5839.11	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/2/2006	5839.07	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	6/1/2006	5839.1	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/31/2006	5839.28	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/30/2006	5839.29	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/29/2006	5839.34	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/28/2006	5839.55	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/27/2006	5839.61	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/26/2006	5839.55	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/25/2006	5839.35	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/24/2006	5839.33	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/23/2006	5839.49	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/22/2006	5839.41	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/21/2006	5839.43	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/20/2006	5839.45	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/19/2006	5839.45	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/18/2006	5839.41	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/17/2006	5839.36	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/16/2006	5839.27	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/15/2006	5839.27	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/14/2006	5839.49	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/13/2006	5839.59	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/12/2006	5839.57	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/11/2006	5839.44	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/10/2006	5839.63	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/9/2006	5839.79	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/8/2006	5839.75	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/7/2006	5839.77	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/6/2006	5839.76	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/5/2006	5839.74	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/4/2006	5839.75	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/3/2006	5839.77	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/2/2006	5839.7	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	5/1/2006	5839.79	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/30/2006	5839.78	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/29/2006	5839.79	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/28/2006	5839.96	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/27/2006	5839.79	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/26/2006	5839.75	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/25/2006	5839.79	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/24/2006	5839.92	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/23/2006	5839.89	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/22/2006	5839.87	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/21/2006	5839.91	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/20/2006	5839.97	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/19/2006	5839.91	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/18/2006	5840.06	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/17/2006	5839.99	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/16/2006	5840	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/15/2006	5840.19	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/14/2006	5839.91	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/13/2006	5839.77	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/12/2006	5839.85	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/11/2006	5840.02	Manual
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/11/2006	5840.04	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/10/2006	5840.01	Transducer
R-6	1205	Single Completion	5871	23	1205	1228	4.5	5	4/9/2006	5839.89	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/29/2007	6403.04	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/28/2007	6403.07	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/27/2007	6403.32	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/26/2007	6403.31	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/25/2007	6403.33	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/24/2007	6403.44	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/23/2007	6403.4	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/22/2007	6403.41	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/21/2007	6403.47	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/20/2007	6403.45	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/19/2007	6403.57	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/18/2007	6403.33	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/17/2007	6403.42	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/16/2007	6403.41	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/15/2007	6403.29	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/14/2007	6403.3	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/13/2007	6403.65	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/12/2007	6403.54	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/11/2007	6403.56	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/10/2007	6403.63	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/9/2007	6403.58	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/8/2007	6403.49	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/7/2007	6403.36	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/6/2007	6403.27	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/5/2007	6403.28	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/4/2007	6403.21	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/3/2007	6403.36	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/2/2007	6403.43	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/1/2007	6403.45	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/31/2007	6403.45	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/30/2007	6403.37	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/29/2007	6403.58	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/28/2007	6403.77	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/27/2007	6403.54	Manual
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/27/2007	6403.65	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/26/2007	6403.6	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/25/2007	6403.53	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/24/2007	6403.8	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/23/2007	6403.68	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/22/2007	6403.62	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/21/2007	6403.7	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/20/2007	6403.59	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/19/2007	6403.68	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/18/2007	6403.59	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/17/2007	6403.43	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/16/2007	6403.41	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/15/2007	6403.62	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/14/2007	6403.64	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/13/2007	6403.52	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/12/2007	6403.39	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/11/2007	6403.54	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/10/2007	6403.52	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/9/2007	6403.53	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/8/2007	6403.46	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/7/2007	6403.41	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/6/2007	6403.36	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/5/2007	6403.22	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/4/2007	6403.28	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/3/2007	6403.61	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/2/2007	6403.8	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	3/1/2007	6404	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/28/2007	6403.97	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/27/2007	6403.83	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/26/2007	6403.94	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/25/2007	6403.72	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/24/2007	6404.11	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/23/2007	6403.76	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/22/2007	6403.55	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/21/2007	6403.62	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/20/2007	6403.86	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/19/2007	6403.77	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/18/2007	6403.4	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/17/2007	6403.54	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/16/2007	6403.54	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/15/2007	6403.73	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/14/2007	6403.82	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/13/2007	6403.75	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/12/2007	6403.86	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/11/2007	6403.64	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/10/2007	6403.52	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/9/2007	6403.54	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/8/2007	6403.54	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/7/2007	6403.51	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/6/2007	6403.37	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/5/2007	6403.41	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/4/2007	6403.47	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/3/2007	6403.66	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/2/2007	6403.98	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	2/1/2007	6404.12	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/31/2007	6403.9	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/30/2007	6403.68	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/29/2007	6403.61	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/28/2007	6403.62	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/27/2007	6403.8	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/26/2007	6403.58	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/25/2007	6403.35	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/24/2007	6403.46	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/23/2007	6403.64	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/22/2007	6403.68	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/21/2007	6403.99	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/20/2007	6403.75	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/19/2007	6403.42	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/18/2007	6403.56	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/17/2007	6403.54	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/16/2007	6403.45	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/15/2007	6403.69	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/14/2007	6403.97	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/13/2007	6403.89	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/12/2007	6403.88	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/11/2007	6403.83	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/10/2007	6403.51	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/9/2007	6403.31	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/8/2007	6403.44	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/7/2007	6403.63	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/6/2007	6403.72	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/5/2007	6403.97	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/4/2007	6403.76	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/3/2007	6403.62	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/2/2007	6403.57	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	1/1/2007	6403.58	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/31/2006	6403.69	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/30/2006	6403.88	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/29/2006	6403.95	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/28/2006	6404.09	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/27/2006	6403.69	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/26/2006	6403.5	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/25/2006	6403.45	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/24/2006	6403.61	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/23/2006	6403.74	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/22/2006	6403.77	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/21/2006	6403.95	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/20/2006	6404	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/19/2006	6403.7	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/18/2006	6403.79	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/17/2006	6403.92	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/16/2006	6403.89	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/15/2006	6403.71	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/14/2006	6403.7	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/13/2006	6403.61	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/12/2006	6403.61	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/11/2006	6403.87	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/10/2006	6403.73	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/9/2006	6403.59	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/8/2006	6403.36	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/7/2006	6403.51	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/6/2006	6403.59	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/5/2006	6403.46	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/4/2006	6403.3	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/3/2006	6403.43	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/2/2006	6403.71	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	12/1/2006	6403.61	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/30/2006	6403.78	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/29/2006	6404.05	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/28/2006	6403.98	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/27/2006	6403.81	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/26/2006	6403.86	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/25/2006	6403.78	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/24/2006	6403.69	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/23/2006	6403.56	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/22/2006	6403.49	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/21/2006	6403.42	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/20/2006	6403.33	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/19/2006	6403.47	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/18/2006	6403.61	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/17/2006	6403.72	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/16/2006	6403.65	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/15/2006	6403.76	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/14/2006	6403.82	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/13/2006	6403.65	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/12/2006	6403.87	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/11/2006	6403.49	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/10/2006	6403.85	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/9/2006	6403.87	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/8/2006	6403.71	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/7/2006	6403.56	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/6/2006	6403.59	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/5/2006	6403.64	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/4/2006	6403.67	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/3/2006	6403.57	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/2/2006	6403.56	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	11/1/2006	6403.76	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/31/2006	6403.76	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/30/2006	6403.86	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/29/2006	6403.59	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/28/2006	6403.38	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/27/2006	6403.48	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/26/2006	6403.78	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/25/2006	6403.77	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/24/2006	6403.62	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/23/2006	6403.54	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/22/2006	6403.58	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/21/2006	6403.87	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/20/2006	6403.78	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/19/2006	6403.73	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/18/2006	6403.92	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/17/2006	6404.07	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/16/2006	6404.09	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/15/2006	6403.97	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/14/2006	6403.8	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/13/2006	6403.81	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/12/2006	6403.82	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/11/2006	6403.75	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/10/2006	6403.78	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/9/2006	6403.69	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/8/2006	6403.66	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/7/2006	6403.64	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/6/2006	6403.52	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/5/2006	6403.45	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/4/2006	6403.55	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/3/2006	6403.6	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/2/2006	6403.61	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	10/1/2006	6403.66	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/30/2006	6403.66	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/29/2006	6403.61	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/28/2006	6403.54	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/27/2006	6403.55	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/26/2006	6403.51	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/25/2006	6403.5	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/24/2006	6403.58	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/23/2006	6403.86	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/22/2006	6404.06	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/21/2006	6403.99	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/20/2006	6403.73	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/19/2006	6403.64	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/18/2006	6403.74	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/17/2006	6403.81	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/16/2006	6403.92	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/15/2006	6403.91	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/14/2006	6403.8	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/13/2006	6403.58	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/12/2006	6403.57	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/11/2006	6403.56	Manual
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/11/2006	6403.64	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/10/2006	6403.71	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/9/2006	6403.74	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/8/2006	6403.72	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/7/2006	6403.62	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/6/2006	6403.5	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/5/2006	6403.47	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/4/2006	6403.57	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/3/2006	6403.53	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/2/2006	6403.59	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	9/1/2006	6403.63	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/31/2006	6403.7	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/30/2006	6403.64	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/29/2006	6403.56	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/28/2006	6403.64	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/27/2006	6403.7	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/26/2006	6403.75	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/25/2006	6403.71	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/24/2006	6403.64	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/23/2006	6403.48	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/22/2006	6403.45	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/21/2006	6403.54	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/20/2006	6403.54	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/19/2006	6403.58	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/18/2006	6403.61	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/17/2006	6403.65	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/16/2006	6403.64	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/15/2006	6403.61	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/14/2006	6403.6	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/13/2006	6403.74	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/12/2006	6403.65	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/11/2006	6403.62	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/10/2006	6403.58	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/9/2006	6403.51	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/8/2006	6403.5	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/7/2006	6403.53	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/6/2006	6403.62	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/5/2006	6403.6	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/4/2006	6403.59	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/3/2006	6403.64	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/2/2006	6403.72	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	8/1/2006	6403.84	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/31/2006	6403.86	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/30/2006	6403.73	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/29/2006	6403.68	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/28/2006	6403.67	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/27/2006	6403.74	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/26/2006	6403.73	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/25/2006	6403.76	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/24/2006	6403.69	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/23/2006	6403.57	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/22/2006	6403.49	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/21/2006	6403.55	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/20/2006	6403.59	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/19/2006	6403.58	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/18/2006	6403.55	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/17/2006	6403.58	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/16/2006	6403.5	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/15/2006	6403.51	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/14/2006	6403.64	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/13/2006	6403.67	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/12/2006	6403.65	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/11/2006	6403.72	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/10/2006	6403.7	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/9/2006	6403.62	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/8/2006	6403.53	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/7/2006	6403.5	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/6/2006	6403.56	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/5/2006	6403.53	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/4/2006	6403.57	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/3/2006	6403.54	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/2/2006	6403.59	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	7/1/2006	6403.59	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/30/2006	6403.55	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/29/2006	6403.51	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/28/2006	6403.5	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/27/2006	6403.47	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/26/2006	6403.38	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/25/2006	6403.38	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/24/2006	6403.45	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/23/2006	6403.46	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/22/2006	6403.65	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/21/2006	6403.66	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/20/2006	6403.64	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/19/2006	6403.63	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/18/2006	6403.65	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/17/2006	6403.75	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/16/2006	6403.88	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/15/2006	6403.76	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/14/2006	6403.61	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/13/2006	6403.56	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/12/2006	6403.71	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/11/2006	6403.8	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/10/2006	6403.71	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/9/2006	6403.52	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/8/2006	6403.52	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/7/2006	6403.53	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/6/2006	6403.7	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/5/2006	6403.73	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/4/2006	6403.67	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/3/2006	6403.51	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/2/2006	6403.46	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	6/1/2006	6403.47	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/31/2006	6403.66	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/30/2006	6403.7	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/29/2006	6403.74	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/28/2006	6403.93	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/27/2006	6403.96	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/26/2006	6403.86	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/25/2006	6403.66	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/24/2006	6403.61	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/23/2006	6403.75	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/22/2006	6403.7	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/21/2006	6403.68	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/20/2006	6403.64	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/19/2006	6403.62	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/18/2006	6403.56	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/17/2006	6403.51	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/16/2006	6403.4	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/15/2006	6403.41	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/14/2006	6403.59	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/13/2006	6403.66	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/12/2006	6403.6	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/11/2006	6403.49	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/10/2006	6403.67	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/9/2006	6403.83	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/8/2006	6403.78	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/7/2006	6403.76	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/6/2006	6403.75	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/5/2006	6403.7	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/4/2006	6403.71	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/3/2006	6403.72	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/2/2006	6403.66	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	5/1/2006	6403.74	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/30/2006	6403.73	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/29/2006	6403.72	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/28/2006	6403.85	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/27/2006	6403.68	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/26/2006	6403.63	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/25/2006	6403.69	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/24/2006	6403.79	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/23/2006	6403.73	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/22/2006	6403.67	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/21/2006	6403.7	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/20/2006	6403.79	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/19/2006	6403.71	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/18/2006	6403.86	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/17/2006	6403.81	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/16/2006	6403.78	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/15/2006	6403.97	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/14/2006	6403.65	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/13/2006	6403.48	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/12/2006	6403.57	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/11/2006	6403.71	Manual
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/11/2006	6403.78	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/10/2006	6403.75	Transducer
R-6i	602	Single Completion	5881	10	602	612	4.46	5.27	4/9/2006	6403.6	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/29/2007	5877.84	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/28/2007	5877.84	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/27/2007	5877.83	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/26/2007	5877.84	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/25/2007	5877.85	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/24/2007	5877.85	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/23/2007	5877.86	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/22/2007	5877.87	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/21/2007	5877.87	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/20/2007	5877.87	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/19/2007	5877.89	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/18/2007	5877.87	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/17/2007	5877.88	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/16/2007	5877.92	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/13/2007	5877.67	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/12/2007	5877.92	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/11/2007	5877.92	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/10/2007	5877.92	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/9/2007	5877.92	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/8/2007	5877.92	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/7/2007	5877.92	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/6/2007	5877.92	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/5/2007	5877.92	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/4/2007	5877.92	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/3/2007	5877.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/2/2007	5877.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/1/2007	5877.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/31/2007	5877.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/30/2007	5877.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/29/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/28/2007	5877.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/27/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/26/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/25/2007	5877.94	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/24/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/23/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/22/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/21/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/20/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/19/2007	5877.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/18/2007	5877.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/17/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/16/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/15/2007	5877.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/14/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/13/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/12/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/11/2007	5877.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/10/2007	5877.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/9/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/8/2007	5877.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/7/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/6/2007	5877.93	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/5/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/4/2007	5877.94	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/3/2007	5877.96	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/2/2007	5877.96	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	3/1/2007	5877.97	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/28/2007	5877.97	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/27/2007	5877.97	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/26/2007	5877.98	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/25/2007	5877.98	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/24/2007	5877.98	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/23/2007	5877.98	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/22/2007	5877.98	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/21/2007	5877.99	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/20/2007	5877.98	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/19/2007	5877.98	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/18/2007	5877.99	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/17/2007	5878	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/16/2007	5877.99	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/15/2007	5877.99	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/14/2007	5878	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/13/2007	5878	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/12/2007	5878	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/11/2007	5878	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/10/2007	5878	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/9/2007	5877.99	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/8/2007	5878	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/7/2007	5877.99	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/6/2007	5878.01	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/5/2007	5878.01	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/4/2007	5878.01	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/3/2007	5878.01	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/2/2007	5878.01	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	2/1/2007	5878.02	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/31/2007	5878.02	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/30/2007	5878.03	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/29/2007	5878.03	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/28/2007	5878.03	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/27/2007	5878.03	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/26/2007	5878.03	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/25/2007	5878.03	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/24/2007	5878.03	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/23/2007	5878.03	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/22/2007	5878.03	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/21/2007	5878.03	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/20/2007	5878.03	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/19/2007	5878.04	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/18/2007	5878.03	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/17/2007	5878.04	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/16/2007	5878.05	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/15/2007	5878.05	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/14/2007	5878.05	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/13/2007	5878.05	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/12/2007	5878.05	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/11/2007	5878.05	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/10/2007	5878.06	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/9/2007	5878.05	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/8/2007	5878.05	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/7/2007	5878.06	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/6/2007	5878.06	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/5/2007	5878.06	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/4/2007	5878.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/3/2007	5878.06	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/2/2007	5878.06	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	1/1/2007	5878.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/31/2006	5878.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/30/2006	5878.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/29/2006	5878.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/28/2006	5878.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/27/2006	5878.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/26/2006	5878.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/25/2006	5878.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/24/2006	5878.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/23/2006	5878.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/22/2006	5878.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/21/2006	5878.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/20/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/19/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/18/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/17/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/16/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/15/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/14/2006	5878.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/13/2006	5878.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/12/2006	5878.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/11/2006	5878.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/10/2006	5878.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/9/2006	5878.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/8/2006	5878.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/7/2006	5878.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/6/2006	5878.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/5/2006	5878.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/4/2006	5878.07	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/3/2006	5878.08	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/2/2006	5878.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	12/1/2006	5878.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/30/2006	5878.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/29/2006	5878.1	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/28/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/27/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/26/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/25/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/24/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/23/2006	5878.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/22/2006	5878.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/21/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/20/2006	5878.09	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/19/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/18/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/17/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/16/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/15/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/14/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/13/2006	5878.1	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/12/2006	5878.11	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/11/2006	5878.11	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/10/2006	5878.11	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/9/2006	5878.12	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/8/2006	5878.11	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/7/2006	5878.11	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/6/2006	5878.11	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/5/2006	5878.12	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/4/2006	5878.12	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/3/2006	5878.12	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/2/2006	5878.12	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	11/1/2006	5878.12	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/31/2006	5878.12	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/30/2006	5878.12	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/29/2006	5878.12	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/28/2006	5878.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/27/2006	5878.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/26/2006	5878.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/25/2006	5878.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/24/2006	5878.13	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/23/2006	5878.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/22/2006	5878.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/21/2006	5878.14	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/20/2006	5878.15	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/19/2006	5878.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/18/2006	5878.16	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/17/2006	5878.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/16/2006	5878.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/15/2006	5878.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/14/2006	5878.17	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/13/2006	5878.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/12/2006	5878.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/11/2006	5878.19	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/10/2006	5878.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/9/2006	5878.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/8/2006	5878.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/7/2006	5878.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/6/2006	5878.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/5/2006	5878.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/4/2006	5878.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/3/2006	5878.18	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/2/2006	5878.19	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	10/1/2006	5878.19	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/30/2006	5878.2	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/29/2006	5878.19	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/28/2006	5878.19	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/27/2006	5878.2	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/26/2006	5878.21	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/25/2006	5878.21	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/24/2006	5878.21	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/23/2006	5878.22	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/22/2006	5878.23	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/21/2006	5878.24	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/20/2006	5878.24	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/19/2006	5878.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/18/2006	5878.24	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/17/2006	5878.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/16/2006	5878.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/15/2006	5878.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/14/2006	5878.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/13/2006	5878.26	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/12/2006	5878.26	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/11/2006	5878.26	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/10/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/9/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/8/2006	5878.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/7/2006	5878.26	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/6/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/5/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/4/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/3/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/2/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	9/1/2006	5878.28	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/31/2006	5878.28	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/30/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/29/2006	5878.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/28/2006	5878.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/27/2006	5878.26	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/26/2006	5878.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/25/2006	5878.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/24/2006	5878.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/23/2006	5878.26	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/22/2006	5878.25	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/21/2006	5878.26	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/20/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/19/2006	5878.26	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/18/2006	5878.28	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/17/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/16/2006	5878.28	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/15/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/14/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/13/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/12/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/11/2006	5878.26	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/10/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/9/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/8/2006	5878.27	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/7/2006	5878.28	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/6/2006	5878.28	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/5/2006	5878.28	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/4/2006	5878.28	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/3/2006	5878.29	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/2/2006	5878.3	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	8/1/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/31/2006	5878.33	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/30/2006	5878.33	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/29/2006	5878.33	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/28/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/27/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/26/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/25/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/24/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/23/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/22/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/21/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/20/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/19/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/18/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/17/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/16/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/15/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/14/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/13/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/12/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/11/2006	5878.33	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/10/2006	5878.33	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/9/2006	5878.33	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/8/2006	5878.33	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/7/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/6/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/5/2006	5878.33	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/4/2006	5878.33	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/3/2006	5878.33	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/2/2006	5878.32	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	7/1/2006	5878.33	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/30/2006	5878.32	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/29/2006	5878.32	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/28/2006	5878.32	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/27/2006	5878.32	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/26/2006	5878.32	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/25/2006	5878.32	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/24/2006	5878.32	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/23/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/22/2006	5878.33	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/21/2006	5878.33	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/20/2006	5878.33	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/19/2006	5878.33	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/18/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/17/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/16/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/15/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/14/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/13/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/12/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/11/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/10/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/9/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/8/2006	5878.34	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/7/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/6/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/5/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/4/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/3/2006	5878.34	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/2/2006	5878.35	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	6/1/2006	5878.36	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/31/2006	5878.36	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/30/2006	5878.36	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/29/2006	5878.36	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/28/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/27/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/26/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/25/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/24/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/23/2006	5878.38	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/22/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/21/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/20/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/19/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/18/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/17/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/16/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/15/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/14/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/13/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/12/2006	5878.37	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/11/2006	5878.38	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/10/2006	5878.38	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/9/2006	5878.38	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/8/2006	5878.39	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/7/2006	5878.38	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/6/2006	5878.39	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/5/2006	5878.4	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/4/2006	5878.39	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/3/2006	5878.39	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/2/2006	5878.39	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	5/1/2006	5878.4	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/30/2006	5878.4	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/29/2006	5878.41	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/28/2006	5878.41	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/27/2006	5878.4	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/26/2006	5878.41	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/25/2006	5878.41	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/24/2006	5878.41	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/23/2006	5878.41	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/22/2006	5878.41	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/21/2006	5878.42	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/20/2006	5878.42	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/19/2006	5878.42	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/18/2006	5878.43	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/17/2006	5878.42	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/16/2006	5878.42	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/15/2006	5878.43	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/14/2006	5878.43	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/13/2006	5878.43	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/12/2006	5878.43	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/11/2006	5878.44	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/10/2006	5878.43	Transducer
R-7	915.1	MP3A	1442	41.9	895.5	937.4	4.5	5.5	4/9/2006	5878.44	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/29/2007	5854.54	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/28/2007	5854.57	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/27/2007	5854.61	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/26/2007	5854.69	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/25/2007	5854.74	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/24/2007	5854.78	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/23/2007	5854.81	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/22/2007	5854.89	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/21/2007	5854.89	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/20/2007	5854.87	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/19/2007	5854.57	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/18/2007	5854.53	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/17/2007	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/16/2007	5854.46	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/15/2007	5854.43	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/14/2007	5854.39	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/13/2007	5854.38	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/12/2007	5854.35	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/11/2007	5854.31	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/10/2007	5854.33	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/9/2007	5854.34	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/8/2007	5854.34	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/7/2007	5854.33	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/6/2007	5854.4	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/5/2007	5854.49	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/4/2007	5854.56	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/3/2007	5854.57	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/2/2007	5854.62	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/1/2007	5854.63	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/31/2007	5854.65	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/30/2007	5854.63	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/29/2007	5854.62	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/28/2007	5854.63	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/27/2007	5854.63	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/26/2007	5854.69	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/25/2007	5854.74	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/24/2007	5854.72	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/23/2007	5854.72	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/22/2007	5854.69	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/21/2007	5854.67	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/20/2007	5854.65	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/19/2007	5854.65	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/18/2007	5854.69	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/17/2007	5854.75	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/16/2007	5854.74	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/15/2007	5854.72	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/14/2007	5854.7	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/13/2007	5854.69	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/12/2007	5854.68	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/11/2007	5854.65	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/10/2007	5854.63	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/9/2007	5854.63	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/8/2007	5854.65	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/7/2007	5854.72	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/6/2007	5854.72	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/5/2007	5854.75	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/4/2007	5854.75	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/3/2007	5854.74	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/2/2007	5854.74	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	3/1/2007	5854.74	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/28/2007	5854.76	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/27/2007	5854.76	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/26/2007	5854.76	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/25/2007	5854.76	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/24/2007	5854.73	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/23/2007	5854.74	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/22/2007	5854.74	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/21/2007	5854.71	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/20/2007	5854.69	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/19/2007	5854.69	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/18/2007	5854.69	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/17/2007	5854.67	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/16/2007	5854.65	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/15/2007	5854.63	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/14/2007	5854.62	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/13/2007	5854.6	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/12/2007	5854.59	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/11/2007	5854.57	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/10/2007	5854.54	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/9/2007	5854.51	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/8/2007	5854.49	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/7/2007	5854.49	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/6/2007	5854.54	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/5/2007	5854.59	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/4/2007	5854.6	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/3/2007	5854.57	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/2/2007	5854.56	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	2/1/2007	5854.59	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/31/2007	5854.59	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/30/2007	5854.59	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/29/2007	5854.65	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/28/2007	5854.69	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/27/2007	5854.67	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/26/2007	5854.67	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/25/2007	5854.68	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/24/2007	5854.66	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/23/2007	5854.64	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/22/2007	5854.63	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/21/2007	5854.6	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/20/2007	5854.59	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/19/2007	5854.58	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/18/2007	5854.55	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/17/2007	5854.53	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/16/2007	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/15/2007	5854.48	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/14/2007	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/13/2007	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/12/2007	5854.49	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/11/2007	5854.48	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/10/2007	5854.48	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/9/2007	5854.46	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/8/2007	5854.44	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/7/2007	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/6/2007	5854.54	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/5/2007	5854.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/4/2007	5854.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/3/2007	5854.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/2/2007	5854.54	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	1/1/2007	5854.55	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/31/2006	5854.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/30/2006	5854.49	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/29/2006	5854.48	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/28/2006	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/27/2006	5854.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/26/2006	5854.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/25/2006	5854.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/24/2006	5854.51	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/23/2006	5854.48	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/22/2006	5854.46	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/21/2006	5854.43	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/20/2006	5854.43	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/19/2006	5854.47	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/18/2006	5854.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/17/2006	5854.49	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/16/2006	5854.48	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/15/2006	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/14/2006	5854.51	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/13/2006	5854.51	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/12/2006	5854.51	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/11/2006	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/10/2006	5854.48	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/9/2006	5854.49	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/8/2006	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/7/2006	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/6/2006	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/5/2006	5854.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/4/2006	5854.53	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/3/2006	5854.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/2/2006	5854.51	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	12/1/2006	5854.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/30/2006	5854.51	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/29/2006	5854.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/28/2006	5854.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/27/2006	5854.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/26/2006	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/25/2006	5854.48	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/24/2006	5854.46	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/23/2006	5854.47	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/22/2006	5854.47	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/21/2006	5854.47	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/20/2006	5854.46	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/19/2006	5854.44	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/18/2006	5854.44	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/17/2006	5854.42	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/16/2006	5854.41	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/15/2006	5854.42	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/14/2006	5854.42	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/13/2006	5854.41	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/12/2006	5854.4	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/11/2006	5854.4	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/10/2006	5854.4	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/9/2006	5854.4	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/8/2006	5854.4	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/7/2006	5854.4	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/6/2006	5854.4	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/5/2006	5854.4	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/4/2006	5854.41	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/3/2006	5854.43	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/2/2006	5854.42	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	11/1/2006	5854.42	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/31/2006	5854.42	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/30/2006	5854.41	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/29/2006	5854.41	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/28/2006	5854.4	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/27/2006	5854.39	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/26/2006	5854.39	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/25/2006	5854.39	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/24/2006	5854.4	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/23/2006	5854.39	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/22/2006	5854.38	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/21/2006	5854.37	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/20/2006	5854.39	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/19/2006	5854.39	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/18/2006	5854.39	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/17/2006	5854.37	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/16/2006	5854.37	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/15/2006	5854.37	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/14/2006	5854.37	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/13/2006	5854.33	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/12/2006	5854.29	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/11/2006	5854.27	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/10/2006	5854.26	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/9/2006	5854.25	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/8/2006	5854.18	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/7/2006	5854.13	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/6/2006	5854.08	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/5/2006	5854.04	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/4/2006	5854.05	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/3/2006	5854.07	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/2/2006	5854.05	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	10/1/2006	5854.04	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/30/2006	5854.05	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/29/2006	5854.11	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/28/2006	5854.15	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/27/2006	5854.19	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/26/2006	5854.25	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/25/2006	5854.37	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/24/2006	5854.45	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/23/2006	5854.45	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/22/2006	5854.43	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/21/2006	5854.43	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/20/2006	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/19/2006	5854.56	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/18/2006	5854.58	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/17/2006	5854.6	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/16/2006	5854.6	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/15/2006	5854.56	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/14/2006	5854.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/13/2006	5854.48	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/12/2006	5854.44	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/11/2006	5854.45	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/10/2006	5854.62	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/9/2006	5854.66	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/8/2006	5854.63	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/7/2006	5854.59	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/6/2006	5854.56	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/5/2006	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/4/2006	5854.43	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/3/2006	5854.39	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/2/2006	5854.36	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	9/1/2006	5854.42	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/31/2006	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/30/2006	5854.54	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/29/2006	5854.59	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/28/2006	5854.56	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/27/2006	5854.51	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/26/2006	5854.46	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/25/2006	5854.42	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/24/2006	5854.41	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/23/2006	5854.42	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/22/2006	5854.36	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/21/2006	5854.3	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/20/2006	5854.22	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/19/2006	5854.15	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/18/2006	5854.06	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/17/2006	5853.96	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/16/2006	5853.88	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/15/2006	5853.81	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/14/2006	5853.83	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/2/2006	5852.72	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	8/1/2006	5852.78	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/31/2006	5852.65	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/30/2006	5852.51	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/29/2006	5852.33	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/28/2006	5852.3	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/27/2006	5852.27	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/26/2006	5852.27	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/25/2006	5852.28	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/24/2006	5852.3	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/23/2006	5852.4	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/22/2006	5852.57	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/21/2006	5852.62	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/20/2006	5852.69	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/19/2006	5852.78	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/18/2006	5852.95	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/17/2006	5853.11	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/16/2006	5853.36	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/15/2006	5853.55	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/14/2006	5853.64	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/13/2006	5853.7	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/12/2006	5853.7	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/11/2006	5853.56	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/10/2006	5853.44	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/9/2006	5853.39	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/8/2006	5853.27	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/7/2006	5853.24	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/6/2006	5853.12	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/5/2006	5852.97	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/4/2006	5852.93	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/3/2006	5852.9	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/2/2006	5853.07	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	7/1/2006	5853.17	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/30/2006	5853.2	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/29/2006	5853.19	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/28/2006	5853.14	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/27/2006	5853.16	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/26/2006	5853.11	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/25/2006	5852.95	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/24/2006	5852.83	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/23/2006	5853.11	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/22/2006	5853.33	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/21/2006	5853.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/20/2006	5853.65	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/19/2006	5853.85	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/18/2006	5854.05	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/17/2006	5854.2	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/16/2006	5854.17	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/15/2006	5854.07	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/14/2006	5853.98	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/13/2006	5853.94	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/12/2006	5853.83	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/11/2006	5853.74	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/10/2006	5853.65	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/9/2006	5853.55	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/8/2006	5853.44	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/7/2006	5853.29	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/6/2006	5853.32	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/5/2006	5853.54	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/4/2006	5853.76	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/3/2006	5853.88	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/2/2006	5853.78	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	6/1/2006	5853.77	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/31/2006	5853.75	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/30/2006	5853.59	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/29/2006	5853.42	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/28/2006	5853.32	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/27/2006	5853.39	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/26/2006	5853.46	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/25/2006	5853.51	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/24/2006	5853.52	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/23/2006	5853.51	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/22/2006	5853.62	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/21/2006	5853.79	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/20/2006	5853.93	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/19/2006	5853.99	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/18/2006	5854.04	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/17/2006	5854.05	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/16/2006	5853.93	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/15/2006	5853.93	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/14/2006	5854.06	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/13/2006	5854.17	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/12/2006	5854.26	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/11/2006	5854.32	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/10/2006	5854.36	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/9/2006	5854.31	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/8/2006	5854.41	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/7/2006	5854.35	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/6/2006	5854.32	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/5/2006	5854.37	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/4/2006	5854.45	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/3/2006	5854.5	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/2/2006	5854.49	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	5/1/2006	5854.48	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/30/2006	5854.38	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/29/2006	5854.3	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/28/2006	5854.29	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/27/2006	5854.3	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/26/2006	5854.28	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/25/2006	5854.45	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/24/2006	5854.63	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/23/2006	5854.69	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/22/2006	5854.77	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/21/2006	5854.81	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/20/2006	5854.81	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/19/2006	5854.84	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/18/2006	5854.96	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/17/2006	5855.09	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/16/2006	5855.13	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/15/2006	5855.14	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/14/2006	5855.22	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/13/2006	5855.17	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/12/2006	5855.13	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/11/2006	5855.12	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/10/2006	5855.25	Transducer
R-8	711.1	MP1A	2302	50.39	705.31	755.7	4.5	5.56	4/9/2006	5855.3	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/29/2007	5834.75	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/28/2007	5835	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/27/2007	5835.11	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/26/2007	5835.32	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/25/2007	5835.57	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/24/2007	5835.83	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/23/2007	5835.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/22/2007	5836	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/21/2007	5836.52	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/20/2007	5836.92	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/19/2007	5836.8	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/18/2007	5836.7	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/17/2007	5836.56	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/16/2007	5836.43	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/15/2007	5836.3	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/14/2007	5836.05	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/13/2007	5836.08	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/12/2007	5835.88	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/11/2007	5835.7	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/10/2007	5835.76	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/9/2007	5835.48	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/8/2007	5835.7	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/7/2007	5835.35	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/6/2007	5835.51	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/5/2007	5835.75	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/4/2007	5836.14	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/3/2007	5835.99	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/2/2007	5836.36	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/1/2007	5836.22	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/31/2007	5836.47	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/30/2007	5836.36	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/29/2007	5836.19	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/28/2007	5836.27	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/27/2007	5836.16	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/26/2007	5835.99	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/25/2007	5836.63	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/24/2007	5836.53	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/23/2007	5836.61	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/22/2007	5836.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/21/2007	5836.43	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/20/2007	5836.31	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/19/2007	5836.16	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/18/2007	5836.02	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/17/2007	5836.73	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/16/2007	5836.71	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/15/2007	5836.65	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/14/2007	5836.61	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/13/2007	5836.6	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/12/2007	5836.58	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/11/2007	5836.51	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/10/2007	5836.42	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/9/2007	5836.3	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/8/2007	5836.17	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/7/2007	5836.7	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/6/2007	5836.7	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/5/2007	5836.74	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/4/2007	5836.74	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/3/2007	5836.68	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/2/2007	5836.65	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	3/1/2007	5836.61	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/28/2007	5836.76	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/27/2007	5836.72	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/26/2007	5836.65	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/25/2007	5836.67	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/24/2007	5836.61	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/23/2007	5836.65	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/22/2007	5836.64	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/21/2007	5836.57	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/20/2007	5836.53	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/19/2007	5836.56	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/18/2007	5836.61	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/17/2007	5836.56	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/16/2007	5836.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/15/2007	5836.49	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/14/2007	5836.43	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/13/2007	5836.34	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/12/2007	5836.29	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/11/2007	5836.23	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/10/2007	5836.14	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/9/2007	5836	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/8/2007	5835.81	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/7/2007	5835.58	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/6/2007	5835.95	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/5/2007	5835.72	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/4/2007	5836.23	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/3/2007	5836.04	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/2/2007	5835.74	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-8	825	MP2A	2372	7	821	828	4.5	5.56	2/1/2007	5836.08	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/31/2007	5836.01	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/30/2007	5835.89	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/29/2007	5835.76	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/28/2007	5836.41	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/27/2007	5836.37	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/26/2007	5836.39	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/25/2007	5836.4	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/24/2007	5836.36	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/23/2007	5836.29	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/21/2007	5836.19	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/20/2007	5836.19	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/19/2007	5836.16	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/18/2007	5836.08	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/17/2007	5835.99	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/16/2007	5835.84	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/15/2007	5835.68	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/14/2007	5835.52	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/13/2007	5835.81	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/12/2007	5835.78	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/11/2007	5835.76	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/10/2007	5835.76	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/9/2007	5835.63	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/8/2007	5835.44	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/7/2007	5835.22	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/6/2007	5835.89	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/5/2007	5835.89	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/4/2007	5835.86	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/3/2007	5835.81	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/2/2007	5835.88	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	1/1/2007	5835.97	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/31/2006	5835.92	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/30/2006	5835.82	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/29/2006	5835.72	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/28/2006	5835.74	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/27/2006	5835.85	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/26/2006	5835.82	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/25/2006	5835.83	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/24/2006	5835.75	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/23/2006	5835.63	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/22/2006	5835.55	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/21/2006	5835.35	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/20/2006	5835.21	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/19/2006	5835.18	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/18/2006	5835.71	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/17/2006	5835.64	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/16/2006	5835.6	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/15/2006	5835.72	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/14/2006	5835.79	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/13/2006	5835.82	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/12/2006	5835.84	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/11/2006	5835.83	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/10/2006	5835.77	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/9/2006	5835.7	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/8/2006	5835.7	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/7/2006	5835.67	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/6/2006	5835.87	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/5/2006	5835.93	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/4/2006	5835.99	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/3/2006	5835.93	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/2/2006	5835.85	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	12/1/2006	5835.87	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/30/2006	5835.8	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/29/2006	5835.78	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/28/2006	5835.8	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/27/2006	5835.87	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/26/2006	5835.81	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/25/2006	5835.74	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/24/2006	5835.68	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/23/2006	5835.7	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/22/2006	5835.73	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/21/2006	5835.75	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/20/2006	5835.8	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/19/2006	5835.72	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/18/2006	5835.64	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/17/2006	5835.62	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/16/2006	5835.65	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/15/2006	5835.65	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/14/2006	5835.66	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/13/2006	5835.7	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/12/2006	5835.61	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/11/2006	5835.58	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/10/2006	5835.55	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/9/2006	5835.56	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/8/2006	5835.57	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/7/2006	5835.52	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/6/2006	5835.52	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/5/2006	5835.47	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/4/2006	5835.57	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/3/2006	5835.65	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/2/2006	5835.66	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	11/1/2006	5835.64	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/31/2006	5835.66	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/30/2006	5835.67	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/29/2006	5835.64	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/28/2006	5835.57	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/27/2006	5835.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/26/2006	5835.51	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/25/2006	5835.5	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/24/2006	5835.52	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/23/2006	5835.52	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/22/2006	5835.44	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/21/2006	5835.33	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/20/2006	5835.35	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/19/2006	5835.32	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/18/2006	5835.26	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/17/2006	5835.21	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/16/2006	5835.22	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/15/2006	5835.28	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/14/2006	5835.33	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/13/2006	5835.33	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/12/2006	5835.24	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/11/2006	5835.15	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/10/2006	5835.04	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/9/2006	5835.28	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/8/2006	5835.08	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/7/2006	5834.86	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/6/2006	5834.67	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/5/2006	5834.36	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/4/2006	5834.39	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/3/2006	5834.49	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/2/2006	5834.53	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	10/1/2006	5834.05	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/30/2006	5834.22	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/29/2006	5834.4	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/28/2006	5834.52	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/27/2006	5834.51	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/26/2006	5834.65	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/25/2006	5834.75	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/24/2006	5835.22	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/23/2006	5835.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/22/2006	5835.47	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/21/2006	5835.28	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/20/2006	5835.45	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/19/2006	5835.67	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/18/2006	5835.91	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/17/2006	5835.76	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/16/2006	5836.21	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/15/2006	5836.08	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/14/2006	5835.99	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/13/2006	5835.76	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/12/2006	5835.43	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/11/2006	5835	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/10/2006	5835.47	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/9/2006	5836.34	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/8/2006	5836.23	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/7/2006	5836.12	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/6/2006	5835.99	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/5/2006	5835.8	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/4/2006	5835.53	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/3/2006	5835.2	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/2/2006	5834.76	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	9/1/2006	5834.88	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/31/2006	5835.18	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/30/2006	5835.63	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/29/2006	5835.61	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/28/2006	5836.04	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/27/2006	5835.94	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/26/2006	5835.79	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/25/2006	5835.6	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/24/2006	5835.42	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/23/2006	5835.86	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/22/2006	5835.74	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/21/2006	5835.59	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/20/2006	5835.43	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/19/2006	5835.23	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/18/2006	5834.99	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/17/2006	5834.75	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/16/2006	5834.4	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/15/2006	5833.96	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/14/2006	5834.18	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/13/2006	5834.13	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/12/2006	5833.76	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/11/2006	5833.28	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/10/2006	5833.15	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/9/2006	5832.59	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/8/2006	5832.42	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/7/2006	5833.13	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/6/2006	5833.13	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/5/2006	5832.83	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/4/2006	5832.93	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/2/2006	5832.08	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	8/1/2006	5831.31	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/31/2006	5830.74	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/30/2006	5830.49	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/29/2006	5829.66	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/28/2006	5828.94	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/27/2006	5828.74	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/26/2006	5828.65	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/25/2006	5828.65	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/24/2006	5828.32	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/23/2006	5828.08	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/22/2006	5828.66	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/21/2006	5829.31	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/20/2006	5829.32	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/19/2006	5829.23	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/18/2006	5829.62	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/17/2006	5829.79	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/16/2006	5830.75	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/15/2006	5831.94	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/14/2006	5832.67	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/13/2006	5833.08	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/12/2006	5833.6	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/11/2006	5833.54	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/10/2006	5832.93	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/9/2006	5832.98	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/8/2006	5832.34	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/7/2006	5832.41	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/6/2006	5832.2	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/5/2006	5831.34	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/4/2006	5830.9	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/3/2006	5830.41	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/2/2006	5830.29	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	7/1/2006	5831.38	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/30/2006	5831.6	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/29/2006	5831.93	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/28/2006	5831.79	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/27/2006	5831.6	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/26/2006	5831.89	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/25/2006	5831.25	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/24/2006	5830.14	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/23/2006	5829.22	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/22/2006	5829.93	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/21/2006	5830.68	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/20/2006	5831.67	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/19/2006	5831.71	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/18/2006	5832.58	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/17/2006	5833.37	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/16/2006	5834.53	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/15/2006	5834.29	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/14/2006	5833.96	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/13/2006	5833.77	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/12/2006	5833.61	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/11/2006	5833.22	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/10/2006	5833.13	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/9/2006	5832.77	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/8/2006	5832.35	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/7/2006	5831.48	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/6/2006	5830.52	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/5/2006	5830.64	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/4/2006	5831.86	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/3/2006	5833.35	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/2/2006	5833.29	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	6/1/2006	5833.18	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/31/2006	5833.18	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/30/2006	5833.06	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/29/2006	5832.33	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/28/2006	5831.4	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/27/2006	5830.63	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/26/2006	5831.59	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/25/2006	5831.66	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/24/2006	5831.81	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/23/2006	5831.67	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/22/2006	5831.31	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/21/2006	5831.8	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/20/2006	5832.36	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/19/2006	5833.28	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/18/2006	5833.17	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/17/2006	5833.64	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/16/2006	5833.34	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/15/2006	5832.92	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/14/2006	5832.46	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/13/2006	5833.15	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/12/2006	5833.87	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/11/2006	5833.84	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/10/2006	5834.09	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/9/2006	5834.05	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/8/2006	5834.15	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/7/2006	5834.33	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/6/2006	5834.13	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/5/2006	5834.14	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/4/2006	5834.29	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/3/2006	5834.49	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/2/2006	5834.89	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	5/1/2006	5834.55	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/30/2006	5834.65	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/29/2006	5834.1	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/28/2006	5834.05	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/27/2006	5833.58	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/26/2006	5833.27	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/25/2006	5833.34	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/24/2006	5833.98	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/23/2006	5834.24	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/22/2006	5834.89	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/21/2006	5835.16	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/20/2006	5835.19	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/19/2006	5834.73	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/18/2006	5834.84	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/17/2006	5835.36	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/16/2006	5835.85	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/15/2006	5835.99	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/14/2006	5836.43	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/13/2006	5836.44	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/12/2006	5836.09	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/11/2006	5835.74	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/10/2006	5835.63	Transducer
R-8	825	MP2A	2372	7	821	828	4.5	5.56	4/9/2006	5836.07	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/29/2007	5691.36	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/28/2007	5691.37	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/27/2007	5691.59	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/26/2007	5691.58	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/25/2007	5691.57	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/24/2007	5691.69	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/23/2007	5691.65	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/22/2007	5691.66	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/21/2007	5691.74	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/20/2007	5691.71	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/19/2007	5691.85	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/18/2007	5691.61	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/17/2007	5691.69	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/16/2007	5691.68	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/15/2007	5691.52	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/14/2007	5691.49	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/13/2007	5691.87	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/12/2007	5691.75	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/11/2007	5691.79	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/10/2007	5691.91	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/9/2007	5691.87	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/8/2007	5691.79	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/7/2007	5691.65	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/6/2007	5691.58	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/5/2007	5691.59	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/4/2007	5691.5	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/3/2007	5691.64	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/2/2007	5691.71	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/1/2007	5691.72	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/31/2007	5691.7	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/30/2007	5691.61	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/29/2007	5691.81	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/28/2007	5692.07	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/27/2007	5691.73	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/26/2007	5691.67	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/25/2007	5691.58	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/24/2007	5691.86	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/23/2007	5691.75	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/22/2007	5691.69	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/21/2007	5691.78	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/20/2007	5691.69	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/19/2007	5691.8	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/18/2007	5691.72	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/17/2007	5691.56	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/16/2007	5691.51	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/15/2007	5691.74	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/14/2007	5691.78	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/13/2007	5691.66	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/12/2007	5691.52	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/11/2007	5691.68	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/10/2007	5691.68	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/9/2007	5691.69	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/8/2007	5691.64	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/7/2007	5691.58	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/6/2007	5691.51	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/5/2007	5691.3	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/4/2007	5691.29	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/3/2007	5691.57	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/2/2007	5691.77	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	3/1/2007	5691.97	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/28/2007	5691.97	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/27/2007	5691.85	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/26/2007	5691.99	Manual
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/26/2007	5692.06	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/25/2007	5691.84	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/24/2007	5692.27	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/23/2007	5691.95	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/22/2007	5691.72	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/21/2007	5691.78	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/20/2007	5692.06	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/19/2007	5691.99	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/18/2007	5691.59	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/17/2007	5691.7	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/16/2007	5691.68	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/15/2007	5691.86	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/14/2007	5691.96	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/13/2007	5691.93	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/12/2007	5692.07	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/11/2007	5691.88	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/10/2007	5691.76	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/9/2007	5691.78	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/8/2007	5691.79	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/7/2007	5691.74	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/6/2007	5691.58	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/5/2007	5691.57	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/4/2007	5691.59	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/3/2007	5691.74	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/2/2007	5692.08	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	2/1/2007	5692.27	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/31/2007	5692.07	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/30/2007	5691.86	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/29/2007	5691.8	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/28/2007	5691.81	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/27/2007	5692.01	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/26/2007	5691.79	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/25/2007	5691.54	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/24/2007	5691.62	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/23/2007	5691.77	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/22/2007	5691.83	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/21/2007	5692.18	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/20/2007	5691.97	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/19/2007	5691.6	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/18/2007	5691.74	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/17/2007	5691.69	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/16/2007	5691.55	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/15/2007	5691.78	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/14/2007	5692.12	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/13/2007	5692.07	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/12/2007	5692.09	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/11/2007	5692.08	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/10/2007	5691.75	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/9/2007	5691.51	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/8/2007	5691.59	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/7/2007	5691.75	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/6/2007	5691.85	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/5/2007	5692.15	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/4/2007	5691.95	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/3/2007	5691.78	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/2/2007	5691.72	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	1/1/2007	5691.69	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/31/2006	5691.79	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/30/2006	5692	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/29/2006	5692.08	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/28/2006	5692.29	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/27/2006	5691.89	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/26/2006	5691.67	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/25/2006	5691.58	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/24/2006	5691.73	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/23/2006	5691.83	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/22/2006	5691.84	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/21/2006	5692.05	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/20/2006	5692.12	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/19/2006	5691.82	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/18/2006	5691.91	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/17/2006	5692.07	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/16/2006	5692.07	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/15/2006	5691.89	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/14/2006	5691.87	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/13/2006	5691.78	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/12/2006	5691.77	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/11/2006	5692.08	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/10/2006	5691.96	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/9/2006	5691.83	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/8/2006	5691.58	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/7/2006	5691.73	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/6/2006	5691.82	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/5/2006	5691.68	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/4/2006	5691.47	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/3/2006	5691.56	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/2/2006	5691.81	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	12/1/2006	5691.67	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/30/2006	5691.84	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/29/2006	5692.16	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/28/2006	5692.11	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/27/2006	5691.96	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/26/2006	5692.05	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/25/2006	5691.99	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/24/2006	5691.92	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/23/2006	5691.81	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/22/2006	5691.73	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/21/2006	5691.64	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/20/2006	5691.52	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/19/2006	5691.64	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/18/2006	5691.76	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/17/2006	5691.86	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/16/2006	5691.77	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/15/2006	5691.88	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/14/2006	5691.93	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/13/2006	5691.75	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/12/2006	5692.01	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/11/2006	5691.6	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/10/2006	5691.98	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/9/2006	5692.05	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/8/2006	5691.88	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/7/2006	5691.73	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/6/2006	5691.75	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/5/2006	5691.8	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/4/2006	5691.83	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/3/2006	5691.72	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/2/2006	5691.68	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	11/1/2006	5691.91	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/31/2006	5691.93	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/30/2006	5692.07	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/29/2006	5691.79	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/28/2006	5691.54	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/27/2006	5691.61	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/26/2006	5691.93	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/25/2006	5691.95	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/24/2006	5691.79	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/23/2006	5691.67	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/22/2006	5691.68	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/21/2006	5691.98	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/20/2006	5691.87	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/19/2006	5691.78	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/18/2006	5691.97	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/17/2006	5692.17	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/16/2006	5692.21	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/15/2006	5692.12	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/14/2006	5691.96	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/13/2006	5691.98	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/12/2006	5691.99	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/11/2006	5691.94	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/10/2006	5691.98	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/9/2006	5691.92	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/8/2006	5691.9	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/7/2006	5691.91	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/6/2006	5691.8	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/5/2006	5691.72	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/4/2006	5691.82	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/3/2006	5691.88	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/2/2006	5691.9	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	10/1/2006	5691.96	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/30/2006	5691.97	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/29/2006	5691.9	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/28/2006	5691.81	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/27/2006	5691.81	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/26/2006	5691.74	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/25/2006	5691.66	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/24/2006	5691.68	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/23/2006	5691.93	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/22/2006	5692.17	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/21/2006	5692.12	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/20/2006	5691.88	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/19/2006	5691.77	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/18/2006	5691.85	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/17/2006	5691.93	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/16/2006	5692.06	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/15/2006	5692.09	Manual
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/15/2006	5692.18	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/14/2006	5692.1	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/13/2006	5691.87	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/12/2006	5691.87	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/11/2006	5691.94	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/10/2006	5692.02	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/9/2006	5692.06	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/8/2006	5692.05	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/7/2006	5691.97	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/6/2006	5691.84	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/5/2006	5691.79	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/4/2006	5691.89	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/3/2006	5691.84	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/2/2006	5691.9	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	9/1/2006	5691.94	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/31/2006	5692.01	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/30/2006	5691.95	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/29/2006	5691.86	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/28/2006	5691.93	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/27/2006	5692.01	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/26/2006	5692.07	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/25/2006	5692.05	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/24/2006	5692	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/23/2006	5691.84	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/22/2006	5691.79	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/21/2006	5691.87	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/20/2006	5691.87	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/19/2006	5691.9	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/18/2006	5691.92	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/17/2006	5691.97	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/16/2006	5691.95	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/15/2006	5691.91	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/14/2006	5691.91	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/13/2006	5692.06	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/12/2006	5691.99	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/11/2006	5691.98	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/10/2006	5691.94	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/9/2006	5691.86	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/8/2006	5691.83	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/7/2006	5691.86	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/6/2006	5691.94	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/5/2006	5691.91	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/4/2006	5691.88	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/3/2006	5691.91	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/2/2006	5691.99	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	8/1/2006	5692.11	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/31/2006	5692.14	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/30/2006	5692.01	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/29/2006	5691.96	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/28/2006	5691.95	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/27/2006	5692.04	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/26/2006	5692.03	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/25/2006	5692.08	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/24/2006	5692.02	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/23/2006	5691.9	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/22/2006	5691.82	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/21/2006	5691.89	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/20/2006	5691.92	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/19/2006	5691.9	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/18/2006	5691.89	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/17/2006	5691.92	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/16/2006	5691.83	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/15/2006	5691.84	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/14/2006	5691.96	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/13/2006	5691.98	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/12/2006	5691.96	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/11/2006	5692.05	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/10/2006	5692.04	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/9/2006	5691.96	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/8/2006	5691.88	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/7/2006	5691.84	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/6/2006	5691.9	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/5/2006	5691.86	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/4/2006	5691.9	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/3/2006	5691.88	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/2/2006	5691.94	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	7/1/2006	5691.96	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/30/2006	5691.92	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/29/2006	5691.89	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/28/2006	5691.87	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/27/2006	5691.84	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/26/2006	5691.73	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/25/2006	5691.72	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/24/2006	5691.78	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/23/2006	5691.77	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/22/2006	5691.96	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/21/2006	5691.97	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/20/2006	5691.95	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/19/2006	5691.93	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/18/2006	5691.92	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/17/2006	5692.02	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/16/2006	5692.18	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/15/2006	5692.09	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/14/2006	5691.93	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/13/2006	5691.87	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/12/2006	5692.02	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/11/2006	5692.13	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/10/2006	5692.05	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/9/2006	5691.85	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/8/2006	5691.85	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/7/2006	5691.85	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/6/2006	5692.03	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/5/2006	5692.08	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/4/2006	5692.04	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/3/2006	5691.87	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/2/2006	5691.79	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	6/1/2006	5691.78	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/31/2006	5691.93	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/30/2006	5691.96	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/29/2006	5691.99	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/28/2006	5692.19	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/27/2006	5692.26	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/26/2006	5692.19	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/25/2006	5691.98	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/24/2006	5691.91	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/23/2006	5692.06	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/22/2006	5692.04	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/21/2006	5692.02	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/20/2006	5692.01	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/19/2006	5692	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/18/2006	5691.95	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/17/2006	5691.89	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/16/2006	5691.76	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/15/2006	5691.74	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/14/2006	5691.94	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/13/2006	5692.01	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/12/2006	5691.95	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/11/2006	5691.77	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/10/2006	5691.93	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/9/2006	5692.13	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/8/2006	5692.07	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/7/2006	5692.07	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/6/2006	5692.05	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/5/2006	5692.01	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/4/2006	5692.02	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/3/2006	5692.04	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/2/2006	5691.97	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	5/1/2006	5692.04	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/30/2006	5692.03	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/29/2006	5692	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/28/2006	5692.17	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/27/2006	5692	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/26/2006	5691.93	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/25/2006	5691.99	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/24/2006	5692.09	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/23/2006	5692.05	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/22/2006	5691.98	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/21/2006	5691.99	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/20/2006	5692.08	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/19/2006	5691.98	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/18/2006	5692.16	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/17/2006	5692.12	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/16/2006	5692.1	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/15/2006	5692.34	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/14/2006	5692.03	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/13/2006	5691.82	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/12/2006	5691.87	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/11/2006	5692.12	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/10/2006	5692.11	Transducer
R-9	684	Single Completion	1731	65.5	683	748.5	4.5	5	4/9/2006	5691.93	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/29/2007	6247.86	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/28/2007	6247.71	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/27/2007	6247.49	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/26/2007	6247.44	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/25/2007	6247.35	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/24/2007	6247.24	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/23/2007	6247.18	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/22/2007	6247.04	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/21/2007	6246.9	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/20/2007	6246.8	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/19/2007	6246.61	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/18/2007	6246.6	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/17/2007	6246.42	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/16/2007	6246.29	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/15/2007	6246.25	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/14/2007	6246.14	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/13/2007	6245.89	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/12/2007	6245.84	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/9/2007	6245.1	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/8/2007	6244.89	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/7/2007	6244.72	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/6/2007	6244.36	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/5/2007	6243.99	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/4/2007	6243.7	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/3/2007	6243.3	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/2/2007	6242.97	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/1/2007	6242.65	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/31/2007	6242.38	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/30/2007	6242.07	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/29/2007	6241.47	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/28/2007	6240.74	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/27/2007	6240.03	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/26/2007	6239.24	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/25/2007	6238.22	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/24/2007	6237.26	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/23/2007	6236.69	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/22/2007	6236.2	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/21/2007	6235.8	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/20/2007	6235.48	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/19/2007	6234.95	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/18/2007	6234.62	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/17/2007	6234.45	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/16/2007	6234.41	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/15/2007	6234.33	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/14/2007	6234.32	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/13/2007	6234.42	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/12/2007	6234.52	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/11/2007	6234.42	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/10/2007	6234.46	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/9/2007	6234.45	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/8/2007	6234.53	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/7/2007	6234.57	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/6/2007	6234.63	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/5/2007	6234.77	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/4/2007	6234.7	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/3/2007	6234.48	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/2/2007	6234.43	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	3/1/2007	6234.28	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/28/2007	6234.35	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/27/2007	6234.45	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/26/2007	6234.4	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/25/2007	6234.51	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/24/2007	6234.34	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/23/2007	6234.59	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/22/2007	6234.7	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/21/2007	6234.63	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/20/2007	6234.52	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/19/2007	6234.65	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/18/2007	6234.88	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/17/2007	6234.77	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/16/2007	6234.8	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/15/2007	6234.67	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/14/2007	6234.67	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/13/2007	6234.68	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/12/2007	6234.68	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/11/2007	6234.8	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/10/2007	6234.88	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/9/2007	6234.77	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/8/2007	6234.9	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/7/2007	6234.97	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/6/2007	6235.06	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/5/2007	6235.05	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/4/2007	6235.02	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/3/2007	6234.89	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/2/2007	6234.69	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	2/1/2007	6234.66	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/31/2007	6234.85	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/30/2007	6234.95	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/29/2007	6235.01	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/28/2007	6235	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/27/2007	6234.89	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/26/2007	6235.1	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/25/2007	6235.22	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/24/2007	6235.15	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/23/2007	6235.08	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/22/2007	6235	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/21/2007	6234.85	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/20/2007	6235.07	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/19/2007	6235.26	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/18/2007	6235.17	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/17/2007	6235.24	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/16/2007	6235.27	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/15/2007	6235.09	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/14/2007	6234.97	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/13/2007	6235	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/12/2007	6235.02	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/11/2007	6235.1	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/10/2007	6235.34	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/9/2007	6235.42	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/8/2007	6235.39	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/7/2007	6235.24	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/6/2007	6235.12	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/5/2007	6235.07	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/4/2007	6235.2	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/3/2007	6235.3	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/2/2007	6235.34	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	1/1/2007	6235.35	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/31/2006	6235.25	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/30/2006	6235.18	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/29/2006	6235.07	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/28/2006	6235.06	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/27/2006	6235.33	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/26/2006	6235.45	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/25/2006	6235.44	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/24/2006	6235.43	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/23/2006	6235.31	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/22/2006	6235.32	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/21/2006	6235.17	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/20/2006	6235.26	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/19/2006	6235.4	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/18/2006	6235.32	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/17/2006	6235.27	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/16/2006	6235.29	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/15/2006	6235.42	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/14/2006	6235.47	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/13/2006	6235.52	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/12/2006	6235.49	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/11/2006	6235.34	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/10/2006	6235.44	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/9/2006	6235.57	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/8/2006	6235.72	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/7/2006	6235.61	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/6/2006	6235.57	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/5/2006	6235.69	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/4/2006	6235.81	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/3/2006	6235.67	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/2/2006	6235.56	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	12/1/2006	6235.65	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/30/2006	6235.47	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/29/2006	6235.37	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/28/2006	6235.41	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/27/2006	6235.53	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/26/2006	6235.5	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/25/2006	6235.58	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/24/2006	6235.64	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/23/2006	6235.73	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/22/2006	6235.77	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/21/2006	6235.85	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/20/2006	6235.91	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/19/2006	6235.79	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/18/2006	6235.76	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/17/2006	6235.69	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/16/2006	6235.78	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/15/2006	6235.64	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/14/2006	6235.71	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/13/2006	6235.77	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/12/2006	6235.74	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/11/2006	6235.91	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/10/2006	6235.69	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/9/2006	6235.71	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/8/2006	6235.84	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/7/2006	6235.93	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/6/2006	6235.91	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/5/2006	6235.9	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/4/2006	6235.91	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/3/2006	6236	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/2/2006	6235.99	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	11/1/2006	6235.89	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/31/2006	6235.88	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/30/2006	6235.87	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/29/2006	6236.07	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/28/2006	6236.2	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/27/2006	6236.09	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/26/2006	6235.94	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/25/2006	6235.97	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/24/2006	6236.12	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/23/2006	6236.16	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/22/2006	6236.17	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/21/2006	6235.98	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/20/2006	6236.11	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/19/2006	6236.1	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/18/2006	6235.99	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/17/2006	6235.91	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/16/2006	6235.94	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/15/2006	6236.04	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/14/2006	6236.13	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/13/2006	6236.12	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/12/2006	6236.15	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/11/2006	6236.18	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/10/2006	6236.18	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/9/2006	6236.24	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/8/2006	6236.27	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/7/2006	6236.3	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/6/2006	6236.38	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/5/2006	6236.43	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/4/2006	6236.39	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/3/2006	6236.38	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/2/2006	6236.38	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	10/1/2006	6236.37	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/30/2006	6236.39	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/29/2006	6236.46	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/28/2006	6236.48	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/27/2006	6236.53	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/26/2006	6236.57	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/25/2006	6236.6	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/24/2006	6236.54	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/23/2006	6236.43	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/22/2006	6236.3	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/21/2006	6236.36	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/20/2006	6236.55	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/19/2006	6236.6	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/18/2006	6236.56	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/17/2006	6236.53	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/16/2006	6236.49	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/15/2006	6236.5	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/14/2006	6236.61	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/13/2006	6236.73	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/12/2006	6236.75	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/11/2006	6236.72	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/10/2006	6236.7	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/9/2006	6236.72	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/8/2006	6236.78	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/7/2006	6236.87	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/6/2006	6236.97	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/5/2006	6237	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/4/2006	6236.99	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/3/2006	6237.06	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/2/2006	6237.05	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	9/1/2006	6237.05	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/31/2006	6237.04	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/30/2006	6237.08	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/29/2006	6237.11	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/28/2006	6236.97	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/27/2006	6236.66	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/26/2006	6236.48	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/25/2006	6236.5	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/24/2006	6236.58	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/23/2006	6236.68	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/22/2006	6236.65	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/21/2006	6236.54	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/20/2006	6236.53	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/19/2006	6236.5	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/18/2006	6236.51	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/17/2006	6236.5	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/16/2006	6236.48	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/15/2006	6236.5	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/14/2006	6236.52	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/13/2006	6236.44	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/12/2006	6236.34	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/11/2006	6236.07	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/10/2006	6235.88	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/7/2006	6235.67	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/6/2006	6235.62	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/5/2006	6235.67	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/4/2006	6235.69	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/3/2006	6235.67	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/2/2006	6235.62	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	8/1/2006	6235.56	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/31/2006	6235.57	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/30/2006	6235.69	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/29/2006	6235.75	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/28/2006	6235.75	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/27/2006	6235.71	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/26/2006	6235.72	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/25/2006	6235.74	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/24/2006	6235.8	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/23/2006	6235.91	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/22/2006	6235.95	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/21/2006	6235.92	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/20/2006	6235.92	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/19/2006	6235.96	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/18/2006	6235.95	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/17/2006	6235.98	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/16/2006	6236.04	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/15/2006	6236.06	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/14/2006	6235.99	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/13/2006	6235.98	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/12/2006	6236.01	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/11/2006	6235.97	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/10/2006	6236	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/9/2006	6236.09	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/8/2006	6236.15	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/7/2006	6236.18	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/6/2006	6236.15	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/5/2006	6236.16	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/4/2006	6236.18	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/3/2006	6236.2	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/2/2006	6236.16	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	7/1/2006	6236.17	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/30/2006	6236.23	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/29/2006	6236.27	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/28/2006	6236.28	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/27/2006	6236.33	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/26/2006	6236.4	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/25/2006	6236.39	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/24/2006	6236.38	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/23/2006	6236.36	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/22/2006	6236.29	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/21/2006	6236.32	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/20/2006	6236.36	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	6/1/2006	6236.79	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/31/2006	6236.71	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/30/2006	6236.71	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/29/2006	6236.65	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/28/2006	6236.57	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/27/2006	6236.6	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/26/2006	6236.68	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/25/2006	6236.83	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/24/2006	6236.85	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/23/2006	6236.76	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/22/2006	6236.82	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/21/2006	6236.85	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/20/2006	6236.89	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/19/2006	6236.92	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/18/2006	6236.97	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/17/2006	6237.05	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/16/2006	6237.13	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/15/2006	6237.1	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/14/2006	6237.01	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/13/2006	6236.99	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/12/2006	6237.08	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/11/2006	6237.12	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/10/2006	6237.03	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/9/2006	6236.97	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/8/2006	6237.02	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/7/2006	6237.05	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/6/2006	6237.07	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/5/2006	6237.11	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/4/2006	6237.12	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/3/2006	6237.15	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/2/2006	6237.2	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	5/1/2006	6237.17	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/30/2006	6237.2	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/29/2006	6237.21	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/28/2006	6237.16	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/27/2006	6237.27	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/26/2006	6237.32	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/25/2006	6237.29	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/24/2006	6237.26	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/23/2006	6237.32	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/22/2006	6237.39	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/21/2006	6237.37	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/20/2006	6237.35	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/19/2006	6237.42	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/18/2006	6237.34	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/17/2006	6237.39	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/16/2006	6237.4	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/15/2006	6237.39	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/14/2006	6237.56	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/13/2006	6237.67	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/12/2006	6237.59	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/11/2006	6237.49	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/10/2006	6237.55	Transducer
R-9i	198.8	MP1A	552	10.4	189.1	199.5	5	5.563	4/9/2006	6237.66	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/29/2007	6128.3	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/28/2007	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/27/2007	6128.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/26/2007	6128.18	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/25/2007	6128.16	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/24/2007	6128.15	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/23/2007	6128.13	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/22/2007	6128.13	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/21/2007	6128.13	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/20/2007	6128.13	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/19/2007	6128.11	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/18/2007	6128.1	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/17/2007	6128.06	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/16/2007	6128.03	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/15/2007	6128	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/14/2007	6127.97	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/13/2007	6127.96	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/12/2007	6127.98	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/9/2007	6128.02	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/8/2007	6128.02	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/7/2007	6128.01	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/6/2007	6128	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/5/2007	6128	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/4/2007	6128	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/3/2007	6127.98	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/2/2007	6127.97	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/1/2007	6127.95	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/31/2007	6127.96	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/30/2007	6127.95	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/29/2007	6127.95	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/28/2007	6127.95	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/27/2007	6127.95	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/26/2007	6127.96	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/25/2007	6127.98	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/24/2007	6127.97	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/23/2007	6128	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/22/2007	6128.01	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/21/2007	6128.01	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/20/2007	6128.03	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/19/2007	6128.03	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/18/2007	6128.02	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/17/2007	6128.04	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/16/2007	6128.05	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/15/2007	6128.06	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/14/2007	6128.07	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/13/2007	6128.09	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/12/2007	6128.11	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/11/2007	6128.12	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/10/2007	6128.13	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/9/2007	6128.13	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/8/2007	6128.15	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/7/2007	6128.15	Transducer



Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/6/2007	6128.14	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/5/2007	6128.12	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/4/2007	6128.1	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/3/2007	6128.07	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/2/2007	6128.06	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	3/1/2007	6128.05	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/28/2007	6128.04	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/27/2007	6128.06	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/26/2007	6128.06	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/25/2007	6128.06	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/24/2007	6128.07	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/23/2007	6128.07	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/22/2007	6128.08	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/21/2007	6128.09	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/20/2007	6128.1	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/19/2007	6128.1	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/18/2007	6128.09	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/17/2007	6128.08	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/16/2007	6128.07	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/15/2007	6128.08	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/14/2007	6128.09	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/13/2007	6128.11	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/12/2007	6128.13	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/11/2007	6128.14	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/10/2007	6128.15	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/9/2007	6128.15	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/8/2007	6128.16	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/7/2007	6128.15	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/6/2007	6128.14	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/5/2007	6128.12	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/4/2007	6128.11	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/3/2007	6128.11	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/2/2007	6128.11	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	2/1/2007	6128.12	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/31/2007	6128.13	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/30/2007	6128.13	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/29/2007	6128.15	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/28/2007	6128.17	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/27/2007	6128.15	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/26/2007	6128.15	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/25/2007	6128.15	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/24/2007	6128.14	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/23/2007	6128.16	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/22/2007	6128.17	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/21/2007	6128.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/20/2007	6128.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/19/2007	6128.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/18/2007	6128.18	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/17/2007	6128.16	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/16/2007	6128.16	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/15/2007	6128.16	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/14/2007	6128.18	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/13/2007	6128.2	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/12/2007	6128.21	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/11/2007	6128.22	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/10/2007	6128.22	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/9/2007	6128.22	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/8/2007	6128.2	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/7/2007	6128.2	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/6/2007	6128.22	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/5/2007	6128.22	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/4/2007	6128.22	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/3/2007	6128.21	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/2/2007	6128.2	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	1/1/2007	6128.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/31/2006	6128.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/30/2006	6128.2	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/29/2006	6128.21	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/28/2006	6128.22	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/27/2006	6128.22	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/26/2006	6128.21	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/25/2006	6128.2	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/24/2006	6128.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/23/2006	6128.18	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/22/2006	6128.18	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/21/2006	6128.17	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/20/2006	6128.17	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/19/2006	6128.16	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/18/2006	6128.18	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/17/2006	6128.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/16/2006	6128.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/15/2006	6128.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/14/2006	6128.19	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/13/2006	6128.2	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/12/2006	6128.22	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/11/2006	6128.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/10/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/9/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/8/2006	6128.28	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/7/2006	6128.29	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/6/2006	6128.3	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/5/2006	6128.3	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/4/2006	6128.29	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/3/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/2/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	12/1/2006	6128.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/30/2006	6128.25	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/29/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/28/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/27/2006	6128.28	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/26/2006	6128.31	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/25/2006	6128.33	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/24/2006	6128.33	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/23/2006	6128.35	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/22/2006	6128.35	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/21/2006	6128.34	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/20/2006	6128.35	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/19/2006	6128.34	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/18/2006	6128.33	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/17/2006	6128.33	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/16/2006	6128.32	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/15/2006	6128.33	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/14/2006	6128.33	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/13/2006	6128.33	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/12/2006	6128.35	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/11/2006	6128.34	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/10/2006	6128.35	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/9/2006	6128.36	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/8/2006	6128.36	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/7/2006	6128.35	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/6/2006	6128.36	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/5/2006	6128.38	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/4/2006	6128.38	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/3/2006	6128.38	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/2/2006	6128.39	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	11/1/2006	6128.4	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/31/2006	6128.41	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/30/2006	6128.41	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/29/2006	6128.42	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/28/2006	6128.42	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/27/2006	6128.42	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/26/2006	6128.42	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/25/2006	6128.42	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/24/2006	6128.4	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/23/2006	6128.39	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/22/2006	6128.4	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/21/2006	6128.37	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/20/2006	6128.35	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/19/2006	6128.33	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/18/2006	6128.33	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/17/2006	6128.32	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/16/2006	6128.31	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/15/2006	6128.32	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/14/2006	6128.33	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/13/2006	6128.33	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/12/2006	6128.33	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/11/2006	6128.33	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/10/2006	6128.34	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/9/2006	6128.35	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/8/2006	6128.38	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/7/2006	6128.38	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/6/2006	6128.38	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/5/2006	6128.38	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/4/2006	6128.38	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/3/2006	6128.38	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/2/2006	6128.4	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	10/1/2006	6128.4	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/30/2006	6128.41	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/29/2006	6128.4	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/28/2006	6128.4	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/27/2006	6128.38	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/26/2006	6128.36	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/25/2006	6128.34	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/24/2006	6128.31	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/23/2006	6128.3	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/22/2006	6128.3	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/21/2006	6128.3	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/20/2006	6128.31	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/19/2006	6128.3	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/18/2006	6128.3	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/17/2006	6128.29	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/16/2006	6128.31	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/15/2006	6128.3	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/14/2006	6128.3	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/13/2006	6128.29	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/12/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/11/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/10/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/9/2006	6128.29	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/8/2006	6128.29	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/7/2006	6128.3	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/6/2006	6128.29	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/5/2006	6128.29	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/4/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/3/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/2/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	9/1/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/31/2006	6128.25	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/30/2006	6128.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/29/2006	6128.23	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/28/2006	6128.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/27/2006	6128.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/26/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/25/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/24/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/23/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/22/2006	6128.28	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/21/2006	6128.29	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/20/2006	6128.29	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/19/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/18/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/17/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/16/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/15/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/14/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/13/2006	6128.29	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/12/2006	6128.29	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/11/2006	6128.28	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/10/2006	6128.14	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/7/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/6/2006	6128.28	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/5/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/4/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/3/2006	6128.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/2/2006	6128.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	8/1/2006	6128.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/31/2006	6128.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/30/2006	6128.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/29/2006	6128.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/28/2006	6128.22	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/27/2006	6128.23	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/26/2006	6128.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/25/2006	6128.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/24/2006	6128.25	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/23/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/22/2006	6128.24	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/21/2006	6128.25	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/20/2006	6128.25	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/19/2006	6128.25	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/18/2006	6128.25	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/17/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/16/2006	6128.25	Transducer

Los Alamos Watershed Water Levels April 9, 2006 to April 29, 2007

Location	Port Depth (ft)	Port Common Name	Port ID	Screened Interval	Top Depth (ft)	Bottom Depth (ft)	Inner Diam (in)	Outer Diam (in)	Date	Water Level (ft)	Method
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/15/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/14/2006	6128.26	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/13/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/12/2006	6128.27	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/11/2006	6128.29	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/10/2006	6128.29	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/9/2006	6128.3	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/8/2006	6128.29	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/7/2006	6128.3	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/6/2006	6128.31	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/5/2006	6128.31	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/4/2006	6128.32	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/3/2006	6128.31	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/2/2006	6128.31	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	7/1/2006	6128.34	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/30/2006	6128.36	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/29/2006	6128.37	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/28/2006	6128.38	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/27/2006	6128.38	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/26/2006	6128.36	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/25/2006	6128.35	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/24/2006	6128.35	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/23/2006	6128.34	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/22/2006	6128.35	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/21/2006	6128.35	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	6/20/2006	6128.33	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/7/2006	6128.52	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/5/2006	6128.54	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/4/2006	6128.52	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/3/2006	6128.5	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/2/2006	6128.53	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	5/1/2006	6128.53	Transducer
R-9i	278.8	MP2A	602	10.7	269.6	280.3	5	5.563	4/10/2006	6128.45	Transducer

# **Appendix D**

---

*Analytical Results*



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		211			0.725	mg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		209			0.725	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		31.8			0.725	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		132			1.45	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		132			1.45	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		181			1.45	mg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	11/15/02	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		198			1.45	mg/L			70712	GF02110G1PA01	GELC
APCO-1	5211	4.7	11/15/02	WG	F	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		199			1.45	mg/L			70712	GF02110G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		146			0.725	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	EPA:350.1	Ammonia as Nitrogen		10.7			0.3	mg/L		J	185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		10.8			0.3	mg/L		J	185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		4.57			0.05	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		4.4			0.05	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	EPA:300.0	Bromide		0.135			0.066	mg/L	J		185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.177			0.066	mg/L	J		185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.081			0.066	mg/L	J		168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.041			0.041	mg/L	U		136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	11/07/01	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.252			0.02	mg/L		NQ	176S	CAPU-01-0207	GELC
APCO-1	5211	4.7	06/27/01	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.02				mg/L	U	U	9181R	CAPU-01-0083	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide		0.077			0.066	mg/L	J		168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium		41.9			0.036	mg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		39.5			0.036	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		21.2			0.036	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	SW-846:6010B	Calcium		28.6			0.036	mg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Geninorg	SW-846:6010B	Calcium		30.7			0.00554	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Geninorg	SW-846:6010B	Calcium		30.9			0.00554	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Geninorg	SW-846:6010B	Calcium		22.4			0.00554	mg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium		40.9			0.036	mg/L			185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		42.6			0.036	mg/L			185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		22.7			0.036	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		29.2			0.036	mg/L			136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		30.4			0.00554	mg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Geninorg	SW-846:6010B	Calcium		31			0.00554	mg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride		44.5			0.33	mg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		44.7			0.33	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		34.7			0.33	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		49.5			0.265	mg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Geninorg	EPA:300.0	Chloride		45.7			0.322	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Geninorg	EPA:300.0	Chloride		45.9			0.322	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Geninorg	EPA:300.0	Chloride		48.2			0.161	mg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	DUP		Geninorg	EPA:300.0	Chloride		48			0.161	mg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		35.3			0.33	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015			0.0015	mg/L	U	UJ	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	SW-846:9012A	Cyanide (Total)		0.00368			0.0025	mg/L	J		136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Geninorg	SW-846:9012A	Cyanide (Total)		0.00239			0.00172	mg/L	J	J+	123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Geninorg	SW-846:9012A	Cyanide (Total)		0.003			0.00172	mg/L	J		123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Geninorg	EPA:335.3	Cyanide (Total)		0.00195			0.0015	mg/L	J	JN-	185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Geninorg	EPA:335.3	Cyanide (Total)		0.00372			0.0015	mg/L	J	JN-	185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:335.3	Cyanide (Total)		0.00193			0.0015	mg/L	J	JN-	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Geninorg	SW-846:9012A	Cyanide (Total)	<	0.00495			0.00172	mg/L	J	U	85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride		0.4			0.033	mg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.416			0.033	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.616			0.033	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.583			0.03	mg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.462			0.0553	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Geninorg	EPA:300.0	Fluoride		0.464			0.0553	mg/L	J		123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.319			0.0553	mg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	DUP		Geninorg	EPA:300.0	Fluoride		0.317			0.0553	mg/L			85799	GF03080G1PA01	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.605			0.033	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness		142			0.44	mg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		134			0.44	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		72			0.085	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	SM:A2340B	Hardness		95.3			0.085	mg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Geninorg	EPA:200.7	Hardness		102			0.00554	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Geninorg	EPA:200.7	Hardness		73.9			0.00554	mg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness		138			0.44	mg/L			185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		144			0.44	mg/L			185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		80.8			0.085	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Geninorg	SM:A2340B	Hardness		97.1			0.085	mg/L			136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Geninorg	EPA:200.7	Hardness		102			0.00554	mg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium		9			0.085	mg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		8.53			0.085	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.62			0.085	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		5.77			0.085	mg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		6.25			0.00518	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Geninorg	SW-846:6010B	Magnesium		6.3			0.00518	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.37			0.00518	mg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium		8.72			0.085	mg/L			185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		9.07			0.085	mg/L			185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		5.83			0.085	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		5.86			0.085	mg/L			136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		6.27			0.00518	mg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Geninorg	SW-846:6010B	Magnesium		6.4			0.00518	mg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.68			0.01	mg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.674			0.01	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.01			0.014	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.61			0.003	mg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		11.6			0.03	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Geninorg	EPA:353.1	Nitrate-Nitrite as N		11.7			0.03	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.18			0.01	mg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.24			0.014	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	EPA:314.0	Perchlorate		8.31			4	µg/L	J		185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:314.0	Perchlorate		4.42			4	µg/L	J		185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.135			0.05	µg/L	J		168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.0661			0.05	µg/L	J		136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.0969			0.05	µg/L	J		123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	0.989			0.989	µg/L	U		85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium		16.4			0.05	mg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		15.6			0.05	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		14.2			0.05	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	SW-846:6010B	Potassium		14.7			0.05	mg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Geninorg	SW-846:6010B	Potassium		13.6			0.0165	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Geninorg	SW-846:6010B	Potassium		13.8			0.0165	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Geninorg	SW-846:6010B	Potassium		12.3			0.0165	mg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium		15.9			0.05	mg/L			185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		16.5			0.05	mg/L			185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		15.8			0.05	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		15.2			0.05	mg/L			136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		13.9			0.0165	mg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Geninorg	SW-846:6010B	Potassium		14.2			0.0165	mg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Silicon Dioxide		66.5			0.032	mg/L		J	185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		63.4			0.032	mg/L		J	185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		70.4			0.032	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		65.6			0.032	mg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		74.4			0.0212	mg/L			85799	GF03080G1PA01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
APCO-1	5211	4.7	11/15/02	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		63.6			0.0212	mg/L			70712	GF02110G1PA01	GELC
APCO-1	5211	4.7	11/15/02	WG	F	DUP		Geninorg	SW-846:6010B	Silicon Dioxide		62.2			0.0212	mg/L			70712	GF02110G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		106			0.032	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		75.5			0.0212	mg/L			85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	11/15/02	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		62.9			0.0212	mg/L			70712	GU02110G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium		67			0.045	mg/L	E		185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		63.4			0.045	mg/L	E		185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		51.4			0.045	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	SW-846:6010B	Sodium		74.7			0.045	mg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Geninorg	SW-846:6010B	Sodium		72.5			0.0144	mg/L	E		123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Geninorg	SW-846:6010B	Sodium		72.8			0.0144	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Geninorg	SW-846:6010B	Sodium		78.6			0.0144	mg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium		63.4			0.045	mg/L	E	J	185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		67.1			0.045	mg/L	E	J	185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		53.1			0.045	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		77.4			0.045	mg/L			136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		72.2			0.0144	mg/L	E		123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Geninorg	SW-846:6010B	Sodium		73.7			0.0144	mg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance		727			1	µS/cm			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		738			1	µS/cm			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		467			1	µS/cm			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		636			1	µS/cm			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		546			1	µS/cm			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Geninorg	SW-846:9050A	Specific Conductance		547			1	µS/cm			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		547			1	µS/cm			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		460			1	µS/cm			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate		52.7			0.5	mg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		48.9			0.5	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		12.7			0.1	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		1.73			0.057	mg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Geninorg	EPA:300.0	Sulfate		17.1			0.193	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Geninorg	EPA:300.0	Sulfate		17.2			0.193	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Geninorg	EPA:300.0	Sulfate		27			0.193	mg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	DUP		Geninorg	EPA:300.0	Sulfate		26.9			0.193	mg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		13.5			0.1	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids		404			2.38	mg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		378			2.38	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		331			2.38	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		419			2.38	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		390			2.38	mg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		394			3.07	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		391			3.07	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		369			3.07	mg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		384			3.07	mg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		10.3			0.145	mg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		10			0.145	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		6.61			0.1	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		15.4			0.1	mg/L		J	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		11.1			0.145	mg/L			185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		11			0.145	mg/L			185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		5.92			0.1	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		10.1			0.074	mg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon		5.78			0.33	mg/L			185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		5.72			0.33	mg/L			185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		17			1.65	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	11/07/01	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		6.99			0.041	mg/L		NQ	175S	CAPU-01-0208	GEL
APCO-1	5211	4.7	06/27/01	WG	UF	CS		Geninorg	EPA:415.1	Total Organic Carbon		5.8				mg/L		NQ	9179R	CAPU-01-0084	PARA
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	EPA:365.4	Total Phosphate as Phosphorus		1.77			0.024	mg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		1.77			0.024	mg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		5.63			0.1	mg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		6.93			0.25	mg/L		J	136321	GF05050G1PA01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
APCO-1	5211	4.7	10/06/04	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		3.89			0.033	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		3.68			0.033	mg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		3.22			0.0162	mg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		5.96			0.1	mg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Geninorg	EPA:150.1	pH		6.38			0.01	SU	H	J	185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.42			0.01	SU	H	J	185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.08			0.01	SU	H	J	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Geninorg	EPA:150.1	pH		6.68			0.01	SU	H	J	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Geninorg	EPA:150.1	pH		6.52				SU	H	J	123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Geninorg	EPA:150.1	pH		6.51				SU	H		123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Geninorg	EPA:150.1	pH		6.41			0.01	SU	H	J	85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Geninorg	EPA:150.1	pH		6.84			0.01	SU	H	J	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Metals	SW-846:6010B	Aluminum		1770			68	µg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Metals	SW-846:6010B	Aluminum	<	68			68	µg/L	U		136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Metals	SW-846:6010B	Aluminum		547			14.7	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Metals	SW-846:6010B	Aluminum		569			14.7	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Metals	SW-846:6010B	Aluminum	<	49.3			14.7	µg/L	B	U	85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Aluminum		101			68	µg/L	J		185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Aluminum		10400			68	µg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Metals	SW-846:6010B	Aluminum		203			68	µg/L			136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Metals	SW-846:6010B	Aluminum		1260			14.7	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Metals	SW-846:6010B	Aluminum		1300			14.7	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Metals	SW-846:6010B	Aluminum	<	121			14.7	µg/L		U	85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Metals	SW-846:6020	Arsenic		4.4			1.5	µg/L	J		185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Metals	SW-846:6020	Arsenic		5.1			1.5	µg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Metals	SW-846:6010B	Arsenic		9			6	µg/L	J		168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Metals	SW-846:6010B	Arsenic		8.4			2.24	µg/L		JN-	123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Metals	SW-846:6010B	Arsenic		7.01			2.24	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U	UJ	85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Metals	SW-846:6020	Arsenic		4.6			1.5	µg/L	J		185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Metals	SW-846:6020	Arsenic		4.4			1.5	µg/L	J		185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic		6.7			6	µg/L	J		168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Metals	SW-846:6010B	Arsenic		3.6			2.24	µg/L	J	JN-	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Metals	SW-846:6010B	Arsenic		5.87			2.24	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Metals	SW-846:6010B	Arsenic		3.39			2.24	µg/L	B	JN-	85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Metals	SW-846:6010B	Barium		35.7			1	µg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Metals	SW-846:6010B	Barium		33.6			1	µg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Metals	SW-846:6010B	Barium		19.9			1	µg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Metals	SW-846:6010B	Barium		20.2			1	µg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Metals	SW-846:6010B	Barium		25.3			0.222	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Metals	SW-846:6010B	Barium		25.6			0.222	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Metals	SW-846:6010B	Barium		22			0.222	µg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Metals	SW-846:6010B	Barium		41.1			1	µg/L			185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Barium		46			1	µg/L			185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Barium		54.5			1	µg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Metals	SW-846:6010B	Barium		52.3			1	µg/L			136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Metals	SW-846:6010B	Barium		30			0.222	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Metals	SW-846:6010B	Barium		30.9			0.222	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Metals	SW-846:6010B	Barium		25.7			0.222	µg/L			85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Metals	SW-846:6010B	Boron		350			10	µg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Metals	SW-846:6010B	Boron		331			10	µg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Metals	SW-846:6010B	Boron		289			10	µg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Metals	SW-846:6010B	Boron		277			10	µg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Metals	SW-846:6010B	Boron		259			4.88	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Metals	SW-846:6010B	Boron		263			4.88	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Metals	SW-846:6010B	Boron		419			4.88	µg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Metals	SW-846:6010B	Boron		352			10	µg/L			185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Boron		355			10	µg/L			185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Boron		302			10	µg/L			168963	GU060700G1PA01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Metals	SW-846:6010B	Boron		270			10	µg/L			136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Metals	SW-846:6010B	Boron		256			4.88	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Metals	SW-846:6010B	Boron		262			4.88	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Metals	SW-846:6010B	Boron		431			4.88	µg/L			85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Metals	SW-846:6020	Cadmium		0.12			0.1	µg/L	J		168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Metals	SW-846:6020	Cadmium		0.12			0.1	µg/L	J		136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Metals	SW-846:6020	Cadmium		0.2			0.04	µg/L	JN	J+	123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Metals	SW-846:6020	Cadmium		0.121			0.04	µg/L	J		123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Metals	SW-846:6020	Cadmium	<	0.04			0.04	µg/L	U		85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Metals	SW-846:6020	Cadmium		0.11			0.1	µg/L	JN	J+	185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Metals	SW-846:6020	Cadmium		0.2			0.1	µg/L	J		168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Metals	SW-846:6020	Cadmium		0.14			0.1	µg/L	J		136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Metals	SW-846:6020	Cadmium		0.12			0.04	µg/L	JN		123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Metals	SW-846:6020	Cadmium		0.104			0.04	µg/L	J		123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Metals	SW-846:6020	Cadmium	<	0.04			0.04	µg/L	U		85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	DUP		Metals	SW-846:6020	Cadmium		0.05			0.04	µg/L	B		85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Metals	SW-846:6020	Chromium		1.4			1	µg/L	J		185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Metals	SW-846:6020	Chromium		1.2			1	µg/L	J		185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Metals	SW-846:6020	Chromium	<	3.4			1	µg/L		U	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Metals	SW-846:6010B	Chromium		1.3			1	µg/L	J	JN-	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Metals	SW-846:6010B	Chromium	<	0.503			0.503	µg/L	U	UJ	123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Metals	SW-846:6010B	Chromium	<	0.503			0.503	µg/L	U		123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Metals	SW-846:6010B	Chromium		0.733			0.503	µg/L	B	JN-	85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Metals	SW-846:6020	Chromium		1.6			1	µg/L	J		185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Metals	SW-846:6020	Chromium		1.7			1	µg/L	J		185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Metals	SW-846:6020	Chromium	<	7.7			1	µg/L		U	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Metals	SW-846:6010B	Chromium		1.5			1	µg/L	J	JN-	136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Metals	SW-846:6010B	Chromium	<	0.503			0.503	µg/L	U	UJ	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Metals	SW-846:6010B	Chromium	<	0.503			0.503	µg/L	U		123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Metals	SW-846:6010B	Chromium		0.735			0.503	µg/L	B	JN-	85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Metals	SW-846:6010B	Copper	<	7.9			3	µg/L	J	U	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U		136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Metals	SW-846:6010B	Copper		6.8			1.39	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Metals	SW-846:6010B	Copper		6.29			1.39	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Metals	SW-846:6010B	Copper		8.49			1.39	µg/L		J	85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Metals	SW-846:6010B	Copper		3.8			3	µg/L	J		185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Copper		5.7			3	µg/L	J		185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Copper	<	13.3			3	µg/L		U	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Metals	SW-846:6010B	Copper		3.7			3	µg/L	J		136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Metals	SW-846:6010B	Copper		7			1.39	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Metals	SW-846:6010B	Copper		6.55			1.39	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Metals	SW-846:6010B	Copper		9.03			1.39	µg/L		J	85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Metals	SW-846:6010B	Iron		1400			18	µg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Metals	SW-846:6010B	Iron		1180			18	µg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Metals	SW-846:6010B	Iron		1620			18	µg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Metals	SW-846:6010B	Iron		1230			18	µg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Metals	SW-846:6010B	Iron		489			12.6	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Metals	SW-846:6010B	Iron		492			12.6	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Metals	SW-846:6010B	Iron		1040			12.6	µg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Metals	SW-846:6010B	Iron		1640			18	µg/L			185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Iron		2110			18	µg/L			185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Iron		6880			18	µg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Metals	SW-846:6010B	Iron		3050			18	µg/L			136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Metals	SW-846:6010B	Iron		958			12.6	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Metals	SW-846:6010B	Iron		974			12.6	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Metals	SW-846:6010B	Iron		1450			12.6	µg/L			85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Metals	SW-846:6010B	Manganese		5660			2	µg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Metals	SW-846:6010B	Manganese		5310			2	µg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Metals	SW-846:6010B	Manganese		1810			2	µg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Metals	SW-846:6020	Manganese		3670			1	µg/L	E	J	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Metals	SW-846:6010B	Manganese		1560			0.296	µg/L			123208	GF04090G1PA01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Metals	SW-846:6010B	Manganese		1560			0.296	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Metals	SW-846:6010B	Manganese		1120			0.296	µg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Metals	SW-846:6010B	Manganese		5640			2	µg/L			185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Manganese		5840			2	µg/L			185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		1990			2	µg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Metals	SW-846:6020	Manganese		3810			1	µg/L	E	J	136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Metals	SW-846:6010B	Manganese		1480			0.296	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Metals	SW-846:6010B	Manganese		1510			0.296	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Metals	SW-846:6010B	Manganese		1410			0.296	µg/L			85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Metals	SW-846:6010B	Molybdenum		3.5			2	µg/L	J		168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Metals	SW-846:6020	Molybdenum		1.6			0.1	µg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Metals	SW-846:6010B	Molybdenum	<	4.7			1.43	µg/L	J	U	123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Metals	SW-846:6010B	Molybdenum		3.17			1.43	µg/L	J		123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Metals	SW-846:6010B	Molybdenum		2.93			1.43	µg/L	B		85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Metals	SW-846:6010B	Molybdenum		2.5			2	µg/L	J		185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		2.3			2	µg/L	J		185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		3.8			2	µg/L	J		168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Metals	SW-846:6020	Molybdenum		1.7			0.1	µg/L			136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Metals	SW-846:6010B	Molybdenum	<	2.8			1.43	µg/L	J	U	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Metals	SW-846:6010B	Molybdenum		3.24			1.43	µg/L	J		123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		1.99			1.43	µg/L	B		85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Metals	SW-846:6020	Nickel		5.8			0.5	µg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Metals	SW-846:6020	Nickel		5.5			0.5	µg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Metals	SW-846:6020	Nickel		8.3			0.5	µg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Metals	SW-846:6010B	Nickel	<	8.3			1	µg/L		U	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Metals	SW-846:6010B	Nickel		5.7			0.69	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Metals	SW-846:6010B	Nickel		6.84			0.69	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Metals	SW-846:6010B	Nickel		5.17			0.69	µg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Metals	SW-846:6020	Nickel		5.4			0.5	µg/L			185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Metals	SW-846:6020	Nickel		5.7			0.5	µg/L			185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Metals	SW-846:6020	Nickel		9.7			0.5	µg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Metals	SW-846:6010B	Nickel	<	6.7			1	µg/L		U	136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Metals	SW-846:6010B	Nickel		6.3			0.69	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Metals	SW-846:6010B	Nickel		6.45			0.69	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Metals	SW-846:6010B	Nickel		7.4			0.69	µg/L			85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Metals	SW-846:6010B	Strontium		187			1	µg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Metals	SW-846:6010B	Strontium		177			1	µg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Metals	SW-846:6010B	Strontium		88.6			1	µg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Metals	SW-846:6010B	Strontium		120			1	µg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Metals	SW-846:6010B	Strontium		137			0.178	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Metals	SW-846:6010B	Strontium		138			0.178	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Metals	SW-846:6010B	Strontium		101			0.178	µg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium		183			1	µg/L			185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		191			1	µg/L			185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		97.8			1	µg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		129			1	µg/L			136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Metals	SW-846:6010B	Strontium		136			0.178	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Metals	SW-846:6010B	Strontium		139			0.178	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Metals	SW-846:6010B	Strontium		106			0.178	µg/L			85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Metals	SW-846:6020	Uranium		0.43			0.05	µg/L			185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Metals	SW-846:6020	Uranium		0.43			0.05	µg/L			185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.32			0.05	µg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Metals	SW-846:6020	Uranium	<	0.31			0.02	µg/L		U	123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Metals	SW-846:6020	Uranium		0.257			0.02	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Metals	SW-846:6020	Uranium		0.109			0.02	µg/L	B		85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	11/15/02	WG	F	CS		Metals	SW-846:6010B	Uranium	<	15.6			15.6	µg/L	U	R	70712	GF02110G1PA01	GELC
APCO-1	5211	4.7	11/15/02	WG	F	DUP		Metals	SW-846:6010B	Uranium	<	15.6			15.6	µg/L	U		70712	GF02110G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Metals	SW-846:6020	Uranium		0.44			0.05	µg/L			185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Metals	SW-846:6020	Uranium		0.48			0.05	µg/L			185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.69			0.05	µg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Metals	SW-846:6020	Uranium	<	0.31			0.02	µg/L		U	123208	GU04090G1PA01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Metals	SW-846:6020	Uranium		0.269			0.02	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Metals	SW-846:6020	Uranium		0.12			0.02	µg/L	B		85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	DUP		Metals	SW-846:6020	Uranium		0.117			0.02	µg/L	B		85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	11/15/02	WG	UF	CS		Metals	SW-846:6010B	Uranium	<	15.6			15.6	µg/L	U	R	70712	GU02110G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium		4.3			1	µg/L	J		185012	GF070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		4.8			1	µg/L	J		185012	GF070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		9.9			1	µg/L			168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Metals	SW-846:6010B	Vanadium		3.8			1	µg/L	J	JN-	136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Metals	SW-846:6010B	Vanadium	<	7.4			0.606	µg/L		U	123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Metals	SW-846:6010B	Vanadium		7.63			0.606	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Metals	SW-846:6010B	Vanadium		10.2			0.606	µg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		18.2			1	µg/L			168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium		4.1			1	µg/L	J	JN-	136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Metals	SW-846:6010B	Vanadium	<	8.7			0.606	µg/L		U	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Metals	SW-846:6010B	Vanadium		8.3			0.606	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Metals	SW-846:6010B	Vanadium		9.79			0.606	µg/L			85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	13.7			2	µg/L		U	168963	GF060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	F	CS		Metals	SW-846:6010B	Zinc		15.5			2	µg/L			136321	GF05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	CS		Metals	SW-846:6010B	Zinc	<	9.2			0.883	µg/L		U	123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	F	DUP		Metals	SW-846:6010B	Zinc		9.03			0.883	µg/L			123208	GF04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	F	CS		Metals	SW-846:6010B	Zinc		8.37			0.883	µg/L			85799	GF03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Metals	SW-846:6010B	Zinc		7.1			2	µg/L	J		185012	GU070400G1PA20	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		7.9			2	µg/L	J		185012	GU070400G1PA01	GELC
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Zinc		37.1			2	µg/L		J+	168963	GU060700G1PA01	GELC
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Metals	SW-846:6010B	Zinc		25.6			2	µg/L			136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	12.2			0.883	µg/L		U	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	DUP		Metals	SW-846:6010B	Zinc		12.4			0.883	µg/L			123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Metals	SW-846:6010B	Zinc		12.3			0.883	µg/L			85799	GU03080G1PA01	GELC
APCO-1	5211	4.7	04/25/07	WG	UF	CS	FD	Rad	LLEE	Tritium		4.66178	0.09579	0.28737		pCi/L			2336	UU070400G1PA20	UMTL
APCO-1	5211	4.7	04/25/07	WG	UF	CS		Rad	LLEE	Tritium		4.7895	0.09579	0.28737		pCi/L			2336	UU070400G1PA01	UMTL
APCO-1	5211	4.7	08/08/06	WG	UF	CS		Rad	LLEE	Tritium		92.2777	1.064333333	0.28737		pCi/L			WG-04379-UM	UU060700G1PA01	UMTL
APCO-1	5211	4.7	05/09/05	WG	UF	CS		Rad	EPA:906.0	Tritium		56.9	23.86666667	239		pCi/L	U	U	136321	GU05050G1PA01	GELC
APCO-1	5211	4.7	10/06/04	WG	UF	CS		Rad	EPA:906.0	Tritium		35.7	19.73333333	192		pCi/L	U	U	123208	GU04090G1PA01	GELC
APCO-1	5211	4.7	08/08/03	WG	UF	CS		Rad	EPA:906.0	Tritium		9.9	18.5	182		pCi/L	U	U	85799	GU03080G1PA01	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		36.2			0.725	mg/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		68.7			0.725	mg/L			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		69.2			0.725	mg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		0.063			0.03	mg/L		J	184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.104			0.01	mg/L		U, J-	168162	GF060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.084			0.01	mg/L		J-, U	168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	SW-846:6010B	Calcium		54.6			0.036	mg/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	SW-846:6010B	Calcium		11.1			0.036	mg/L			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Geninorg	SW-846:6010B	Calcium		53.4			0.036	mg/L			184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	SW-846:6010B	Calcium		11.5			0.036	mg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	EPA:300.0	Chloride		282			3.3	mg/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	EPA:300.0	Chloride		72.9			0.66	mg/L			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	EPA:300.0	Chloride		72.6			0.66	mg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.185			0.033	mg/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.31			0.033	mg/L			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	EPA:300.0	Fluoride		0.313			0.033	mg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	SM:A2340B	Hardness		158			0.44	mg/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	SM:A2340B	Hardness		32.4			0.085	mg/L			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Geninorg	SM:A2340B	Hardness		155			0.44	mg/L			184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	SM:A2340B	Hardness		34.2			0.085	mg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	SW-846:6010B	Magnesium		5.24			0.085	mg/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	SW-846:6010B	Magnesium		1.13			0.085	mg/L			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Geninorg	SW-846:6010B	Magnesium		5.24			0.085	mg/L			184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	SW-846:6010B	Magnesium		1.3			0.085	mg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.543			0.01	mg/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.656			0.014	mg/L			168162	GF060700P05601	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.65			0.014	mg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	SW-846:6850	Perchlorate		0.572			0.05	ug/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	SW846 6850	Perchlorate		0.344			0.05	ug/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	ug/L	U		168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	SW-846:6010B	Potassium		7.18			0.05	mg/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	SW-846:6010B	Potassium		3.67			0.05	mg/L			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Geninorg	SW-846:6010B	Potassium		7.01			0.05	mg/L			184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	SW-846:6010B	Potassium		3.99			0.05	mg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		17.6			0.032	mg/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		23.2			0.032	mg/L		J-	168162	GF060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		29			0.032	mg/L		J-	168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	SW-846:6010B	Sodium		163			0.045	mg/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	SW-846:6010B	Sodium		77.9			0.045	mg/L			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Geninorg	SW-846:6010B	Sodium		157			0.045	mg/L			184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	SW-846:6010B	Sodium		80.1			0.045	mg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	EPA:120.1	Specific Conductance		1240			1	µS/cm			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	EPA:120.1	Specific Conductance		427			1	µS/cm			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	EPA:120.1	Specific Conductance		426			1	µS/cm			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	EPA:300.0	Sulfate		10.7			0.1	mg/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	EPA:300.0	Sulfate		8.25			0.1	mg/L			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	EPA:300.0	Sulfate		8.22			0.1	mg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		5.6			1.14	mg/L			184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration	<	2.85			2.85	mg/L	U		168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		648			2.38	mg/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		264			2.38	mg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		255			2.38	mg/L			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		2.49			0.33	mg/L		J	184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		3.58			0.33	mg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Geninorg	EPA:150.1	pH		7.02			0.01	SU	H	J	184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Geninorg	EPA:150.1	pH		7.02			0.01	SU	H	J	168162	GF060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Geninorg	EPA:150.1	pH		7.13			0.01	SU	H	J	168162	GU060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Metals	SW-846:6010B	Aluminum		390			68	µg/L			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Metals	SW-846:6010B	Aluminum		735			68	µg/L			184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Metals	SW-846:6010B	Aluminum		1660			68	µg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Metals	SW-846:6010B	Barium		114			1	µg/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Metals	SW-846:6010B	Barium		25			1	µg/L			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Metals	SW-846:6010B	Barium		116			1	µg/L			184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Metals	SW-846:6010B	Barium		29.6			1	µg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Metals	SW-846:6010B	Boron		16.2			10	µg/L	J		184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Metals	SW-846:6010B	Boron		29.1			10	µg/L	J		168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Metals	SW-846:6010B	Boron		17.1			10	µg/L	J		184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Metals	SW-846:6010B	Boron		30			10	µg/L	J		168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Metals	SW-846:6020	Cadmium		0.16			0.1	µg/L	J		184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Metals	SW-846:6020	Cadmium	<	0.1			0.1	µg/L	U		168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Metals	SW-846:6020	Cadmium		0.21			0.1	µg/L	J		184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Metals	SW-846:6020	Cadmium	<	0.1			0.1	µg/L	U		168162	GU060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Metals	SW-846:6020	Chromium		5			1	µg/L			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Metals	SW-846:6020	Chromium		1			1	µg/L	J		184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Metals	SW-846:6020	Chromium		4.7			1	µg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Metals	SW-846:6010B	Cobalt	<	1			1	µg/L	U		168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Metals	SW-846:6010B	Cobalt		2			1	µg/L	J	JN-	184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Metals	SW-846:6010B	Cobalt	<	1			1	µg/L	U		168162	GU060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Metals	SW-846:6010B	Iron		188			18	µg/L			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Metals	SW-846:6010B	Iron		542			18	µg/L			184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Metals	SW-846:6010B	Iron		824			18	µg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Metals	SW-846:6020	Lead	<	0.5			0.5	µg/L	U		168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Metals	SW-846:6020	Lead		3.4			0.5	µg/L			184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Metals	SW-846:6020	Lead		0.84			0.5	µg/L	J		168162	GU060700P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Metals	SW-846:6010B	Manganese	<	2			2	µg/L	U		168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Metals	SW-846:6010B	Manganese		17.6			2	µg/L			184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Metals	SW-846:6010B	Manganese		5.8			2	µg/L	J		168162	GU060700P05601	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Metals	SW-846:6020	Nickel		2.3			0.5	µg/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Metals	SW-846:6020	Nickel		0.92			0.5	µg/L	J		168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Metals	SW-846:6020	Nickel		2.6			0.5	µg/L			184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Metals	SW-846:6020	Nickel		1.2			0.5	µg/L	J		168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Metals	SW-846:6010B	Strontium		306			1	µg/L			184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Metals	SW-846:6010B	Strontium		62.9			1	µg/L			168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Metals	SW-846:6010B	Strontium		300			1	µg/L			184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Metals	SW-846:6010B	Strontium		65.7			1	µg/L			168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Metals	SW-846:6010B	Vanadium		1.8			1	µg/L	J	JN-	184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Metals	SW-846:6010B	Vanadium		2.8			1	µg/L	J		168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Metals	SW-846:6010B	Vanadium		3.5			1	µg/L	J	JN-	184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Metals	SW-846:6010B	Vanadium		3.6			1	µg/L	J		168162	GU060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	F	CS		Metals	SW-846:6010B	Zinc		9.7			2	µg/L	J		184479	GF070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	F	CS		Metals	SW-846:6010B	Zinc	<	4.8			2	µg/L	J	U	168162	GF060700P05601	GELC
Acid above Pueblo	-	-	04/18/07	WS	UF	CS		Metals	SW-846:6010B	Zinc		14.8			2	µg/L	J		184479	GU070400P05601	GELC
Acid above Pueblo	-	-	07/27/06	WS	UF	CS		Metals	SW-846:6010B	Zinc	<	8			2	µg/L	J	U	168162	GU060700P05601	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		115			0.725	mg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		109			0.725	mg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		67.5			1.45	mg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		111			1.45	mg/L			120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		118			1.45	mg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS	FB	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		1.57			0.725	mg/L			185087	GU070400GGSB01-FB	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		111			0.725	mg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.123			0.066	mg/L	J		185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.116			0.066	mg/L	J		168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.041			0.041	mg/L	U		136421	GF05050GGSB01	GELC
Basalt Spring	-	-	05/29/02	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.185			0.098	mg/L	J	J	840S	CALA-02-45012	GELC
Basalt Spring	-	-	11/01/01	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.050000001			0.02	mg/L	U	U	141S	CALA-01-0506	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide		0.104			0.066	mg/L	J		168892	GU060700GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		31.4			0.036	mg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		33.9			0.036	mg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	SW-846:6010B	Calcium		22.4			0.036	mg/L		J	136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Geninorg	SW-846:6010B	Calcium		31.7			0.00554	mg/L		J	120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Geninorg	SW-846:6010B	Calcium		31.3			0.00554	mg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		31.1			0.036	mg/L			185087	GU070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		35			0.036	mg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		22.5			0.036	mg/L		J	136421	GU05050GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		37.1			0.33	mg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		43.3			0.33	mg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		32.1			0.106	mg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Geninorg	EPA:300.0	Chloride		36.3			0.161	mg/L			120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Geninorg	EPA:300.0	Chloride		28.1			0.0644	mg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		43			0.33	mg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.357			0.033	mg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.343			0.033	mg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.3			0.03	mg/L		J+	136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.367			0.0553	mg/L			120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.475			0.0553	mg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.33			0.033	mg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		113			0.44	mg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		120			0.085	mg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	SM:A2340B	Hardness		81			0.085	mg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Geninorg	SM:A2340B	Hardness		114			0.00554	mg/L			120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Geninorg	EPA:200.7	Hardness		112			0.00554	mg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		111			0.44	mg/L			185087	GU070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		124			0.085	mg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	UF	CS		Geninorg	SM:A2340B	Hardness		81.3			0.085	mg/L			136421	GU05050GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		8.27			0.085	mg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		8.64			0.085	mg/L			168892	GF060700GGSB01	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		6.1			0.085	mg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		8.39			0.00518	mg/L		J	120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		8.25			0.00518	mg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		8.16			0.085	mg/L			185087	GU070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		8.96			0.085	mg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		6.12			0.085	mg/L			136421	GU05050GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		6.92			0.1	mg/L		J	185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		9.12			0.07	mg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		3.94			0.003	mg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		7.93			0.03	mg/L	H	J	120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.29			0.01	mg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		8.78			0.07	mg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		1.38			0.1	µg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168892	GF060700GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.594			0.05	µg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		136421	GF05050GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	SW846 6850	Perchlorate		1.13			0.1	µg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.701			0.05	µg/L			120146	GU04080GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		120146	GU04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	0.989			0.989	µg/L	U		84883	GU03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		9.71			0.05	mg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		9.34			0.05	mg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	SW-846:6010B	Potassium		5.71			0.05	mg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Geninorg	SW-846:6010B	Potassium		9.74			0.0165	mg/L		J	120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Geninorg	SW-846:6010B	Potassium		7.94			0.0165	mg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		9.61			0.05	mg/L			185087	GU070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		9.44			0.05	mg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		5.92			0.05	mg/L			136421	GU05050GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		53.5			0.032	mg/L		J	185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		58.4			0.032	mg/L		J	168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		48.7			0.032	mg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		54.5			0.0212	mg/L		J	120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		49			0.0212	mg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS	FB	Geninorg	SW-846:6010B	Silicon Dioxide		0.063			0.032	mg/L	J	J-, J	185087	GU070400GGSB01-FB	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		59.5			0.032	mg/L		J	168892	GU060700GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		51.1			0.045	mg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		52.5			0.045	mg/L	E	J	168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	SW-846:6010B	Sodium		35.3			0.045	mg/L		J	136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Geninorg	SW-846:6010B	Sodium		45.8			0.0144	mg/L		J	120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Geninorg	SW-846:6010B	Sodium		33.4			0.0144	mg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		49.1			0.045	mg/L		J	185087	GU070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		52.7			0.045	mg/L	E	J	168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		35.2			0.045	mg/L		J	136421	GU05050GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		483			1	µS/cm			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		496			1	µS/cm			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		322			1	µS/cm			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		416			1	µS/cm			120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		398			1	µS/cm			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS	FB	Geninorg	EPA:120.1	Specific Conductance		1.3			1	µS/cm			185087	GU070400GGSB01-FB	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		482			1	µS/cm			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		22.8			0.1	mg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		27.9			0.1	mg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		18.3			0.057	mg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Geninorg	EPA:300.0	Sulfate		26.8			0.193	mg/L			120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Geninorg	EPA:300.0	Sulfate		25.6			0.193	mg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		28			0.1	mg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		289			2.38	mg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		330			2.38	mg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		336			2.38	mg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		216			2.38	mg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		330			3.07	mg/L			120146	GF04080GGSB01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Basalt Spring	-	-	07/22/03	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		290			3.07	mg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.35			0.029	mg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.44			0.01	mg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.453			0.01	mg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.343			0.029	mg/L			185087	GU070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.4			0.01	mg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		2.13			0.024	mg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		2.21			0.01	mg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		1.25			0.01	mg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		2.05			0.011	mg/L			120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.021			0.0162	mg/L	J		84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS	FB	Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.029			0.024	mg/L	J		185087	GU070400GGSB01-FB	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		2.1			0.01	mg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.86			0.01	SU	H	J	185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:150.1	pH		6.79			0.01	SU	H	J	168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Geninorg	EPA:150.1	pH		7.05			0.01	SU	H	J	136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Geninorg	EPA:150.1	pH		6.52				SU	H	J	120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Geninorg	EPA:150.1	pH		7.16			0.01	SU	H		84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS	FB	Geninorg	EPA:150.1	pH		4.82			0.01	SU	H	J	185087	GU070400GGSB01-FB	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:150.1	pH		6.85			0.01	SU	H	J	168892	GU060700GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Barium		84.6			1	µg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6010B	Barium		93.4			1	µg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Metals	SW-846:6010B	Barium		46.4			1	µg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Metals	SW-846:6010B	Barium		88.9			0.222	µg/L		J	120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Metals	SW-846:6010B	Barium		80.5			0.222	µg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Barium		85			1	µg/L			185087	GU070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Barium		95.4			1	µg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	UF	CS		Metals	SW-846:6010B	Barium		48			1	µg/L			136421	GU05050GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Boron		172			10	µg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6010B	Boron		240			10	µg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Metals	SW-846:6010B	Boron		104			10	µg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Metals	SW-846:6010B	Boron		230			4.88	µg/L			120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Metals	SW-846:6010B	Boron		168			4.88	µg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Boron		170			10	µg/L			185087	GU070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Boron		241			10	µg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	UF	CS		Metals	SW-846:6010B	Boron		98.9			10	µg/L			136421	GU05050GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6020	Chromium	<	3.7			1	µg/L		U	168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Metals	SW-846:6010B	Chromium		1.2			1	µg/L	J		136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Metals	SW-846:6010B	Chromium		1.3			0.503	µg/L	J		120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Metals	SW-846:6010B	Chromium	<	0.503			0.503	µg/L	U	UJ	84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS	FB	Metals	SW-846:6020	Chromium		1.3			1	µg/L	J		185087	GU070400GGSB01-FB	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6020	Chromium	<	4.3			1	µg/L		U	168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	UF	CS		Metals	SW-846:6010B	Chromium		1.4			1	µg/L	J		136421	GU05050GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Copper		4.7			3	µg/L	J	J-	185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6010B	Copper		4.3			3	µg/L	J		168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Metals	SW-846:6010B	Copper		4			3	µg/L	J		136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Metals	SW-846:6010B	Copper		5.6			1.39	µg/L			120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Metals	SW-846:6010B	Copper	<	3.66			1.39	µg/L	B	U	84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Copper		3.6			3	µg/L	J		185087	GU070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Copper		4.5			3	µg/L	J		168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	UF	CS		Metals	SW-846:6010B	Copper		3.6			3	µg/L	J		136421	GU05050GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Iron		21.1			18	µg/L	J		185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6010B	Iron	<	32			18	µg/L	J	U	168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Metals	SW-846:6010B	Iron		135			18	µg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Metals	SW-846:6010B	Iron		37			12.6	µg/L	J		120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Metals	SW-846:6010B	Iron		21.6			12.6	µg/L	B		84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Iron		19			18	µg/L	J		185087	GU070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Iron	<	66.6			18	µg/L	J	U	168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	UF	CS		Metals	SW-846:6010B	Iron		252			18	µg/L			136421	GU05050GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Manganese		2.2			2	µg/L	J		185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6010B	Manganese	<	2			2	µg/L	U		168892	GF060700GGSB01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Basalt Spring	-	-	05/11/05	WG	F	CS		Metals	SW-846:6020	Manganese		1.1			1	µg/L	J		136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Metals	SW-846:6010B	Manganese	<	1.3			0.296	µg/L	J	U	120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Metals	SW-846:6010B	Manganese		0.636			0.296	µg/L	BE	JN-	84883	GF03070GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Manganese	<	2			2	µg/L	U		168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	UF	CS		Metals	SW-846:6020	Manganese		2.7			1	µg/L	J		136421	GU05050GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6010B	Molybdenum		3.6			2	µg/L	J		168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Metals	SW-846:6020	Molybdenum		3.7			0.1	µg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Metals	SW-846:6010B	Molybdenum		4.8			1.43	µg/L	J		120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Metals	SW-846:6010B	Molybdenum		3.23			1.43	µg/L	B		84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		4.1			2	µg/L	J		185087	GU070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		2.1			2	µg/L	J		168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	UF	CS		Metals	SW-846:6020	Molybdenum		3.9			0.1	µg/L			136421	GU05050GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6020	Nickel		8.4			0.5	µg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6020	Nickel		6.6			0.5	µg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Metals	SW-846:6010B	Nickel	<	1			1	µg/L	U	UJ	136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Metals	SW-846:6010B	Nickel		4.7			0.69	µg/L	J		120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Metals	SW-846:6010B	Nickel		6.93			0.69	µg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6020	Nickel		8.2			0.5	µg/L			185087	GU070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6020	Nickel		6.7			0.5	µg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	UF	CS		Metals	SW-846:6010B	Nickel		1.5			1	µg/L	J	JN-	136421	GU05050GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Strontium		167			1	µg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6010B	Strontium		183			1	µg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Metals	SW-846:6010B	Strontium		111			1	µg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Metals	SW-846:6010B	Strontium		172			0.178	µg/L		J	120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Metals	SW-846:6010B	Strontium		166			0.178	µg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		166			1	µg/L			185087	GU070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		188			1	µg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		112			1	µg/L			136421	GU05050GGSB01	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6020	Uranium		0.61			0.05	µg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.63			0.05	µg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Metals	SW-846:6020	Uranium		1.29			0.02	µg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	DUP		Metals	SW-846:6020	Uranium		1.34			0.02	µg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	11/01/01	WG	F	CS		Metals	SW-846:6020	Uranium		1.220000029			0.017999999	µg/L	E	NQ	141S	CALA-01-0506	GELC
Basalt Spring	-	-	06/27/00	WG	F	RE		Metals	SW-846:6020	Uranium		0.33				µg/L		NQ	6959R	CALA-00-0028	GELC
Basalt Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6020	Uranium		0.56			0.05	µg/L			185087	GU070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.66			0.05	µg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	11/01/01	WG	UF	CS		Metals	SW-846:6020	Uranium		1.230000019			0.017999999	µg/L	E	NQ	141S	CALA-01-0507	GELC
Basalt Spring	-	-	06/27/00	WG	UF	RE		Metals	SW-846:6020	Uranium		0.36				µg/L		NQ	6959R	CALA-00-0027	GELC
Basalt Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		6.4			1	µg/L			185087	GF070400GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		6.7			1	µg/L			168892	GF060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	F	CS		Metals	SW-846:6010B	Vanadium		6			1	µg/L			136421	GF05050GGSB01	GELC
Basalt Spring	-	-	08/25/04	WG	F	CS		Metals	SW-846:6010B	Vanadium		7.1			0.606	µg/L			120146	GF04080GGSB01	GELC
Basalt Spring	-	-	07/22/03	WG	F	CS		Metals	SW-846:6010B	Vanadium		5.43			0.606	µg/L			84883	GF03070GGSB01	GELC
Basalt Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		6.8			1	µg/L			168892	GU060700GGSB01	GELC
Basalt Spring	-	-	05/11/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium		7.3			1	µg/L			136421	GU05050GGSB01	GELC
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		0.84			0.725	mg/L	J		184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	0.725			0.725	mg/L	U		168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		87023	GF03080GSPD01	GELC
DP Spring	-	-	04/03/01	WG	F	CS		Geninorg	SM:A2320B	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		40296	GF01031GSDP	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	0.725			0.725	mg/L	U		168597	GU060700GSPD01	GELC
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		92.4			0.725	mg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		88.8			0.725	mg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		72.3			1.45	mg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		72.3			1.45	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		86				mg/L		NQ	9107R	CA21-01-0017	PARA
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		98.9			0.725	mg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.111			0.066	mg/L	J		184649	GF070400GSPD01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	EPA:300.0	Bromide		1.12			0.041	mg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.02				mg/L	U	U	9117R	CA21-01-0017	GELC
DP Spring	-	-	09/16/98	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.2				mg/L	U	U	4641R	CA21-98-0012	PARA
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		168597	GU060700GSPD01	GELC
DP Spring	-	-	09/16/98	WG	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.2				mg/L	U	U	4641R	CA21-98-0011	PARA
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		33.1			0.036	mg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		12.2			0.036	mg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	SW-846:6010B	Calcium		27.7			0.036	mg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Geninorg	SW-846:6010B	Calcium		20.6			0.00554	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Geninorg	SW-846:6010	Calcium		25				mg/L		NQ	9107R	CA21-01-0017	PARA
DP Spring	-	-	04/18/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		35.7			0.036	mg/L			184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		12.2			0.036	mg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		28			0.036	mg/L			136047	GU05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Geninorg	SW-846:6010	Calcium		25				mg/L		NQ	9107R	CA21-01-0018	PARA
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		175			1.32	mg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		48.1			0.33	mg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		180			2.65	mg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Geninorg	EPA:300.0	Chloride		61			0.322	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	DUP		Geninorg	EPA:300.0	Chloride		60			0.322	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Geninorg	EPA:300.0	Chloride		61.4				mg/L		NQ	9117R	CA21-01-0017	GELC
DP Spring	-	-	06/22/01	WG	F	RE		Geninorg	EPA:300.0	Chloride		63				mg/L		NQ	9107R	CA21-01-0017	PARA
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		48.3			0.33	mg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015			0.0015	mg/L	U	UJ	168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	SW-846:9012A	Cyanide (Total)	<	0.00277			0.0025	mg/L	J	UJ	136047	GF05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Geninorg	SW-846:9012A	Cyanide (Total)	<	0.01				mg/L	U	U	9107R	CA21-01-0017	PARA
DP Spring	-	-	04/18/07	WG	UF	CS		Geninorg	EPA:335.3	Cyanide (Total)		0.00272			0.0015	mg/L	J	J+, JN-	184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015			0.0015	mg/L	U	UJ	168597	GU060700GSPD01	GELC
DP Spring	-	-	08/27/03	WG	UF	CS		Geninorg	SW-846:9012A	Cyanide (Total)	<	0.00172			0.00172	mg/L	U	UJ	87023	GU03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Geninorg	SW-846:9012A	Cyanide (Total)	<	0.01				mg/L	U	U	9107R	CA21-01-0018	PARA
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.67			0.033	mg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		1.03			0.033	mg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.507			0.03	mg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.848			0.0553	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	DUP		Geninorg	EPA:300.0	Fluoride		0.859			0.0553	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.895				mg/L		NQ	9117R	CA21-01-0017	GELC
DP Spring	-	-	06/22/01	WG	F	RE		Geninorg	EPA:300.0	Fluoride		1				mg/L		NQ	9107R	CA21-01-0017	PARA
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		1.05			0.033	mg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		96.5			0.44	mg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		36.7			0.085	mg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	SM:A2340B	Hardness		80.5			0.085	mg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Geninorg	EPA:200.7	Hardness		60.7			0.00554	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	04/03/01	WG	F	CS		Geninorg	SM:A2340B	Hardness		89.9			0.112	mg/L			40296	GF01031GSDP	GELC
DP Spring	-	-	04/18/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		104			0.44	mg/L			184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		37.5			0.085	mg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Geninorg	SM:A2340B	Hardness		81.4			0.085	mg/L			136047	GU05050GSPD01	GELC
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.38			0.085	mg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		1.52			0.085	mg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		2.74			0.085	mg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		2.27			0.00518	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Geninorg	SW-846:6010	Magnesium		2.4				mg/L		NQ	9107R	CA21-01-0017	PARA
DP Spring	-	-	04/18/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.72			0.085	mg/L			184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		1.69			0.085	mg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		2.79			0.085	mg/L			136047	GU05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Geninorg	SW-846:6010	Magnesium		2.4				mg/L		NQ	9107R	CA21-01-0018	PARA
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.233			0.01	mg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.498			0.014	mg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		511			1.5	mg/L		J	136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.76			0.01	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	04/03/01	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.49			0.0069	mg/L			40296	GF01031GSDP	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.452			0.014	mg/L			168597	GU060700GSPD01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.168			0.05	µg/L	J		184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.26			0.05	µg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		136047	GF05050GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.507			0.05	µg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Geninorg	EPA:300.0	Perchlorate	<	4				µg/L	U	U	9117R	CA21-01-0017	GELC
DP Spring	-	-	08/27/03	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		87023	GU03080GSPD01	GELC
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		11			0.05	mg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		7.55			0.05	mg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	SW-846:6010B	Potassium		10.4			0.05	mg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Geninorg	SW-846:6010B	Potassium		10.2			0.0165	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Geninorg	SW-846:6010	Potassium		11				mg/L		NQ	9107R	CA21-01-0017	PARA
DP Spring	-	-	04/18/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		11.7			0.05	mg/L			184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		7.6			0.05	mg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		10.3			0.05	mg/L			136047	GU05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Geninorg	SW-846:6010	Potassium		11				mg/L		NQ	9107R	CA21-01-0018	PARA
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		13.5			0.032	mg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		28.6			0.032	mg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		12.1			0.032	mg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		18.3			0.0212	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	04/03/01	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		12.4			0.0133	mg/L			40296	GF01031GSDP	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		35.2			0.032	mg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		114			0.045	mg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		62.2			0.045	mg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	SW-846:6010B	Sodium		144			0.045	mg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Geninorg	SW-846:6010B	Sodium		53.2			0.0144	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Geninorg	SW-846:6010	Sodium		40				mg/L		NQ	9107R	CA21-01-0017	PARA
DP Spring	-	-	04/18/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		98			0.045	mg/L			184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		61.5			0.045	mg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		146			0.045	mg/L			136047	GU05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Geninorg	SW-846:6010	Sodium		40				mg/L		NQ	9107R	CA21-01-0018	PARA
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		850			1	µS/cm			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		366			1	µS/cm			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		789			1	µS/cm			136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		336			1	µS/cm			87023	GF03080GSPD01	GELC
DP Spring	-	-	04/03/01	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		555			1	µS/cm			40296	GF01031GSDP	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		368			1	µS/cm			168597	GU060700GSPD01	GELC
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		8.66			0.1	mg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		7.46			0.1	mg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		9.22			0.057	mg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Geninorg	EPA:300.0	Sulfate		7.96			0.193	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	DUP		Geninorg	EPA:300.0	Sulfate		7.96			0.193	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Geninorg	EPA:300.0	Sulfate		9.2				mg/L		NQ	9107R	CA21-01-0017	PARA
DP Spring	-	-	06/22/01	WG	F	RE		Geninorg	EPA:300.0	Sulfate		9.15				mg/L		NQ	9117R	CA21-01-0017	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		7.44			0.1	mg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	04/18/07	WG	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		11.6			2.28	mg/L			184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		3			1.43	mg/L	J		168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration	<	2.28			2.28	mg/L	U		136047	GU05050GSPD01	GELC
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		448			2.38	mg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		263			2.38	mg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		247			2.38	mg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		455			2.38	mg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		241			3.07	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		237			3.07	mg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	04/03/01	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		321			5.09	mg/L			40296	GF01031GSDP	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.81			0.074	mg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	04/18/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		3.71			0.33	mg/L			184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.98			0.33	mg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Geninorg	EPA:415.1	Total Organic Carbon		4.1				mg/L		NQ	9106R	CA21-01-0018	PARA
DP Spring	-	-	09/16/98	WG	UF	CS		Geninorg	EPA:415.1	Total Organic Carbon		4				mg/L		NQ	4640R	CA21-98-0011	KA
DP Spring	-	-	04/18/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.87			0.01	SU	H	J	184649	GF070400GSPD01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
DP Spring	-	-	08/03/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.81			0.01	SU	H	J	168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Geninorg	EPA:150.1	pH		7.49			0.01	SU	H	J	136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Geninorg	EPA:150.1	pH		7.79			0.01	SU	H	J	87023	GF03080GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	DUP		Geninorg	SW-846:9040B	pH		7.81			0.01	SU	H		87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Geninorg	USGS-WRI-79-4	pH		6.9				SU		NQ	9118R	CA21-01-0017	HUFFMAN
DP Spring	-	-	08/03/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.75			0.01	SU	H	J	168597	GU060700GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Metals	SW-846:6010B	Aluminum		2690			68	µg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Metals	SW-846:6010B	Aluminum	<	68			68	µg/L	U		136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Metals	SW-846:6010B	Aluminum		393			14.7	µg/L		J-	87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Metals	SW-846:6010	Aluminum	<	7.6				µg/L	U	UJ	9107R	CA21-01-0017	PARA
DP Spring	-	-	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Aluminum		479			68	µg/L			184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Metals	SW-846:6010B	Aluminum		4450			68	µg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Metals	SW-846:6010B	Aluminum		130			68	µg/L	J		136047	GU05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Metals	SW-846:6010	Aluminum		180				µg/L	B	J	9107R	CA21-01-0018	PARA
DP Spring	-	-	04/18/07	WG	F	CS		Metals	SW-846:6020	Antimony		0.55			0.5	µg/L	J		184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Metals	SW-846:6020	Antimony	<	0.5			0.5	µg/L	U		168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Metals	SW-846:6020	Antimony	<	0.5			0.5	µg/L	U		136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Metals	SW-846:6020	Antimony		0.342			0.28	µg/L	B		87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Metals	SW-846:6010	Antimony	<	2.1				µg/L	U	UJ	9107R	CA21-01-0017	PARA
DP Spring	-	-	08/03/06	WG	UF	CS		Metals	SW-846:6020	Antimony	<	0.5			0.5	µg/L	U		168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Metals	SW-846:6020	Antimony	<	0.5			0.5	µg/L	U		136047	GU05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Metals	SW-846:6010	Antimony	<	2.1				µg/L	U	UJ	9107R	CA21-01-0018	PARA
DP Spring	-	-	04/18/07	WG	F	CS		Metals	SW-846:6010B	Barium		109			1	µg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Metals	SW-846:6010B	Barium		49.9			1	µg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Metals	SW-846:6010B	Barium		102			1	µg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Metals	SW-846:6010B	Barium		60.5			0.222	µg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Metals	SW-846:6010	Barium		61				µg/L	B	J	9107R	CA21-01-0017	PARA
DP Spring	-	-	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Barium		122			1	µg/L			184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Metals	SW-846:6010B	Barium		55.8			1	µg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Metals	SW-846:6010B	Barium		103			1	µg/L			136047	GU05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Metals	SW-846:6010	Barium		63				µg/L	B	J	9107R	CA21-01-0018	PARA
DP Spring	-	-	04/18/07	WG	F	CS		Metals	SW-846:6010B	Boron		18.2			10	µg/L	J		184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Metals	SW-846:6010B	Boron		34.4			10	µg/L	J		168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Metals	SW-846:6010B	Boron		21.2			10	µg/L	J		136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Metals	SW-846:6010B	Boron		31.3			4.88	µg/L	B		87023	GF03080GSPD01	GELC
DP Spring	-	-	04/03/01	WG	F	CS		Metals	SW-846:6010B	Boron	<	3.61			2.95	µg/L	UE	UJ	40296	GF01031GSDP	GELC
DP Spring	-	-	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Boron		27.2			10	µg/L	J		184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Metals	SW-846:6010B	Boron		34.6			10	µg/L	J		168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Metals	SW-846:6010B	Boron		23.3			10	µg/L	J		136047	GU05050GSPD01	GELC
DP Spring	-	-	04/03/01	WG	UF	CS		Metals	SW-846:6010B	Boron	<	3.61			2.95	µg/L	UE	UJ	40296	GU01031GSDP	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Metals	SW-846:6010B	Iron		1320			18	µg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Metals	SW-846:6010B	Iron		28.9			18	µg/L	J		136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Metals	SW-846:6010B	Iron		196			12.6	µg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Metals	SW-846:6010	Iron		20				µg/L	B	J	9107R	CA21-01-0017	PARA
DP Spring	-	-	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Iron		203			18	µg/L			184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Metals	SW-846:6010B	Iron		2200			18	µg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Metals	SW-846:6010B	Iron		57			18	µg/L	J		136047	GU05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Metals	SW-846:6010	Iron		63				µg/L	B	J	9107R	CA21-01-0018	PARA
DP Spring	-	-	08/03/06	WG	F	CS		Metals	SW-846:6010B	Manganese		7.6			2	µg/L	J		168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Metals	SW-846:6020	Manganese		1.1			1	µg/L	J		136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Metals	SW-846:6010B	Manganese		3.57			0.296	µg/L	B		87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Metals	SW-846:6010	Manganese		1.2				µg/L	B	J	9107R	CA21-01-0017	PARA
DP Spring	-	-	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Manganese		10.2			2	µg/L			184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		14.1			2	µg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Metals	SW-846:6020	Manganese		1.3			1	µg/L	J		136047	GU05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Metals	SW-846:6010	Manganese		4.7				µg/L	B	J	9107R	CA21-01-0018	PARA
DP Spring	-	-	04/18/07	WG	F	CS		Metals	SW-846:6010B	Molybdenum		2.1			2	µg/L	J		184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Metals	SW-846:6010B	Molybdenum		2.4			2	µg/L	J		168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Metals	SW-846:6020	Molybdenum		2.7			0.1	µg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Metals	SW-846:6010B	Molybdenum	<	4.04			1.43	µg/L	B	U	87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Metals	SW-846:6010B	Molybdenum	<	3.8				µg/L	U	UJ	9107R	CA21-01-0017	PARA



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
DP Spring	-	-	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		2.5			2	µg/L	J		184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		2.6			2	µg/L	J		168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Metals	SW-846:6020	Molybdenum		2.8			0.1	µg/L			136047	GU05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		3.8				µg/L	B	J	9107R	CA21-01-0018	PARA
DP Spring	-	-	04/18/07	WG	F	CS		Metals	SW-846:6020	Nickel		2.1			0.5	µg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Metals	SW-846:6020	Nickel		1.5			0.5	µg/L	J		168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Metals	SW-846:6010B	Nickel	<	1			1	µg/L	U	UJ	136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Metals	SW-846:6010B	Nickel	<	2.65			0.69	µg/L	B	U	87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Metals	SW-846:6010	Nickel	<	0.3				µg/L	U	UJ	9107R	CA21-01-0017	PARA
DP Spring	-	-	04/18/07	WG	UF	CS		Metals	SW-846:6020	Nickel		2.2			0.5	µg/L			184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Metals	SW-846:6020	Nickel		2.1			0.5	µg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Metals	SW-846:6010B	Nickel	<	1			1	µg/L	U	UJ	136047	GU05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Metals	SW-846:6010	Nickel	<	0.3				µg/L	U	UJ	9107R	CA21-01-0018	PARA
DP Spring	-	-	04/18/07	WG	F	CS		Metals	SW-846:6010B	Strontium		201			1	µg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Metals	SW-846:6010B	Strontium		74.4			1	µg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Metals	SW-846:6010B	Strontium		171			1	µg/L			136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Metals	SW-846:6010B	Strontium		129			0.178	µg/L			87023	GF03080GSPD01	GELC
DP Spring	-	-	04/03/01	WG	F	CS		Metals	SW-846:6010B	Strontium		197			0.168	µg/L			40296	GF01031GSDP	GELC
DP Spring	-	-	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		220			1	µg/L			184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		74.8			1	µg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		173			1	µg/L			136047	GU05050GSPD01	GELC
DP Spring	-	-	04/03/01	WG	UF	CS		Metals	SW-846:6010B	Strontium		197			0.168	µg/L			40296	GU01031GSDP	GELC
DP Spring	-	-	04/18/07	WG	F	CS		Metals	SW-846:6020	Thallium		0.58			0.4	µg/L	J		184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Metals	SW-846:6020	Thallium	<	0.4			0.4	µg/L	U		168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Metals	SW-846:6020	Thallium	<	0.4			0.4	µg/L	U		136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Metals	SW-846:6020	Thallium	<	0.278			0.02	µg/L	B	U	87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Metals	SW-846:6010	Thallium		3.7				µg/L	B	J	9107R	CA21-01-0017	PARA
DP Spring	-	-	08/03/06	WG	UF	CS		Metals	SW-846:6020	Thallium	<	0.4			0.4	µg/L	U		168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Metals	SW-846:6020	Thallium	<	0.4			0.4	µg/L	U		136047	GU05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Metals	SW-846:6010	Thallium		3.8				µg/L	B	J	9107R	CA21-01-0018	PARA
DP Spring	-	-	04/18/07	WG	F	CS		Metals	SW-846:6020	Uranium		0.2			0.05	µg/L			184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.29			0.05	µg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Metals	SW-846:6020	Uranium		0.119			0.02	µg/L	B		87023	GF03080GSPD01	GELC
DP Spring	-	-	09/16/98	WG	F	CS		Metals	EPA:200.7	Uranium	<	126				µg/L	U	U	4641R	CA21-98-0012	PARA
DP Spring	-	-	04/18/07	WG	UF	CS		Metals	SW-846:6020	Uranium		0.21			0.05	µg/L			184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.38			0.05	µg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	09/16/98	WG	UF	CS		Metals	EPA:200.7	Uranium	<	126				µg/L	U	U	4641R	CA21-98-0011	PARA
DP Spring	-	-	04/18/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		2.5			1	µg/L	J	JN-	184649	GF070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		6.3			1	µg/L			168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Metals	SW-846:6010B	Vanadium	<	2.6			1	µg/L	J	U	136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Metals	SW-846:6010B	Vanadium	<	2.44			0.606	µg/L	B	U	87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Metals	SW-846:6010	Vanadium		2.9				µg/L	B	J	9107R	CA21-01-0017	PARA
DP Spring	-	-	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		2.1			1	µg/L	J		184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		7.5			1	µg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium	<	2.5			1	µg/L	J	U	136047	GU05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Metals	SW-846:6010	Vanadium		3.1				µg/L	B	J	9107R	CA21-01-0018	PARA
DP Spring	-	-	08/03/06	WG	F	CS		Metals	SW-846:6010B	Zinc		8.1			2	µg/L	J		168597	GF060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	F	CS		Metals	SW-846:6010B	Zinc		2.6			2	µg/L	J		136047	GF05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	F	CS		Metals	SW-846:6010B	Zinc	<	5.92			0.883	µg/L		U	87023	GF03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	F	CS		Metals	SW-846:6010	Zinc	<	0.31				µg/L	U	UJ	9107R	CA21-01-0017	PARA
DP Spring	-	-	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		6.4			2	µg/L	J		184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		Metals	SW-846:6010B	Zinc		12.4			2	µg/L			168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		Metals	SW-846:6010B	Zinc		3.2			2	µg/L	J		136047	GU05050GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		Metals	SW-846:6010	Zinc	<	0.31				µg/L	U	UJ	9107R	CA21-01-0018	PARA
DP Spring	-	-	04/18/07	WG	UF	CS		Rad	EPA:906.0	Tritium		-43.4	18.9	193	pCi/L	U	U	184649	GU070400GSPD01	GELC	
DP Spring	-	-	08/03/06	WG	UF	CS		Rad	LLEE	Tritium		148.4745	1.5965	0.28737	pCi/L			2243	UU060700GSPD01	UMTL	
DP Spring	-	-	05/06/05	WG	UF	CS		Rad	EPA:906.0	Tritium		349	26.26666667	247	pCi/L		J	136047	GU05050GSPD01	GELC	
DP Spring	-	-	08/27/03	WG	UF	CS		Rad	EPA:906.0	Tritium		-155	19.86666667	193	pCi/L	U	U	87023	GU03080GSPD01	GELC	
DP Spring	-	-	06/22/01	WG	UF	CS		Rad	LA-10300-M	Tritium		340	30	280	pCi/L		NQ	9109R	CA21-01-0018	PARA	
DP Spring	-	-	04/18/07	WG	UF	CS		VOA	SW-846:8260B	Butanone[2-]		1.76			1.25	µg/L	J		184649	GU070400GSPD01	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		VOA	SW-846:8260B	Butanone[2-]	<	5			1.25	µg/L	U		168597	GU060700GSPD01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
DP Spring	-	-	05/06/05	WG	UF	CS		VOA	SW-846:8260B	Butanone[2-]	<	5				µg/L	U		136047	GU05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	UF	CS		VOA	SW-846:8260B	Butanone[2-]	<	5				µg/L	U		87023	GU03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		VOA	SW-846:8260	Butanone[2-]	<	20				µg/L	U	U	9106R	CA21-01-0018	PARA
DP Spring	-	-	04/18/07	WG	UF	CS	FTB	VOA	SW-846:8260B	Toluene		0.565			0.25	µg/L	J		184649	GU070400GSPD01-FTB	GELC
DP Spring	-	-	08/03/06	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1			0.25	µg/L	U		168597	GU060700GSPD01	GELC
DP Spring	-	-	05/06/05	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				µg/L	U		136047	GU05050GSPD01	GELC
DP Spring	-	-	08/27/03	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				µg/L	U		87023	GU03080GSPD01	GELC
DP Spring	-	-	06/22/01	WG	UF	CS		VOA	SW-846:8260	Toluene	<	5				µg/L	U	U	9106R	CA21-01-0018	PARA
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		163			0.725	mg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		121			0.725	mg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		224			0.725	mg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		0.079			0.03	mg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.059			0.01	mg/L		U	168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.085			0.01	mg/L		U	168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	EPA:300.0	Bromide		0.117			0.066	mg/L	J		184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	EPA:300.0	Bromide		0.113			0.066	mg/L	J		168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	EPA:300.0	Bromide		0.116			0.066	mg/L	J		168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	SW-846:6010B	Calcium		76.5			0.036	mg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	SW-846:6010B	Calcium		54.5			0.036	mg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Geninorg	SW-846:6010B	Calcium		72.3			0.036	mg/L			184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	SW-846:6010B	Calcium		55.3			0.036	mg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	EPA:300.0	Chloride		255			3.3	mg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	EPA:300.0	Chloride		73.2			0.66	mg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	EPA:300.0	Chloride		73.2			0.66	mg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015			0.0015	mg/L	U		168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Geninorg	EPA:335.3	Cyanide (Total)		0.00301			0.0015	mg/L	J	JN-	184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015			0.0015	mg/L	U		168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.837			0.033	mg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	EPA:300.0	Fluoride		1.17			0.033	mg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	EPA:300.0	Fluoride		1.1			0.033	mg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	SM:A2340B	Hardness		221			0.44	mg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	SM:A2340B	Hardness		156			0.085	mg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Geninorg	SM:A2340B	Hardness		209			0.44	mg/L			184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	SM:A2340B	Hardness		159			0.085	mg/L			168081	GU060700P03901	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	SW-846:6010B	Magnesium		7.2			0.085	mg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	SW-846:6010B	Magnesium		4.94			0.085	mg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Geninorg	SW-846:6010B	Magnesium		6.83			0.085	mg/L			184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	SW-846:6010B	Magnesium		5.01			0.085	mg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	SW-846:6010B	Potassium		15			0.05	mg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	SW-846:6010B	Potassium		15.2			0.05	mg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Geninorg	SW-846:6010B	Potassium		14			0.05	mg/L			184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	SW-846:6010B	Potassium		15.5			0.05	mg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		20.3			0.032	mg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		25.9			0.032	mg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		26.5			0.032	mg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	SW-846:6010B	Sodium		168			0.045	mg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	SW-846:6010B	Sodium		89.8			0.045	mg/L	E	J	168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Geninorg	SW-846:6010B	Sodium		159			0.045	mg/L			184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	SW-846:6010B	Sodium		91.4			0.045	mg/L	E	J	168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	EPA:120.1	Specific Conductance		1350			1	µS/cm			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	EPA:120.1	Specific Conductance		766			1	µS/cm			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	EPA:120.1	Specific Conductance		764			1	µS/cm			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	EPA:300.0	Sulfate		12.9			0.1	mg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	EPA:300.0	Sulfate		9.52			0.1	mg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	EPA:300.0	Sulfate		9.55			0.1	mg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		764			2.38	mg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		430			2.38	mg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		438			2.38	mg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.2			0.029	mg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.248			0.01	mg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.194			0.029	mg/L			184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.406			0.01	mg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		5.74			0.33	mg/L		J	184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		9.76			0.33	mg/L			168081	GU060700P03901	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Geninorg	EPA:150.1	pH		7.03			0.01	SU	H	J	184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Geninorg	EPA:150.1	pH		7.67			0.01	SU	H	J	168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Geninorg	EPA:150.1	pH		7.96			0.01	SU	H	J	168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Barium		248			1	µg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Metals	SW-846:6010B	Barium		160			1	µg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6010B	Barium		233			1	µg/L			184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Metals	SW-846:6010B	Barium		166			1	µg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Boron		40.9			10	µg/L	J		184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Metals	SW-846:6010B	Boron		66.2			10	µg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6010B	Boron		38.4			10	µg/L	J		184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Metals	SW-846:6010B	Boron		65.8			10	µg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Cobalt		1.1			1	µg/L	J	JN-	184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Metals	SW-846:6010B	Cobalt		1.1			1	µg/L	J		168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Metals	SW-846:6010B	Cobalt	<	1			1	µg/L	U		168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Iron		96.9			18	µg/L	J		184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Metals	SW-846:6010B	Iron		40.8			18	µg/L	J		168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6010B	Iron		121			18	µg/L			184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Metals	SW-846:6010B	Iron		442			18	µg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Manganese		465			2	µg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Metals	SW-846:6010B	Manganese		463			2	µg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6010B	Manganese		438			2	µg/L			184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Metals	SW-846:6010B	Manganese		484			2	µg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Molybdenum		2.3			2	µg/L	J		184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Metals	SW-846:6010B	Molybdenum		4.9			2	µg/L	J		168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Metals	SW-846:6010B	Molybdenum		3.6			2	µg/L	J		168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Metals	SW-846:6020	Nickel		3.7			0.5	µg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Metals	SW-846:6020	Nickel		3.8			0.5	µg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6020	Nickel		3.7			0.5	µg/L			184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Metals	SW-846:6020	Nickel		3.6			0.5	µg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Strontium		386			1	µg/L			184479	GF070400P03901	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Metals	SW-846:6010B	Strontium		281			1	µg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6010B	Strontium		367			1	µg/L			184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Metals	SW-846:6010B	Strontium		286			1	µg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Metals	SW-846:6020	Uranium		1.4			0.05	µg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Metals	SW-846:6020	Uranium		1.1			0.05	µg/L			168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6020	Uranium		1.4			0.05	µg/L			184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Metals	SW-846:6020	Uranium		1.1			0.05	µg/L			168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Vanadium		2.2			1	µg/L	J	JN-	184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Metals	SW-846:6010B	Vanadium	<	1			1	µg/L	U		168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6010B	Vanadium		1.5			1	µg/L	J	JN-	184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Metals	SW-846:6010B	Vanadium	<	1			1	µg/L	U		168081	GU060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Zinc		10.6			2	µg/L			184479	GF070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	F	CS		Metals	SW-846:6010B	Zinc	<	5.8			2	µg/L	J	U	168081	GF060700P03901	GELC
DP below Meadow at TA-21	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6010B	Zinc		10			2	µg/L	J		184479	GU070400P03901	GELC
DP below Meadow at TA-21	-	-	07/26/06	WS	UF	CS		Metals	SW-846:6010B	Zinc	<	9.4			2	µg/L	J	U	168081	GU060700P03901	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		131			0.725	mg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		125			0.725	mg/L			168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS	FB	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		1.57			0.725	mg/L			185087	GU07040GGU0101-FB	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		125			0.725	mg/L			168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.172			0.066	mg/L	J		185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.071			0.066	mg/L	J		168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide		0.095			0.066	mg/L	J		168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		43.5			0.036	mg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		33.7			0.036	mg/L			168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		43.7			0.036	mg/L			185087	GU07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		34.4			0.036	mg/L			168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		22.1			0.132	mg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		4.01			0.066	mg/L			168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		4.04			0.066	mg/L			168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.307			0.033	mg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.327			0.033	mg/L			168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.32			0.033	mg/L			168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		131			0.44	mg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		101			0.085	mg/L			168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		131			0.44	mg/L			185087	GU07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		103			0.085	mg/L			168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		5.33			0.085	mg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.15			0.085	mg/L			168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		5.34			0.085	mg/L			185087	GU07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.25			0.085	mg/L			168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		3.06			0.1	mg/L		J	185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.66			0.014	mg/L			168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.54			0.014	mg/L			168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.52			0.05	µg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.506			0.05	µg/L			168892	GF06070GGU0101	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		4.08			0.05	mg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		3.7			0.05	mg/L			168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		4.24			0.05	mg/L			185087	GU07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.77			0.05	mg/L			168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		57.4			0.032	mg/L		J	185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		65.5			0.032	mg/L		J	168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS	FB	Geninorg	SW-846:6010B	Silicon Dioxide		0.14			0.032	mg/L	J	J, J-	185087	GU07040GGU0101-FB	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		66.6			0.032	mg/L		J	168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		27.6			0.045	mg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		21.9			0.045	mg/L	E	J	168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		27.4			0.045	mg/L		J	185087	GU07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		22.2			0.045	mg/L	E	J	168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		402			1	µS/cm			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		282			1	µS/cm			168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS	FB	Geninorg	EPA:120.1	Specific Conductance		1.45			1	µS/cm			185087	GU07040GGU0101-FB	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		286			1	µS/cm			168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		18			0.1	mg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		11.4			0.1	mg/L			168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		11.4			0.1	mg/L			168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		269			2.38	mg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		217			2.38	mg/L			168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		209			2.38	mg/L			168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.036			0.029	mg/L	J	JN-	185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01			0.01	mg/L	U	UJ	168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.056			0.029	mg/L	J	JN-	185087	GU07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.014			0.01	mg/L	J	JN-	168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.91			0.01	SU	H	J	185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Geninorg	EPA:150.1	pH		7			0.01	SU	H	J	168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS	FB	Geninorg	EPA:150.1	pH		4.97			0.01	SU	H	J	185087	GU07040GGU0101-FB	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Geninorg	EPA:150.1	pH		6.98			0.01	SU	H	J	168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Barium		128			1	µg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6010B	Barium		99.4			1	µg/L			168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Barium		130			1	µg/L			185087	GU07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Barium		104			1	µg/L			168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Boron		33.8			10	µg/L	J		185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6010B	Boron		26.3			10	µg/L	J		168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Boron		31.2			10	µg/L	J		185087	GU07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Boron		28			10	µg/L	J		168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6020	Chromium	<	4.9			1	µg/L		U	168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS	FB	Metals	SW-846:6020	Chromium		1.3			1	µg/L	J		185087	GU07040GGU0101-FB	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6020	Chromium	<	5.5			1	µg/L		U	168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6020	Nickel		0.79			0.5	µg/L	J		185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6020	Nickel		0.79			0.5	µg/L	J		168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6020	Nickel		0.97			0.5	µg/L	J		185087	GU07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6020	Nickel		0.97			0.5	µg/L	J		168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Strontium		301			1	µg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6010B	Strontium		238			1	µg/L			168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		304			1	µg/L			185087	GU07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		243			1	µg/L			168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6020	Uranium		1.9			0.05	µg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6020	Uranium		1.2			0.05	µg/L			168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6020	Uranium		2			0.05	µg/L			185087	GU07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6020	Uranium		1			0.05	µg/L			168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		8.1			1	µg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		9			1	µg/L			168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		8			1	µg/L		J+	185087	GU07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		9.7			1	µg/L			168892	GU06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Zinc		32.8			2	µg/L			185087	GF07040GGU0101	GELC
GU-0.01 Spring	-	-	08/08/06	WG	F	CS		Metals	SW-846:6010B	Zinc		4.4			2	µg/L	J	JN-	168892	GF06070GGU0101	GELC
GU-0.01 Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		34.3			2	µg/L			185087	GU07040GGU0101	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
GU-0.01 Spring	-	-	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Zinc		5.3			2	µg/L	J	JN-	168892	GU06070GGU0101	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		37.3			0.725	mg/L			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		45.2			1.45	mg/L			40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		0.069			0.03	mg/L			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.0235			0.0235	mg/L	U		40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	SW-846:6010B	Calcium		11.3			0.036	mg/L			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Geninorg	EPA:200.7	Calcium		12.1			0.0355	mg/L			40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Geninorg	SW-846:6010B	Calcium		10.9			0.036	mg/L			184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	EPA:300.0	Chloride		2.94			0.066	mg/L			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Geninorg	EPA:300.0	Chloride		2.05			0.025	mg/L			40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	EPA:300.0	Fluoride		0.186			0.033	mg/L			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	SM:A2340B	Hardness		44.2			0.44	mg/L			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Geninorg	EPA:200.7	Hardness		46.1			0.112	mg/L			40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Geninorg	SM:A2340B	Hardness		42.7			0.44	mg/L			184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	SW-846:6010B	Magnesium		3.85			0.085	mg/L			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Geninorg	EPA:200.7	Magnesium		3.86			0.00453	mg/L			40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.73			0.085	mg/L			184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		4.85			0.00453	mg/L			40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.0561			0.01	mg/L		JN-	184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.62			0.0069	mg/L			40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	SW-846:6850	Perchlorate		0.409			0.05	µg/L		J-	184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	0.801			0.801	µg/L	U		40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	SW-846:6010B	Potassium		3.49			0.05	mg/L			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Geninorg	EPA:200.7	Potassium		3.92			0.0107	mg/L			40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Geninorg	SW-846:6010B	Potassium		3.43			0.05	mg/L			184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		51.2			0.032	mg/L			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	SW-846:6010B	Sodium		7.9			0.045	mg/L			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Geninorg	EPA:200.7	Sodium		7.1			0.00773	mg/L			40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Geninorg	SW-846:6010B	Sodium		7.6			0.045	mg/L			184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	EPA:120.1	Specific Conductance		133			1	µS/cm			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:120.1	Specific Conductance		121			1	µS/cm			40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	EPA:300.0	Sulfate		16.1			0.1	mg/L			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Geninorg	EPA:300.0	Sulfate		13.8			0.062	mg/L			40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		5.2			2.28	mg/L	J		184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		109			2.38	mg/L			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		134			5.09	mg/L			40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		140			5.09	mg/L			40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.033			0.029	mg/L	J	JN-	184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.1			0.029	mg/L		JN-	184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.19			0.0565	mg/L			40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		7.33			0.33	mg/L			184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Geninorg	EPA:150.1	pH		7.63			0.01	SU	H	J	184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Geninorg	SW-846:9040B	pH		7.7			0.01	SU			40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Metals	SW-846:6010B	Aluminum		457			68	µg/L			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Aluminum		486			34.3	µg/L			40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Metals	SW-846:6010B	Aluminum		804			68	µg/L			184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Aluminum		6570			34.3	µg/L			40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Metals	SW-846:6010B	Barium		31.5			1	µg/L			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Barium		31.7			0.451	µg/L			40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Metals	SW-846:6010B	Barium		32.3			1	µg/L			184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Barium		117			0.451	µg/L			40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Metals	SW-846:6010B	Boron		14.4			10	µg/L	J		184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Boron		17			1.76	µg/L	B		40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Metals	SW-846:6010B	Boron		14.8			10	µg/L	J		184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Boron		12			1.76	µg/L	B		40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Metals	SW-846:6020	Chromium		1.1			1	µg/L	J		184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Chromium	<	0.582			1.47	µg/L	U		40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Metals	SW-846:6020	Chromium		1.3			1	µg/L	J		184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Chromium		2.26			1.47	µg/L	B		40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Metals	SW-846:6010B	Iron		230			18	µg/L			184767	GF070400P08901	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Iron		234			4.6	µg/L			40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Metals	SW-846:6010B	Iron		430			18	µg/L			184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Iron		3810			4.6	µg/L			40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Metals	EPA:200.8	Lead	<	0.125			0.077	µg/L	B	UJ	40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Metals	SW-846:6020	Lead		0.6			0.5	µg/L	J		184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.8	Lead		6.4			0.077	µg/L			40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Metals	SW-846:6010B	Manganese		2.3			2	µg/L	J		184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Manganese		9.02			1.2	µg/L	B		40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Metals	SW-846:6010B	Manganese		8.8			2	µg/L	J		184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Manganese		368			1.2	µg/L			40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Molybdenum	<	1.28			1.66	µg/L	U		40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Metals	SW-846:6010B	Molybdenum		2.4			2	µg/L	J		184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Molybdenum	<	1.28			1.66	µg/L	U		40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Metals	SW-846:6020	Nickel		1.2			0.5	µg/L	J		184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Nickel	<	1.77			1.2	µg/L	B	U	40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Metals	SW-846:6020	Nickel		1.3			0.5	µg/L	J		184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Nickel		4.44			1.2	µg/L	B		40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Metals	SW-846:6010B	Strontium		62.3			1	µg/L			184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Strontium		68.9			0.185	µg/L			40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Metals	SW-846:6010B	Strontium		59.9			1	µg/L			184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Strontium		95.6			0.185	µg/L			40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Metals	SW-846:6010B	Vanadium		2.8			1	µg/L	J		184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Vanadium		2.32			1.04	µg/L	B		40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Metals	SW-846:6010B	Vanadium		2.4			1	µg/L	J		184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Vanadium		7.91			1.04	µg/L			40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	F	CS		Metals	SW-846:6010B	Zinc		6			2	µg/L	J		184767	GF070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Zinc	<	2.81			3.34	µg/L	B*	UJ	40970	GF01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Metals	SW-846:6010B	Zinc		3.7			2	µg/L	J		184767	GU070400P08901	GELC
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Zinc		21.2			3.34	µg/L	*	J	40970	GU01041E089	GELC
Guaje above Rendija	-	-	04/20/07	WP	UF	CS		Rad	LLEE	Tritium		48.8529	0.532166667	0.28737		pCi/L			2332	UU070400P08901	UMTL
Guaje above Rendija	-	-	04/18/01	WM	UF	CS		Rad	EPA:906.0	Tritium		-169	16.83333333	186		pCi/L	U	U	40970	GU01041E089	GELC
LAO-0.3	5511	5.9	04/13/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		51.4			0.725	mg/L			184266	GF07040GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		86.3			0.725	mg/L			168374	GF06070GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		86.3			0.725	mg/L			168374	GU06070GLA0301	GELC
LAO-0.3	5511	5.9	04/13/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		44			0.33	mg/L			184266	GF07040GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		50.2			0.66	mg/L			168374	GF06070GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		52.1			0.66	mg/L			168374	GU06070GLA0301	GELC
LAO-0.3	5511	5.9	04/13/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.186			0.033	mg/L			184266	GF07040GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.176			0.033	mg/L			168374	GF06070GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.169			0.033	mg/L			168374	GU06070GLA0301	GELC
LAO-0.3	5511	5.9	04/13/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.059			0.01	mg/L			184266	GF07040GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.168			0.014	mg/L			168374	GF06070GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.18			0.014	mg/L			168374	GU06070GLA0301	GELC
LAO-0.3	5511	5.9	04/13/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.212			0.05	µg/L		J	184266	GF07040GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.0765			0.05	µg/L	J		168374	GF06070GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168374	GF06070GLA0301	GELC
LAO-0.3	5511	5.9	04/13/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		34.3			0.032	mg/L			184266	GF07040GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		37.3			0.032	mg/L	N	J+	168374	GF06070GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		58.7			0.032	mg/L	N	J+	168374	GU06070GLA0301	GELC
LAO-0.3	5511	5.9	04/13/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		299			1	µS/cm			184266	GF07040GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		410			1	µS/cm			168374	GF06070GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		209			1	µS/cm			168374	GU06070GLA0301	GELC
LAO-0.3	5511	5.9	04/13/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		11.6			0.1	mg/L			184266	GF07040GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		8.76			0.1	mg/L			168374	GF06070GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		8.65			0.1	mg/L			168374	GU06070GLA0301	GELC
LAO-0.3	5511	5.9	04/13/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		182			2.38	mg/L			184266	GF07040GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		230			2.38	mg/L			168374	GF06070GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		236			2.38	mg/L			168374	GU06070GLA0301	GELC
LAO-0.3	5511	5.9	04/13/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.171			0.029	mg/L			184266	GF07040GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.197			0.01	mg/L			168374	GF06070GLA0301	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAO-0.3	5511	5.9	04/13/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.141			0.029	mg/L		JN-	184266	GU07040GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.074			0.01	mg/L	J		168374	GU06070GLA0301	GELC
LAO-0.3	5511	5.9	04/13/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		6.14			0.33	mg/L			184266	GU07040GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		3.33			0.33	mg/L			168374	GU06070GLA0301	GELC
LAO-0.3	5511	5.9	04/13/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.04			0.01	SU	H	J	184266	GU07040GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.11			0.01	SU	H	J	168374	GF06070GLA0301	GELC
LAO-0.3	5511	5.9	07/31/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.03			0.01	SU	H	J	168374	GU06070GLA0301	GELC
LAO-0.3	5511	5.9	04/13/07	WG	UF	CS		Rad	LLEE	Tritium		68.0109	0.745033333	0.28737		pCi/L			2328	UU07040GLA0301	UMTL
LAO-0.3	5511	5.9	07/31/06	WG	UF	CS		Rad	LLEE	Tritium		63.86	0.745033333	0.28737		pCi/L			2238	UU06070GLA0301	UMTL
LAO-0.6	6701	8	04/10/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		72.4			0.725	mg/L			184079	GF07040GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		116			0.725	mg/L			168633	GF06070GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		113			0.725	mg/L			168633	GU06070GLA0601	GELC
LAO-0.6	6701	8	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		73.1			0.66	mg/L			184079	GF07040GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		61.8			0.66	mg/L		J	168633	GF06070GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		61.2			0.66	mg/L		J	168633	GU06070GLA0601	GELC
LAO-0.6	6701	8	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.234			0.033	mg/L			184079	GF07040GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.292			0.033	mg/L			168633	GF06070GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.283			0.033	mg/L			168633	GU06070GLA0601	GELC
LAO-0.6	6701	8	04/10/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.139			0.01	mg/L			184079	GF07040GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.119			0.014	mg/L			168633	GF06070GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N	<	0.0837			0.014	mg/L		U	168633	GU06070GLA0601	GELC
LAO-0.6	6701	8	04/10/07	WG	F	CS		Geninorg	EPA:314.0	Perchlorate		8.46			4	µg/L	J		184079	GF07040GLA0601	GELC
LAO-0.6	6701	8	04/10/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		7.3			0.5	µg/L		J	184079	GF07040GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate	<	0.05			0.05	µg/L	U		168633	GF06070GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168633	GF06070GLA0601	GELC
LAO-0.6	6701	8	04/10/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		31.8			0.032	mg/L			184079	GF07040GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		39.3			0.032	mg/L			168633	GF06070GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		40.2			0.032	mg/L			168633	GU06070GLA0601	GELC
LAO-0.6	6701	8	04/10/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		462			1	µS/cm			184079	GF07040GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		459			1	µS/cm			168633	GF06070GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		471			1	µS/cm			168633	GU06070GLA0601	GELC
LAO-0.6	6701	8	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		19.6			0.1	mg/L			184079	GF07040GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		18.9			0.1	mg/L			168633	GF06070GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		19.6			0.1	mg/L			168633	GU06070GLA0601	GELC
LAO-0.6	6701	8	04/10/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		265			2.38	mg/L			184079	GF07040GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		300			2.38	mg/L			168633	GF06070GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		305			2.38	mg/L			168633	GU06070GLA0601	GELC
LAO-0.6	6701	8	04/10/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.123			0.029	mg/L		JN-	184079	GF07040GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.101			0.01	mg/L			168633	GF06070GLA0601	GELC
LAO-0.6	6701	8	04/10/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.108			0.029	mg/L		JN-	184079	GU07040GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.095			0.01	mg/L	J		168633	GU06070GLA0601	GELC
LAO-0.6	6701	8	04/10/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		5.47			0.33	mg/L			184079	GU07040GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		3.87			0.33	mg/L			168633	GU06070GLA0601	GELC
LAO-0.6	6701	8	04/10/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.01			0.01	SU	H	J	184079	GF07040GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.08			0.01	SU	H	J	168633	GF06070GLA0601	GELC
LAO-0.6	6701	8	08/03/06	WG	UF	CS		Geninorg	EPA:150.1	pH		6.93			0.01	SU	H	J	168633	GU06070GLA0601	GELC
LAO-1	4381	8	04/11/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		64			0.725	mg/L			184191	GF070400G1OL01	GELC
LAO-1	4381	8	05/10/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		57.9			1.45	mg/L			136421	GF05050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		80			1.45	mg/L			114296	GF04050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		80			1.45	mg/L			114296	GF04050G1OL01	GELC
LAO-1	4381	8	09/18/03	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		69.6			0.725	mg/L			88401	GF03090G1OL01	GELC
LAO-1	4381	8	08/05/02	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		89.1			1.45	mg/L			64877	GF02070G1OL01	GELC
LAO-1	4381	8	08/05/02	WG	F	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		89.1			1.45	mg/L			64877	GF02070G1OL01	GELC
LAO-1	4381	8	04/11/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.177			0.066	mg/L	J		184191	GF070400G1OL01	GELC
LAO-1	4381	8	05/10/05	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.041			0.041	mg/L	U		136421	GF05050G1OL01	GELC
LAO-1	4381	8	11/05/01	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.05			0.02	mg/L	U	U	155S	CALA-01-0485	GELC
LAO-1	4381	8	05/16/95	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	1				mg/L	U	U	251	0402-95-0352	CST
LAO-1	4381	8	04/11/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		72.8			0.66	mg/L		J	184191	GF070400G1OL01	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAO-1	4381	8	05/10/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		64.9			0.53	mg/L			136421	GF05050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	CS		Geninorg	EPA:300.0	Chloride		102			0.322	mg/L		J+	114296	GF04050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	DUP		Geninorg	EPA:300.0	Chloride		103			0.322	mg/L			114296	GF04050G1OL01	GELC
LAO-1	4381	8	09/18/03	WG	F	CS		Geninorg	EPA:300.0	Chloride		101			0.322	mg/L			88401	GF03090G1OL01	GELC
LAO-1	4381	8	08/05/02	WG	F	CS		Geninorg	EPA:300.0	Chloride		42.8			0.161	mg/L			64877	GF02070G1OL01	GELC
LAO-1	4381	8	04/11/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.213			0.033	mg/L			184191	GF070400G1OL01	GELC
LAO-1	4381	8	05/10/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.282			0.03	mg/L		J+	136421	GF05050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.299			0.0553	mg/L			114296	GF04050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	DUP		Geninorg	EPA:300.0	Fluoride		0.321			0.0553	mg/L			114296	GF04050G1OL01	GELC
LAO-1	4381	8	09/18/03	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.253			0.0553	mg/L			88401	GF03090G1OL01	GELC
LAO-1	4381	8	08/05/02	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.251			0.0553	mg/L			64877	GF02070G1OL01	GELC
LAO-1	4381	8	04/11/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.0554			0.01	mg/L			184191	GF070400G1OL01	GELC
LAO-1	4381	8	05/10/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.361			0.003	mg/L			136421	GF05050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.13			0.01	mg/L		J-	114296	GF04050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	DUP		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.13			0.01	mg/L			114296	GF04050G1OL01	GELC
LAO-1	4381	8	09/18/03	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.83			0.01	mg/L			88401	GF03090G1OL01	GELC
LAO-1	4381	8	08/05/02	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.49			0.01	mg/L			64877	GF02070G1OL01	GELC
LAO-1	4381	8	04/11/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.249			0.05	µg/L		J	184191	GF070400G1OL01	GELC
LAO-1	4381	8	05/10/05	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.476			0.05	µg/L			136421	GF05050G1OL01	GELC
LAO-1	4381	8	05/10/05	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		136421	GF05050G1OL01	GELC
LAO-1	4381	8	11/05/01	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			0.958	µg/L	U	U	156S	CALA-01-0485	GELC
LAO-1	4381	8	09/18/03	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		88401	GU03090G1OL01	GELC
LAO-1	4381	8	08/05/02	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	1.45			1.45	µg/L	U		64877	GU02070G1OL01	GELC
LAO-1	4381	8	04/11/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		35.2			0.032	mg/L			184191	GF070400G1OL01	GELC
LAO-1	4381	8	05/10/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		32.7			0.032	mg/L			136421	GF05050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		32.8			0.0212	mg/L			114296	GF04050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	DUP		Geninorg	SW-846:6010B	Silicon Dioxide		33.5			0.0212	mg/L			114296	GF04050G1OL01	GELC
LAO-1	4381	8	09/18/03	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		36.8			0.0212	mg/L			88401	GF03090G1OL01	GELC
LAO-1	4381	8	08/05/02	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		37.5			0.0212	mg/L			64877	GF02070G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		34.4			0.0212	mg/L			114296	GU04050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	UF	DUP		Geninorg	SW-846:6010B	Silicon Dioxide		35.7			0.0212	mg/L			114296	GU04050G1OL01	GELC
LAO-1	4381	8	09/18/03	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		37.8			0.0212	mg/L		J	88401	GU03090G1OL01	GELC
LAO-1	4381	8	08/05/02	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		37.6			0.0212	mg/L			64877	GU02070G1OL01	GELC
LAO-1	4381	8	04/11/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		428			1	µS/cm			184191	GF070400G1OL01	GELC
LAO-1	4381	8	05/10/05	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		406			1	µS/cm			136421	GF05050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		427			1	µS/cm			114296	GF04050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	DUP		Geninorg	SW-846:9050A	Specific Conductance		432			1	µS/cm			114296	GF04050G1OL01	GELC
LAO-1	4381	8	09/18/03	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		526			1	µS/cm			88401	GF03090G1OL01	GELC
LAO-1	4381	8	08/05/02	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		268			1	µS/cm			64877	GF02070G1OL01	GELC
LAO-1	4381	8	04/11/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		13.8			0.1	mg/L			184191	GF070400G1OL01	GELC
LAO-1	4381	8	05/10/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		19.6			0.057	mg/L			136421	GF05050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	CS		Geninorg	EPA:300.0	Sulfate		16.3			0.193	mg/L			114296	GF04050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	DUP		Geninorg	EPA:300.0	Sulfate		16.6			0.193	mg/L			114296	GF04050G1OL01	GELC
LAO-1	4381	8	09/18/03	WG	F	CS		Geninorg	EPA:300.0	Sulfate		13.4			0.193	mg/L			88401	GF03090G1OL01	GELC
LAO-1	4381	8	08/05/02	WG	F	CS		Geninorg	EPA:300.0	Sulfate		9.39			0.193	mg/L			64877	GF02070G1OL01	GELC
LAO-1	4381	8	04/11/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		248			2.38	mg/L			184191	GF070400G1OL01	GELC
LAO-1	4381	8	05/10/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		253			2.38	mg/L			136421	GF05050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		289			3.07	mg/L			114296	GF04050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		299			3.07	mg/L			114296	GF04050G1OL01	GELC
LAO-1	4381	8	09/18/03	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		313			3.07	mg/L			88401	GF03090G1OL01	GELC
LAO-1	4381	8	08/05/02	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		206			3.07	mg/L			64877	GF02070G1OL01	GELC
LAO-1	4381	8	04/11/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.1			0.029	mg/L		JN-	184191	GF070400G1OL01	GELC
LAO-1	4381	8	05/10/05	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.237			0.01	mg/L			136421	GF05050G1OL01	GELC
LAO-1	4381	8	04/11/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.115			0.029	mg/L		JN-	184191	GU070400G1OL01	GELC
LAO-1	4381	8	05/10/05	WG	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		5.3			0.074	mg/L			136421	GF05050G1OL01	GELC
LAO-1	4381	8	04/11/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.5			0.33	mg/L			184191	GU070400G1OL01	GELC
LAO-1	4381	8	11/05/01	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.27			0.041	mg/L		NQ	154S	CALA-01-0486	GELC
LAO-1	4381	8	06/25/01	WG	UF	CS		Geninorg	EPA:415.1	Total Organic Carbon		2.5				mg/L		NQ	9121R	CALA-01-0228	PARA
LAO-1	4381	8	04/11/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.94			0.01	SU	H	J	184191	GF070400G1OL01	GELC
LAO-1	4381	8	05/10/05	WG	F	CS		Geninorg	EPA:150.1	pH		6.43			0.01	SU	H	J	136421	GF05050G1OL01	GELC
LAO-1	4381	8	06/02/04	WG	F	CS		Geninorg	EPA:150.1	pH		6.85				SU	H	J	114296	GF04050G1OL01	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAO-1	4381	8	09/18/03	WG	F	CS		Geninorg	EPA:150.1	pH		6.8			0.01	SU	H	J	88401	GF03090G1OL01	GELC
LAO-1	4381	8	08/05/02	WG	F	CS		Geninorg	EPA:150.1	pH		6.92			0.01	SU	H	J	64877	GF02070G1OL01	GELC
LAO-1	4381	8	08/05/02	WG	F	DUP		Geninorg	EPA:150.1	pH		6.93			0.01	SU	H		64877	GF02070G1OL01	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		68.2			0.725	mg/L			184079	GF070400G16G20	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		68.2			0.725	mg/L			184079	GF070400G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		89.4			0.725	mg/L			168446	GF060700G16G01	GELC
LAO-1.6g	5551	10.47	05/04/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		42.5			1.45	mg/L			136047	GF05050G16G01	GELC
LAO-1.6g	5551	10.47	11/08/01	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		89.3			0.73	mg/L		NQ	181S	CALA-01-0475	GELC
LAO-1.6g	5551	10.47	06/19/01	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		59				mg/L		NQ	9032R	CALA-01-0219	PARA
LAO-1.6g	5551	10.47	08/01/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		90.4			0.725	mg/L			168446	GU060700G16G01	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS	FD	Geninorg	EPA:300.0	Bromide		0.196			0.066	mg/L	J		184079	GF070400G16G20	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.186			0.066	mg/L	J		184079	GF070400G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		168446	GF060700G16G01	GELC
LAO-1.6g	5551	10.47	05/04/05	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.041			0.041	mg/L	U		136047	GF05050G16G01	GELC
LAO-1.6g	5551	10.47	11/08/01	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.05			0.02	mg/L	U	U	181S	CALA-01-0475	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.561				mg/L		NQ	3053R	04LA-97-0002	ESE
LAO-1.6g	5551	10.47	08/01/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		168446	GU060700G16G01	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride		79.4			0.66	mg/L			184079	GF070400G16G20	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		80.6			0.66	mg/L			184079	GF070400G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		46.9			0.33	mg/L			168446	GF060700G16G01	GELC
LAO-1.6g	5551	10.47	05/04/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		66			0.53	mg/L			136047	GF05050G16G01	GELC
LAO-1.6g	5551	10.47	11/08/01	WG	F	CS		Geninorg	EPA:300.0	Chloride		33.9			0.13	mg/L	J	J	181S	CALA-01-0475	GELC
LAO-1.6g	5551	10.47	06/19/01	WG	F	CS		Geninorg	EPA:300.0	Chloride		43				mg/L		NQ	9032R	CALA-01-0219	PARA
LAO-1.6g	5551	10.47	08/01/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		47.6			0.33	mg/L			168446	GU060700G16G01	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride		0.278			0.033	mg/L			184079	GF070400G16G20	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.285			0.033	mg/L			184079	GF070400G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.28			0.033	mg/L			168446	GF060700G16G01	GELC
LAO-1.6g	5551	10.47	05/04/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.152			0.03	mg/L			136047	GF05050G16G01	GELC
LAO-1.6g	5551	10.47	11/08/01	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.146			0.014	mg/L	J	J	181S	CALA-01-0475	GELC
LAO-1.6g	5551	10.47	06/19/01	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.38				mg/L		NQ	9032R	CALA-01-0219	PARA
LAO-1.6g	5551	10.47	08/01/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.283			0.033	mg/L			168446	GU060700G16G01	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.188			0.01	mg/L			184079	GF070400G16G20	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.172			0.01	mg/L			184079	GF070400G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.985			0.014	mg/L			168446	GF060700G16G01	GELC
LAO-1.6g	5551	10.47	05/04/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.194			0.003	mg/L			136047	GF05050G16G01	GELC
LAO-1.6g	5551	10.47	11/08/01	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.22			0.0069	mg/L	J	J	181S	CALA-01-0475	GELC
LAO-1.6g	5551	10.47	06/23/00	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.61				mg/L		NQ	6914R	CALA-00-0040	KA
LAO-1.6g	5551	10.47	08/01/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.968			0.014	mg/L			168446	GU060700G16G01	GELC
LAO-1.6g	5551	10.47	06/23/00	WG	UF	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.64				mg/L		NQ	6914R	CALA-00-0039	KA
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate		0.26			0.05	µg/L		J	184079	GF070400G16G20	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.257			0.05	µg/L		J	184079	GF070400G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.151			0.05	µg/L	J		168446	GF060700G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168446	GF060700G16G01	GELC
LAO-1.6g	5551	10.47	05/04/05	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		136047	GF05050G16G01	GELC
LAO-1.6g	5551	10.47	05/04/05	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.371			0.05	µg/L			136047	GF05050G16G01	GELC
LAO-1.6g	5551	10.47	11/08/01	WG	F	CS		Geninorg	EPA:314.0	Perchlorate		4			0.958	µg/L	J	J	182S	CALA-01-0475	GELC
LAO-1.6g	5551	10.47	06/19/01	WG	F	CS		Geninorg	EPA:300.0	Perchlorate	<	4				µg/L	U	U	9033R	CALA-01-0219	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Silicon Dioxide		38.2			0.032	mg/L			184079	GF070400G16G20	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		38.2			0.032	mg/L			184079	GF070400G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		42.1			0.032	mg/L		J	168446	GF060700G16G01	GELC
LAO-1.6g	5551	10.47	05/04/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		36			0.032	mg/L			136047	GF05050G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		41.5			0.032	mg/L		J	168446	GU060700G16G01	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance		451			1	µS/cm			184079	GF070400G16G20	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		462			1	µS/cm			184079	GF070400G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		388			1	µS/cm			168446	GF060700G16G01	GELC
LAO-1.6g	5551	10.47	05/04/05	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		357			1	µS/cm			136047	GF05050G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		380			1	µS/cm			168446	GU060700G16G01	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate		14			0.1	mg/L			184079	GF070400G16G20	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		14			0.1	mg/L			184079	GF070400G16G01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAO-1.6g	5551	10.47	08/01/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		10.7			0.1	mg/L			168446	GF060700G16G01	GELC
LAO-1.6g	5551	10.47	05/04/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		15.7			0.057	mg/L			136047	GF05050G16G01	GELC
LAO-1.6g	5551	10.47	11/08/01	WG	F	CS		Geninorg	EPA:300.0	Sulfate		9.81			0.062	mg/L	J	J	181S	CALA-01-0475	GELC
LAO-1.6g	5551	10.47	06/19/01	WG	F	CS		Geninorg	EPA:300.0	Sulfate		12				mg/L		NQ	9032R	CALA-01-0219	PARA
LAO-1.6g	5551	10.47	08/01/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		10.6			0.1	mg/L			168446	GU060700G16G01	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids		274			2.38	mg/L			184079	GF070400G16G20	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		273			2.38	mg/L			184079	GF070400G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		243			2.38	mg/L			168446	GF060700G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		245			2.38	mg/L			168446	GU060700G16G01	GELC
LAO-1.6g	5551	10.47	05/04/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		237			2.38	mg/L			136047	GF05050G16G01	GELC
LAO-1.6g	5551	10.47	06/23/00	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		210				mg/L		NQ	6918R	CALA-00-0040	PARA
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.074			0.029	mg/L	J	JN-	184079	GF070400G16G20	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.065			0.029	mg/L	J	JN-	184079	GF070400G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.03			0.01	mg/L	J	JN-, J	168446	GF060700G16G01	GELC
LAO-1.6g	5551	10.47	05/04/05	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.13			0.01	mg/L		U	136047	GF05050G16G01	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	UF	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.061			0.029	mg/L	J	JN-	184079	GU070400G16G20	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.036			0.029	mg/L	J	JN-	184079	GU070400G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.136			0.01	mg/L			168446	GU060700G16G01	GELC
LAO-1.6g	5551	10.47	05/04/05	WG	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		3.86			0.074	mg/L			136047	GF05050G16G01	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon		3.67			0.33	mg/L			184079	GU070400G16G20	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		3.68			0.33	mg/L			184079	GU070400G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		2.69			0.33	mg/L			168446	GU060700G16G01	GELC
LAO-1.6g	5551	10.47	11/08/01	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		3.21			0.041	mg/L		NQ	180S	CALA-01-0476	GELC
LAO-1.6g	5551	10.47	06/19/01	WG	UF	CS		Geninorg	EPA:415.1	Total Organic Carbon		2.2				mg/L		NQ	9031R	CALA-01-0220	PARA
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS	FD	Geninorg	EPA:150.1	pH		6.69			0.01	SU	H	J	184079	GF070400G16G20	GELC
LAO-1.6g	5551	10.47	04/10/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.67			0.01	SU	H	J	184079	GF070400G16G01	GELC
LAO-1.6g	5551	10.47	08/01/06	WG	F	CS		Geninorg	EPA:150.1	pH		6.63			0.01	SU	H	J	168446	GF060700G16G01	GELC
LAO-1.6g	5551	10.47	05/04/05	WG	F	CS		Geninorg	EPA:150.1	pH		6.37			0.01	SU	H	J	136047	GF05050G16G01	GELC
LAO-1.6g	5551	10.47	06/23/00	WG	F	CS		Geninorg	USGS-WRI-79-4	pH		6.4				SU		NQ	6917R	CALA-00-0040	HUFFMAN
LAO-1.6g	5551	10.47	08/01/06	WG	UF	CS		Geninorg	EPA:150.1	pH		6.74			0.01	SU	H	J	168446	GU060700G16G01	GELC
LAO-1.8	6721	8	04/12/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		126			0.725	mg/L			184191	GF070400GLA1801	GELC
LAO-1.8	6721	8	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		56.4			0.66	mg/L		J	184191	GF070400GLA1801	GELC
LAO-1.8	6721	8	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.188			0.033	mg/L			184191	GF070400GLA1801	GELC
LAO-1.8	6721	8	04/12/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.0408			0.01	mg/L	J	JN-	184191	GF070400GLA1801	GELC
LAO-1.8	6721	8	04/12/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.288			0.05	ug/L		J	184191	GF070400GLA1801	GELC
LAO-1.8	6721	8	04/12/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		31.4			0.032	mg/L			184191	GF070400GLA1801	GELC
LAO-1.8	6721	8	04/12/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		351			1	µS/cm			184191	GF070400GLA1801	GELC
LAO-1.8	6721	8	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		13.4			0.1	mg/L			184191	GF070400GLA1801	GELC
LAO-1.8	6721	8	04/12/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		190			2.38	mg/L			184191	GF070400GLA1801	GELC
LAO-1.8	6721	8	04/12/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.07			0.029	mg/L	J	JN-	184191	GF070400GLA1801	GELC
LAO-1.8	6721	8	04/12/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.976			0.029	mg/L			184191	GU070400GLA1801	GELC
LAO-1.8	6721	8	04/12/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.87			0.66	mg/L			184191	GU070400GLA1801	GELC
LAO-1.8	6721	8	04/12/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.89			0.01	SU	H	J	184191	GF070400GLA1801	GELC
LAO-1.8	6721	8	04/12/07	WG	UF	CS		Rad	LLEE	Tritium		73.1197	0.851466667	0.28737		pCi/L			2328	UU070400GLA1801	UMTL
LAO-2	4391	7	04/18/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		115			0.725	mg/L			184649	GF070400G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		117			0.725	mg/L			168163	GF060700G2OL01	GELC
LAO-2	4391	7	05/02/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		106			1.45	mg/L			135808	GF05050G2OL01	GELC
LAO-2	4391	7	06/04/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		102			1.45	mg/L			114323	GF04050G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		80.1			0.725	mg/L			88401	GF03090G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		107			0.725	mg/L			168163	GU060700G2OL01	GELC
LAO-2	4391	7	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		5.19			0.33	mg/L			184649	GF070400G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	F	CS		Geninorg	EPA:300.0	Bromide		1.88			0.066	mg/L			168163	GF060700G2OL01	GELC
LAO-2	4391	7	05/02/05	WG	F	CS		Geninorg	EPA:300.0	Bromide		1.16			0.041	mg/L			135808	GF05050G2OL01	GELC
LAO-2	4391	7	06/26/01	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.358				mg/L		NQ	9146R	CALA-01-0229	GELC
LAO-2	4391	7	07/27/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide		1.88			0.066	mg/L			168163	GU060700G2OL01	GELC
LAO-2	4391	7	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		46.9			0.33	mg/L			184649	GF070400G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		43.7			0.33	mg/L			168163	GF060700G2OL01	GELC
LAO-2	4391	7	05/02/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		74.9			0.53	mg/L			135808	GF05050G2OL01	GELC
LAO-2	4391	7	06/04/04	WG	F	CS		Geninorg	EPA:300.0	Chloride		53.8			0.161	mg/L			114323	GF04050G2OL01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAO-2	4391	7	09/19/03	WG	F	CS		Geninorg	EPA:300.0	Chloride		64			0.322	mg/L			88401	GF03090G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	F	DUP		Geninorg	EPA:300.0	Chloride		63.7			0.322	mg/L			88401	GF03090G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		44.4			0.33	mg/L			168163	GU060700G2OL01	GELC
LAO-2	4391	7	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.696			0.033	mg/L			184649	GF070400G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.809			0.033	mg/L			168163	GF060700G2OL01	GELC
LAO-2	4391	7	05/02/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.74			0.03	mg/L			135808	GF05050G2OL01	GELC
LAO-2	4391	7	06/04/04	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.765			0.0553	mg/L			114323	GF04050G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.637			0.0553	mg/L			88401	GF03090G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	F	DUP		Geninorg	EPA:300.0	Fluoride		0.637			0.0553	mg/L			88401	GF03090G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.761			0.033	mg/L			168163	GU060700G2OL01	GELC
LAO-2	4391	7	04/18/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		4.54			0.1	mg/L			184649	GF070400G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.29			0.014	mg/L			168163	GF060700G2OL01	GELC
LAO-2	4391	7	05/02/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.967			0.003	mg/L			135808	GF05050G2OL01	GELC
LAO-2	4391	7	06/04/04	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.69			0.01	mg/L			114323	GF04050G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.23			0.01	mg/L			88401	GF03090G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.37			0.014	mg/L			168163	GU060700G2OL01	GELC
LAO-2	4391	7	04/18/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.977			0.05	µg/L			184649	GF070400G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.451			0.05	µg/L			168163	GF060700G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168163	GF060700G2OL01	GELC
LAO-2	4391	7	05/02/05	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.624			0.05	µg/L			135808	GF05050G2OL01	GELC
LAO-2	4391	7	05/02/05	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		135808	GF05050G2OL01	GELC
LAO-2	4391	7	06/04/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		114323	GU04050G2OL01	GELC
LAO-2	4391	7	06/04/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.635			0.05	µg/L		J-	114323	GU04050G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		88401	GU03090G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	UF	DUP		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		88401	GU03090G2OL01	GELC
LAO-2	4391	7	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		48			0.032	mg/L			184649	GF070400G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		45.3			0.032	mg/L			168163	GF060700G2OL01	GELC
LAO-2	4391	7	05/02/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		44.4			0.032	mg/L			135808	GF05050G2OL01	GELC
LAO-2	4391	7	06/04/04	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		49.6			0.0212	mg/L			114323	GF04050G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		40.6			0.0212	mg/L			88401	GF03090G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	F	DUP		Geninorg	SW-846:6010B	Silicon Dioxide		38.9			0.0212	mg/L			88401	GF03090G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		44			0.032	mg/L			168163	GU060700G2OL01	GELC
LAO-2	4391	7	06/04/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		51.1			0.0212	mg/L			114323	GU04050G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		38.1			0.0212	mg/L		J	88401	GU03090G2OL01	GELC
LAO-2	4391	7	04/18/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		341			1	µS/cm			184649	GF070400G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		417			1	µS/cm			168163	GF060700G2OL01	GELC
LAO-2	4391	7	05/02/05	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		520			1	µS/cm			135808	GF05050G2OL01	GELC
LAO-2	4391	7	06/04/04	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		418			1	µS/cm			114323	GF04050G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		249			1	µS/cm			88401	GF03090G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		412			1	µS/cm			168163	GU060700G2OL01	GELC
LAO-2	4391	7	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		29.5			0.1	mg/L			184649	GF070400G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		15.4			0.1	mg/L			168163	GF060700G2OL01	GELC
LAO-2	4391	7	05/02/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		23.2			0.057	mg/L			135808	GF05050G2OL01	GELC
LAO-2	4391	7	06/04/04	WG	F	CS		Geninorg	EPA:300.0	Sulfate		32.7			0.193	mg/L			114323	GF04050G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	F	CS		Geninorg	EPA:300.0	Sulfate		8.95			0.193	mg/L			88401	GF03090G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	F	DUP		Geninorg	EPA:300.0	Sulfate		8.88			0.193	mg/L			88401	GF03090G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		15.2			0.1	mg/L			168163	GU060700G2OL01	GELC
LAO-2	4391	7	04/18/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		324			2.38	mg/L			184649	GF070400G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		268			2.38	mg/L			168163	GU060700G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		269			2.38	mg/L			168163	GF060700G2OL01	GELC
LAO-2	4391	7	05/02/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		334			2.38	mg/L			135808	GF05050G2OL01	GELC
LAO-2	4391	7	06/04/04	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		191			3.07	mg/L			114323	GF04050G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		247			3.07	mg/L			88401	GF03090G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		250			3.07	mg/L			88401	GF03090G2OL01	GELC
LAO-2	4391	7	04/18/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.247			0.029	mg/L			184649	GF070400G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.08			0.01	mg/L	J		168163	GF060700G2OL01	GELC
LAO-2	4391	7	05/02/05	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.16			0.01	mg/L		JN-	135808	GF05050G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.105			0.01	mg/L			168163	GU060700G2OL01	GELC
LAO-2	4391	7	05/02/05	WG	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		3.36			0.074	mg/L			135808	GF05050G2OL01	GELC
LAO-2	4391	7	04/18/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		2.88			0.33	mg/L			184649	GU070400G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		3.31			0.33	mg/L			168163	GU060700G2OL01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAO-2	4391	7	06/26/01	WG	UF	CS		Geninorg	EPA:415.1	Total Organic Carbon		2.4				mg/L		NQ	9143R	CALA-01-0230	PARA
LAO-2	4391	7	04/18/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.96			0.01	SU	H	J	184649	GF070400G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.08			0.01	SU	H	J	168163	GF060700G2OL01	GELC
LAO-2	4391	7	05/02/05	WG	F	CS		Geninorg	EPA:150.1	pH		6.88			0.01	SU	H	J	135808	GF05050G2OL01	GELC
LAO-2	4391	7	06/04/04	WG	F	CS		Geninorg	EPA:150.1	pH		7.03				SU	H	J	114323	GF04050G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	F	CS		Geninorg	EPA:150.1	pH		6.6			0.01	SU	H	J	88401	GF03090G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	F	DUP		Geninorg	EPA:150.1	pH		6.63			0.01	SU	H		88401	GF03090G2OL01	GELC
LAO-2	4391	7	07/27/06	WG	UF	CS		Geninorg	EPA:150.1	pH		6.99			0.01	SU	H	J	168163	GU060700G2OL01	GELC
LAO-2	4391	7	04/18/07	WG	UF	CS		Rad	LLEE	Tritium		135.7025	1.490066667	0.28737		pCi/L			2332	UU070400G2OL01	UMTL
LAO-2	4391	7	07/27/06	WG	UF	CS		Rad	LLEE	Tritium		123.8884	1.383633333	0.28737		pCi/L			2238	UU060700G2OL01	UMTL
LAO-2	4391	7	05/02/05	WG	UF	CS		Rad	EPA:906.0	Tritium		191	19.83333333	187		pCi/L		J	135808	GU05050G2OL01	GELC
LAO-2	4391	7	05/02/05	WG	UF	CS		Rad	LLEE	Tritium		117.5024	1.2772	0.28737		pCi/L			2056	UU05050G2OL01	UMTL
LAO-2	4391	7	06/04/04	WG	UF	CS		Rad	EPA:906.0	Tritium		60.2	17.86666667	172		pCi/L	U	U	114323	GU04050G2OL01	GELC
LAO-2	4391	7	06/04/04	WG	UF	CS		Rad	LLEE	Tritium		181.6817	2.022233333		0.28737	pCi/L			1899	UU04050G2OL01	UMTL
LAO-2	4391	7	09/19/03	WG	UF	CS		Rad	EPA:906.0	Tritium		241	20.3	181		pCi/L		J	88401	GU03090G2OL01	GELC
LAO-2	4391	7	09/19/03	WG	UF	DUP		Rad	EPA:906.0	Tritium		226	19.93333333	179		pCi/L			88401	GU03090G2OL01	GELC
LAO-3a	4401	4.7	04/12/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		121			0.725	mg/L			184191	GF070400GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		119			0.725	mg/L			168446	GF060700GA3L01	GELC
LAO-3a	4401	4.7	06/02/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		112			1.45	mg/L			114296	GF04050GA3L01	GELC
LAO-3a	4401	4.7	09/17/03	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		99.6			0.725	mg/L			88401	GF03090GA3L01	GELC
LAO-3a	4401	4.7	09/17/03	WG	F	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		99.1			0.725	mg/L			88401	GF03090GA3L01	GELC
LAO-3a	4401	4.7	06/05/02	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		79.2			0.725	mg/L			61733	GF02052GA3L3	GELC
LAO-3a	4401	4.7	08/01/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		112			0.725	mg/L			168446	GU060700GA3L01	GELC
LAO-3a	4401	4.7	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		2.08			0.066	mg/L			184191	GF070400GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	F	CS		Geninorg	EPA:300.0	Bromide		2.57			0.066	mg/L			168446	GF060700GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide		2.27			0.066	mg/L			168446	GU060700GA3L01	GELC
LAO-3a	4401	4.7	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		74.4			0.66	mg/L		J	184191	GF070400GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		33.7			0.33	mg/L			168446	GF060700GA3L01	GELC
LAO-3a	4401	4.7	06/02/04	WG	F	CS		Geninorg	EPA:300.0	Chloride		54.4			0.161	mg/L		J+	114296	GF04050GA3L01	GELC
LAO-3a	4401	4.7	09/17/03	WG	F	CS		Geninorg	EPA:300.0	Chloride		56.5			0.322	mg/L			88401	GF03090GA3L01	GELC
LAO-3a	4401	4.7	06/05/02	WG	F	CS		Geninorg	EPA:300.0	Chloride		9.57			0.0322	mg/L			61733	GF02052GA3L3	GELC
LAO-3a	4401	4.7	08/01/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		37.5			0.33	mg/L			168446	GU060700GA3L01	GELC
LAO-3a	4401	4.7	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.626			0.033	mg/L			184191	GF070400GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.703			0.033	mg/L			168446	GF060700GA3L01	GELC
LAO-3a	4401	4.7	06/02/04	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.619			0.0553	mg/L			114296	GF04050GA3L01	GELC
LAO-3a	4401	4.7	09/17/03	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.62			0.0553	mg/L			88401	GF03090GA3L01	GELC
LAO-3a	4401	4.7	06/05/02	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.735			0.0553	mg/L			61733	GF02052GA3L3	GELC
LAO-3a	4401	4.7	08/01/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.717			0.033	mg/L			168446	GU060700GA3L01	GELC
LAO-3a	4401	4.7	04/12/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		1.39			0.1	mg/L			184191	GF070400GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.45			0.014	mg/L			168446	GF060700GA3L01	GELC
LAO-3a	4401	4.7	06/02/04	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.31			0.01	mg/L			114296	GF04050GA3L01	GELC
LAO-3a	4401	4.7	09/17/03	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.26			0.01	mg/L			88401	GF03090GA3L01	GELC
LAO-3a	4401	4.7	06/05/02	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.73			0.01	mg/L			61733	GF02052GA3L3	GELC
LAO-3a	4401	4.7	08/01/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.59			0.014	mg/L			168446	GU060700GA3L01	GELC
LAO-3a	4401	4.7	04/12/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.585			0.05	µg/L		J	184191	GF070400GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.434			0.05	µg/L			168446	GF060700GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168446	GF060700GA3L01	GELC
LAO-3a	4401	4.7	06/02/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		114296	GU04050GA3L01	GELC
LAO-3a	4401	4.7	06/02/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.719			0.05	µg/L		J-	114296	GU04050GA3L01	GELC
LAO-3a	4401	4.7	09/17/03	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		88401	GU03090GA3L01	GELC
LAO-3a	4401	4.7	04/25/02	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	0.958			0.958	µg/L	U		59519	GU02041GA3L	GELC
LAO-3a	4401	4.7	04/12/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		47.7			0.032	mg/L			184191	GF070400GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		57.4			0.032	mg/L		J	168446	GF060700GA3L01	GELC
LAO-3a	4401	4.7	06/02/04	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		49.1			0.0212	mg/L			114296	GF04050GA3L01	GELC
LAO-3a	4401	4.7	09/17/03	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		59.2			0.0212	mg/L			88401	GF03090GA3L01	GELC
LAO-3a	4401	4.7	06/05/02	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		53			0.0212	mg/L			61733	GF02052GA3L3	GELC
LAO-3a	4401	4.7	08/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		54.3			0.032	mg/L		J	168446	GU060700GA3L01	GELC
LAO-3a	4401	4.7	06/02/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		45.7			0.0212	mg/L			114296	GU04050GA3L01	GELC
LAO-3a	4401	4.7	09/17/03	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		35			0.0212	mg/L		J	88401	GU03090GA3L01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAO-3a	4401	4.7	04/12/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		520			1	µS/cm			184191	GF070400GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		415			1	µS/cm			168446	GF060700GA3L01	GELC
LAO-3a	4401	4.7	06/02/04	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		407			1	µS/cm			114296	GF04050GA3L01	GELC
LAO-3a	4401	4.7	09/17/03	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		461			1	µS/cm			88401	GF03090GA3L01	GELC
LAO-3a	4401	4.7	06/05/02	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		226			1	µS/cm			61733	GF02052GA3L3	GELC
LAO-3a	4401	4.7	08/01/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		412			1	µS/cm			168446	GU060700GA3L01	GELC
LAO-3a	4401	4.7	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		17.4			0.1	mg/L			184191	GF070400GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		17.1			0.1	mg/L			168446	GF060700GA3L01	GELC
LAO-3a	4401	4.7	06/02/04	WG	F	CS		Geninorg	EPA:300.0	Sulfate		32.1			0.193	mg/L			114296	GF04050GA3L01	GELC
LAO-3a	4401	4.7	09/17/03	WG	F	CS		Geninorg	EPA:300.0	Sulfate		21.3			0.193	mg/L			88401	GF03090GA3L01	GELC
LAO-3a	4401	4.7	06/05/02	WG	F	CS		Geninorg	EPA:300.0	Sulfate		14.2			0.193	mg/L			61733	GF02052GA3L3	GELC
LAO-3a	4401	4.7	08/01/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		15.7			0.1	mg/L			168446	GU060700GA3L01	GELC
LAO-3a	4401	4.7	04/12/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		274			2.38	mg/L			184191	GF070400GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		281			2.38	mg/L			168446	GU060700GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		284			2.38	mg/L			168446	GF060700GA3L01	GELC
LAO-3a	4401	4.7	06/02/04	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		311			3.07	mg/L			114296	GF04050GA3L01	GELC
LAO-3a	4401	4.7	09/17/03	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		292			3.07	mg/L			88401	GF03090GA3L01	GELC
LAO-3a	4401	4.7	06/05/02	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		229			3.07	mg/L			61733	GF02052GA3L3	GELC
LAO-3a	4401	4.7	04/12/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.184			0.029	mg/L			184191	GF070400GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.219			0.01	mg/L			168446	GF060700GA3L01	GELC
LAO-3a	4401	4.7	04/12/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.19			0.029	mg/L			184191	GU070400GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.138			0.01	mg/L			168446	GU060700GA3L01	GELC
LAO-3a	4401	4.7	04/12/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		2.4			0.33	mg/L			184191	GU070400GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		2.88			0.33	mg/L			168446	GU060700GA3L01	GELC
LAO-3a	4401	4.7	04/12/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.91			0.01	SU	H	J	184191	GF070400GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	F	CS		Geninorg	EPA:150.1	pH		6.92			0.01	SU	H	J	168446	GF060700GA3L01	GELC
LAO-3a	4401	4.7	06/02/04	WG	F	CS		Geninorg	EPA:150.1	pH		6.88				SU	H	J	114296	GF04050GA3L01	GELC
LAO-3a	4401	4.7	09/17/03	WG	F	CS		Geninorg	EPA:150.1	pH		6.87			0.01	SU	H	J	88401	GF03090GA3L01	GELC
LAO-3a	4401	4.7	06/05/02	WG	F	CS		Geninorg	EPA:150.1	pH		7.08			0.01	SU	H	J-	61733	GF02052GA3L3	GELC
LAO-3a	4401	4.7	08/01/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.51			0.01	SU	H	J	168446	GU060700GA3L01	GELC
LAO-3a	4401	4.7	04/12/07	WG	UF	CS		Pest/PCB	SW-846:8081A	BHC[delta-]		0.411			0.00521	µg/L			184191	GU070400GA3L01	GELC
LAO-3a	4401	4.7	08/01/06	WG	UF	CS		Pest/PCB	SW-846:8081A	BHC[delta-]	<	0.02			0.005	µg/L	U		168446	GU060700GA3L01	GELC
LAO-3a	4401	4.7	06/02/04	WG	UF	CS		Pest/PCB	SW-846:8081A	BHC[delta-]	<	0.0225				µg/L	U		114296	GU04050GA3L01	GELC
LAO-3a	4401	4.7	04/12/07	WG	UF	CS		Rad	LLEE	Tritium		125.8042	1.383633333	0.28737		pCi/L			2328	UU070400GA3L01	UMTL
LAO-3a	4401	4.7	08/01/06	WG	UF	CS		Rad	LLEE	Tritium		104.4111	1.170766667	0.28737		pCi/L			2238	UU060700GA3L01	UMTL
LAO-3a	4401	4.7	06/02/04	WG	UF	CS		Rad	LLEE	Tritium		206.2678	2.5544		0.28737	pCi/L			1899	UU04050GA3L01	UMTL
LAO-3a	4401	4.7	06/02/04	WG	UF	CS		Rad	EPA:906.0	Tritium		145	15.5	140		pCi/L		J	114296	GU04050GA3L01	GELC
LAO-3a	4401	4.7	09/17/03	WG	UF	CS		Rad	EPA:906.0	Tritium		233	19.63333333	175		pCi/L		J	88401	GU03090GA3L01	GELC
LAO-3a	4401	4.7	04/25/02	WG	UF	CS		Rad	EPA:906.0	Tritium		139	17.16666667	155		pCi/L	U		59519	GU02041GA3L	GELC
LAO-4.5c	4431	13.3	04/12/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		52.5			0.725	mg/L			184191	GF070400GC5401	GELC
LAO-4.5c	4431	13.3	05/02/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		58.5			1.45	mg/L			135808	GF05050GC5401	GELC
LAO-4.5c	4431	13.3	06/04/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		31.2			1.45	mg/L			114323	GF04050GC5401	GELC
LAO-4.5c	4431	13.3	11/06/01	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		76.5			0.73	mg/L		NQ	162S	CALA-01-0493	GELC
LAO-4.5c	4431	13.3	07/11/01	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		75				mg/L		NQ	9295R	CALA-01-0267	PARA
LAO-4.5c	4431	13.3	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.366			0.066	mg/L			184191	GF070400GC5401	GELC
LAO-4.5c	4431	13.3	05/02/05	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.33			0.041	mg/L			135808	GF05050GC5401	GELC
LAO-4.5c	4431	13.3	11/06/01	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.496			0.02	mg/L		NQ	162S	CALA-01-0493	GELC
LAO-4.5c	4431	13.3	06/26/01	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.466				mg/L		NQ	9146R	CALA-01-0235	GELC
LAO-4.5c	4431	13.3	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		49.8			0.33	mg/L		J	184191	GF070400GC5401	GELC
LAO-4.5c	4431	13.3	05/02/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		62.8			0.53	mg/L			135808	GF05050GC5401	GELC
LAO-4.5c	4431	13.3	06/04/04	WG	F	CS		Geninorg	EPA:300.0	Chloride		60.8			0.322	mg/L			114323	GF04050GC5401	GELC
LAO-4.5c	4431	13.3	11/06/01	WG	F	CS		Geninorg	EPA:300.0	Chloride		34.9			0.13	mg/L	J	J	162S	CALA-01-0493	GELC
LAO-4.5c	4431	13.3	07/11/01	WG	F	CS		Geninorg	EPA:300.0	Chloride		41				mg/L		NQ	9295R	CALA-01-0267	PARA
LAO-4.5c	4431	13.3	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.6			0.033	mg/L			184191	GF070400GC5401	GELC
LAO-4.5c	4431	13.3	05/02/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.561			0.03	mg/L			135808	GF05050GC5401	GELC
LAO-4.5c	4431	13.3	06/04/04	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.647			0.0553	mg/L			114323	GF04050GC5401	GELC
LAO-4.5c	4431	13.3	11/06/01	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.612			0.014	mg/L	J	J	162S	CALA-01-0493	GELC
LAO-4.5c	4431	13.3	07/11/01	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.47				mg/L		NQ	9295R	CALA-01-0267	PARA
LAO-4.5c	4431	13.3	04/12/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.0181			0.01	mg/L	J	JN-	184191	GF070400GC5401	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAO-4.5c	4431	13.3	05/02/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N	<	0.0201			0.003	mg/L		U	135808	GF05050GC5401	GELC
LAO-4.5c	4431	13.3	06/04/04	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.01			0.01	mg/L	J		114323	GF04050GC5401	GELC
LAO-4.5c	4431	13.3	11/06/01	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.04			0.0069	mg/L	J	J	162S	CALA-01-0493	GELC
LAO-4.5c	4431	13.3	03/28/01	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N	<	0.0069			0.0069	mg/L	U		40017	GF01031GC54	GELC
LAO-4.5c	4431	13.3	04/12/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.374			0.05	µg/L		J	184191	GF070400GC5401	GELC
LAO-4.5c	4431	13.3	05/02/05	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.458			0.05	µg/L			135808	GF05050GC5401	GELC
LAO-4.5c	4431	13.3	05/02/05	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		135808	GF05050GC5401	GELC
LAO-4.5c	4431	13.3	11/06/01	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			0.958	µg/L	U	U	163S	CALA-01-0493	GELC
LAO-4.5c	4431	13.3	06/26/01	WG	F	CS		Geninorg	EPA:300.0	Perchlorate	<	4				µg/L	U	U	9146R	CALA-01-0235	GELC
LAO-4.5c	4431	13.3	06/04/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		114323	GU04050GC5401	GELC
LAO-4.5c	4431	13.3	06/04/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.25			0.05	µg/L		J-	114323	GU04050GC5401	GELC
LAO-4.5c	4431	13.3	04/12/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		38			0.032	mg/L			184191	GF070400GC5401	GELC
LAO-4.5c	4431	13.3	05/02/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		34.1			0.032	mg/L			135808	GF05050GC5401	GELC
LAO-4.5c	4431	13.3	06/04/04	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		40.1			0.0212	mg/L			114323	GF04050GC5401	GELC
LAO-4.5c	4431	13.3	03/28/01	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		34.4			0.0133	mg/L			40017	GF01031GC54	GELC
LAO-4.5c	4431	13.3	06/04/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		39.1			0.0212	mg/L			114323	GU04050GC5401	GELC
LAO-4.5c	4431	13.3	04/12/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		331			1	µS/cm			184191	GF070400GC5401	GELC
LAO-4.5c	4431	13.3	05/02/05	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		379			1	µS/cm			135808	GF05050GC5401	GELC
LAO-4.5c	4431	13.3	06/04/04	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		328			1	µS/cm			114323	GF04050GC5401	GELC
LAO-4.5c	4431	13.3	03/28/01	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		231			1	µS/cm			40017	GF01031GC54	GELC
LAO-4.5c	4431	13.3	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		14.9			0.1	mg/L			184191	GF070400GC5401	GELC
LAO-4.5c	4431	13.3	05/02/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		17.7			0.057	mg/L			135808	GF05050GC5401	GELC
LAO-4.5c	4431	13.3	06/04/04	WG	F	CS		Geninorg	EPA:300.0	Sulfate		18.5			0.193	mg/L			114323	GF04050GC5401	GELC
LAO-4.5c	4431	13.3	11/06/01	WG	F	CS		Geninorg	EPA:300.0	Sulfate		16			0.062	mg/L	J	J	162S	CALA-01-0493	GELC
LAO-4.5c	4431	13.3	07/11/01	WG	F	CS		Geninorg	EPA:300.0	Sulfate		16				mg/L		NQ	9295R	CALA-01-0267	PARA
LAO-4.5c	4431	13.3	04/12/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		187			2.38	mg/L			184191	GF070400GC5401	GELC
LAO-4.5c	4431	13.3	05/02/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		244			2.38	mg/L			135808	GF05050GC5401	GELC
LAO-4.5c	4431	13.3	06/04/04	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		235			3.07	mg/L			114323	GF04050GC5401	GELC
LAO-4.5c	4431	13.3	03/28/01	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		201			5.09	mg/L			40017	GF01031GC54	GELC
LAO-4.5c	4431	13.3	04/12/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.152			0.029	mg/L			184191	GF070400GC5401	GELC
LAO-4.5c	4431	13.3	05/02/05	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.077			0.01	mg/L	J	JN-	135808	GF05050GC5401	GELC
LAO-4.5c	4431	13.3	04/12/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.172			0.029	mg/L			184191	GU070400GC5401	GELC
LAO-4.5c	4431	13.3	05/02/05	WG	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		3.95			0.074	mg/L			135808	GF05050GC5401	GELC
LAO-4.5c	4431	13.3	04/12/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.3			0.33	mg/L			184191	GU070400GC5401	GELC
LAO-4.5c	4431	13.3	11/06/01	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		2.99			0.041	mg/L			161S	CALA-01-0494	GELC
LAO-4.5c	4431	13.3	06/26/01	WG	UF	CS		Geninorg	EPA:415.1	Total Organic Carbon		2.1				mg/L		NQ	9143R	CALA-01-0236	PARA
LAO-4.5c	4431	13.3	04/12/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.1			0.01	SU	H	J	184191	GF070400GC5401	GELC
LAO-4.5c	4431	13.3	05/02/05	WG	F	CS		Geninorg	EPA:150.1	pH		6.85			0.01	SU	H	J	135808	GF05050GC5401	GELC
LAO-4.5c	4431	13.3	06/04/04	WG	F	CS		Geninorg	EPA:150.1	pH		6.84				SU	H	J	114323	GF04050GC5401	GELC
LAO-4.5c	4431	13.3	03/28/01	WG	F	CS		Geninorg	SW-846:9040B	pH		7.26			0.01	SU		J	40017	GF01031GC54	GELC
LAO-4.5c	4431	13.3	04/12/07	WG	UF	CS		Rad	LLEE	Tritium		75.3548	0.851466667	0.28737		pCi/L			2328	UU070400GC5401	UMTL
LAO-4.5c	4431	13.3	05/02/05	WG	UF	CS		Rad	LLEE	Tritium		106.0076	1.170766667	0.28737		pCi/L			2056	UU05050GC5401	UMTL
LAO-4.5c	4431	13.3	05/02/05	WG	UF	CS		Rad	EPA:906.0	Tritium		233	20.5	190		pCi/L		J	135808	GU05050GC5401	GELC
LAO-4.5c	4431	13.3	06/04/04	WG	UF	CS		Rad	LLEE	Tritium		171.1448	1.9158		0.28737	pCi/L			1899	UU04050GC5401	UMTL
LAO-4.5c	4431	13.3	06/04/04	WG	UF	CS		Rad	EPA:906.0	Tritium		98	19.63333333	186		pCi/L	U	U	114323	GU04050GC5401	GELC
LAO-4.5c	4431	13.3	06/04/04	WG	UF	DUP		Rad	LLEE	Tritium		172.1027	1.9158		0.28737	pCi/L			1899	UU04050GC5401	UMTL
LAO-4.5c	4431	13.3	11/06/01	WG	UF	CS		Rad	EPA:906.0	Tritium		51.1	23	0.27	0	pCi/L	U	U	165S	CALA-01-0494	GELC
LAO-4.5c	4431	13.3	06/26/01	WG	UF	CS		Rad	LA-10300-M	Tritium		-40	26.66666667	280	0	pCi/L	U	U	9149R	CALA-01-0236	PARA
LAO-5	6731	5	04/16/07	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		122			0.725	mg/L			184416	GF07040GLAO520	GELC
LAO-5	6731	5	04/16/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		69.3			0.725	mg/L			184416	GF07040GLAO501	GELC
LAO-5	6731	5	04/16/07	WG	F	CS	FD	Geninorg	EPA:300.0	Bromide		0.249			0.066	mg/L			184416	GF07040GLAO520	GELC
LAO-5	6731	5	04/16/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.25			0.066	mg/L			184416	GF07040GLAO501	GELC
LAO-5	6731	5	04/16/07	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride		47.2			0.33	mg/L			184416	GF07040GLAO520	GELC
LAO-5	6731	5	04/16/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		47			0.33	mg/L			184416	GF07040GLAO501	GELC
LAO-5	6731	5	04/16/07	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride		0.441			0.033	mg/L			184416	GF07040GLAO520	GELC
LAO-5	6731	5	04/16/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.432			0.033	mg/L			184416	GF07040GLAO501	GELC
LAO-5	6731	5	04/16/07	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.0734			0.01	mg/L			184416	GF07040GLAO520	GELC
LAO-5	6731	5	04/16/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.0551			0.01	mg/L			184416	GF07040GLAO501	GELC
LAO-5	6731	5	04/16/07	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate		0.278			0.05	µg/L			184416	GF07040GLAO520	GELC
LAO-5	6731	5	04/16/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.28			0.05	µg/L			184416	GF07040GLAO501	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAO-5	6731	5	04/16/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Silicon Dioxide		40.8			0.032	mg/L			184416	GF07040GLAO520	GELC
LAO-5	6731	5	04/16/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		40.6			0.032	mg/L			184416	GF07040GLAO501	GELC
LAO-5	6731	5	04/16/07	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance		327			1	µS/cm			184416	GF07040GLAO520	GELC
LAO-5	6731	5	04/16/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		324			1	µS/cm			184416	GF07040GLAO501	GELC
LAO-5	6731	5	04/16/07	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate		15			0.1	mg/L			184416	GF07040GLAO520	GELC
LAO-5	6731	5	04/16/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		15.1			0.1	mg/L			184416	GF07040GLAO501	GELC
LAO-5	6731	5	04/16/07	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids		221			2.38	mg/L			184416	GF07040GLAO520	GELC
LAO-5	6731	5	04/16/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		490			2.38	mg/L			184416	GF07040GLAO501	GELC
LAO-5	6731	5	04/16/07	WG	F	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.052			0.029	mg/L	J	JN-	184416	GF07040GLAO520	GELC
LAO-5	6731	5	04/16/07	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon		3.74			0.33	mg/L		J+	184416	GU07040GLAO520	GELC
LAO-5	6731	5	04/16/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		3.77			0.33	mg/L		J+	184416	GU07040GLAO501	GELC
LAO-5	6731	5	04/16/07	WG	F	CS	FD	Geninorg	EPA:150.1	pH		7.02			0.01	SU	H	J	184416	GF07040GLAO520	GELC
LAO-5	6731	5	04/16/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.02			0.01	SU	H	J	184416	GF07040GLAO501	GELC
LAO-6a	4451	4.2	04/18/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		57.7			0.725	mg/L			184649	GF070400GA6L01	GELC
LAO-6a	4451	4.2	03/28/01	WG	F	CS		Geninorg	SM:A2320B	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		55.4			0.725	mg/L			40017	GF01031GA6L	GELC
LAO-6a	4451	4.2	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.237			0.066	mg/L			184649	GF070400GA6L01	GELC
LAO-6a	4451	4.2	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		44.2			0.33	mg/L			184649	GF070400GA6L01	GELC
LAO-6a	4451	4.2	03/28/01	WG	F	CS		Geninorg	SW-846:9056	Chloride		46.4			0.125	mg/L			40017	GF01031GA6L	GELC
LAO-6a	4451	4.2	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.401			0.033	mg/L			184649	GF070400GA6L01	GELC
LAO-6a	4451	4.2	03/28/01	WG	F	CS		Geninorg	EPA:340.2	Fluoride		0.456			0.006	mg/L			40017	GF01031GA6L	GELC
LAO-6a	4451	4.2	04/18/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.0857			0.01	mg/L			184649	GF070400GA6L01	GELC
LAO-6a	4451	4.2	03/28/01	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.13			0.0069	mg/L			40017	GF01031GA6L	GELC
LAO-6a	4451	4.2	04/18/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.273			0.05	µg/L			184649	GF070400GA6L01	GELC
LAO-6a	4451	4.2	03/28/01	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	0.801			0.801	µg/L	U		40017	GU01031GA6L	GELC
LAO-6a	4451	4.2	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		40.1			0.032	mg/L			184649	GF070400GA6L01	GELC
LAO-6a	4451	4.2	03/28/01	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		38			0.0133	mg/L			40017	GF01031GA6L	GELC
LAO-6a	4451	4.2	04/18/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		520			1	µS/cm			184649	GF070400GA6L01	GELC
LAO-6a	4451	4.2	03/28/01	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		227			1	µS/cm			40017	GF01031GA6L	GELC
LAO-6a	4451	4.2	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		14.4			0.1	mg/L			184649	GF070400GA6L01	GELC
LAO-6a	4451	4.2	03/28/01	WG	F	CS		Geninorg	SW-846:9056	Sulfate		13.4			0.062	mg/L			40017	GF01031GA6L	GELC
LAO-6a	4451	4.2	04/18/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		199			2.38	mg/L			184649	GF070400GA6L01	GELC
LAO-6a	4451	4.2	03/28/01	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		199			5.09	mg/L			40017	GF01031GA6L	GELC
LAO-6a	4451	4.2	04/18/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.32			0.33	mg/L			184649	GU070400GA6L01	GELC
LAO-6a	4451	4.2	04/18/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.96			0.01	SU	H	J	184649	GF070400GA6L01	GELC
LAO-6a	4451	4.2	03/28/01	WG	F	CS		Geninorg	SW-846:9040B	pH		7.14			0.01	SU		J	40017	GF01031GA6L	GELC
LAO-6a	4451	4.2	04/18/07	WG	UF	CS		Rad	LLEE	Tritium		78.2285	0.851466667	0.28737		pCi/L			2332	UU070400GA6L01	UMTL
LAO-6a	4451	4.2	03/28/01	WG	UF	CS		Rad	EPA:906.0	Tritium		112	18.33333333	174		pCi/L	U	U	40017	GU01031GA6L	GELC
LAO-B	5221	11.84	04/09/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		47.3			0.725	mg/L			183872	GF070400GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		76			0.725	mg/L			168638	GF060700GBAL01	GELC
LAO-B	5221	11.84	05/10/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		38.6			1.45	mg/L			136421	GF05050GBAL01	GELC
LAO-B	5221	11.84	05/30/02	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		78.7			1.5	mg/L		NQ	848S	CALA-02-45029	GEL
LAO-B	5221	11.84	03/26/02	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		82.8			1.5	mg/L		NQ	688S	CALA-02-45277	GEL
LAO-B	5221	11.84	08/03/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		76			0.725	mg/L			168638	GU060700GBAL01	GELC
LAO-B	5221	11.84	04/09/07	WG	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		0.052			0.03	mg/L			183872	GF070400GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.067			0.01	mg/L		U	168638	GF060700GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.119			0.01	mg/L		U	168638	GU060700GBAL01	GELC
LAO-B	5221	11.84	04/09/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		10.2			0.066	mg/L			183872	GF070400GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		7.36			0.066	mg/L			168638	GF060700GBAL01	GELC
LAO-B	5221	11.84	05/10/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		14.7			0.053	mg/L			136421	GF05050GBAL01	GELC
LAO-B	5221	11.84	05/30/02	WG	F	CS		Geninorg	EPA:300.0	Chloride		7.63			0.032	mg/L		NQ	848S	CALA-02-45029	GEL
LAO-B	5221	11.84	03/26/02	WG	F	CS		Geninorg	EPA:300.0	Chloride		6.72			0.025	mg/L		NQ	688S	CALA-02-45277	GEL
LAO-B	5221	11.84	08/03/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		7.42			0.066	mg/L			168638	GU060700GBAL01	GELC
LAO-B	5221	11.84	04/09/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.102			0.033	mg/L			183872	GF070400GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.143			0.033	mg/L			168638	GF060700GBAL01	GELC
LAO-B	5221	11.84	05/10/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride	<	0.03			0.03	mg/L	U		136421	GF05050GBAL01	GELC
LAO-B	5221	11.84	05/30/02	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.123			0.055	mg/L		NQ	848S	CALA-02-45029	GEL
LAO-B	5221	11.84	03/26/02	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.188			0.014	mg/L		NQ	688S	CALA-02-45277	GEL
LAO-B	5221	11.84	08/03/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.135			0.033	mg/L			168638	GU060700GBAL01	GELC
LAO-B	5221	11.84	04/09/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.182			0.01	mg/L			183872	GF070400GBAL01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAO-B	5221	11.84	08/03/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.102			0.014	mg/L			168638	GF060700GBAL01	GELC
LAO-B	5221	11.84	05/10/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.451			0.003	mg/L			136421	GF05050GBAL01	GELC
LAO-B	5221	11.84	05/30/02	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.14			0.01	mg/L		NQ	848S	CALA-02-45029	GEL
LAO-B	5221	11.84	03/26/02	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.17			0.0069	mg/L		NQ	688S	CALA-02-45277	GEL
LAO-B	5221	11.84	08/03/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N	<	0.0907			0.014	mg/L		U	168638	GU060700GBAL01	GELC
LAO-B	5221	11.84	04/09/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.287			0.05	µg/L			183872	GF070400GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate	<	0.05			0.05	µg/L	U		168638	GF060700GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168638	GF060700GBAL01	GELC
LAO-B	5221	11.84	05/10/05	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.39			0.05	µg/L			136421	GF05050GBAL01	GELC
LAO-B	5221	11.84	05/10/05	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		136421	GF05050GBAL01	GELC
LAO-B	5221	11.84	05/30/02	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			1.5	µg/L	U	U	848S	CALA-02-45029	GEL
LAO-B	5221	11.84	11/07/01	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			0.958	µg/L	U	U	171S	CALA-01-0471	GELC
LAO-B	5221	11.84	04/09/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		31.9			0.032	mg/L			183872	GF070400GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		35.2			0.032	mg/L			168638	GF060700GBAL01	GELC
LAO-B	5221	11.84	05/10/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		31.1			0.032	mg/L			136421	GF05050GBAL01	GELC
LAO-B	5221	11.84	05/30/02	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		13.4			0.0098	mg/L		NQ	848S	CALA-02-45029	GEL
LAO-B	5221	11.84	03/26/02	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		12.2			0.013	mg/L		NQ	688S	CALA-02-45277	GEL
LAO-B	5221	11.84	08/03/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		35.4			0.032	mg/L			168638	GU060700GBAL01	GELC
LAO-B	5221	11.84	05/30/02	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		13.7			0.0098	mg/L		NQ	848S	CALA-02-45030	GEL
LAO-B	5221	11.84	03/26/02	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		12.3			0.013	mg/L		NQ	688S	CALA-02-45278	GEL
LAO-B	5221	11.84	04/09/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		150			1	µS/cm			183872	GF070400GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		182			1	µS/cm			168638	GF060700GBAL01	GELC
LAO-B	5221	11.84	05/10/05	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		169			1	µS/cm			136421	GF05050GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		182			1	µS/cm			168638	GU060700GBAL01	GELC
LAO-B	5221	11.84	04/09/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		10.8			0.1	mg/L			183872	GF070400GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		5.55			0.1	mg/L			168638	GF060700GBAL01	GELC
LAO-B	5221	11.84	05/10/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		14.2			0.057	mg/L			136421	GF05050GBAL01	GELC
LAO-B	5221	11.84	05/30/02	WG	F	CS		Geninorg	EPA:300.0	Sulfate		7.54			0.19	mg/L		NQ	848S	CALA-02-45029	GEL
LAO-B	5221	11.84	03/26/02	WG	F	CS		Geninorg	EPA:300.0	Sulfate		8.34			0.062	mg/L		NQ	688S	CALA-02-45277	GEL
LAO-B	5221	11.84	08/03/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		5.58			0.1	mg/L			168638	GU060700GBAL01	GELC
LAO-B	5221	11.84	04/09/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		97			2.38	mg/L			183872	GF070400GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		139			2.38	mg/L			168638	GF060700GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		140			2.38	mg/L			168638	GU060700GBAL01	GELC
LAO-B	5221	11.84	05/10/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		115			2.38	mg/L			136421	GF05050GBAL01	GELC
LAO-B	5221	11.84	06/21/00	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		130				mg/L		NQ	6888R	CALA-00-0030	RECRAP
LAO-B	5221	11.84	04/09/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.105			0.029	mg/L		JN-	183872	GF070400GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.191			0.01	mg/L		UJ	168638	GF060700GBAL01	GELC
LAO-B	5221	11.84	05/10/05	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.141			0.01	mg/L		J+	136421	GF05050GBAL01	GELC
LAO-B	5221	11.84	03/24/00	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.21				mg/L		NQ	6608R	CABG-00-0046	RECRAP
LAO-B	5221	11.84	01/10/00	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.46				mg/L		NQ	6326R	CABG-00-0021	RECRAP
LAO-B	5221	11.84	04/09/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.054			0.029	mg/L	J	JN-	183872	GU070400GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.064			0.01	mg/L	J	UJ	168638	GU060700GBAL01	GELC
LAO-B	5221	11.84	05/10/05	WG	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.99			0.074	mg/L			136421	GF05050GBAL01	GELC
LAO-B	5221	11.84	04/09/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.98			0.33	mg/L			183872	GU070400GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		2.28			0.33	mg/L			168638	GU060700GBAL01	GELC
LAO-B	5221	11.84	05/30/02	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.99			0.025	mg/L		NQ	848S	CALA-02-45030	GEL
LAO-B	5221	11.84	03/26/02	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		2.21			0.041	mg/L		NQ	688S	CALA-02-45278	GEL
LAO-B	5221	11.84	04/09/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.67			0.01	SU	H	J	183872	GF070400GBAL01	GELC
LAO-B	5221	11.84	08/03/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.08			0.01	SU	H	J	168638	GF060700GBAL01	GELC
LAO-B	5221	11.84	05/10/05	WG	F	CS		Geninorg	EPA:150.1	pH		6.65			0.01	SU	H	J	136421	GF05050GBAL01	GELC
LAO-B	5221	11.84	11/07/01	WG	F	CS		Geninorg	USGS-WRI-79-4	pH		6.2			6.2	SU		NQ	173S	CALA-01-0471	HUFFMAN
LAO-B	5221	11.84	08/03/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.1			0.01	SU	H	J	168638	GU060700GBAL01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		14.1			0.725	mg/L			185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	0.725			0.725	mg/L	U		168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	0.725			0.725	mg/L	U		168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		9.43			1.45	mg/L		J	114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		74			0.725	mg/L			185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		41.9			0.725	mg/L			168774	GF060700G11L01	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		39.7			0.725	mg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		68			1.45	mg/L			136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		89.7			1.45	mg/L		J	114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		4.26			0.036	mg/L			185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		5.64			0.036	mg/L			168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Geninorg	SW-846:6010	Calcium		6.9				mg/L		NQ	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		4.57			0.036	mg/L			185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		6.07			0.036	mg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		6.39			0.036	mg/L		J	136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		6.1			0.00554	mg/L			114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		1.38			0.066	mg/L			185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		1.28			0.066	mg/L			168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Geninorg	EPA:300.0	Chloride		1.22				mg/L		NQ	6743R	CABG-00-0061	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		1.27			0.066	mg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Geninorg	EPA:300.0	Chloride		1.22			0.053	mg/L			136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Geninorg	EPA:300.0	Chloride		1.37			0.0322	mg/L		J	114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	DUP		Geninorg	EPA:300.0	Chloride		1.39			0.0322	mg/L			114296	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.183			0.033	mg/L			185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.171			0.033	mg/L			168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.163				mg/L		NQ	6743R	CABG-00-0061	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.168			0.033	mg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.145			0.03	mg/L			136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.24			0.0553	mg/L		J	114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	DUP		Geninorg	EPA:300.0	Fluoride		0.236			0.0553	mg/L			114296	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		14.2			0.44	mg/L			185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		20.9			0.085	mg/L			168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		15.5			0.44	mg/L			185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		22.9			0.085	mg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Geninorg	SM:A2340B	Hardness		23.9			0.085	mg/L			136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Geninorg	EPA:200.7	Hardness		20.3			0.00554	mg/L			114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		0.862			0.085	mg/L			185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		1.66			0.085	mg/L			168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Geninorg	SW-846:6010	Magnesium		1.6				mg/L		NQ	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		0.995			0.085	mg/L			185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		1.87			0.085	mg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		1.94			0.085	mg/L			136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		1.23			0.00518	mg/L			114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.714			0.01	mg/L			185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.289			0.014	mg/L			168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.291			0.003	mg/L			136186	GF05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.3				mg/L		NQ	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.232			0.014	mg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.43			0.01	mg/L		J	114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.167			0.05	µg/L	J		185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.175			0.05	µg/L	J		168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Geninorg	EPA:300.0	Perchlorate	<	4				µg/L	U	U	6743R	CABG-00-0061	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.168			0.05	µg/L	J	J	136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.151			0.05	µg/L	J	J-	114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		21.9			0.05	mg/L			185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		4.73			0.05	mg/L			168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Geninorg	SW-846:6010	Potassium		5.1				mg/L		NQ	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		22.7			0.05	mg/L			185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		4.83			0.05	mg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		8.83			0.05	mg/L			136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		27.7			0.0165	mg/L			114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		66.6			0.032	mg/L		J	185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		65.7			0.032	mg/L			168774	GF060700G11L01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI(a)-1.1	5391	295.2	11/01/95	WG	F	CS		Geninorg	SW-846:6010	Silicon Dioxide		31.4				mg/L		NQ	1493	0402-95-0422	RGGJ
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		69.3			0.032	mg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		70.4			0.032	mg/L		J	136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		73.9			0.0212	mg/L			114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		19.1			0.045	mg/L	E		185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		8.27			0.045	mg/L			168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Geninorg	SW-846:6010	Sodium		8.9				mg/L		NQ	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		19.3			0.045	mg/L	E	J	185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		8.31			0.045	mg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		10.4			0.045	mg/L		J	136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		22.6			0.0144	mg/L			114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		181			1	µS/cm			185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		94.5			1	µS/cm			168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		91.6			1	µS/cm			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Geninorg	SW-846:9050A	Specific Conductance		113			1	µS/cm			136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		4.14			0.1	mg/L			185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		3.28			0.1	mg/L			168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Geninorg	EPA:300.0	Sulfate		3.65				mg/L		NQ	6743R	CABG-00-0061	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		3.24			0.1	mg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		3.39			0.057	mg/L			136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		3.72			0.193	mg/L		J	114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	DUP		Geninorg	EPA:300.0	Sulfate		3.63			0.193	mg/L			114296	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		125			2.38	mg/L			185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		138			2.38	mg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		127			2.38	mg/L			168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		142			2.38	mg/L			136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		160			3.07	mg/L		J	114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	F	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	0.599			0.074	mg/L		U	136186	GF05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/18/95	WG	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		1				mg/L		NQ	286	0402-95-0361	ESE
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.692			0.33	mg/L	J		185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.446			0.33	mg/L	J		168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Geninorg	EPA:150.1	pH		8.98			0.01	SU	H	J	185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.12			0.01	SU	H	J	168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.02			0.01	SU	H	J	168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Geninorg	EPA:150.1	pH		7.41			0.01	SU	H	J	136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Metals	SW-846:6010B	Aluminum		85.6			68	µg/L	J		168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Metals	SW-846:6010	Aluminum	<	26				µg/L	B	U	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Aluminum		492			68	µg/L			185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Metals	SW-846:6010B	Aluminum		1170			68	µg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Aluminum		1240			68	µg/L			136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Metals	SW-846:6010B	Aluminum		1220			14.7	µg/L			114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Metals	SW-846:6010B	Barium		12.2			1	µg/L			185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Metals	SW-846:6010B	Barium		7.1			1	µg/L			168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Metals	SW-846:6010	Barium		8.4				µg/L	B	J	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Barium		15.9			1	µg/L			185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Metals	SW-846:6010B	Barium		12.6			1	µg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Barium		11.2			1	µg/L			136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Metals	SW-846:6010B	Barium		26.1			0.222	µg/L			114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Metals	SW-846:6010B	Boron		11.8			10	µg/L	J		185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Metals	SW-846:6010B	Boron		10.8			10	µg/L	J		168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Metals	SW-846:6010	Boron	<	9.6				µg/L	U	U	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Metals	SW-846:6010B	Boron		10.7			10	µg/L	J		168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Boron	<	10			10	µg/L	U		136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Metals	SW-846:6010B	Boron		15.7			4.88	µg/L	B		114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Metals	SW-846:6020	Chromium		2.1			1	µg/L	J		168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Metals	SW-846:6010	Chromium	<	0.38				µg/L	U	U	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Metals	SW-846:6020	Chromium		1			1	µg/L	J		185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Metals	SW-846:6020	Chromium		2			1	µg/L	J		168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Chromium		1.1			1	µg/L	J	JN-	136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Metals	SW-846:6010B	Chromium		1.89			0.503	µg/L	B	JN-	114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Metals	SW-846:6010B	Iron	<	80.6			18	µg/L	J	U	168774	GF060700G11L01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Metals	SW-846:6010	Iron	<	49				µg/L	B	U	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Iron		189			18	µg/L			185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Metals	SW-846:6010B	Iron		467			18	µg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Iron		416			18	µg/L			136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Metals	SW-846:6010B	Iron		471			12.6	µg/L			114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Metals	SW-846:6020	Lead	<	0.5			0.5	µg/L	U		168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Metals	SW-846:6010	Lead	<	0.95				µg/L	U	U	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Metals	SW-846:6020	Lead		0.043				µg/L	B	J	6745R	CABG-00-0061	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Metals	SW-846:6020	Lead		1.2			0.5	µg/L	J		185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Metals	SW-846:6020	Lead		1.8			0.5	µg/L	J		168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Metals	SW-846:6020	Lead		1.2			0.5	µg/L	J	J+	136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Metals	SW-846:6020	Lead		2.55			0.05	µg/L			114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Metals	SW-846:6010B	Manganese		3.4			2	µg/L	J		168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Metals	SW-846:6010	Manganese		3.2				µg/L	B	J	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Manganese		2.2			2	µg/L	J		185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		5.1			2	µg/L	J		168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Metals	SW-846:6020	Manganese		2.8			1	µg/L	J		136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Metals	SW-846:6010B	Manganese		5.47			0.296	µg/L	B		114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Metals	SW-846:6010B	Molybdenum		4.3			2	µg/L	J		168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	11/01/95	WG	F	CS		Metals	SW-846:6010	Molybdenum	<	15.6				µg/L	U	U	1493	0402-95-0422	RGGJ
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		3.5			2	µg/L	J		185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		2.8			2	µg/L	J		168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Metals	SW-846:6020	Molybdenum		2.1			0.1	µg/L			136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		3.19			1.43	µg/L	B		114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Metals	SW-846:6020	Nickel		0.57			0.5	µg/L	J		185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Metals	SW-846:6020	Nickel		0.55			0.5	µg/L	J		168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Metals	SW-846:6010	Nickel	<	0.51				µg/L	U	U	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Metals	SW-846:6020	Nickel		0.63			0.5	µg/L	J		185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Metals	SW-846:6020	Nickel		0.59			0.5	µg/L	J		168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Nickel	<	1.2			1	µg/L	J	U	136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Metals	SW-846:6010B	Nickel	<	0.953			0.69	µg/L	B	U	114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Metals	SW-846:6010B	Strontium		89.1			1	µg/L			185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Metals	SW-846:6010B	Strontium		33.7			1	µg/L			168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	11/01/95	WG	F	CS		Metals	SW-846:6010	Strontium		38.9				µg/L	B	J	1493	0402-95-0422	RGGJ
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		101			1	µg/L			185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		37.4			1	µg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		51.6			1	µg/L			136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Metals	SW-846:6010B	Strontium		126			0.178	µg/L			114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Metals	SW-846:6020	Thallium		0.73			0.4	µg/L	J		185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Metals	SW-846:6020	Thallium	<	0.4			0.4	µg/L	U		168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Metals	SW-846:6010	Thallium	<	0.952				µg/L		NQ	6745R	CABG-00-0061	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Metals	SW-846:6010	Thallium	<	3.4				µg/L	U	U	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Metals	SW-846:6020	Thallium	<	0.4			0.4	µg/L	U		168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Metals	SW-846:6020	Thallium	<	0.4			0.4	µg/L	U		136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Metals	SW-846:6020	Thallium	<	0.02			0.02	µg/L	U		114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Metals	SW-846:6020	Uranium		0.47			0.05	µg/L			185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.25			0.05	µg/L			168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Metals	Uranium KPA	Uranium		0.35				µg/L		NQ	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Metals	SW-846:6020	Uranium		0.334				µg/L		NQ	6745R	CABG-00-0061	GELC
LAOI(a)-1.1	5391	295.2	01/20/00	WG	F	CS		Metals	ASTM:D3972-90	Uranium		0.35				µg/L		NQ	6368R	CABG-00-0025	PARA
LAOI(a)-1.1	5391	295.2	01/20/00	WG	F	CS		Metals	SW-846:6020	Uranium		0.334				µg/L		NQ	6370R	CABG-00-0025	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Metals	SW-846:6020	Uranium		0.67			0.05	µg/L			185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.81			0.05	µg/L			168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Metals	SW-846:6020	Uranium		0.785			0.02	µg/L			114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		1.7			1	µg/L	J		185012	GF070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		1.5			1	µg/L	J		168774	GF060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Metals	SW-846:6010	Vanadium	<	0.45				µg/L	U	U	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		1.1			1	µg/L	J		168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium	<	1			1	µg/L	U	UJ	136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Metals	SW-846:6010B	Vanadium		0.852			0.606	µg/L	B	JN-	114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	7.9			2	µg/L	J	U	168774	GF060700G11L01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI(a)-1.1	5391	295.2	04/13/00	WG	F	CS		Metals	SW-846:6010	Zinc		6.3				µg/L	B	J	6742R	CABG-00-0061	PARA
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		7.4			2	µg/L	J		185012	GU070400G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	13.8			2	µg/L		U	168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Zinc		8.9			2	µg/L	J		136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Metals	SW-846:6010B	Zinc		91.6			0.883	µg/L			114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS		Rad	LLEE	Tritium		2.96949	0.09579	0.28737		pCi/L			2336	UU070400G11L01	UMTL
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		Rad	LLEE	Tritium		0.12772	0.09579	0.28737		pCi/L		U	2243	UU060700G11L01	UMTL
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Rad	LLEE	Tritium		5.7474	0.09579		0.28737	pCi/L			2060	UU05050G11L01	UMTL
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		Rad	EPA:906.0	Tritium		-58	24.96666667	256		pCi/L	U	U	136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Rad	LLEE	Tritium		7.53548	0.09579		0.28737	pCi/L			1899	UU04050G11L01	UMTL
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		Rad	EPA:906.0	Tritium		-141	19.13333333	200		pCi/L	U	U	114323	GU04050G11L01	GELC
LAOI(a)-1.1	5391	295.2	04/13/00	WG	UF	CS		Rad	Low Level Tritium	Tritium		-0.22351	0.106433333	0	0	pCi/L		NQ	6748R	CABG-00-0043	UMTL
LAOI(a)-1.1	5391	295.2	04/25/07	WG	UF	CS	FTB	VOA	SW-846:8260B	Toluene		0.469			0.25	ug/L	J		185012	GU070400G11L01-FTB	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1			0.25	ug/L	U		168774	GU060700G11L01	GELC
LAOI(a)-1.1	5391	295.2	08/04/06	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1			0.25	ug/L	U		168775	GU060700G11L02	GELC
LAOI(a)-1.1	5391	295.2	05/07/05	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				ug/L	U		136186	GU05050G11L01	GELC
LAOI(a)-1.1	5391	295.2	06/03/04	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				ug/L	U		114323	GU04050G11L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		81.9			0.725	mg/L			184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		90.1			0.725	mg/L			174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		97.1			0.725	mg/L			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		105			0.725	mg/L			161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		111			1.45	mg/L			150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		88.5			0.725	mg/L			174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		98.1			0.725	mg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		108			0.725	mg/L			161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.098			0.066	mg/L	J		184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.041			0.041	mg/L	U		150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		22.4			0.036	mg/L			184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		20.6			0.036	mg/L			174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		20.3			0.036	mg/L			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		22.3			0.036	mg/L			161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Geninorg	SW-846:6010B	Calcium		27.4			0.036	mg/L			150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		21.5			0.036	mg/L			184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		20.1			0.036	mg/L			174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		21.6			0.036	mg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		21.7			0.036	mg/L			161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		30.5			0.036	mg/L			150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		17.4			0.066	mg/L			184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		7.11			0.066	mg/L			174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		5.86			0.066	mg/L			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		5.15			0.066	mg/L			161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		7			0.053	mg/L			150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		6.76			0.066	mg/L			174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		5.1			0.066	mg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		5.23			0.066	mg/L			161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.142			0.033	mg/L			184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride	<	0.201			0.033	mg/L		J+, U	174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.179			0.033	mg/L			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride	<	0.209			0.033	mg/L		U	161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.187			0.03	mg/L			150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride	<	0.194			0.033	mg/L		J+, U	174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.166			0.033	mg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride	<	0.215			0.033	mg/L		U	161220	GU06040G32L01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		77.7			0.44	mg/L			184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		67.9			0.085	mg/L			174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		66.3			0.085	mg/L			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		73.3			0.085	mg/L			161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Geninorg	SM:A2340B	Hardness		91			0.085	mg/L			150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		74.9			0.44	mg/L			184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		66.4			0.085	mg/L			174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		70.7			0.085	mg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		71.3			0.085	mg/L			161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Geninorg	SM:A2340B	Hardness		100			0.085	mg/L			150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		5.28			0.085	mg/L			184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4			0.085	mg/L			174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.81			0.085	mg/L			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.26			0.085	mg/L			161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		5.48			0.085	mg/L			150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		5.11			0.085	mg/L			184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.93			0.085	mg/L			174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.06			0.085	mg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.14			0.085	mg/L			161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		5.88			0.085	mg/L			150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		3.71			0.1	mg/L			184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.75			0.014	mg/L			174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.61			0.014	mg/L			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.42			0.014	mg/L			161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.47			0.017	mg/L			150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.67			0.014	mg/L			174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.4			0.014	mg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.35			0.017	mg/L			150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		6.65			0.5	µg/L		J	184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	EPA:314.0	Perchlorate		8.16			4	µg/L	J		184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		3.07			0.5	µg/L		J	174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		3.01			0.25	µg/L		J	167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		2.46			0.2	µg/L		J	161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		2.54			0.25	µg/L			150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		7.08			0.05	mg/L			184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		5.36			0.05	mg/L			174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		5.59			0.05	mg/L			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		6.22			0.05	mg/L			161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Geninorg	SW-846:6010B	Potassium		6.81			0.05	mg/L			150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		6.78			0.05	mg/L			184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		5.32			0.05	mg/L			174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		5.89			0.05	mg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		6.08			0.05	mg/L			161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		6.95			0.05	mg/L			150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		73.8			0.032	mg/L			184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		68.6			0.032	mg/L		J	174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		64.1			0.032	mg/L			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		70.2			0.032	mg/L		J	161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		63.6			0.032	mg/L			150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		67.9			0.032	mg/L		J	174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		67.7			0.032	mg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		70.5			0.032	mg/L		J	161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		65.9			0.032	mg/L			150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		17.7			0.045	mg/L			184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		14.5			0.045	mg/L			174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		17.4			0.045	mg/L			167998	GF060700G32L01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		22.9			0.045	mg/L			161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Geninorg	SW-846:6010B	Sodium		30.7			0.045	mg/L			150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		15.2			0.045	mg/L			184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		13.5			0.045	mg/L			174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		18.2			0.045	mg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		22.8			0.045	mg/L			161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		33.5			0.045	mg/L			150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		269			1	µS/cm			184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		226			1	µS/cm			174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		261			1	µS/cm			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		263			1	µS/cm			161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		220			1	µS/cm			174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		252			1	µS/cm			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		260			1	µS/cm			161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		3.95			0.1	mg/L			184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		3.79			0.1	mg/L			174113	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		6.39			0.1	mg/L			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		12			0.1	mg/L			161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		33.9			0.057	mg/L			150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		3.23			0.1	mg/L			174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		5.47			0.1	mg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		11.5			0.1	mg/L			161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		214			2.38	mg/L		J	184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		187			2.38	mg/L			174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		181			2.38	mg/L			174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		201			2.38	mg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		199			2.38	mg/L			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		218			2.38	mg/L			161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		213			2.38	mg/L			161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.18			0.33	mg/L			184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.832			0.33	mg/L	J		174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.614			0.33	mg/L	J		167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.03			0.33	mg/L			161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.724			0.074	mg/L	J	J-	150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.06			0.01	SU	H	J	184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Geninorg	EPA:150.1	pH		6.93			0.01	SU	H	J	174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.42			0.01	SU	H	J	167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.16			0.01	SU	H	J	161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Geninorg	EPA:150.1	pH		6.94			0.01	SU	H	J	174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.51			0.01	SU	H	J	167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Geninorg	EPA:150.1	pH		6.91			0.01	SU	H	J	161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Metals	SW-846:6010B	Aluminum	<	68			68	µg/L	U		174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Metals	SW-846:6010B	Aluminum	<	68			68	µg/L	U		167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Metals	SW-846:6010B	Aluminum	<	68			68	µg/L	U	UJ	161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Metals	SW-846:6010B	Aluminum	<	68			68	µg/L	U		150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Metals	SW-846:6010B	Aluminum		186			68	µg/L	J		184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Metals	SW-846:6010B	Aluminum		71.2			68	µg/L	J		174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Aluminum		114			68	µg/L	J		167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Metals	SW-846:6010B	Aluminum		106			68	µg/L	J	JN-	161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Aluminum		130			68	µg/L	J		150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Metals	SW-846:6020	Arsenic		2.6			1.5	µg/L	J		184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Metals	SW-846:6020	Arsenic		2.1			1.5	µg/L	J		184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Metals	SW-846:6010B	Barium		47.1			1	µg/L			184713	GF070400G32L01	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Metals	SW-846:6010B	Barium		42.7			1	µg/L			174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Metals	SW-846:6010B	Barium		38			1	µg/L			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Metals	SW-846:6010B	Barium		40.9			1	µg/L			161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Metals	SW-846:6010B	Barium		36.7			1	µg/L			150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Metals	SW-846:6010B	Barium		48.5			1	µg/L			184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Metals	SW-846:6010B	Barium		42.5			1	µg/L			174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Barium		40.7			1	µg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Metals	SW-846:6010B	Barium		41.4			1	µg/L			161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Barium		40.5			1	µg/L			150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Metals	SW-846:6010B	Boron		11.7			10	µg/L	J		174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Metals	SW-846:6010B	Boron	<	10			10	µg/L	U		167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Metals	SW-846:6010B	Boron		14			10	µg/L	J		161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Metals	SW-846:6010B	Boron	<	10			10	µg/L	U		150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Metals	SW-846:6010B	Boron		10.6			10	µg/L	J		184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Metals	SW-846:6010B	Boron		11.3			10	µg/L	J		174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Boron		10.7			10	µg/L	J		167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Metals	SW-846:6010B	Boron		15.4			10	µg/L	J		161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Boron		10			10	µg/L	J		150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Metals	SW-846:6010B	Iron		21.1			18	µg/L	J		174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Metals	SW-846:6010B	Iron		34.8			18	µg/L	J		161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Metals	SW-846:6010B	Iron		47.1			18	µg/L	J	JN-	184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Metals	SW-846:6010B	Iron		40.2			18	µg/L	J		174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Iron		51.9			18	µg/L	J		167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Metals	SW-846:6010B	Iron		68.8			18	µg/L	J		161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Iron		45.7			18	µg/L	J		150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Metals	SW-846:6010B	Manganese		15.8			2	µg/L			184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Metals	SW-846:6010B	Manganese		21.8			2	µg/L			174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Metals	SW-846:6010B	Manganese		30.5			2	µg/L			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Metals	SW-846:6010B	Manganese		114			2	µg/L			161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Metals	SW-846:6010B	Manganese		380			2	µg/L			150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Metals	SW-846:6010B	Manganese		26.8			2	µg/L			184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		22			2	µg/L			174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		34.6			2	µg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		111			2	µg/L			161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Manganese		465			2	µg/L			150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Metals	SW-846:6020	Nickel		0.78			0.5	µg/L	J		184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Metals	SW-846:6020	Nickel		0.6			0.5	µg/L	J		174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Metals	SW-846:6020	Nickel		0.58			0.5	µg/L	J		167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Metals	SW-846:6020	Nickel		0.82			0.5	µg/L	J		161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Metals	SW-846:6020	Nickel		1.1			0.5	µg/L	J		150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Metals	SW-846:6020	Nickel		0.86			0.5	µg/L	J		184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Metals	SW-846:6020	Nickel		1			0.5	µg/L	J		174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Metals	SW-846:6020	Nickel		0.55			0.5	µg/L	J		167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Metals	SW-846:6020	Nickel		0.64			0.5	µg/L	J		161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Metals	SW-846:6020	Nickel		1.3			0.5	µg/L	J		150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Metals	SW-846:6010B	Strontium		135			1	µg/L			184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Metals	SW-846:6010B	Strontium		139			1	µg/L			174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Metals	SW-846:6010B	Strontium		145			1	µg/L			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Metals	SW-846:6010B	Strontium		166			1	µg/L			161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Metals	SW-846:6010B	Strontium		247			1	µg/L			150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		131			1	µg/L			184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		133			1	µg/L			174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		154			1	µg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		162			1	µg/L			161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		281			1	µg/L			150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	F	CS		Metals	SW-846:6020	Uranium		1.3			0.05	µg/L			184713	GF070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Metals	SW-846:6020	Uranium		1.7			0.05	µg/L			174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Metals	SW-846:6020	Uranium		2.7			0.05	µg/L			167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Metals	SW-846:6020	Uranium		3.4			0.05	µg/L			161220	GF06040G32L01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Metals	SW-846:6020	Uranium		6.5			0.05	µg/L			150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Metals	SW-846:6020	Uranium		1.4			0.05	µg/L			184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Metals	SW-846:6020	Uranium		1.7			0.05	µg/L			174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Metals	SW-846:6020	Uranium		2.5			0.05	µg/L			167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Metals	SW-846:6020	Uranium		3.4			0.05	µg/L			161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Metals	SW-846:6020	Uranium		6.9			0.05	µg/L			150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	F	CS		Metals	SW-846:6010B	Zinc		3			2	µg/L	J		174113	GF061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	4.5			2	µg/L	J	U	167998	GF060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	12.2			2	µg/L		U	161220	GF06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	F	CS		Metals	SW-846:6010B	Zinc	<	2			2	µg/L	U	UJ	150400	GF05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		2.8			2	µg/L	J		184713	GU070400G32L01	GELC
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Metals	SW-846:6010B	Zinc		3.5			2	µg/L	J		174113	GU061000G32L01	GELC
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	3.9			2	µg/L	J	U	167998	GU060700G32L01	GELC
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	10.2			2	µg/L		U	161220	GU06040G32L01	GELC
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	2			2	µg/L	U	UJ	150400	GU05110G32L01	GELC
LAOI-3.2	6001	153.3	04/19/07	WG	UF	CS		Rad	EPA:906.0	Tritium		2990	37.33333333	119	pCi/L			184713	GU070400G32L01	GELC	
LAOI-3.2	6001	153.3	10/12/06	WG	UF	CS		Rad	EPA:906.0	Tritium		1000	22.53333333	184	pCi/L		J-	174113	GU061000G32L01	GELC	
LAOI-3.2	6001	153.3	07/25/06	WG	UF	CS		Rad	LLEE	Tritium		753.548	8.514666667	0.28737	pCi/L			2236	UU060700G32L01	UMTL	
LAOI-3.2	6001	153.3	04/19/06	WG	UF	CS		Rad	EPA:906.0	Tritium		796	22.93333333	183	pCi/L			161220	GU06040G32L01	GELC	
LAOI-3.2	6001	153.3	11/15/05	WG	UF	CS		Rad	LLEE	Tritium		887.654	9.579	0.28737	pCi/L			2143	UU05110G32L01	UMTL	
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		72.9			0.725	mg/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		70.6			0.725	mg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		70.1			0.725	mg/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		64			0.725	mg/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.24			0.066	mg/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.246			0.066	mg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.234			0.066	mg/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.162			0.066	mg/L	J		168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		22			0.036	mg/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		21.2			0.036	mg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		22.4			0.036	mg/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		21.3			0.036	mg/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		21.8			0.036	mg/L			185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		21.1			0.036	mg/L			180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		21.8			0.036	mg/L			174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		21.2			0.036	mg/L			168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		20			0.132	mg/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		20.2			0.132	mg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		20.2			0.132	mg/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		19.1			0.132	mg/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.15			0.033	mg/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.146			0.033	mg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride	<	0.188			0.033	mg/L		U, J+	174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.163			0.033	mg/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		74.9			0.44	mg/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		72.5			0.44	mg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		76.5			0.085	mg/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		72.9			0.085	mg/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		73.9			0.44	mg/L			185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		71.8			0.44	mg/L			180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		74.5			0.085	mg/L			174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		72.5			0.085	mg/L			168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.87			0.085	mg/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.74			0.085	mg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.97			0.085	mg/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.79			0.085	mg/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.74			0.085	mg/L			185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.67			0.085	mg/L			180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.84			0.085	mg/L			174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.76			0.085	mg/L			168090	GU06070GI32A01	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		2.84			0.1	mg/L		J	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		3.03			0.05	mg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.19			0.014	mg/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.67			0.014	mg/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	EPA:314.0	Perchlorate		4.27			4	µg/L	J		185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		3.52			0.25	µg/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		3.3			0.2	µg/L		J	180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	EPA:314.0	Perchlorate		4.71			4	µg/L	J		180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		4.26			0.5	µg/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate		4.09			4	µg/L	J		174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate		5.1			4	µg/L	J		168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		4.65			0.5	µg/L		J	168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		9.8			0.05	mg/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		9.42			0.05	mg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		9.09			0.05	mg/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		9.78			0.05	mg/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		9.57			0.05	mg/L			185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		9.37			0.05	mg/L			180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		8.89			0.05	mg/L			174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		9.73			0.05	mg/L			168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		72.6			0.032	mg/L		J	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		68.4			0.032	mg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		71.5			0.032	mg/L		J	174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		68.2			0.032	mg/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		16.2			0.045	mg/L	E		185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		14.7			0.045	mg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		15.2			0.045	mg/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		14.7			0.045	mg/L		J	168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		15.9			0.045	mg/L	E	J	185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		14.6			0.045	mg/L			180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		14.7			0.045	mg/L			174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		14.6			0.045	mg/L		J	168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		263			1	µS/cm			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		223			1	µS/cm			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		248			1	µS/cm			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		271			1	µS/cm			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		8.81			0.1	mg/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		8.78			0.1	mg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		8.59			0.1	mg/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		8.13			0.1	mg/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		173			2.38	mg/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		200			2.38	mg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		197			2.38	mg/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		208			2.38	mg/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.09			0.33	mg/L			185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	0.33			0.33	mg/L	U		180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.29			0.33	mg/L			174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.986			0.33	mg/L	J		168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.65			0.01	SU	H	J	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.76			0.01	SU	H	J	180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.16			0.01	SU	H	J	174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.01			0.01	SU	H	J	168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Metals	SW-846:6010B	Barium		17.6			1	µg/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Metals	SW-846:6010B	Barium		18.5			1	µg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Metals	SW-846:6010B	Barium		17			1	µg/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Metals	SW-846:6010B	Barium		18			1	µg/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Barium		18.1			1	µg/L			185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Metals	SW-846:6010B	Barium		17.5			1	µg/L			180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Metals	SW-846:6010B	Barium		17			1	µg/L			174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Barium		17.6			1	µg/L			168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Metals	SW-846:6010B	Boron		10.5			10	µg/L	J		185012	GF07040GI32A01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Metals	SW-846:6010B	Boron	<	13.6			10	µg/L	J	U	180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Metals	SW-846:6010B	Boron		10.7			10	µg/L	J		174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Metals	SW-846:6010B	Boron	<	10			10	µg/L	U		168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Metals	SW-846:6010B	Boron	<	14.4			10	µg/L	J	U	180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Metals	SW-846:6010B	Boron		11.2			10	µg/L	J		174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Boron	<	10			10	µg/L	U		168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Metals	SW-846:6020	Chromium		2.8			1	µg/L	J		185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Metals	SW-846:6020	Chromium		2.2			1	µg/L	J		180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Metals	SW-846:6020	Chromium		2.8			1	µg/L	J		174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Metals	SW-846:6020	Chromium		3.6			1	µg/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Metals	SW-846:6020	Chromium		2.8			1	µg/L	J		185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Metals	SW-846:6020	Chromium		1.9			1	µg/L	J		180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Metals	SW-846:6020	Chromium		3.1			1	µg/L			174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Metals	SW-846:6020	Chromium		3.9			1	µg/L			168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Metals	SW-846:6020	Nickel		0.57			0.5	µg/L	J		185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Metals	SW-846:6020	Nickel	<	0.5			0.5	µg/L	U		180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Metals	SW-846:6020	Nickel		0.8			0.5	µg/L	J		174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Metals	SW-846:6020	Nickel		0.94			0.5	µg/L	J		168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Metals	SW-846:6020	Nickel		0.63			0.5	µg/L	J		185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Metals	SW-846:6020	Nickel	<	0.5			0.5	µg/L	U		180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Metals	SW-846:6020	Nickel		0.96			0.5	µg/L	J		174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Metals	SW-846:6020	Nickel		1			0.5	µg/L	J		168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Metals	SW-846:6010B	Strontium		136			1	µg/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Metals	SW-846:6010B	Strontium		134			1	µg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Metals	SW-846:6010B	Strontium		132			1	µg/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Metals	SW-846:6010B	Strontium		127			1	µg/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		133			1	µg/L			185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		133			1	µg/L			180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		128			1	µg/L			174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		126			1	µg/L			168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Metals	SW-846:6020	Uranium		1.3			0.05	µg/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Metals	SW-846:6020	Uranium		1.2			0.05	µg/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Metals	SW-846:6020	Uranium		1.4			0.05	µg/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Metals	SW-846:6020	Uranium		1.1			0.05	µg/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Metals	SW-846:6020	Uranium		1.3			0.05	µg/L			185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Metals	SW-846:6020	Uranium		1.5			0.05	µg/L			180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Metals	SW-846:6020	Uranium		1.4			0.05	µg/L			174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Metals	SW-846:6020	Uranium		1.2			0.05	µg/L			168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Metals	SW-846:6010B	Zinc	<	14.1			2	µg/L		U	180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Metals	SW-846:6010B	Zinc		2.8			2	µg/L	J		174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	2.7			2	µg/L	J	U	168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		5.4			2	µg/L	J		185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	10.6			2	µg/L		U	180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Metals	SW-846:6010B	Zinc		2.8			2	µg/L	J		174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	4.5			2	µg/L	J	U	168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		0.00359	0.003566667	0.044	pCi/L	U	U	185012	GF07040GI32A01	GELC	
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		-0.00516	0.00146	0.0251	pCi/L	U	U	180976	GF07020GI32A01	GELC	
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		-0.000849	0.00073	0.0247	pCi/L	U	U	174177	GF06100GI32A01	GELC	
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		0.00221	0.00114	0.0217	pCi/L	U	U	168090	GF06070GI32A01	GELC	
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		-0.00322	0.00332	0.0421	pCi/L	U	U	185012	GU07040GI32A01	GELC	
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.00557	0.001163333	0.024	pCi/L	U	U	180976	GU07020GI32A01	GELC	
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		-0.00282	0.00077	0.026	pCi/L	U	U	174177	GU06100GI32A01	GELC	
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.006	0.001136667	0.0216	pCi/L	U	U	168090	GU06070GI32A01	GELC	
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Rad	EPA:901.1	Cesium-137		0.095	0.33	3.23	pCi/L	U	U	185012	GF07040GI32A01	GELC	
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Rad	EPA:901.1	Cesium-137		-1.06	0.433333333	4.02	pCi/L	U	U	180976	GF07020GI32A01	GELC	
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Rad	EPA:901.1	Cesium-137		-1.25	0.41	4.17	pCi/L	U	U	174177	GF06100GI32A01	GELC	
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Rad	EPA:901.1	Cesium-137		0.837	0.308333333	3.19	pCi/L	U	U	168090	GF06070GI32A01	GELC	
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	EPA:901.1	Cesium-137		-1.83	0.4	3.5	pCi/L	U	U	185012	GU07040GI32A01	GELC	
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	EPA:901.1	Cesium-137		-1.14	0.396666667	3.62	pCi/L	U	U	180976	GU07020GI32A01	GELC	
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	EPA:901.1	Cesium-137		-0.212	0.311333333	3.4	pCi/L	U	U	174177	GU06100GI32A01	GELC	
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	EPA:901.1	Cesium-137		1.97	0.38	4.5	pCi/L	U	U	168090	GU06070GI32A01	GELC	

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Rad	EPA:901.1	Cobalt-60		-0.081	0.423333333	4.11		pCi/L	U	U	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Rad	EPA:901.1	Cobalt-60		0.734	0.346666667	3.59		pCi/L	U	U	180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Rad	EPA:901.1	Cobalt-60		-0.735	0.443333333	4.72		pCi/L	U	U	174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Rad	EPA:901.1	Cobalt-60		1.35	0.59	4.08		pCi/L	U	U	168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		3.03	0.37	4.05		pCi/L	U	U	185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		1.73	0.301	3.37		pCi/L	U	U	180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		-0.868	0.292666667	3.12		pCi/L	U	U	174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		0.533	0.373333333	4.41		pCi/L	U	U	168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Rad	EPA:900	Gross alpha		0.255	0.214333333	2.51		pCi/L	U	U	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Rad	EPA:900	Gross alpha		2.31	0.294333333	2.43		pCi/L	U	U	180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Rad	EPA:900	Gross alpha		1.22	0.231	2.02		pCi/L	U	U	174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Rad	EPA:900	Gross alpha		1.24	0.172	1.61		pCi/L	U	U, J-	168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	EPA:900	Gross alpha		2.39	0.301	2.26		pCi/L		J	185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	EPA:900	Gross alpha		1.7	0.237333333	1.89		pCi/L	U	U	180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	EPA:900	Gross alpha		0.811	0.219666667	2.29		pCi/L	U	U	174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	EPA:900	Gross alpha		1.56	0.237333333	2.6		pCi/L	U	U, J-	168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Rad	EPA:900	Gross beta		9.3	0.406666667	2.99		pCi/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Rad	EPA:900	Gross beta		9.89	0.413333333	3.03		pCi/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Rad	EPA:900	Gross beta		7.82	0.249666667	1.29		pCi/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Rad	EPA:900	Gross beta		10.6	0.304333333	2.49		pCi/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	EPA:900	Gross beta		10.5	0.4	2.79		pCi/L			185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	EPA:900	Gross beta		10.7	0.413333333	2.77		pCi/L			180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	EPA:900	Gross beta		7.51	0.275	1.83		pCi/L			174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	EPA:900	Gross beta		9.83	0.313	2.57		pCi/L			168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Rad	EPA:901.1	Gross gamma		77.5	18	219		pCi/L	U	U	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Rad	EPA:901.1	Gross gamma		72.4	17.56666667	248		pCi/L	U	U	180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Rad	EPA:901.1	Gross gamma		98.3	27.33333333	247		pCi/L	U	U	174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Rad	EPA:901.1	Gross gamma		81.3	32	357		pCi/L	U	U	168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	EPA:901.1	Gross gamma		121	63	341		pCi/L	U	U	185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	EPA:901.1	Gross gamma		70.4	16.6	240		pCi/L	U	U	180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	EPA:901.1	Gross gamma		84.5	30.3	278		pCi/L	U	U	174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	EPA:901.1	Gross gamma		89.5	28.96666667	327		pCi/L	U	U	168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Rad	EPA:901.1	Neptunium-237		3.41	2.956666667	28.7		pCi/L	U	U	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Rad	EPA:901.1	Neptunium-237		4.62	3.206666667	28.5		pCi/L	U	U	180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Rad	EPA:901.1	Neptunium-237		5.54	2.096666667	21.1		pCi/L	U	U	174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Rad	EPA:901.1	Neptunium-237		-2.39	2.816666667	24.4		pCi/L	U	U	168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		-0.105	3.283333333	28		pCi/L	U	U	185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		3.48	3.256666667	32.7		pCi/L	U	U	180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		8.83	3.173333333	22.4		pCi/L	U	U	174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		2.45	3.7	16.4		pCi/L	U	U	168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00201	0.00116	0.0292		pCi/L	U	U	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00235	0.0036	0.0258		pCi/L	U	U	180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.0101	0.002936667	0.0194		pCi/L	U	U	174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.0042	0.00099	0.0202		pCi/L	U	U	168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00378	0.00126	0.0274		pCi/L	U	U	185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.0247	0.005333333	0.0271		pCi/L	U	U	180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00749	0.002793333	0.018		pCi/L	U	U	174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0	0.001283333	0.0262		pCi/L	U	U	168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0	0.001893333	0.0342		pCi/L	U	U	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.0141	0.002723333	0.0172		pCi/L	U	U	180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.0161	0.003016667	0.0226		pCi/L	U	U	174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0	0.00099	0.0235		pCi/L	U	U	168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00189	0.00109	0.0322		pCi/L	U	U	185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.0074	0.003933333	0.018		pCi/L	U	U	180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.00375	0.002163333	0.021		pCi/L	U	U	174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0	0.001283333	0.0305		pCi/L	U	U	168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Rad	EPA:901.1	Potassium-40		27.1	6.633333333	43.8		pCi/L	U	U	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Rad	EPA:901.1	Potassium-40		51.7	5.333333333	37.1		pCi/L	UI	R	180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Rad	EPA:901.1	Potassium-40		81.6	6.466666667	40.8		pCi/L	UI	R	174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Rad	EPA:901.1	Potassium-40		19.9	7.033333333	32.5		pCi/L	U	U	168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	EPA:901.1	Potassium-40		2.41	6.4	30.1		pCi/L	U	U	185012	GU07040GI32A01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	EPA:901.1	Potassium-40		-7.23	6.1	57.9		pCi/L	U	U	180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	EPA:901.1	Potassium-40		0.655	5.366666667	43.4		pCi/L	U	U	174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	EPA:901.1	Potassium-40		63.9	5.233333333	70.1		pCi/L	U	U	168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Rad	EPA:901.1	Sodium-22		0.155	0.353333333	3.5		pCi/L	U	U	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Rad	EPA:901.1	Sodium-22		0.388	0.336666667	3.39		pCi/L	U	U	180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Rad	EPA:901.1	Sodium-22		-0.769	0.4	4.25		pCi/L	U	U	174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Rad	EPA:901.1	Sodium-22		2.5	0.353333333	3.91		pCi/L	U	U	168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	EPA:901.1	Sodium-22		-1.12	0.37	3.28		pCi/L	U	U	185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	EPA:901.1	Sodium-22		-1.7	0.346666667	2.75		pCi/L	U	U	180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	EPA:901.1	Sodium-22		1.36	0.267333333	3.59		pCi/L	U	U	174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	EPA:901.1	Sodium-22		-1.2	0.39	4.03		pCi/L	U	U	168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Rad	EPA:905.0	Strontium-90		-0.206	0.036666667	0.479		pCi/L	U	U	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Rad	EPA:905.0	Strontium-90		-0.0518	0.026733333	0.307		pCi/L	U	U	180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Rad	EPA:905.0	Strontium-90		0.0703	0.011366667	0.11		pCi/L	U	U	174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Rad	EPA:905.0	Strontium-90		0.0821	0.0265	0.321		pCi/L	U	U	168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	EPA:905.0	Strontium-90		0.0676	0.043666667	0.486		pCi/L	U	U	185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.00664	0.0276	0.309		pCi/L	U	U	180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.0307	0.011266667	0.126		pCi/L	U	U	174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.156	0.0277	0.493		pCi/L	U	U	168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	EPA:906.0	Tritium		2700	36	121		pCi/L			185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	EPA:906.0	Tritium		2940	32.26666667	193		pCi/L			180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	LL	Tritium		2867.314	31.93	12.772		pCi/L			2277	UU06100GI32A01	UMTL
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	LLEE	Tritium		3183.421	35.123	0.28737		pCi/L			2238	UU06070GI32A01	UMTL
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	EPA:906.0	Tritium		3180	37.33333333	196		pCi/L			168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.483	0.0147	0.0609		pCi/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.519	0.0154	0.0499		pCi/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.528	0.0138	0.0385		pCi/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.47	0.0143	0.0454		pCi/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.493	0.015066667	0.0631		pCi/L			185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.399	0.013433333	0.055		pCi/L			180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.536	0.0147	0.0451		pCi/L			174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.43	0.013933333	0.0504		pCi/L			168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0392	0.0038	0.0357		pCi/L		J	185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.032	0.003533333	0.0509		pCi/L	U	U	180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0251	0.00256	0.0325		pCi/L	U	U	174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0485	0.0043	0.0383		pCi/L		J	168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.029	0.0039	0.037		pCi/L	U	U	185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0256	0.0034	0.0561		pCi/L	U	U	180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.016	0.003333333	0.038		pCi/L	U	U	174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.00897	0.002993333	0.0425		pCi/L	U	U	168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.435	0.0139	0.0573		pCi/L			185012	GF07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.371	0.012266667	0.0353		pCi/L			180976	GF07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.416	0.0116	0.041		pCi/L			174177	GF06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.331	0.011166667	0.0483		pCi/L			168090	GF06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.45	0.014433333	0.0593		pCi/L			185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.355	0.012533333	0.0389		pCi/L			180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.465	0.013366667	0.0479		pCi/L			174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.413	0.0135	0.0536		pCi/L			168090	GU06070GI32A01	GELC
LAOI-3.2a	7691	181.4	04/25/07	WG	UF	CS		VOA	SW-846:8260B	Chloroform		0.279			0.25	µg/L	J		185012	GU07040GI32A01	GELC
LAOI-3.2a	7691	181.4	02/16/07	WG	UF	CS		VOA	SW-846:8260B	Chloroform		0.265			0.25	µg/L	J		180976	GU07020GI32A01	GELC
LAOI-3.2a	7691	181.4	10/13/06	WG	UF	CS		VOA	SW-846:8260B	Chloroform		0.303			0.25	µg/L	J		174177	GU06100GI32A01	GELC
LAOI-3.2a	7691	181.4	07/26/06	WG	UF	CS		VOA	SW-846:8260B	Chloroform		0.365			0.25	µg/L	J		168090	GU06070GI32A01	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		57.7				mg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		52.5				mg/L			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		52.4				mg/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		48.8				mg/L			175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		51.7				mg/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		53.3				mg/L			162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		5.25				mg/L			184649	GU07040LAOI701-FB	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-7	6411	240	11/07/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		50.4			0.725	mg/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		50.6			0.725	mg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		52.8			0.725	mg/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	EPA:300.0	Bromide		0.131			0.066	mg/L	J		184649	GF07040LAOI720	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.242			0.066	mg/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.091			0.066	mg/L	J		168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.088			0.066	mg/L	J		162704	GF06050LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide		0.128			0.066	mg/L	J		175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide		0.106			0.066	mg/L	J		168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide		0.088			0.066	mg/L	J		162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium		14.1			0.036	mg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		13.5			0.036	mg/L			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		14.3			0.036	mg/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		14.7			0.036	mg/L			175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		15.5			0.036	mg/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		14.9			0.036	mg/L			162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium		14.2			0.036	mg/L			184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		14.1			0.036	mg/L			184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		14.2			0.036	mg/L			180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		14.8			0.036	mg/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		13.7			0.036	mg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		14.5			0.036	mg/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride		18.4			0.066	mg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		18.4			0.066	mg/L			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		18.5			0.066	mg/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		18.4			0.066	mg/L			175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		18.8			0.066	mg/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		19.5			0.066	mg/L			162704	GF06050LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		18.2			0.066	mg/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		19			0.066	mg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		19.3			0.066	mg/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride		0.221			0.033	mg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.216			0.033	mg/L			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.229			0.033	mg/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.224			0.033	mg/L			175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.236			0.033	mg/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride	<	0.263			0.033	mg/L		U	162704	GF06050LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.213			0.033	mg/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.233			0.033	mg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride	<	0.254			0.033	mg/L		U	162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness		60			0.44	mg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		57.6			0.44	mg/L			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		61			0.44	mg/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		62.5			0.085	mg/L			175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		66			0.085	mg/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		62.8			0.085	mg/L			162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness		60.5			0.44	mg/L			184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		60.3			0.44	mg/L			184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		60.6			0.44	mg/L			180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		62.8			0.085	mg/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		58.3			0.085	mg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		61			0.085	mg/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium		6.02			0.085	mg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		5.8			0.085	mg/L			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		6.13			0.085	mg/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		6.26			0.085	mg/L			175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		6.61			0.085	mg/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		6.21			0.085	mg/L			162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium		6.08			0.085	mg/L			184649	GU07040LAOI720	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-7	6411	240	04/18/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		6.08			0.085	mg/L			184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		6.08			0.085	mg/L			180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		6.27			0.085	mg/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		5.84			0.085	mg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		6.02			0.085	mg/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.343			0.01	mg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.276			0.1	mg/L	J		184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.143			0.01	mg/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.214			0.014	mg/L		J-	175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.344			0.014	mg/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.287			0.014	mg/L			162704	GF06050LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.258			0.014	mg/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.32			0.014	mg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate		0.773			0.05	ug/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.757			0.05	ug/L			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	ug/L	U		180975	GF07020LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.762			0.05	ug/L		J+	180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	ug/L	U		175831	GF06100LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.877			0.1	ug/L			175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.796			0.05	ug/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	ug/L	U		168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.848			0.05	ug/L			162704	GF06050LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	ug/L	U		162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium		4.79			0.05	mg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		4.6			0.05	mg/L			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		4.79			0.05	mg/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		4.82			0.05	mg/L			175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		4.91			0.05	mg/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		4.61			0.05	mg/L			162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium		4.73			0.05	mg/L			184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		4.69			0.05	mg/L			184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		5.02			0.05	mg/L			180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		4.81			0.05	mg/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		4.51			0.05	mg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		4.57			0.05	mg/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Silicon Dioxide		56			0.032	mg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		54.4			0.032	mg/L			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		55			0.032	mg/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		56			0.032	mg/L			175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		57.9			0.032	mg/L		J	168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		57.4			0.032	mg/L		J	162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Geninorg	SW-846:6010B	Silicon Dioxide		0.048			0.032	mg/L	J		184649	GU07040LAOI701-FB	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		57			0.032	mg/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		52.1			0.032	mg/L		J	168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		55.3			0.032	mg/L		J	162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium		10.5			0.045	mg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		10.2			0.045	mg/L			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		9.89			0.045	mg/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		10.7			0.045	mg/L			175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		10.9			0.045	mg/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		10.4			0.045	mg/L			162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium		9.57			0.045	mg/L			184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		9.49			0.045	mg/L			184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		10.1			0.045	mg/L			180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		11			0.045	mg/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		9.88			0.045	mg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		10.1			0.045	mg/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance		193			1	µS/cm			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		195			1	µS/cm			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		192			1	µS/cm			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		194			1	µS/cm			175831	GF06100LAOI701	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		204			1	µS/cm			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		210			1	µS/cm			162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Geninorg	EPA:120.1	Specific Conductance		1.41			1	µS/cm			184649	GU07040LAOI701-FB	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		193			1	µS/cm			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		404			1	µS/cm			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		207			1	µS/cm			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate		8.85			0.1	mg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		8.77			0.1	mg/L			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		9.06			0.1	mg/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		9.27			0.1	mg/L			175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		8.86			0.1	mg/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		8.95			0.1	mg/L			162704	GF06050LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		9.37			0.1	mg/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		8.87			0.1	mg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		8.93			0.1	mg/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids		158			2.38	mg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		172			2.38	mg/L			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		133			2.38	mg/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		156			2.38	mg/L			175831	GF06100LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		151			2.38	mg/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		156			2.38	mg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		167			2.38	mg/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		163			2.38	mg/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		162			2.38	mg/L			162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Geninorg	SW-846:9060	Total Organic Carbon		0.653			0.33	mg/L	J		184649	GU07040LAOI701-FB	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon		1.3			0.33	mg/L			184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.09			0.33	mg/L			184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	0.33			0.33	mg/L	U		180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	0.555			0.33	mg/L	J	U	175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.06			0.33	mg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	0.823			0.33	mg/L	J	U	162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Geninorg	EPA:150.1	pH		7.42			0.01	SU	H	J	184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.42			0.01	SU	H	J	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.13			0.01	SU	H	J	180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.37			0.01	SU	H	J	175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.56			0.01	SU	H	J	168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.42			0.01	SU	H	J	162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Geninorg	EPA:150.1	pH		5.76			0.01	SU	H	J	184649	GU07040LAOI701-FB	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.46			0.01	SU	H	J	175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.36			0.01	SU	H	J	168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.48			0.01	SU	H	J	162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Metals	SW-846:6020	Antimony		0.65			0.5	µg/L	J		184649	GF07040LAOI720	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Metals	SW-846:6020	Antimony	<	0.5			0.5	µg/L	U		180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Metals	SW-846:6020	Antimony	<	0.5			0.5	µg/L	U		175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Metals	SW-846:6020	Antimony	<	0.5			0.5	µg/L	U		168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Metals	SW-846:6020	Antimony	<	0.5			0.5	µg/L	U		162704	GF06050LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Metals	SW-846:6020	Antimony	<	0.5			0.5	µg/L	U		180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Metals	SW-846:6020	Antimony	<	0.5			0.5	µg/L	U		175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Metals	SW-846:6020	Antimony	<	0.5			0.5	µg/L	U		168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Metals	SW-846:6020	Antimony	<	0.5			0.5	µg/L	U		162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Metals	SW-846:6020	Arsenic		1.6			1.5	µg/L	J		184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Metals	SW-846:6020	Arsenic		1.7			1.5	µg/L	J		184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Metals	SW-846:6020	Arsenic	<	1.5			1.5	µg/L	U		180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Metals	SW-846:6020	Arsenic		1.6			1.5	µg/L	J		184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Metals	SW-846:6020	Arsenic		2.8			1.5	µg/L	J		184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Metals	SW-846:6020	Arsenic	<	1.5			1.5	µg/L	U		180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168378	GU06070LAOI701	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-7	6411	240	05/09/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Metals	SW-846:6010B	Barium		21.7			1	µg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Metals	SW-846:6010B	Barium		20.7			1	µg/L			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Metals	SW-846:6010B	Barium		23.8			1	µg/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Metals	SW-846:6010B	Barium		23.2			1	µg/L			175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Metals	SW-846:6010B	Barium		23.6			1	µg/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Metals	SW-846:6010B	Barium		23.1			1	µg/L			162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Metals	SW-846:6010B	Barium		22.8			1	µg/L			184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Barium		23			1	µg/L			184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Metals	SW-846:6010B	Barium		23.1			1	µg/L			180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Metals	SW-846:6010B	Barium		23.3			1	µg/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Barium		21.3			1	µg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Metals	SW-846:6010B	Barium		22.8			1	µg/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Metals	SW-846:6010B	Boron		11.4			10	µg/L	J		184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Metals	SW-846:6010B	Boron		10.6			10	µg/L	J		184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Metals	SW-846:6010B	Boron		20.7			10	µg/L	J		180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Metals	SW-846:6010B	Boron		18			10	µg/L	J		175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Metals	SW-846:6010B	Boron		14.3			10	µg/L	J		168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Metals	SW-846:6010B	Boron		16.3			10	µg/L	J		162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Metals	SW-846:6010B	Boron		13.6			10	µg/L	J		184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Boron		13.7			10	µg/L	J		184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Metals	SW-846:6010B	Boron		10.4			10	µg/L	J		180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Metals	SW-846:6010B	Boron		16.8			10	µg/L	J		175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Boron		12.5			10	µg/L	J		168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Metals	SW-846:6010B	Boron		14.2			10	µg/L	J		162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Metals	SW-846:6020	Chromium		1.4			1	µg/L	J		184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Metals	SW-846:6020	Chromium		1			1	µg/L	J		184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Metals	SW-846:6020	Chromium		1.7			1	µg/L	J		180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Metals	SW-846:6020	Chromium	<	2.2			1	µg/L	J	U	175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Metals	SW-846:6020	Chromium		1			1	µg/L	J		168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Metals	SW-846:6010B	Chromium		1.8			1	µg/L	J		162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Metals	SW-846:6020	Chromium		2.7			1	µg/L	J		184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Metals	SW-846:6020	Chromium		4.3			1	µg/L			184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Metals	SW-846:6020	Chromium		2.6			1	µg/L	J		180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Metals	SW-846:6020	Chromium	<	3			1	µg/L		U	175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Metals	SW-846:6020	Chromium		1.9			1	µg/L	J		168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Metals	SW-846:6010B	Chromium		3			1	µg/L	J		162704	GU06050LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Metals	SW-846:6010B	Iron	<	63.8			18	µg/L	J	U	180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Metals	SW-846:6010B	Iron		37.9			18	µg/L	J		175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Metals	SW-846:6010B	Iron		23.1			18	µg/L	J	JN-	184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Iron		38.8			18	µg/L	J	JN-	184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Metals	SW-846:6010B	Iron	<	57			18	µg/L	J	U	180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Metals	SW-846:6010B	Iron		65			18	µg/L	J		175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Iron		230			18	µg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Metals	SW-846:6010B	Iron		74.3			18	µg/L	J		162704	GU06050LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Metals	SW-846:6020	Lead	<	0.5			0.5	µg/L	U		180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Metals	SW-846:6020	Lead	<	0.5			0.5	µg/L	U		175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Metals	SW-846:6020	Lead	<	0.5			0.5	µg/L	U		168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Metals	SW-846:6020	Lead	<	0.5			0.5	µg/L	U		162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Metals	SW-846:6020	Lead		0.51			0.5	µg/L	J		184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Metals	SW-846:6020	Lead		0.57			0.5	µg/L	J		184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Metals	SW-846:6020	Lead		0.56			0.5	µg/L	J		180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Metals	SW-846:6020	Lead		0.51			0.5	µg/L	J		175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Metals	SW-846:6020	Lead		0.78			0.5	µg/L	J		168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Metals	SW-846:6020	Lead		0.79			0.5	µg/L	J		162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Metals	SW-846:6010B	Manganese		3.4			2	µg/L	J		184649	GF07040LAOI720	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Metals	SW-846:6010B	Manganese		5.8			2	µg/L	J		180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Metals	SW-846:6010B	Manganese		3.8			2	µg/L	J		175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Metals	SW-846:6010B	Manganese		4.8			2	µg/L	J		168378	GF06070LAOI701	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-7	6411	240	05/09/06	WG	F	CS		Metals	SW-846:6010B	Manganese		2.4			2	µg/L	J		162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Metals	SW-846:6010B	Manganese		2.7			2	µg/L	J		184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Manganese		3.1			2	µg/L	J		184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Metals	SW-846:6010B	Manganese		4.6			2	µg/L	J		180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		2.2			2	µg/L	J		175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		5.6			2	µg/L	J		168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		5.5			2	µg/L	J		162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Metals	SW-846:6020	Nickel		1.5			0.5	µg/L	J		184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Metals	SW-846:6020	Nickel		1.1			0.5	µg/L	J		184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Metals	SW-846:6020	Nickel		1.4			0.5	µg/L	J		180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Metals	SW-846:6020	Nickel		1.2			0.5	µg/L	J		175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Metals	SW-846:6020	Nickel		1.9			0.5	µg/L	J		168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Metals	SW-846:6020	Nickel		1.2			0.5	µg/L	J		162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Metals	SW-846:6020	Nickel		2			0.5	µg/L			184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Metals	SW-846:6020	Nickel		3.3			0.5	µg/L			184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Metals	SW-846:6020	Nickel		1.4			0.5	µg/L	J		180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Metals	SW-846:6020	Nickel		1.8			0.5	µg/L	J		175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Metals	SW-846:6020	Nickel		2.9			0.5	µg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Metals	SW-846:6020	Nickel		2.6			0.5	µg/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Metals	SW-846:6010B	Strontium		78.3			1	µg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Metals	SW-846:6010B	Strontium		75.4			1	µg/L			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Metals	SW-846:6010B	Strontium		81.3			1	µg/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Metals	SW-846:6010B	Strontium		81.2			1	µg/L			175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Metals	SW-846:6010B	Strontium		84.5			1	µg/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Metals	SW-846:6010B	Strontium		84.6			1	µg/L			162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium		79.3			1	µg/L			184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		78.7			1	µg/L			184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		80.7			1	µg/L			180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		82.7			1	µg/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		74.4			1	µg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		82.3			1	µg/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Metals	SW-846:6020	Uranium		0.56			0.05	µg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Metals	SW-846:6020	Uranium		0.57			0.05	µg/L			184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Metals	SW-846:6020	Uranium		0.67			0.05	µg/L		J+	180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.6			0.05	µg/L			175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Metals	SW-846:6020	Uranium	<	0.54			0.05	µg/L		U	168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.63			0.05	µg/L			162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Metals	SW-846:6020	Uranium		0.55			0.05	µg/L			184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Metals	SW-846:6020	Uranium		0.54			0.05	µg/L			184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Metals	SW-846:6020	Uranium		0.64			0.05	µg/L		J+	180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.59			0.05	µg/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Metals	SW-846:6020	Uranium	<	0.56			0.05	µg/L		U	168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.6			0.05	µg/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium		1.3			1	µg/L	J	JN-	184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		1.8			1	µg/L	J	JN-	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		2			1	µg/L	J		180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		1.9			1	µg/L	J	JN-	175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		1.6			1	µg/L	J		168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		2			1	µg/L	J		162704	GF06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium		1.6			1	µg/L	J		184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		1.5			1	µg/L	J		184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		1.4			1	µg/L	J		180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		1.5			1	µg/L	J	JN-	175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		1.2			1	µg/L	J		168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		2			1	µg/L	J		162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Metals	SW-846:6010B	Zinc		15.1			2	µg/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Metals	SW-846:6010B	Zinc	<	3.1			2	µg/L	J		184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Metals	SW-846:6010B	Zinc	<	24.7			2	µg/L		U	180975	GF07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	15			2	µg/L		U	175831	GF06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	14.8			2	µg/L		U	168378	GF06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	8.3			2	µg/L	J	U	162704	GF06050LAOI701	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Metals	SW-846:6010B	Zinc		9.9			2	µg/L	J		184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		13.9			2	µg/L			184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		14.9			2	µg/L			180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	8			2	µg/L	J	U	175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Zinc		18.6			2	µg/L		J+	168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Metals	SW-846:6010B	Zinc		18.7			2	µg/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Rad	HASL-300:AM-241	Americium-241		-0.0211	0.00217	0.0458	pCi/L	U	U	184649	GF07040LAOI720	GELC	
LAOI-7	6411	240	04/18/07	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		-0.00189	0.00087	0.0369	pCi/L	U	U	184649	GF07040LAOI701	GELC	
LAOI-7	6411	240	02/15/07	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		0.00338	0.002226667	0.0239	pCi/L	U	U	180975	GF07020LAOI701	GELC	
LAOI-7	6411	240	08/01/06	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		-0.00545	0.000933333	0.0223	pCi/L	U	U	168378	GF06070LAOI701	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	HASL-300:AM-241	Americium-241		-0.0124	0.002976667	0.0495	pCi/L	U	U	184649	GU07040LAOI701-FB	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	HASL-300:AM-241	Americium-241		-0.00259	0.0035	0.0483	pCi/L	U	U	184649	GU07040LAOI720	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.0131	0.002606667	0.0456	pCi/L	U	U	184649	GU07040LAOI701	GELC	
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.005	0.001076667	0.0229	pCi/L	U	U	180975	GU07020LAOI701	GELC	
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.00919	0.00249	0.0267	pCi/L	U	U	168378	GU06070LAOI701	GELC	
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		-0.00213	0.001786667	0.0278	pCi/L	U	U	162704	GU06050LAOI701	GELC	
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Rad	EPA:901.1	Cesium-137		-0.307	0.327333333	3.11	pCi/L	U	U	184649	GF07040LAOI720	GELC	
LAOI-7	6411	240	04/18/07	WG	F	CS		Rad	EPA:901.1	Cesium-137		1.06	0.426666667	4.33	pCi/L	U	U	184649	GF07040LAOI701	GELC	
LAOI-7	6411	240	02/15/07	WG	F	CS		Rad	EPA:901.1	Cesium-137		0.658	0.393333333	3.94	pCi/L	U	U	180975	GF07020LAOI701	GELC	
LAOI-7	6411	240	08/01/06	WG	F	CS		Rad	EPA:901.1	Cesium-137		0.597	0.363333333	4.16	pCi/L	U	U	168378	GF06070LAOI701	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	EPA:901.1	Cesium-137		0.96	0.41	4.27	pCi/L	U	U	184649	GU07040LAOI701-FB	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	EPA:901.1	Cesium-137		1.39	0.45	1.65	pCi/L	U	U	184649	GU07040LAOI720	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	EPA:901.1	Cesium-137		1.88	0.396666667	4.23	pCi/L	U	U	184649	GU07040LAOI701	GELC	
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	EPA:901.1	Cesium-137		-1.32	0.436666667	4.04	pCi/L	U	U	180975	GU07020LAOI701	GELC	
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	EPA:901.1	Cesium-137		2.16	0.603333333	3.85	pCi/L	U	U	168378	GU06070LAOI701	GELC	
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	EPA:901.1	Cesium-137		1.42	0.293333333	3.37	pCi/L	U	U	162704	GU06050LAOI701	GELC	
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Rad	EPA:901.1	Cobalt-60		4.12	0.44	4.11	pCi/L	U	R	184649	GF07040LAOI720	GELC	
LAOI-7	6411	240	04/18/07	WG	F	CS		Rad	EPA:901.1	Cobalt-60		2.64	0.513333333	5.62	pCi/L	U	U	184649	GF07040LAOI701	GELC	
LAOI-7	6411	240	02/15/07	WG	F	CS		Rad	EPA:901.1	Cobalt-60		0.129	0.416666667	4.09	pCi/L	U	U	180975	GF07020LAOI701	GELC	
LAOI-7	6411	240	08/01/06	WG	F	CS		Rad	EPA:901.1	Cobalt-60		-0.684	0.433333333	4.66	pCi/L	U	U	168378	GF06070LAOI701	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	EPA:901.1	Cobalt-60		2.6	0.52	5.41	pCi/L	U	U	184649	GU07040LAOI701-FB	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	EPA:901.1	Cobalt-60		1.39	0.463333333	4.89	pCi/L	U	U	184649	GU07040LAOI720	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		-1.23	0.46	3.32	pCi/L	U	U	184649	GU07040LAOI701	GELC	
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		1.14	0.396666667	4.24	pCi/L	U	U	180975	GU07020LAOI701	GELC	
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		-0.456	0.383333333	3.5	pCi/L	U	U	168378	GU06070LAOI701	GELC	
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		-0.171	0.260666667	2.88	pCi/L	U	U	162704	GU06050LAOI701	GELC	
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Rad	EPA:900	Gross alpha		0.171	0.116	1.42	pCi/L	U	U	184649	GF07040LAOI720	GELC	
LAOI-7	6411	240	04/18/07	WG	F	CS		Rad	EPA:900	Gross alpha		1.12	0.16	1.33	pCi/L	U	U	184649	GF07040LAOI701	GELC	
LAOI-7	6411	240	02/15/07	WG	F	CS		Rad	EPA:900	Gross alpha		0.85	0.189	1.79	pCi/L	U	U	180975	GF07020LAOI701	GELC	
LAOI-7	6411	240	08/01/06	WG	F	CS		Rad	EPA:900	Gross alpha		0.824	0.098666667	0.828	pCi/L	U	U	168378	GF06070LAOI701	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	EPA:900	Gross alpha		0.288	0.094333333	1	pCi/L	U	U	184649	GU07040LAOI701-FB	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	EPA:900	Gross alpha		1.1	0.165666667	1.34	pCi/L	U	U	184649	GU07040LAOI720	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	EPA:900	Gross alpha		0.54	0.123333333	1.23	pCi/L	U	U	184649	GU07040LAOI701	GELC	
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	EPA:900	Gross alpha		1.16	0.212	1.72	pCi/L	U	U	180975	GU07020LAOI701	GELC	
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	EPA:900	Gross alpha		0.964	0.082333333	0.44	pCi/L	U	J	168378	GU06070LAOI701	GELC	
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	EPA:900	Gross alpha		-0.0527	0.144	1.74	pCi/L	U	U, J-	162704	GU06050LAOI701	GELC	
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Rad	EPA:900	Gross beta		4.13	0.296	2.2	pCi/L		J	184649	GF07040LAOI720	GELC	
LAOI-7	6411	240	04/18/07	WG	F	CS		Rad	EPA:900	Gross beta		4.78	0.303666667	2.11	pCi/L		J	184649	GF07040LAOI701	GELC	
LAOI-7	6411	240	02/15/07	WG	F	CS		Rad	EPA:900	Gross beta		7.74	0.453333333	3.46	pCi/L		J	180975	GF07020LAOI701	GELC	
LAOI-7	6411	240	08/01/06	WG	F	CS		Rad	EPA:900	Gross beta		6.83	0.343333333	2.67	pCi/L		J	168378	GF06070LAOI701	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	EPA:900	Gross beta		-0.568	0.159666667	2.09	pCi/L	U	U	184649	GU07040LAOI701-FB	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	EPA:900	Gross beta		4.53	0.319666667	2.42	pCi/L		J	184649	GU07040LAOI720	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	EPA:900	Gross beta		3.09	0.307333333	2.87	pCi/L		J	184649	GU07040LAOI701	GELC	
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	EPA:900	Gross beta		4.95	0.41	3.38	pCi/L		J	180975	GU07020LAOI701	GELC	
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	EPA:900	Gross beta		3.18	0.241333333	2.22	pCi/L		J	168378	GU06070LAOI701	GELC	
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	EPA:900	Gross beta		4.36	0.32	3.52	pCi/L		J	162704	GU06050LAOI701	GELC	
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Rad	EPA:901.1	Gross gamma		102	22.36666667	310	pCi/L	U	U	184649	GF07040LAOI720	GELC	
LAOI-7	6411	240	04/18/07	WG	F	CS		Rad	EPA:901.1	Gross gamma		61.5	16.63333333	125	pCi/L	U	U	184649	GF07040LAOI701	GELC	
LAOI-7	6411	240	02/15/07	WG	F	CS		Rad	EPA:901.1	Gross gamma		129	30.73333333	435	pCi/L	U	U	180975	GF07020LAOI701	GELC	
LAOI-7	6411	240	08/01/06	WG	F	CS		Rad	EPA:901.1	Gross gamma		77.2	23.03333333	231	pCi/L	U	U	168378	GF06070LAOI701	GELC	
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	EPA:901.1	Gross gamma		59.2	17.4	261	pCi/L	U	U	184649	GU07040LAOI701-FB	GELC	

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	EPA:901.1	Gross gamma		85.2	24.6	257		pCi/L	U	U	184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	EPA:901.1	Gross gamma		72.9	20.93333333	198		pCi/L	U	U	184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	EPA:901.1	Gross gamma		83.1	15.53333333	251		pCi/L	U	U	180975	GU07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	EPA:901.1	Gross gamma		62.1	18.33333333	238		pCi/L	U	U	168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	EPA:901.1	Gross gamma		71.1	25.36666667	238		pCi/L	U	U	162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Rad	EPA:901.1	Neptunium-237		16.2	2.83	27.1		pCi/L	U	U	184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Rad	EPA:901.1	Neptunium-237		5.38	3.766666667	33.6		pCi/L	U	U	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Rad	EPA:901.1	Neptunium-237		-19.8	4.033333333	31.6		pCi/L	U	U	180975	GF07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Rad	EPA:901.1	Neptunium-237		3.34	2.79	29.3		pCi/L	U	U	168378	GF06070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	EPA:901.1	Neptunium-237		-1.44	3.466666667	33		pCi/L	U	U	184649	GU07040LAOI701-FB	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	EPA:901.1	Neptunium-237		2	4.1	36		pCi/L	U	U	184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		-2.54	3.466666667	32.6		pCi/L	U	U	184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		4.13	3.28	29.3		pCi/L	U	U	180975	GU07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		-3.42	2.956666667	30.7		pCi/L	U	U	168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		-2.97	2.49	23		pCi/L	U	U	162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Rad	HASL-300:ISOPU	Plutonium-238		-0.0105	0.00288	0.0304		pCi/L	U	U	184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.0063	0.002323333	0.0305		pCi/L	U	U	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00447	0.007733333	0.0491		pCi/L	U	U	180975	GF07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.0358	0.002926667	0.0181		pCi/L		J	168378	GF06070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	HASL-300:ISOPU	Plutonium-238		-2.55E-10	0.001006667	0.031		pCi/L	U	U	184649	GU07040LAOI701-FB	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	HASL-300:ISOPU	Plutonium-238		0.00606	0.002936667	0.0293		pCi/L	U	U	184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00802	0.001893333	0.0291		pCi/L	U	U	184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.0223	0.0035	0.0244		pCi/L	U	U	180975	GU07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00183	0.00061	0.0176		pCi/L	U	U	168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00828	0.002583333	0.0248		pCi/L	U	U	162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00628	0.001846667	0.0356		pCi/L	U	U	184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.000000001	0.002213333	0.0358		pCi/L	U	U	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0	0.0042	0.0326		pCi/L	U	U	180975	GF07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0	0.001256667	0.0211		pCi/L	U	U, JN-	168378	GF06070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.00427	0.004033333	0.0364		pCi/L	U	U	184649	GU07040LAOI701-FB	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.0101	0.002433333	0.0344		pCi/L	U	U	184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00401	0.0025	0.0341		pCi/L	U	U	184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00668	0.0051	0.0163		pCi/L	U	U	180975	GU07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00183	0.001053333	0.0204		pCi/L	U	U, JN-	168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00828	0.001383333	0.0272		pCi/L	U	U	162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Rad	EPA:901.1	Potassium-40		19.6	5.666666667	28.7		pCi/L	U	U	184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Rad	EPA:901.1	Potassium-40		8.99	5.633333333	57		pCi/L	U	U	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Rad	EPA:901.1	Potassium-40		-3.56	6.333333333	56.9		pCi/L	U	U	180975	GF07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Rad	EPA:901.1	Potassium-40		0.759	5.2	43.9		pCi/L	U	U	168378	GF06070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	EPA:901.1	Potassium-40		-11.2	5.866666667	56.6		pCi/L	U	U	184649	GU07040LAOI701-FB	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	EPA:901.1	Potassium-40		12.8	6.8	34.7		pCi/L	U	U	184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	EPA:901.1	Potassium-40		-18.2	6.566666667	55		pCi/L	U	U	184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	EPA:901.1	Potassium-40		20.4	7.1	33		pCi/L	U	U	180975	GU07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	EPA:901.1	Potassium-40		32.7	3.533333333	49.2		pCi/L	U	U	168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	EPA:901.1	Potassium-40		28.4	7.2	35.1		pCi/L	U	U	162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Rad	EPA:901.1	Sodium-22		1.57	0.476666667	4.34		pCi/L	U	U	184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Rad	EPA:901.1	Sodium-22		-1.71	0.43	3.77		pCi/L	U	U	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Rad	EPA:901.1	Sodium-22		-2.02	0.616666667	2.77		pCi/L	U	U	180975	GF07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Rad	EPA:901.1	Sodium-22		0.507	0.319	3.94		pCi/L	U	U	168378	GF06070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	EPA:901.1	Sodium-22		0.694	0.42	4.41		pCi/L	U	U	184649	GU07040LAOI701-FB	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	EPA:901.1	Sodium-22		1.78	0.456666667	4.93		pCi/L	U	U	184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	EPA:901.1	Sodium-22		-0.414	0.536666667	5.17		pCi/L	U	U	184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	EPA:901.1	Sodium-22		-1.89	0.34	2.73		pCi/L	U	U	180975	GU07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	EPA:901.1	Sodium-22		-0.664	0.413333333	4.34		pCi/L	U	U	168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	EPA:901.1	Sodium-22		0.212	0.281	3.2		pCi/L	U	U	162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Rad	EPA:905.0	Strontium-90		0.0197	0.0277	0.306		pCi/L	U	U	184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Rad	EPA:905.0	Strontium-90		0.445	0.054666667	0.489		pCi/L	U	U	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Rad	EPA:905.0	Strontium-90		-0.142	0.027566667	0.333		pCi/L	U	U	180975	GF07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Rad	EPA:905.0	Strontium-90		0.2	0.041	0.407		pCi/L	U	U	168378	GF06070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	EPA:905.0	Strontium-90		-0.161	0.031033333	0.379		pCi/L	U	U	184649	GU07040LAOI701-FB	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	EPA:905.0	Strontium-90		-0.16	0.035666667	0.426		pCi/L	U	U	184649	GU07040LAOI720	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.0679	0.035	0.395		pCi/L	U	U	184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	EPA:905.0	Strontium-90		0.149	0.034666667	0.347		pCi/L	U	U	180975	GU07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	EPA:905.0	Strontium-90		0.0512	0.016866667	0.17		pCi/L	U	U	168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	EPA:905.0	Strontium-90		0.0999	0.0168	0.188		pCi/L	U	U	162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	EPA:906.0	Tritium		45	19.2	192		pCi/L	U	U	184649	GU07040LAOI701-FB	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	EPA:906.0	Tritium		1080	23.73333333	193		pCi/L			184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	EPA:906.0	Tritium		1130	24	194		pCi/L			184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	EPA:906.0	Tritium		1160	24.66666667	192		pCi/L			180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		Rad	EPA:906.0	Tritium		1180	24.83333333	194		pCi/L			175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	LLEE	Tritium		1060.076	11.70766667	0.28737		pCi/L			2238	UU06070LAOI701	UMTL
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	EPA:906.0	Tritium		1240	30.16666667	216		pCi/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Rad	HASL-300:ISOU	Uranium-234		0.224	0.009033333	0.0647		pCi/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.182	0.008733333	0.0718		pCi/L		J	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.241	0.009733333	0.0539		pCi/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.285	0.0094	0.0383		pCi/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	HASL-300:ISOU	Uranium-234		0.0109	0.002566667	0.073		pCi/L	U	U	184649	GU07040LAOI701-FB	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	HASL-300:ISOU	Uranium-234		0.252	0.010233333	0.0712		pCi/L			184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.24	0.010133333	0.0741		pCi/L			184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.285	0.0108	0.0485		pCi/L			180975	GU07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.223	0.0092	0.0499		pCi/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.267	0.0102	0.0747		pCi/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0179	0.002453333	0.038		pCi/L	U	U	184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0198	0.003136667	0.0421		pCi/L	U	U	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.022	0.0028	0.0549		pCi/L	U	U	180975	GF07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0136	0.00187	0.0323		pCi/L	U	U	168378	GF06070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.00671	0.001586667	0.0428		pCi/L	U	U	184649	GU07040LAOI701-FB	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0196	0.003113333	0.0418		pCi/L	U	U	184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.00341	0.001136667	0.0434		pCi/L	U	U	184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0226	0.003533333	0.0494		pCi/L	U	U	180975	GU07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0178	0.00314	0.0421		pCi/L	U	U	168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0058	0.003333333	0.0362		pCi/L	U	U	162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS	FD	Rad	HASL-300:ISOU	Uranium-238		0.2	0.008366667	0.0608		pCi/L			184649	GF07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.158	0.0086	0.0675		pCi/L		J	184649	GF07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.198	0.0089	0.0381		pCi/L			180975	GF07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.209	0.007633333	0.0407		pCi/L			168378	GF06070LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	Rad	HASL-300:ISOU	Uranium-238		0.00543	0.002216667	0.0686		pCi/L	U	U	184649	GU07040LAOI701-FB	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	Rad	HASL-300:ISOU	Uranium-238		0.135	0.0076	0.0669		pCi/L		J	184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.157	0.007833333	0.0696		pCi/L		J	184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.233	0.009233333	0.0343		pCi/L			180975	GU07020LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.194	0.008566667	0.0531		pCi/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.197	0.0085	0.0419		pCi/L			162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FB	VOA	SW-846:8260B	Acetone		7.39			1.25	µg/L		J-	184649	GU07040LAOI701-FB	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		VOA	SW-846:8260B	Acetone	<	2.83			1.25	µg/L	J	U	180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		VOA	SW-846:8260B	Acetone	<	5			1.25	µg/L	UH	UJ	175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		VOA	SW-846:8260B	Acetone		2.29			1.25	µg/L	J		168378	GU06070LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	RE		VOA	SW-846:8260B	Acetone	<	10			2.5	µg/L	U	UJ	168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		VOA	SW-846:8260B	Acetone	<	2.01			1.25	µg/L	J	U	162704	GU06050LAOI701	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FD	VOA	SW-846:8260B	Toluene		38.1			0.25	µg/L			184649	GU07040LAOI720	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS	FTB	VOA	SW-846:8260B	Toluene		0.552			0.25	µg/L	J		184649	GU07040LAOI701-FTB	GELC
LAOI-7	6411	240	04/18/07	WG	UF	CS		VOA	SW-846:8260B	Toluene		41.1			0.25	µg/L			184649	GU07040LAOI701	GELC
LAOI-7	6411	240	02/15/07	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	9.59			0.25	µg/L		U	180975	GU07020LAOI701	GELC
LAOI-7	6411	240	11/07/06	WG	UF	CS		VOA	SW-846:8260B	Toluene		17.7			0.25	µg/L	H	J	175831	GU06100LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	CS		VOA	SW-846:8260B	Toluene		104			0.25	µg/L	E	J	168378	GU06070LAOI701	GELC
LAOI-7	6411	240	08/01/06	WG	UF	RE		VOA	SW-846:8260B	Toluene		112			0.5	µg/L			168378	GU06070LAOI701	GELC
LAOI-7	6411	240	05/09/06	WG	UF	CS		VOA	SW-846:8260B	Toluene		69.8			0.25	µg/L			162704	GU06050LAOI701	GELC
LAUZ-1	5361	5.35	04/17/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		129			0.725	mg/L			184483	GF070400G1ZL01	GELC
LAUZ-1	5361	5.35	08/02/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		264			0.725	mg/L			168446	GF060700G1ZL01	GELC
LAUZ-1	5361	5.35	05/03/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		159			1.45	mg/L			136047	GF05050G1ZL01	GELC
LAUZ-1	5361	5.35	05/22/02	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		85.4			0.73	mg/L		NQ	806S	CA21-02-45090	GEL

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LAUZ-1	5361	5.35	03/26/02	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		75.8			1.5	mg/L		NQ	691S	CA21-02-45300	GEL
LAUZ-1	5361	5.35	08/02/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		263			0.725	mg/L			168446	GU060700G1ZL01	GELC
LAUZ-1	5361	5.35	04/17/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		506			3.3	mg/L		J	184483	GF070400G1ZL01	GELC
LAUZ-1	5361	5.35	08/02/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		92.1			0.66	mg/L		J	168446	GF060700G1ZL01	GELC
LAUZ-1	5361	5.35	05/03/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		222			2.65	mg/L			136047	GF05050G1ZL01	GELC
LAUZ-1	5361	5.35	05/22/02	WG	F	CS		Geninorg	EPA:300.0	Chloride		196			0.64	mg/L		NQ	806S	CA21-02-45090	GEL
LAUZ-1	5361	5.35	03/26/02	WG	F	CS		Geninorg	EPA:300.0	Chloride		115			0.25	mg/L		NQ	691S	CA21-02-45300	GEL
LAUZ-1	5361	5.35	08/02/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		95.8			0.66	mg/L		J	168446	GU060700G1ZL01	GELC
LAUZ-1	5361	5.35	04/17/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.494			0.033	mg/L			184483	GF070400G1ZL01	GELC
LAUZ-1	5361	5.35	08/02/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.723			0.033	mg/L			168446	GF060700G1ZL01	GELC
LAUZ-1	5361	5.35	05/03/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.477			0.03	mg/L			136047	GF05050G1ZL01	GELC
LAUZ-1	5361	5.35	05/22/02	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.482			0.055	mg/L		NQ	806S	CA21-02-45090	GEL
LAUZ-1	5361	5.35	03/26/02	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.605			0.014	mg/L		NQ	691S	CA21-02-45300	GEL
LAUZ-1	5361	5.35	08/02/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.727			0.033	mg/L			168446	GU060700G1ZL01	GELC
LAUZ-1	5361	5.35	04/17/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.0371			0.01	mg/L	J	JN-	184483	GF070400G1ZL01	GELC
LAUZ-1	5361	5.35	08/02/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.149			0.014	mg/L		J	168446	GF060700G1ZL01	GELC
LAUZ-1	5361	5.35	05/03/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.0651			0.003	mg/L		J-	136047	GF05050G1ZL01	GELC
LAUZ-1	5361	5.35	05/22/02	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.08			0.01	mg/L		NQ	806S	CA21-02-45090	GEL
LAUZ-1	5361	5.35	03/26/02	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.71			0.0069	mg/L		NQ	691S	CA21-02-45300	GEL
LAUZ-1	5361	5.35	08/02/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N	<	0.213			0.14	mg/L	J	U	168446	GU060700G1ZL01	GELC
LAUZ-1	5361	5.35	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		17.8			0.032	mg/L			184483	GF070400G1ZL01	GELC
LAUZ-1	5361	5.35	08/02/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		26.3			0.032	mg/L		J	168446	GF060700G1ZL01	GELC
LAUZ-1	5361	5.35	05/03/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		17.3			0.032	mg/L			136047	GF05050G1ZL01	GELC
LAUZ-1	5361	5.35	05/22/02	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		9.64			0.0098	mg/L		NQ	806S	CA21-02-45090	GEL
LAUZ-1	5361	5.35	08/02/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		26.1			0.032	mg/L		J	168446	GU060700G1ZL01	GELC
LAUZ-1	5361	5.35	05/22/02	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		10.6			0.0098	mg/L		NQ	806S	CA21-02-45091	GEL
LAUZ-1	5361	5.35	04/17/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		21800			1	µS/cm			184483	GF070400G1ZL01	GELC
LAUZ-1	5361	5.35	08/02/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		805			1	µS/cm			168446	GF060700G1ZL01	GELC
LAUZ-1	5361	5.35	05/03/05	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		1030			1	µS/cm			136047	GF05050G1ZL01	GELC
LAUZ-1	5361	5.35	08/02/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		821			1	µS/cm			168446	GU060700G1ZL01	GELC
LAUZ-1	5361	5.35	04/17/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		11.1			0.1	mg/L			184483	GF070400G1ZL01	GELC
LAUZ-1	5361	5.35	08/02/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		9.95			0.1	mg/L			168446	GF060700G1ZL01	GELC
LAUZ-1	5361	5.35	05/03/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		9.47			0.057	mg/L			136047	GF05050G1ZL01	GELC
LAUZ-1	5361	5.35	05/22/02	WG	F	CS		Geninorg	EPA:300.0	Sulfate		21.4			0.19	mg/L		NQ	806S	CA21-02-45090	GEL
LAUZ-1	5361	5.35	03/26/02	WG	F	CS		Geninorg	EPA:300.0	Sulfate		21.3			0.062	mg/L		NQ	691S	CA21-02-45300	GEL
LAUZ-1	5361	5.35	08/02/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		10.1			0.1	mg/L			168446	GU060700G1ZL01	GELC
LAUZ-1	5361	5.35	04/17/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		1160			2.38	mg/L			184483	GF070400G1ZL01	GELC
LAUZ-1	5361	5.35	08/02/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		501			2.38	mg/L			168446	GU060700G1ZL01	GELC
LAUZ-1	5361	5.35	08/02/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		490			2.38	mg/L			168446	GF060700G1ZL01	GELC
LAUZ-1	5361	5.35	05/03/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		575			2.38	mg/L			136047	GF05050G1ZL01	GELC
LAUZ-1	5361	5.35	04/17/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.114			0.029	mg/L		JN-	184483	GF070400G1ZL01	GELC
LAUZ-1	5361	5.35	08/02/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.499			0.01	mg/L			168446	GF060700G1ZL01	GELC
LAUZ-1	5361	5.35	05/03/05	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.519			0.01	mg/L			136047	GF05050G1ZL01	GELC
LAUZ-1	5361	5.35	04/17/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.053			0.029	mg/L	J	JN-	184483	GU070400G1ZL01	GELC
LAUZ-1	5361	5.35	08/02/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.58			0.01	mg/L			168446	GU060700G1ZL01	GELC
LAUZ-1	5361	5.35	05/03/05	WG	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		6.1			0.074	mg/L			136047	GF05050G1ZL01	GELC
LAUZ-1	5361	5.35	04/17/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.64			0.33	mg/L			184483	GU070400G1ZL01	GELC
LAUZ-1	5361	5.35	08/02/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		15.5			0.66	mg/L			168446	GU060700G1ZL01	GELC
LAUZ-1	5361	5.35	05/22/02	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.38			0.025	mg/L		NQ	806S	CA21-02-45091	GEL
LAUZ-1	5361	5.35	03/26/02	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.54			0.041	mg/L		NQ	691S	CA21-02-45301	GEL
LAUZ-1	5361	5.35	04/17/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.02			0.01	SU	H	J	184483	GF070400G1ZL01	GELC
LAUZ-1	5361	5.35	08/02/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.12			0.01	SU	H	J	168446	GF060700G1ZL01	GELC
LAUZ-1	5361	5.35	05/03/05	WG	F	CS		Geninorg	EPA:150.1	pH		6.98			0.01	SU	H	J	136047	GF05050G1ZL01	GELC
LAUZ-1	5361	5.35	11/13/01	WG	F	CS		Geninorg	USGS-WRI-79-4	pH		6.400000095				SU		NQ	221S	CA21-01-0024	HUFFMAN
LAUZ-1	5361	5.35	06/19/01	WG	F	CS		Geninorg	USGS-WRI-79-4	pH		6.7				SU		NQ	9044R	CA21-01-0007	HUFFMAN
LAUZ-1	5361	5.35	08/02/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.63			0.01	SU	H	J	168446	GU060700G1ZL01	GELC
LLAO-1b	5231	11.32	04/24/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		129			0.725	mg/L			184942	GF070400GB1L01	GELC
LLAO-1b	5231	11.32	08/09/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		100			0.725	mg/L			169116	GF060700GB1L01	GELC
LLAO-1b	5231	11.32	05/11/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		80.4			1.45	mg/L			136542	GF05050GB1L01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LLAO-1b	5231	11.32	05/29/02	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		125			0.73	mg/L	NQ	844S	CALA-02-45035	GEL	
LLAO-1b	5231	11.32	11/01/01	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		137			0.730000019	mg/L	NQ	141S	CALA-01-0477	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		100			0.725	mg/L		169116	GU060700GB1L01	GELC	
LLAO-1b	5231	11.32	04/24/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		45.4			0.33	mg/L		184942	GF070400GB1L01	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		44.8			0.33	mg/L		169116	GF060700GB1L01	GELC	
LLAO-1b	5231	11.32	05/11/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		56.8			0.265	mg/L		136542	GF05050GB1L01	GELC	
LLAO-1b	5231	11.32	05/29/02	WG	F	CS		Geninorg	EPA:300.0	Chloride		44.2			0.16	mg/L	NQ	844S	CALA-02-45035	GEL	
LLAO-1b	5231	11.32	11/01/01	WG	F	CS		Geninorg	EPA:300.0	Chloride		34.20000076			0.129999995	mg/L	NQ	141S	CALA-01-0477	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		44.7			0.33	mg/L		169116	GU060700GB1L01	GELC	
LLAO-1b	5231	11.32	04/24/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.403			0.033	mg/L		184942	GF070400GB1L01	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.365			0.033	mg/L		169116	GF060700GB1L01	GELC	
LLAO-1b	5231	11.32	05/11/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.387			0.03	mg/L	J+	136542	GF05050GB1L01	GELC	
LLAO-1b	5231	11.32	05/29/02	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.435			0.055	mg/L	NQ	844S	CALA-02-45035	GEL	
LLAO-1b	5231	11.32	11/01/01	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.140000001			0.014	mg/L	NQ	141S	CALA-01-0477	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.361			0.033	mg/L		169116	GU060700GB1L01	GELC	
LLAO-1b	5231	11.32	04/24/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		13.4			0.5	mg/L		184942	GF070400GB1L01	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		6.1			0.14	mg/L	J	169116	GF060700GB1L01	GELC	
LLAO-1b	5231	11.32	05/11/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		3.67			0.015	mg/L		136542	GF05050GB1L01	GELC	
LLAO-1b	5231	11.32	05/29/02	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		6.25			0.05	mg/L	NQ	844S	CALA-02-45035	GEL	
LLAO-1b	5231	11.32	11/01/01	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.930000067			0.0069	mg/L	NQ	141S	CALA-01-0477	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		9.73			0.07	mg/L		169116	GU060700GB1L01	GELC	
LLAO-1b	5231	11.32	04/24/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.252			0.05	µg/L		184942	GF070400GB1L01	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U	169116	GF060700GB1L01	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate	<	0.05			0.05	µg/L	U	169116	GF060700GB1L01	GELC	
LLAO-1b	5231	11.32	05/11/05	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U	136542	GF05050GB1L01	GELC	
LLAO-1b	5231	11.32	05/11/05	WG	F	CS		Geninorg	SW846 6850	Perchlorate	<	0.392			0.05	µg/L		136542	GF05050GB1L01	GELC	
LLAO-1b	5231	11.32	05/29/02	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			1.5	µg/L	U	844S	CALA-02-45035	GEL	
LLAO-1b	5231	11.32	11/01/01	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			0.959999979	µg/L	U	142S	CALA-01-0477	GEL	
LLAO-1b	5231	11.32	04/24/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		48.2			0.032	mg/L		184942	GF070400GB1L01	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		61.3			0.032	mg/L	J-	169116	GF060700GB1L01	GELC	
LLAO-1b	5231	11.32	05/11/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		51.5			0.032	mg/L		136542	GF05050GB1L01	GELC	
LLAO-1b	5231	11.32	05/29/02	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		25.5			0.0098	mg/L	NQ	844S	CALA-02-45035	GEL	
LLAO-1b	5231	11.32	08/09/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		61.2			0.032	mg/L	J-	169116	GU060700GB1L01	GELC	
LLAO-1b	5231	11.32	05/29/02	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		28.4			0.0098	mg/L	NQ	844S	CALA-02-45036	GEL	
LLAO-1b	5231	11.32	04/24/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		592			1	µS/cm		184942	GF070400GB1L01	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		485			1	µS/cm		169116	GF060700GB1L01	GELC	
LLAO-1b	5231	11.32	05/11/05	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		450			1	µS/cm		136542	GF05050GB1L01	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		481			1	µS/cm		169116	GU060700GB1L01	GELC	
LLAO-1b	5231	11.32	04/24/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		23.2			0.1	mg/L		184942	GF070400GB1L01	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		26.5			0.1	mg/L		169116	GF060700GB1L01	GELC	
LLAO-1b	5231	11.32	05/11/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		21.1			0.057	mg/L		136542	GF05050GB1L01	GELC	
LLAO-1b	5231	11.32	05/29/02	WG	F	CS		Geninorg	EPA:300.0	Sulfate		24.1			0.19	mg/L	NQ	844S	CALA-02-45035	GEL	
LLAO-1b	5231	11.32	11/01/01	WG	F	CS		Geninorg	EPA:300.0	Sulfate		20			0.061999999	mg/L	NQ	141S	CALA-01-0477	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		26.5			0.1	mg/L		169116	GU060700GB1L01	GELC	
LLAO-1b	5231	11.32	04/24/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		456			2.38	mg/L		184942	GF070400GB1L01	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		351			2.38	mg/L		169116	GF060700GB1L01	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		360			2.38	mg/L		169116	GU060700GB1L01	GELC	
LLAO-1b	5231	11.32	05/11/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		291			2.38	mg/L		136542	GF05050GB1L01	GELC	
LLAO-1b	5231	11.32	06/27/00	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		380				mg/L	NQ	6954R	CALA-00-0042	KA	
LLAO-1b	5231	11.32	04/24/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.267			0.029	mg/L		184942	GF070400GB1L01	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.407			0.01	mg/L	J-	169116	GF060700GB1L01	GELC	
LLAO-1b	5231	11.32	05/11/05	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.508			0.01	mg/L		136542	GF05050GB1L01	GELC	
LLAO-1b	5231	11.32	04/24/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.068			0.029	mg/L	J	184942	GU070400GB1L01	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.071			0.01	mg/L	J	169116	GU060700GB1L01	GELC	
LLAO-1b	5231	11.32	05/11/05	WG	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.85			0.074	mg/L		136542	GF05050GB1L01	GELC	
LLAO-1b	5231	11.32	04/24/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		3.17			0.33	mg/L		184942	GU070400GB1L01	GELC	
LLAO-1b	5231	11.32	08/09/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		3.47			0.33	mg/L		169116	GU060700GB1L01	GELC	
LLAO-1b	5231	11.32	05/29/02	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.31			0.025	mg/L	NQ	844S	CALA-02-45036	GEL	
LLAO-1b	5231	11.32	11/01/01	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.12			0.041	mg/L	NQ	140S	CALA-01-0478	GEL	
LLAO-1b	5231	11.32	04/24/07	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		2.39			0.024	mg/L		184942	GF070400GB1L01	GELC	



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LLAO-1b	5231	11.32	08/09/06	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		2.49			0.01	mg/L			169116	GF060700GB1L01	GELC
LLAO-1b	5231	11.32	05/11/05	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		2.17			0.01	mg/L			136542	GF05050GB1L01	GELC
LLAO-1b	5231	11.32	05/29/02	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		1.66			0.01	mg/L		NQ	844S	CALA-02-45035	GEL
LLAO-1b	5231	11.32	11/01/01	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		2.099999905			0.018999999	mg/L		NQ	141S	CALA-01-0477	GELC
LLAO-1b	5231	11.32	08/09/06	WG	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus	<	0.081			0.01	mg/L		U	169116	GU060700GB1L01	GELC
LLAO-1b	5231	11.32	04/24/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.89			0.01	SU	H	J	184942	GF070400GB1L01	GELC
LLAO-1b	5231	11.32	08/09/06	WG	F	CS		Geninorg	EPA:150.1	pH		6.86			0.01	SU	H	J	169116	GF060700GB1L01	GELC
LLAO-1b	5231	11.32	05/11/05	WG	F	CS		Geninorg	EPA:150.1	pH		6.77			0.01	SU	H	J	136542	GF05050GB1L01	GELC
LLAO-1b	5231	11.32	11/01/01	WG	F	CS		Geninorg	USGS-WRI-79-4	pH		6.400000095				SU		NQ	143S	CALA-01-0477	HUFFMAN
LLAO-1b	5231	11.32	06/26/01	WG	F	CS		Geninorg	USGS-WRI-79-4	pH		6.8				SU		NQ	9148R	CALA-01-0221	HUFFMAN
LLAO-1b	5231	11.32	08/09/06	WG	UF	CS		Geninorg	EPA:150.1	pH		6.9			0.01	SU	H	J	169116	GU060700GB1L01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		184			0.725	mg/L			184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		271			0.725	mg/L			169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	05/11/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		143			1.45	mg/L			136542	GF05050G4LL01	GELC
LLAO-4	5661	5.24	09/01/00	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		170				mg/L		NQ	7380R	CALA-00-0146	PARA
LLAO-4	5661	5.24	07/26/00	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		150				mg/L		NQ	7204R	CALA-00-0094	PARA
LLAO-4	5661	5.24	08/09/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		158			0.725	mg/L			169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.224			0.066	mg/L			184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.13			0.066	mg/L	J		169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	05/11/05	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.08			0.041	mg/L	J		136542	GF05050G4LL01	GELC
LLAO-4	5661	5.24	05/07/97	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.5				mg/L	U	U	3122R	04LA-97-0008	ESE
LLAO-4	5661	5.24	08/09/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide		0.128			0.066	mg/L	J		169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	05/07/97	WG	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.5				mg/L	U	U	3122R	04LA-97-0007	ESE
LLAO-4	5661	5.24	04/24/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		35.4			0.33	mg/L			184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		33.9			0.33	mg/L			169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	05/11/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		28.5			0.265	mg/L			136542	GF05050G4LL01	GELC
LLAO-4	5661	5.24	10/06/00	WG	F	CS		Geninorg	EPA:300.0	Chloride		29				mg/L		NQ	7810R	CALA-00-0190	PARA
LLAO-4	5661	5.24	09/01/00	WG	F	CS		Geninorg	EPA:300.0	Chloride		28				mg/L		NQ	7380R	CALA-00-0146	PARA
LLAO-4	5661	5.24	08/09/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		34.2			0.33	mg/L			169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.395			0.033	mg/L			184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.474			0.033	mg/L			169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	05/11/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.369			0.03	mg/L		J+	136542	GF05050G4LL01	GELC
LLAO-4	5661	5.24	06/27/00	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.43				mg/L		NQ	6951R	CALA-00-0044	KA
LLAO-4	5661	5.24	05/07/97	WG	F	CS		Geninorg	EPA:300.0	Fluoride	<	0.5				mg/L	U	U	3122R	04LA-97-0008	ESE
LLAO-4	5661	5.24	08/09/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.47			0.033	mg/L			169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.268			0.01	mg/L		J	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.798			0.014	mg/L			169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	05/11/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.269			0.003	mg/L			136542	GF05050G4LL01	GELC
LLAO-4	5661	5.24	06/27/00	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.37				mg/L		NQ	6951R	CALA-00-0044	KA
LLAO-4	5661	5.24	05/07/97	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.08				mg/L		NQ	3122R	04LA-97-0008	ESE
LLAO-4	5661	5.24	08/09/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.745			0.014	mg/L			169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	06/27/00	WG	UF	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.35				mg/L		NQ	6951R	CALA-00-0043	KA
LLAO-4	5661	5.24	04/24/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.0516			0.05	µg/L	J		184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate	<	0.05			0.05	µg/L	U		169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	05/11/05	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		136542	GF05050G4LL01	GELC
LLAO-4	5661	5.24	05/11/05	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.093			0.05	µg/L	J		136542	GF05050G4LL01	GELC
LLAO-4	5661	5.24	10/06/00	WG	F	CS		Geninorg	EPA:300.0	Perchlorate	<	4				µg/L	U	U	7811R	CALA-00-0190	GELC
LLAO-4	5661	5.24	09/01/00	WG	F	CS		Geninorg	EPA:300.0	Perchlorate	<	4				µg/L	U	U	7381R	CALA-00-0146	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		55.2			0.032	mg/L			184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		58			0.032	mg/L		J-	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	05/11/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		56.7			0.032	mg/L			136542	GF05050G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		58.4			0.032	mg/L		J-	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		540			1	µS/cm			184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		457			1	µS/cm			169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	05/11/05	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		433			1	µS/cm			136542	GF05050G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		451			1	µS/cm			169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		19.4			0.1	mg/L			184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		22.1			0.1	mg/L			169116	GF060700G4LL01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
LLAO-4	5661	5.24	05/11/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		20.4			0.057	mg/L			136542	GF05050G4LL01	GELC
LLAO-4	5661	5.24	10/06/00	WG	F	CS		Geninorg	EPA:300.0	Sulfate		21				mg/L		NQ	7810R	CALA-00-0190	PARA
LLAO-4	5661	5.24	09/01/00	WG	F	CS		Geninorg	EPA:300.0	Sulfate		21				mg/L		NQ	7380R	CALA-00-0146	PARA
LLAO-4	5661	5.24	08/09/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		22.7			0.1	mg/L			169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		323			2.38	mg/L			184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		318			2.38	mg/L			169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		322			2.38	mg/L			169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	05/11/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		284			2.38	mg/L			136542	GF05050G4LL01	GELC
LLAO-4	5661	5.24	06/27/00	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		310				mg/L		NQ	6954R	CALA-00-0044	KA
LLAO-4	5661	5.24	10/15/96	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		324				mg/L		NQ	2703	04LA-96-0303	ESE
LLAO-4	5661	5.24	04/24/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.048			0.029	mg/L	J	JN-	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01			0.01	mg/L	U	R, UJ	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	05/11/05	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.025			0.01	mg/L	J	JN-	136542	GF05050G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.024			0.01	mg/L	J	UJ, JN-	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	05/11/05	WG	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.39			0.074	mg/L		J-	136542	GF05050G4LL01	GELC
LLAO-4	5661	5.24	04/24/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.23			0.33	mg/L			184942	GU070400G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.09			0.33	mg/L			169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	10/06/00	WG	UF	CS		Geninorg	EPA:415.1	Total Organic Carbon	<	1				mg/L	U	U	7809R	CALA-00-0189	PARA
LLAO-4	5661	5.24	09/01/00	WG	UF	CS		Geninorg	EPA:415.1	Total Organic Carbon	<	1				mg/L	U	U	7379R	CALA-00-0145	PARA
LLAO-4	5661	5.24	04/24/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.02			0.01	SU	H	J	184942	GF070400G4LL01	GELC
LLAO-4	5661	5.24	08/09/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.09			0.01	SU	H	J	169116	GF060700G4LL01	GELC
LLAO-4	5661	5.24	05/11/05	WG	F	CS		Geninorg	EPA:150.1	pH		6.92			0.01	SU	H	J	136542	GF05050G4LL01	GELC
LLAO-4	5661	5.24	10/15/96	WG	F	CS		Geninorg	USGS-WRI-79-4	pH	<	7.08				SU	B		2703	04LA-96-0303	ESE
LLAO-4	5661	5.24	08/09/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.22			0.01	SU	H	J	169116	GU060700G4LL01	GELC
LLAO-4	5661	5.24	10/15/96	WG	UF	CS		Geninorg	USGS-WRI-79-4	pH	<	7.08				SU	B		2703	04LA-96-0302	ESE
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		0.984			0.725	mg/L	J		184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		7.61			0.725	mg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		5.82			0.725	mg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		139			0.725	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		159			0.725	mg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		50			1.45	mg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		158			0.725	mg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		40.4			1.45	mg/L			135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		1.49			0.03	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.103			0.01	mg/L		JN-, U	167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.07			0.01	mg/L		JN-, U	167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	EPA:300.0	Bromide		0.232			0.066	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	EPA:300.0	Bromide		0.125			0.066	mg/L	J		167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:300.0	Bromide	<	0.041			0.041	mg/L	U		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	EPA:300.0	Bromide		0.161			0.066	mg/L	J		167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	SW-846:6010B	Calcium		37			0.036	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Geninorg	EPA:200.7	Calcium		22.9			0.036	mg/L			183396	GF070300M11001	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	SW-846:6010B	Calcium		51			0.036	mg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:200.7	Calcium		17.6			0.036	mg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Geninorg	SW-846:6010B	Calcium		46.9			0.036	mg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Geninorg	EPA:200.7	Calcium		31.2			0.036	mg/L			183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	SW-846:6010B	Calcium		54.5			0.036	mg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Geninorg	EPA:200.7	Calcium		22.3			0.036	mg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Geninorg	EPA:200.7	Calcium		24.4			0.036	mg/L			135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	EPA:300.0	Chloride		41.1			0.33	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	EPA:300.0	Chloride		32.3			0.33	mg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:300.0	Chloride		27			0.265	mg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	EPA:300.0	Chloride		34.7			0.33	mg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.328			0.033	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	EPA:300.0	Fluoride		0.37			0.033	mg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:300.0	Fluoride		0.242			0.03	mg/L		J+	135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	EPA:300.0	Fluoride		0.375			0.033	mg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	SM:A2340B	Hardness		114			0.44	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Geninorg	SM:A2340B	Hardness		76.6			0.44	mg/L			183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	SM:A2340B	Hardness		147			0.085	mg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	SM:A2340B	Hardness		62			0.085	mg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Geninorg	SM:A2340B	Hardness		146			0.44	mg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Geninorg	SM:A2340B	Hardness		111			0.44	mg/L			183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	SM:A2340B	Hardness		157			0.085	mg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Geninorg	SM:A2340B	Hardness		82.8			0.085	mg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Geninorg	SM:A2340B	Hardness		95.1			0.085	mg/L			135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	SW-846:6010B	Magnesium		5.25			0.085	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Geninorg	EPA:200.7	Magnesium		4.74			0.085	mg/L			183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	SW-846:6010B	Magnesium		4.8			0.085	mg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:200.7	Magnesium		4.36			0.085	mg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Geninorg	SW-846:6010B	Magnesium		7.13			0.085	mg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		7.94			0.085	mg/L			183396	GU070300M11001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	SW-846:6010B	Magnesium		5.12			0.085	mg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		6.57			0.085	mg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		8.33			0.085	mg/L			135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		3.03			0.1	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.338			0.014	mg/L		J+	167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.33			0.003	mg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.301			0.014	mg/L		J+	167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	SW-846:6850	Perchlorate		0.281			0.05	µg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	SW846 6850	Perchlorate		0.182			0.05	µg/L	J		167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	SW846 6850	Perchlorate		0.4			0.05	µg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U	UJ	135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Geninorg	SW846 6850	Perchlorate		0.517			0.05	µg/L		J	135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	SW-846:6010B	Potassium		6.98			0.05	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Geninorg	EPA:200.7	Potassium		7.22			0.05	mg/L			183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	SW-846:6010B	Potassium		4.99			0.05	mg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:200.7	Potassium		4.36			0.05	mg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Geninorg	SW-846:6010B	Potassium		8.9			0.05	mg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Geninorg	EPA:200.7	Potassium		11.4			0.05	mg/L			183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	SW-846:6010B	Potassium		5.42			0.05	mg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Geninorg	EPA:200.7	Potassium		8.05			0.05	mg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Geninorg	EPA:200.7	Potassium		10.7			0.05	mg/L			135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		52.4			0.032	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		50			0.032	mg/L		J, J-	167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:200.7	Silicon Dioxide		38.3			0.032	mg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		53.1			0.032	mg/L		J-, J	167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Geninorg	EPA:200.7	Silicon Dioxide		84.8			0.032	mg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	SW-846:6010B	Sodium		46.9			0.045	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Geninorg	EPA:200.7	Sodium		33.3			0.045	mg/L			183396	GF070300M11001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	SW-846:6010B	Sodium		40.9			0.045	mg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:200.7	Sodium		23.4			0.045	mg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Geninorg	SW-846:6010B	Sodium		46.6			0.045	mg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Geninorg	EPA:200.7	Sodium		36.4			0.045	mg/L			183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	SW-846:6010B	Sodium		43.8			0.045	mg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Geninorg	EPA:200.7	Sodium		25.9			0.045	mg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Geninorg	EPA:200.7	Sodium		21.6			0.045	mg/L			135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	EPA:120.1	Specific Conductance		455			1	µS/cm			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	EPA:120.1	Specific Conductance		531			1	µS/cm			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	EPA:120.1	Specific Conductance		548			1	µS/cm			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	EPA:300.0	Sulfate		20			0.1	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	EPA:300.0	Sulfate		18.4			0.1	mg/L		J+	167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:300.0	Sulfate		16.2			0.057	mg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	EPA:300.0	Sulfate		18.4			0.1	mg/L		J+	167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		196			5.7	mg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		1280			19	mg/L			183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		3.5			2.85	mg/L	J		167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		710			11.4	mg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	RE		Geninorg	EPA:160.2	Suspended Sediment Concentration		642			11.4	mg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		1880			22.8	mg/L			135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		286			2.38	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		313			2.38	mg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		320			2.38	mg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		182			2.38	mg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		2.16			0.029	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.179			0.01	mg/L		JN-	167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.81			0.01	mg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		3.6			0.029	mg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.427			0.01	mg/L		JN-	167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		6.73			0.074	mg/L			135525	GF05040P11001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		6.66			0.66	mg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		3.14			0.33	mg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		1.3			0.024	mg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.264			0.01	mg/L		J-, JN-	167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.504			0.01	mg/L		J	135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.313			0.01	mg/L		J-, JN-	167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Geninorg	EPA:150.1	pH		7.54			0.01	SU	H	J	184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Geninorg	EPA:150.1	pH		8.36			0.01	SU	H	J	167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Geninorg	EPA:150.1	pH		7.51				SU	H	J	135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Geninorg	EPA:150.1	pH		8.46			0.01	SU	H	J	167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.7	Aluminum		385			68	µg/L	N	J+	183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6010B	Aluminum	<	68			68	µg/L	U		167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Aluminum	<	68			68	µg/L	UN		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6010B	Aluminum		8110			68	µg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.7	Aluminum		19000			68	µg/L	N	J+	183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6010B	Aluminum	<	68			68	µg/L	U		167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Aluminum		17400			68	µg/L	N	J+	135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.7	Aluminum		32600			68	µg/L		J	135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Metals	SW-846:6020	Arsenic		4.9			1.5	µg/L	J		184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.7	Arsenic	<	6			6	µg/L	U		183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Arsenic	<	6			6	µg/L	U		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6020	Arsenic		6.7			1.5	µg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.7	Arsenic		6.7			6	µg/L	J		183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Arsenic	<	6			6	µg/L	U		135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.7	Arsenic	<	6			6	µg/L	U		135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Metals	SW-846:6010B	Barium		85.3			1	µg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.7	Barium		51.7			1	µg/L			183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6010B	Barium		108			1	µg/L			167992	GF060700P11001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Barium		36.7			1	µg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6010B	Barium		320			1	µg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.7	Barium		300			1	µg/L			183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6010B	Barium		122			1	µg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Barium		210			1	µg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.7	Barium		380			1	µg/L			135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.7	Beryllium	<	1			1	µg/L	U		183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6010B	Beryllium	<	1			1	µg/L	U		167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Beryllium	<	1			1	µg/L	U		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6010B	Beryllium		1.4			1	µg/L	J		184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.7	Beryllium		2.1			1	µg/L	J		183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6010B	Beryllium	<	1			1	µg/L	U		167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Beryllium		1.2			1	µg/L	J		135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.7	Beryllium		2.6			1	µg/L	J		135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Metals	SW-846:6010B	Boron		140			10	µg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6010B	Boron		100			10	µg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Boron		39.4			10	µg/L	J		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6010B	Boron		142			10	µg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6010B	Boron		106			10	µg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Boron		45.4			10	µg/L	J		135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.8	Cadmium	<	0.1			0.1	µg/L	U		183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6020	Cadmium	<	0.1			0.1	µg/L	U		167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.8	Cadmium	<	0.1			0.1	µg/L	U		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6020	Cadmium		0.43			0.1	µg/L	J		184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.8	Cadmium		0.48			0.1	µg/L	J		183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6020	Cadmium	<	0.1			0.1	µg/L	U		167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.8	Cadmium		0.39			0.1	µg/L	J		135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.8	Cadmium		0.88			0.1	µg/L	J		135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.8	Chromium	<	1			1	µg/L	U		183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6020	Chromium	<	4.7			1	µg/L		U	167992	GF060700P11001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Chromium	<	1			1	µg/L	U		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6020	Chromium		10.1			1	µg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.8	Chromium		14			1	µg/L			183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6020	Chromium		5.6			1	µg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Chromium		9.2			1	µg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.7	Chromium		16.6			1	µg/L		J	135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Metals	SW-846:6010B	Cobalt		1.9			1	µg/L	J		184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.7	Cobalt		1.8			1	µg/L	J		183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6010B	Cobalt	<	1			1	µg/L	U		167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Cobalt	<	1			1	µg/L	U		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6010B	Cobalt		4.2			1	µg/L	J	JN-	184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.7	Cobalt		6.9			1	µg/L			183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6010B	Cobalt	<	1			1	µg/L	U		167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Cobalt	<	5.9			1	µg/L		U	135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.7	Cobalt		10.3			1	µg/L			135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Metals	SW-846:6010B	Copper		4.2			3	µg/L	J		184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.7	Copper	<	3			3	µg/L	U		183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U		167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Copper	<	3			3	µg/L	U		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6010B	Copper		25			3	µg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.7	Copper		26			3	µg/L			183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6010B	Copper		3.9			3	µg/L	J		167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Copper		10.8			3	µg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.7	Copper		20.9			3	µg/L			135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Metals	SW-846:6010B	Iron		43.3			18	µg/L	J		184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.7	Iron		218			18	µg/L			183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6010B	Iron		26			18	µg/L	J		167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Iron		27.6			18	µg/L	JN*		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6010B	Iron		6110			18	µg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.7	Iron		12000			18	µg/L			183396	GU070300M11001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6010B	Iron		129			18	µg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Iron		11300			18	µg/L	N*	J+	135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.7	Iron		19600			18	µg/L		J	135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.8	Lead	<	0.5			0.5	µg/L	U		183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6020	Lead	<	0.5			0.5	µg/L	U		167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.8	Lead	<	0.5			0.5	µg/L	U		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6020	Lead		30.5			0.5	µg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.8	Lead		38.2			0.5	µg/L			183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6020	Lead	<	0.5			0.5	µg/L	U		167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.8	Lead		18.3			0.5	µg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.8	Lead		37.3			0.5	µg/L	N	J+	135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Metals	SW-846:6010B	Manganese		53.2			2	µg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.7	Manganese		82.2			2	µg/L			183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6010B	Manganese		65.1			2	µg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Manganese		12.2			2	µg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6010B	Manganese		811			2	µg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.7	Manganese		1070			2	µg/L			183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6010B	Manganese		77			2	µg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Manganese		742			2	µg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.7	Manganese		1510			2	µg/L		J	135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.7	Molybdenum		7			2	µg/L	J		183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6010B	Molybdenum		2.1			2	µg/L	J		167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Molybdenum		6.3			2	µg/L	J		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6010B	Molybdenum		6.3			2	µg/L	J		184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.7	Molybdenum		6.9			2	µg/L	J		183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6010B	Molybdenum	<	2			2	µg/L	U		167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Molybdenum		5.6			2	µg/L	J		135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.7	Molybdenum		2.7			2	µg/L	J		135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Metals	SW-846:6020	Nickel		3.7			0.5	µg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.8	Nickel		2.4			0.5	µg/L			183396	GF070300M11001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6020	Nickel		2.7			0.5	µg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Nickel	<	1.7			1	µg/L	J	U	135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6020	Nickel		11.4			0.5	µg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.8	Nickel		15.6			0.5	µg/L			183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6020	Nickel		2.8			0.5	µg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Nickel		12.3			1	µg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.8	Nickel		21.7			0.5	µg/L		J	135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.8	Silver	<	0.2			0.2	µg/L	U		183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6020	Silver	<	0.2			0.2	µg/L	U		167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Silver	<	1			1	µg/L	U		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6020	Silver		1.4			0.2	µg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.8	Silver		1			0.2	µg/L			183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6020	Silver	<	0.2			0.2	µg/L	U		167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Silver	<	1			1	µg/L	U		135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.8	Silver		0.25			0.2	µg/L	J		135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Metals	SW-846:6010B	Strontium		249			1	µg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6010B	Strontium		392			1	µg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Strontium		105			1	µg/L			135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6010B	Strontium		307			1	µg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6010B	Strontium		420			1	µg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Strontium		155			1	µg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Metals	SW-846:6020	Uranium		0.98			0.05	µg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6020	Uranium		1.3			0.05	µg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6020	Uranium		2.2			0.05	µg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6020	Uranium		1.3			0.05	µg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Metals	SW-846:6010B	Vanadium		8.1			1	µg/L			184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.7	Vanadium		6.8			1	µg/L			183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6010B	Vanadium		6.9			1	µg/L			167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Vanadium	<	3.9			1	µg/L	J	U	135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6010B	Vanadium		22.3			1	µg/L			184008	GU070400P11001	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.7	Vanadium		26.8			1	µg/L			183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6010B	Vanadium		7.7			1	µg/L			167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Vanadium		21.7			1	µg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.7	Vanadium		30.4			1	µg/L			135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	F	CS		Metals	SW-846:6010B	Zinc		9.7			2	µg/L	J		184008	GF070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	F	CS		Metals	EPA:200.7	Zinc		8.4			2	µg/L	J		183396	GF070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	F	CS		Metals	SW-846:6010B	Zinc	<	5			2	µg/L	J	U	167992	GF060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Zinc		3			2	µg/L	J		135525	GF05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		Metals	SW-846:6010B	Zinc		106			2	µg/L			184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	03/28/07	WM	UF	CS		Metals	EPA:200.7	Zinc		112			2	µg/L			183396	GU070300M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		Metals	SW-846:6010B	Zinc	<	7			2	µg/L	J	U	167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Zinc		54.5			2	µg/L			135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/20/05	WM	UF	CS		Metals	EPA:200.7	Zinc		100			2	µg/L			135001	GU05030M11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		SVOA	SW-846:8270C	Bis(2-ethylhexyl)phthalate		2.37			2.17	µg/L	J		184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		SVOA	SW-846:8270C	Bis(2-ethylhexyl)phthalate	<	10.1			2.02	µg/L	U		167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		SVOA	EPA:625	Bis(2-ethylhexyl)phthalate	<	11.1				µg/L	U		135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS		VOA	SW-846:8260B	Acetone		2.35			1.25	µg/L	J		184008	GU070400P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		VOA	SW-846:8260B	Acetone		2.86			1.25	µg/L	J	J+, J-	167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		VOA	EPA:624	Acetone		3				µg/L	J		135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS	FTB	VOA	SW-846:8260B	Methylene Chloride		2.19			2	µg/L	J		184008	GU070400P11001-FTB	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		VOA	SW-846:8260B	Methylene Chloride	<	5			2	µg/L	U		167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		VOA	EPA:624	Methylene Chloride	<	5				µg/L	U		135525	GU05040P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/10/07	WS	UF	CS	FTB	VOA	SW-846:8260B	Toluene		0.66			0.25	µg/L	J		184008	GU070400P11001-FTB	GELC
Los Alamos Canyon near Otowi Bridge	-	-	07/25/06	WP	UF	CS		VOA	SW-846:8260B	Toluene	<	1			0.25	µg/L	U		167992	GU060700P11001	GELC
Los Alamos Canyon near Otowi Bridge	-	-	04/27/05	WM	UF	CS		VOA	EPA:624	Toluene	<	1				µg/L	U		135525	GU05040P11001	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		86.1			0.725	mg/L			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS	FB	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		1.57			0.725	mg/L			185087	GU070400GLAS01-FB	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		34.1			0.036	mg/L			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		34.7			0.036	mg/L			185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		18.8			0.132	mg/L			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.903			0.033	mg/L			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		120			0.44	mg/L			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		122			0.44	mg/L			185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		8.46			0.085	mg/L			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		8.59			0.085	mg/L			185087	GU070400GLAS01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		3.61			0.1	mg/L		J	185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		1.43			0.1	ug/L			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		4.71			0.05	mg/L			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		4.56			0.05	mg/L			185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		35.9			0.032	mg/L		J	185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		18.6			0.045	mg/L			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		18.3			0.045	mg/L		J	185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		362			1	µS/cm			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS	FB	Geninorg	EPA:120.1	Specific Conductance		1.44			1	µS/cm			185087	GU070400GLAS01-FB	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		34.7			0.1	mg/L			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		1.2			1.14	mg/L	J		185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		215			2.38	mg/L			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.117			0.029	mg/L		JN-	185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.052			0.029	mg/L	J	JN-	185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS	FB	Geninorg	SW-846:9060	Total Organic Carbon		0.817			0.33	mg/L	J		185087	GU070400GLAS01-FB	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.6			0.01	SU	H	J	185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS	FB	Geninorg	EPA:150.1	pH		5.14			0.01	SU	H	J	185087	GU070400GLAS01-FB	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Barium		39.9			1	µg/L			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Barium		40.8			1	µg/L			185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Boron		18.9			10	µg/L	J		185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Boron		14.9			10	µg/L	J		185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS	FB	Metals	SW-846:6020	Chromium		1.3			1	µg/L	J		185087	GU070400GLAS01-FB	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Iron		23.9			18	µg/L	J		185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		2.3			2	µg/L	J		185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6020	Nickel		0.65			0.5	µg/L	J		185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6020	Nickel		0.67			0.5	µg/L	J		185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6020	Selenium		3.4			2.5	µg/L	J		185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6020	Selenium		2.9			2.5	µg/L	J		185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6020	Silver		0.2			0.2	µg/L	J		185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Strontium		178			1	µg/L			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		180			1	µg/L			185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6020	Uranium		2.8			0.05	µg/L			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6020	Uranium		2.8			0.05	µg/L			185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		10.5			1	µg/L			185087	GF070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		10.9			1	µg/L		J+	185087	GU070400GLAS01	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS	FB	VOA	SW-846:8260B	Acetone		5.49			1.25	µg/L		J-	185087	GU070400GLAS01-FB	GELC
Los Alamos Spring	-	-	04/26/07	WG	UF	CS	FB	VOA	SW-846:8260B	Butanone[2-]		1.34			1.25	µg/L	J		185087	GU070400GLAS01-FB	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		33.6			0.725	mg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		30.8			1.45	mg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		43.3			1.45	mg/L			132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		0.076			0.03	mg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	SW-846:6010B	Calcium		14.6			0.036	mg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Calcium		13.7			0.036	mg/L			184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Geninorg	EPA:200.7	Calcium		14.7			0.036	mg/L			183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	EPA:200.7	Calcium		13.4			0.036	mg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Geninorg	SW-846:6010B	Calcium		13.1			0.036	mg/L			184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Calcium		13.9			0.036	mg/L			184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Geninorg	EPA:200.7	Calcium		15.6			0.036	mg/L			183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Geninorg	EPA:200.7	Calcium		13.6			0.036	mg/L			135561	GU05040P03001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:200.7	Calcium		22.9			0.00823	mg/L			132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	EPA:300.0	Chloride		44.3			0.33	mg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	EPA:300.0	Chloride		25.6			0.265	mg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.164			0.033	mg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	EPA:300.0	Fluoride		0.17			0.03	mg/L		J+	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	SM:A2340B	Hardness		51.6			0.44	mg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Geninorg	SM:A2340B	Hardness		49.2			0.44	mg/L			184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Geninorg	SM:A2340B	Hardness		52.3			0.44	mg/L			183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	SM:A2340B	Hardness		48.6			0.085	mg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Geninorg	SM:A2340B	Hardness		46.3			0.44	mg/L			184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Geninorg	SM:A2340B	Hardness		50.1			0.44	mg/L			184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Geninorg	SM:A2340B	Hardness		56.4			0.44	mg/L			183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Geninorg	SM:A2340B	Hardness		50			0.085	mg/L			135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Geninorg	SM:A2340B	Hardness		82.1			0.00823	mg/L			132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	SW-846:6010B	Magnesium		3.66			0.085	mg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Magnesium		3.63			0.085	mg/L			184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Geninorg	EPA:200.7	Magnesium		3.78			0.085	mg/L			183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	EPA:200.7	Magnesium		3.7			0.085	mg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.31			0.085	mg/L			184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		3.76			0.085	mg/L			184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		4.26			0.085	mg/L			183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		3.88			0.085	mg/L			135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		6.02			0.00332	mg/L			132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.0176			0.01	mg/L	J	JN-	184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.444			0.003	mg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	SW-846:6850	Perchlorate		0.295			0.05	µg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	SW846 6850	Perchlorate		0.418			0.05	µg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Geninorg	SW846 6850	Perchlorate		0.308			0.05	µg/L		J-	132859	GU05030M03001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	SW-846:6010B	Potassium		3.52			0.05	mg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Potassium		3.47			0.05	mg/L			184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Geninorg	EPA:200.7	Potassium		3.75			0.05	mg/L			183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	EPA:200.7	Potassium		3.26			0.05	mg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Geninorg	SW-846:6010B	Potassium		3.17			0.05	mg/L			184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Potassium		3.63			0.05	mg/L			184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Geninorg	EPA:200.7	Potassium		4.51			0.05	mg/L			183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Geninorg	EPA:200.7	Potassium		3.66			0.05	mg/L			135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:200.7	Potassium		4.3			0.0372	mg/L			132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		33.4			0.032	mg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	EPA:200.7	Silicon Dioxide		31.6			0.032	mg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Geninorg	EPA:200.7	Silicon Dioxide		37.5			0.032	mg/L			135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	SW-846:6010B	Sodium		33.5			0.045	mg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Sodium		26.8			0.045	mg/L			184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Geninorg	EPA:200.7	Sodium		32.1			0.045	mg/L			183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	EPA:200.7	Sodium		19.4			0.045	mg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Geninorg	SW-846:6010B	Sodium		29.7			0.045	mg/L			184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Sodium		26			0.045	mg/L			184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Geninorg	EPA:200.7	Sodium		32.2			0.045	mg/L			183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Geninorg	EPA:200.7	Sodium		19.4			0.045	mg/L			135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:200.7	Sodium		38.3			0.02	mg/L			132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	EPA:120.1	Specific Conductance		295			1	µS/cm			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	SW-846:9050A	Specific Conductance		193			1	µS/cm			137173	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	EPA:300.0	Sulfate		11.8			0.1	mg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	EPA:300.0	Sulfate		13.2			0.057	mg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		3.2			2.28	mg/L	J		184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		42.5			0.95	mg/L			184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		135			2.85	mg/L			183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		53			2.85	mg/L			135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	RE		Geninorg	EPA:160.2	Suspended Sediment Concentration		60.5			2.85	mg/L			135561	GU05040P03001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		24			1.53	mg/L			132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	RE		Geninorg	EPA:160.2	Suspended Sediment Concentration		23.6			1.53	mg/L			132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	REDP		Geninorg	EPA:160.2	Suspended Sediment Concentration		24.4			1.53	mg/L			132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		210			2.38	mg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		188			2.38	mg/L			184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		139			2.38	mg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.075			0.029	mg/L	J	JN-	184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.14			0.01	mg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.09			0.029	mg/L	J	JN-	184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		6.46			0.074	mg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		5.57			0.33	mg/L		J	184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Geninorg	EPA:150.1	pH		7.94			0.01	SU	H	J	184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Geninorg	EPA:150.1	pH		7.43				SU	H	J	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Aluminum		405			68	µg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Aluminum		533			68	µg/L			184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Metals	EPA:200.7	Aluminum		673			68	µg/L			183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Aluminum		632			68	µg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6010B	Aluminum		613			68	µg/L			184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Aluminum		1710			68	µg/L			184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Metals	EPA:200.7	Aluminum		3950			68	µg/L			183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Aluminum		2350			68	µg/L			135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Aluminum		1040			14.4	µg/L			132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Barium		41.6			1	µg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Barium		38.6			1	µg/L			184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Metals	EPA:200.7	Barium		42.5			1	µg/L			183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Barium		35.1			1	µg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6010B	Barium		38.7			1	µg/L			184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Barium		49.2			1	µg/L			184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Metals	EPA:200.7	Barium		76.7			1	µg/L			183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Barium		50			1	µg/L			135561	GU05040P03001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Barium		63.2			0.301	µg/L			132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Boron		12.3			10	µg/L	J		184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Boron		11.1			10	µg/L	J		135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6010B	Boron		11.5			10	µg/L	J		184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Boron	<	10			10	µg/L	U		135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Metals	SW-846:6020	Chromium		1.3			1	µg/L	J		184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Metals	EPA:200.8	Chromium		1.2			1	µg/L	J		184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Metals	EPA:200.8	Chromium		1.1			1	µg/L	J		183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Chromium	<	1			1	µg/L	U		135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6020	Chromium		1.4			1	µg/L	J		184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.8	Chromium		1.9			1	µg/L	J		184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Metals	EPA:200.8	Chromium		3.5			1	µg/L			183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Chromium		1.1			1	µg/L	J		135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Chromium	<	1.43			1.43	µg/L	U		132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Iron		193			18	µg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Iron		234			18	µg/L			184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Metals	EPA:200.7	Iron		318			18	µg/L			183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Iron		260			18	µg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6010B	Iron		309			18	µg/L			184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Iron		967			18	µg/L			184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Metals	EPA:200.7	Iron		2470			18	µg/L			183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Iron		1160			18	µg/L			135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Iron		572			18	µg/L			132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Metals	EPA:200.8	Lead	<	0.5			0.5	µg/L	U		184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Metals	EPA:200.8	Lead	<	0.5			0.5	µg/L	U		183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Metals	EPA:200.8	Lead	<	0.5			0.5	µg/L	U		135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6020	Lead		0.6			0.5	µg/L	J		184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.8	Lead		2.3			0.5	µg/L			184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Metals	EPA:200.8	Lead		7.6			0.5	µg/L			183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.8	Lead		2.7			0.5	µg/L			135561	GU05040P03001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.8	Lead		1.3			0.5	µg/L	J		132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Manganese		6.2			2	µg/L	J		184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Manganese		5.9			2	µg/L	J		184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Metals	EPA:200.7	Manganese		8.8			2	µg/L	J		183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Manganese		6			2	µg/L	J		135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6010B	Manganese		9			2	µg/L	J		184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Manganese		53.7			2	µg/L			184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Metals	EPA:200.7	Manganese		181			2	µg/L			183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Manganese		60.8			2	µg/L			135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Manganese		34.8			0.304	µg/L			132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Molybdenum		3.7			2	µg/L	J		184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Molybdenum	<	2			2	µg/L	U		184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Metals	EPA:200.7	Molybdenum	<	2			2	µg/L	U		183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Molybdenum		2.3			2	µg/L	J		135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Molybdenum		2.1			2	µg/L	J		184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Metals	EPA:200.7	Molybdenum	<	2			2	µg/L	U		183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Molybdenum	<	2			2	µg/L	U		135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Molybdenum	<	2.3			0.948	µg/L	J	U	132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Metals	SW-846:6020	Nickel		0.85			0.5	µg/L	J		184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Metals	EPA:200.8	Nickel		0.74			0.5	µg/L	J		184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Metals	EPA:200.8	Nickel		1.5			0.5	µg/L	J		183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Nickel	<	1.8			1	µg/L	J	U	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6020	Nickel		0.86			0.5	µg/L	J		184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.8	Nickel		1.4			0.5	µg/L	J		184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Metals	EPA:200.8	Nickel		2.5			0.5	µg/L			183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Nickel	<	3			1	µg/L	J	U	135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.8	Nickel		1.1			0.5	µg/L	J		132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Strontium		95.5			1	µg/L			184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Strontium		90.4			1	µg/L			135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6010B	Strontium		85.6			1	µg/L			184479	GU070400P03001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Strontium		93.3			1	µg/L			135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Metals	SW-846:6020	Thallium		0.55			0.4	µg/L	J		184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Metals	EPA:200.8	Thallium	<	0.4			0.4	µg/L	U		184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Metals	EPA:200.8	Thallium		0.4			0.4	µg/L	J		183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Metals	EPA:200.8	Thallium	<	0.4			0.4	µg/L	U		135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.8	Thallium	<	0.4			0.4	µg/L	U		184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Metals	EPA:200.8	Thallium	<	0.4			0.4	µg/L	U		183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.8	Thallium	<	0.4			0.4	µg/L	U		135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.8	Thallium	<	0.4			0.4	µg/L	U		132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Vanadium		2.4			1	µg/L	J	JN-	184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Vanadium		1.3			1	µg/L	J		184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Metals	EPA:200.7	Vanadium		1.1			1	µg/L	J		183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Vanadium		1.3			1	µg/L	J		135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6010B	Vanadium		2.3			1	µg/L	J	JN-	184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Vanadium		2.7			1	µg/L	J		184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Metals	EPA:200.7	Vanadium		3.5			1	µg/L	J		183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Vanadium		2.1			1	µg/L	J		135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Vanadium		1.5			0.732	µg/L	J		132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	F	CS		Metals	SW-846:6010B	Zinc		8.7			2	µg/L	J		184479	GF070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Zinc		8.2			2	µg/L	J		184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	F	CS		Metals	EPA:200.7	Zinc		7.7			2	µg/L	J		183172	GF070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Zinc		4.9			2	µg/L	J		135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/17/07	WS	UF	CS		Metals	SW-846:6010B	Zinc		9.2			2	µg/L	J		184479	GU070400P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Zinc		15.8			2	µg/L			184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Metals	EPA:200.7	Zinc		37.7			2	µg/L			183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Zinc		11.5			2	µg/L			135561	GU05040P03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Zinc		11.7			0.406	µg/L			132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	HASL-300:AM-241	Americium-241		0.0052	0.00239	0.0505		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Rad	HASL-300:AM-241	Americium-241		0.0142	0.002243333	0.037		pCi/L	U	U	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.0223	0.00305	0.0458		pCi/L	U	U	184109	GU070400M03001	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.00489	0.002933333	0.0408		pCi/L	U	U	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.0151	0.002383333	0.04		pCi/L	U	U	132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Cesium-137		0.335	0.336666667	3.35		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Rad	EPA:901.1	Cesium-137		-0.112	0.267	2.87		pCi/L	U	U	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Cesium-137		0.264	0.41	4.12		pCi/L	U	U	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	EPA:901.1	Cesium-137		-0.0709	0.413333333	3.99		pCi/L	U	U	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Rad	EPA:901.1	Cesium-137		-0.666	0.176666667	1.75		pCi/L	U	U	132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Cobalt-60		2.42	0.386666667	4.13		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Rad	EPA:901.1	Cobalt-60		2.91	0.416666667	3.22		pCi/L	U	U	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Cobalt-60		-0.298	0.393333333	3.88		pCi/L	U	U	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	EPA:901.1	Cobalt-60		-2.04	1.01	4.8		pCi/L	U	U	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Rad	EPA:901.1	Cobalt-60		-0.416	0.189666667	1.95		pCi/L	U	U	132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	EPA:900	Gross alpha		1.62	0.247666667	2.06		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Rad	EPA:900	Gross alpha		0.395	0.137666667	1.48		pCi/L	U	U	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	EPA:900	Gross alpha		2.3	0.278	2.03		pCi/L		J	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	EPA:900	Gross alpha		6.2	0.200666667	1.06		pCi/L		J-	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Rad	EPA:900	Gross alpha		0.181	0.153666667	1.82		pCi/L	U	U	132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	EPA:900	Gross beta		5.36	0.423333333	3.62		pCi/L		J	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Rad	EPA:900	Gross beta		4.05	0.245666667	2.52		pCi/L		J	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	EPA:900	Gross beta		4.45	0.41	3.64		pCi/L		J	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	EPA:900	Gross beta		14.3	0.563333333	3.43		pCi/L		J-	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Rad	EPA:900	Gross beta		3.72	0.162333333	1.44		pCi/L		J	132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Neptunium-237		-5.93	2.676666667	19.6		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Rad	EPA:901.1	Neptunium-237		-10.4	1.26	11.3		pCi/L	U	U	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Neptunium-237		1.51	2.65	25.5		pCi/L	U	U	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	EPA:901.1	Neptunium-237		1.53	2.576666667	22.8		pCi/L	U	U	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Rad	EPA:901.1	Neptunium-237		0.802	1.496666667	15.4		pCi/L	U	U	132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00636	0.0013	0.0163		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00728	0.002973333	0.038		pCi/L	U	U	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00166	0.00124	0.0171		pCi/L	U	U	184109	GU070400M03001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00542	0.001596667	0.0185		pCi/L	U	U	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00548	0.002893333	0.057		pCi/L	U	U	132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.0143	0.00232	0.0236		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00546	0.001356667	0.032		pCi/L	U	U	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.02	0.00237	0.0247		pCi/L	U	U	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.204	0.007133333	0.0268		pCi/L			183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.0356	0.0038	0.048		pCi/L	U	U	132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Potassium-40		-25.8	5.8	45.1		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Rad	EPA:901.1	Potassium-40		11	6.133333333	29.6		pCi/L	U	U	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Potassium-40		13.9	7.466666667	59.3		pCi/L	U	U	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	EPA:901.1	Potassium-40		12.4	7.4	37.2		pCi/L	U	U	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Rad	EPA:901.1	Potassium-40		14.7	3.7	17.6		pCi/L	U	U	132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	EPA:903.1	Radium-226		0.263	0.048666667	0.472		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Rad	EPA:903.1	Radium-226		0.205	0.038	0.352		pCi/L	U	U	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	EPA:903.1	Radium-226		0.62	0.054666667	0.417		pCi/L		J	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	EPA:903.1	Radium-226		2.53	0.110333333	0.553		pCi/L		R	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Sodium-22		0.414	0.353333333	3.57		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Rad	EPA:901.1	Sodium-22		0.38	0.273333333	2.97		pCi/L	U	U	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Sodium-22		-0.323	0.42	3.92		pCi/L	U	U	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	EPA:901.1	Sodium-22		-0.827	0.383333333	3.59		pCi/L	U	U	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Rad	EPA:901.1	Sodium-22		-0.983	0.153	1.46		pCi/L	U	U	132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	EPA:905.0	Strontium-90		0.278	0.033333333	0.295		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Rad	EPA:905.0	Strontium-90		0.27	0.0252	0.239		pCi/L		J	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	EPA:905.0	Strontium-90		0.341	0.048	0.448		pCi/L	U	U	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	EPA:905.0	Strontium-90		0.437	0.053666667	0.478		pCi/L	U	U	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Rad	EPA:905.0	Strontium-90		0.841	0.068	0.641		pCi/L		J	132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOTH	Thorium-228		0.176	0.020266667	0.364		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOTH	Thorium-228		0.214	0.0239	0.594		pCi/L	U	U	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	HASL-300:ISOTH	Thorium-228		0.153	0.0108	0.141		pCi/L		J	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOTH	Thorium-230		0.116	0.0144	0.676		pCi/L	U	U	184109	GF070400M03001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOTH	Thorium-230		0.367	0.0273	1.1		pCi/L	U	U	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	HASL-300:ISOTH	Thorium-230		0.0482	0.005266667	0.261		pCi/L	U	U	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOTH	Thorium-232		0.0529	0.0118	0.168		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOTH	Thorium-232		0.201	0.020833333	0.274		pCi/L	U	U	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	HASL-300:ISOTH	Thorium-232		0.0715	0.007166667	0.0648		pCi/L		J	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.0623	0.009066667	0.213		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.0534	0.004533333	0.071		pCi/L	U	U	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.174	0.0128	0.217		pCi/L	U	U	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.139	0.0067	0.0633		pCi/L		J	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.0388	0.004266667	0.07		pCi/L	U	U	132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0385	0.006466667	0.135		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0302	0.0036	0.043		pCi/L	U	U	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0587	0.008066667	0.138		pCi/L	U	U	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0114	0.00234	0.0402		pCi/L	U	U	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.00458	0.002853333	0.042		pCi/L	U	U	132859	GU05030M03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.0623	0.009066667	0.163		pCi/L	U	U	184109	GF070400M03001	GELC
Los Alamos above DP Canyon	-	-	04/28/05	WM	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.0209	0.002806667	0.05		pCi/L	U	U	135561	GF05040P03001	GELC
Los Alamos above DP Canyon	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.198	0.013733333	0.165		pCi/L		J	184109	GU070400M03001	GELC
Los Alamos above DP Canyon	-	-	03/21/07	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.116	0.0061	0.0482		pCi/L		J	183172	GU070300M03001	GELC
Los Alamos above DP Canyon	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.0502	0.003666667	0.049		pCi/L		J	132859	GU05030M03001	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		45.1			0.725	mg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		33			1.45	mg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		41.7			0.725	mg/L			41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		43.2			1.45	mg/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		46.4			1.45	mg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		0.043			0.03	mg/L	J		184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.0235			0.0235	mg/L	U		41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.0235			0.0235	mg/L	U		40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.0235			0.0235	mg/L	U		40342	GU01041E042	GELC
Los Alamos above SR-4	-	-	03/21/01	WM	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		0.05			0.0235	mg/L			39639	GU01032E042	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	EPA:300.0	Bromide		0.283			0.066	mg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	EPA:300.0	Bromide	<	0.041			0.041	mg/L	U		135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	SW-846:6010B	Calcium		15.9			0.036	mg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Calcium		15.1			0.036	mg/L			184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	EPA:200.7	Calcium		13.8			0.036	mg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Geninorg	EPA:200.7	Calcium		14.4			0.0355	mg/L			41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Geninorg	EPA:200.7	Calcium		14			0.0355	mg/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Geninorg	SW-846:6010B	Calcium		15.3			0.036	mg/L			184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Calcium		15.4			0.036	mg/L			184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Geninorg	EPA:200.7	Calcium		14			0.036	mg/L			135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:200.7	Calcium		23			0.00823	mg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	EPA:300.0	Chloride		40.9			0.33	mg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	EPA:300.0	Chloride		27.8			0.265	mg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Geninorg	EPA:300.0	Chloride		24.2			0.025	mg/L			41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Geninorg	EPA:300.0	Chloride		22.4			0.025	mg/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	F	CS		Geninorg	EPA:300.0	Chloride		22.9			0.025	mg/L			40342	GF01041E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.24			0.033	mg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	EPA:300.0	Fluoride		0.17			0.03	mg/L		J+	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	SM:A2340B	Hardness		57.5			0.44	mg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Geninorg	SM:A2340B	Hardness		54.4			0.44	mg/L			184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	SM:A2340B	Hardness		50.2			0.085	mg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Geninorg	EPA:200.7	Hardness		52			0.112	mg/L			41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Geninorg	EPA:200.7	Hardness		50.7			0.112	mg/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Geninorg	SM:A2340B	Hardness		55.5			0.44	mg/L			184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Geninorg	SM:A2340B	Hardness		56.1			0.44	mg/L			184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Geninorg	SM:A2340B	Hardness		51.4			0.085	mg/L			135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Geninorg	SM:A2340B	Hardness		82.5			0.00823	mg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	SW-846:6010B	Magnesium		4.31			0.085	mg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Magnesium		4.05			0.085	mg/L			184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	EPA:200.7	Magnesium		3.84			0.085	mg/L			135561	GF05040P04201	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Geninorg	EPA:200.7	Magnesium		3.9			0.00453	mg/L			41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Geninorg	EPA:200.7	Magnesium		3.8			0.00453	mg/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.17			0.085	mg/L			184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		4.26			0.085	mg/L			184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		3.99			0.085	mg/L			135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		6.06			0.00332	mg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		3.88			0.00453	mg/L			41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		4.32			0.00453	mg/L			40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.136			0.01	mg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.433			0.003	mg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.46			0.0069	mg/L			41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.83			0.0069	mg/L			40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.19			0.0069	mg/L			40342	GU01041E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	SW-846:6850	Perchlorate		0.287			0.05	µg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	EPA:314.0	Perchlorate		30.2			4	µg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	SW846 6850	Perchlorate		0.405			0.05	µg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Geninorg	SW846 6850	Perchlorate		0.315			0.05	µg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	0.958			0.958	µg/L	U		41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	0.801			0.801	µg/L	U		40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	SW-846:6010B	Potassium		4.07			0.05	mg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Potassium		4.05			0.05	mg/L			184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	EPA:200.7	Potassium		3.43			0.05	mg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Geninorg	EPA:200.7	Potassium		3.48			0.0107	mg/L			41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Geninorg	EPA:200.7	Potassium		3.44			0.0107	mg/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Geninorg	SW-846:6010B	Potassium		3.89			0.05	mg/L			184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Potassium		4.35			0.05	mg/L			184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Geninorg	EPA:200.7	Potassium		3.75			0.05	mg/L			135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:200.7	Potassium		4.5			0.0372	mg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		38.4			0.032	mg/L			184210	GF070400P04201	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	EPA:200.7	Silicon Dioxide		31.6			0.032	mg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Geninorg	EPA:200.7	Silicon Dioxide		37.5			0.032	mg/L			135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	SW-846:6010B	Sodium		33.4			0.045	mg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Sodium		28.8			0.045	mg/L			184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	EPA:200.7	Sodium		20.8			0.045	mg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Geninorg	EPA:200.7	Sodium		16.8			0.00773	mg/L			41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Geninorg	EPA:200.7	Sodium		16.3			0.00773	mg/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Geninorg	SW-846:6010B	Sodium		32.2			0.045	mg/L		J	184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Sodium		28.9			0.045	mg/L			184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Geninorg	EPA:200.7	Sodium		20.7			0.045	mg/L			135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:200.7	Sodium		38.5			0.02	mg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	EPA:120.1	Specific Conductance		298			1	µS/cm			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	SW-846:9050A	Specific Conductance		206			1	µS/cm			137173	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Geninorg	EPA:120.1	Specific Conductance		150			1	µS/cm			41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:120.1	Specific Conductance		143			1	µS/cm			40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	UF	CS		Geninorg	EPA:120.1	Specific Conductance		1330			1	µS/cm			40342	GU01041E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	EPA:300.0	Sulfate		12.7			0.1	mg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	EPA:300.0	Sulfate		13.5			0.057	mg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Geninorg	EPA:300.0	Sulfate		11			0.062	mg/L			41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Geninorg	EPA:300.0	Sulfate		13.1			0.062	mg/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	F	CS		Geninorg	EPA:300.0	Sulfate		14.6			0.062	mg/L			40342	GF01041E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		4			2.28	mg/L	J		184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		24.6			0.57	mg/L			184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		56			1.63	mg/L			135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		34.8			1.53	mg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	RE		Geninorg	EPA:160.2	Suspended Sediment Concentration		38.4			1.53	mg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	REDP		Geninorg	EPA:160.2	Suspended Sediment Concentration		39.6			1.53	mg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		163			2.38	mg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		140			2.38	mg/L			184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		146			2.38	mg/L			135561	GF05040P04201	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		147			5.09	mg/L			41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		148			5.09	mg/L			41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		146			5.09	mg/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		149			5.09	mg/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		157			5.09	mg/L			40342	GF01041E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		154			5.09	mg/L			40342	GF01041E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		157			5.09	mg/L			40342	GF01041E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.218			0.029	mg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.223			0.01	mg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.142			0.029	mg/L		JN-	184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.25			0.0565	mg/L			41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.22			0.0565	mg/L			40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	DUP		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.24			0.0565	mg/L			40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.98			0.0565	mg/L			40342	GU01041E042	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		6.2			0.074	mg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		5.27			0.33	mg/L			184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Geninorg	EPA:150.1	pH		7.12			0.01	SU	H	J	184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Geninorg	EPA:150.1	pH		7.52				SU	H	J	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Geninorg	SW-846:9040B	pH		7.79			0.01	SU		J	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Geninorg	SW-846:9040B	pH		7.71			0.01	SU			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Metals	SW-846:6010B	Aluminum		597			68	µg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Aluminum		171			68	µg/L	J		184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Aluminum		563			68	µg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Aluminum		1040			34.3	µg/L	E		41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Aluminum		501			34.3	µg/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Metals	SW-846:6010B	Aluminum		1030			68	µg/L			184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Aluminum		1780			68	µg/L			184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Aluminum		2420			68	µg/L			135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Aluminum		1470			14.4	µg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Aluminum		1450			34.3	µg/L	E		41784	GU01051E042	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Aluminum		4210			34.3	µg/L			40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Arsenic	<	6			6	µg/L	U		184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Arsenic	<	6			6	µg/L	U		135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Arsenic	<	4.06			2.57	µg/L	U		41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Metals	SW-846:6020	Arsenic		2.2			1.5	µg/L	J		184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Arsenic	<	6			6	µg/L	U		184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Arsenic	<	6			6	µg/L	U		135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Arsenic	<	1.67			1.67	µg/L	U		132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Arsenic	<	4.06			2.57	µg/L	U		41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Metals	SW-846:6010B	Barium		50			1	µg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Barium		42.2			1	µg/L			184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Barium		35.8			1	µg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Barium		43.7			0.451	µg/L			41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Barium		37			0.451	µg/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Metals	SW-846:6010B	Barium		46.8			1	µg/L			184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Barium		52.1			1	µg/L			184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Barium		52.1			1	µg/L			135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Barium		66.6			0.301	µg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Barium		46.1			0.451	µg/L			41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Barium		85.7			0.451	µg/L			40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Metals	SW-846:6010B	Boron		16.9			10	µg/L	J		184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Boron	<	10			10	µg/L	U		135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Boron		32.3			1.76	µg/L	B		41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Boron		18			1.76	µg/L	B		40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	F	CS		Metals	EPA:200.7	Boron		20			1.76	µg/L	B		40342	GF01041E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Metals	SW-846:6010B	Boron		16.2			10	µg/L	J		184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Boron	<	10			10	µg/L	U		135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Boron		39.5			1.76	µg/L	B		41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Boron		17.7			1.76	µg/L	B		40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	UF	CS		Metals	EPA:200.7	Boron		20.2			1.76	µg/L	B		40342	GU01041E042	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Metals	SW-846:6020	Chromium		1.3			1	µg/L	J		184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Metals	EPA:200.8	Chromium	<	1			1	µg/L	U		184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Chromium	<	1			1	µg/L	U		135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Chromium	<	3.82			1.47	µg/L	B	U	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Chromium	<	0.582			1.47	µg/L	U		40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Metals	SW-846:6020	Chromium		1.6			1	µg/L	J		184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.8	Chromium		1.3			1	µg/L	J		184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Chromium	<	1			1	µg/L	U		135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Chromium	<	1.43			1.43	µg/L	U		132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Chromium	<	1.16			1.47	µg/L	B	U	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Chromium		2.04			1.47	µg/L	B		40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Metals	SW-846:6010B	Iron		257			18	µg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Iron		81.9			18	µg/L	J		184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Iron		231			18	µg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Iron		501			4.6	µg/L			41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Iron		207			4.6	µg/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Metals	SW-846:6010B	Iron		483			18	µg/L			184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Iron		934			18	µg/L			184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Iron		1260			18	µg/L			135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Iron		826			18	µg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Iron		642			4.6	µg/L			41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Iron		2520			4.6	µg/L			40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Metals	EPA:200.8	Lead	<	0.5			0.5	µg/L	U		184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Metals	EPA:200.8	Lead	<	0.5			0.5	µg/L	U		135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Metals	EPA:200.8	Lead	<	0.037			0.077	µg/L	U	UJ	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Metals	EPA:200.8	Lead	<	0.497			0.077	µg/L	B	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Metals	SW-846:6020	Lead		1.1			0.5	µg/L	J		184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.8	Lead		1.8			0.5	µg/L	J		184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.8	Lead		3.9			0.5	µg/L			135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.8	Lead		2.3			0.5	µg/L			132859	GU05030M04201	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.8	Lead	<	0.411			0.077	µg/L	B	U	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.8	Lead		8.47			0.077	µg/L			40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Metals	SW-846:6010B	Manganese		6.1			2	µg/L	J		184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Manganese		7.1			2	µg/L	J		184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Manganese		5			2	µg/L	J		135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Manganese		18			1.2	µg/L			41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Manganese		5.94			1.2	µg/L	B		40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Metals	SW-846:6010B	Manganese		13.1			2	µg/L			184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Manganese		31.4			2	µg/L			184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Manganese		70.4			2	µg/L			135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Manganese		46.5			0.304	µg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Manganese		32.3			1.2	µg/L			41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Manganese		266			1.2	µg/L			40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Metals	SW-846:6010B	Molybdenum		23.3			2	µg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Molybdenum		19.9			2	µg/L			184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Molybdenum		9.3			2	µg/L	J		135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Molybdenum		13.3			1.66	µg/L			41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Molybdenum		14.9			1.66	µg/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Metals	SW-846:6010B	Molybdenum		22.3			2	µg/L			184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Molybdenum		18.7			2	µg/L			184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Molybdenum		10.5			2	µg/L			135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Molybdenum		16.2			0.948	µg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Molybdenum		12.5			1.66	µg/L			41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Molybdenum		14.8			1.66	µg/L			40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Metals	SW-846:6020	Nickel		0.9			0.5	µg/L	J		184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Metals	EPA:200.8	Nickel		1.2			0.5	µg/L	J		184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Nickel	<	1.3			1	µg/L	J	U	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Nickel	<	1.37			1.2	µg/L	U	UJ	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Nickel	<	1.03			1.2	µg/L	B	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Metals	SW-846:6020	Nickel		1			0.5	µg/L	J		184210	GU070400P04201	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.8	Nickel		1.5			0.5	µg/L	J		184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Nickel	<	4.1			1	µg/L	J	U	135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.8	Nickel		1.4			0.5	µg/L	J		132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Nickel		2.31			1.2	µg/L	B	J	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Nickel	<	2.61			1.2	µg/L	B	U	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Metals	SW-846:6010B	Strontium		103			1	µg/L			184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Strontium		91.8			1	µg/L			135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Strontium		104			0.185	µg/L			41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Strontium		95.4			0.185	µg/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	F	CS		Metals	EPA:200.7	Strontium		108			0.185	µg/L			40342	GF01041E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Metals	SW-846:6010B	Strontium		99.2			1	µg/L			184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Strontium		94.5			1	µg/L			135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Strontium		102			0.185	µg/L			41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Strontium		108			0.185	µg/L			40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	UF	CS		Metals	EPA:200.7	Strontium		130			0.185	µg/L			40342	GU01041E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Metals	SW-846:6010B	Vanadium		1.7			1	µg/L	J	J+, JN-	184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Vanadium		1.7			1	µg/L	J		184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Vanadium		1.2			1	µg/L	J		135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Vanadium	<	2.22			1.04	µg/L	B	U	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Vanadium		1.24			1.04	µg/L	B		40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Metals	SW-846:6010B	Vanadium		2.2			1	µg/L	J	J+, JN-	184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Vanadium		1.9			1	µg/L	J		184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Vanadium		2.9			1	µg/L	J		135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Vanadium		1.1			0.732	µg/L	J		132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Vanadium	<	2.22			1.04	µg/L	B	U	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Vanadium		4.85			1.04	µg/L	B		40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	F	CS		Metals	SW-846:6010B	Zinc		7.5			2	µg/L	J		184210	GF070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Zinc		3.3			2	µg/L	J		184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Metals	EPA:200.7	Zinc		3.7			2	µg/L	J		135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Zinc		15.3			3.34	µg/L			41784	GF01051E042	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Zinc		27.7			3.34	µg/L	*	J	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Metals	SW-846:6010B	Zinc		8.5			2	µg/L	J		184210	GU070400P04201	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Zinc		11.5			2	µg/L			184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Metals	EPA:200.7	Zinc		11.7			2	µg/L			135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Zinc		13.5			0.406	µg/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Zinc		19			3.34	µg/L			41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Zinc		27.1			3.34	µg/L	*	J	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	HASL-300:AM-241	Americium-241		0.0177	0.003866667	0.0457		pCi/L	U	U	184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Rad	HASL-300:AM-241	Americium-241		0.0403	0.003733333	0.035		pCi/L		J	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Americium-241		0.0132	0.002213333	0.00894		pCi/L		J	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Americium-241		-2.8	1.08	11.1		pCi/L	U	U	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	Alpha-Spec	Americium-241		0.0956	0.010266667	0.0259		pCi/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	EPA:901.1	Americium-241		4.83	1.51	16.3		pCi/L	U	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.046	0.003533333	0.0465		pCi/L	U	U	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.0222	0.003766667	0.032		pCi/L	U	U	132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Americium-241		0.0139	0.002696667	0.0126		pCi/L		J	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Americium-241		-4.04	1.436666667	15		pCi/L	U	U	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	EPA:901.1	Americium-241		-2.51	2.516666667	23.7		pCi/L	U	U	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	Alpha-Spec	Americium-241		0.0882	0.0087	0.0199		pCi/L		J+	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Cesium-137		0.285	0.327	3.25		pCi/L	U	U	184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Rad	EPA:901.1	Cesium-137		-0.343	0.230333333	2.05		pCi/L	U	U	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Cesium-137		1.13	0.179	1.94		pCi/L	U	U	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	EPA:901.1	Cesium-137		1.11	0.235666667	2.65		pCi/L	U	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Cesium-137		-0.92	0.41	3.98		pCi/L	U	U	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Rad	EPA:901.1	Cesium-137		-0.0284	0.232666667	2.36		pCi/L	U	U	132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Cesium-137		1.29	0.346666667	3.72		pCi/L	U	U	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	EPA:901.1	Cesium-137		0.547	0.27	2.91		pCi/L	U	U	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Cobalt-60		1.71	0.37	3.89		pCi/L	U	U	184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Rad	EPA:901.1	Cobalt-60		0.242	0.218	2.35		pCi/L	U	U	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Cobalt-60		0.151	0.192	2.04		pCi/L	U	U	41784	GF01051E042	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	EPA:901.1	Cobalt-60		-0.38	0.221333333	2.38		pCi/L	U	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Cobalt-60		-0.951	0.436666667	4.24		pCi/L	U	U	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Rad	EPA:901.1	Cobalt-60		-0.671	0.245	2.46		pCi/L	U	U	132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Cobalt-60		1.4	0.373333333	4.19		pCi/L	U	U	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	EPA:901.1	Cobalt-60		0.675	0.297333333	3.35		pCi/L	U	U	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	EPA:900	Gross alpha		1.15	0.208	1.85		pCi/L	U	U	184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Rad	EPA:900	Gross alpha		0.368	0.097	1.1		pCi/L	U	U	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	EPA:900	Gross alpha		2.7	0.603333333	1.25		pCi/L		J	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	EPA:900	Gross alpha		0.832	0.170666667	1.56		pCi/L	U	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	EPA:900	Gross alpha		2.89	0.300666667	1.72		pCi/L		J	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Rad	EPA:900	Gross alpha		0.334	0.186333333	2		pCi/L	U	U	132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	EPA:900	Gross alpha		0.813	0.255	2.67		pCi/L	U	U	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	EPA:900	Gross alpha		1.33	0.227666667	2.06		pCi/L	U	U	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	EPA:900	Gross beta		15.9	0.516666667	3.08		pCi/L			184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Rad	EPA:900	Gross beta		4.19	0.253666667	2.63		pCi/L		J	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	EPA:900	Gross beta		5.49	0.386666667	2.66		pCi/L		J	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	EPA:900	Gross beta		3.55	0.331666667	3.01		pCi/L		J	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	EPA:900	Gross beta		9.19	0.433333333	3.1		pCi/L		J	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Rad	EPA:900	Gross beta		8.21	0.195	1.38		pCi/L			132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	EPA:900	Gross beta		4.91	0.321333333	2.81		pCi/L		J	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	EPA:900	Gross beta		7.97	0.35	2.57		pCi/L		J	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Neptunium-237		-3.45	2.426666667	19.4		pCi/L	U	U	184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Rad	EPA:901.1	Neptunium-237		-7.26	1.6	15.6		pCi/L	U	U	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Neptunium-237		8.75	1.56	14.6		pCi/L	U	U	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	EPA:901.1	Neptunium-237		-7.06	1.716666667	17.2		pCi/L	U	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Neptunium-237		-4.05	2.796666667	26.5		pCi/L	U	U	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Rad	EPA:901.1	Neptunium-237		8.46	2.306666667	17.4		pCi/L	U	U	132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Neptunium-237		0.0952	3.466666667	19.7		pCi/L	U	U	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	EPA:901.1	Neptunium-237		-1.75	2.01	20.9		pCi/L	U	U	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00173	0.00129	0.0177		pCi/L	U	U	184109	GF070400M04201	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		0	0.003333333	0.041		pCi/L	U	U	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Plutonium-238		0.00304	0.001013333	0.00823		pCi/L	U	U	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	Alpha-Spec	Plutonium-238		0.00533	0.00178	0.0144		pCi/L	U	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00337	0.001586667	0.0244		pCi/L	U	U	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00225	0.003433333	0.047		pCi/L	U	U	132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Plutonium-238		0.00862	0.001666667	0.00779		pCi/L		J	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	Alpha-Spec	Plutonium-238		0.0213	0.003566667	0.0144		pCi/L		J	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00346	0.00163	0.0256		pCi/L	U	U	184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00982	0.002173333	0.034		pCi/L	U	U	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Plutonium-239/Plutonium-240		0.00719	0.00187	0.0224		pCi/L	U	U	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	Alpha-Spec	Plutonium-239/Plutonium-240		0.0269	0.003866667	0.0282		pCi/L	U	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.037	0.00291	0.0287		pCi/L		J	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.0314	0.003213333	0.039		pCi/L	U	U	132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Plutonium-239/Plutonium-240		0.0146	0.002756667	0.0309		pCi/L	U	U	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	Alpha-Spec	Plutonium-239/Plutonium-240		0.142	0.008933333	0.0461		pCi/L			40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Potassium-40		0.0555	6	36.4		pCi/L	U	U	184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Rad	EPA:901.1	Potassium-40		23.1	2.326666667	27.5		pCi/L	U	U	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Potassium-40		18.7	4.666666667	20.5		pCi/L	U	U	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	EPA:901.1	Potassium-40		4.83	5.666666667	23.6		pCi/L	U	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Potassium-40		38.3	9.066666667	40.7		pCi/L	U	U	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Rad	EPA:901.1	Potassium-40		35.2	2.986666667	31.7		pCi/L	UI	R	132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Potassium-40		0	4.533333333	54.9		pCi/L	U	R	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	EPA:901.1	Potassium-40		0	3.833333333	46.2		pCi/L	U	U	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	EPA:903.1	Radium-226		0.234	0.043333333	0.42		pCi/L	U	U	184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Rad	EPA:903.1	Radium-226		0.0895	0.038666667	0.421		pCi/L	U	U	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Radium-226		1.48	0.69	4.29		pCi/L	U	U	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	EPA:903.1	Radium-226		0.138	0.045	0.486		pCi/L	U		41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	EPA:901.1	Radium-226		3.51	0.48	5.44		pCi/L	U	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	EPA:903.1	Radium-226		0.467	0.057333333	0.434		pCi/L		J	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	F	CS		Rad	EPA:903.1	Radium-226		0.184	0.026933333	0.0998		pCi/L		J	40342	GF01041E042	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above SR-4	-	-	04/04/01	WM	F	CS		Rad	EPA:901.1	Radium-226		1.09	0.716666667	3.78		pCi/L	U	U	40342	GF01041E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	EPA:903.1	Radium-226		0.401	0.050666667	0.439		pCi/L	U	U	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Radium-226		1.93	1.493333333	8.83		pCi/L	U	U	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	EPA:903.1	Radium-226		0.983	0.070333333	0.407		pCi/L			41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	EPA:901.1	Radium-226		0	0.65	7.24		pCi/L	U	U	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	EPA:903.1	Radium-226		0.462	0.050333333	0.357		pCi/L		J	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	UF	CS		Rad	EPA:903.1	Radium-226		0.417	0.048	0.352		pCi/L		J	40342	GU01041E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	UF	CS		Rad	EPA:901.1	Radium-226		3.01	1.483333333	6.87		pCi/L	U	U	40342	GU01041E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Sodium-22		1.89	0.406666667	3.61		pCi/L	U	U	184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Rad	EPA:901.1	Sodium-22		-0.0434	0.188666667	2.02		pCi/L	U	U	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Sodium-22		-0.686	0.218666667	1.84		pCi/L	U	U	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	EPA:901.1	Sodium-22		-0.718	0.241	2.51		pCi/L	U	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Sodium-22		-0.723	0.41	3.99		pCi/L	U	U	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Rad	EPA:901.1	Sodium-22		0.52	0.236	2.54		pCi/L	U	U	132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Sodium-22		1.03	0.35	3.89		pCi/L	U	U	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	EPA:901.1	Sodium-22		-0.46	0.363333333	3.17		pCi/L	U	U	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	EPA:905.0	Strontium-90		1.34	0.059	0.345		pCi/L			184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Rad	EPA:905.0	Strontium-90		0.639	0.025666667	0.221		pCi/L		J	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	EPA:905.0	Strontium-90		0.933	0.039666667	0.33		pCi/L		J	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	EPA:905.0	Strontium-90		0.896	0.047666667	0.227		pCi/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	DUP		Rad	EPA:905.0	Strontium-90		0.847	0.0284	0.224		pCi/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	EPA:905.0	Strontium-90		1.08	0.058666667	0.378		pCi/L		J	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Rad	EPA:905.0	Strontium-90		2.31	0.104	0.885		pCi/L		J	132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	EPA:905.0	Strontium-90		0.485	0.051333333	0.454		pCi/L		J	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	EPA:905.0	Strontium-90		1.21	0.041333333	0.309		pCi/L			40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOTH	Thorium-228		0.225	0.0186	0.32		pCi/L	U	U	184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Thorium-228		0.0602	0.004766667	0.0366		pCi/L		J	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	Alpha-Spec	Thorium-228		0.0128	0.005466667	0.0573		pCi/L	U	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	F	CS		Rad	Alpha-Spec	Thorium-228		0.0693	0.0063	0.0416		pCi/L		J	40342	GF01041E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOTH	Thorium-228		0.0809	0.016533333	0.314		pCi/L	U	U	184109	GU070400M04201	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above SR-4	-	-	06/15/01	WS	UF	DUP		Rad	Alpha-Spec	Thorium-228		0.431	0.014966667	0.0637		pCi/L			43815	GU01061E042	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-228		0.03	0.005366667	0.062		pCi/L	U	U	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-228		0.055	0.006266667	0.0456		pCi/L		J	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-228		0.503	0.021033333	0.104		pCi/L			40342	GU01041E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOTH	Thorium-230		0.122	0.011166667	0.594		pCi/L	U	U	184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Thorium-230		0.0367	0.00307	0.00585		pCi/L		J-	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	Alpha-Spec	Thorium-230		0.0724	0.004866667	0.0184		pCi/L			40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	F	CS		Rad	Alpha-Spec	Thorium-230		-0.0101	0.004633333	0.0586		pCi/L	U	U	40342	GF01041E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOTH	Thorium-230		0.165	0.015066667	0.582		pCi/L	U	U	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	06/15/01	WS	UF	DUP		Rad	Alpha-Spec	Thorium-230		0.295	0.0105	0.0154		pCi/L			43815	GU01061E042	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-230		0.0437	0.003766667	0.0186		pCi/L		J	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-230		0.0662	0.0057	0.0112		pCi/L			40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-230		0.471	0.017833333	0.0106		pCi/L			40342	GU01041E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOTH	Thorium-232		0.0387	0.0078	0.147		pCi/L	U	U	184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Thorium-232		0.0184	0.002426667	0.02		pCi/L	U	U	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	Alpha-Spec	Thorium-232		0.0175	0.002226667	0.00676		pCi/L		J	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	F	CS		Rad	Alpha-Spec	Thorium-232		0.0168	0.002986667	0.0247		pCi/L	U	U	40342	GF01041E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOTH	Thorium-232		0.0228	0.0067	0.144		pCi/L	U	U	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	06/15/01	WS	UF	DUP		Rad	Alpha-Spec	Thorium-232		0.303	0.0107	0.0154		pCi/L			43815	GU01061E042	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-232		0.0437	0.003766667	0.0186		pCi/L		J	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-232		0.0166	0.002783333	0.0112		pCi/L		J	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/04/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-232		0.295	0.0135	0.0423		pCi/L			40342	GU01041E042	GELC
Los Alamos above SR-4	-	-	04/12/07	WS	UF	CS		Rad	LLEE	Tritium		74.0776	0.851466667	0.28737		pCi/L			2328	UU070400P04201	UMTL
Los Alamos above SR-4	-	-	04/28/05	WM	UF	CS		Rad	EPA:906.0	Tritium		116	19.36666667	189		pCi/L	U	U	135561	GU05040P04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Rad	EPA:906.0	Tritium		109	25	248		pCi/L	U	U	132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	EPA:906.0	Tritium		-57.8	18.36666667	190		pCi/L	U	U	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	EPA:906.0	Tritium		-28.6	18.43333333	188		pCi/L	U	U	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.156	0.012666667	0.165		pCi/L	U	U	184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.0413	0.004233333	0.07		pCi/L	U	U	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Uranium-234		0.0391	0.003766667	0.0247		pCi/L		J	41784	GF01051E042	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	Alpha-Spec	Uranium-234		0.044	0.005166667	0.0323		pCi/L		J	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.0597	0.012633333	0.163		pCi/L	U	U	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.0674	0.004933333	0.073		pCi/L	U	U	132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Uranium-234		0.0813	0.006033333	0.0306		pCi/L		J	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	Alpha-Spec	Uranium-234		0.134	0.009433333	0.0451		pCi/L		J	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0668	0.009	0.104		pCi/L	U	U	184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.023	0.003273333	0.043		pCi/L	U	U	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Uranium-235/Uranium-236		-0.000854	0.001216667	0.0248		pCi/L	U	U	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	Alpha-Spec	Uranium-235/Uranium-236		0.022	0.003933333	0.0324		pCi/L	U	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.059	0.007833333	0.104		pCi/L	U	U	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0121	0.002673333	0.045		pCi/L	U	U	132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Uranium-235/Uranium-236		0.0176	0.002826667	0.0243		pCi/L	U	U	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	Alpha-Spec	Uranium-235/Uranium-236		0.0417	0.0055	0.0452		pCi/L	U	U	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.114	0.010633333	0.125		pCi/L	U	U	184109	GF070400M04201	GELC
Los Alamos above SR-4	-	-	04/28/05	WM	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.0275	0.003273333	0.05		pCi/L	U	U	135561	GF05040P04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Uranium-238		0.0541	0.0043	0.0196		pCi/L		J	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Uranium-238		17.8	15.23333333	96.3		pCi/L	U	U	41784	GF01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	Alpha-Spec	Uranium-238		0.0264	0.0042	0.0323		pCi/L	U	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	F	CS		Rad	EPA:901.1	Uranium-238		76.6	19.16666667	121		pCi/L	U	U	40970	GF01042E042	GELC
Los Alamos above SR-4	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.0895	0.009666667	0.124		pCi/L	U	U	184109	GU070400M04201	GELC
Los Alamos above SR-4	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.0409	0.003733333	0.052		pCi/L	U	U	132859	GU05030M04201	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Uranium-238		119	21.2	125		pCi/L	U	U	41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Uranium-238		0.0527	0.004566667	0.00893		pCi/L			41784	GU01051E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	EPA:901.1	Uranium-238		162	18.26666667	187		pCi/L	U	U	40970	GU01042E042	GELC
Los Alamos above SR-4	-	-	04/18/01	WM	UF	CS		Rad	Alpha-Spec	Uranium-238		0.11	0.008533333	0.0451		pCi/L		J	40970	GU01042E042	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		31.5			0.725	mg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		39.4			0.725	mg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		37.2			1.45	mg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		78.5			1.45	mg/L			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		133			0.725	mg/L			46793	GF01083E026	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		34.8			1.45	mg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	SW-846:6010B	Calcium		10.5			0.036	mg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	SW-846:6010B	Calcium		10.4			0.036	mg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Calcium		10.4			0.036	mg/L			183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	EPA:200.7	Calcium		11.6			0.036	mg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Geninorg	EPA:200.7	Calcium		17.5			0.00823	mg/L		J	111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Geninorg	EPA:200.7	Calcium		15.7			0.00823	mg/L			111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Geninorg	EPA:200.7	Calcium		21.7			0.00823	mg/L			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Geninorg	SW-846:6010B	Calcium		10.5			0.036	mg/L			184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Geninorg	SW-846:6010B	Calcium		10.5			0.036	mg/L			184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Calcium		10.7			0.036	mg/L			183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Geninorg	EPA:200.7	Calcium		12			0.036	mg/L			135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:200.7	Calcium		18.5			0.00823	mg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Geninorg	EPA:200.7	Calcium		16.1			0.00823	mg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Geninorg	EPA:200.7	Calcium		16.5			0.00823	mg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	EPA:300.0	Chloride		13.7			0.066	mg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	EPA:300.0	Chloride		13.6			0.066	mg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	EPA:300.0	Chloride		15.2			0.053	mg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Geninorg	EPA:300.0	Chloride		18			0.0322	mg/L			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	CS		Geninorg	EPA:300.0	Chloride		4.78			0.025	mg/L			46793	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	DUP		Geninorg	EPA:300.0	Chloride		4.44			0.025	mg/L			46029	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	04/18/01	WM	F	CS		Geninorg	EPA:300.0	Chloride		10.8			0.025	mg/L			40970	GF01041E026	GELC
Los Alamos below Ice Rink	-	-	04/18/01	WM	F	DUP		Geninorg	EPA:300.0	Chloride		11.3			0.025	mg/L			40970	GF01041E026	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	EPA:300.0	Fluoride		0.131			0.033	mg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.133			0.033	mg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	EPA:300.0	Fluoride		0.176			0.03	mg/L		J+	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.134			0.0553	mg/L			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	SM:A2340B	Hardness		38.6			0.44	mg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	SM:A2340B	Hardness		38.4			0.44	mg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Geninorg	SM:A2340B	Hardness		38.6			0.44	mg/L			183995	GF070400M02601	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	SM:A2340B	Hardness		43.1			0.085	mg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Geninorg	EPA:200.7	Hardness		63.1			0.00823	mg/L			111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Geninorg	EPA:200.7	Hardness		76.5			0.00823	mg/L			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Geninorg	SM:A2340B	Hardness		39			0.44	mg/L			184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Geninorg	SM:A2340B	Hardness		39			0.44	mg/L			184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Geninorg	SM:A2340B	Hardness		39.8			0.44	mg/L			183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Geninorg	SM:A2340B	Hardness		45			0.085	mg/L			135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Geninorg	SM:A2340B	Hardness		68			0.00823	mg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Geninorg	EPA:200.7	Hardness		58.5			0.00823	mg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	SW-846:6010B	Magnesium		3.03			0.085	mg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	SW-846:6010B	Magnesium		3.02			0.085	mg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Magnesium		3.08			0.085	mg/L			183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	EPA:200.7	Magnesium		3.46			0.085	mg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Geninorg	EPA:200.7	Magnesium		4.74			0.00332	mg/L		J	111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Geninorg	EPA:200.7	Magnesium		4.27			0.00332	mg/L			111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Geninorg	EPA:200.7	Magnesium		5.41			0.00332	mg/L			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium		3.1			0.085	mg/L			184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.1			0.085	mg/L			184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		3.2			0.085	mg/L			183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		3.65			0.085	mg/L			135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		5.29			0.00332	mg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		4.44			0.00332	mg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Geninorg	EPA:200.7	Magnesium		4.51			0.00332	mg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.165			0.01	mg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.172			0.01	mg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.683			0.003	mg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.39			0.01	mg/L			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.05			0.0069	mg/L			46793	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	DUP		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.05			0.0069	mg/L			46453	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.06			0.0069	mg/L			40970	GU01041E026	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	04/18/01	WM	UF	DUP		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.04			0.0069	mg/L			40970	GU01041E026	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	SW-846:6850	Perchlorate		0.343			0.05	µg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	SW-846:6850	Perchlorate		0.327			0.05	µg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	SW846 6850	Perchlorate		0.411			0.05	µg/L		J	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Geninorg	SW846 6850	Perchlorate		0.451			0.05	µg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Geninorg	EPA:314.0	Perchlorate		1.99			1.45	µg/L	J		80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4.79			4.79	µg/L	U		46793	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	DUP		Geninorg	EPA:314.0	Perchlorate	<	4.79			4.79	µg/L	U		46029	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	SW-846:6010B	Potassium		2.79			0.05	mg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	SW-846:6010B	Potassium		2.83			0.05	mg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Potassium		2.73			0.05	mg/L			183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	EPA:200.7	Potassium		3.02			0.05	mg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Geninorg	EPA:200.7	Potassium		3.83			0.0372	mg/L			111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Geninorg	EPA:200.7	Potassium		3.77			0.0372	mg/L			111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Geninorg	EPA:200.7	Potassium		5.5			0.0372	mg/L			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Geninorg	SW-846:6010B	Potassium		2.92			0.05	mg/L			184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Geninorg	SW-846:6010B	Potassium		2.9			0.05	mg/L			184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Potassium		2.89			0.05	mg/L			183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Geninorg	EPA:200.7	Potassium		3.07			0.05	mg/L			135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:200.7	Potassium		3.83			0.0372	mg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Geninorg	EPA:200.7	Potassium		3.98			0.0372	mg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Geninorg	EPA:200.7	Potassium		4.06			0.0372	mg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	SW-846:6010B	Silicon Dioxide		32.5			0.032	mg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		32.3			0.032	mg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	EPA:200.7	Silicon Dioxide		31.3			0.032	mg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Geninorg	EPA:200.7	Silicon Dioxide		34			0.0122	mg/L		J	111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Geninorg	EPA:200.7	Silicon Dioxide		30.7			0.0122	mg/L			111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Geninorg	EPA:200.7	Silicon Dioxide		39			0.0122	mg/L			80925	GF03050W02601	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Geninorg	EPA:200.7	Silicon Dioxide		35.3			0.032	mg/L			135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Geninorg	EPA:200.7	Silicon Dioxide		32.1			0.0122	mg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Geninorg	EPA:200.7	Silicon Dioxide		34			0.0122	mg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	SW-846:6010B	Sodium		10.1			0.045	mg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	SW-846:6010B	Sodium		10.1			0.045	mg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Sodium		9.84			0.045	mg/L			183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	EPA:200.7	Sodium		10.1			0.045	mg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Geninorg	EPA:200.7	Sodium		12.4			0.02	mg/L			111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Geninorg	EPA:200.7	Sodium		12.2			0.02	mg/L			111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Geninorg	EPA:200.7	Sodium		11.7			0.02	mg/L			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Geninorg	SW-846:6010B	Sodium		10.1			0.045	mg/L			184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Geninorg	SW-846:6010B	Sodium		10.1			0.045	mg/L			184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Sodium		10			0.045	mg/L			183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Geninorg	EPA:200.7	Sodium		10.6			0.045	mg/L			135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:200.7	Sodium		14.3			0.02	mg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Geninorg	EPA:200.7	Sodium		12.2			0.02	mg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Geninorg	EPA:200.7	Sodium		12.5			0.02	mg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance		152			1	uS/cm			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	EPA:120.1	Specific Conductance		152			1	uS/cm			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	SW-846:9050A	Specific Conductance		144			1	uS/cm			137177	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Geninorg	SW-846:9050A	Specific Conductance		202			1	uS/cm			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	CS		Geninorg	SW-846:9050A	Specific Conductance		298			1	uS/cm			46793	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:120.1	Specific Conductance		191			1	uS/cm			40970	GU01041E026	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	EPA:300.0	Sulfate		11.1			0.1	mg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	EPA:300.0	Sulfate		11			0.1	mg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	EPA:300.0	Sulfate		12.5			0.057	mg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Geninorg	EPA:300.0	Sulfate		7.11			0.193	mg/L			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	CS		Geninorg	EPA:300.0	Sulfate		5.3			0.062	mg/L			46793	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	DUP		Geninorg	EPA:300.0	Sulfate		5.35			0.062	mg/L			46029	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	04/18/01	WM	F	CS		Geninorg	EPA:300.0	Sulfate		12.6			0.062	mg/L			40970	GF01041E026	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	04/18/01	WM	F	DUP		Geninorg	EPA:300.0	Sulfate		13.1			0.062	mg/L			40970	GF01041E026	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Geninorg	EPA:160.2	Suspended Sediment Concentration		5.2			1.14	mg/L			184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		6			2.28	mg/L	J		184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		8.63			0.6	mg/L			183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	03/06/07	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		0.947			0.6	mg/L	J		182047	GU070300M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		20			5.7	mg/L	J		135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	RE		Geninorg	EPA:160.2	Suspended Sediment Concentration		21			5.7	mg/L	J		135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		13			1.91	mg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	RE		Geninorg	EPA:160.2	Suspended Sediment Concentration		12.5			1.91	mg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	REDP		Geninorg	EPA:160.2	Suspended Sediment Concentration		14			1.91	mg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	RETRP		Geninorg	EPA:160.2	Suspended Sediment Concentration		14.5			1.91	mg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		20.5			1.91	mg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Geninorg	EPA:160.2	Suspended Sediment Concentration		22			1.91	mg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	TRP		Geninorg	EPA:160.2	Suspended Sediment Concentration		21.5			1.91	mg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids		128			2.38	mg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		123			2.38	mg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		73			2.38	mg/L			183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		113			2.38	mg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		186			3.07	mg/L			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		215			5.09	mg/L			46793	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		220			5.09	mg/L			46793	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	TRP		Geninorg	EPA:160.1	Total Dissolved Solids		220			5.09	mg/L			46793	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	04/18/01	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		116			5.09	mg/L			40970	GF01041E026	GELC
Los Alamos below Ice Rink	-	-	04/18/01	WM	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		114			5.09	mg/L			40970	GF01041E026	GELC
Los Alamos below Ice Rink	-	-	04/18/01	WM	F	TRP		Geninorg	EPA:160.1	Total Dissolved Solids		117			5.09	mg/L			40970	GF01041E026	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.136			0.029	mg/L		JN-	184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.088			0.029	mg/L	J	JN-	184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.117			0.01	mg/L		U	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.043			0.029	mg/L	J	JN-	184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.255			0.029	mg/L			184348	GU070400P02601	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		1.6			0.0565	mg/L			46793	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	DUP		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		1.65			0.0565	mg/L			46793	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.2			0.0565	mg/L			40970	GU01041E026	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		6.21			0.074	mg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon		6.21			0.33	mg/L			184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		6.21			0.33	mg/L			184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Geninorg	EPA:150.1	pH		6.55			0.01	SU	H	J	184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Geninorg	EPA:150.1	pH		6.68			0.01	SU	H	J	184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Geninorg	EPA:150.1	pH		7.32			0.01	SU	H	J	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Geninorg	EPA:150.1	pH		7.91			0.01	SU	H	J	80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Metals	SW-846:6010B	Aluminum		472			68	µg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Metals	SW-846:6010B	Aluminum		484			68	µg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Aluminum		777			68	µg/L			183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Metals	EPA:200.7	Aluminum		797			68	µg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Aluminum		462			14.4	µg/L			111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Metals	EPA:200.7	Aluminum		414			14.4	µg/L			111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Metals	EPA:200.7	Aluminum		365			14.4	µg/L		J-	80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Metals	SW-846:6010B	Aluminum		987			68	µg/L			184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Metals	SW-846:6010B	Aluminum		923			68	µg/L			184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Aluminum		1350			68	µg/L			183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Metals	EPA:200.7	Aluminum		1840			68	µg/L			135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Aluminum		1020			14.4	µg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Aluminum		1440			14.4	µg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Metals	EPA:200.7	Aluminum		1320			14.4	µg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Metals	SW-846:6010B	Barium		28.4			1	µg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Metals	SW-846:6010B	Barium		28.1			1	µg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Barium		28.5			1	µg/L			183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Metals	EPA:200.7	Barium		31.9			1	µg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Barium		61.8			0.301	µg/L		J	111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Metals	EPA:200.7	Barium		55.1			0.301	µg/L			111877	GF04040M02601	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Metals	EPA:200.7	Barium		44			0.301	µg/L			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Metals	SW-846:6010B	Barium		31.9			1	µg/L			184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Metals	SW-846:6010B	Barium		31.7			1	µg/L			184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Barium		33.5			1	µg/L			183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Metals	EPA:200.7	Barium		41.4			1	µg/L			135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Barium		47.1			0.301	µg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Barium		46.1			0.301	µg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Metals	EPA:200.7	Barium		46.7			0.301	µg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Metals	SW-846:6010B	Boron		11.6			10	µg/L	J		184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Metals	SW-846:6010B	Boron		12.2			10	µg/L	J		184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Metals	EPA:200.7	Boron		11.7			10	µg/L	J		135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Boron		12.5			1.39	µg/L	B	J-	111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Metals	EPA:200.7	Boron		8.49			1.39	µg/L	B		111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Metals	EPA:200.7	Boron		43.3			1.39	µg/L	B		80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	CS		Metals	EPA:200.7	Boron		25			1.76	µg/L	B		46793	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	DUP		Metals	EPA:200.7	Boron		24.8			1.76	µg/L	B		46793	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Metals	SW-846:6010B	Boron		10.9			10	µg/L	J		184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Metals	SW-846:6010B	Boron		11.2			10	µg/L	J		184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Metals	EPA:200.7	Boron	<	10			10	µg/L	U		135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Boron		7.13			1.39	µg/L	B	J-	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Metals	EPA:200.7	Boron		6.12			1.39	µg/L	B		111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	CS		Metals	EPA:200.7	Boron	<	13.8			1.76	µg/L	B	U	46793	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	DUP		Metals	EPA:200.7	Boron		14.9			1.76	µg/L	B		46793	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Metals	EPA:200.7	Chromium	<	1			1	µg/L	U		135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Chromium	<	1.43			1.43	µg/L	U		111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Metals	EPA:200.7	Chromium	<	1.43			1.43	µg/L	U		111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Metals	EPA:200.7	Chromium	<	1.43			1.43	µg/L	U		80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.8	Chromium		1.1			1	µg/L	J		183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Metals	EPA:200.7	Chromium	<	1.5			1	µg/L	J	U	135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Chromium	<	1.43			1.43	µg/L	U		132859	GU05030M02601	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Chromium		2.05			1.43	µg/L	B		111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Metals	EPA:200.7	Chromium		1.68			1.43	µg/L	B		111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Metals	SW-846:6010B	Iron		199			18	µg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Metals	SW-846:6010B	Iron		199			18	µg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Iron		314			18	µg/L			183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Metals	EPA:200.7	Iron		330			18	µg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Iron		190			14.9	µg/L			111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Metals	EPA:200.7	Iron		162			14.9	µg/L			111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Metals	EPA:200.7	Iron		96.7			14.9	µg/L	B		80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Metals	SW-846:6010B	Iron		447			18	µg/L			184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Metals	SW-846:6010B	Iron		426			18	µg/L			184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Iron		626			18	µg/L			183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Metals	EPA:200.7	Iron		888			18	µg/L			135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Iron		492			14.9	µg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Iron		583			14.9	µg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Metals	EPA:200.7	Iron		567			14.9	µg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Metals	EPA:200.8	Lead	<	0.7			0.5	µg/L	J	U	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Metals	EPA:200.8	Lead		0.237			0.05	µg/L	B		111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Metals	EPA:200.8	Lead		0.21			0.05	µg/L	B		111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Metals	EPA:200.8	Lead		0.278			0.05	µg/L	B		80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	DUP		Metals	EPA:200.8	Lead		0.284			0.05	µg/L	B		80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.8	Lead		0.64			0.5	µg/L	J		183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Metals	EPA:200.8	Lead	<	1.6			0.5	µg/L	J	U	135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.8	Lead		0.74			0.5	µg/L	J		132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.8	Lead		0.817			0.05	µg/L	B		111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Metals	EPA:200.8	Lead		0.812			0.05	µg/L	B		111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Metals	SW-846:6010B	Manganese		4.8			2	µg/L	J		184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Metals	SW-846:6010B	Manganese		3.9			2	µg/L	J		184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Manganese		4.3			2	µg/L	J		183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Metals	EPA:200.7	Manganese		8			2	µg/L	J		135649	GF05040P02601	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Manganese		5.38			0.304	µg/L	B		111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Metals	EPA:200.7	Manganese		4.55			0.304	µg/L	B		111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Metals	EPA:200.7	Manganese		10.2			0.304	µg/L			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Metals	SW-846:6010B	Manganese		16.2			2	µg/L			184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Metals	SW-846:6010B	Manganese		15.8			2	µg/L			184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Manganese		25.8			2	µg/L			183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Metals	EPA:200.7	Manganese		43.2			2	µg/L			135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Manganese		34.7			0.304	µg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Manganese		25.7			0.304	µg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Metals	EPA:200.7	Manganese		25.7			0.304	µg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Metals	SW-846:6020	Nickel		0.71			0.5	µg/L	J		184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Metals	SW-846:6020	Nickel		0.84			0.5	µg/L	J		184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Metals	EPA:200.8	Nickel		1.1			0.5	µg/L	J		183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Metals	EPA:200.7	Nickel	<	1			1	µg/L	U	UJ	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Nickel	<	3.6			3.6	µg/L	U		111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Metals	EPA:200.7	Nickel	<	3.6			3.6	µg/L	U		111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Metals	EPA:200.7	Nickel		8.19			3.6	µg/L			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Metals	SW-846:6020	Nickel		0.88			0.5	µg/L	J		184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Metals	SW-846:6020	Nickel		0.82			0.5	µg/L	J		184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.8	Nickel		1			0.5	µg/L	J		183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Metals	EPA:200.7	Nickel	<	1			1	µg/L	U	JN-	135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.8	Nickel		1.2			0.5	µg/L	J		132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Nickel	<	3.6			3.6	µg/L	U		111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Metals	EPA:200.7	Nickel	<	3.6			3.6	µg/L	U		111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Metals	SW-846:6010B	Strontium		72.6			1	µg/L			184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Metals	SW-846:6010B	Strontium		72.1			1	µg/L			184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Metals	EPA:200.7	Strontium		82.8			1	µg/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Strontium		116			0.238	µg/L		J	111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Metals	EPA:200.7	Strontium		104			0.238	µg/L			111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Metals	EPA:200.7	Strontium		127			0.238	µg/L			80925	GF03050W02601	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	CS		Metals	EPA:200.7	Strontium		216			0.185	µg/L			46793	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	DUP		Metals	EPA:200.7	Strontium		221			0.185	µg/L			46793	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Metals	SW-846:6010B	Strontium		73			1	µg/L			184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Metals	SW-846:6010B	Strontium		73			1	µg/L			184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Metals	EPA:200.7	Strontium		86.3			1	µg/L			135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Strontium		108			0.238	µg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Metals	EPA:200.7	Strontium		110			0.238	µg/L			111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	CS		Metals	EPA:200.7	Strontium		419			0.185	µg/L			46793	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	DUP		Metals	EPA:200.7	Strontium		415			0.185	µg/L			46793	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Metals	EPA:200.8	Thallium		0.57			0.4	µg/L	J		183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Metals	EPA:200.8	Thallium		0.78			0.4	µg/L	J		135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Metals	EPA:200.8	Thallium		0.37			0.02	µg/L	B		111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Metals	EPA:200.8	Thallium		0.097			0.02	µg/L	B		111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Metals	EPA:200.8	Thallium	<	0.069			0.02	µg/L	B	U	80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	DUP		Metals	EPA:200.8	Thallium		0.06			0.02	µg/L	B		80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Metals	EPA:200.8	Thallium	<	0.4			0.4	µg/L	U		135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.8	Thallium	<	0.4			0.4	µg/L	U		132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.8	Thallium		0.03			0.02	µg/L	B	NJ	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Metals	EPA:200.8	Thallium		0.022			0.02	µg/L	B		111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Vanadium	<	1.9			1	µg/L	J	U	183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Metals	EPA:200.7	Vanadium	<	1.5			1	µg/L	J	U	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Vanadium		0.952			0.732	µg/L	B		111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Metals	EPA:200.7	Vanadium		0.87			0.732	µg/L	B		111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Metals	SW-846:6010B	Vanadium		1.5			1	µg/L	J	J-	184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Metals	SW-846:6010B	Vanadium		1.8			1	µg/L	J	J-	184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Vanadium	<	2.4			1	µg/L	J	U	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Metals	EPA:200.7	Vanadium	<	1.9			1	µg/L	J	U	135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Vanadium		1.3			0.732	µg/L	J		132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Vanadium		1.16			0.732	µg/L	B		111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Metals	EPA:200.7	Vanadium		1.24			0.732	µg/L	B		111877	GU04040M02601	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS	FD	Metals	SW-846:6010B	Zinc		2.9			2	µg/L	J		184348	GF070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	F	CS		Metals	SW-846:6010B	Zinc		3.1			2	µg/L	J		184348	GF070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Zinc		4.7			2	µg/L	J		183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Metals	EPA:200.7	Zinc		7.2			2	µg/L	J		135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Zinc	<	3.83			0.406	µg/L	B	U	111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	F	DUP		Metals	EPA:200.7	Zinc		2.86			0.406	µg/L	B		111877	GF04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	F	CS		Metals	EPA:200.7	Zinc		7.35			0.406	µg/L			80925	GF03050W02601	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Metals	SW-846:6010B	Zinc		4.6			2	µg/L	J		184348	GU070400P02620	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Metals	SW-846:6010B	Zinc		4.7			2	µg/L	J		184348	GU070400P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Zinc		4.7			2	µg/L	J		183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Metals	EPA:200.7	Zinc		5.2			2	µg/L	J		135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Metals	EPA:200.7	Zinc		6.3			0.406	µg/L			132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Zinc	<	4.58			0.406	µg/L	B	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	DUP		Metals	EPA:200.7	Zinc		3.75			0.406	µg/L	B		111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	HASL-300:AM-241	Americium-241		0.00553	0.00275	0.0518	pCi/L	U	U	183995	GF070400M02601	GELC	
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Rad	HASL-300:AM-241	Americium-241		0.0114	0.0035	0.036	pCi/L	U	U	135649	GF05040P02601	GELC	
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:AM-241	Americium-241		-0.0221	0.003933333	0.0418	pCi/L	U	U	183995	GU070400M02601	GELC	
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.00469	0.001563333	0.037	pCi/L	U	U	132859	GU05030M02601	GELC	
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Americium-241		0.0112	0.004766667	0.04	pCi/L	U	U	111877	GU04040M02601	GELC	
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Americium-241		3.81	1.22	11.2	pCi/L	U	U	111877	GU04040M02601	GELC	
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	Alpha-Spec	Americium-241		0.00202	0.00178	0.029	pCi/L	U	U	80925	GU03050W2601	GELC	
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	EPA:901.1	Americium-241		0	3.32	20	pCi/L	UUI	R	80925	GU03050W2601	GELC	
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Cesium-137		-0.161	0.4	3.32	pCi/L	U	U	183995	GF070400M02601	GELC	
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Rad	EPA:901.1	Cesium-137		-0.0662	0.324333333	3.49	pCi/L	U	U	135649	GF05040P02601	GELC	
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Cesium-137		0.773	0.413333333	4.07	pCi/L	U	U	183995	GU070400M02601	GELC	
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Rad	EPA:901.1	Cesium-137		16.3	0.503333333	4.96	pCi/L	UI	R	132859	GU05030M02601	GELC	
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Cesium-137		-1.03	0.183333333	1.78	pCi/L	U	U	111877	GU04040M02601	GELC	
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	EPA:901.1	Cesium-137		-2.93	0.323	2.8	pCi/L	U	U	80925	GU03050W2601	GELC	
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Cobalt-60		-0.704	0.38	3.59	pCi/L	U	U	183995	GF070400M02601	GELC	
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Rad	EPA:901.1	Cobalt-60		-0.365	0.336666667	3.63	pCi/L	U	U	135649	GF05040P02601	GELC	

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Cobalt-60		-0.72	0.453333333	4.33		pCi/L	U	U	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Rad	EPA:901.1	Cobalt-60		0.42	0.255666667	2.76		pCi/L	U	U	132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Cobalt-60		0.891	0.208	2.39		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	EPA:901.1	Cobalt-60		0.799	0.259	3.21		pCi/L	U	U	80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	EPA:900	Gross alpha		0.523	0.164	1.67		pCi/L	U	U	183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Rad	EPA:900	Gross alpha		4.62	0.257666667	2.06		pCi/L		J	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	EPA:900	Gross alpha		2.74	0.314666667	2.28		pCi/L		J	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Rad	EPA:900	Gross alpha		0.357	0.136	1.65		pCi/L	U	U	132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	EPA:900	Gross alpha		-0.138	0.134333333	1.74		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	EPA:900	Gross alpha		2.32	0.146666667	1.15		pCi/L		J	80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	EPA:900	Gross beta		5.6	0.363333333	2.93		pCi/L		J	183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Rad	EPA:900	Gross beta		5.86	0.249333333	2.35		pCi/L		J	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	EPA:900	Gross beta		5.27	0.346666667	2.78		pCi/L		J	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Rad	EPA:900	Gross beta		3.16	0.165666667	1.56		pCi/L		J	132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	EPA:900	Gross beta		1.58	0.168333333	1.87		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	EPA:900	Gross beta		7.12	0.137666667	0.858		pCi/L			80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Neptunium-237		-3.91	2.52	20.3		pCi/L	U	U	183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Rad	EPA:901.1	Neptunium-237		1.69	2.6	26.8		pCi/L	U	U	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Neptunium-237		-3.04	1.93	17.3		pCi/L	U	U	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Rad	EPA:901.1	Neptunium-237		-2.65	2.066666667	18.1		pCi/L	U	U	132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Neptunium-237		0.26	1.343333333	14.2		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	EPA:901.1	Neptunium-237		1.14	2.533333333	25.7		pCi/L	U	U	80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00428	0.00303	0.022		pCi/L	U	U	183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00409	0.005933333	0.042		pCi/L	U	U	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.004	0.001633333	0.0205		pCi/L	U	U	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00628	0.002096667	0.065		pCi/L	U	U	132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Plutonium-238		0.0418	0.003833333	0.031		pCi/L		J	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	Alpha-Spec	Plutonium-238		-0.0126	0.0058	0.193		pCi/L	U	U	80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	DUP		Rad	Alpha-Spec	Plutonium-238		-0.0086	0.002866667	0.212		pCi/L	U		80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00428	0.002256667	0.0318		pCi/L	U	U	183995	GF070400M02601	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.0123	0.004533333	0.036		pCi/L	U	U	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.012	0.001643333	0.0297		pCi/L	U	U	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.00628	0.002096667	0.055		pCi/L	U	U	132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Plutonium-239/Plutonium-240		0.00199	0.001986667	0.032		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	Alpha-Spec	Plutonium-239/Plutonium-240		-0.00347	0.009633333	0.211		pCi/L	U	U	80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	DUP		Rad	Alpha-Spec	Plutonium-239/Plutonium-240		-0.031	0.007533333	0.232		pCi/L	U		80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Potassium-40		-19	6.766666667	47.6		pCi/L	U	U	183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Rad	EPA:901.1	Potassium-40		1	6.833333333	32.9		pCi/L	U	U	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Potassium-40		46.3	8.366666667	31.7		pCi/L	UI	R	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Rad	EPA:901.1	Potassium-40		23.6	6.566666667	29.9		pCi/L	U	U	132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Potassium-40		9.74	4.166666667	18.8		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	EPA:901.1	Potassium-40		29.1	3.8	47.1		pCi/L	U	U	80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	EPA:903.1	Radium-226		0.264	0.049	0.475		pCi/L	U	U	183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Rad	EPA:903.1	Radium-226		0.277	0.047333333	0.44		pCi/L	U	U	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	CS		Rad	EPA:903.1	Radium-226		0.282	0.057333333	0.568		pCi/L	U	U	46793	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	CS		Rad	EPA:901.1	Radium-226		1.69	1.06	6.04		pCi/L	U	U	46793	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	DUP		Rad	EPA:901.1	Radium-226		9.42	1.2	11.2		pCi/L	U		46793	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	EPA:903.1	Radium-226		0.464	0.052333333	0.441		pCi/L		J	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	EPA:903.1	Radium-226		0.277	0.051666667	0.488		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Radium-226		4.71	0.686666667	3.78		pCi/L		J	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	EPA:903.1	Radium-226		0.186	0.044	0.438		pCi/L	U	U	80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	EPA:901.1	Radium-226		1.17	0.823333333	7.7		pCi/L	U	U	80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	DUP		Rad	EPA:903.1	Radium-226		0.287	0.036	0.281		pCi/L			80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	CS		Rad	EPA:901.1	Radium-226		11	1.826666667	11.8		pCi/L	U	U	46793	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	CS		Rad	EPA:903.1	Radium-226		7.09	0.294	0.756		pCi/L			46793	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	DUP		Rad	EPA:901.1	Radium-226		13.5	1.55	17.8		pCi/L	U		46793	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Sodium-22		-1.03	0.373333333	3.51		pCi/L	U	U	183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Rad	EPA:901.1	Sodium-22		-0.507	0.311666667	3.34		pCi/L	U	U	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Sodium-22		0.697	0.4	4.02		pCi/L	U	U	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Rad	EPA:901.1	Sodium-22		1.07	0.155	2.45		pCi/L	U	U	132859	GU05030M02601	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Sodium-22		-1.03	0.200333333	1.98		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	EPA:901.1	Sodium-22		-0.543	0.294666667	3.17		pCi/L	U	U	80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	EPA:905.0	Strontium-90		-0.159	0.02	0.304		pCi/L	U	U	183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Rad	EPA:905.0	Strontium-90		0.172	0.039	0.387		pCi/L	U	U	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	EPA:905.0	Strontium-90		0.0621	0.035	0.377		pCi/L	U	U	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Rad	EPA:905.0	Strontium-90		0.22	0.043333333	0.427		pCi/L	U	U	132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	GFPC	Strontium-90		0.166	0.0236	0.265		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	GFPC	Strontium-90		0.592	0.035	0.149		pCi/L			80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOTH	Thorium-228		0.0322	0.0152	0.297		pCi/L	U	U	183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	CS		Rad	Alpha-Spec	Thorium-228		0.032	0.004466667	0.039		pCi/L	U	U	46793	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	DUP		Rad	Alpha-Spec	Thorium-228		0.0469	0.003966667	0.0264		pCi/L			46453	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	04/18/01	WM	F	CS		Rad	Alpha-Spec	Thorium-228		0.0099	0.008	0.0856		pCi/L	U	U	40970	GF01041E026	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOTH	Thorium-228		0.168	0.018566667	0.291		pCi/L	U	U	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Thorium-228		0.0198	0.007533333	0.117		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	Alpha-Spec	Thorium-228		0.919	0.022933333	0.062		pCi/L		J-	80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	CS		Rad	Alpha-Spec	Thorium-228		5.23	0.146	0.0689		pCi/L			46793	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	04/18/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-228		0.0104	0.002746667	0.028		pCi/L	U	U	40970	GU01041E026	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOTH	Thorium-230		0.104	0.01	0.552		pCi/L	U	U	183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	CS		Rad	Alpha-Spec	Thorium-230		0.0214	0.0031	0.0255		pCi/L	U	U	46793	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	DUP		Rad	Alpha-Spec	Thorium-230		0.0467	0.003433333	0.0143		pCi/L			46453	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	04/18/01	WM	F	CS		Rad	Alpha-Spec	Thorium-230		0.0452	0.0044	0.0237		pCi/L		J	40970	GF01041E026	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOTH	Thorium-230		0.0874	0.011266667	0.539		pCi/L	U	U	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Thorium-230		0.084	0.006566667	0.216		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	Alpha-Spec	Thorium-230		0.632	0.016466667	0.097		pCi/L		J-	80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	CS		Rad	Alpha-Spec	Thorium-230		3.78	0.11	0.0245		pCi/L			46793	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	04/18/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-230		0.0614	0.004333333	0.00693		pCi/L		J+	40970	GU01041E026	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOTH	Thorium-232		0.0359	0.0064	0.137		pCi/L	U	U	183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	CS		Rad	Alpha-Spec	Thorium-232		0.0142	0.00226	0.0175		pCi/L	U	U	46793	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	F	DUP		Rad	Alpha-Spec	Thorium-232		0.0369	0.002926667	0.00526		pCi/L			46453	GF01083E026	GELC
Los Alamos below Ice Rink	-	-	04/18/01	WM	F	CS		Rad	Alpha-Spec	Thorium-232		0.0129	0.00265	0.0237		pCi/L	U	U	40970	GF01041E026	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOTH	Thorium-232		0.0492	0.011766667	0.134		pCi/L	U	U	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Thorium-232		0.0564	0.005	0.054		pCi/L		J	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	Alpha-Spec	Thorium-232		0.709	0.018	0.028		pCi/L		J-	80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	08/01/01	WS	UF	CS		Rad	Alpha-Spec	Thorium-232		4.54	0.128333333	0.0245		pCi/L			46793	GU01083E026	GELC
Los Alamos below Ice Rink	-	-	04/18/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-232		0.00511	0.001706667	0.0188		pCi/L	U	U	40970	GU01041E026	GELC
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS	FD	Rad	LLEE	Tritium		66.7337	0.745033333	0.28737		pCi/L			2328	UU070400P02620	UMTL
Los Alamos below Ice Rink	-	-	04/16/07	WS	UF	CS		Rad	LLEE	Tritium		67.3723	0.745033333	0.28737		pCi/L			2328	UU070400P02601	UMTL
Los Alamos below Ice Rink	-	-	03/06/07	WM	UF	CS		Rad	EPA:906.0	Tritium		155	19.8	193		pCi/L	U	U	182047	GU070300M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	UF	CS		Rad	EPA:906.0	Tritium		194	20.13333333	189		pCi/L		U	135649	GU05040P02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Rad	EPA:906.0	Tritium		50.3	24.06666667	243		pCi/L	U	U	132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	EPA:906.0	Tritium		128	17.43333333	161		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.122	0.013233333	0.239		pCi/L	U	U	183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.666	0.015966667	0.06		pCi/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.191	0.0145	0.218		pCi/L	U	U	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.0221	0.004566667	0.075		pCi/L	U	U	132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Uranium-234		0.0513	0.0048	0.082		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	Alpha-Spec	Uranium-234		0.143	0.014333333	0.084		pCi/L		J	80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0432	0.007233333	0.152		pCi/L	U	U	183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.106	0.005333333	0.036		pCi/L		J	135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0197	0.006566667	0.138		pCi/L	U	U	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.00986	0.00285	0.046		pCi/L	U	U	132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Uranium-235/Uranium-236		0.0162	0.003633333	0.05		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	Alpha-Spec	Uranium-235/Uranium-236		-0.0102	0.0039	0.035		pCi/L	U	U	80925	GU03050W2601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.0437	0.007766667	0.182		pCi/L	U	U	183995	GF070400M02601	GELC
Los Alamos below Ice Rink	-	-	04/29/05	WM	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.639	0.015466667	0.042		pCi/L			135649	GF05040P02601	GELC
Los Alamos below Ice Rink	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.0876	0.011066667	0.166		pCi/L	U	U	183995	GU070400M02601	GELC
Los Alamos below Ice Rink	-	-	03/18/05	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.0418	0.004	0.053		pCi/L	U	U	132859	GU05030M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Uranium-238		83.7	10.7	98.1		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Uranium-238		0.027	0.003866667	0.058		pCi/L	U	U	111877	GU04040M02601	GELC
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	EPA:901.1	Uranium-238		8.48	20.36666667	169		pCi/L	U	U	80925	GU03050W2601	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below Ice Rink	-	-	05/21/03	WS	UF	CS		Rad	Alpha-Spec	Uranium-238		0.1	0.0115	0.041		pCi/L		J	80925	GU03050W2601	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		57.7			0.725	mg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		31.9			1.45	mg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		41.2			0.725	mg/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		42.2			1.45	mg/L			40970	GF01042E050	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		50.7			1.45	mg/L			133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		0.07			0.03	mg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.0235			0.0235	mg/L	U		41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.0235			0.0235	mg/L	U		40970	GU01042E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen	<	0.0235			0.0235	mg/L	U		40342	GU01041E050	GELC
Los Alamos below LA Weir	-	-	03/21/01	WM	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		0.03			0.0235	mg/L	J		39639	GU01032E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	EPA:300.0	Bromide		0.257			0.066	mg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	EPA:300.0	Bromide	<	0.041			0.041	mg/L	U		135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	SW-846:6010B	Calcium		17.6			0.036	mg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Calcium		17.2			0.036	mg/L			184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	EPA:200.7	Calcium		14.1			0.036	mg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Geninorg	EPA:200.7	Calcium		25			0.00823	mg/L		J	111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Geninorg	EPA:200.7	Calcium		14			0.0355	mg/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Geninorg	SW-846:6010B	Calcium		17.4			0.036	mg/L			184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Calcium		17.2			0.036	mg/L			184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Geninorg	EPA:200.7	Calcium		14.4			0.036	mg/L			135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Geninorg	EPA:200.7	Calcium		21.7			0.00823	mg/L			133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Geninorg	EPA:200.7	Calcium		26.5			0.00823	mg/L			111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	EPA:300.0	Chloride		41.2			0.33	mg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	EPA:300.0	Chloride		27.9			0.265	mg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Geninorg	EPA:300.0	Chloride		24.5			0.025	mg/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	F	CS		Geninorg	EPA:300.0	Chloride		21.1			0.025	mg/L			40970	GF01042E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	F	CS		Geninorg	EPA:300.0	Chloride		21.1			0.05	mg/L			40342	GF01041E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	EPA:300.0	Fluoride		0.256			0.033	mg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	EPA:300.0	Fluoride		0.189			0.03	mg/L		J+	135525	GF05040P05001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	SM:A2340B	Hardness		61.8			0.44	mg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Geninorg	SM:A2340B	Hardness		60			0.44	mg/L			184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	SM:A2340B	Hardness		51.1			0.085	mg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Geninorg	EPA:200.7	Hardness		86.9			0.00823	mg/L			111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Geninorg	EPA:200.7	Hardness		50.5			0.112	mg/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Geninorg	SM:A2340B	Hardness		61.4			0.44	mg/L			184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Geninorg	SM:A2340B	Hardness		60.7			0.44	mg/L			184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Geninorg	SM:A2340B	Hardness		52.5			0.085	mg/L			135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Geninorg	SM:A2340B	Hardness		77			0.00823	mg/L			133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Geninorg	EPA:200.7	Hardness		92.2			0.00823	mg/L			111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	SW-846:6010B	Magnesium		4.32			0.085	mg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Magnesium		4.15			0.085	mg/L			184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	EPA:200.7	Magnesium		3.85			0.085	mg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Geninorg	EPA:200.7	Magnesium		5.92			0.00332	mg/L		J	111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Geninorg	EPA:200.7	Magnesium		3.78			0.00453	mg/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.34			0.085	mg/L			184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		4.3			0.085	mg/L			184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		4.01			0.085	mg/L			135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		5.56			0.00332	mg/L			133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		6.33			0.00332	mg/L			111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		3.95			0.00453	mg/L			41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.133			0.01	mg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.461			0.003	mg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.47			0.0069	mg/L			41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.83			0.0069	mg/L			40970	GU01042E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.24			0.0069	mg/L			40342	GU01041E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	SW-846:6850	Perchlorate		0.233			0.05	µg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	SW846 6850	Perchlorate		0.389			0.05	µg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		133022	GU05030M05001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Geninorg	SW846 6850	Perchlorate		0.3			0.05	µg/L		J+	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	3.42			0.958	µg/L	J	U	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	0.801			0.801	µg/L	U		40970	GU01042E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	SW-846:6010B	Potassium		4.17			0.05	mg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Potassium		4.45			0.05	mg/L			184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	EPA:200.7	Potassium		3.24			0.05	mg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Geninorg	EPA:200.7	Potassium		4.56			0.0372	mg/L			111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Geninorg	EPA:200.7	Potassium		3.38			0.0107	mg/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Geninorg	SW-846:6010B	Potassium		4.2			0.05	mg/L			184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Potassium		4.68			0.05	mg/L			184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Geninorg	EPA:200.7	Potassium		3.43			0.05	mg/L			135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Geninorg	EPA:200.7	Potassium		4.32			0.0372	mg/L			133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Geninorg	EPA:200.7	Potassium		4.97			0.0372	mg/L			111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		37.2			0.032	mg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	EPA:200.7	Silicon Dioxide		31.6			0.032	mg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Geninorg	EPA:200.7	Silicon Dioxide		34.1			0.0122	mg/L		J	111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Geninorg	EPA:200.7	Silicon Dioxide		36.6			0.032	mg/L			135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Geninorg	EPA:200.7	Silicon Dioxide		39			0.0122	mg/L			111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	SW-846:6010B	Sodium		32.6			0.045	mg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Geninorg	EPA:200.7	Sodium		29.1			0.045	mg/L			184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	EPA:200.7	Sodium		19.6			0.045	mg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Geninorg	EPA:200.7	Sodium		39			0.02	mg/L			111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Geninorg	EPA:200.7	Sodium		16.4			0.00773	mg/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Geninorg	SW-846:6010B	Sodium		32.5			0.045	mg/L		J	184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:200.7	Sodium		29.1			0.045	mg/L			184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Geninorg	EPA:200.7	Sodium		20.1			0.045	mg/L			135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Geninorg	EPA:200.7	Sodium		40			0.02	mg/L			133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Geninorg	EPA:200.7	Sodium		40.5			0.02	mg/L			111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	EPA:120.1	Specific Conductance		301			1	µS/cm			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Geninorg	EPA:120.1	Specific Conductance		147			1	µS/cm			41784	GU01051E050	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below LA Weir	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:120.1	Specific Conductance		194			1	µS/cm			40970	GU01042E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	UF	CS		Geninorg	EPA:120.1	Specific Conductance		149			1	µS/cm			40342	GU01041E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	EPA:300.0	Sulfate		12.4			0.1	mg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	EPA:300.0	Sulfate		14			0.057	mg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Geninorg	EPA:300.0	Sulfate		11.1			0.062	mg/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	F	CS		Geninorg	EPA:300.0	Sulfate		12.7			0.062	mg/L			40970	GF01042E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	F	CS		Geninorg	EPA:300.0	Sulfate		16.1			0.062	mg/L			40342	GF01041E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		23			1.14	mg/L			184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		26.8			1.14	mg/L			184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		58			2.28	mg/L			135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		10			1.91	mg/L	J		133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	RE		Geninorg	EPA:160.2	Suspended Sediment Concentration		10.5			1.91	mg/L	J		133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	REDP		Geninorg	EPA:160.2	Suspended Sediment Concentration		10			1.91	mg/L	J		133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		182			2.38	mg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		185			2.38	mg/L			184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		156			2.38	mg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		141			5.09	mg/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		143			5.09	mg/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		148			5.09	mg/L			40970	GF01042E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		151			5.09	mg/L			40970	GF01042E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		152			5.09	mg/L			40342	GF01041E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		158			5.09	mg/L			40342	GF01041E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		158			5.09	mg/L			40342	GF01041E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.324			0.029	mg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.104			0.01	mg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.336			0.029	mg/L			184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.29			0.0565	mg/L			41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.25			0.0565	mg/L			40970	GU01042E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.66			0.0565	mg/L			40342	GU01041E050	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		6.44			0.074	mg/L			135525	GF05040P05001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below LA Weir	-	-	03/22/05	WM	F	CS		Geninorg	EPA:415.1	Total Organic Carbon		6.8			0.074	mg/L			133022	GF05030M05001	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		6.06			0.33	mg/L			184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Geninorg	EPA:150.1	pH		7.07			0.01	SU	H	J	184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Geninorg	EPA:150.1	pH		7.23				SU	H	J	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Geninorg	SW-846:9040B	pH		7.83			0.01	SU		J	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	F	CS		Geninorg	SW-846:9040B	pH		7.69			0.01	SU			40970	GF01042E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Metals	SW-846:6010B	Aluminum		436			68	µg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Aluminum		179			68	µg/L	J		184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Aluminum		384			68	µg/L	N		135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Aluminum		106			14.4	µg/L		J-	111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Aluminum		991			34.3	µg/L	E		41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Metals	SW-846:6010B	Aluminum		1490			68	µg/L			184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Aluminum		1780			68	µg/L			184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Aluminum		1620			68	µg/L	N	J+	135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Metals	EPA:200.7	Aluminum		970			14.4	µg/L			133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Aluminum		1140			14.4	µg/L			111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Aluminum		2060			34.3	µg/L	E		41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Arsenic	<	6			6	µg/L	U		184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Arsenic	<	6			6	µg/L	U		135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Arsenic	<	1.67			1.67	µg/L	U	UJ	111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Metals	SW-846:6020	Arsenic		2.9			1.5	µg/L	J		184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Arsenic	<	6			6	µg/L	U		184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Arsenic	<	6			6	µg/L	U		135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Metals	EPA:200.7	Arsenic		2.6			1.67	µg/L	J		133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Arsenic		1.82			1.67	µg/L	B	JN-	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Metals	SW-846:6010B	Barium		51.2			1	µg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Barium		51.3			1	µg/L			184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Barium		36.6			1	µg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Barium		63.7			0.301	µg/L		J	111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Barium		42			0.451	µg/L			41784	GF01051E050	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Metals	SW-846:6010B	Barium		57.4			1	µg/L			184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Barium		61			1	µg/L			184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Barium		52.4			1	µg/L			135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Metals	EPA:200.7	Barium		62.2			0.301	µg/L			133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Barium		75.9			0.301	µg/L			111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Barium		54.8			0.451	µg/L			41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Metals	SW-846:6010B	Boron		16.5			10	µg/L	J		184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Boron	<	10			10	µg/L	U		135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Boron		15.7			1.39	µg/L	B	J-	111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Boron		30.6			1.76	µg/L	B		41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Boron		16			1.76	µg/L	B		40970	GF01042E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Metals	SW-846:6010B	Boron		15.5			10	µg/L	J		184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Boron	<	10			10	µg/L	U		135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Boron		11.2			1.39	µg/L	B	J-	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Boron		23.8			1.76	µg/L	B		41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Boron		7.94			1.76	µg/L	B		40970	GU01042E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Metals	SW-846:6020	Chromium		1.2			1	µg/L	J		184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Metals	EPA:200.8	Chromium	<	1			1	µg/L	U		184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Chromium	<	1.5			1	µg/L	J	U	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Chromium		1.68			1.43	µg/L	B		111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Chromium	<	0.73			1.47	µg/L	B	U	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Metals	SW-846:6020	Chromium		1.8			1	µg/L	J		184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.8	Chromium		1.8			1	µg/L	J		184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Chromium	<	1.7			1	µg/L	J	U	135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Metals	EPA:200.7	Chromium		5.5			1.43	µg/L			133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Chromium		2.56			1.43	µg/L	B		111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Chromium	<	1.81			1.47	µg/L	B	U	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Copper	<	3			3	µg/L	U		184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Copper	<	3			3	µg/L	U		135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Copper	<	1.8			1.8	µg/L	U	UJ	111877	GF04040M05001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Copper	<	1.22			1.93	µg/L	U	UJ	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Metals	SW-846:6010B	Copper		3.1			3	µg/L	J		184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Copper		3			3	µg/L	J		184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Copper	<	3			3	µg/L	U		135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Metals	EPA:200.7	Copper	<	1.8			1.8	µg/L	U		133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Copper	<	1.8			1.8	µg/L	U	UJ	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Copper	<	1.22			1.93	µg/L	U	UJ	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Metals	SW-846:6010B	Iron		210			18	µg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Iron		95.5			18	µg/L	J		184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Iron		172			18	µg/L	N*		135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Iron		49.2			14.9	µg/L	B		111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Iron		401			4.6	µg/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Metals	SW-846:6010B	Iron		803			18	µg/L			184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Iron		1000			18	µg/L			184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Iron		885			18	µg/L	N*	J+	135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Metals	EPA:200.7	Iron		540			14.9	µg/L			133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Iron		604			14.9	µg/L			111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Iron		1000			4.6	µg/L			41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Metals	SW-846:6020	Lead		0.53			0.5	µg/L	J		184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Metals	EPA:200.8	Lead	<	0.5			0.5	µg/L	U		184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Metals	EPA:200.8	Lead	<	0.5			0.5	µg/L	U		135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Metals	EPA:200.8	Lead		0.12			0.05	µg/L	B		111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Metals	EPA:200.8	Lead	<	0.037			0.077	µg/L	U	UJ	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Metals	SW-846:6020	Lead		2.1			0.5	µg/L			184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.8	Lead		2.9			0.5	µg/L			184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.8	Lead		3.1			0.5	µg/L			135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Metals	EPA:200.8	Lead		0.93			0.5	µg/L	J		133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.8	Lead		1.3			0.05	µg/L	B		111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.8	Lead		1.68			0.077	µg/L	B	J	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Metals	SW-846:6010B	Manganese		110			2	µg/L			184210	GF070400P05001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Manganese		100			2	µg/L			184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Manganese		15.7			2	µg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Manganese		87			0.304	µg/L			111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Manganese		9.95			1.2	µg/L	B		41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Metals	SW-846:6010B	Manganese		137			2	µg/L			184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Manganese		139			2	µg/L			184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Manganese		80.7			2	µg/L			135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Metals	EPA:200.7	Manganese		32.3			0.304	µg/L			133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Manganese		129			0.304	µg/L			111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Manganese		75.7			1.2	µg/L			41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Metals	SW-846:6010B	Molybdenum		20.6			2	µg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Molybdenum		19.7			2	µg/L			184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Molybdenum		8			2	µg/L	J		135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Molybdenum		55.9			0.948	µg/L			111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Molybdenum		12.9			1.66	µg/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Metals	SW-846:6010B	Molybdenum		19.2			2	µg/L			184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Molybdenum		18.7			2	µg/L			184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Molybdenum		8			2	µg/L	J		135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Metals	EPA:200.7	Molybdenum		18.4			0.948	µg/L			133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Molybdenum		57			0.948	µg/L			111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Molybdenum		12.4			1.66	µg/L			41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Metals	SW-846:6020	Nickel		1			0.5	µg/L	J		184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Metals	EPA:200.8	Nickel		0.87			0.5	µg/L	J		184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Nickel	<	2.4			1	µg/L	J	U	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Nickel	<	3.6			3.6	µg/L	U		111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Nickel		1.71			1.2	µg/L	B	J	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Metals	SW-846:6020	Nickel		1.5			0.5	µg/L	J		184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.8	Nickel		1.7			0.5	µg/L	J		184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Nickel	<	2.2			1	µg/L	J	U	135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Metals	EPA:200.8	Nickel		1.1			0.5	µg/L	J		133022	GU05030M05001	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Nickel	<	3.6			3.6	µg/L	U		111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Nickel		3.02			1.2	µg/L	B	J	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Metals	SW-846:6010B	Strontium		107			1	µg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Strontium		94.6			1	µg/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Strontium		158			0.238	µg/L		J	111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Strontium		101			0.185	µg/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	F	CS		Metals	EPA:200.7	Strontium		98.3			0.185	µg/L			40970	GF01042E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Metals	SW-846:6010B	Strontium		107			1	µg/L			184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Strontium		97.7			1	µg/L			135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Strontium		167			0.238	µg/L			111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Strontium		105			0.185	µg/L			41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	UF	CS		Metals	EPA:200.7	Strontium		99.7			0.185	µg/L			40970	GU01042E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Metals	SW-846:6010B	Vanadium		1.1			1	µg/L	J	J+, JN-	184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Vanadium		1.8			1	µg/L	J		184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Vanadium	<	1.6			1	µg/L	J	U	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Vanadium		1.34			0.732	µg/L	B		111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Vanadium	<	1.68			1.04	µg/L	B	U	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Metals	SW-846:6010B	Vanadium		1.8			1	µg/L	J	JN-, J+	184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Vanadium		2.8			1	µg/L	J		184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Vanadium	<	2.7			1	µg/L	J	U	135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Metals	EPA:200.7	Vanadium	<	0.732			0.732	µg/L	U	UJ	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Vanadium		1.73			0.732	µg/L	B		111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Vanadium	<	2.89			1.04	µg/L	B	U	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	F	CS		Metals	SW-846:6010B	Zinc		77.7			2	µg/L			184210	GF070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Metals	EPA:200.7	Zinc		67.7			2	µg/L			184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Metals	EPA:200.7	Zinc		5.8			2	µg/L	J		135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	F	CS		Metals	EPA:200.7	Zinc		21.6			0.406	µg/L			111877	GF04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Metals	EPA:200.7	Zinc		5.38			3.34	µg/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Metals	SW-846:6010B	Zinc		85.6			2	µg/L			184210	GU070400P05001	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Metals	EPA:200.7	Zinc		88.4			2	µg/L			184109	GU070400M05001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Metals	EPA:200.7	Zinc		15.7			2	µg/L			135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Metals	EPA:200.7	Zinc		19.3			0.406	µg/L			133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Metals	EPA:200.7	Zinc		30.5			0.406	µg/L			111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Metals	EPA:200.7	Zinc		10.7			3.34	µg/L			41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	HASL-300:AM-241	Americium-241		0.0172	0.00274	0.0493		pCi/L	U	U	184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Rad	HASL-300:AM-241	Americium-241		0.00751	0.002213333	0.04		pCi/L	U	U	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Americium-241		-7.1	1.696666667	14.4		pCi/L	U	U	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Americium-241		0.0437	0.008466667	0.0395		pCi/L		J	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	DUP		Rad	Alpha-Spec	Americium-241		0.0146	0.0084	0.107		pCi/L	U	J	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.0391	0.003256667	0.0466		pCi/L	U	U	184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.0151	0.002796667	0.034		pCi/L	U	U	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Americium-241		-12.6	1.72	16.5		pCi/L	U	U	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Americium-241		0.0264	0.002383333	0.033		pCi/L	U	U	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Americium-241		0.0142	0.00239	0.00964		pCi/L		J	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Americium-241		3.78	2.456666667	25.1		pCi/L	U	U	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Cesium-137		0.446	0.393333333	3.91		pCi/L	U	U	184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Rad	EPA:901.1	Cesium-137		0.339	0.294	3.19		pCi/L	U	U	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Cesium-137		0.872	0.526666667	3.24		pCi/L	U	U	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Cesium-137		1.27	0.386666667	3.97		pCi/L	U	U	184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Rad	EPA:901.1	Cesium-137		0.107	0.299666667	3.28		pCi/L	U	U	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Cesium-137		4.42	1.543333333	4.9		pCi/L	U	U	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Cesium-137		1	0.37	3.86		pCi/L	U	U	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Cobalt-60		3.08	0.55	4.38		pCi/L	U	U	184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Rad	EPA:901.1	Cobalt-60		0.819	0.332666667	3.5		pCi/L	U	U	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Cobalt-60		-0.651	0.353333333	3.63		pCi/L	U	U	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Cobalt-60		1.63	0.423333333	4.4		pCi/L	U	U	184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Rad	EPA:901.1	Cobalt-60		0.765	0.322	3.86		pCi/L	U	U	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Cobalt-60		-1.12	0.513333333	5.22		pCi/L	U	U	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Cobalt-60		0.449	0.42	4.51		pCi/L	U	U	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	EPA:900	Gross alpha		1.29	0.244	2.2		pCi/L	U	U	184109	GF070400M05001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Rad	EPA:900	Gross alpha		1.35	0.194333333	1.91		pCi/L	U	U	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	EPA:900	Gross alpha		0.854	0.202333333	1.54		pCi/L	U	U	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	EPA:900	Gross alpha		4.4	0.423333333	1.92		pCi/L		J	184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Rad	EPA:900	Gross alpha		0.205	0.11	1.31		pCi/L	U	U	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	EPA:900	Gross alpha		-0.0526	0.155333333	2.06		pCi/L	U	U	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	EPA:900	Gross alpha		1.61	0.316	2.74		pCi/L	U	U	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	EPA:900	Gross beta		9.61	0.426666667	2.94		pCi/L			184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Rad	EPA:900	Gross beta		3.28	0.178666667	1.69		pCi/L		J	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	EPA:900	Gross beta		4.14	0.36	2.85		pCi/L		J	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	EPA:900	Gross beta		13.4	0.453333333	2.78		pCi/L			184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Rad	EPA:900	Gross beta		9.27	0.202	1.37		pCi/L		J	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	EPA:900	Gross beta		8.64	0.2	1.32		pCi/L			111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	EPA:900	Gross beta		6.22	0.343333333	2.85		pCi/L		J	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Neptunium-237		6.49	3.073333333	26.8		pCi/L	U	U	184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Rad	EPA:901.1	Neptunium-237		1.35	3.07	22.1		pCi/L	U	U	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Neptunium-237		9.84	1.89	20.2		pCi/L	U	U	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Neptunium-237		5.32	2.643333333	25.2		pCi/L	U	U	184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Rad	EPA:901.1	Neptunium-237		16.1	4.033333333	21.6		pCi/L	U	U	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Neptunium-237		-17.8	2.986666667	28		pCi/L	U	U	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Neptunium-237		-5.2	2.616666667	25.9		pCi/L	U	U	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00193	0.001703333	0.0198		pCi/L	U	U	184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.0196	0.00273	0.037		pCi/L	U	U	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Plutonium-238		0.011	0.0026	0.0149		pCi/L	U	U	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0	0.00213	0.0248		pCi/L	U	U	184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00986	0.006466667	0.051		pCi/L	U	U	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Plutonium-238		0.0112	0.001983333	0.035		pCi/L	U	U	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Plutonium-238		0.00957	0.001996667	0.0209		pCi/L	U	U	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0	0.001286667	0.0286		pCi/L	U	U	184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00712	0.00168	0.031		pCi/L	U	U	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Plutonium-239/Plutonium-240		0.00203	0.002166667	0.0405		pCi/L	U	U	41784	GF01051E050	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.0972	0.0046	0.0291		pCi/L			184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.00246	0.005133333	0.043		pCi/L	U	U	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Plutonium-239/Plutonium-240		0.0224	0.00281	0.036		pCi/L	U	U	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Plutonium-239/Plutonium-240		0.0352	0.003533333	0.0209		pCi/L		J	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Potassium-40		-32.3	7.933333333	53.7		pCi/L	U	U	184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Rad	EPA:901.1	Potassium-40		20.5	3.866666667	45.7		pCi/L	U	U	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Potassium-40		18.2	6.4	35.2		pCi/L	U	U	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Potassium-40		25.4	9.9	32.1		pCi/L	U	U	184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Rad	EPA:901.1	Potassium-40		1.79	6	41.7		pCi/L	U	U	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Potassium-40		21.8	11.46666667	58.7		pCi/L	U	U	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Potassium-40		0	4.733333333	55.6		pCi/L	U	R	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	EPA:903.1	Radium-226		0.359	0.040333333	0.316		pCi/L		J	184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Rad	EPA:903.1	Radium-226		0.456	0.053666667	0.385		pCi/L		J	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Radium-226		0.0281	1.363333333	6.04		pCi/L	U	U	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	EPA:903.1	Radium-226		0.426	0.049	0.394		pCi/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	F	CS		Rad	EPA:903.1	Radium-226		0.18	0.031066667	0.264		pCi/L	U	U	40970	GF01042E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	F	CS		Rad	EPA:901.1	Radium-226		0	1.013333333	6.62		pCi/L	U	R	40970	GF01042E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	EPA:903.1	Radium-226		0.524	0.049333333	0.385		pCi/L		J	184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Radium-226		0.0847	1.583333333	10.4		pCi/L	U	U	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	EPA:903.1	Radium-226		0.542	0.050666667	0.315		pCi/L		J	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Radium-226		3.82	1.403333333	7.12		pCi/L	U	U	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	EPA:903.1	Radium-226		0.775	0.06	0.117		pCi/L			41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	UF	CS		Rad	EPA:901.1	Radium-226		0.604	0.956666667	7.7		pCi/L	U	U	40970	GU01042E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	UF	CS		Rad	EPA:903.1	Radium-226		0.351	0.057333333	0.526		pCi/L	U	U	40970	GU01042E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	EPA:901.1	Sodium-22		4.11	0.45	4.54		pCi/L	U	U	184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Rad	EPA:901.1	Sodium-22		-0.667	0.248	2.61		pCi/L	U	U	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Sodium-22		-0.988	0.328666667	3.35		pCi/L	U	U	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	EPA:901.1	Sodium-22		-0.136	0.436666667	3.67		pCi/L	U	U	184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Rad	EPA:901.1	Sodium-22		0.874	0.323	3.88		pCi/L	U	U	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Sodium-22		0.326	0.456666667	4.91		pCi/L	U	U	111877	GU04040M05001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Sodium-22		-0.647	0.363333333	3.76		pCi/L	U	U	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	EPA:905.0	Strontium-90		2.02	0.073666667	0.385		pCi/L			184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Rad	EPA:905.0	Strontium-90		0.874	0.0311	0.244		pCi/L			135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	EPA:905.0	Strontium-90		0.74	0.0244	0.197		pCi/L			41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	EPA:905.0	Strontium-90		1.98	0.071666667	0.381		pCi/L			184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Rad	EPA:905.0	Strontium-90		1.36	0.064	0.574		pCi/L		J	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	GFPC	Strontium-90		3.1	0.135			pCi/L			111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	EPA:905.0	Strontium-90		0.829	0.058666667	0.538		pCi/L		J	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOTH	Thorium-228		0.106	0.015766667	0.298		pCi/L	U	U	184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Thorium-228		0.0265	0.012566667	0.163		pCi/L	U	U	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	F	CS		Rad	Alpha-Spec	Thorium-228		0.0432	0.006866667	0.0639		pCi/L	U	U	40970	GF01042E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	F	CS		Rad	Alpha-Spec	Thorium-228		0.0192	0.0078	0.0819		pCi/L	U	U	40342	GF01041E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	F	DUP		Rad	Alpha-Spec	Thorium-228		0.0171	0.00303	0.0251		pCi/L	U		40342	GF01041E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOTH	Thorium-228		0.15	0.016333333	0.346		pCi/L	U	U	184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Thorium-228		0.0309	0.004466667	0.092		pCi/L	U	U	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	DUP		Rad	Alpha-Spec	Thorium-228		0.00327	0.004466667	0.088		pCi/L	U		111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-228		0.133	0.007966667	0.052		pCi/L		J	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-228		0.0817	0.0154	0.149		pCi/L	U	U	40970	GU01042E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-228		0.293	0.0139	0.0587		pCi/L			40342	GU01041E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOTH	Thorium-230		0.119	0.0126	0.553		pCi/L	U	U	184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Thorium-230		0.12	0.0098	0.0543		pCi/L		J	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	F	CS		Rad	Alpha-Spec	Thorium-230		0.0573	0.004966667	0.028		pCi/L		J	40970	GF01042E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	F	CS		Rad	Alpha-Spec	Thorium-230		0.0488	0.004966667	0.0276		pCi/L		J	40342	GF01041E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	F	DUP		Rad	Alpha-Spec	Thorium-230		0.0632	0.0057	0.0358		pCi/L			40342	GF01041E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOTH	Thorium-230		0.1	0.012033333	0.642		pCi/L	U	U	184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Thorium-230		0.067	0.004666667	0.17		pCi/L	U	U	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	DUP		Rad	Alpha-Spec	Thorium-230		0.0429	0.004	0.164		pCi/L	U		111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-230		0.0923	0.0057	0.00735		pCi/L			41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-230		0.121	0.008966667	0.0481		pCi/L		J	40970	GU01042E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-230		0.175	0.0096	0.028		pCi/L			40342	GU01041E050	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOTH	Thorium-232		4.29E-10	0.0034	0.137		pCi/L	U	U	184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Thorium-232		0.0483	0.006133333	0.043		pCi/L		J	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	F	CS		Rad	Alpha-Spec	Thorium-232		0.0121	0.002853333	0.028		pCi/L	U	U	40970	GF01042E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	F	CS		Rad	Alpha-Spec	Thorium-232		0	0.333333333	0.0276		pCi/L	U	U	40342	GF01041E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	F	DUP		Rad	Alpha-Spec	Thorium-232		0.00665	0.001573333	0.00901		pCi/L	U		40342	GF01041E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOTH	Thorium-232		0.0251	0.0074	0.159		pCi/L	U	U	184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Thorium-232		0.0155	0.00307	0.042		pCi/L	U	U	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	DUP		Rad	Alpha-Spec	Thorium-232		0.00641	0.00214	0.041		pCi/L	U		111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-232		0.0977	0.0059	0.00735		pCi/L			41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/18/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-232		0.0313	0.004533333	0.0329		pCi/L	U	U	40970	GU01042E050	GELC
Los Alamos below LA Weir	-	-	04/04/01	WM	UF	CS		Rad	Alpha-Spec	Thorium-232		0.255	0.011933333	0.028		pCi/L			40342	GU01041E050	GELC
Los Alamos below LA Weir	-	-	04/12/07	WP	UF	CS		Rad	LLEE	Tritium		74.3969	0.851466667	0.28737		pCi/L			2328	UU070400P05001	UMTL
Los Alamos below LA Weir	-	-	04/27/05	WM	UF	CS		Rad	EPA:906.0	Tritium		110	21.36666667	210		pCi/L	U	U	135525	GU05040P05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Rad	EPA:906.0	Tritium		47.1	22.06666667	222		pCi/L	U	U	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	EPA:906.0	Tritium		216	17.56666667	155		pCi/L		J	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	EPA:906.0	Tritium		-85.2	17.76666667	187		pCi/L	U	U	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.0855	0.0127	0.18		pCi/L	U	U	184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.0476	0.003466667	0.065		pCi/L	U	U	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Uranium-234		0.0624	0.007866667	0.0723		pCi/L	U	U	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.126	0.010933333	0.172		pCi/L	U	U	184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.0667	0.005366667	0.07		pCi/L	U	U	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Uranium-234		0.096	0.005766667	0.068		pCi/L		J	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Uranium-234		0.0955	0.006466667	0.00925		pCi/L			41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0406	0.0098	0.114		pCi/L	U	U	184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0195	0.002193333	0.04		pCi/L	U	U	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Uranium-235/Uranium-236		-0.012	0.00232	0.065		pCi/L	U	U	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0389	0.005833333	0.109		pCi/L	U	U	184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		-0.0115	0.00278	0.043		pCi/L	U	U	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Uranium-235/Uranium-236		0.0246	0.003293333	0.042		pCi/L	U	U	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Uranium-235/Uranium-236		0.0000684	0.002073333	0.0368		pCi/L	U	U	41784	GU01051E050	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Los Alamos below LA Weir	-	-	04/10/07	WM	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.0657	0.009866667	0.137		pCi/L	U	U	184109	GF070400M05001	GELC
Los Alamos below LA Weir	-	-	04/27/05	WM	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.0346	0.002936667	0.046		pCi/L	U	U	135525	GF05040P05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	Alpha-Spec	Uranium-238		0.0863	0.008166667	0.0443		pCi/L		J	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	F	CS		Rad	EPA:901.1	Uranium-238		48.7	21.8	109		pCi/L	U	U	41784	GF01051E050	GELC
Los Alamos below LA Weir	-	-	04/10/07	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.0944	0.008833333	0.131		pCi/L	U	U	184109	GU070400M05001	GELC
Los Alamos below LA Weir	-	-	03/22/05	WM	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.0529	0.004866667	0.05		pCi/L		J	133022	GU05030M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	EPA:901.1	Uranium-238		397	20.03333333	176		pCi/L	UI	R	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	04/28/04	WM	UF	CS		Rad	Alpha-Spec	Uranium-238		0.0424	0.003666667	0.048		pCi/L	U	U	111877	GU04040M05001	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	Alpha-Spec	Uranium-238		0.0433	0.0045	0.0317		pCi/L		J	41784	GU01051E050	GELC
Los Alamos below LA Weir	-	-	05/02/01	WM	UF	CS		Rad	EPA:901.1	Uranium-238		176	20.8	210		pCi/L	U	U	41784	GU01051E050	GELC
PAO-1	5561	5.89	04/23/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		71.9			0.725	mg/L			184854	GF07040G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		91.6			0.725	mg/L			169145	GF06070G1OAP01	GELC
PAO-1	5561	5.89	05/12/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		80.4			1.45	mg/L			136564	GF0505G1OAP01	GELC
PAO-1	5561	5.89	05/28/02	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		82.5			0.73	mg/L		NQ	831S	CAPU-02-45061	GEL
PAO-1	5561	5.89	10/30/01	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		289			0.73	mg/L		NQ	118S	CAPU-01-0199	GEL
PAO-1	5561	5.89	08/10/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		92.2			0.725	mg/L			169145	GU06070G1OAP01	GELC
PAO-1	5561	5.89	04/23/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		74.6			0.66	mg/L		J	184854	GF07040G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		29.9			0.33	mg/L			169145	GF06070G1OAP01	GELC
PAO-1	5561	5.89	05/12/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		34.7			0.265	mg/L			136564	GF0505G1OAP01	GELC
PAO-1	5561	5.89	05/28/02	WG	F	CS		Geninorg	EPA:300.0	Chloride		32.5			0.32	mg/L		NQ	831S	CAPU-02-45061	GEL
PAO-1	5561	5.89	10/30/01	WG	F	CS		Geninorg	EPA:300.0	Chloride		34.1			0.13	mg/L	J	J	118S	CAPU-01-0199	GEL
PAO-1	5561	5.89	08/10/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		29.9			0.33	mg/L			169145	GU06070G1OAP01	GELC
PAO-1	5561	5.89	04/23/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.205			0.033	mg/L			184854	GF07040G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.228			0.033	mg/L			169145	GF06070G1OAP01	GELC
PAO-1	5561	5.89	05/12/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.249			0.03	mg/L		J+	136564	GF0505G1OAP01	GELC
PAO-1	5561	5.89	05/28/02	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.11			0.055	mg/L		NQ	831S	CAPU-02-45061	GEL
PAO-1	5561	5.89	10/30/01	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.072			0.014	mg/L	J	J	118S	CAPU-01-0199	GEL
PAO-1	5561	5.89	08/10/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.218			0.033	mg/L			169145	GU06070G1OAP01	GELC
PAO-1	5561	5.89	04/23/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.382			0.01	mg/L			184854	GF07040G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.39			0.014	mg/L			169145	GF06070G1OAP01	GELC
PAO-1	5561	5.89	05/12/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.152			0.003	mg/L			136564	GF0505G1OAP01	GELC
PAO-1	5561	5.89	05/28/02	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.13			0.01	mg/L		NQ	831S	CAPU-02-45061	GEL
PAO-1	5561	5.89	10/30/01	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.04			0.0069	mg/L	J	J	118S	CAPU-01-0199	GEL
PAO-1	5561	5.89	08/10/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.41			0.014	mg/L			169145	GU06070G1OAP01	GELC
PAO-1	5561	5.89	04/23/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.223			0.05	µg/L			184854	GF07040G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		169145	GF06070G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate	<	0.05			0.05	µg/L	U		169145	GF06070G1OAP01	GELC
PAO-1	5561	5.89	05/12/05	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		136564	GF0505G1OAP01	GELC
PAO-1	5561	5.89	05/12/05	WG	F	CS		Geninorg	SW846 6850	Perchlorate		1.86			0.1	µg/L			136564	GF0505G1OAP01	GELC
PAO-1	5561	5.89	05/28/02	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			1.5	µg/L	U	U	831S	CAPU-02-45061	GEL
PAO-1	5561	5.89	10/30/01	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4.6			0.96	µg/L	U	U	119S	CAPU-01-0199	GELC
PAO-1	5561	5.89	04/23/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		19.3			0.032	mg/L			184854	GF07040G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		29.2			0.032	mg/L			169145	GF06070G1OAP01	GELC
PAO-1	5561	5.89	05/12/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		35.2			0.032	mg/L		J-	136564	GF0505G1OAP01	GELC
PAO-1	5561	5.89	05/28/02	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		14.9			0.0098	mg/L		NQ	831S	CAPU-02-45061	GEL
PAO-1	5561	5.89	08/10/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		32.2			0.032	mg/L			169145	GU06070G1OAP01	GELC
PAO-1	5561	5.89	05/28/02	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		15.1			0.0098	mg/L		NQ	831S	CAPU-02-45062	GEL
PAO-1	5561	5.89	04/23/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		482			1	µS/cm			184854	GF07040G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		350			1	µS/cm			169145	GF06070G1OAP01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
PAO-1	5561	5.89	05/12/05	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		342			1	µS/cm			136564	GF0505G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		348			1	µS/cm			169145	GU06070G1OAP01	GELC
PAO-1	5561	5.89	04/23/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		19.2			0.1	mg/L			184854	GF07040G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		18.1			0.1	mg/L			169145	GF06070G1OAP01	GELC
PAO-1	5561	5.89	05/12/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		24.4			0.057	mg/L			136564	GF0505G1OAP01	GELC
PAO-1	5561	5.89	05/28/02	WG	F	CS		Geninorg	EPA:300.0	Sulfate		142			1.9	mg/L		NQ	831S	CAPU-02-45061	GEL
PAO-1	5561	5.89	10/30/01	WG	F	CS		Geninorg	EPA:300.0	Sulfate		16.4			0.062	mg/L	J	J	118S	CAPU-01-0199	GEL
PAO-1	5561	5.89	08/10/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		18.1			0.1	mg/L			169145	GU06070G1OAP01	GELC
PAO-1	5561	5.89	04/23/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		253			2.38	mg/L			184854	GF07040G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		237			2.38	mg/L			169145	GU06070G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		230			2.38	mg/L			169145	GF06070G1OAP01	GELC
PAO-1	5561	5.89	05/12/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		235			2.38	mg/L			136564	GF0505G1OAP01	GELC
PAO-1	5561	5.89	06/17/00	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		250				mg/L		NQ	6859R	CAPU-00-0015	RECRAP
PAO-1	5561	5.89	04/23/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.282			0.029	mg/L			184854	GF07040G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.305			0.01	mg/L		J+	169145	GF06070G1OAP01	GELC
PAO-1	5561	5.89	05/12/05	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.258			0.01	mg/L			136564	GF0505G1OAP01	GELC
PAO-1	5561	5.89	04/23/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.205			0.029	mg/L			184854	GU07040G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.313			0.01	mg/L		J+	169145	GU06070G1OAP01	GELC
PAO-1	5561	5.89	06/17/00	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.3				mg/L		NQ	6853R	CAPU-00-0009	GELC
PAO-1	5561	5.89	05/12/05	WG	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		11			0.074	mg/L			136564	GF0505G1OAP01	GELC
PAO-1	5561	5.89	04/23/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		9.32			0.33	mg/L			184854	GU07040G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		8.75			0.66	mg/L			169145	GU06070G1OAP01	GELC
PAO-1	5561	5.89	05/28/02	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.84			0.025	mg/L		NQ	831S	CAPU-02-45062	GEL
PAO-1	5561	5.89	10/30/01	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		11.6			0.041	mg/L		NQ	117S	CAPU-01-0200	GEL
PAO-1	5561	5.89	04/23/07	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.297			0.024	mg/L			184854	GF07040G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.334			0.01	mg/L			169145	GF06070G1OAP01	GELC
PAO-1	5561	5.89	05/12/05	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.277			0.01	mg/L			136564	GF0505G1OAP01	GELC
PAO-1	5561	5.89	05/28/02	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.18			0.01	mg/L		NQ	831S	CAPU-02-45061	GEL
PAO-1	5561	5.89	10/30/01	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.24			0.019	mg/L		NQ	118S	CAPU-01-0199	GEL
PAO-1	5561	5.89	08/10/06	WG	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.346			0.01	mg/L			169145	GU06070G1OAP01	GELC
PAO-1	5561	5.89	04/23/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.2			0.01	SU	H	J	184854	GF07040G1OAP01	GELC
PAO-1	5561	5.89	08/10/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.04			0.01	SU	H	J	169145	GF06070G1OAP01	GELC
PAO-1	5561	5.89	05/12/05	WG	F	CS		Geninorg	EPA:150.1	pH		6.83			0.01	SU	H	J	136564	GF0505G1OAP01	GELC
PAO-1	5561	5.89	06/21/01	WG	F	CS		Geninorg	USGS-WRI-79-4	pH		6.8				SU		NQ	9113R	CAPU-01-0075	HUFFMAN
PAO-1	5561	5.89	04/04/01	WG	F	CS		Geninorg	USGS-WRI-79-4	pH		6.7				SU		NQ	8628R	CAPU-01-0001	HUFFMAN
PAO-1	5561	5.89	08/10/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.09			0.01	SU	H	J	169145	GU06070G1OAP01	GELC
PAO-1	5561	5.89	04/23/07	WG	UF	CS		Rad	LLEE	Tritium		85.2531	0.9579	0.28737		pCi/L			2332	UU07040G1OAP01	UMTL
PAO-1	5561	5.89	08/10/06	WG	UF	CS		Rad	LLEE	Tritium		113.3515	1.2772	0.28737		pCi/L			WG-04375-UM	UU06070G1OAP01	UMTL
PAO-1	5561	5.89	05/12/05	WG	UF	CS		Rad	EPA:906.0	Tritium		145	24.8	243		pCi/L	U	U	136564	GU0505G1OAP01	GELC
PAO-1	5561	5.89	05/28/02	WG	UF	CS		Rad	EPA:906.0	Tritium		28.3	16.33333333	160	0	pCi/L	U	U	833S	CAPU-02-45062	GEL
PAO-1	5561	5.89	10/30/01	WG	UF	CS		Rad	EPA:906.0	Tritium		81.19	17.33333333	0.16	0	pCi/L	U	U	122S	CAPU-01-0200	GEL
PAO-2	6801	6.06	04/23/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		63.5			0.725	mg/L			184854	GF07040GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		71			0.725	mg/L			169145	GF06070GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		69.8			0.725	mg/L			169145	GU06070GPAO201	GELC
PAO-2	6801	6.06	04/23/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		135			1.32	mg/L		J	184854	GF07040GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		23.4			0.33	mg/L			169145	GF06070GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		23.2			0.33	mg/L			169145	GU06070GPAO201	GELC
PAO-2	6801	6.06	04/23/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.236			0.033	mg/L			184854	GF07040GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.282			0.033	mg/L			169145	GF06070GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.292			0.033	mg/L			169145	GU06070GPAO201	GELC
PAO-2	6801	6.06	04/23/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.241			0.05	mg/L	J		184854	GF07040GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.51			0.014	mg/L			169145	GF06070GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.4			0.014	mg/L			169145	GU06070GPAO201	GELC
PAO-2	6801	6.06	04/23/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.308			0.05	µg/L			184854	GF07040GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		169145	GF06070GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate	<	0.05			0.05	µg/L	U		169145	GF06070GPAO201	GELC
PAO-2	6801	6.06	04/23/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		20			0.032	mg/L			184854	GF07040GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		35.2			0.032	mg/L			169145	GF06070GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		41.7			0.032	mg/L			169145	GU06070GPAO201	GELC
PAO-2	6801	6.06	04/23/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		686			1	µS/cm			184854	GF07040GPAO201	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
PAO-2	6801	6.06	08/10/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		276			1	µS/cm			169145	GF06070GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		276			1	µS/cm			169145	GU06070GPAO201	GELC
PAO-2	6801	6.06	04/23/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		17.7			0.1	mg/L			184854	GF07040GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		15.4			0.1	mg/L			169145	GF06070GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		15.3			0.1	mg/L			169145	GU06070GPAO201	GELC
PAO-2	6801	6.06	04/23/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		360			2.38	mg/L			184854	GF07040GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		216			2.38	mg/L			169145	GF06070GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		231			2.38	mg/L			169145	GU06070GPAO201	GELC
PAO-2	6801	6.06	04/23/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.162			0.029	mg/L			184854	GF07040GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.218			0.01	mg/L		J+	169145	GU06070GPAO201	GELC
PAO-2	6801	6.06	04/23/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.136			0.029	mg/L		JN-	184854	GU07040GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.274			0.01	mg/L		J+	169145	GU06070GPAO201	GELC
PAO-2	6801	6.06	04/23/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		7.54			0.33	mg/L			184854	GU07040GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		9.73			0.66	mg/L			169145	GU06070GPAO201	GELC
PAO-2	6801	6.06	04/23/07	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.229			0.024	mg/L			184854	GF07040GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.436			0.01	mg/L			169145	GF06070GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.423			0.01	mg/L			169145	GU06070GPAO201	GELC
PAO-2	6801	6.06	04/23/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.33			0.01	SU	H	J	184854	GF07040GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.01			0.01	SU	H	J	169145	GF06070GPAO201	GELC
PAO-2	6801	6.06	08/10/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.02			0.01	SU	H	J	169145	GU06070GPAO201	GELC
PAO-2	6801	6.06	04/23/07	WG	UF	CS		Rad	LLEE	Tritium		80.4636	0.851466667	0.28737		pCi/L			2332	UU07040GPAO201	UMTL
PAO-2	6801	6.06	08/10/06	WG	UF	CS		Rad	LLEE	Tritium		114.3094	1.2772	0.28737		pCi/L			WG-04376-UM	UU06070GPAO201	UMTL
PAO-2	6801	6.06	10/30/01	WG	UF	CS		Rad	EPA:906.0	Tritium	<	54.4	17	164	0	pCi/L	U	U	122S	CAPU-01-0202	GEL
PAO-4	5591	1.97	04/19/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		290			0.725	mg/L			184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		169			0.725	mg/L			169145	GF06070G4OAP01	GELC
PAO-4	5591	1.97	05/23/02	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		197			0.73	mg/L		NQ	815S	CAPU-02-45065	GEL
PAO-4	5591	1.97	10/31/01	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		284			0.73	mg/L		NQ	135S	CAPU-01-0205	GEL
PAO-4	5591	1.97	06/21/01	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		240				mg/L		NQ	9100R	CAPU-01-0081	PARA
PAO-4	5591	1.97	08/10/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		167			0.725	mg/L			169145	GU06070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		24.3			0.6	mg/L		J	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		3.01			0.05	mg/L			169145	GF06070G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		4.03			0.05	mg/L			169145	GU06070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.15			0.066	mg/L	J		184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.103			0.066	mg/L	J		169145	GF06070G4OAP01	GELC
PAO-4	5591	1.97	05/09/05	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.041			0.041	mg/L	U		136321	GF0505G4OAP01	GELC
PAO-4	5591	1.97	05/23/02	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.146			0.098	mg/L	J	J	815S	CAPU-02-45065	GEL
PAO-4	5591	1.97	10/31/01	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.05			0.02	mg/L	U	U	135S	CAPU-01-0205	GEL
PAO-4	5591	1.97	08/10/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		169145	GU06070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		45			0.33	mg/L			184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		55.9			0.33	mg/L			169145	GF06070G4OAP01	GELC
PAO-4	5591	1.97	05/09/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		50.4			0.265	mg/L			136321	GF0505G4OAP01	GELC
PAO-4	5591	1.97	05/23/02	WG	F	CS		Geninorg	EPA:300.0	Chloride		43			0.16	mg/L		NQ	815S	CAPU-02-45065	GEL
PAO-4	5591	1.97	10/31/01	WG	F	CS		Geninorg	EPA:300.0	Chloride		39.3			0.13	mg/L	J	J	135S	CAPU-01-0205	GEL
PAO-4	5591	1.97	08/10/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		56.6			0.33	mg/L			169145	GU06070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.553			0.033	mg/L			184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.448			0.033	mg/L			169145	GF06070G4OAP01	GELC
PAO-4	5591	1.97	05/09/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.407			0.03	mg/L			136321	GF0505G4OAP01	GELC
PAO-4	5591	1.97	05/23/02	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.411			0.055	mg/L		NQ	815S	CAPU-02-45065	GEL
PAO-4	5591	1.97	10/31/01	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.208			0.014	mg/L	J	J	135S	CAPU-01-0205	GEL
PAO-4	5591	1.97	08/10/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.434			0.033	mg/L			169145	GU06070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.0381			0.01	mg/L	J	JN-	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.79			0.014	mg/L			169145	GF06070G4OAP01	GELC
PAO-4	5591	1.97	05/09/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		4.44			0.03	mg/L			136321	GF0505G4OAP01	GELC
PAO-4	5591	1.97	05/23/02	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.04			0.01	mg/L		NQ	815S	CAPU-02-45065	GEL
PAO-4	5591	1.97	10/31/01	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.62			0.0069	mg/L		NQ	135S	CAPU-01-0205	GEL
PAO-4	5591	1.97	08/10/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.274			0.014	mg/L		J-	169145	GU06070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		62.9			0.032	mg/L			184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		54.1			0.032	mg/L			169145	GF06070G4OAP01	GELC
PAO-4	5591	1.97	05/09/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		57.5			0.032	mg/L			136321	GF0505G4OAP01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
PAO-4	5591	1.97	05/23/02	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		34.4			0.0098	mg/L		NQ	815S	CAPU-02-45065	GEL
PAO-4	5591	1.97	08/10/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		54.6			0.032	mg/L			169145	GU06070G4OAP01	GELC
PAO-4	5591	1.97	05/23/02	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		39.5			0.0098	mg/L		NQ	815S	CAPU-02-45066	GEL
PAO-4	5591	1.97	04/19/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		773			1	µS/cm			184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		640			1	µS/cm			169145	GF06070G4OAP01	GELC
PAO-4	5591	1.97	05/09/05	WG	F	CS		Geninorg	SW-846:9050A	Specific Conductance		577			1	µS/cm			136321	GF0505G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		634			1	µS/cm			169145	GU06070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		3.69			0.1	mg/L			184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		50.2			0.5	mg/L			169145	GF06070G4OAP01	GELC
PAO-4	5591	1.97	05/09/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		18.2			0.057	mg/L			136321	GF0505G4OAP01	GELC
PAO-4	5591	1.97	05/23/02	WG	F	CS		Geninorg	EPA:300.0	Sulfate		53.5			0.97	mg/L		NQ	815S	CAPU-02-45065	GEL
PAO-4	5591	1.97	10/31/01	WG	F	CS		Geninorg	EPA:300.0	Sulfate		42.6			0.062	mg/L	J	J	135S	CAPU-01-0205	GEL
PAO-4	5591	1.97	08/10/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		50.7			0.5	mg/L			169145	GU06070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		377			2.38	mg/L		J	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		319			2.38	mg/L			169145	GU06070G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		436			2.38	mg/L			169145	GF06070G4OAP01	GELC
PAO-4	5591	1.97	05/09/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		347			2.38	mg/L			136321	GF0505G4OAP01	GELC
PAO-4	5591	1.97	06/19/00	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		340				mg/L		NQ	6865R	CAPU-00-0018	RECRAP
PAO-4	5591	1.97	04/19/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		22.7			0.29	mg/L		J	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		3.22			0.01	mg/L		J+	169145	GF06070G4OAP01	GELC
PAO-4	5591	1.97	05/09/05	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		8.35			0.05	mg/L			136321	GF0505G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		23.4			0.29	mg/L		J	184713	GU07040G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		3.77			0.01	mg/L		J+	169145	GU06070G4OAP01	GELC
PAO-4	5591	1.97	05/09/05	WG	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		7.39			0.074	mg/L			136321	GF0505G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		12.2			0.33	mg/L			184713	GU07040G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		18.4			0.66	mg/L			169145	GU06070G4OAP01	GELC
PAO-4	5591	1.97	05/23/02	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		8.44			0.025	mg/L		NQ	815S	CAPU-02-45066	GEL
PAO-4	5591	1.97	10/31/01	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		8.92			0.041	mg/L		NQ	134S	CAPU-01-0206	GEL
PAO-4	5591	1.97	04/19/07	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		6.2			0.24	mg/L		J	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		2.04			0.01	mg/L			169145	GF06070G4OAP01	GELC
PAO-4	5591	1.97	05/09/05	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		1.6			0.01	mg/L			136321	GF0505G4OAP01	GELC
PAO-4	5591	1.97	05/23/02	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		1.33			0.01	mg/L		NQ	815S	CAPU-02-45065	GEL
PAO-4	5591	1.97	10/31/01	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		2.1			0.019	mg/L		NQ	135S	CAPU-01-0205	GEL
PAO-4	5591	1.97	08/10/06	WG	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		2.04			0.01	mg/L			169145	GU06070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.11			0.01	SU	H	J	184713	GF07040G4OAP01	GELC
PAO-4	5591	1.97	08/10/06	WG	F	CS		Geninorg	EPA:150.1	pH		6.58			0.01	SU	H	J	169145	GF06070G4OAP01	GELC
PAO-4	5591	1.97	05/09/05	WG	F	CS		Geninorg	EPA:150.1	pH		6.42			0.01	SU	H	J	136321	GF0505G4OAP01	GELC
PAO-4	5591	1.97	10/31/01	WG	F	CS		Geninorg	USGS-WRI-79-4	pH		6.5				SU		NQ	137S	CAPU-01-0205	HUFFMAN
PAO-4	5591	1.97	06/21/01	WG	F	CS		Geninorg	USGS-WRI-79-4	pH		6.8				SU		NQ	9113R	CAPU-01-0081	HUFFMAN
PAO-4	5591	1.97	08/10/06	WG	UF	CS		Geninorg	EPA:150.1	pH		6.57			0.01	SU	H	J	169145	GU06070G4OAP01	GELC
PAO-4	5591	1.97	04/19/07	WG	UF	CS		Rad	LLEE	Tritium		7.95057	0.09579	0.28737		pCi/L			2332	UU07040G4OAP01	UMTL
PAO-4	5591	1.97	08/10/06	WG	UF	CS		Rad	LLEE	Tritium		64.4986	0.745033333	0.28737		pCi/L			WG-04378-UM	UU06070G4OAP01	UMTL
PAO-4	5591	1.97	05/09/05	WG	UF	CS		Rad	EPA:906.0	Tritium		29.2	24.33333333	245		pCi/L	U	U	136321	GU0505G4OAP01	GELC
PAO-4	5591	1.97	05/23/02	WG	UF	CS		Rad	EPA:906.0	Tritium		82.9	16.66666667	160	0	pCi/L	U	U	818S	CAPU-02-45066	GEL
PAO-4	5591	1.97	10/31/01	WG	UF	CS		Rad	EPA:906.0	Tritium		-27.29	16.33333333	0.16	0	pCi/L	U	U	139S	CAPU-01-0206	GEL
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		179			0.725	mg/L			185012	GF070400G4OAP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		296			0.725	mg/L			168963	GF060700G4OAP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		69.8			0.725	mg/L			168963	GU060700G4OAP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		166			1.45	mg/L			136186	GU05050G4OAP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		166			1.45	mg/L			115711	GU04060G4OAP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		166			1.45	mg/L			115578	GU04060G4OAP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		180			1.45	mg/L			86692	GU03080G4OAP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		180			1.45	mg/L			86692	GU03080G4OAP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.174			0.066	mg/L	J		185012	GF070400G4OAP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.116			0.066	mg/L	J		168963	GF060700G4OAP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide		0.13			0.066	mg/L	J		168963	GU060700G4OAP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.041			0.041	mg/L	U		136186	GU05050G4OAP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		47.1			0.036	mg/L			185012	GF070400G4OAP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		47.6			0.036	mg/L			168963	GF060700G4OAP01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
POI-4	4291	159	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		50.9			0.036	mg/L			185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		49.4			0.036	mg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		46.9			0.036	mg/L		J	136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		42.6			0.0055	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Geninorg	SW-846:6010B	Calcium		45.8			0.0055	mg/L			115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		44.4			0.00554	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Geninorg	SW-846:6010B	Calcium		44.6			0.00554	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		45.3			0.33	mg/L			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		44.4			0.33	mg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		44.1			0.33	mg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	EPA:300.0	Chloride		42.1			0.265	mg/L			136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	EPA:300.0	Chloride		41.5			0.161	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Geninorg	EPA:300.0	Chloride		41.7			0.161	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Geninorg	EPA:300.0	Chloride		41.8			0.161	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Geninorg	EPA:300.0	Chloride		42.4			0.161	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.33			0.033	mg/L			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.302			0.033	mg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.319			0.033	mg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.3			0.03	mg/L			136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.293			0.0553	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Geninorg	EPA:300.0	Fluoride		0.24			0.0553	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.242			0.0553	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Geninorg	EPA:300.0	Fluoride		0.243			0.0553	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		168			0.44	mg/L			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		169			0.085	mg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		181			0.44	mg/L			185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		175			0.085	mg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	SM:A2340B	Hardness		165			0.085	mg/L			136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	EPA:200.7	Hardness		151			0.00554	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Geninorg	EPA:200.7	Hardness		159			0.00554	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		12.1			0.085	mg/L			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		12.1			0.085	mg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		13.1			0.085	mg/L			185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		12.5			0.085	mg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		11.6			0.085	mg/L			136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		10.9			0.0052	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Geninorg	SW-846:6010B	Magnesium		11.8			0.0052	mg/L			115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		11.7			0.00518	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Geninorg	SW-846:6010B	Magnesium		11.6			0.00518	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		7.48			0.1	mg/L		J	185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		5.2			0.07	mg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		4.8			0.003	mg/L			136186	GF05050G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		5.06			0.07	mg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		4.23			0.03	mg/L			137585	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		3.42			0.03	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Geninorg	EPA:353.1	Nitrate-Nitrite as N		3.54			0.03	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		3.93			0.03	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Geninorg	EPA:353.1	Nitrate-Nitrite as N		3.84			0.03	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.234			0.05	µg/L			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.282			0.05	µg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168963	GF060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		136186	GU05050G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.266			0.05	µg/L		J	136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U	UJ	115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.265			0.05	µg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		8.66			0.05	mg/L			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		8.94			0.05	mg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		9.46			0.05	mg/L			185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		9.28			0.05	mg/L			168963	GU060700G4OP01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		8.37			0.05	mg/L			136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		7.91			0.0165	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Geninorg	SW-846:6010B	Potassium		8.5			0.0165	mg/L			115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		8.72			0.0165	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Geninorg	SW-846:6010B	Potassium		8.65			0.0165	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		53			0.032	mg/L		J	185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		53.3			0.032	mg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		55.2			0.032	mg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		52.1			0.032	mg/L		J	136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		51.3			0.0212	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Geninorg	SW-846:6010B	Silicon Dioxide		55.3			0.0212	mg/L			115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		55.5			0.0212	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Geninorg	SW-846:6010B	Silicon Dioxide		55.5			0.0212	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		51.1			0.045	mg/L	E		185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		44.9			0.045	mg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		53.7			0.045	mg/L	E	J	185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		46.7			0.045	mg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		47.8			0.045	mg/L		J	136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		41.7			0.0144	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Geninorg	SW-846:6010B	Sodium		45			0.0144	mg/L			115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		46.7			0.0144	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Geninorg	SW-846:6010B	Sodium		47			0.0144	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		621			1	µS/cm			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		578			1	µS/cm			168963	GF060700G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		470			1	µS/cm			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	SW-846:9050A	Specific Conductance		553			1	µS/cm			136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	SW-846:9050A	Specific Conductance		555			1	µS/cm			115711	GU04060G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		23.6			0.1	mg/L			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		23			0.1	mg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		23.1			0.1	mg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		21.4			0.057	mg/L			136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		20.2			0.965	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Geninorg	EPA:300.0	Sulfate		20.6			0.965	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		22.3			0.193	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Geninorg	EPA:300.0	Sulfate		22.5			0.193	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		367			2.38	mg/L			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		366			2.38	mg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		366			2.38	mg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		358			2.38	mg/L	H	J	136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		329			3.07	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		347			3.07	mg/L			115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		345			3.07	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		351			3.07	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.207			0.029	mg/L			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.125			0.01	mg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.143			0.029	mg/L		JN-	185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01			0.01	mg/L	U	R, UJ	168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.276			0.01	mg/L		JN-	136186	GU05050G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.73			0.33	mg/L			185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.37			0.33	mg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.48			0.074	mg/L			136186	GU05050G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		1.08			0.024	mg/L			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		1.13			0.01	mg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.868			0.01	mg/L			136186	GF05050G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		1.08			0.01	mg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.731			0.01	mg/L			137585	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		1.04			0.011	mg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.896			0.0162	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		0.898			0.0162	mg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.99			0.01	SU	H	J	185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.39			0.01	SU	H	J	168963	GF060700G4OP01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
POI-4	4291	159	08/08/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.55			0.01	SU	H	J	168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Geninorg	EPA:150.1	pH		6.85			0.01	SU	H	J	136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Geninorg	EPA:150.1	pH		7.19				SU	H	J	115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Geninorg	EPA:150.1	pH		7.2				SU	H		115711	GU04060G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Metals	SW-846:6020	Arsenic		4.6			1.5	µg/L	J		185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168963	GF060700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Metals	SW-846:6020	Arsenic		3.4			1.5	µg/L	J		185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Metals	SW-846:6010B	Arsenic		4.75			2.2	µg/L	B	JN-	115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Metals	SW-846:6010B	Arsenic		2.75			2.2	µg/L	B		115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Metals	SW-846:6010B	Arsenic		4.37			2.24	µg/L	B	JN-	86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Metals	SW-846:6010B	Arsenic		2.33			2.24	µg/L	B		86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Metals	SW-846:6010B	Barium		108			1	µg/L			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Metals	SW-846:6010B	Barium		114			1	µg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Barium		118			1	µg/L			185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Barium		118			1	µg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Barium		107			1	µg/L			136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Metals	SW-846:6010B	Barium		97.5			0.22	µg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Metals	SW-846:6010B	Barium		106			0.22	µg/L			115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Metals	SW-846:6010B	Barium		104			0.222	µg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Metals	SW-846:6010B	Barium		104			0.222	µg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Metals	SW-846:6010B	Boron		223			10	µg/L			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Metals	SW-846:6010B	Boron		235			10	µg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Boron		242			10	µg/L			185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Boron		244			10	µg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Boron		216			10	µg/L			136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Metals	SW-846:6010B	Boron		202			4.9	µg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Metals	SW-846:6010B	Boron		216			4.9	µg/L			115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Metals	SW-846:6010B	Boron		224			4.88	µg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Metals	SW-846:6010B	Boron		221			4.88	µg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Metals	SW-846:6020	Chromium		1.3			1	µg/L	J		185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Metals	SW-846:6020	Chromium	<	2.6			1	µg/L	J	U	168963	GF060700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Metals	SW-846:6020	Chromium		1.5			1	µg/L	J		185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Metals	SW-846:6020	Chromium	<	2.6			1	µg/L	J	U	168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Chromium	<	1			1	µg/L	U	UJ	136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Metals	SW-846:6010B	Chromium	<	0.5			0.5	µg/L	U		115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Metals	SW-846:6010B	Chromium	<	0.5			0.5	µg/L	U		115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Metals	SW-846:6010B	Chromium	<	0.563			0.503	µg/L	B	U	86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Metals	SW-846:6010B	Chromium		1.62			0.503	µg/L	B		86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Metals	SW-846:6010B	Iron		27.8			18	µg/L	J		185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		168963	GF060700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Iron		57.6			18	µg/L	J		185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Metals	SW-846:6010B	Iron	<	12.6			12.6	µg/L	U		115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Metals	SW-846:6010B	Iron	<	12.6			12.6	µg/L	U		115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Metals	SW-846:6010B	Iron	<	12.6			12.6	µg/L	U		86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Metals	SW-846:6010B	Iron		12.9			12.6	µg/L	B		86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Metals	SW-846:6010B	Manganese		2.7			2	µg/L	J		185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Metals	SW-846:6010B	Manganese	<	2			2	µg/L	U		168963	GF060700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Manganese		3.7			2	µg/L	J		185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Manganese	<	2			2	µg/L	U		168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Metals	SW-846:6020	Manganese	<	1			1	µg/L	U		136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Metals	SW-846:6010B	Manganese	<	0.3			0.3	µg/L	U		115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Metals	SW-846:6010B	Manganese	<	0.3			0.3	µg/L	U		115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Metals	SW-846:6010B	Manganese		2.73			0.296	µg/L	B		86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Metals	SW-846:6010B	Manganese		2.72			0.296	µg/L	B		86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Metals	SW-846:6020	Nickel		10.1			0.5	µg/L			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Metals	SW-846:6020	Nickel		9.9			0.5	µg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Metals	SW-846:6020	Nickel		10.5			0.5	µg/L			185012	GU070400G4OP01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
POI-4	4291	159	08/08/06	WG	UF	CS		Metals	SW-846:6020	Nickel		9.5			0.5	µg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Nickel		8.6			1	µg/L			136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Metals	SW-846:6010B	Nickel		8.99			0.69	µg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Metals	SW-846:6010B	Nickel		8.97			0.69	µg/L			115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Metals	SW-846:6010B	Nickel		11.2			0.69	µg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Metals	SW-846:6010B	Nickel		10.7			0.69	µg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Metals	SW-846:6010B	Strontium		243			1	µg/L			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Metals	SW-846:6010B	Strontium		243			1	µg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		260			1	µg/L			185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		252			1	µg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		242			1	µg/L			136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Metals	SW-846:6010B	Strontium		219			0.18	µg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Metals	SW-846:6010B	Strontium		236			0.18	µg/L			115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Metals	SW-846:6010B	Strontium		233			0.178	µg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Metals	SW-846:6010B	Strontium		234			0.178	µg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Metals	SW-846:6020	Uranium		3			0.05	µg/L			185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Metals	SW-846:6020	Uranium		2.9			0.05	µg/L			168963	GF060700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Metals	SW-846:6020	Uranium		3.1			0.05	µg/L			185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Metals	SW-846:6020	Uranium		2.8			0.05	µg/L			168963	GU060700G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Metals	SW-846:6020	Uranium		2.74			0.02	µg/L			115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Metals	SW-846:6020	Uranium		2.5			0.02	µg/L			115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Metals	SW-846:6020	Uranium		2.97			0.02	µg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Metals	SW-846:6020	Uranium		2.94			0.02	µg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		4			1	µg/L	J		185012	GF070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		3.8			1	µg/L	J		168963	GF060700G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		4.1			1	µg/L	J		168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium		3.3			1	µg/L	J	JN-	136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Metals	SW-846:6010B	Vanadium	<	3.32			0.61	µg/L	B	U	115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Metals	SW-846:6010B	Vanadium		3.58			0.61	µg/L	B		115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Metals	SW-846:6010B	Vanadium	<	5.29			0.606	µg/L		U	86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Metals	SW-846:6010B	Vanadium		5.14			0.606	µg/L			86692	GU03080G4OP01	GELC
POI-4	4291	159	08/08/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	3.9			2	µg/L	J	U	168963	GF060700G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		2.5			2	µg/L	J		185012	GU070400G4OP01	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	4.5			2	µg/L	J	U	168963	GU060700G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Metals	SW-846:6010B	Zinc		5.3			2	µg/L	J		136186	GU05050G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	2.86			0.88	µg/L	B	U	115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Metals	SW-846:6010B	Zinc		2.62			0.88	µg/L	B		115697	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		Metals	SW-846:6010B	Zinc		3.01			0.883	µg/L	B		86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Metals	SW-846:6010B	Zinc		2.59			0.883	µg/L	B		86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS		Rad	LLEE	Tritium		17.75308	0.19158	0.28737		pCi/L			2336	UU070400G4OP01	UMTL
POI-4	4291	159	08/08/06	WG	UF	CS		Rad	LLEE	Tritium		20.62678	0.22351	0.28737		pCi/L			WG-04382-UM	UU060700G4OP01	UMTL
POI-4	4291	159	05/07/05	WG	UF	CS		Rad	EPA:906.0	Tritium		0	25.5	258		pCi/L	U	U	136186	GU05050G4OP01	GELC
POI-4	4291	159	05/07/05	WG	UF	CS		Rad	LLEE	Tritium		21.29731	0.234153333		0.28737	pCi/L			2060	UU05050G4OP01	UMTL
POI-4	4291	159	05/07/05	WG	UF	RE		Rad	LLEE	Tritium		24.33066	0.266083333		0.28737	pCi/L			2060	UU05050G4OP01	UMTL
POI-4	4291	159	05/07/05	WG	UF	REDP		Rad	LLEE	Tritium		22.9896	0.266083333		0.28737	pCi/L			2060	UU05050G4OP01	UMTL
POI-4	4291	159	06/24/04	WG	UF	CS		Rad	LLEE	Tritium		22.9896	0.244796667		0.28737	pCi/L			1914	UU04060G4OP01	UMTL
POI-4	4291	159	06/24/04	WG	UF	CS		Rad	EPA:906.0	Tritium		-39.5	20.43333333	205		pCi/L	U	U	115711	GU04060G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	DUP		Rad	LLEE	Tritium		22.31907	0.234153333		0.28737	pCi/L			1914	UU04060G4OP01	UMTL
POI-4	4291	159	06/24/04	WG	UF	RE		Rad	LLEE	Tritium		22.44679	0.234153333		0.28737	pCi/L			1914	UU04060G4OP01	UMTL
POI-4	4291	159	08/20/03	WG	UF	CS		Rad	EPA:906.0	Tritium		35.4	19	185		pCi/L	U	U	86692	GU03080G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	DUP		Rad	EPA:906.0	Tritium		78.7	19.43333333	186		pCi/L	U		86692	GU03080G4OP01	GELC
POI-4	4291	159	04/25/07	WG	UF	CS	FTB	VOA	SW-846:8260B	Toluene		0.406			0.25	µg/L	J		185012	GU070400G4OP01-FTB	GELC
POI-4	4291	159	08/08/06	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1			0.25	µg/L	U		168963	GU060700G4OP01	GELC
POI-4	4291	159	06/24/04	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				µg/L	U		115711	GU04060G4OP01	GELC
POI-4	4291	159	08/20/03	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				µg/L	U		86692	GU03080G4OP01	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		202			0.725	mg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		215			0.725	mg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		227			1.45	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		227			1.45	mg/L			114589	GF04060W3LP01	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo 3	-	-	07/29/03	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		237			1.45	mg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		146			0.73	mg/L		NQ	819S	CAPU-02-45081	GEL
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		221			0.725	mg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		19.6			1.5	mg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		26.6			1	mg/L		J	168313	GF060700P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		23.1			1	mg/L		J	168313	GU060700P3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	EPA:300.0	Bromide		0.147			0.066	mg/L	J		184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		168313	GF060700P3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	F	CS		Geninorg	EPA:300.0	Bromide	<	0.2			0.098	mg/L	U	U	819S	CAPU-02-45081	GEL
Pueblo 3	-	-	10/31/01	WS	F	CS		Geninorg	EPA:300.0	Bromide	<	0.05			0.02	mg/L	U	U	135S	CAPU-01-0220	GEL
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		168313	GU060700P3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	SW-846:6010B	Calcium		20.5			0.036	mg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	SW-846:6010B	Calcium		25.4			0.036	mg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Geninorg	EPA:200.7	Calcium		31.4			0.00823	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Geninorg	EPA:200.7	Calcium		32.4			0.00823	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Geninorg	EPA:200.7	Calcium		33.3			0.00823	mg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Geninorg	SW-846:6010B	Calcium		33.9			0.036	mg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	SW-846:6010B	Calcium		26			0.036	mg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Geninorg	EPA:200.7	Calcium		32.2			0.00823	mg/L			114786	GU04060W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Geninorg	SW-846:6010B	Calcium		31.3			0.0055	mg/L		NQ	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	EPA:300.0	Chloride		42.2			0.33	mg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	EPA:300.0	Chloride		45.8			0.33	mg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Geninorg	EPA:300.0	Chloride		39.7			0.322	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Geninorg	EPA:300.0	Chloride		39.2			0.322	mg/L			115040	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Geninorg	EPA:300.0	Chloride		45.3			0.161	mg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	F	CS		Geninorg	EPA:300.0	Chloride		43.4			0.16	mg/L		NQ	819S	CAPU-02-45081	GEL
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	EPA:300.0	Chloride		45.6			0.33	mg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	EPA:335.3	Cyanide (Total)		0.00393			0.0015	mg/L	J		168313	GF060700P3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Geninorg	EPA:335.3	Cyanide (Total)		0.0139			0.0015	mg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	EPA:335.3	Cyanide (Total)		0.00412			0.0015	mg/L	J		168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	CS		Geninorg	EPA:335.3	Cyanide (Total)		0.00319			0.00172	mg/L	J		114786	GU04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	UF	CS		Geninorg	EPA:335.3	Cyanide (Total)	<	0.00172			0.00172	mg/L	U		85116	GU03070W3LP01	GELC
Pueblo 3	-	-	04/30/02	WS	UF	CS		Geninorg	EPA:335.3	Cyanide (Total)		0.00477			0.00289	mg/L	J		59746	GU02041W3LP	GELC
Pueblo 3	-	-	04/30/02	WS	UF	DUP		Geninorg	EPA:335.3	Cyanide (Total)		0.00489			0.00289	mg/L	J		59746	GU02041W3LP	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.449			0.033	mg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.46			0.033	mg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.661			0.0553	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Geninorg	EPA:300.0	Fluoride		0.675			0.0553	mg/L			115040	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.419			0.0553	mg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.384			0.055	mg/L		NQ	819S	CAPU-02-45081	GEL
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	EPA:300.0	Fluoride		0.456			0.033	mg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	SM:A2340B	Hardness		70.5			0.44	mg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	SM:A2340B	Hardness		97.5			0.085	mg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Geninorg	EPA:200.7	Hardness		107			0.00823	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Geninorg	EPA:200.7	Hardness		118			0.00823	mg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/30/02	WS	F	CS		Geninorg	EPA:200.7	Hardness		95.3			0.112	mg/L			59746	GF02041W3LP	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Geninorg	SM:A2340B	Hardness		112			0.44	mg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	SM:A2340B	Hardness		99.9			0.085	mg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	SW-846:6010B	Magnesium		4.7			0.085	mg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	SW-846:6010B	Magnesium		8.26			0.085	mg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Geninorg	EPA:200.7	Magnesium		6.97			0.00332	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Geninorg	EPA:200.7	Magnesium		7.17			0.00332	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Geninorg	EPA:200.7	Magnesium		8.48			0.00332	mg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Geninorg	SW-846:6010B	Magnesium		6.63			0.085	mg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	SW-846:6010B	Magnesium		8.51			0.085	mg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Geninorg	EPA:200.7	Magnesium		7.23			0.00332	mg/L			114786	GU04060W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Geninorg	SW-846:6010B	Magnesium		6.5			0.0052	mg/L		NQ	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		2.35			0.1	mg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.0206			0.014	mg/L	J	JN-, J+	168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N	<	0.01			0.01	mg/L	U	R	114786	GF04060W3LP01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo 3	-	-	07/29/03	WS	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.02			0.01	mg/L	J	J-	85116	GF03070W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.66			0.01	mg/L		NQ	819S	CAPU-02-45081	GEL
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.0168			0.014	mg/L	J	JN-, J+	168313	GU060700P3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	EPA:314.0	Perchlorate		25.8			8	µg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	SW-846:6850	Perchlorate		0.117			0.05	µg/L	J	J-	184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	SW846 6850	Perchlorate	<	0.05			0.05	µg/L	U		168313	GF060700P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168313	GF060700P3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			1.5	µg/L	U	U	819S	CAPU-02-45081	GEL
Pueblo 3	-	-	06/09/04	WS	UF	CS		Geninorg	SW846 6850	Perchlorate	<	0.05			0.05	µg/L	U		114786	GU04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	CS		Geninorg	EPA:314.0	Perchlorate		7.36			4	µg/L	J		114786	GU04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Geninorg	EPA:314.0	Perchlorate		8.06			4	µg/L	J		114786	GU04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	0.989			0.989	µg/L	U		85116	GU03070W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	UF	DUP		Geninorg	EPA:314.0	Perchlorate	<	0.989			0.989	µg/L	U		85116	GU03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	SW-846:6010B	Potassium		15.3			0.05	mg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	SW-846:6010B	Potassium		17.3			0.05	mg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Geninorg	EPA:200.7	Potassium		17.4			0.0372	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Geninorg	EPA:200.7	Potassium		17.8			0.0372	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Geninorg	EPA:200.7	Potassium		17.4			0.0372	mg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Geninorg	SW-846:6010B	Potassium		18.1			0.05	mg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	SW-846:6010B	Potassium		17.5			0.05	mg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Geninorg	EPA:200.7	Potassium		18			0.0372	mg/L			114786	GU04060W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Geninorg	SW-846:6010B	Potassium		20.1			0.017	mg/L		NQ	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		73.4			0.032	mg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		76.7			0.032	mg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Geninorg	EPA:200.7	Silicon Dioxide		68.1			0.0122	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Geninorg	EPA:200.7	Silicon Dioxide		75.3			0.0122	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Geninorg	EPA:200.7	Silicon Dioxide		71.1			0.0122	mg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		80.2			0.032	mg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Geninorg	EPA:200.7	Silicon Dioxide		76.1			0.0122	mg/L			114786	GU04060W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		38.8			0.0098	mg/L		NQ	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	SW-846:6010B	Sodium		60.8			0.045	mg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	SW-846:6010B	Sodium		67.2			0.045	mg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Geninorg	EPA:200.7	Sodium		68.9			0.02	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Geninorg	EPA:200.7	Sodium		71.4			0.02	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Geninorg	EPA:200.7	Sodium		72.7			0.02	mg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Geninorg	SW-846:6010B	Sodium		63.6			0.045	mg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	SW-846:6010B	Sodium		65.1			0.045	mg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Geninorg	EPA:200.7	Sodium		71.9			0.02	mg/L			114786	GU04060W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Geninorg	SW-846:6010B	Sodium		73			0.014	mg/L		NQ	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	EPA:120.1	Specific Conductance		689			1	µS/cm			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	EPA:120.1	Specific Conductance		653			1	µS/cm			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Geninorg	SW-846:9050A	Specific Conductance		601			1	µS/cm			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Geninorg	SW-846:9050A	Specific Conductance		599			1	µS/cm			114589	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Geninorg	SW-846:9050A	Specific Conductance		679			1	µS/cm			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/30/02	WS	F	CS		Geninorg	SW-846:9050A	Specific Conductance		514			1	µS/cm			59746	GF02041W3LP	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	EPA:120.1	Specific Conductance		640			1	µS/cm			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	EPA:300.0	Sulfate		26			0.1	mg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	EPA:300.0	Sulfate		20.2			0.1	mg/L		J+	168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Geninorg	EPA:300.0	Sulfate		13.6			0.193	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Geninorg	EPA:300.0	Sulfate		13.6			0.193	mg/L			115040	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Geninorg	EPA:300.0	Sulfate		17.3			0.193	mg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	F	CS		Geninorg	EPA:300.0	Sulfate		39.4			0.19	mg/L		NQ	819S	CAPU-02-45081	GEL
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	EPA:300.0	Sulfate		19.7			0.1	mg/L		J+	168313	GU060700P3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		572			11.4	mg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		43.5			2.85	mg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		321			2.38	mg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		398			2.38	mg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		379			2.38	mg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		410			3.07	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		389			3.07	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		411			3.07	mg/L			85116	GF03070W3LP01	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo 3	-	-	07/29/03	WS	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		406			3.07	mg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/30/02	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		379			5.09	mg/L			59746	GF02041W3LP	GELC
Pueblo 3	-	-	04/30/02	WS	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		379			5.09	mg/L			59746	GF02041W3LP	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		28.8			0.29	mg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		26.9			0.1	mg/L	J		168313	GF060700P3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		71.8			1.45	mg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		25.9			0.1	mg/L	J		168313	GU060700P3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		53.1			1.65	mg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		19.6			0.66	mg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		20.1			0.13	mg/L		NQ	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	10/31/01	WS	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		25.8			0.081	mg/L		NQ	134S	CAPU-01-0221	GEL
Pueblo 3	-	-	06/21/01	WS	UF	CS		Geninorg	EPA:415.1	Total Organic Carbon		8.9				mg/L		NQ	9095R	CAPU-01-0095	PARA
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		4.95			0.24	mg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		8.46			0.1	mg/L	J		168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		5.45			0.055	mg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		3.8			0.0162	mg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		2.64			0.011	mg/L		NQ	819S	CAPU-02-45081	GEL
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		8.95			0.1	mg/L	J		168313	GU060700P3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Geninorg	EPA:150.1	pH		7.82			0.01	SU	H	J	184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Geninorg	EPA:150.1	pH		7.41			0.01	SU	H	J	168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Geninorg	EPA:150.1	pH		7.53				SU	H	J	114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Geninorg	EPA:150.1	pH		7.52				SU	H		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Geninorg	EPA:150.1	pH		7.12			0.01	SU	H	J	85116	GF03070W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	DUP		Geninorg	EPA:150.1	pH		7.13			0.01	SU	H		85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/30/02	WS	F	CS		Geninorg	EPA:150.1	pH		7.57			0.01	SU	H	J	59746	GF02041W3LP	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Geninorg	EPA:150.1	pH		7.41			0.01	SU	H	J	168313	GU060700P3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Metals	SW-846:6010B	Aluminum		253			68	µg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6010B	Aluminum	<	68			68	µg/L	U		168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.7	Aluminum		132			14.4	µg/L		J-	114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.7	Aluminum		136			14.4	µg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.7	Aluminum	<	14.4			14.4	µg/L	U	R	85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6010B	Aluminum		8820			68	µg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6010B	Aluminum		1370			68	µg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:200.7	Aluminum		49			14.4	µg/L	B		114786	GU04060W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Metals	SW-846:6010B	Aluminum	<	50			15	µg/L	U	U	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	04/20/07	WS	F	CS		Metals	SW-846:6010B	Barium		22			1	µg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6010B	Barium		49.4			1	µg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.7	Barium		46.6			0.301	µg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.7	Barium		47.5			0.301	µg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.7	Barium		24.3			0.301	µg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6010B	Barium		271			1	µg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6010B	Barium		83.3			1	µg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:200.7	Barium		22.4			0.301	µg/L			114786	GU04060W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Metals	SW-846:6010B	Barium		49.3			0.22	µg/L		NQ	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	04/20/07	WS	F	CS		Metals	SW-846:6010B	Boron		242			10	µg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6010B	Boron		285			10	µg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.7	Boron		288			1.39	µg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.7	Boron		298			1.39	µg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.7	Boron		354			1.39	µg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Boron		434			1.76	µg/L			59746	GF02041W3LP	GELC
Pueblo 3	-	-	04/30/02	WS	F	DUP		Metals	EPA:200.7	Boron		427			1.76	µg/L			59746	GF02041W3LP	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6010B	Boron		273			10	µg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6010B	Boron		281			10	µg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:200.7	Boron		303			1.39	µg/L			114786	GU04060W3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6020	Cadmium	<	0.1			0.1	µg/L	U		168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.8	Cadmium	<	0.07			0.07	µg/L	U		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.8	Cadmium	<	0.07			0.07	µg/L	U		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.8	Cadmium	<	0.07			0.07	µg/L	U	UJ	85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6020	Cadmium		0.83			0.1	µg/L	J		184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6020	Cadmium	<	0.1			0.1	µg/L	U		168313	GU060700P3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Metals	SW-846:6020	Cadmium		0.052			0.04	µg/L	B	J	819S	CAPU-02-45082	GEL

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo 3	-	-	04/20/07	WS	F	CS		Metals	SW-846:6020	Chromium		2.4			1	µg/L	J		184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6020	Chromium	<	2.8			1	µg/L	J	U	168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.7	Chromium	<	1.43			1.43	µg/L	U		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.7	Chromium		1.54			1.43	µg/L	B		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.7	Chromium	<	1.43			1.43	µg/L	U		85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6020	Chromium		23.5			1	µg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6020	Chromium	<	4.4			1	µg/L		U	168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:200.7	Chromium	<	1.43			1.43	µg/L	U		114786	GU04060W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Metals	SW-846:6010B	Chromium	<	5			0.5	µg/L	U	U	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6010B	Cobalt		4.2			1	µg/L	J		168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.7	Cobalt		1.87			0.762	µg/L	B		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.7	Cobalt		1.28			0.762	µg/L	B		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.7	Cobalt		5.75			0.762	µg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6010B	Cobalt		1.5			1	µg/L	J		184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6010B	Cobalt		3.1			1	µg/L	J		168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:200.7	Cobalt	<	0.762			0.762	µg/L	U		114786	GU04060W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Metals	SW-846:6010B	Cobalt		2.53			0.54	µg/L	B	J	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	04/20/07	WS	F	CS		Metals	SW-846:6010B	Copper		12.9			3	µg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U		168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.7	Copper		4.44			1.8	µg/L	B		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.7	Copper		4.38			1.8	µg/L	B		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.7	Copper		3.57			1.8	µg/L	B		85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6010B	Copper		185			3	µg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6010B	Copper		7.3			3	µg/L	J		168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:200.7	Copper	<	1.8			1.8	µg/L	U		114786	GU04060W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Metals	SW-846:6010B	Copper		6.18			1.4	µg/L		NQ	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	04/20/07	WS	F	CS		Metals	SW-846:6010B	Iron		256			18	µg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6010B	Iron		702			18	µg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.7	Iron		2430			14.9	µg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.7	Iron		2470			14.9	µg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.7	Iron		847			14.9	µg/L		J	85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6010B	Iron		6300			18	µg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6010B	Iron		2280			18	µg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:200.7	Iron		973			14.9	µg/L			114786	GU04060W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Metals	SW-846:6010B	Iron		79.7			13	µg/L		NQ	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	04/20/07	WS	F	CS		Metals	SW-846:6020	Lead		1.2			0.5	µg/L	J		184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6020	Lead		0.66			0.5	µg/L	J		168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.8	Lead		0.27			0.05	µg/L	B		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.8	Lead		0.173			0.05	µg/L	B		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.8	Lead		0.394			0.05	µg/L	B	J	85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6020	Lead		15.4			0.5	µg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6020	Lead		3.7			0.5	µg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Metals	SW-846:6020	Lead		1.46			0.05	µg/L	B	J	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	04/20/07	WS	F	CS		Metals	SW-846:6010B	Manganese		82.3			2	µg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6010B	Manganese		812			2	µg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.7	Manganese		1900			0.304	µg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.7	Manganese		1950			0.304	µg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.7	Manganese		1830			0.304	µg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6010B	Manganese		268			2	µg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6010B	Manganese		883			2	µg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:200.7	Manganese		1880			0.304	µg/L			114786	GU04060W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Metals	SW-846:6020	Manganese		132			1.6	µg/L		NQ	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	EPA:245.2	Mercury	<	0.06			0.06	µg/L	U		168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:245.1	Mercury	<	0.0472			0.0472	µg/L	U	UJ	114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:245.1	Mercury	<	0.033			0.033	µg/L	U		85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	EPA:245.2	Mercury		0.95			0.06	µg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	EPA:245.2	Mercury	<	0.06			0.06	µg/L	U		168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	CS		Metals	EPA:245.1	Mercury	<	0.0472			0.0472	µg/L	U		114786	GU04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:245.1	Mercury	<	0.0472			0.0472	µg/L	U		114786	GU04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	UF	CS		Metals	EPA:245.1	Mercury	<	0.033			0.033	µg/L	U	UJ	85116	GU03070W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Metals	SW-846:7470A	Mercury	<	0.2			0.047	µg/L	U	U	819S	CAPU-02-45082	GEL

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo 3	-	-	04/20/07	WS	F	CS		Metals	SW-846:6010B	Molybdenum		2.9			2	µg/L	J		184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6010B	Molybdenum	<	3.1			2	µg/L	J	U	168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.7	Molybdenum	<	2.82			0.948	µg/L	B	U	114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.7	Molybdenum		1.06			0.948	µg/L	B		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.7	Molybdenum		8.87			0.948	µg/L	B		85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6010B	Molybdenum		8.3			2	µg/L	J		184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6010B	Molybdenum	<	3.2			2	µg/L	J	U	168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:200.7	Molybdenum		1.63			0.948	µg/L	B		114786	GU04060W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Metals	SW-846:6020	Molybdenum		7.65			0.2	µg/L		NQ	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	04/20/07	WS	F	CS		Metals	SW-846:6020	Nickel		2.8			0.5	µg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6020	Nickel		4.5			0.5	µg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.7	Nickel		4.55			3.6	µg/L	B		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.7	Nickel		5.01			3.6	µg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.7	Nickel		7.45			3.6	µg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6020	Nickel		7.6			0.5	µg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6020	Nickel		4.8			0.5	µg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:200.7	Nickel		4.09			3.6	µg/L	B		114786	GU04060W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Metals	SW-846:6010B	Nickel		6.58			0.69	µg/L		NQ	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	04/20/07	WS	F	CS		Metals	SW-846:6020	Silver		0.56			0.2	µg/L	J		184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6020	Silver		0.24			0.2	µg/L	J		168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.7	Silver		0.91			0.819	µg/L	B		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.7	Silver	<	0.819			0.819	µg/L	U		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.7	Silver	<	0.819			0.819	µg/L	U		85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6020	Silver		11.7			0.2	µg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6020	Silver		0.86			0.2	µg/L	J		168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:200.7	Silver	<	0.819			0.819	µg/L	U		114786	GU04060W3LP01	GELC
Pueblo 3	-	-	05/23/02	WS	UF	CS		Metals	SW-846:6010B	Silver	<	5			0.84	µg/L	U	U	819S	CAPU-02-45082	GEL
Pueblo 3	-	-	04/20/07	WS	F	CS		Metals	SW-846:6010B	Strontium		86.2			1	µg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6010B	Strontium		130			1	µg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.7	Strontium		154			0.238	µg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.7	Strontium		159			0.238	µg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.7	Strontium		159			0.238	µg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Strontium		104			0.185	µg/L			59746	GF02041W3LP	GELC
Pueblo 3	-	-	04/30/02	WS	F	DUP		Metals	EPA:200.7	Strontium		103			0.185	µg/L			59746	GF02041W3LP	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6010B	Strontium		175			1	µg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6010B	Strontium		135			1	µg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:200.7	Strontium		152			0.238	µg/L			114786	GU04060W3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6010B	Tin	<	2.5			2.5	µg/L	U		168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.7	Tin	<	1.55			1.55	µg/L	U		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.7	Tin	<	1.55			1.55	µg/L	U		114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.7	Tin	<	1.55			1.55	µg/L	U	UJ	85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Tin	<	3.5			3.5	µg/L	U		59746	GF02041W3LP	GELC
Pueblo 3	-	-	04/30/02	WS	F	DUP		Metals	EPA:200.7	Tin	<	3.5			3.5	µg/L	U		59746	GF02041W3LP	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6010B	Tin		19.4			2.5	µg/L		J+	184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6010B	Tin	<	2.5			2.5	µg/L	U		168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:200.7	Tin	<	1.55			1.55	µg/L	U		114786	GU04060W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	F	CS		Metals	SW-846:6020	Uranium		0.6			0.05	µg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6020	Uranium		0.54			0.05	µg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	10/31/01	WS	F	CS		Metals	SW-846:6020	Uranium	<	0.529999971			0.017999999	µg/L	BE	U	135S	CAPU-01-0220	GEL
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6020	Uranium		2			0.05	µg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6020	Uranium		0.7			0.05	µg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	10/31/01	WS	UF	CS		Metals	SW-846:6020	Uranium	<	0.620000005			0.017999999	µg/L	BE	U	135S	CAPU-01-0221	GEL
Pueblo 3	-	-	06/12/97	WS	UF	CS		Metals	KPA	Uranium		0.4				µg/L			100020174	MM97061W3LP	CST
Pueblo 3	-	-	04/20/07	WS	F	CS		Metals	SW-846:6010B	Vanadium		26.9			1	µg/L			184767	GF070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6010B	Vanadium		6.8			1	µg/L			168313	GF060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.7	Vanadium		6.9			0.732	µg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.7	Vanadium		6.48			0.732	µg/L			114786	GF04060W3LP01	GELC
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.7	Vanadium		5.38			0.732	µg/L			85116	GF03070W3LP01	GELC
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6010B	Vanadium		54.3			1	µg/L			184767	GU070400P3LP01	GELC
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6010B	Vanadium		9.2			1	µg/L			168313	GU060700P3LP01	GELC
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:200.7	Vanadium		5.94			0.732	µg/L			114786	GU04060W3LP01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab	
Pueblo 3	-	-	05/23/02	WS	UF	CS		Metals	SW-846:6010B	Vanadium		13.3			0.61	µg/L		NQ	819S	CAPU-02-45082	GEL	
Pueblo 3	-	-	04/20/07	WS	F	CS		Metals	SW-846:6010B	Zinc		36.6			2	µg/L			184767	GF070400P3LP01	GELC	
Pueblo 3	-	-	07/28/06	WS	F	CS		Metals	SW-846:6010B	Zinc		11.8			2	µg/L		J+	168313	GF060700P3LP01	GELC	
Pueblo 3	-	-	06/09/04	WS	F	CS		Metals	EPA:200.7	Zinc	<	8.36			0.406	µg/L		U	114786	GF04060W3LP01	GELC	
Pueblo 3	-	-	06/09/04	WS	F	DUP		Metals	EPA:200.7	Zinc		11.5			0.406	µg/L			114786	GF04060W3LP01	GELC	
Pueblo 3	-	-	07/29/03	WS	F	CS		Metals	EPA:200.7	Zinc		10.7			0.406	µg/L		J-	85116	GF03070W3LP01	GELC	
Pueblo 3	-	-	04/20/07	WS	UF	CS		Metals	SW-846:6010B	Zinc		460			2	µg/L			184767	GU070400P3LP01	GELC	
Pueblo 3	-	-	07/28/06	WS	UF	CS		Metals	SW-846:6010B	Zinc		22.2			2	µg/L		J+	168313	GU060700P3LP01	GELC	
Pueblo 3	-	-	06/09/04	WS	UF	DUP		Metals	EPA:200.7	Zinc		4.87			0.406	µg/L	B		114786	GU04060W3LP01	GELC	
Pueblo 3	-	-	05/23/02	WS	UF	CS		Metals	SW-846:6010B	Zinc		42.3			0.88	µg/L		NQ	819S	CAPU-02-45082	GEL	
Pueblo 3	-	-	04/20/07	WP	UF	CS		Rad	LLEE	Tritium		2.45861	0.09579	0.28737	pCi/L				2332	UU070400P3LP01	UMTL	
Pueblo 3	-	-	06/09/04	WS	UF	CS		Rad	EPA:906.0	Tritium		-63	17.66666667	180	pCi/L	U	U		114786	GU04060W3LP01	GELC	
Pueblo 3	-	-	07/29/03	WS	UF	CS		Rad	EPA:906.0	Tritium		130	15.6	144	pCi/L	U	J		85116	GU03070W3LP01	GELC	
Pueblo 3	-	-	05/23/02	WS	UF	CS		Rad	EPA:906.0	Tritium		113	17.33333333	0.16	0	pCi/L	U	U		821S	CAPU-02-45082	GEL
Pueblo 3	-	-	04/30/02	WS	UF	CS		Rad	EPA:906.0	Tritium		-25.3	14.6	147	pCi/L	U	U		59746	GU02041W3LP	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		68.7			0.725	mg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		59.1			1.45	mg/L			133525	GU05030M05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		0.082			0.03	mg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	SW-846:6010B	Calcium		24.1			0.036	mg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Geninorg	SW-846:6010B	Calcium		24.2			0.036	mg/L			184479	GU070400P05501	GELC	
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Geninorg	EPA:200.7	Calcium		24.8			0.036	mg/L			133525	GU05030M05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	EPA:300.0	Chloride		68.7			0.66	mg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	EPA:300.0	Fluoride		0.227			0.033	mg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	SM:A2340B	Hardness		75.1			0.44	mg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Geninorg	SM:A2340B	Hardness		75.6			0.44	mg/L			184479	GU070400P05501	GELC	
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Geninorg	SM:A2340B	Hardness		80.3			0.085	mg/L			133525	GU05030M05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	SW-846:6010B	Magnesium		3.62			0.085	mg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.67			0.085	mg/L			184479	GU070400P05501	GELC	
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Geninorg	EPA:200.7	Magnesium		4.48			0.085	mg/L			133525	GU05030M05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.217			0.01	mg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	SW-846:6850	Perchlorate		0.257			0.05	µg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Geninorg	SW846 6850	Perchlorate		0.301			0.05	µg/L			133525	GU05030M05501	GELC	
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		133525	GU05030M05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	SW-846:6010B	Potassium		4.66			0.05	mg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Geninorg	SW-846:6010B	Potassium		4.74			0.05	mg/L			184479	GU070400P05501	GELC	
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Geninorg	EPA:200.7	Potassium		5.36			0.05	mg/L			133525	GU05030M05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		20.7			0.032	mg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	SW-846:6010B	Sodium		57.7			0.045	mg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Geninorg	SW-846:6010B	Sodium		56.6			0.045	mg/L			184479	GU070400P05501	GELC	
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Geninorg	EPA:200.7	Sodium		47.7			0.045	mg/L			133525	GU05030M05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	EPA:120.1	Specific Conductance		485			1	µS/cm			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	EPA:300.0	Sulfate		18.2			0.1	mg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		1.2			1.14	mg/L	J		184479	GU070400P05501	GELC	
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		10.4			2.28	mg/L			133525	GU05030M05501	GELC	
Pueblo above Acid	-	-	03/30/05	WM	UF	RE		Geninorg	EPA:160.2	Suspended Sediment Concentration		9.09			5.18	mg/L	J		133525	GU05030M05501	GELC	
Pueblo above Acid	-	-	03/30/05	WM	UF	REDP		Geninorg	EPA:160.2	Suspended Sediment Concentration		10			2.28	mg/L			133525	GU05030M05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		314			2.38	mg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.244			0.029	mg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.318			0.029	mg/L			184479	GU070400P05501	GELC	
Pueblo above Acid	-	-	03/30/05	WM	F	CS		Geninorg	EPA:415.1	Total Organic Carbon		13			0.074	mg/L			133525	GF05030M05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		10.1			0.33	mg/L		J	184479	GU070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Geninorg	EPA:150.1	pH		7.93			0.01	SU	H	J	184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Metals	SW-846:6010B	Aluminum		243			68	µg/L		JN-	184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Metals	SW-846:6010B	Aluminum		592			68	µg/L			184479	GU070400P05501	GELC	
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Metals	EPA:200.7	Aluminum		4220			68	µg/L			133525	GU05030M05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Metals	SW-846:6020	Arsenic		1.6			1.5	µg/L	J		184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Metals	EPA:200.7	Arsenic	<	6			6	µg/L	U		133525	GU05030M05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Metals	SW-846:6010B	Barium		39.4			1	µg/L			184479	GF070400P05501	GELC	
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Metals	SW-846:6010B	Barium		40.8			1	µg/L			184479	GU070400P05501	GELC	
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Metals	EPA:200.7	Barium		62.1			1	µg/L			133525	GU05030M05501	GELC	

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Metals	SW-846:6010B	Boron		19.3			10	µg/L	J		184479	GF070400P05501	GELC
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Metals	SW-846:6010B	Boron		18.4			10	µg/L	J		184479	GU070400P05501	GELC
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Metals	SW-846:6010B	Iron		128			18	µg/L			184479	GF070400P05501	GELC
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Metals	SW-846:6010B	Iron		311			18	µg/L			184479	GU070400P05501	GELC
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Metals	EPA:200.7	Iron		2280			18	µg/L			133525	GU05030M05501	GELC
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Metals	SW-846:6010B	Manganese		2.9			2	µg/L	J		184479	GU070400P05501	GELC
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Metals	EPA:200.7	Manganese		84.6			2	µg/L			133525	GU05030M05501	GELC
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Metals	SW-846:6020	Nickel		1.3			0.5	µg/L	J		184479	GF070400P05501	GELC
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Metals	SW-846:6020	Nickel		1.4			0.5	µg/L	J		184479	GU070400P05501	GELC
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Metals	EPA:200.8	Nickel		2.7			0.5	µg/L			133525	GU05030M05501	GELC
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Metals	SW-846:6010B	Strontium		118			1	µg/L			184479	GF070400P05501	GELC
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Metals	SW-846:6010B	Strontium		118			1	µg/L			184479	GU070400P05501	GELC
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Metals	SW-846:6010B	Vanadium		3.6			1	µg/L	J	JN-	184479	GF070400P05501	GELC
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Metals	SW-846:6010B	Vanadium		3.1			1	µg/L	J	JN-	184479	GU070400P05501	GELC
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Metals	EPA:200.7	Vanadium	<	4.7			1	µg/L	J	U	133525	GU05030M05501	GELC
Pueblo above Acid	-	-	04/18/07	WP	F	CS		Metals	SW-846:6010B	Zinc		2.3			2	µg/L	J		184479	GF070400P05501	GELC
Pueblo above Acid	-	-	04/18/07	WP	UF	CS		Metals	SW-846:6010B	Zinc		4.3			2	µg/L	J		184479	GU070400P05501	GELC
Pueblo above Acid	-	-	03/30/05	WM	UF	CS		Metals	EPA:200.7	Zinc		15.9			2	µg/L			133525	GU05030M05501	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		0.785			0.725	mg/L	J		184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	0.725			0.725	mg/L	U		168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	0.725			0.725	mg/L	U		59746	GF02041W060	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	0.725			0.725	mg/L	U		168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		231			0.725	mg/L			184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		133			0.725	mg/L			184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		159			0.725	mg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		197			1.45	mg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		145			1.45	mg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		148			0.725	mg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		153			0.725	mg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	EPA:350.1	Ammonia as Nitrogen		19.4			3	mg/L		J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		22.3			3	mg/L		J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		5.36			0.1	mg/L		J, R	168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	RE		Geninorg	EPA:350.1	Ammonia as Nitrogen		4.09			0.1	mg/L	H	R, J	171709	GF060700P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	EPA:350.1	Ammonia as Nitrogen		4.69			0.1	mg/L		J	168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	EPA:300.0	Bromide		0.194			0.066	mg/L	J		184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	EPA:300.0	Bromide		0.194			0.066	mg/L	J		184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:300.0	Bromide		0.13			0.041	mg/L	J		135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	SW-846:6010B	Calcium		21.6			0.036	mg/L		J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	SW-846:6010B	Calcium		21.6			0.036	mg/L		J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	SW-846:6010B	Calcium		33			0.036	mg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:200.7	Calcium		25.8			0.036	mg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	EPA:200.7	Calcium		20.8			0.00823	mg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Geninorg	EPA:200.7	Calcium		20.8			0.00823	mg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	EPA:200.7	Calcium		21.4			0.0355	mg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Geninorg	SW-846:6010B	Calcium		22.7			0.036	mg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Geninorg	SW-846:6010B	Calcium		22.8			0.036	mg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	SW-846:6010B	Calcium		32.4			0.036	mg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Geninorg	EPA:200.7	Calcium		25.6			0.036	mg/L			135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	EPA:300.0	Chloride		42.1			0.33	mg/L			184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	EPA:300.0	Chloride		42.3			0.33	mg/L			184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:300.0	Chloride		58.6			0.33	mg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:300.0	Chloride		44.1			0.265	mg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	EPA:300.0	Chloride		44.6			0.161	mg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	EPA:300.0	Chloride		43.1			0.125	mg/L			59746	GF02041W060	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	EPA:300.0	Chloride		57.5			0.33	mg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:335.3	Cyanide (Total)	<	0.0015			0.0015	mg/L	U		168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	SW-846:9012A	Cyanide (Total)		0.00508			0.0025	mg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Geninorg	EPA:335.3	Cyanide (Total)		0.00171			0.0015	mg/L	J	JN-	184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	EPA:335.3	Cyanide (Total)		0.0036			0.0015	mg/L	J		168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	UF	CS		Geninorg	EPA:335.3	Cyanide (Total)		0.00258			0.00172	mg/L	J		104142	GU03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	UF	CS		Geninorg	EPA:335.3	Cyanide (Total)	<	0.00289			0.00289	mg/L	U		59746	GU02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	EPA:300.0	Fluoride		0.401			0.033	mg/L			184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.391			0.033	mg/L			184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:300.0	Fluoride		0.488			0.033	mg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.404			0.03	mg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.398			0.0553	mg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	EPA:300.0	Fluoride		0.419			0.014	mg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	EPA:300.0	Fluoride		0.513			0.033	mg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	SM:A2340B	Hardness		76			0.44	mg/L			184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	SM:A2340B	Hardness		76			0.44	mg/L			184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	SM:A2340B	Hardness		115			0.085	mg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	SM:A2340B	Hardness		91.1			0.02	mg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	EPA:200.7	Hardness		68.2			0.00823	mg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	EPA:200.7	Hardness		75.5			0.112	mg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Geninorg	SM:A2340B	Hardness		79.6			0.44	mg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Geninorg	SM:A2340B	Hardness		80.1			0.44	mg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	SM:A2340B	Hardness		113			0.085	mg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Geninorg	SM:A2340B	Hardness		90.7			0.02	mg/L			135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	SW-846:6010B	Magnesium		5.36			0.085	mg/L	J		184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	SW-846:6010B	Magnesium		5.35			0.085	mg/L	J		184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	SW-846:6010B	Magnesium		7.96			0.085	mg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:200.7	Magnesium		6.6			0.085	mg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	EPA:200.7	Magnesium		3.97			0.00332	mg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Geninorg	EPA:200.7	Magnesium		3.97			0.00332	mg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	EPA:200.7	Magnesium		5.33			0.00453	mg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium		5.58			0.085	mg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Geninorg	SW-846:6010B	Magnesium		5.62			0.085	mg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	SW-846:6010B	Magnesium		7.84			0.085	mg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Geninorg	EPA:200.7	Magnesium		6.61			0.085	mg/L			135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as N		1.82			0.1	mg/L			184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		1.72			0.1	mg/L			184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		763			14	mg/L		J, R	168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		3.32			0.003	mg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		4.35			0.05	mg/L		J	104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		4.3			0.0345	mg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		4.78			0.014	mg/L		J+	168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	SW-846:6850	Perchlorate		0.112			0.05	µg/L	J		184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	EPA:314.0	Perchlorate		5.53			4	µg/L	J		184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	SW-846:6850	Perchlorate		0.116			0.05	µg/L	J		184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	SW846 6850	Perchlorate	<	0.05			0.05	µg/L	U		168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:314.0	Perchlorate		4.7			4	µg/L	J		168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	SW846 6850	Perchlorate	<	0.05			0.05	µg/L	U	UJ	135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		104142	GU03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	0.958			0.958	µg/L	U		59746	GU02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	SW-846:6010B	Potassium		16.7			0.05	mg/L		J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	SW-846:6010B	Potassium		16.7			0.05	mg/L		J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	SW-846:6010B	Potassium		16.3			0.05	mg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:200.7	Potassium		16.4			0.05	mg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	EPA:200.7	Potassium		13.6			0.0372	mg/L	E		104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Geninorg	EPA:200.7	Potassium		13.7			0.0372	mg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	EPA:200.7	Potassium		15.2			0.0107	mg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Geninorg	SW-846:6010B	Potassium		17.1			0.05	mg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Geninorg	SW-846:6010B	Potassium		17.1			0.05	mg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	SW-846:6010B	Potassium		16			0.05	mg/L			168313	GU060700P06001	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Geninorg	EPA:200.7	Potassium		16			0.05	mg/L			135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	SW-846:6010B	Silicon Dioxide		73.9			0.032	mg/L		J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		73.6			0.032	mg/L		J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		74.2			0.032	mg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:200.7	Silicon Dioxide		72.8			0.032	mg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	EPA:200.7	Silicon Dioxide		68.4			0.00568	mg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Geninorg	EPA:200.7	Silicon Dioxide		67.7			0.00568	mg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	EPA:200.7	Silicon Dioxide		82.9			0.0543	mg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		71.5			0.032	mg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Geninorg	EPA:200.7	Silicon Dioxide		71.3			0.032	mg/L			135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	SW-846:6010B	Sodium		71.8			0.045	mg/L		J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	SW-846:6010B	Sodium		70.7			0.045	mg/L		J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	SW-846:6010B	Sodium		74			0.045	mg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:200.7	Sodium		73.8			0.045	mg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	EPA:200.7	Sodium		60.9			0.02	mg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Geninorg	EPA:200.7	Sodium		61.2			0.02	mg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	EPA:200.7	Sodium		71.7			0.00773	mg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Geninorg	SW-846:6010B	Sodium		70.7			0.045	mg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Geninorg	SW-846:6010B	Sodium		70.8			0.045	mg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	SW-846:6010B	Sodium		66.8			0.045	mg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Geninorg	EPA:200.7	Sodium		72.2			0.045	mg/L			135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance		687			1	µS/cm			184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	EPA:120.1	Specific Conductance		663			1	µS/cm			184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:120.1	Specific Conductance		589			1	µS/cm			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	SW-846:9050A	Specific Conductance		610			1	µS/cm			137151	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	SW-846:9050A	Specific Conductance		533			1	µS/cm		J	104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	SW-846:9050A	Specific Conductance		457			1	µS/cm			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	EPA:120.1	Specific Conductance		571			1	µS/cm			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	EPA:300.0	Sulfate		24.4			0.1	mg/L			184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	EPA:300.0	Sulfate		24.2			0.1	mg/L			184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:300.0	Sulfate		17			0.1	mg/L		J+	168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:300.0	Sulfate		20.4			0.057	mg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	EPA:300.0	Sulfate		20.2			0.193	mg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	EPA:300.0	Sulfate		37.4			0.062	mg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	EPA:300.0	Sulfate		17.3			0.1	mg/L		J+	168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Geninorg	EPA:160.2	Suspended Sediment Concentration		64.9			1.63	mg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		71.6			2.28	mg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		15			1.43	mg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Geninorg	EPA:160.2	Suspended Sediment Concentration		35.2			2.28	mg/L			135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids		335			2.38	mg/L			184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		297			2.38	mg/L			184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		401			2.38	mg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		418			2.38	mg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		374			2.38	mg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		337			3.07	mg/L		J	104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		384			5.09	mg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		26.6			0.29	mg/L		J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		26.8			0.29	mg/L		J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		1.71			0.01	mg/L		J, R	168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	RE		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		2.58			0.01	mg/L	H	R, J, J-	171709	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	21.6			0.2	mg/L		U	135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		28.1			0.29	mg/L		J	184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		28.3			0.29	mg/L		J	184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		6.18			0.1	mg/L		J	168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	SW-846:9060	Total Organic Carbon		11.3			0.074	mg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Geninorg	SW-846:9060	Total Organic Carbon		26.3			0.66	mg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		24.3			0.66	mg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		14.7			0.66	mg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	EPA:365.4	Total Phosphate as Phosphorus		5.05			0.24	mg/L		J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		5.13			0.24	mg/L		J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		7.2			0.1	mg/L		J	168313	GF060700P06001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		6.02			0.05	mg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		3.95			0.011	mg/L		J	104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		3.3			0.097	mg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	EPA:365.4	Total Phosphate as Phosphorus		8.43			0.1	mg/L		J	168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Geninorg	EPA:150.1	pH		7.98			0.01	SU	H	J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Geninorg	EPA:150.1	pH		7.89			0.01	SU	H	J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Geninorg	EPA:150.1	pH		7.2			0.01	SU	H	J	168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Geninorg	EPA:150.1	pH		7.45			0.01	SU	H	J	135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Geninorg	EPA:150.1	pH		7.38				SU	H	J	104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Geninorg	EPA:150.1	pH		7.38				SU	H		104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Geninorg	EPA:150.1	pH		7.41			0.01	SU	H	J	59746	GF02041W060	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Geninorg	EPA:150.1	pH		6.97			0.01	SU	H	J	168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6010B	Aluminum		91.3			68	µg/L	J	J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6010B	Aluminum		120			68	µg/L	J	J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6010B	Aluminum	<	68			68	µg/L	U		168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.7	Aluminum	<	68			68	µg/L	U		135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.7	Aluminum		56.2			14.4	µg/L	B		104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Metals	EPA:200.7	Aluminum		55.1			14.4	µg/L	B		104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Aluminum		217			34.3	µg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6010B	Aluminum		1240			68	µg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Metals	SW-846:6010B	Aluminum		1640			68	µg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6010B	Aluminum		414			68	µg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.7	Aluminum		754			68	µg/L			135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6020	Arsenic		5.3			1.5	µg/L			184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6020	Arsenic		4.8			1.5	µg/L	J		184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.7	Arsenic		6.7			6	µg/L	J		135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.7	Arsenic		2.47			1.67	µg/L	B	JN-	104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Metals	EPA:200.7	Arsenic		1.81			1.67	µg/L	B		104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Arsenic		5.21			2.57	µg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6020	Arsenic		6.1			1.5	µg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Metals	SW-846:6020	Arsenic		5.8			1.5	µg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.7	Arsenic	<	6			6	µg/L	U		135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6010B	Barium		19.9			1	µg/L		J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6010B	Barium		20.5			1	µg/L		J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6010B	Barium		32.3			1	µg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.7	Barium		18.4			1	µg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.7	Barium		25.2			0.301	µg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Metals	EPA:200.7	Barium		25.2			0.301	µg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Barium		25.7			0.451	µg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6010B	Barium		41.9			1	µg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Metals	SW-846:6010B	Barium		44			1	µg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6010B	Barium		67.8			1	µg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.7	Barium		29.9			1	µg/L			135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6010B	Boron		300			10	µg/L		J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6010B	Boron		298			10	µg/L		J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6010B	Boron		301			10	µg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.7	Boron		308			10	µg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.7	Boron		244			1.39	µg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Metals	EPA:200.7	Boron		248			1.39	µg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Boron		494			1.76	µg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6010B	Boron		308			10	µg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Metals	SW-846:6010B	Boron		311			10	µg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6010B	Boron		288			10	µg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.7	Boron		296			10	µg/L			135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6020	Cadmium	<	0.1			0.1	µg/L	U		168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.8	Cadmium	<	0.1			0.1	µg/L	U		135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.8	Cadmium	<	0.07			0.07	µg/L	U	UJ	104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.8	Cadmium	<	0.05			0.05	µg/L	U		59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6020	Cadmium		0.12			0.1	µg/L	J		184058	GU070400P06020	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6020	Cadmium	<	0.1			0.1	µg/L	U		168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.8	Cadmium	<	0.1			0.1	µg/L	U		135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6020	Chromium		2.6			1	µg/L	J		184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6020	Chromium		2.8			1	µg/L	J		184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6020	Chromium	<	2.7			1	µg/L	J	U	168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.7	Chromium		1.2			1	µg/L	J		135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.7	Chromium	<	1.43			1.43	µg/L	U		104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Metals	EPA:200.7	Chromium	<	1.43			1.43	µg/L	U		104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Chromium		1.51			1.47	µg/L	B		59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6020	Chromium		3.8			1	µg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Metals	SW-846:6020	Chromium		3.7			1	µg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6020	Chromium	<	3.3			1	µg/L		U	168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.7	Chromium		1.1			1	µg/L	J		135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6010B	Cobalt		2.5			1	µg/L	J	J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6010B	Cobalt		4.5			1	µg/L	J		168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.7	Cobalt		2.3			1	µg/L	J		135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.7	Cobalt		0.839			0.762	µg/L	B		104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Metals	EPA:200.7	Cobalt		0.915			0.762	µg/L	B		104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Cobalt	<	0.968			0.968	µg/L	U		59746	GF02041W060	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6010B	Cobalt		4.1			1	µg/L	J		168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.7	Cobalt		2.5			1	µg/L	J		135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6010B	Copper		19.4			3	µg/L		J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6010B	Copper		19.5			3	µg/L		J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U		168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.7	Copper		4.5			3	µg/L	J		135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.7	Copper		5.34			1.8	µg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Metals	EPA:200.7	Copper		5.64			1.8	µg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Copper		11.5			1.93	µg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6010B	Copper		35.5			3	µg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Metals	SW-846:6010B	Copper		36.2			3	µg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6010B	Copper		3.9			3	µg/L	J		168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.7	Copper		7.5			3	µg/L	J		135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6010B	Iron		231			18	µg/L		J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6010B	Iron		246			18	µg/L		J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6010B	Iron		858			18	µg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.7	Iron		242			18	µg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.7	Iron		232			14.9	µg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Metals	EPA:200.7	Iron		230			14.9	µg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Iron		215			4.6	µg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6010B	Iron		1110			18	µg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Metals	SW-846:6010B	Iron		1400			18	µg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6010B	Iron		2710			18	µg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.7	Iron		906			18	µg/L			135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6020	Lead		0.51			0.5	µg/L	J		184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6020	Lead		0.57			0.5	µg/L	J		184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6020	Lead		0.63			0.5	µg/L	J		168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.8	Lead	<	0.5			0.5	µg/L	U		135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.8	Lead		0.763			0.05	µg/L	B	J	104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.8	Lead		0.837			0.077	µg/L	B		59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6020	Lead		3			0.5	µg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Metals	SW-846:6020	Lead		3.1			0.5	µg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6020	Lead		2.3			0.5	µg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.8	Lead		2			0.5	µg/L			135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6010B	Manganese		167			2	µg/L		J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6010B	Manganese		163			2	µg/L		J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6010B	Manganese		1440			2	µg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.7	Manganese		486			2	µg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.7	Manganese		227			0.304	µg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Metals	EPA:200.7	Manganese		228			0.304	µg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Manganese		249			1.2	µg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6010B	Manganese		199			2	µg/L			184058	GU070400P06020	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Metals	SW-846:6010B	Manganese		202			2	µg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6010B	Manganese		1490			2	µg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.7	Manganese		548			2	µg/L			135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6010B	Molybdenum		4.6			2	µg/L	J	J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6010B	Molybdenum		5			2	µg/L	J	J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6010B	Molybdenum	<	4.4			2	µg/L	J	U	168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.7	Molybdenum	<	2			2	µg/L	U		135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.7	Molybdenum	<	9.1			0.948	µg/L	B	U	104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Metals	EPA:200.7	Molybdenum		7.94			0.948	µg/L	B		104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Molybdenum		9.76			1.66	µg/L	B		59746	GF02041W060	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6010B	Molybdenum	<	4			2	µg/L	J	U	168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.7	Molybdenum		4			2	µg/L	J		135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6020	Nickel		3			0.5	µg/L			184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6020	Nickel		2.6			0.5	µg/L			184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6020	Nickel		7.9			0.5	µg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.7	Nickel	<	3.4			1	µg/L	J	U	135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.7	Nickel	<	3.6			3.6	µg/L	U		104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Metals	EPA:200.7	Nickel	<	3.6			3.6	µg/L	U		104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Nickel	<	2.53			1.2	µg/L	B	U	59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6020	Nickel		3.2			0.5	µg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Metals	SW-846:6020	Nickel		3.1			0.5	µg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6020	Nickel		8			0.5	µg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.7	Nickel	<	3.1			1	µg/L	J	U	135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6020	Silver		1.3			0.2	µg/L			184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6020	Silver		1.6			0.2	µg/L			184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6020	Silver	<	0.2			0.2	µg/L	U		168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.7	Silver	<	1			1	µg/L	U		135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.7	Silver		0.926			0.819	µg/L	B		104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Metals	EPA:200.7	Silver	<	0.819			0.819	µg/L	U		104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Silver	<	1.15			0.276	µg/L	B	U	59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6020	Silver		2.7			0.2	µg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Metals	SW-846:6020	Silver		2.4			0.2	µg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6020	Silver	<	0.2			0.2	µg/L	U		168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.7	Silver	<	1			1	µg/L	U		135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6010B	Strontium		90			1	µg/L		J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6010B	Strontium		90.1			1	µg/L		J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6010B	Strontium		147			1	µg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.7	Strontium		109			1	µg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.7	Strontium		96.7			0.238	µg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Metals	EPA:200.7	Strontium		96.9			0.238	µg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Strontium		90.2			0.185	µg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6010B	Strontium		98.2			1	µg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Metals	SW-846:6010B	Strontium		98.8			1	µg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6010B	Strontium		146			1	µg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.7	Strontium		109			1	µg/L			135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6020	Uranium		0.57			0.05	µg/L			184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6020	Uranium		0.6			0.05	µg/L			184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6020	Uranium		0.31			0.05	µg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6020	Uranium		0.68			0.05	µg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Metals	SW-846:6020	Uranium		0.68			0.05	µg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6020	Uranium		0.38			0.05	µg/L			168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6010B	Vanadium		13.8			1	µg/L		J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6010B	Vanadium		14.4			1	µg/L		J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6010B	Vanadium		6.4			1	µg/L			168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.7	Vanadium		8			1	µg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.7	Vanadium		9.06			0.732	µg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Metals	EPA:200.7	Vanadium		9.37			0.732	µg/L			104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Vanadium		35.1			1.04	µg/L			59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6010B	Vanadium		17.2			1	µg/L		J+	184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Metals	SW-846:6010B	Vanadium		17.8			1	µg/L		J+	184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6010B	Vanadium		7.2			1	µg/L			168313	GU060700P06001	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.7	Vanadium		8.6			1	µg/L			135792	GU05040P06001	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS	FD	Metals	SW-846:6010B	Zinc		36.7			2	µg/L		J	184058	GF070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	F	CS		Metals	SW-846:6010B	Zinc		36.2			2	µg/L		J	184058	GF070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	F	CS		Metals	SW-846:6010B	Zinc	<	10.7			2	µg/L		U	168313	GF060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	F	CS		Metals	EPA:200.7	Zinc		20.3			2	µg/L			135792	GF05040P06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	CS		Metals	EPA:200.7	Zinc		22.5		0.406	µg/L				104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	12/17/03	WS	F	DUP		Metals	EPA:200.7	Zinc		23.2		0.406	µg/L				104142	GF03120W06001	GELC
Pueblo above SR-502	-	-	04/30/02	WS	F	CS		Metals	EPA:200.7	Zinc		32.3		3.34	µg/L				59746	GF02041W060	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS	FD	Metals	SW-846:6010B	Zinc		59.3			2	µg/L			184058	GU070400P06020	GELC
Pueblo above SR-502	-	-	04/11/07	WS	UF	CS		Metals	SW-846:6010B	Zinc		63.4			2	µg/L			184058	GU070400P06001	GELC
Pueblo above SR-502	-	-	07/28/06	WP	UF	CS		Metals	SW-846:6010B	Zinc		14.8			2	µg/L		J+	168313	GU060700P06001	GELC
Pueblo above SR-502	-	-	05/02/05	WS	UF	CS		Metals	EPA:200.7	Zinc		26.4			2	µg/L			135792	GU05040P06001	GELC
R-2	1711	918	04/17/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		63			0.725	mg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		65.6			0.725	mg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		63.7			0.725	mg/L			157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		61.6			1.45	mg/L			150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		60.5			1.45	mg/L			142923	GF05080G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		65.6			0.725	mg/L			167877	GU060700G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		10.6			0.036	mg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		10.2			0.036	mg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		10.3			0.036	mg/L			157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Geninorg	SW-846:6010B	Calcium		9.95			0.036	mg/L			150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Geninorg	SW-846:6010B	Calcium		9.15			0.036	mg/L			142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		10.7			0.036	mg/L			184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		10.6			0.036	mg/L			167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		10.5			0.036	mg/L			157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		9.79			0.036	mg/L			150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		9.5			0.036	mg/L			142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		2.21			0.066	mg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		2.15			0.066	mg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		2.15			0.053	mg/L			157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		2.09			0.053	mg/L			150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		2.16			0.053	mg/L			142923	GF05080G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		2.18			0.066	mg/L			167877	GU060700G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.273			0.033	mg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.291			0.033	mg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.318			0.03	mg/L			157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.293			0.03	mg/L			150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.203			0.03	mg/L			142923	GF05080G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.304			0.033	mg/L			167877	GU060700G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		38.2			0.44	mg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		36.7			0.085	mg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		37.5			0.085	mg/L			157105	GF06020G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		39			0.44	mg/L			184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		38.6			0.085	mg/L			167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		38			0.085	mg/L			157105	GU06020G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		2.87			0.085	mg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		2.74			0.085	mg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		2.83			0.085	mg/L			157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		2.67			0.085	mg/L			150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		2.43			0.085	mg/L			142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		2.96			0.085	mg/L			184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		2.95			0.085	mg/L			167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		2.89			0.085	mg/L			157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		2.75			0.085	mg/L			150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		2.65			0.085	mg/L			142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.435			0.01	mg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.395			0.014	mg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.455			0.017	mg/L			157105	GF06020G02R01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-2	1711	918	11/09/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.378			0.017	mg/L			150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.324			0.017	mg/L			142923	GF05080G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.368			0.014	mg/L			167877	GU060700G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.344			0.017	mg/L			150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.262			0.017	mg/L			142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.347			0.05	µg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.375			0.05	µg/L			167877	GF060700G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.376			0.05	µg/L		J+	157105	GU06020G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.44			0.05	µg/L		J+	150023	GU05110G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		142923	GU05080G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.373			0.05	µg/L			142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		1.13			0.05	mg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		1.05			0.05	mg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		1.13			0.05	mg/L			157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Geninorg	SW-846:6010B	Potassium		1.08			0.05	mg/L			150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Geninorg	SW-846:6010B	Potassium		1.11			0.05	mg/L			142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		1.2			0.05	mg/L			184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		1.12			0.05	mg/L			167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		1.22			0.05	mg/L			157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		1.12			0.05	mg/L			150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		1.21			0.05	mg/L			142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		83			0.032	mg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		83.9			0.032	mg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		92.1			0.032	mg/L			157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		87.9			0.032	mg/L		J	150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		87.4			0.032	mg/L			142923	GF05080G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		89.3			0.032	mg/L			167877	GU060700G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		90			0.032	mg/L		J	150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		87.8			0.032	mg/L			142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		15.6			0.045	mg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		16.1			0.045	mg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		17.4			0.045	mg/L			157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Geninorg	SW-846:6010B	Sodium		16.9			0.045	mg/L			150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Geninorg	SW-846:6010B	Sodium		19.4			0.045	mg/L	N	J+	142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		15.7			0.045	mg/L			184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		16.5			0.045	mg/L			167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		18.7			0.045	mg/L			157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		17.2			0.045	mg/L			150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		20.4			0.045	mg/L	N	J+	142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		158			1	µS/cm			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		156			1	µS/cm			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		146			1	µS/cm			157105	GF06020G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		166			1	µS/cm			167877	GU060700G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.76			0.1	mg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.59			0.1	mg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.48			0.057	mg/L			157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.51			0.057	mg/L			150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.36			0.057	mg/L			142923	GF05080G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		2.65			0.1	mg/L			167877	GU060700G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		188			2.38	mg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		170			2.38	mg/L			167877	GU060700G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		165			2.38	mg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		160			2.38	mg/L			157105	GF06020G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.1			0.33	mg/L			184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.556			0.33	mg/L	J		167877	GU060700G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.748			0.074	mg/L	J	J-	150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.955			0.074	mg/L		J-	142923	GU05080G02R01	GELC
R-2	1711	918	04/26/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.72			0.074	mg/L			135508	GU05040G02R01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-2	1711	918	04/17/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.75			0.01	SU	H	J	184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.8			0.01	SU	H	J	167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.31			0.01	SU	H	J	157105	GF06020G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.76			0.01	SU	H	J	167877	GU060700G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Metals	SW-846:6010B	Aluminum		115			68	µg/L	J		167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	SW-846:6010B	Aluminum	<	68			68	µg/L	U		157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:6010B	Aluminum	<	68			68	µg/L	U		150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:6010B	Aluminum	<	68			68	µg/L	U		142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Aluminum		366			68	µg/L			184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	SW-846:6010B	Aluminum		800			68	µg/L			167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	SW-846:6010B	Aluminum		278			68	µg/L			157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:6010B	Aluminum		914			68	µg/L			150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:6010B	Aluminum		1010			68	µg/L			142923	GU05080G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Metals	SW-846:6020	Arsenic		2			1.5	µg/L	J		184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Metals	SW-846:6010B	Barium		15.1			1	µg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Metals	SW-846:6010B	Barium		14.1			1	µg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	SW-846:6010B	Barium		15.5			1	µg/L			157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:6010B	Barium		15.3			1	µg/L			150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:6010B	Barium		13.7			1	µg/L			142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Barium		22.1			1	µg/L			184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	SW-846:6010B	Barium		17.6			1	µg/L			167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	SW-846:6010B	Barium		17.7			1	µg/L			157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:6010B	Barium		19.5			1	µg/L			150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:6010B	Barium		21.8			1	µg/L			142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Metals	SW-846:6010B	Boron		13.4			10	µg/L	J		184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Metals	SW-846:6010B	Boron		17			10	µg/L	J		167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	SW-846:6010B	Boron		17.7			10	µg/L	J		157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:6010B	Boron		16.8			10	µg/L	J		150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:6010B	Boron		17			10	µg/L	J		142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Boron		13.1			10	µg/L	J		184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	SW-846:6010B	Boron		17.3			10	µg/L	J		167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	SW-846:6010B	Boron		16.9			10	µg/L	J		157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:6010B	Boron		15.6			10	µg/L	J		150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:6010B	Boron		17.2			10	µg/L	J		142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Metals	SW-846:6020	Chromium		5.1			5	µg/L	J		184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Metals	SW-846:6020	Chromium		6.9			1	µg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	SW-846:6010B	Chromium		4.3			1	µg/L	J	JN-	157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:6010B	Chromium		4.7			1	µg/L	J		150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:6010B	Chromium		3.7			1	µg/L	J		142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Metals	SW-846:6020	Chromium		10.1			5	µg/L	J		184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	SW-846:6020	Chromium		9.3			1	µg/L			167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	SW-846:6010B	Chromium		6.5			1	µg/L			157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:6010B	Chromium		12.4			1	µg/L			150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:6010B	Chromium		10.9			1	µg/L			142923	GU05080G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U		167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U		157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U		150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U		142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Copper		21.4			3	µg/L			184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	SW-846:6010B	Copper		5.8			3	µg/L	J		167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	SW-846:6010B	Copper		4.6			3	µg/L	J		157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:6010B	Copper		4.6			3	µg/L	J		150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:6010B	Copper		4			3	µg/L	J		142923	GU05080G02R01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-2	1711	918	07/24/06	WG	F	CS		Metals	SW-846:6010B	Iron		46.6			18	µg/L	J		167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	SW-846:6010B	Iron		20.5			18	µg/L	J		157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U*		142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Iron		383			18	µg/L			184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	SW-846:6010B	Iron		314			18	µg/L			167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	SW-846:6010B	Iron		151			18	µg/L			157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:6010B	Iron		374			18	µg/L			150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:6010B	Iron		475			18	µg/L	*		142923	GU05080G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Metals	SW-846:6020	Lead	<	0.5			0.5	µg/L	U		167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	SW-846:6020	Lead	<	0.5			0.5	µg/L	U		157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:6020	Lead	<	0.5			0.5	µg/L	U		150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:6020	Lead	<	0.5			0.5	µg/L	U		142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Metals	SW-846:6020	Lead		1.3			0.5	µg/L	J	J+	184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	SW-846:6020	Lead		1			0.5	µg/L	J		167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	SW-846:6020	Lead		0.68			0.5	µg/L	J		157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:6020	Lead		0.96			0.5	µg/L	J		150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:6020	Lead		1.1			0.5	µg/L	J		142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Metals	SW-846:6010B	Manganese		10.5			2	µg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Metals	SW-846:6010B	Manganese		9.1			2	µg/L	J		167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	SW-846:6010B	Manganese		14.9			2	µg/L			157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:6020	Manganese		19.9			1	µg/L			150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:6020	Manganese		22.9			1	µg/L			142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Manganese		13.4			2	µg/L			184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		7.2			2	µg/L	J		167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		15.7			2	µg/L			157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:6020	Manganese		23.6			1	µg/L			150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:6020	Manganese		27.3			1	µg/L			142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Metals	EPA:245.2	Mercury		0.068			0.06	µg/L	J		184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Metals	EPA:245.2	Mercury	<	0.06			0.06	µg/L	U	UJ	167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	EPA:245.2	Mercury	<	0.072			0.05	µg/L	J	U	157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:7470A	Mercury	<	0.05			0.05	µg/L	U		150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:7470A	Mercury	<	0.05			0.05	µg/L	U		142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Metals	EPA:245.2	Mercury		0.12			0.06	µg/L	J		184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	EPA:245.2	Mercury	<	0.06			0.06	µg/L	U	UJ	167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	EPA:245.2	Mercury	<	0.11			0.05	µg/L	J	U	157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:7470A	Mercury	<	0.05			0.05	µg/L	U		150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:7470A	Mercury	<	0.05			0.05	µg/L	U		142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Metals	SW-846:6010B	Molybdenum		2.9			2	µg/L	J		184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Metals	SW-846:6010B	Molybdenum		3.4			2	µg/L	J		167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	SW-846:6010B	Molybdenum	<	2.5			2	µg/L	J	U	157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:6020	Molybdenum		2.6			0.1	µg/L			150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:6020	Molybdenum		2.7			0.1	µg/L			142923	GF05080G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	SW-846:6010B	Molybdenum	<	2			2	µg/L	U		167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	SW-846:6010B	Molybdenum	<	3.1			2	µg/L	J	U	157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:6020	Molybdenum		2.6			0.1	µg/L			150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:6020	Molybdenum		2.7			0.1	µg/L			142923	GU05080G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Metals	SW-846:6020	Nickel		1.6			0.5	µg/L	J		167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	SW-846:6020	Nickel		1.4			0.5	µg/L	J		157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:6010B	Nickel	<	1.9			1	µg/L	J	U	150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:6010B	Nickel		2.7			1	µg/L	J		142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Metals	SW-846:6020	Nickel		3.7			2.5	µg/L	J		184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	SW-846:6020	Nickel		2.1			0.5	µg/L			167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	SW-846:6020	Nickel		2.2			0.5	µg/L			157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:6010B	Nickel	<	5.5			1	µg/L		U	150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:6010B	Nickel		5.3			1	µg/L			142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Metals	SW-846:6010B	Strontium		50.4			1	µg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Metals	SW-846:6010B	Strontium		48.3			1	µg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	SW-846:6010B	Strontium		51.5			1	µg/L			157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:6010B	Strontium		50.2			1	µg/L			150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:6010B	Strontium		46			1	µg/L			142923	GF05080G02R01	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-2	1711	918	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		53.1			1	µg/L			184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		51.2			1	µg/L			167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		53			1	µg/L			157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		51			1	µg/L			150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		51			1	µg/L			142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Metals	SW-846:6020	Uranium		0.57			0.05	µg/L			184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.44			0.05	µg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.43			0.05	µg/L			157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:6020	Uranium		0.57			0.05	µg/L			150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:6020	Uranium		0.45			0.05	µg/L		J-	142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Metals	SW-846:6020	Uranium		0.76			0.05	µg/L			184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.65			0.05	µg/L			167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.63			0.05	µg/L			157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:6020	Uranium		0.84			0.05	µg/L			150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:6020	Uranium		0.86			0.05	µg/L		J-	142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		8.6			1	µg/L		J+	184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		8.5			1	µg/L			167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		9.1			1	µg/L			157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:6010B	Vanadium		8.8			1	µg/L			150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:6010B	Vanadium		8.2			1	µg/L			142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		8.2			1	µg/L		J+	184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		8.9			1	µg/L			167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		9.3			1	µg/L			157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium		8.6			1	µg/L			150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium		8.1			1	µg/L			142923	GU05080G02R01	GELC
R-2	1711	918	04/17/07	WG	F	CS		Metals	SW-846:6010B	Zinc		6			2	µg/L	J		184483	GF070400G02R01	GELC
R-2	1711	918	07/24/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	8			2	µg/L	J	U	167877	GF060700G02R01	GELC
R-2	1711	918	02/27/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	7.3			2	µg/L	J	U	157105	GF06020G02R01	GELC
R-2	1711	918	11/09/05	WG	F	CS		Metals	SW-846:6010B	Zinc		5.6			2	µg/L	J		150023	GF05110G02R01	GELC
R-2	1711	918	08/09/05	WG	F	CS		Metals	SW-846:6010B	Zinc	<	7.4			2	µg/L	J	U	142923	GF05080G02R01	GELC
R-2	1711	918	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		15.9			2	µg/L			184483	GU070400G02R01	GELC
R-2	1711	918	07/24/06	WG	UF	CS		Metals	SW-846:6010B	Zinc		13.5			2	µg/L			167877	GU060700G02R01	GELC
R-2	1711	918	02/27/06	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	10			2	µg/L		U	157105	GU06020G02R01	GELC
R-2	1711	918	11/09/05	WG	UF	CS		Metals	SW-846:6010B	Zinc		9.4			2	µg/L	J		150023	GU05110G02R01	GELC
R-2	1711	918	08/09/05	WG	UF	CS		Metals	SW-846:6010B	Zinc		11.1			2	µg/L			142923	GU05080G02R01	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		1.05			0.725	mg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		1.17			0.725	mg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		0.815			0.725	mg/L	J	J	168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		1.12			0.725	mg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		0.851			0.725	mg/L	J		157618	GF06020GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		0.914			0.725	mg/L	J	J	168165	GU060700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		129			0.725	mg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		129			0.725	mg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		110			0.725	mg/L		J	168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		118			0.725	mg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		115			0.725	mg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		105			1.45	mg/L			150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		8.4			0.725	mg/L			184416	GU070400GR2401-FB	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		110			0.725	mg/L		J	168165	GU060700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.107			0.066	mg/L	J		184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U	UJ	168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.041			0.041	mg/L	U		157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.041			0.041	mg/L	U		150400	GF05110GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U	UJ	168165	GU060700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium		21.5			0.036	mg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		22.2			0.036	mg/L			184416	GF070400GR2401	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		20.5			0.036	mg/L			168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		19.6			0.036	mg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		17.9			0.036	mg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Geninorg	SW-846:6010B	Calcium		17.4			0.036	mg/L			150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium		22.1			0.036	mg/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		22.9			0.036	mg/L			184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		20.2			0.036	mg/L			168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		21.1			0.036	mg/L			162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		18.6			0.036	mg/L			157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		17.8			0.036	mg/L			150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride		7.31			0.066	mg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		7.31			0.066	mg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		7.53			0.066	mg/L		J	168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		7.59			0.066	mg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		7.27			0.053	mg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		6.96			0.053	mg/L			150400	GF05110GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		7.64			0.066	mg/L		J	168165	GU060700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride		0.302			0.033	mg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.316			0.033	mg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.341			0.033	mg/L		J	168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.397			0.033	mg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.397			0.03	mg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.366			0.03	mg/L			150400	GF05110GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.339			0.033	mg/L		J	168165	GU060700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness		69.9			0.44	mg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		72.3			0.44	mg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		66.7			0.085	mg/L			168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		64.1			0.085	mg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		59.5			0.085	mg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Geninorg	SM:A2340B	Hardness		57.8			0.085	mg/L			150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness		71.9			0.44	mg/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		74.6			0.44	mg/L			184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		65.8			0.085	mg/L			168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		68.7			0.085	mg/L			162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		61.5			0.085	mg/L			157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Geninorg	SM:A2340B	Hardness		59			0.085	mg/L			150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium		3.97			0.085	mg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.11			0.085	mg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.75			0.085	mg/L			168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.66			0.085	mg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.56			0.085	mg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.49			0.085	mg/L			150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium		4.09			0.085	mg/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.24			0.085	mg/L			184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.7			0.085	mg/L			168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.92			0.085	mg/L			162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.68			0.085	mg/L			157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.56			0.085	mg/L			150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.233			0.01	mg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.231			0.01	mg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.305			0.014	mg/L		J	168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.206			0.014	mg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.299			0.017	mg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.312			0.017	mg/L			150400	GF05110GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.297			0.014	mg/L		J	168165	GU060700GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.305			0.017	mg/L			150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate		0.202			0.05	µg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.209			0.05	µg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.323			0.05	µg/L		J	168165	GF060700GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U	UU	168165	GF060700GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		150400	GF05110GR2401	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-24	6321	825	05/10/06	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		162852	GU060500GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.23			0.05	µg/L			162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		157618	GU06020GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.29			0.05	µg/L		J+	157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.347			0.05	µg/L			150400	GU05110GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium		3.56			0.05	mg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		3.66			0.05	mg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		3.39			0.05	mg/L			168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		3.33			0.05	mg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		3.23			0.05	mg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Geninorg	SW-846:6010B	Potassium		3.29			0.05	mg/L			150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium		3.76			0.05	mg/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.9			0.05	mg/L			184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.35			0.05	mg/L			168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.47			0.05	mg/L			162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.31			0.05	mg/L			157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.35			0.05	mg/L			150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Silicon Dioxide		54.7			0.032	mg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		56.6			0.032	mg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		54.6			0.032	mg/L			168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		54.5			0.032	mg/L		J	162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		59.1			0.032	mg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		59.4			0.032	mg/L			150400	GF05110GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		54.3			0.032	mg/L			168165	GU060700GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		59.6			0.032	mg/L			150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium		33.7			0.045	mg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		34.8			0.045	mg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		30.9			0.045	mg/L			168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		32.7			0.045	mg/L		J	162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		37.9			0.045	mg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Geninorg	SW-846:6010B	Sodium		33.1			0.045	mg/L			150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium		33.7			0.045	mg/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		35.6			0.045	mg/L			184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		30.5			0.045	mg/L			168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		34.7			0.045	mg/L		J	162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		39.3			0.045	mg/L			157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		35.1			0.045	mg/L			150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance		298			1	µS/cm			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		303			1	µS/cm			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		263			1	µS/cm		J	168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		317			1	µS/cm			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		312			1	µS/cm			157618	GF06020GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Geninorg	EPA:120.1	Specific Conductance		3.75			1	µS/cm			184416	GU070400GR2401-FB	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		266			1	µS/cm		J	168165	GU060700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate		12.6			0.1	mg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		12.5			0.1	mg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		9.03			0.1	mg/L		J	168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		12.3			0.1	mg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		12.4			0.057	mg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		10.9			0.057	mg/L			150400	GF05110GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		9.15			0.1	mg/L		J	168165	GU060700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids		204			2.38	mg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		211			2.38	mg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		189			2.38	mg/L		J	168165	GF060700GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		192			2.38	mg/L		J	168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		204			2.38	mg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		216			2.38	mg/L			157618	GF06020GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Geninorg	SW-846:9060	Total Organic Carbon		0.685			0.33	mg/L	J		184416	GU070400GR2401-FB	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.542			0.33	mg/L	J	J	168165	GU060700GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.13			0.074	mg/L		J-	150400	GU05110GR2401	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-24	6321	825	04/16/07	WG	F	CS	FD	Geninorg	EPA:150.1	pH		7.91			0.01	SU	H	J	184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.89			0.01	SU	H	J	184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.56			0.01	SU	H	J	168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.95			0.01	SU	H	J	162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.63			0.01	SU	H	J	157618	GF06020GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Geninorg	EPA:150.1	pH		5.61			0.01	SU	H	J	184416	GU070400GR2401-FB	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.89			0.01	SU	H	J	168165	GU060700GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Metals	SW-846:6010B	Barium		102			1	µg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Metals	SW-846:6010B	Barium		104			1	µg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Metals	SW-846:6010B	Barium		87.9			1	µg/L			168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Metals	SW-846:6010B	Barium		106			1	µg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Metals	SW-846:6010B	Barium		105			1	µg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Metals	SW-846:6010B	Barium		96.3			1	µg/L			150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Metals	SW-846:6010B	Barium		102			1	µg/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Metals	SW-846:6010B	Barium		105			1	µg/L			184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Metals	SW-846:6010B	Barium		87.4			1	µg/L			168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Metals	SW-846:6010B	Barium		111			1	µg/L			162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Metals	SW-846:6010B	Barium		109			1	µg/L			157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Barium		99.5			1	µg/L			150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Metals	SW-846:6010B	Boron		59.8			10	µg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Metals	SW-846:6010B	Boron		60.4			10	µg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Metals	SW-846:6010B	Boron		56.3			10	µg/L			168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Metals	SW-846:6010B	Boron		61.2			10	µg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Metals	SW-846:6010B	Boron		64			10	µg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Metals	SW-846:6010B	Boron		53.9			10	µg/L			150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Metals	SW-846:6010B	Boron		59.3			10	µg/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Metals	SW-846:6010B	Boron		60.8			10	µg/L			184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Metals	SW-846:6010B	Boron		55.7			10	µg/L			168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Metals	SW-846:6010B	Boron		63.9			10	µg/L			162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Metals	SW-846:6010B	Boron		65.2			10	µg/L			157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Boron		55.2			10	µg/L			150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Metals	SW-846:6020	Chromium		3.4			1	µg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Metals	SW-846:6020	Chromium		2.1			1	µg/L	J		184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Metals	SW-846:6020	Chromium		5			1	µg/L			168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Metals	SW-846:6010B	Chromium		2.4			1	µg/L	J		162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Metals	SW-846:6010B	Chromium		1.5			1	µg/L	J		157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Metals	SW-846:6010B	Chromium		3.5			1	µg/L	J		150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Metals	SW-846:6020	Chromium		3.3			1	µg/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Metals	SW-846:6020	Chromium		3.3			1	µg/L			184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Metals	SW-846:6020	Chromium		4.7			1	µg/L			168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Metals	SW-846:6010B	Chromium		2.9			1	µg/L	J		162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Metals	SW-846:6010B	Chromium		1.2			1	µg/L	J		157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Chromium		3.2			1	µg/L	J		150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Metals	SW-846:6010B	Copper		3.8			3	µg/L	J		184416	GF070400GR2420	GELC
R-24	6321	825	07/27/06	WG	F	CS		Metals	SW-846:6010B	Copper		5.1			3	µg/L	J		168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U		162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U		157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U		150400	GF05110GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Metals	SW-846:6010B	Copper		6.9			3	µg/L	J		168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Metals	SW-846:6010B	Copper		7.2			3	µg/L	J		162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U		157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U		150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Metals	SW-846:6010B	Iron		21.1			18	µg/L	J		184416	GF070400GR2420	GELC
R-24	6321	825	07/27/06	WG	F	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Metals	SW-846:6010B	Iron	<	32.5			18	µg/L	J	U	157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		150400	GF05110GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Metals	SW-846:6010B	Iron		49.7			18	µg/L	J		168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Metals	SW-846:6010B	Iron		43.1			18	µg/L	J		162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Metals	SW-846:6010B	Iron	<	34.3			18	µg/L	J	U	157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Iron		27.4			18	µg/L	J		150400	GU05110GR2401	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-24	6321	825	04/16/07	WG	F	CS	FD	Metals	SW-846:6010B	Manganese		66.8			2	µg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Metals	SW-846:6010B	Manganese		68.9			2	µg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Metals	SW-846:6010B	Manganese		6.6			2	µg/L	J		168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Metals	SW-846:6010B	Manganese		90.5			2	µg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Metals	SW-846:6010B	Manganese		122			2	µg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Metals	SW-846:6010B	Manganese		107			2	µg/L			150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Metals	SW-846:6010B	Manganese		68.4			2	µg/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Metals	SW-846:6010B	Manganese		70.1			2	µg/L			184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		6.6			2	µg/L	J		168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		96.7			2	µg/L			162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		129			2	µg/L			157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Manganese		112			2	µg/L			150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Metals	EPA:245.2	Mercury		0.19			0.06	µg/L	J		184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Metals	EPA:245.2	Mercury		0.11			0.06	µg/L	J		184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Metals	EPA:245.2	Mercury	<	0.06			0.06	µg/L	U		168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Metals	EPA:245.2	Mercury	<	0.06			0.06	µg/L	U		162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Metals	EPA:245.2	Mercury	<	0.05			0.05	µg/L	U	UJ	157618	GF06020GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Metals	EPA:245.2	Mercury		0.2			0.06	µg/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Metals	EPA:245.2	Mercury		0.13			0.06	µg/L	J		184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Metals	EPA:245.2	Mercury	<	0.06			0.06	µg/L	U		168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Metals	EPA:245.2	Mercury	<	0.06			0.06	µg/L	U		162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Metals	EPA:245.2	Mercury	<	0.05			0.05	µg/L	U	UJ	157618	GU06020GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Metals	SW-846:6010B	Molybdenum		3.8			2	µg/L	J	JN-	184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Metals	SW-846:6010B	Molybdenum		2.8			2	µg/L	J	JN-	184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Metals	SW-846:6010B	Molybdenum		5			2	µg/L	J		168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Metals	SW-846:6010B	Molybdenum		7.4			2	µg/L	J		162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Metals	SW-846:6010B	Molybdenum		6.2			2	µg/L	J		157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Metals	SW-846:6010B	Molybdenum		6.5			2	µg/L	J		150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Metals	SW-846:6010B	Molybdenum		4.6			2	µg/L	J		184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		5.4			2	µg/L	J		184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		4.5			2	µg/L	J		168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		8.9			2	µg/L	J		162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		5.9			2	µg/L	J		157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		7.4			2	µg/L	J		150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Metals	SW-846:6020	Nickel		1.1			0.5	µg/L	J		184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Metals	SW-846:6020	Nickel		1.1			0.5	µg/L	J		184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Metals	SW-846:6020	Nickel		1.7			0.5	µg/L	J		168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Metals	SW-846:6020	Nickel		1.1			0.5	µg/L	J		162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Metals	SW-846:6020	Nickel		1.3			0.5	µg/L	J		157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Metals	SW-846:6020	Nickel		0.92			0.5	µg/L	J		150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Metals	SW-846:6020	Nickel		1.2			0.5	µg/L	J		184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Metals	SW-846:6020	Nickel		1.1			0.5	µg/L	J		184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Metals	SW-846:6020	Nickel		2.1			0.5	µg/L			168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Metals	SW-846:6020	Nickel		1.6			0.5	µg/L	J		162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Metals	SW-846:6020	Nickel		1.4			0.5	µg/L	J		157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Metals	SW-846:6020	Nickel		1.4			0.5	µg/L	J		150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Metals	SW-846:6010B	Strontium		126			1	µg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Metals	SW-846:6010B	Strontium		130			1	µg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Metals	SW-846:6010B	Strontium		117			1	µg/L			168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Metals	SW-846:6010B	Strontium		116			1	µg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Metals	SW-846:6010B	Strontium		106			1	µg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Metals	SW-846:6010B	Strontium		103			1	µg/L			150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium		123			1	µg/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		128			1	µg/L			184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		116			1	µg/L			168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		123			1	µg/L			162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		110			1	µg/L			157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		105			1	µg/L			150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Metals	SW-846:6020	Uranium		2.4			0.05	µg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Metals	SW-846:6020	Uranium		2.5			0.05	µg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Metals	SW-846:6020	Uranium		2.1			0.05	µg/L			168165	GF060700GR2401	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-24	6321	825	05/10/06	WG	F	CS		Metals	SW-846:6020	Uranium		2.1			0.05	µg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Metals	SW-846:6020	Uranium		3.4			0.05	µg/L	N	J+	157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Metals	SW-846:6020	Uranium		2.9			0.05	µg/L			150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Metals	SW-846:6020	Uranium		2.4			0.05	µg/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Metals	SW-846:6020	Uranium		2.4			0.05	µg/L			184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Metals	SW-846:6020	Uranium		2.1			0.05	µg/L			168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Metals	SW-846:6020	Uranium		2.1			0.05	µg/L			162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Metals	SW-846:6020	Uranium		3.5			0.05	µg/L	N	J+	157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Metals	SW-846:6020	Uranium		3			0.05	µg/L			150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium		9.4			1	µg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		9.9			1	µg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		18.2			1	µg/L			168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		9.6			1	µg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		18.9			1	µg/L			157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Metals	SW-846:6010B	Vanadium		22.9			1	µg/L			150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium		10.6			1	µg/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		11.6			1	µg/L			184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		17.9			1	µg/L			168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		9.4			1	µg/L			162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		17.7			1	µg/L			157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium		22.3			1	µg/L			150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Metals	SW-846:6010B	Zinc		10.1			2	µg/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Metals	SW-846:6010B	Zinc		12			2	µg/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Metals	SW-846:6010B	Zinc		30.7			2	µg/L			168165	GF060700GR2401	GELC
R-24	6321	825	05/10/06	WG	F	CS		Metals	SW-846:6010B	Zinc		13.6			2	µg/L			162852	GF060500GR2401	GELC
R-24	6321	825	03/06/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	14.2			2	µg/L	*	U, J	157618	GF06020GR2401	GELC
R-24	6321	825	11/15/05	WG	F	CS		Metals	SW-846:6010B	Zinc		24.3			2	µg/L			150400	GF05110GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Metals	SW-846:6010B	Zinc		13			2	µg/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		11.6			2	µg/L			184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Metals	SW-846:6010B	Zinc		40.1			2	µg/L			168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Metals	SW-846:6010B	Zinc		45			2	µg/L			162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	27.7			2	µg/L	*	U, J	157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Metals	SW-846:6010B	Zinc		40.2			2	µg/L			150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Rad	HASL-300:AM-241	Americium-241		0.00434	0.00163	0.0392	pCi/L	U	U	184416	GF070400GR2420	GELC	
R-24	6321	825	04/16/07	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		0.000411	0.000299	0.0392	pCi/L	U	U	184416	GF070400GR2401	GELC	
R-24	6321	825	07/27/06	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		0.00617	0.002686667	0.0219	pCi/L	U	U	168165	GF060700GR2401	GELC	
R-24	6321	825	04/16/07	WG	UF	CS	FB	Rad	HASL-300:AM-241	Americium-241		0.00551	0.001153333	0.0431	pCi/L	U	U	184416	GU070400GR2401-FB	GELC	
R-24	6321	825	04/16/07	WG	UF	CS	FD	Rad	HASL-300:AM-241	Americium-241		0.00863	0.001396667	0.0401	pCi/L	U	U	184416	GU070400GR2420	GELC	
R-24	6321	825	04/16/07	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		-0.00742	0.00062	0.0372	pCi/L	U	U	184416	GU070400GR2401	GELC	
R-24	6321	825	07/27/06	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		-0.00313	0.0041	0.0242	pCi/L	U	U	168165	GU060700GR2401	GELC	
R-24	6321	825	05/10/06	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		-0.0132	0.001776667	0.0289	pCi/L	U	U	162852	GU060500GR2401	GELC	
R-24	6321	825	03/06/06	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		-0.00373	0.000983333	0.031	pCi/L	U	U	157618	GU06020GR2401	GELC	
R-24	6321	825	11/15/05	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.00264	0.001603333	0.0332	pCi/L	U	U	150400	GU05110GR2401	GELC	
R-24	6321	825	04/16/07	WG	F	CS	FD	Rad	EPA:901.1	Cesium-137		-0.875	0.453333333	4.24	pCi/L	U	U	184416	GF070400GR2420	GELC	
R-24	6321	825	04/16/07	WG	F	CS		Rad	EPA:901.1	Cesium-137		0.0292	0.45	4.02	pCi/L	U	U	184416	GF070400GR2401	GELC	
R-24	6321	825	07/27/06	WG	F	CS		Rad	EPA:901.1	Cesium-137		-0.101	0.34	3.61	pCi/L	U	U	168165	GF060700GR2401	GELC	
R-24	6321	825	04/16/07	WG	UF	CS	FB	Rad	EPA:901.1	Cesium-137		2.47	0.506666667	5.32	pCi/L	U	U	184416	GU070400GR2401-FB	GELC	
R-24	6321	825	04/16/07	WG	UF	CS	FD	Rad	EPA:901.1	Cesium-137		1.32	0.356666667	3.76	pCi/L	U	U	184416	GU070400GR2420	GELC	
R-24	6321	825	04/16/07	WG	UF	CS		Rad	EPA:901.1	Cesium-137		-1.3	0.39	2.89	pCi/L	U	U	184416	GU070400GR2401	GELC	
R-24	6321	825	07/27/06	WG	UF	CS		Rad	EPA:901.1	Cesium-137		0.343	0.356666667	4.05	pCi/L	U	U	168165	GU060700GR2401	GELC	
R-24	6321	825	05/10/06	WG	UF	CS		Rad	EPA:901.1	Cesium-137		1.29	0.49	5.35	pCi/L	U	U	162852	GU060500GR2401	GELC	
R-24	6321	825	03/06/06	WG	UF	CS		Rad	EPA:901.1	Cesium-137		0.644	0.328666667	3.66	pCi/L	U	U	157618	GU06020GR2401	GELC	
R-24	6321	825	11/15/05	WG	UF	CS		Rad	EPA:901.1	Cesium-137		-1.3	0.284666667	2.88	pCi/L	U	U	150400	GU05110GR2401	GELC	
R-24	6321	825	04/16/07	WG	F	CS	FD	Rad	EPA:901.1	Cobalt-60		-0.0521	0.44	4.27	pCi/L	U	U	184416	GF070400GR2420	GELC	
R-24	6321	825	04/16/07	WG	F	CS		Rad	EPA:901.1	Cobalt-60		1.33	0.403333333	4.34	pCi/L	U	U	184416	GF070400GR2401	GELC	
R-24	6321	825	07/27/06	WG	F	CS		Rad	EPA:901.1	Cobalt-60		0.712	0.413333333	4.14	pCi/L	U	U	168165	GF060700GR2401	GELC	
R-24	6321	825	04/16/07	WG	UF	CS	FB	Rad	EPA:901.1	Cobalt-60		3.69	0.523333333	5.32	pCi/L	U	U	184416	GU070400GR2401-FB	GELC	
R-24	6321	825	04/16/07	WG	UF	CS	FD	Rad	EPA:901.1	Cobalt-60		-0.154	0.413333333	4.05	pCi/L	U	U	184416	GU070400GR2420	GELC	
R-24	6321	825	04/16/07	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		0.915	0.34	3.57	pCi/L	U	U	184416	GU070400GR2401	GELC	
R-24	6321	825	07/27/06	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		-0.956	0.293	3.14	pCi/L	U	U	168165	GU060700GR2401	GELC	
R-24	6321	825	05/10/06	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		-0.469	0.48	4.48	pCi/L	U	U	162852	GU060500GR2401	GELC	

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-24	6321	825	03/06/06	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		0.21	0.305666667	3.51		pCi/L	U	U	157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		0.0273	0.36	4.01		pCi/L	U	U	150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Rad	EPA:900	Gross alpha		2.98	0.29	1.66		pCi/L		J	184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Rad	EPA:900	Gross alpha		1.99	0.25	1.78		pCi/L		J	184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Rad	EPA:900	Gross alpha		1.24	0.148666667	1.37		pCi/L	U	U, J-	168165	GF060700GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Rad	EPA:900	Gross alpha		0.954	0.238666667	2.44		pCi/L	U	U	184416	GU070400GR2401-FB	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Rad	EPA:900	Gross alpha		2.48	0.265333333	1.61		pCi/L		J	184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Rad	EPA:900	Gross alpha		1.58	0.223	1.63		pCi/L	U	U	184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Rad	EPA:900	Gross alpha		0.966	0.143	1.5		pCi/L	U	U, J-	168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Rad	EPA:900	Gross alpha		2.21	0.211	1.79		pCi/L		J, J	162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Rad	EPA:900	Gross alpha		4.94	0.453333333	2.28		pCi/L		J	157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Rad	EPA:900	Gross alpha		0.207	0.106	1.49		pCi/L	U	U	150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Rad	EPA:900	Gross beta		4.35	0.396666667	3.47		pCi/L		J	184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Rad	EPA:900	Gross beta		2.25	0.346666667	3.3		pCi/L	U	U	184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Rad	EPA:900	Gross beta		2	0.164666667	1.7		pCi/L		J	168165	GF060700GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Rad	EPA:900	Gross beta		1.61	0.346666667	3.44		pCi/L	U	U	184416	GU070400GR2401-FB	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Rad	EPA:900	Gross beta		4.89	0.426666667	3.7		pCi/L		J	184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Rad	EPA:900	Gross beta		4.4	0.319	2.7		pCi/L		J	184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Rad	EPA:900	Gross beta		1.93	0.157	1.6		pCi/L		J	168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Rad	EPA:900	Gross beta		3.78	0.264333333	2.81		pCi/L		J	162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Rad	EPA:900	Gross beta		5.09	0.293666667	2.98		pCi/L		J	157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Rad	EPA:900	Gross beta		6.06	0.301333333	3.05		pCi/L		J	150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Rad	EPA:901.1	Gross gamma		75.3	19.56666667	289		pCi/L	U	U	184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Rad	EPA:901.1	Gross gamma		94.6	27.56666667	290		pCi/L	U	U	184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Rad	EPA:901.1	Gross gamma		81.1	43	326		pCi/L	U	U	168165	GF060700GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Rad	EPA:901.1	Gross gamma		77	30.4	308		pCi/L	U	U	184416	GU070400GR2401-FB	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Rad	EPA:901.1	Gross gamma		78.2	20.56666667	255		pCi/L	U	U	184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Rad	EPA:901.1	Gross gamma		66.1	28.53333333	249		pCi/L	U	U	184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Rad	EPA:901.1	Gross gamma		86.8	27.36666667	265		pCi/L	U	U	168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Rad	EPA:901.1	Gross gamma		64	22.96666667	256		pCi/L	U	U	162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Rad	EPA:901.1	Gross gamma		66.1	21.93333333	220		pCi/L	U	U	157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Rad	EPA:901.1	Gross gamma		121	33.3	325		pCi/L	U	U	150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Rad	EPA:901.1	Neptunium-237		5.33	2.81	21.6		pCi/L	U	U	184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Rad	EPA:901.1	Neptunium-237		-14.3	3.5	30.9		pCi/L	U	U	184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Rad	EPA:901.1	Neptunium-237		-2.24	1.803333333	17.4		pCi/L	U	U	168165	GF060700GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Rad	EPA:901.1	Neptunium-237		-4.7	2.373333333	20.5		pCi/L	U	U	184416	GU070400GR2401-FB	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Rad	EPA:901.1	Neptunium-237		-11.7	2.76	25		pCi/L	U	U	184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		0.942	3.273333333	28.3		pCi/L	U	U	184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		7.56	2.76	30		pCi/L	U	U	168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		-0.395	2.02	18.8		pCi/L	U	U	162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		-1.21	2.486666667	25.4		pCi/L	U	U	157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		-4.78	2.223333333	23		pCi/L	U	U	150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Rad	HASL-300:ISOPU	Plutonium-238		0.00393	0.002453333	0.0285		pCi/L	U	U	184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00529	0.002823333	0.0256		pCi/L	U	U	184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00187	0.00285	0.0179		pCi/L	U	U	168165	GF060700GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Rad	HASL-300:ISOPU	Plutonium-238		-0.00194	0.002956667	0.0281		pCi/L	U	U	184416	GU070400GR2401-FB	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Rad	HASL-300:ISOPU	Plutonium-238		0.0196	0.003833333	0.0285		pCi/L	U	U	184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		3.61E-09	0.004366667	0.0275		pCi/L	U	U	184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00819	0.003053333	0.0197		pCi/L	U	U	168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00272	0.003273333	0.0327		pCi/L	U	U	162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0	0.000956667	0.0345		pCi/L	U	U	157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.0025	0.004966667	0.0488		pCi/L	U	U	150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		2.34E-10	0.00131	0.0335		pCi/L	U	U	184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		1.68E-09	0.00311	0.0301		pCi/L	U	U	184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-1.78E-09	0.002326667	0.0209		pCi/L	U	U	168165	GF060700GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00774	0.002236667	0.033		pCi/L	U	U	184416	GU070400GR2401-FB	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.0098	0.00285	0.0334		pCi/L	U	U	184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00947	0.002096667	0.0323		pCi/L	U	U	184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.00614	0.003126667	0.0229		pCi/L	U	U	168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.00816	0.003733333	0.0358		pCi/L	U	U	162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.00287	0.002533333	0.0378		pCi/L	U	U	157618	GU06020GR2401	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-24	6321	825	11/15/05	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.000517	0.002713333	0.0411		pCi/L	U	U	150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Rad	EPA:901.1	Potassium-40		17	5.133333333	53.8		pCi/L	U	U	184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Rad	EPA:901.1	Potassium-40		0.762	5	34.2		pCi/L	U	U	184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Rad	EPA:901.1	Potassium-40		25.9	7.433333333	44.7		pCi/L	U	U	168165	GF060700GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Rad	EPA:901.1	Potassium-40		-22.1	5.3	51.7		pCi/L	U	U	184416	GU070400GR2401-FB	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Rad	EPA:901.1	Potassium-40		-12	4.433333333	43.7		pCi/L	U	U	184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Rad	EPA:901.1	Potassium-40		-17.6	4.4	42.3		pCi/L	U	U	184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Rad	EPA:901.1	Potassium-40		47.3	4.866666667	65.8		pCi/L	U	U	168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Rad	EPA:901.1	Potassium-40		47	8.066666667	49.5		pCi/L	U	U	162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Rad	EPA:901.1	Potassium-40		25	3.866666667	47.2		pCi/L	U	U	157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Rad	EPA:901.1	Potassium-40		13.8	4.766666667	48.6		pCi/L	U	U	150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Rad	EPA:901.1	Sodium-22		0.111	0.533333333	4.68		pCi/L	U	U	184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Rad	EPA:901.1	Sodium-22		0.905	0.4	4.19		pCi/L	U	U	184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Rad	EPA:901.1	Sodium-22		-0.651	0.383333333	3.44		pCi/L	U	U	168165	GF060700GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Rad	EPA:901.1	Sodium-22		-1.72	0.486666667	4.18		pCi/L	U	U	184416	GU070400GR2401-FB	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Rad	EPA:901.1	Sodium-22		-1.84	0.319	2.53		pCi/L	U	U	184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Rad	EPA:901.1	Sodium-22		0.509	0.36	3.65		pCi/L	U	U	184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Rad	EPA:901.1	Sodium-22		-1.98	0.366666667	3.6		pCi/L	U	U	168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Rad	EPA:901.1	Sodium-22		1.02	0.783333333	5.44		pCi/L	U	U	162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Rad	EPA:901.1	Sodium-22		0.438	0.356666667	4.07		pCi/L	U	U	157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Rad	EPA:901.1	Sodium-22		-0.683	0.343333333	3.67		pCi/L	U	U	150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Rad	EPA:905.0	Strontium-90		-0.297	0.029466667	0.474		pCi/L	U	U	184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Rad	EPA:905.0	Strontium-90		-0.0577	0.030033333	0.343		pCi/L	U	U	184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Rad	EPA:905.0	Strontium-90		-0.0928	0.030366667	0.444		pCi/L	U	U	168165	GF060700GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Rad	EPA:905.0	Strontium-90		0.161	0.031966667	0.316		pCi/L	U	U	184416	GU070400GR2401-FB	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Rad	EPA:905.0	Strontium-90		0.339	0.045333333	0.431		pCi/L	U	U	184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Rad	EPA:905.0	Strontium-90		0.19	0.043666667	0.439		pCi/L	U	U	184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.0109	0.028866667	0.398		pCi/L	U	U	168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.199	0.016833333	0.218		pCi/L	U	U	162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.0474	0.033333333	0.513		pCi/L	U	U	157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.0406	0.0269	0.411		pCi/L	U	U	150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Rad	HASL-300:ISOU	Uranium-234		1.43	0.0331	0.0575		pCi/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		1.35	0.033033333	0.0192		pCi/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		1.23	0.031566667	0.0575		pCi/L			168165	GF060700GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Rad	HASL-300:ISOU	Uranium-234		0.0193	0.0026	0.0576		pCi/L	U	U	184416	GU070400GR2401-FB	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Rad	HASL-300:ISOU	Uranium-234		1.43	0.035	0.0689		pCi/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		1.51	0.036	0.0663		pCi/L			184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		1.2	0.029	0.0471		pCi/L			168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		1.35	0.038	0.121		pCi/L			162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		1.97	0.044333333	0.0739		pCi/L			157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		1.72	0.032933333	0.0843		pCi/L			150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.103	0.0061	0.0337		pCi/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.084	0.006133333	0.03		pCi/L		J	184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0341	0.0046	0.0485		pCi/L	U	U	168165	GF060700GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0159	0.002183333	0.0338		pCi/L	U	U	184416	GU070400GR2401-FB	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0824	0.006	0.0404		pCi/L		J	184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0762	0.0053	0.0389		pCi/L		J	184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0335	0.004	0.0397		pCi/L	U	U	168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		-0.047	0.007433333	0.0588		pCi/L	U	U	162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.109	0.0064	0.0358		pCi/L		J	157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0649	0.006	0.0635		pCi/L		J	150400	GU05110GR2401	GELC
R-24	6321	825	04/16/07	WG	F	CS	FD	Rad	HASL-300:ISOU	Uranium-238		0.864	0.022	0.0541		pCi/L			184416	GF070400GR2420	GELC
R-24	6321	825	04/16/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.808	0.0221	0.0192		pCi/L			184416	GF070400GR2401	GELC
R-24	6321	825	07/27/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.593	0.018133333	0.0612		pCi/L			168165	GF060700GR2401	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FB	Rad	HASL-300:ISOU	Uranium-238		0.0214	0.002506667	0.0541		pCi/L	U	U	184416	GU070400GR2401-FB	GELC
R-24	6321	825	04/16/07	WG	UF	CS	FD	Rad	HASL-300:ISOU	Uranium-238		0.846	0.023033333	0.0648		pCi/L			184416	GU070400GR2420	GELC
R-24	6321	825	04/16/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.836	0.022266667	0.0623		pCi/L			184416	GU070400GR2401	GELC
R-24	6321	825	07/27/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.697	0.018966667	0.0501		pCi/L			168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.723	0.023833333	0.068		pCi/L			162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		1.1	0.0272	0.0414		pCi/L			157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.962	0.021833333	0.0597		pCi/L			150400	GU05110GR2401	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-24	6321	825	04/16/07	WG	UF	CS	FB	VOA	SW-846:8260B	Acetone		11			1.25	µg/L			184416	GU070400GR2401-FB	GELC
R-24	6321	825	07/27/06	WG	UF	CS		VOA	SW-846:8260B	Acetone	<	5			1.25	µg/L	U	R	168165	GU060700GR2401	GELC
R-24	6321	825	05/10/06	WG	UF	CS		VOA	SW-846:8260B	Acetone	<	2.29			1.25	µg/L	J	U	162852	GU060500GR2401	GELC
R-24	6321	825	03/06/06	WG	UF	CS		VOA	SW-846:8260B	Acetone	<	5			1.25	µg/L	U		157618	GU06020GR2401	GELC
R-24	6321	825	11/15/05	WG	UF	CS		VOA	SW-846:8260B	Acetone	<	5			1.25	µg/L	U	R	150400	GU05110GR2401	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		0.869			0.725	mg/L	J		183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	0.725			0.725	mg/L	U		179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	0.725			0.725	mg/L	U		169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		162			0.725	mg/L			183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		154			0.725	mg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		150			0.725	mg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.279			0.066	mg/L			183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.148			0.066	mg/L	J		169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		54.8			0.036	mg/L			183956	GF070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		54.9			0.036	mg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		57			0.036	mg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		54.2			0.036	mg/L			183956	GU070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		54.7			0.036	mg/L			179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		55.9			0.036	mg/L			169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		39.3			0.132	mg/L			183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		34.5			0.66	mg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		34.4			0.33	mg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.311			0.033	mg/L			183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.274			0.033	mg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.328			0.033	mg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		199			0.44	mg/L			183956	GF070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		199			0.44	mg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		179			0.02	mg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		197			0.44	mg/L			183956	GU070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		199			0.44	mg/L			179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		175			0.02	mg/L			169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		15.2			0.085	mg/L			183956	GF070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		15.1			0.085	mg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		15.5			0.085	mg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		15			0.085	mg/L			183956	GU070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		15.1			0.085	mg/L			179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		15.2			0.085	mg/L			169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		4.3			0.1	mg/L			183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.15			0.14	mg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		4.47			0.014	mg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		2.6			0.25	µg/L			183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	SW846 6850	Perchlorate		2.52			0.2	µg/L		J	179102	GF061000G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	EPA:314.0	Perchlorate		4.55			4	µg/L	J		179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.104			0.05	µg/L	J		169145	GF060700G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		5.69			0.05	mg/L			183956	GF070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		5.4			0.05	mg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		5.32			0.05	mg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		5.44			0.05	mg/L			183956	GU070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		5.35			0.05	mg/L			179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		5.22			0.05	mg/L			169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		49.6			0.032	mg/L			183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		50.1			0.032	mg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		51.7			0.032	mg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		19			0.045	mg/L			183956	GF070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		18			0.045	mg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		19.6			0.045	mg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		18.7			0.045	mg/L			183956	GU070400G3iR02	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-3i	7701	215.2	01/11/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		17.8			0.045	mg/L			179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		19.1			0.045	mg/L			169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		499			1	µS/cm			183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		499			1	µS/cm			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		494			1	µS/cm			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		22.2			0.1	mg/L			183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		22.8			0.1	mg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		22.7			0.1	mg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		251			2.38	mg/L			183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		283			2.38	mg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		437			2.38	mg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.056			0.029	mg/L	J		183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.034			0.01	mg/L	J	JN-	179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.07			0.01	mg/L	J	J, J+	169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.844			0.33	mg/L	J		183956	GU070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.565			0.33	mg/L	J		179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.949			0.33	mg/L	J		169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.4			0.01	SU	H	J	183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.51			0.01	SU	H	J	179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.64			0.01	SU	H	J	169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Metals	SW-846:6010B	Barium		95.2			1	µg/L			183956	GF070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Metals	SW-846:6010B	Barium		94.5			1	µg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Metals	SW-846:6010B	Barium		97.3			1	µg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Metals	SW-846:6010B	Barium		94.5			1	µg/L			183956	GU070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Metals	SW-846:6010B	Barium		94			1	µg/L			179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Metals	SW-846:6010B	Barium		95.3			1	µg/L			169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Metals	SW-846:6010B	Boron		95.3			10	µg/L			183956	GF070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Metals	SW-846:6010B	Boron		93.3			10	µg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Metals	SW-846:6010B	Boron		101			10	µg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Metals	SW-846:6010B	Boron		96			10	µg/L			183956	GU070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Metals	SW-846:6010B	Boron		93.8			10	µg/L			179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Metals	SW-846:6010B	Boron		98.3			10	µg/L			169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Metals	SW-846:6010B	Cobalt		1.5			1	µg/L	J	JN-	183956	GF070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Metals	SW-846:6010B	Cobalt	<	1			1	µg/L	U		179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Metals	SW-846:6010B	Cobalt	<	1			1	µg/L	U		169145	GF060700G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Metals	SW-846:6010B	Cobalt		1.2			1	µg/L	J		179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Metals	SW-846:6010B	Cobalt	<	1			1	µg/L	U		169145	GU060700G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U	R	179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U		169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Metals	SW-846:6010B	Copper		5.7			3	µg/L	J		183956	GU070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U	R	179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Metals	SW-846:6010B	Copper	<	3			3	µg/L	U		169145	GU060700G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Metals	SW-846:6010B	Iron		39			18	µg/L	J		179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Metals	SW-846:6010B	Iron		25.6			18	µg/L	J		183956	GU070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Metals	SW-846:6010B	Iron		47.6			18	µg/L	J		179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Metals	SW-846:6020	Nickel		9.6			0.5	µg/L			183956	GF070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Metals	SW-846:6020	Nickel		9.7			0.5	µg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Metals	SW-846:6020	Nickel		8			0.5	µg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Metals	SW-846:6020	Nickel		9.7			0.5	µg/L			183956	GU070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Metals	SW-846:6020	Nickel		10			0.5	µg/L			179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Metals	SW-846:6020	Nickel		7.7			0.5	µg/L			169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Metals	SW-846:6010B	Strontium		267			1	µg/L			183956	GF070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Metals	SW-846:6010B	Strontium		259			1	µg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Metals	SW-846:6010B	Strontium		277			1	µg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		264			1	µg/L			183956	GU070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		257			1	µg/L			179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		271			1	µg/L			169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Metals	SW-846:6020	Thallium		0.55			0.4	µg/L	J		183956	GF070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Metals	SW-846:6020	Thallium	<	0.7			0.4	µg/L	J	U	179102	GF061000G3iR01	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-3i	7701	215.2	08/10/06	WG	F	CS		Metals	SW-846:6020	Thallium	<	0.4			0.4	µg/L	U		169145	GF060700G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Metals	SW-846:6020	Thallium	<	0.4			0.4	µg/L	U		179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Metals	SW-846:6020	Thallium	<	0.4			0.4	µg/L	U		169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Metals	SW-846:6020	Uranium		8.5			0.05	µg/L			183956	GF070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Metals	SW-846:6020	Uranium		8.9			0.05	µg/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Metals	SW-846:6020	Uranium		7.8			0.05	µg/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Metals	SW-846:6020	Uranium		8.6			0.05	µg/L			183956	GU070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Metals	SW-846:6020	Uranium		8.6			0.05	µg/L			179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Metals	SW-846:6020	Uranium		7.8			0.05	µg/L			169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		3.7			1	µg/L	J		183956	GF070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Metals	SW-846:6010B	Vanadium	<	4.1			1	µg/L	J	U	179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		3.9			1	µg/L	J		169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		3.9			1	µg/L	J		183956	GU070400G3iR02	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		4.4			1	µg/L	J		179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		3.5			1	µg/L	J		169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		0.00734	0.00217	0.0489	pCi/L	U	U	183956	GF070400G3iR01	GELC	
R-3i	7701	215.2	01/11/07	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		0.0223	0.003063333	0.022	pCi/L		J	179102	GF061000G3iR01	GELC	
R-3i	7701	215.2	08/10/06	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		-0.000644	0.005966667	0.0382	pCi/L	U	U	169145	GF060700G3iR01	GELC	
R-3i	7701	215.2	04/09/07	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		-0.0122	0.003633333	0.0474	pCi/L	U	U	183956	GU070400G3iR01	GELC	
R-3i	7701	215.2	01/11/07	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		-0.00742	0.002176667	0.0208	pCi/L	U	U	179102	GU061000G3iR01	GELC	
R-3i	7701	215.2	08/10/06	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.00633	0.001276667	0.0258	pCi/L	U	U	169145	GU060700G3iR01	GELC	
R-3i	7701	215.2	04/09/07	WG	F	CS		Rad	EPA:901.1	Cesium-137		-0.831	0.466666667	4.32	pCi/L	U	U	183956	GF070400G3iR01	GELC	
R-3i	7701	215.2	01/11/07	WG	F	CS		Rad	EPA:901.1	Cesium-137		0.374	0.244	2.39	pCi/L	U	U	179102	GF061000G3iR01	GELC	
R-3i	7701	215.2	08/10/06	WG	F	CS		Rad	EPA:901.1	Cesium-137		-0.124	0.343333333	3.79	pCi/L	U	U	169145	GF060700G3iR01	GELC	
R-3i	7701	215.2	04/09/07	WG	UF	CS		Rad	EPA:901.1	Cesium-137		0.853	0.543333333	5.56	pCi/L	U	U	183956	GU070400G3iR01	GELC	
R-3i	7701	215.2	01/11/07	WG	UF	CS		Rad	EPA:901.1	Cesium-137		-0.311	0.228666667	2.18	pCi/L	U	U	179102	GU061000G3iR01	GELC	
R-3i	7701	215.2	08/10/06	WG	UF	CS		Rad	EPA:901.1	Cesium-137		1.71	0.39	4.53	pCi/L	U	U	169145	GU060700G3iR01	GELC	
R-3i	7701	215.2	04/09/07	WG	F	CS		Rad	EPA:901.1	Cobalt-60		0.996	0.573333333	5.84	pCi/L	U	U	183956	GF070400G3iR01	GELC	
R-3i	7701	215.2	01/11/07	WG	F	CS		Rad	EPA:901.1	Cobalt-60		1.21	0.259333333	2.71	pCi/L	U	U	179102	GF061000G3iR01	GELC	
R-3i	7701	215.2	08/10/06	WG	F	CS		Rad	EPA:901.1	Cobalt-60		1.49	0.308333333	3.9	pCi/L	U	U	169145	GF060700G3iR01	GELC	
R-3i	7701	215.2	04/09/07	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		0.586	0.64	5.67	pCi/L	U	U	183956	GU070400G3iR01	GELC	
R-3i	7701	215.2	01/11/07	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		-0.205	0.249333333	2.42	pCi/L	U	U	179102	GU061000G3iR01	GELC	
R-3i	7701	215.2	08/10/06	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		0.144	0.363333333	4.09	pCi/L	U	U	169145	GU060700G3iR01	GELC	
R-3i	7701	215.2	04/09/07	WG	F	CS		Rad	EPA:900	Gross alpha		4.97	0.322333333	1.64	pCi/L			183956	GF070400G3iR01	GELC	
R-3i	7701	215.2	01/11/07	WG	F	CS		Rad	EPA:900	Gross alpha		6.02	0.466666667	2.52	pCi/L		J	179102	GF061000G3iR01	GELC	
R-3i	7701	215.2	08/10/06	WG	F	CS		Rad	EPA:900	Gross alpha		3.96	0.383333333	2.43	pCi/L		J, J+	169145	GF060700G3iR01	GELC	
R-3i	7701	215.2	04/09/07	WG	UF	CS		Rad	EPA:900	Gross alpha		4.14	0.353333333	1.64	pCi/L		J	183956	GU070400G3iR01	GELC	
R-3i	7701	215.2	01/11/07	WG	UF	CS		Rad	EPA:900	Gross alpha		8.71	0.57	2.78	pCi/L			179102	GU061000G3iR01	GELC	
R-3i	7701	215.2	08/10/06	WG	UF	CS		Rad	EPA:900	Gross alpha		2.2	0.311666667	2.3	pCi/L	U	U, J+	169145	GU060700G3iR01	GELC	
R-3i	7701	215.2	04/09/07	WG	F	CS		Rad	EPA:900	Gross beta		6.83	0.35	2.81	pCi/L		J	183956	GF070400G3iR01	GELC	
R-3i	7701	215.2	01/11/07	WG	F	CS		Rad	EPA:900	Gross beta		7.55	0.353333333	2.77	pCi/L		J	179102	GF061000G3iR01	GELC	
R-3i	7701	215.2	08/10/06	WG	F	CS		Rad	EPA:900	Gross beta		5.26	0.184	1.34	pCi/L			169145	GF060700G3iR01	GELC	
R-3i	7701	215.2	04/09/07	WG	UF	CS		Rad	EPA:900	Gross beta		9.9	0.386666667	2.84	pCi/L			183956	GU070400G3iR01	GELC	
R-3i	7701	215.2	01/11/07	WG	UF	CS		Rad	EPA:900	Gross beta		6.14	0.356666667	3.02	pCi/L		J	179102	GU061000G3iR01	GELC	
R-3i	7701	215.2	08/10/06	WG	UF	CS		Rad	EPA:900	Gross beta		3.77	0.153	1.11	pCi/L			169145	GU060700G3iR01	GELC	
R-3i	7701	215.2	04/09/07	WG	F	CS		Rad	EPA:901.1	Gross gamma		170	42.66666667	332	pCi/L	U	U	183956	GF070400G3iR01	GELC	
R-3i	7701	215.2	01/11/07	WG	F	CS		Rad	EPA:901.1	Gross gamma		101	24.33333333	206	pCi/L	U	U	179102	GF061000G3iR01	GELC	
R-3i	7701	215.2	08/10/06	WG	F	CS		Rad	EPA:901.1	Gross gamma		75.1	16.96666667	217	pCi/L	U	U	169145	GF060700G3iR01	GELC	
R-3i	7701	215.2	04/09/07	WG	UF	CS		Rad	EPA:901.1	Gross gamma		188	33.23333333	487	pCi/L	U	U	183956	GU070400G3iR01	GELC	
R-3i	7701	215.2	01/11/07	WG	UF	CS		Rad	EPA:901.1	Gross gamma		110	23.16666667	251	pCi/L	U	U	179102	GU061000G3iR01	GELC	
R-3i	7701	215.2	08/10/06	WG	UF	CS		Rad	EPA:901.1	Gross gamma		112	25.8	373	pCi/L	U	U	169145	GU060700G3iR01	GELC	
R-3i	7701	215.2	04/09/07	WG	F	CS		Rad	EPA:901.1	Neptunium-237		27.2	4.233333333	36.4	pCi/L	U	U	183956	GF070400G3iR01	GELC	
R-3i	7701	215.2	01/11/07	WG	F	CS		Rad	EPA:901.1	Neptunium-237		8.96	1.85	17.6	pCi/L	U	U	179102	GF061000G3iR01	GELC	
R-3i	7701	215.2	08/10/06	WG	F	CS		Rad	EPA:901.1	Neptunium-237		1.53	2.23	22.4	pCi/L	U	U	169145	GF060700G3iR01	GELC	
R-3i	7701	215.2	04/09/07	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		-12.5	4.166666667	38.2	pCi/L	U	U	183956	GU070400G3iR01	GELC	
R-3i	7701	215.2	01/11/07	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		14	1.626666667	16	pCi/L	U	U	179102	GU061000G3iR01	GELC	
R-3i	7701	215.2	08/10/06	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		12.8	3.003333333	32.4	pCi/L	U	U	169145	GU060700G3iR01	GELC	
R-3i	7701	215.2	04/09/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00384	0.002216667	0.0197	pCi/L	U	U	183956	GF070400G3iR01	GELC	
R-3i	7701	215.2	01/11/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00206	0.003433333	0.0227	pCi/L	U	U	179102	GF061000G3iR01	GELC	
R-3i	7701	215.2	08/10/06	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00642	0.001516667	0.0308	pCi/L	U	U	169145	GF060700G3iR01	GELC	
R-3i	7701	215.2	04/09/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00585	0.002346667	0.02	pCi/L	U	U	183956	GU070400G3iR01	GELC	

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-3i	7701	215.2	01/11/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00452	0.00151	0.0248		pCi/L	U	U	179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0	0.000576667	0.0166		pCi/L	U	U	169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.00575	0.00143	0.0284		pCi/L	U	U	183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.0186	0.003433333	0.0151		pCi/L		U	179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00641	0.00214	0.0359		pCi/L	U	U	169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00195	0.001126667	0.0289		pCi/L	U	U	183956	GU070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.0203	0.00293	0.0165		pCi/L	U	R	179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.00173	0.001523333	0.0194		pCi/L	U	U	169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Rad	EPA:901.1	Potassium-40		32.8	9.833333333	44.5		pCi/L	U	U	183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Rad	EPA:901.1	Potassium-40		10.7	3.8	22.3		pCi/L	U	U	179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Rad	EPA:901.1	Potassium-40		30	3.633333333	47.9		pCi/L	U	U	169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Rad	EPA:901.1	Potassium-40		5.21	6.9	50.8		pCi/L	U	U	183956	GU070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Rad	EPA:901.1	Potassium-40		14.5	4.133333333	25.1		pCi/L	U	U	179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Rad	EPA:901.1	Potassium-40		44.3	4.5	57.1		pCi/L	U	U	169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Rad	EPA:901.1	Sodium-22		2.35	0.396666667	4.68		pCi/L	U	U	183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Rad	EPA:901.1	Sodium-22		-0.864	0.245	2.24		pCi/L	U	U	179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Rad	EPA:901.1	Sodium-22		0.249	0.356666667	3.97		pCi/L	U	U	169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Rad	EPA:901.1	Sodium-22		-2.25	0.556666667	4.96		pCi/L	U	U	183956	GU070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Rad	EPA:901.1	Sodium-22		-0.234	0.244	2.37		pCi/L	U	U	179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Rad	EPA:901.1	Sodium-22		-0.494	0.423333333	3.85		pCi/L	U	U	169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Rad	EPA:905.0	Strontium-90		-0.14	0.024566667	0.294		pCi/L	U	U	183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Rad	EPA:905.0	Strontium-90		-0.0977	0.03	0.319		pCi/L	U	U	179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Rad	EPA:905.0	Strontium-90		0.0377	0.033166667	0.354		pCi/L	U	U	169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.0236	0.041666667	0.478		pCi/L	U	U	183956	GU070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Rad	EPA:905.0	Strontium-90		0.277	0.042	0.41		pCi/L	U	U	179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.121	0.034333333	0.4		pCi/L	U	U	169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		4.55	0.095	0.0541		pCi/L			183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		4	0.094	0.0832		pCi/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		4	0.087666667	0.0608		pCi/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		4.43	0.092333333	0.0634		pCi/L			183956	GU070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		4.38	0.103333333	0.0861		pCi/L			179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		3.8	0.085333333	0.0682		pCi/L			169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.23	0.009233333	0.0344		pCi/L			183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.16	0.010866667	0.0848		pCi/L		J	179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.234	0.010733333	0.0513		pCi/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.212	0.009566667	0.0403		pCi/L			183956	GU070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.18	0.0115	0.0878		pCi/L		J	179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.218	0.010833333	0.0575		pCi/L			169145	GU060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		2.96	0.063333333	0.0412		pCi/L			183956	GF070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		2.85	0.069666667	0.0589		pCi/L			179102	GF061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		2.67	0.061	0.0646		pCi/L			169145	GF060700G3iR01	GELC
R-3i	7701	215.2	04/09/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		3.02	0.065	0.0483		pCi/L			183956	GU070400G3iR01	GELC
R-3i	7701	215.2	01/11/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		3.09	0.075666667	0.0609		pCi/L			179102	GU061000G3iR01	GELC
R-3i	7701	215.2	08/10/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		2.49	0.058666667	0.0725		pCi/L			169145	GU060700G3iR01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		71.4			0.725	mg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		63.5			0.725	mg/L			167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		71.9			0.725	mg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		64.6			1.45	mg/L			150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		62.6			1.45	mg/L			142822	GF05080G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		64			0.725	mg/L			167995	GU060700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		18.2			0.036	mg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		15.9			0.036	mg/L	N		167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		18.9			0.036	mg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Geninorg	SW-846:6010B	Calcium		17.6			0.036	mg/L			150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Geninorg	SW-846:6010B	Calcium		17.3			0.036	mg/L			142822	GF05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		17.1			0.036	mg/L			184483	GU070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		17.1			0.036	mg/L	N		167995	GU060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		19.5			0.036	mg/L			157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		17.7			0.036	mg/L			150271	GU05110G04R01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-4	1721	792.9	08/08/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		17.4			0.036	mg/L			142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		4.86			0.066	mg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		5.16			0.066	mg/L			167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		4.67			0.053	mg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		4.99			0.053	mg/L			150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		5.29			0.053	mg/L			142822	GF05080G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		5.12			0.066	mg/L			167995	GU060700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.714			0.033	mg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.766			0.033	mg/L			167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.764			0.03	mg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.757			0.03	mg/L			150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.551			0.03	mg/L			142822	GF05080G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.781			0.033	mg/L			167995	GU060700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		60			0.44	mg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		52.2			0.085	mg/L			167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		62.2			0.085	mg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		56.3			0.44	mg/L			184483	GU070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		56.3			0.085	mg/L			167995	GU060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		64			0.085	mg/L			157226	GU06020G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.53			0.085	mg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.07			0.085	mg/L			167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.66			0.085	mg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.43			0.085	mg/L			150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.36			0.085	mg/L			142822	GF05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.32			0.085	mg/L			184483	GU070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.3			0.085	mg/L			167995	GU060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.74			0.085	mg/L			157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.46			0.085	mg/L			150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.4			0.085	mg/L			142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		1.06			0.01	mg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.97			0.014	mg/L			167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.22			0.017	mg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.14			0.085	mg/L			150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.78			0.017	mg/L			142822	GF05080G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.98			0.014	mg/L			167995	GU060700G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.62			0.017	mg/L			150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.78			0.017	mg/L			142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		2.54			0.25	µg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate		4.35			4	µg/L	J		167995	GF060700G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		4.51			0.5	µg/L		J	167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		3.19			0.25	µg/L		J	157226	GU06020G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		4.33			0.25	µg/L			150271	GU05110G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate		4.92			4	µg/L	J		150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		5.02			0.5	µg/L			142822	GU05080G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate		4.23			4	µg/L	J		142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		2.65			0.05	mg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		2.26			0.05	mg/L			167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		2.89			0.05	mg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Geninorg	SW-846:6010B	Potassium		2.63			0.05	mg/L			150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Geninorg	SW-846:6010B	Potassium		2.5			0.05	mg/L			142822	GF05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		2.53			0.05	mg/L			184483	GU070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		2.41			0.05	mg/L			167995	GU060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		2.96			0.05	mg/L			157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		2.65			0.05	mg/L			150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		2.51			0.05	mg/L			142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		72.9			0.032	mg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		69.8			0.032	mg/L		J, J-	167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		76			0.032	mg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		73			0.032	mg/L			150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		73.6			0.032	mg/L			142822	GF05080G04R01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-4	1721	792.9	07/25/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		76.1			0.032	mg/L		J, J-	167995	GU060700G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		73			0.032	mg/L			150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		73.7			0.032	mg/L			142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		12.9			0.045	mg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		11.3			0.045	mg/L	N		167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		14.1			0.045	mg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Geninorg	SW-846:6010B	Sodium		12.4			0.045	mg/L			150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Geninorg	SW-846:6010B	Sodium		12			0.045	mg/L			142822	GF05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		13			0.045	mg/L			184483	GU070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		12.6			0.045	mg/L	N		167995	GU060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		14.5			0.045	mg/L			157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		12.5			0.045	mg/L			150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		12.2			0.045	mg/L			142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		190			1	µS/cm			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		232			1	µS/cm			167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		182			1	µS/cm			157226	GF06020G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		168			1	µS/cm			167995	GU060700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		4.13			0.1	mg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		4.15			0.1	mg/L		J+	167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		4.39			0.057	mg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		4.38			0.057	mg/L			150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		4.27			0.057	mg/L			142822	GF05080G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		4.19			0.1	mg/L		J+	167995	GU060700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		216			2.38	mg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		166			2.38	mg/L			167995	GU060700G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		173			2.38	mg/L			167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		171			2.38	mg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.764			0.33	mg/L	J		184483	GU070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	0.33			0.33	mg/L	U		167995	GU060700G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.342			0.074	mg/L	J	J-, JN-	150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.266			0.074	mg/L		J-, JN-	142822	GU05080G04R01	GELC
R-4	1721	792.9	04/27/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.475			0.074	mg/L		J-	135508	GU05040G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Geninorg	EPA:150.1	pH		8			0.01	SU	H	J	184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.93			0.01	SU	H	J	167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.87			0.01	SU	H	J	157226	GF06020G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.89			0.01	SU	H	J	167995	GU060700G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Metals	SW-846:6020	Arsenic		2.1			1.5	µg/L	J		184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		142822	GF05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS		Metals	SW-846:6020	Arsenic		1.9			1.5	µg/L	J		184483	GU070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		167995	GU060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Metals	SW-846:6010B	Barium		38.8			1	µg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Metals	SW-846:6010B	Barium		32.1			1	µg/L			167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Metals	SW-846:6010B	Barium		39.1			1	µg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Metals	SW-846:6010B	Barium		35.4			1	µg/L			150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Metals	SW-846:6010B	Barium		34.2			1	µg/L			142822	GF05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Barium		36			1	µg/L			184483	GU070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Barium		34.3			1	µg/L			167995	GU060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Metals	SW-846:6010B	Barium		40.7			1	µg/L			157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Metals	SW-846:6010B	Barium		35.7			1	µg/L			150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Metals	SW-846:6010B	Barium		34.5			1	µg/L			142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Metals	SW-846:6010B	Boron		23			10	µg/L	J		184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Metals	SW-846:6010B	Boron		23.5			10	µg/L	J		167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Metals	SW-846:6010B	Boron		29.7			10	µg/L	J		157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Metals	SW-846:6010B	Boron		25.8			10	µg/L	J		150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Metals	SW-846:6010B	Boron		25.4			10	µg/L	J		142822	GF05080G04R01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-4	1721	792.9	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Boron		21			10	µg/L	J		184483	GU070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Boron		25			10	µg/L	J		167995	GU060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Metals	SW-846:6010B	Boron		28.1			10	µg/L	J		157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Metals	SW-846:6010B	Boron		24.5			10	µg/L	J		150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Metals	SW-846:6010B	Boron		24.7			10	µg/L	J		142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Metals	SW-846:6010B	Manganese		22.1			2	µg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Metals	SW-846:6010B	Manganese	<	2			2	µg/L	U		167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Metals	SW-846:6010B	Manganese	<	2			2	µg/L	U		157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Metals	SW-846:6020	Manganese	<	1			1	µg/L	U		150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Metals	SW-846:6020	Manganese	<	1			1	µg/L	U		142822	GF05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Manganese		20.4			2	µg/L			184483	GU070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Manganese	<	2			2	µg/L	U		167995	GU060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Metals	SW-846:6010B	Manganese	<	2			2	µg/L	U		157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Metals	SW-846:6020	Manganese	<	1			1	µg/L	U		150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Metals	SW-846:6020	Manganese	<	1			1	µg/L	U		142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Metals	EPA:245.2	Mercury		0.22			0.06	µg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Metals	EPA:245.2	Mercury	<	0.06			0.06	µg/L	U		167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Metals	EPA:245.2	Mercury	<	0.05			0.05	µg/L	U		157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Metals	SW-846:7470A	Mercury	<	0.05			0.05	µg/L	U		150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Metals	SW-846:7470A	Mercury	<	0.05			0.05	µg/L	U	UJ	142822	GF05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS		Metals	EPA:245.2	Mercury		0.093			0.06	µg/L	J		184483	GU070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Metals	EPA:245.2	Mercury	<	0.06			0.06	µg/L	U		167995	GU060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Metals	EPA:245.2	Mercury		0.065			0.05	µg/L	J		157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Metals	SW-846:7470A	Mercury	<	0.05			0.05	µg/L	U		150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Metals	SW-846:7470A	Mercury	<	0.05			0.05	µg/L	U	UJ	142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Metals	SW-846:6010B	Molybdenum		2.2			2	µg/L	J		184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Metals	SW-846:6010B	Molybdenum	<	2			2	µg/L	U		167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Metals	SW-846:6010B	Molybdenum		3.3			2	µg/L	J		157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Metals	SW-846:6020	Molybdenum		2.6			0.1	µg/L			150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Metals	SW-846:6020	Molybdenum		2.2			0.1	µg/L			142822	GF05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		3			2	µg/L	J		184483	GU070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Molybdenum	<	2			2	µg/L	U		167995	GU060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Metals	SW-846:6010B	Molybdenum	<	2			2	µg/L	U		157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Metals	SW-846:6020	Molybdenum		2.7			0.1	µg/L			150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Metals	SW-846:6020	Molybdenum		2.2			0.1	µg/L			142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Metals	SW-846:6020	Nickel		5.9			2.5	µg/L	J		184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Metals	SW-846:6020	Nickel		1.6			0.5	µg/L	J		167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Metals	SW-846:6020	Nickel		1.1			0.5	µg/L	J		157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Metals	SW-846:6010B	Nickel	<	2.9			1	µg/L	J	U	150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Metals	SW-846:6010B	Nickel		4.1			1	µg/L	J		142822	GF05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS		Metals	SW-846:6020	Nickel		6			2.5	µg/L	J		184483	GU070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Metals	SW-846:6020	Nickel		1.5			0.5	µg/L	J		167995	GU060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Metals	SW-846:6020	Nickel		1.2			0.5	µg/L	J		157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Metals	SW-846:6010B	Nickel	<	2.8			1	µg/L	J	U	150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Metals	SW-846:6010B	Nickel		4.9			1	µg/L	J		142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Metals	SW-846:6010B	Strontium		87.3			1	µg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Metals	SW-846:6010B	Strontium		75.1			1	µg/L			167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Metals	SW-846:6010B	Strontium		98.6			1	µg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Metals	SW-846:6010B	Strontium		87.2			1	µg/L			150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Metals	SW-846:6010B	Strontium		81.7			1	µg/L			142822	GF05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		83.4			1	µg/L			184483	GU070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		81.5			1	µg/L			167995	GU060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		103			1	µg/L			157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		88.3			1	µg/L			150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		82.6			1	µg/L			142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Metals	SW-846:6020	Uranium		1			0.05	µg/L			184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.71			0.05	µg/L			167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.87			0.05	µg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Metals	SW-846:6020	Uranium		0.73			0.05	µg/L			150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Metals	SW-846:6020	Uranium		0.66			0.05	µg/L			142822	GF05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS		Metals	SW-846:6020	Uranium		1			0.05	µg/L			184483	GU070400G04R01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-4	1721	792.9	07/25/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.67			0.05	µg/L			167995	GU060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.97			0.05	µg/L			157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Metals	SW-846:6020	Uranium		0.74			0.05	µg/L			150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Metals	SW-846:6020	Uranium		0.67			0.05	µg/L			142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		7.3			1	µg/L	J+		184483	GF070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		7.1			1	µg/L			167995	GF060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		8.5			1	µg/L			157226	GF06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	F	CS		Metals	SW-846:6010B	Vanadium		7.5			1	µg/L			150271	GF05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	F	CS		Metals	SW-846:6010B	Vanadium		7.6			1	µg/L			142822	GF05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		7			1	µg/L	J+		184483	GU070400G04R01	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		7			1	µg/L			167995	GU060700G04R01	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		7.7			1	µg/L			157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium		7.6			1	µg/L			150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium		7.5			1	µg/L			142822	GU05080G04R01	GELC
R-4	1721	792.9	04/17/07	WG	UF	CS	FTB	VOA	SW-846:8260B	Toluene		0.577			0.25	µg/L	J		184483	GU070400G04R01-FTB	GELC
R-4	1721	792.9	07/25/06	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1			0.25	µg/L	U		167995	GU060700G04R02	GELC
R-4	1721	792.9	02/28/06	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1			0.25	µg/L	U		157226	GU06020G04R01	GELC
R-4	1721	792.9	11/14/05	WG	UF	CS		VOA	SW-846:8260B	Toluene		0.258			0.25	µg/L	J		150271	GU05110G04R01	GELC
R-4	1721	792.9	08/08/05	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				µg/L	U		142822	GU05080G04R01	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		1.02			0.725	mg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		0.855			0.725	mg/L	J		167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		112037	GF0404G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	0.725			0.725	mg/L	U		167998	GU06070G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		93.4			0.725	mg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		94			0.725	mg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		72.9			1.45	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		71.9			1.45	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		89.9			1.45	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		91.9			1.45	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>	<	0.725			0.725	mg/L	U		167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		120			1.45	mg/L			135861	GU0504G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.152			0.066	mg/L	J		184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.122			0.066	mg/L	J		167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.0978			0.0978	mg/L	U		122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Geninorg	EPA:300.0	Bromide	<	0.0978			0.0978	mg/L	U		122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.0978			0.0978	mg/L	U		112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Geninorg	EPA:300.0	Bromide	<	0.0978			0.0978	mg/L	U		112037	GF0404G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide		0.097			0.066	mg/L	J		167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	EPA:300.0	Bromide		0.125			0.041	mg/L	J		135861	GU0504G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		30.8			0.036	mg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		30.5			0.036	mg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Geninorg	SW-846:6010B	Calcium		31.5			0.00554	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Geninorg	SW-846:6010B	Calcium		32			0.00554	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Geninorg	SW-846:6010B	Calcium		31.9			0.00554	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Geninorg	SW-846:6010B	Calcium		31.5			0.00554	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		28.6			0.036	mg/L			184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		31.1			0.036	mg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		31.9			0.036	mg/L			135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		32.2			0.00554	mg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Geninorg	SW-846:6010B	Calcium		30.6			0.00554	mg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		30.8			0.00554	mg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Geninorg	SW-846:6010B	Calcium		31.4			0.00554	mg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		7.36			0.066	mg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		7.37			0.066	mg/L			167998	GF06070G05R201	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-5	2452	383.9	09/27/04	WG	F	CS		Geninorg	EPA:300.0	Chloride		7.27			0.0322	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Geninorg	EPA:300.0	Chloride		7.27			0.0322	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Geninorg	EPA:300.0	Chloride		6.72			0.0322	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Geninorg	EPA:300.0	Chloride		6.75			0.0322	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		7.11			0.066	mg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	EPA:300.0	Chloride		7.39			0.053	mg/L			135861	GU0504G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		1.05			0.033	mg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		1.06			0.033	mg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Geninorg	EPA:300.0	Fluoride		1.12			0.0553	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Geninorg	EPA:300.0	Fluoride		1.13			0.0553	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Geninorg	EPA:300.0	Fluoride		1.03			0.0553	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Geninorg	EPA:300.0	Fluoride		1.02			0.0553	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		1.12			0.033	mg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		1.06			0.03	mg/L			135861	GU0504G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		89			0.44	mg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		88.1			0.085	mg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		82.6			0.44	mg/L			184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		89.6			0.085	mg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	SM:A2340B	Hardness		85.8			0.02	mg/L			135861	GU0504G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		2.91			0.085	mg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		2.87			0.085	mg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.07			0.00518	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Geninorg	SW-846:6010B	Magnesium		3.13			0.00518	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.21			0.00518	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Geninorg	SW-846:6010B	Magnesium		3.13			0.00518	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		2.72			0.085	mg/L			184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		2.92			0.085	mg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.03			0.085	mg/L			135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.16			0.00518	mg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Geninorg	SW-846:6010B	Magnesium		3			0.00518	mg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.08			0.00518	mg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Geninorg	SW-846:6010B	Magnesium		3.13			0.00518	mg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		2.93			0.1	mg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		3.11			0.014	mg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.66			0.003	mg/L			135861	GF0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		3.28			0.003	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.31			0.01	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.38			0.01	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		3.19			0.014	mg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		3.31			0.003	mg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.26			0.01	mg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.38			0.01	mg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		1.33			0.1	µg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		167998	GF06070G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		1.65			0.2	µg/L		J	167998	GF06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		1.56			0.1	µg/L		J	135861	GU0504G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		1.09			0.1	µg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.995			0.1	µg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		112037	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		4.17			0.05	mg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		4.09			0.05	mg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Geninorg	SW-846:6010B	Potassium		4.27			0.0165	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Geninorg	SW-846:6010B	Potassium		4.37			0.0165	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Geninorg	SW-846:6010B	Potassium		4.44			0.0165	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Geninorg	SW-846:6010B	Potassium		4.36			0.0165	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.99			0.05	mg/L			184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		4.17			0.05	mg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		4.45			0.05	mg/L			135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		4.36			0.0165	mg/L			122501	GU0409G05R201	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-5	2452	383.9	09/27/04	WG	UF	DUP		Geninorg	SW-846:6010B	Potassium		4.2			0.0165	mg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		4.31			0.0165	mg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Geninorg	SW-846:6010B	Potassium		4.36			0.0165	mg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		54			0.032	mg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		52.3			0.032	mg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		26.1			0.00983	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Geninorg	SW-846:6010B	Silicon Dioxide		26.3			0.00983	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		53.2			0.0212	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Geninorg	SW-846:6010B	Silicon Dioxide		53.5			0.0212	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		53.2			0.032	mg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		53.1			0.032	mg/L			135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		26.8			0.00983	mg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Geninorg	SW-846:6010B	Silicon Dioxide		25.5			0.00983	mg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		51.9			0.0212	mg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Geninorg	SW-846:6010B	Silicon Dioxide		52.7			0.0212	mg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		15.6			0.045	mg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		14.6			0.045	mg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Geninorg	SW-846:6010B	Sodium		15.5			0.0144	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Geninorg	SW-846:6010B	Sodium		15.9			0.0144	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Geninorg	SW-846:6010B	Sodium		15.3			0.0144	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Geninorg	SW-846:6010B	Sodium		15.1			0.0144	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		15.5			0.045	mg/L			184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		14.9			0.045	mg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		15.7			0.045	mg/L			135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		15.9			0.0144	mg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Geninorg	SW-846:6010B	Sodium		15			0.0144	mg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		14.7			0.0144	mg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Geninorg	SW-846:6010B	Sodium		15			0.0144	mg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		276			1	µS/cm			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		280			1	µS/cm			167998	GF06070G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		281			1	µS/cm			167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	SW-846:9050A	Specific Conductance		219			1	µS/cm			135861	GU0504G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		8.51			0.1	mg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		7.99			0.1	mg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Geninorg	EPA:300.0	Sulfate		8.76			0.193	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Geninorg	EPA:300.0	Sulfate		8.67			0.193	mg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Geninorg	EPA:300.0	Sulfate		8.03			0.193	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Geninorg	EPA:300.0	Sulfate		7.99			0.193	mg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		7.98			0.1	mg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		8.22			0.057	mg/L			135861	GU0504G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		215			2.38	mg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		198			2.38	mg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		200			2.38	mg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		192			2.38	mg/L			135861	GU0504G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.618			0.33	mg/L	J		184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	0.33			0.33	mg/L	U		167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.464			0.074	mg/L		J-	135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	0.325			0.025	mg/L		U	122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Geninorg	SW-846:9060	Total Organic Carbon		0.359			0.025	mg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.305			0.025	mg/L		J-	112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Geninorg	SW-846:9060	Total Organic Carbon		0.32			0.025	mg/L			111870	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Geninorg	EPA:150.1	pH		8.13			0.01	SU	H	J	184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.97			0.01	SU	H	J	167998	GF06070G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Geninorg	EPA:150.1	pH		8.04			0.01	SU	H	J	167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Geninorg	EPA:150.1	pH		7.57			0.01	SU	H	J	135861	GU0504G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Metals	SW-846:6020	Arsenic		2.2			1.5	µg/L	J		184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U*		122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Metals	SW-846:6010B	Arsenic		6.26			2.24	µg/L	*		122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U	UU	112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U		112037	GF0404G05R201	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-5	2452	383.9	04/17/07	WG	UF	CS		Metals	SW-846:6020	Arsenic		2.3			1.5	µg/L	J		184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Metals	SW-846:6010B	Arsenic		4.8			2.24	µg/L	J*		122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Metals	SW-846:6010B	Arsenic		2.46			2.24	µg/L	J		122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U	UJ	112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U		112037	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Metals	SW-846:6010B	Barium		198			1	µg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Metals	SW-846:6010B	Barium		196			1	µg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Metals	SW-846:6010B	Barium		193			0.222	µg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Metals	SW-846:6010B	Barium		196			0.222	µg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Metals	SW-846:6010B	Barium		204			0.222	µg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Metals	SW-846:6010B	Barium		199			0.222	µg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Barium		169			1	µg/L			184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Barium		199			1	µg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Metals	SW-846:6010B	Barium		197			1	µg/L			135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Metals	SW-846:6010B	Barium		198			0.222	µg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Metals	SW-846:6010B	Barium		190			0.222	µg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Metals	SW-846:6010B	Barium		195			0.222	µg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Metals	SW-846:6010B	Barium		201			0.222	µg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Metals	SW-846:6010B	Boron		21.3			10	µg/L	J		184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Metals	SW-846:6010B	Boron		26			10	µg/L	J		167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Metals	SW-846:6010B	Boron		27.1			4.88	µg/L	J		122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Metals	SW-846:6010B	Boron		27.4			4.88	µg/L	J		122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Metals	SW-846:6010B	Boron	<	34.5			4.88	µg/L	B	U	112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Metals	SW-846:6010B	Boron		30.3			4.88	µg/L	B		112037	GF0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Boron		21.2			10	µg/L	J		184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Boron		24.9			10	µg/L	J		167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Metals	SW-846:6010B	Boron		22.7			10	µg/L	J		135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Metals	SW-846:6010B	Boron		27.8			4.88	µg/L	J		122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Metals	SW-846:6010B	Boron		24.6			4.88	µg/L	J		122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Metals	SW-846:6010B	Boron	<	32			4.88	µg/L	B	U	112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Metals	SW-846:6010B	Boron		30.6			4.88	µg/L	B		112037	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Metals	SW-846:6020	Chromium		3.7			1	µg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Metals	SW-846:6020	Chromium		3.7			1	µg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Metals	SW-846:6010B	Chromium	<	4.3			0.503	µg/L	J	U	122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Metals	SW-846:6010B	Chromium		5.35			0.503	µg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Metals	SW-846:6010B	Chromium		4.4			0.503	µg/L	B		112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Metals	SW-846:6010B	Chromium		4.42			0.503	µg/L	B		112037	GF0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS		Metals	SW-846:6020	Chromium		7			5	µg/L	J		184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Metals	SW-846:6020	Chromium		5			1	µg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Metals	SW-846:6010B	Chromium		4.5			1	µg/L	J		135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Metals	SW-846:6010B	Chromium	<	5.9			0.503	µg/L		U	122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Metals	SW-846:6010B	Chromium		5.27			0.503	µg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Metals	SW-846:6010B	Chromium		5.5			0.503	µg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Metals	SW-846:6010B	Chromium		4.87			0.503	µg/L	B		112037	GU0404G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Metals	SW-846:6010B	Manganese	<	2			2	µg/L	U		167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Metals	SW-846:6020	Manganese		6.7			1.61	µg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Metals	SW-846:6020	Manganese		6.74			1.61	µg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Metals	SW-846:6020	Manganese		6			1.61	µg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Metals	SW-846:6020	Manganese		7.2			1.61	µg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Manganese		4			2	µg/L	J		184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Manganese	<	2			2	µg/L	U		167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Metals	SW-846:6020	Manganese		1.4			1	µg/L	J	J	135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Metals	SW-846:6020	Manganese		3.3			1.61	µg/L	J		122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Metals	SW-846:6020	Manganese		3.33			1.61	µg/L	J		122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Metals	SW-846:6020	Manganese	<	1.61			1.61	µg/L	U		112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Metals	SW-846:6020	Manganese	<	1.61			1.61	µg/L	U		112037	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Metals	SW-846:6010B	Molybdenum		2.7			2	µg/L	J		184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Metals	SW-846:6010B	Molybdenum	<	2			2	µg/L	U		167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Metals	SW-846:6020	Molybdenum		2.1			0.2	µg/L			122501	GF0409G05R201	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-5	2452	383.9	09/27/04	WG	F	DUP		Metals	SW-846:6020	Molybdenum		2.1			0.2	µg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Metals	SW-846:6020	Molybdenum		2			0.2	µg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Metals	SW-846:6020	Molybdenum		2.06			0.2	µg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		3.2			2	µg/L	J		184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Molybdenum	<	2			2	µg/L	U		167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Metals	SW-846:6020	Molybdenum		2.8			0.1	µg/L			135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Metals	SW-846:6020	Molybdenum		2.1			0.2	µg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Metals	SW-846:6020	Molybdenum		2.1			0.2	µg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Metals	SW-846:6020	Molybdenum		2			0.2	µg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Metals	SW-846:6020	Molybdenum		2.03			0.2	µg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Metals	SW-846:6020	Nickel		0.77			0.5	µg/L	J		184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Metals	SW-846:6020	Nickel		0.58			0.5	µg/L	J		167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Metals	SW-846:6010B	Nickel		1.3			0.69	µg/L	J	JN-	122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Metals	SW-846:6010B	Nickel	<	0.69			0.69	µg/L	U		122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Metals	SW-846:6010B	Nickel	<	0.69			0.69	µg/L	U		112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Metals	SW-846:6010B	Nickel	<	0.69			0.69	µg/L	U		112037	GF0404G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Metals	SW-846:6020	Nickel		0.87			0.5	µg/L	J		167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Metals	SW-846:6010B	Nickel	<	2			1	µg/L	J	U	135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Metals	SW-846:6010B	Nickel		2.9			0.69	µg/L	J	JN-	122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Metals	SW-846:6010B	Nickel		1.27			0.69	µg/L	J		122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Metals	SW-846:6010B	Nickel	<	0.69			0.69	µg/L	U		112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Metals	SW-846:6010B	Nickel	<	0.69			0.69	µg/L	U		112037	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Metals	SW-846:6010B	Strontium		309			1	µg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Metals	SW-846:6010B	Strontium		308			1	µg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Metals	SW-846:6010B	Strontium		311			0.178	µg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Metals	SW-846:6010B	Strontium		316			0.178	µg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Metals	SW-846:6010B	Strontium		329			0.178	µg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Metals	SW-846:6010B	Strontium		324			0.178	µg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		290			1	µg/L			184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		312			1	µg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		315			1	µg/L			135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Metals	SW-846:6010B	Strontium		317			0.178	µg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Metals	SW-846:6010B	Strontium		303			0.178	µg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Metals	SW-846:6010B	Strontium		319			0.178	µg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Metals	SW-846:6010B	Strontium		323			0.178	µg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Metals	SW-846:6020	Uranium		2.9			0.05	µg/L			184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Metals	SW-846:6020	Uranium		2.9			0.05	µg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Metals	SW-846:6020	Uranium		2.6			0.02	µg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Metals	SW-846:6020	Uranium		2.67			0.02	µg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Metals	SW-846:6020	Uranium		2.8			0.02	µg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Metals	SW-846:6020	Uranium		2.82			0.02	µg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	02/23/04	WG	F	CS		Metals	SW-846:6020	Uranium		2.81			0.02	µg/L			107956	GF0402G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS		Metals	SW-846:6020	Uranium		2.8			0.05	µg/L			184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Metals	SW-846:6020	Uranium		2.9			0.05	µg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Metals	SW-846:6020	Uranium		2.7			0.02	µg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Metals	SW-846:6020	Uranium		2.69			0.02	µg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Metals	SW-846:6020	Uranium		2.7			0.02	µg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Metals	SW-846:6020	Uranium		2.76			0.02	µg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	02/23/04	WG	UF	CS		Metals	SW-846:6020	Uranium		2.85			0.02	µg/L			107956	GU0402G05R201-A	GELC
R-5	2452	383.9	02/23/04	WG	UF	DUP		Metals	SW-846:6020	Uranium		2.81			0.02	µg/L			107956	GU0402G05R201-A	GELC
R-5	2452	383.9	04/17/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		8.4			1	µg/L		J+	184483	GF07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		7.6			1	µg/L			167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Metals	SW-846:6010B	Vanadium		8.5			0.606	µg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Metals	SW-846:6010B	Vanadium		8.68			0.606	µg/L			122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Metals	SW-846:6010B	Vanadium		8.6			0.606	µg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Metals	SW-846:6010B	Vanadium		8.66			0.606	µg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		7.7			1	µg/L		J+	184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		7.5			1	µg/L			167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium		7.5			1	µg/L			135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Metals	SW-846:6010B	Vanadium		9.4			0.606	µg/L			122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Metals	SW-846:6010B	Vanadium		8.41			0.606	µg/L			122501	GU0409G05R201	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-5	2452	383.9	04/28/04	WG	UF	CS		Metals	SW-846:6010B	Vanadium		8.3			0.606	µg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Metals	SW-846:6010B	Vanadium		8.5			0.606	µg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	07/25/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	4			2	µg/L	J	U	167998	GF06070G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	CS		Metals	SW-846:6010B	Zinc	<	0.883			0.883	µg/L	U	R	122501	GF0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	F	DUP		Metals	SW-846:6010B	Zinc	<	0.883			0.883	µg/L	U		122501	GF0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	CS		Metals	SW-846:6010B	Zinc		10.9			0.883	µg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	F	DUP		Metals	SW-846:6010B	Zinc		10.4			0.883	µg/L			112037	GF0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		5.1			2	µg/L	J		184483	GU07040G05R201	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	3.6			2	µg/L	J	U	167998	GU06070G05R201	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		Metals	SW-846:6010B	Zinc		4.1			2	µg/L	J		135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	0.883			0.883	µg/L	U	R	122501	GU0409G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	DUP		Metals	SW-846:6010B	Zinc	<	0.883			0.883	µg/L	U		122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		Metals	SW-846:6010B	Zinc		10.5			0.883	µg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	DUP		Metals	SW-846:6010B	Zinc		10.8			0.883	µg/L			112037	GU0404G05R201	GELC
R-5	2452	383.9	04/17/07	WG	UF	CS	FTB	VOA	SW-846:8260B	Toluene		0.556			0.25	µg/L	J		184483	GU07040G05R201-FTB	GELC
R-5	2452	383.9	07/25/06	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1			0.25	µg/L	U		167996	GU06070G05R202	GELC
R-5	2452	383.9	05/02/05	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				µg/L	U		135861	GU0504G05R201	GELC
R-5	2452	383.9	09/27/04	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				µg/L	U		122501	GU0409G05R201	GELC
R-5	2452	383.9	04/28/04	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				µg/L	U		112037	GU0404G05R201	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		1.5			0.725	mg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		1.02			0.725	mg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		122638	GF0409G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		122689	GF0409G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	0.725			0.725	mg/L	U		168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U	UJ	136031	GU0504G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		93.4			0.725	mg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		91.4			0.725	mg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		88			1.45	mg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		89.1			1.45	mg/L			122689	GF0409G05R301	GELC
R-5	2512	718.6	11/14/01	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		94.40000153			0.730000019	mg/L		NQ	228S	GW05-01-0029	GEL
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		90.4			0.725	mg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.163			0.066	mg/L	J	J	184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.0978			0.0978	mg/L	U		122638	GF0409G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	DUP		Geninorg	EPA:300.0	Bromide	<	0.0978			0.0978	mg/L	U		122501	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.0978			0.0978	mg/L	U		112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Geninorg	EPA:300.0	Bromide	<	0.0978			0.0978	mg/L	U		112061	GF0404G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.041			0.041	mg/L	U		136031	GU0504G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		24			0.036	mg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		25.6			0.036	mg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Geninorg	SW-846:6010B	Calcium		25.4			0.00554	mg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Geninorg	SW-846:6010B	Calcium		26.8			0.00554	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Geninorg	SW-846:6010B	Calcium		25.9			0.00554	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		24.4			0.036	mg/L			184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		25.6			0.036	mg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		25.4			0.036	mg/L			136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		26.1			0.00554	mg/L			122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		28.1			0.00554	mg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Geninorg	SW-846:6010B	Calcium		26.7			0.00554	mg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		7.76			0.066	mg/L		J	184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		8.02			0.066	mg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Geninorg	EPA:300.0	Chloride		7.98			0.0322	mg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	DUP		Geninorg	EPA:300.0	Chloride		7.96			0.0322	mg/L			122501	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Geninorg	EPA:300.0	Chloride		7.89			0.0322	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Geninorg	EPA:300.0	Chloride		7.91			0.0322	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		7.81			0.066	mg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	EPA:300.0	Chloride		7.33			0.053	mg/L			136031	GU0504G05R301	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.663			0.033	mg/L		J	184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.651			0.033	mg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.702			0.0553	mg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	DUP		Geninorg	EPA:300.0	Fluoride		0.705			0.0553	mg/L			122501	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.628			0.0553	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Geninorg	EPA:300.0	Fluoride		0.637			0.0553	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.685			0.033	mg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.451			0.03	mg/L			136031	GU0504G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		76.8			0.44	mg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		81.6			0.085	mg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		78.4			0.44	mg/L			184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		81.6			0.085	mg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	SM:A2340B	Hardness		81			0.085	mg/L			136031	GU0504G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.07			0.085	mg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.29			0.085	mg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.39			0.00518	mg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.6			0.00518	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Geninorg	SW-846:6010B	Magnesium		4.52			0.00518	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.23			0.085	mg/L			184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.3			0.085	mg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.26			0.085	mg/L			136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.56			0.00518	mg/L			122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.85			0.00518	mg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Geninorg	SW-846:6010B	Magnesium		4.6			0.00518	mg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		2.39			0.1	mg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.22			0.014	mg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.09			0.003	mg/L			136031	GF0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.44			0.003	mg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.79			0.01	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.22			0.014	mg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		2.64			0.003	mg/L			122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		1.79			0.01	mg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		1.19			0.1	µg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		1.21			0.2	µg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168163	GF06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		1.45			0.1	µg/L		J	136031	GU0504G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		1.24			0.1	µg/L			122638	GU0409G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		122638	GU0409G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	DUP		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		122689	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		1.15			0.1	µg/L		J-	112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		111870	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		3.32			0.05	mg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		3.27			0.05	mg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Geninorg	SW-846:6010B	Potassium		3.37			0.0165	mg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Geninorg	SW-846:6010B	Potassium		3.61			0.0165	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Geninorg	SW-846:6010B	Potassium		3.47			0.0165	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.38			0.05	mg/L			184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.52			0.05	mg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.55			0.05	mg/L			136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.44			0.0165	mg/L			122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.79			0.0165	mg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Geninorg	SW-846:6010B	Potassium		3.61			0.0165	mg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		47.7			0.032	mg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		48.1			0.032	mg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		22.7			0.00983	mg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		50.6			0.0212	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Geninorg	SW-846:6010B	Silicon Dioxide		49.6			0.0212	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		48.3			0.032	mg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		45.7			0.032	mg/L			136031	GU0504G05R301	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-5	2512	718.6	09/28/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		23.5			0.00983	mg/L			122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		53.6			0.0212	mg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Geninorg	SW-846:6010B	Silicon Dioxide		51			0.0212	mg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		21.5			0.045	mg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		20.6			0.045	mg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Geninorg	SW-846:6010B	Sodium		20.7			0.0144	mg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Geninorg	SW-846:6010B	Sodium		21.3			0.0144	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Geninorg	SW-846:6010B	Sodium		20.5			0.0144	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		19.5			0.045	mg/L			184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		20.6			0.045	mg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		20.9			0.045	mg/L			136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		21.4			0.0144	mg/L			122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		22.4			0.0144	mg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Geninorg	SW-846:6010B	Sodium		21.3			0.0144	mg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		267			1	µS/cm			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		261			1	µS/cm			168163	GF06070G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		262			1	µS/cm			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	SW-846:9050A	Specific Conductance		237			1	µS/cm			136031	GU0504G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		16.3			0.1	mg/L		J	184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		16.5			0.1	mg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Geninorg	EPA:300.0	Sulfate		17.2			0.193	mg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	DUP		Geninorg	EPA:300.0	Sulfate		17.2			0.193	mg/L			122501	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Geninorg	EPA:300.0	Sulfate		16			0.193	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Geninorg	EPA:300.0	Sulfate		16.1			0.193	mg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		16.2			0.1	mg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		16.1			0.057	mg/L			136031	GU0504G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		198			2.38	mg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		187			2.38	mg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		189			2.38	mg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		185			2.38	mg/L			136031	GU0504G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.873			0.33	mg/L	J		184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.39			0.33	mg/L	J		168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.421			0.074	mg/L		J-	136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	0.298			0.025	mg/L		U	122638	GU0409G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	DUP		Geninorg	SW-846:9060	Total Organic Carbon		0.296			0.025	mg/L			122501	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.259			0.025	mg/L		J-	112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Geninorg	SW-846:9060	Total Organic Carbon		0.247			0.025	mg/L			111870	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Geninorg	EPA:150.1	pH		6.14			0.01	SU	H	J	184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Geninorg	EPA:150.1	pH		8.1			0.01	SU	H	J	168163	GF06070G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Geninorg	EPA:150.1	pH		8.08			0.01	SU	H	J	168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Geninorg	EPA:150.1	pH		7.68			0.01	SU	H	J	136031	GU0504G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Metals	SW-846:6020	Arsenic		3.7			1.5	µg/L	J		184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U		122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U	UJ	112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U		112061	GF0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Metals	SW-846:6020	Arsenic		4.9			1.5	µg/L	J		184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Metals	SW-846:6010B	Arsenic		4.7			2.24	µg/L	J		122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U	UJ	112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U		112061	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Metals	SW-846:6010B	Barium		87.9			1	µg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Metals	SW-846:6010B	Barium		94.7			1	µg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Metals	SW-846:6010B	Barium		93			0.222	µg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Metals	SW-846:6010B	Barium		102			0.222	µg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Metals	SW-846:6010B	Barium		102			0.222	µg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Barium		93.1			1	µg/L			184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Barium		93.1			1	µg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Metals	SW-846:6010B	Barium		93.8			1	µg/L			136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Metals	SW-846:6010B	Barium		95.2			0.222	µg/L			122638	GU0409G05R301	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-5	2512	718.6	04/30/04	WG	UF	CS		Metals	SW-846:6010B	Barium		107			0.222	µg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Metals	SW-846:6010B	Barium		102			0.222	µg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Metals	SW-846:6010B	Boron		31.2			10	µg/L	J		184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Metals	SW-846:6010B	Boron		36.7			10	µg/L	J		168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Metals	SW-846:6010B	Boron		37.5			4.88	µg/L	J		122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Metals	SW-846:6010B	Boron	<	43			4.88	µg/L	B	U	112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Metals	SW-846:6010B	Boron		40.4			4.88	µg/L	B		112061	GF0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Boron		34.8			10	µg/L	J		184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Boron		35.9			10	µg/L	J		168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Metals	SW-846:6010B	Boron		32.3			10	µg/L	J		136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Metals	SW-846:6010B	Boron		39.3			4.88	µg/L	J		122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Metals	SW-846:6010B	Boron		45.5			4.88	µg/L	B		112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Metals	SW-846:6010B	Boron		40.5			4.88	µg/L	B		112061	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Metals	SW-846:6020	Chromium		7.1			1	µg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Metals	SW-846:6020	Chromium		9.5			1	µg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Metals	SW-846:6010B	Chromium		9.1			0.503	µg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Metals	SW-846:6010B	Chromium		7.9			0.503	µg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Metals	SW-846:6010B	Chromium		7.9			0.503	µg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Metals	SW-846:6020	Chromium		17.1			1	µg/L			184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Metals	SW-846:6020	Chromium		12.4			1	µg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Metals	SW-846:6010B	Chromium		7.8			1	µg/L			136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Metals	SW-846:6010B	Chromium		13.3			0.503	µg/L			122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Metals	SW-846:6010B	Chromium		8.9			0.503	µg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Metals	SW-846:6010B	Chromium		8.52			0.503	µg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Metals	SW-846:6010B	Molybdenum		2			2	µg/L	J		184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Metals	SW-846:6010B	Molybdenum		2.5			2	µg/L	J		168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Metals	SW-846:6020	Molybdenum		2.5			0.2	µg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Metals	SW-846:6020	Molybdenum		2.2			0.2	µg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Metals	SW-846:6020	Molybdenum		2.2			0.2	µg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		2.5			2	µg/L	J		184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		2.1			2	µg/L	J		168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Metals	SW-846:6020	Molybdenum		2.6			0.1	µg/L			136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Metals	SW-846:6020	Molybdenum		2.8			0.2	µg/L			122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Metals	SW-846:6020	Molybdenum		2.3			0.2	µg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Metals	SW-846:6020	Molybdenum		2.14			0.2	µg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Metals	SW-846:6020	Nickel		2			0.5	µg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Metals	SW-846:6020	Nickel		1.4			0.5	µg/L	J		168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Metals	SW-846:6010B	Nickel	<	0.69			0.69	µg/L	U		122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Metals	SW-846:6010B	Nickel	<	0.69			0.69	µg/L	U		112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Metals	SW-846:6010B	Nickel	<	0.69			0.69	µg/L	U		112061	GF0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Metals	SW-846:6020	Nickel		8.5			0.5	µg/L			184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Metals	SW-846:6020	Nickel		3.2			0.5	µg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Metals	SW-846:6010B	Nickel	<	1.8			1	µg/L	J	U	136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Metals	SW-846:6010B	Nickel	<	5.6			0.69	µg/L		U	122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Metals	SW-846:6010B	Nickel	<	0.93			0.69	µg/L	B	U	112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Metals	SW-846:6010B	Nickel		0.877			0.69	µg/L	B		112061	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Metals	SW-846:6010B	Strontium		182			1	µg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Metals	SW-846:6010B	Strontium		191			1	µg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Metals	SW-846:6010B	Strontium		186			0.178	µg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Metals	SW-846:6010B	Strontium		209			0.178	µg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Metals	SW-846:6010B	Strontium		201			0.178	µg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		190			1	µg/L			184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		190			1	µg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		188			1	µg/L			136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Metals	SW-846:6010B	Strontium		192			0.178	µg/L			122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Metals	SW-846:6010B	Strontium		219			0.178	µg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Metals	SW-846:6010B	Strontium		209			0.178	µg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Metals	SW-846:6020	Uranium		1.7			0.05	µg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Metals	SW-846:6020	Uranium		1.8			0.05	µg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Metals	SW-846:6020	Uranium		1.8			0.02	µg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Metals	SW-846:6020	Uranium		1.8			0.02	µg/L			112061	GF0404G05R301	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-5	2512	718.6	04/30/04	WG	F	DUP		Metals	SW-846:6020	Uranium		1.8			0.02	µg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Metals	SW-846:6020	Uranium		1.7			0.05	µg/L			184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Metals	SW-846:6020	Uranium		1.7			0.05	µg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Metals	SW-846:6020	Uranium		1.8			0.02	µg/L			122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Metals	SW-846:6020	Uranium		1.8			0.02	µg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Metals	SW-846:6020	Uranium		1.78			0.02	µg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	03/02/04	WG	UF	CS		Metals	SW-846:6020	Uranium		1.74			0.02	µg/L		J	108206	GU0402G05R301	GELC
R-5	2512	718.6	04/18/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		9.4			1	µg/L			184649	GF07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		10.4			1	µg/L			168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Metals	SW-846:6010B	Vanadium		10.1			0.606	µg/L			122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Metals	SW-846:6010B	Vanadium		10.1			0.606	µg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Metals	SW-846:6010B	Vanadium		10.1			0.606	µg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		9.3			1	µg/L			184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		10			1	µg/L			168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium		8.9			1	µg/L			136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Metals	SW-846:6010B	Vanadium		9.9			0.606	µg/L			122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Metals	SW-846:6010B	Vanadium		10.8			0.606	µg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Metals	SW-846:6010B	Vanadium		10.1			0.606	µg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	07/26/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	3.7			2	µg/L	J	U	168163	GF06070G05R301	GELC
R-5	2512	718.6	09/28/04	WG	F	CS		Metals	SW-846:6010B	Zinc	<	0.883			0.883	µg/L	U	R	122638	GF0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	CS		Metals	SW-846:6010B	Zinc	<	11.2			0.883	µg/L		U	112061	GF0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	F	DUP		Metals	SW-846:6010B	Zinc		11.4			0.883	µg/L			112061	GF0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		2.1			2	µg/L	J		184649	GU07040G05R301	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	6			2	µg/L	J	U	168163	GU06070G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Metals	SW-846:6010B	Zinc		3.7			2	µg/L	J		136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	0.883			0.883	µg/L	U	R	122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	13.6			0.883	µg/L		U	112061	GU0404G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	DUP		Metals	SW-846:6010B	Zinc		12.7			0.883	µg/L			112061	GU0404G05R301	GELC
R-5	2512	718.6	04/18/07	WG	UF	CS		Rad	LLEE	Tritium		0.41509	0.09579	0.28737		pCi/L		U	2332	UU07040G05R301	UMTL
R-5	2512	718.6	04/18/07	WG	UF	RE		Rad	LLEE	Tritium		0.28737	0.09579	0.28737		pCi/L		U	2332	UU07040G05R301	UMTL
R-5	2512	718.6	07/26/06	WG	UF	CS		Rad	LLEE	Tritium		0.06386	0.09579	0.28737		pCi/L		U	2238	UU06070G05R301	UMTL
R-5	2512	718.6	05/03/05	WG	UF	CS		Rad	EPA:906.0	Tritium		116	19.4	189		pCi/L	U	U	136031	GU0504G05R301	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		Rad	LLEE	Tritium		0.12772	0.09579		0.28737	pCi/L		U	2060	UU0504G05R301	UMTL
R-5	2512	718.6	09/28/04	WG	UF	CS		Rad	LLEE	Tritium		0	0.09579		0.28737	pCi/L		U	1954	UU0409G05R301	UMTL
R-5	2512	718.6	04/30/04	WG	UF	CS		Rad	LLEE	Tritium		0.09579	0.09579		0.28737	pCi/L		U	1885	UU0404G05R301	UMTL
R-5	2512	718.6	04/30/04	WG	UF	DUP		Rad	LLEE	Tritium		0.47895	0.09579		0.28737	pCi/L		U	1885	UU0404G05R301	UMTL
R-5	2512	718.6	04/18/07	WG	UF	CS	FTB	VOA	SW-846:8260B	Toluene		0.65			0.25	µg/L	J		184649	GU07040G05R301-FTB	GELC
R-5	2512	718.6	07/26/06	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1			0.25	µg/L	U	UJ	168163	GU06070G05R302	GELC
R-5	2512	718.6	05/03/05	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				µg/L	U		136031	GU0504G05R301	GELC
R-5	2512	718.6	09/28/04	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				µg/L	U		122638	GU0409G05R301	GELC
R-5	2512	718.6	04/30/04	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				µg/L	U		112061	GU0404G05R301	GELC
R-5	2552	860.9	04/17/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.27			0.05	µg/L			184483	GF07040G05R401	GELC
R-5	2552	860.9	07/27/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168163	GF06070G05R401	GELC
R-5	2552	860.9	07/27/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.256			0.05	µg/L			168163	GF06070G05R401	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		136031	GU0504G05R401	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.194			0.05	µg/L	J	J	136031	GU0504G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		122723	GU0409G05R401	GELC
R-5	2552	860.9	09/30/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.0912			0.05	µg/L	J		122723	GU0409G05R401	GELC
R-5	2552	860.9	05/03/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		112313	GU0404G05R401-A	GELC
R-5	2552	860.9	05/03/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.101				µg/L	J		112313	GU0404G05R401-A	GELC
R-5	2552	860.9	05/03/04	WG	UF	DUP		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		112415	GU0404G05R401-A	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS		Geninorg	SW-846:9050A	Specific Conductance		229			1	uS/cm			136031	GU0504G05R401	GELC
R-5	2552	860.9	05/04/05	WG	UF	CS		Geninorg	EPA:150.1	pH		7.5			0.01	SU	H	J	136031	GU0504G05R401	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		1.61			0.725	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		1.08			0.725	mg/L	H		168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		1.49			0.725	mg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		1.01			0.725	mg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	0.725			0.725	mg/L	UH		168072	GU060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		79.8			0.725	mg/L			184266	GF070400G06R01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		71.8			0.725	mg/L	H		168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		72.6			0.725	mg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		74			0.725	mg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		71.7			1.45	mg/L			150539	GF05110G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		72.3			0.725	mg/L	H		168072	GU060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		13			0.036	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		13.2			0.036	mg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		13.3			0.036	mg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		14.3			0.036	mg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Geninorg	SW-846:6010B	Calcium		14.5			0.036	mg/L			150539	GF05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		13.1			0.036	mg/L			184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		12.6			0.036	mg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		27.8			0.036	mg/L			162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		13.7			0.036	mg/L			157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		13.8			0.036	mg/L			150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		2.24			0.066	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		2.22			0.066	mg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		2.25			0.066	mg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		2.42			0.053	mg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		2.32			0.053	mg/L			150539	GF05110G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		2.19			0.066	mg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.384			0.033	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.453			0.033	mg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.476			0.033	mg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.465			0.03	mg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.439			0.03	mg/L		J+	150539	GF05110G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.445			0.033	mg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		46.8			0.44	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		47.2			0.085	mg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		47.2			0.085	mg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		52.3			0.085	mg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		47.1			0.44	mg/L			184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		45.3			0.085	mg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		89.7			0.085	mg/L			162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		49.8			0.085	mg/L			157323	GU06020G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.47			0.085	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.47			0.085	mg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		3.42			0.085	mg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.01			0.085	mg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4			0.085	mg/L			150539	GF05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.46			0.085	mg/L			184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.35			0.085	mg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.91			0.085	mg/L			162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.79			0.085	mg/L			157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.75			0.085	mg/L			150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.35			0.01	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.28			0.014	mg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.262			0.014	mg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.292			0.017	mg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.28			0.017	mg/L			150539	GF05110G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.246			0.014	mg/L		J	168072	GU060700G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.233			0.017	mg/L			150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.345			0.05	µg/L		J	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.371			0.05	µg/L		J	168072	GF060700G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		162882	GU060500G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.314			0.05	µg/L			162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.306			0.05	µg/L		J-	157323	GU06020G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		157323	GU06020G06R01	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-6	5871	1205	11/17/05	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		150539	GU05110G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.279			0.05	µg/L			150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		1.4			0.05	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		1.25			0.05	mg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		1.32			0.05	mg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		1.48			0.05	mg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Geninorg	SW-846:6010B	Potassium		1.48			0.05	mg/L			150539	GF05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		1.34			0.05	mg/L			184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		1.21			0.05	mg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		0.659			0.05	mg/L			162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		1.45			0.05	mg/L			157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		1.44			0.05	mg/L			150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		77.5			0.032	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		74.1			0.032	mg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		74.8			0.032	mg/L		J	162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		77.5			0.032	mg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		79.6			0.032	mg/L			150539	GF05110G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		71.1			0.032	mg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		78.2			0.032	mg/L			150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		16.8			0.045	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		15.6			0.045	mg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		15.5			0.045	mg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		14.7			0.045	mg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Geninorg	SW-846:6010B	Sodium		15.9			0.045	mg/L			150539	GF05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		16			0.045	mg/L		J	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		14.7			0.045	mg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		19.2			0.045	mg/L			162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		15.5			0.045	mg/L			157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		17.2			0.045	mg/L			150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		161			1	µS/cm			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		154			1	µS/cm			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		164			1	µS/cm			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		163			1	µS/cm			157323	GF06020G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		154			1	µS/cm			168072	GU060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.6			0.1	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.69			0.1	mg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.76			0.1	mg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.82			0.057	mg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.79			0.057	mg/L		J+	150539	GF05110G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		2.73			0.1	mg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		140			2.38	mg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		154			2.38	mg/L	H		168072	GF060700G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		161			2.38	mg/L	H		168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		165			2.38	mg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		163			2.38	mg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.617			0.33	mg/L	J		184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	0.33			0.33	mg/L	U		168072	GU060700G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	0.335			0.074	mg/L	J	U	150539	GU05110G06R01	GELC
R-6	5871	1205	08/23/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	1.4			0.074	mg/L		U	144067	GU05080G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.01			0.01	SU	H	J	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Geninorg	EPA:150.1	pH		8.07			0.01	SU	H	J	168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Geninorg	EPA:150.1	pH		8.33			0.01	SU	H	J	162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Geninorg	EPA:150.1	pH		6.95			0.01	SU	H	J	157323	GF06020G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Geninorg	EPA:150.1	pH		8.2			0.01	SU	H	J	168072	GU060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Metals	SW-846:6020	Arsenic		4.2			1.5	µg/L	J		184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		150539	GF05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Metals	SW-846:6020	Arsenic		3.8			1.5	µg/L	J		184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168072	GU060700G06R01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-6	5871	1205	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Metals	SW-846:6010B	Barium		21.3			1	µg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Metals	SW-846:6010B	Barium		21.6			1	µg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Metals	SW-846:6010B	Barium		24.5			1	µg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Metals	SW-846:6010B	Barium		27.8			1	µg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Metals	SW-846:6010B	Barium		27.3			1	µg/L			150539	GF05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Metals	SW-846:6010B	Barium		21.8			1	µg/L			184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Barium		21.5			1	µg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Barium		29			1	µg/L			162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Barium		26.7			1	µg/L			157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Barium		26.5			1	µg/L			150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Metals	SW-846:6010B	Boron		21.2			10	µg/L	J		184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Metals	SW-846:6010B	Boron		24.3			10	µg/L	J		168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Metals	SW-846:6010B	Boron		28.7			10	µg/L	J		162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Metals	SW-846:6010B	Boron		27.2			10	µg/L	J		157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Metals	SW-846:6010B	Boron		20.4			10	µg/L	J		150539	GF05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Metals	SW-846:6010B	Boron		21.8			10	µg/L	J		184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Boron		23.1			10	µg/L	J		168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Boron		21.2			10	µg/L	J		162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Boron		26.5			10	µg/L	J		157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Boron		20.7			10	µg/L	J		150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Metals	SW-846:6020	Chromium		4.1			1	µg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Metals	SW-846:6020	Chromium		6.4			1	µg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Metals	SW-846:6010B	Chromium		3.5			1	µg/L	J		162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Metals	SW-846:6010B	Chromium		4.5			1	µg/L	J		157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Metals	SW-846:6010B	Chromium		3.4			1	µg/L	J		150539	GF05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Metals	SW-846:6020	Chromium		4.8			1	µg/L			184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Metals	SW-846:6020	Chromium		7			1	µg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Chromium		2.8			1	µg/L	J		162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Chromium		4.6			1	µg/L	J		157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Chromium		3.4			1	µg/L	J		150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Metals	SW-846:6010B	Iron		52			18	µg/L	J		184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Metals	SW-846:6010B	Iron	<	89.7			18	µg/L	J	U	168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Metals	SW-846:6010B	Iron		49.4			18	µg/L	J		162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		150539	GF05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Metals	SW-846:6010B	Iron		74.6			18	µg/L	J		184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Iron		146			18	µg/L		J+	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Iron		187			18	µg/L			162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Iron	<	40.1			18	µg/L	J	U	157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Iron		34.9			18	µg/L	J		150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Metals	SW-846:6010B	Manganese		14.2			2	µg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Metals	SW-846:6010B	Manganese		16			2	µg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Metals	SW-846:6010B	Manganese		28.2			2	µg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Metals	SW-846:6010B	Manganese		40.4			2	µg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Metals	SW-846:6020	Manganese		36.9			1	µg/L			150539	GF05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Metals	SW-846:6010B	Manganese		15.8			2	µg/L			184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		17.6			2	µg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		11.6			2	µg/L			162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		36.8			2	µg/L			157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Metals	SW-846:6020	Manganese		32.1			1	µg/L			150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Metals	SW-846:6020	Nickel		0.64			0.5	µg/L	J		184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Metals	SW-846:6020	Nickel		0.93			0.5	µg/L	J		168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Metals	SW-846:6020	Nickel		1.6			0.5	µg/L	J		162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Metals	SW-846:6020	Nickel		0.69			0.5	µg/L	J		157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Metals	SW-846:6010B	Nickel		1.2			1	µg/L	J		150539	GF05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Metals	SW-846:6020	Nickel		0.97			0.5	µg/L	J		184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Metals	SW-846:6020	Nickel		1.5			0.5	µg/L	J		168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Metals	SW-846:6020	Nickel		1.3			0.5	µg/L	J		162882	GU060500G06R01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-6	5871	1205	03/01/06	WG	UF	CS		Metals	SW-846:6020	Nickel		1.2			0.5	µg/L	J		157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Nickel		1.8			1	µg/L	J		150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Metals	SW-846:6010B	Strontium		53.3			1	µg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Metals	SW-846:6010B	Strontium		54.5			1	µg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Metals	SW-846:6010B	Strontium		53.5			1	µg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Metals	SW-846:6010B	Strontium		60.8			1	µg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Metals	SW-846:6010B	Strontium		59.9			1	µg/L			150539	GF05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		53.8			1	µg/L			184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		51.7			1	µg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		127			1	µg/L			162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		58.2			1	µg/L			157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		57.5			1	µg/L			150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Metals	SW-846:6020	Uranium		0.39			0.05	µg/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.54			0.05	µg/L			168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.47			0.05	µg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.52			0.05	µg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Metals	SW-846:6020	Uranium		0.57			0.05	µg/L			150539	GF05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Metals	SW-846:6020	Uranium		0.4			0.05	µg/L			184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.48			0.05	µg/L			168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.46			0.05	µg/L			162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.55			0.05	µg/L			157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Metals	SW-846:6020	Uranium		0.56			0.05	µg/L			150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		8.1			1	µg/L		J+	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		8.8			1	µg/L		J+	168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		8.4			1	µg/L			162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		9.3			1	µg/L			157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Metals	SW-846:6010B	Vanadium		8.5			1	µg/L			150539	GF05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		8.8			1	µg/L		J+	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		8.3			1	µg/L		J+	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		2.2			1	µg/L	J		162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		8.4			1	µg/L			157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium		8.1			1	µg/L			150539	GU05110G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	6.4			2	µg/L	J	U	168072	GF060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	10.2			2	µg/L		U	162882	GF060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	3.7			2	µg/L	J		157323	GF06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	F	CS		Metals	SW-846:6010B	Zinc	<	2			2	µg/L	U	UJ	150539	GF05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		8.1			2	µg/L	J		184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	26.1			2	µg/L		U	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	10.3			2	µg/L		U	162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Zinc		12.7			2	µg/L			157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	2			2	µg/L	U	UJ	150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		0.00584	0.003466667	0.0659		pCi/L	U	U	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		0.00151	0.001216667	0.0252		pCi/L	U	U	168072	GF060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.00356	0.001663333	0.0546		pCi/L	U	U	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.0017	0.00135	0.0206		pCi/L	U	U	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		-0.00381	0.00204	0.0297		pCi/L	U	U	162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.0023	0.001513333	0.0413		pCi/L	U	U	157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Rad	EPA:901.1	Americium-241		2.55	1.74	15.7		pCi/L	U	U	150539	GU05110G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.00309	0.00078	0.0279		pCi/L	U	U	150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Rad	EPA:901.1	Cesium-137		1.3	0.34	3.57		pCi/L	U	U	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Rad	EPA:901.1	Cesium-137		-0.763	0.376666667	2.99		pCi/L	U	U	168072	GF060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	EPA:901.1	Cesium-137		-0.708	0.343333333	3.22		pCi/L	U	U	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	EPA:901.1	Cesium-137		0.608	0.37	4.08		pCi/L	U	U	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	EPA:901.1	Cesium-137		-0.653	0.326333333	3.42		pCi/L	U	U	162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	EPA:901.1	Cesium-137		-0.43	0.316	3.31		pCi/L	U	U	157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Rad	EPA:901.1	Cesium-137		-0.639	0.331	3.35		pCi/L	U	U	150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Rad	EPA:901.1	Cobalt-60		0.173	0.34	3.37		pCi/L	U	U	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Rad	EPA:901.1	Cobalt-60		-0.891	0.386666667	2.99		pCi/L	U	U	168072	GF060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		2.11	0.383333333	4.34		pCi/L	U	U	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		0.833	0.363333333	4.25		pCi/L	U	U	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		0.108	0.346666667	3.87		pCi/L	U	U	162882	GU060500G06R01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		1.52	0.366666667	4.39		pCi/L	U	U	157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		-0.286	0.376666667	3.94		pCi/L	U	U	150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Rad	EPA:900	Gross alpha		3.01	0.283	1.57		pCi/L		J	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Rad	EPA:900	Gross alpha		0.967	0.187666667	2.09		pCi/L	U	U	168072	GF060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	EPA:900	Gross alpha		0.641	0.175666667	1.7		pCi/L	U	U	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	EPA:900	Gross alpha		0.898	0.12	1.16		pCi/L	U	U	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	EPA:900	Gross alpha		0.428	0.151333333	1.92		pCi/L	U	U, J-	162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	EPA:900	Gross alpha		2.36	0.157333333	1.03		pCi/L		JN+, J	157323	GU06020G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Rad	EPA:900	Gross beta		2.05	0.303666667	2.92		pCi/L	U	U	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Rad	EPA:900	Gross beta		1.55	0.229333333	2.68		pCi/L	U	U	168072	GF060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	EPA:900	Gross beta		1.63	0.253333333	2.44		pCi/L	U	U	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	EPA:900	Gross beta		1.08	0.229	2.77		pCi/L	U	U	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	EPA:900	Gross beta		2.09	0.228	2.56		pCi/L	U	U	162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	EPA:900	Gross beta		4.12	0.260333333	2.68		pCi/L		J	157323	GU06020G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Rad	EPA:901.1	Gross gamma		80.7	20.03333333	220		pCi/L	U	U	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Rad	EPA:901.1	Gross gamma		65.7	18.53333333	198		pCi/L	U	U	168072	GF060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	EPA:901.1	Gross gamma		55.1	31.06666667	215		pCi/L	U	U	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	EPA:901.1	Gross gamma		81.4	22.5	285		pCi/L	U	U	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	EPA:901.1	Gross gamma		99.6	33.66666667	395		pCi/L	U	U	162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	EPA:901.1	Gross gamma		80.6	20.4	341		pCi/L	U	U	157323	GU06020G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Rad	EPA:901.1	Neptunium-237		1.07	3.03	28.1		pCi/L	U	U	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Rad	EPA:901.1	Neptunium-237		4.68	4.066666667	24.1		pCi/L	U	U	168072	GF060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		2.75	2.943333333	25.5		pCi/L	U	U	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		1.05	2.416666667	25		pCi/L	U	U	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		-3.94	2.413333333	24.4		pCi/L	U	U	162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		5.93	1.636666667	15.5		pCi/L	U	U	157323	GU06020G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.0033	0.003296667	0.0338		pCi/L	U	U	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00764	0.0037	0.0245		pCi/L	U	U	168072	GF060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00209	0.00156	0.0214		pCi/L	U	U	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00412	0.004133333	0.0198		pCi/L	U	U	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.00903	0.004266667	0.0271		pCi/L	U	U	162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00226	0.003276667	0.0271		pCi/L	U	U	157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00252	0.00188	0.0524		pCi/L	U	U	150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.0231	0.003966667	0.0489		pCi/L	U	U	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0	0.0034	0.0285		pCi/L	U	U	168072	GF060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-9.97E-10	0.002203333	0.031		pCi/L	U	U	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00206	0.0044	0.023		pCi/L	U	U	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.0181	0.002613333	0.0297		pCi/L	U	U	162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.0203	0.003286667	0.0297		pCi/L	U	U	157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.00252	0.002223333	0.0442		pCi/L	U	U	150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Rad	EPA:901.1	Potassium-40		-0.128	4.633333333	45.2		pCi/L	U	U	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Rad	EPA:901.1	Potassium-40		21.9	5	30.7		pCi/L	U	U	168072	GF060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	EPA:901.1	Potassium-40		30.6	5.666666667	37.6		pCi/L	U	U	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	EPA:901.1	Potassium-40		11.8	5.633333333	31.7		pCi/L	U	U	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	EPA:901.1	Potassium-40		23	6.866666667	37.5		pCi/L	U	U	162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	EPA:901.1	Potassium-40		17.6	6.2	35.4		pCi/L	U	U	157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Rad	EPA:901.1	Potassium-40		16.4	8.533333333	34.7		pCi/L	U	U	150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Rad	EPA:901.1	Sodium-22		-0.204	0.34	3.26		pCi/L	U	U	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Rad	EPA:901.1	Sodium-22		-1.31	0.406666667	3.76		pCi/L	U	U	168072	GF060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	EPA:901.1	Sodium-22		-0.623	0.456666667	3.71		pCi/L	U	U	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	EPA:901.1	Sodium-22		0.74	0.34	4.01		pCi/L	U	U	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	EPA:901.1	Sodium-22		1.01	0.366666667	3.46		pCi/L	U	U	162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	EPA:901.1	Sodium-22		0.2	0.39	4.31		pCi/L	U	U	157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Rad	EPA:901.1	Sodium-22		0.324	0.37	3.99		pCi/L	U	U	150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Rad	EPA:905.0	Strontium-90		-0.044	0.028766667	0.319		pCi/L	U	U	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Rad	EPA:905.0	Strontium-90		0.0889	0.033066667	0.436		pCi/L	U	U	168072	GF060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.126	0.0261	0.31		pCi/L	U	U	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.182	0.029	0.471		pCi/L	U	U	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.0119	0.016166667	0.193		pCi/L	U	J, U	162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.0715	0.0309	0.441		pCi/L	U	U	157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.0208	0.024133333	0.365		pCi/L	U	U	150539	GU05110G06R01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	LLEE	Tritium		0.3193	0.09579	0.28737		pCi/L		U	2328	UU070400G06R01	UMTL
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	LLEE	Tritium		0.22351	0.09579	0.28737		pCi/L		U	2236	UU060700G06R01	UMTL
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	LLEE	Tritium		0.15965	0.09579	0.28737		pCi/L		U	2212	UU060500G06R01	UMTL
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	LLEE	Tritium		-0.41509	0.09579	0.28737		pCi/L		U	2191	UU06020G06R01	UMTL
R-6	5871	1205	11/17/05	WG	UF	CS		Rad	LLEE	Tritium		-0.09579	0.09579	0.28737		pCi/L		U	2145	UU05110G06R01	UMTL
R-6	5871	1205	11/17/05	WG	UF	RE		Rad	LLEE	Tritium		0.28737	0.09579	0.28737		pCi/L		U	2145	UU05110G06R01	UMTL
R-6	5871	1205	04/12/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.407	0.012466667	0.0551		pCi/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.408	0.013833333	0.0542		pCi/L		J	168072	GF060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.419	0.013466667	0.0608		pCi/L			184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.476	0.014633333	0.0489		pCi/L		J	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.359	0.011533333	0.071		pCi/L			162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.436	0.014133333	0.0794		pCi/L			157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.443	0.0119	0.0653		pCi/L			150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0423	0.0037	0.035		pCi/L		J	184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		-0.00643	0.0037	0.0457		pCi/L	U	U	168072	GF060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0165	0.003183333	0.0386		pCi/L	U	U	184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0232	0.00277	0.0413		pCi/L	U	U	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0165	0.002916667	0.0344		pCi/L	U	U	162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0246	0.003866667	0.0385		pCi/L	U	U	157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0159	0.002796667	0.0492		pCi/L	U	U	150539	GU05110G06R01	GELC
R-6	5871	1205	04/12/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.197	0.0077	0.042		pCi/L			184266	GF070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.138	0.0072	0.0577		pCi/L		J	168072	GF060700G06R01	GELC
R-6	5871	1205	04/12/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.195	0.008233333	0.0463		pCi/L			184266	GU070400G06R01	GELC
R-6	5871	1205	07/26/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.171	0.007466667	0.052		pCi/L		J	168072	GU060700G06R01	GELC
R-6	5871	1205	05/11/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.143	0.0065	0.0398		pCi/L			162882	GU060500G06R01	GELC
R-6	5871	1205	03/01/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.237	0.009466667	0.0445		pCi/L			157323	GU06020G06R01	GELC
R-6	5871	1205	11/17/05	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.225	0.008166667	0.0462		pCi/L			150539	GU05110G06R01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		55.6			0.725	mg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		72.8			0.725	mg/L	H		168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		75.2			0.725	mg/L			162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		77.6			0.725	mg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		74.7			1.45	mg/L			150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		2.62			0.725	mg/L			184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		73.3			0.725	mg/L	H		168072	GU060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.245			0.066	mg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.086			0.066	mg/L	J		162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.041			0.041	mg/L	U		157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.075			0.041	mg/L	J		150539	GF05110G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		168072	GU060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		24.4			0.036	mg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		26			0.036	mg/L			168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		28.4			0.036	mg/L			162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		28.4			0.036	mg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Geninorg	SW-846:6010B	Calcium		29.9			0.036	mg/L			150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		24.8			0.036	mg/L			184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		24.1			0.036	mg/L			168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		13.4			0.036	mg/L			162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		28.9			0.036	mg/L			157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		29			0.036	mg/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		18			0.066	mg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		17.4			0.066	mg/L			168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		17.6			0.066	mg/L			162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		17.7			0.053	mg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Geninorg	EPA:300.0	Chloride		17.1			0.053	mg/L			150539	GF05110G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		17.4			0.066	mg/L			168072	GU060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.632			0.033	mg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.626			0.033	mg/L			168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.615			0.033	mg/L			162882	GF060500G6IR01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.614			0.03	mg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.575			0.03	mg/L		J+	150539	GF05110G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.614			0.033	mg/L			168072	GU060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		79.2			0.44	mg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		83.9			0.085	mg/L			168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		91.4			0.085	mg/L			162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		92.2			0.085	mg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		80.6			0.44	mg/L			184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		77.6			0.085	mg/L			168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		47.5			0.085	mg/L			162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		93.8			0.085	mg/L			157323	GU06020G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.44			0.085	mg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.6			0.085	mg/L			168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		4.98			0.085	mg/L			162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		5.14			0.085	mg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		5.37			0.085	mg/L			150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.51			0.085	mg/L			184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		4.26			0.085	mg/L			168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		3.43			0.085	mg/L			162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		5.28			0.085	mg/L			157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		5.22			0.085	mg/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		4.74			0.1	mg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		4.97			0.014	mg/L			168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		3.45			0.14	mg/L			162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		4.87			0.017	mg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		3.77			0.17	mg/L			150539	GF05110G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		4.99			0.014	mg/L			168072	GU060700G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		3.72			0.17	mg/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	EPA:314.0	Perchlorate		8.6			4	µg/L	J		184266	GF070400G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		7.04			0.5	µg/L		J	184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		8.32			1	µg/L		J	168072	GF060700G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate		6.5			4	µg/L	J		168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		6.59			1	µg/L		J	162882	GU060500G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate		9.48			4	µg/L	J		162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		7.28			0.5	µg/L		J	157323	GU06020G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate		7.46			4	µg/L	J		157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate		7.86			4	µg/L	J		150539	GU05110G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		7.4			0.5	µg/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		0.657			0.05	mg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		0.607			0.05	mg/L			168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		0.686			0.05	mg/L			162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		0.685			0.05	mg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Geninorg	SW-846:6010B	Potassium		0.693			0.05	mg/L			150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		0.648			0.05	mg/L			184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		0.572			0.05	mg/L			168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		1.36			0.05	mg/L			162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		0.825			0.05	mg/L			157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		0.672			0.05	mg/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		70.7			0.032	mg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		68.8			0.032	mg/L			168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		72			0.032	mg/L		J	162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		70			0.032	mg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		73			0.032	mg/L			150539	GF05110G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		64			0.032	mg/L			168072	GU060700G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		73.2			0.032	mg/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		21.3			0.045	mg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		20.2			0.045	mg/L			168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		19.7			0.045	mg/L			162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		19.8			0.045	mg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Geninorg	SW-846:6010B	Sodium		20.8			0.045	mg/L			150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		21.6			0.045	mg/L		J	184266	GU070400G6IR01	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		18.6			0.045	mg/L			168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		16.1			0.045	mg/L			162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		20.2			0.045	mg/L			157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		20.4			0.045	mg/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		281			1	µS/cm			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		260			1	µS/cm			168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		284			1	µS/cm			162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		289			1	µS/cm			157323	GF06020G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Geninorg	EPA:120.1	Specific Conductance		1.52			1	µS/cm			184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		262			1	µS/cm			168072	GU060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		9.69			0.1	mg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		9.86			0.1	mg/L			168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		11			0.1	mg/L			162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		12			0.057	mg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Geninorg	EPA:300.0	Sulfate		12.3			0.057	mg/L		J+	150539	GF05110G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		10			0.1	mg/L			168072	GU060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		194			2.38	mg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		233			2.38	mg/L	H		168072	GU060700G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		227			2.38	mg/L	H		168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		235			2.38	mg/L			162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		232			2.38	mg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.064			0.029	mg/L	J	JN-	184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.074			0.01	mg/L	J		168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.016			0.01	mg/L	J	UJ, R	162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01			0.01	mg/L	U	R, UJ	157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.069			0.01	mg/L	J		150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.045			0.029	mg/L	J	JN-	184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01			0.01	mg/L	U	UJ, R	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01			0.01	mg/L	U	UJ, R	162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.089			0.01	mg/L	J	J-, U	157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01			0.01	mg/L	U	UJ	150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Geninorg	SW-846:9060	Total Organic Carbon		0.39			0.33	mg/L	J		184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		1.29			0.33	mg/L			168072	GU060700G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		2.38			0.074	mg/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	08/24/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		4.38			0.074	mg/L			144117	GU05080G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Geninorg	EPA:150.1	pH		5.22			0.01	SU	H	J	184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.56			0.01	SU	H	J	168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Geninorg	EPA:150.1	pH		7.55			0.01	SU	H	J	162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Geninorg	EPA:150.1	pH		6.43			0.01	SU	H	J	157323	GF06020G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Geninorg	EPA:150.1	pH		5.22			0.01	SU	H	J	184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Geninorg	EPA:150.1	pH		7.56			0.01	SU	H	J	168072	GU060700G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Metals	SW-846:6020	Arsenic		2.2			1.5	µg/L	J		184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Metals	SW-846:6010B	Barium		24.8			1	µg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Metals	SW-846:6010B	Barium		26.1			1	µg/L			168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Metals	SW-846:6010B	Barium		29.2			1	µg/L			162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Metals	SW-846:6010B	Barium		33.3			1	µg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Metals	SW-846:6010B	Barium		35.2			1	µg/L			150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Metals	SW-846:6010B	Barium		25.2			1	µg/L			184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Barium		24.3			1	µg/L			168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Barium		23.8			1	µg/L			162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Barium		36.2			1	µg/L			157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Barium		30.7			1	µg/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Metals	SW-846:6010B	Boron		21.8			10	µg/L	J		184266	GF070400G6IR01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-6i	5881	602	07/26/06	WG	F	CS		Metals	SW-846:6010B	Boron		20.5			10	µg/L	J		168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Metals	SW-846:6010B	Boron		22.3			10	µg/L	J		162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Metals	SW-846:6010B	Boron		23.4			10	µg/L	J		157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Metals	SW-846:6010B	Boron		16.8			10	µg/L	J		150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Metals	SW-846:6010B	Boron		20.4			10	µg/L	J		184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Boron		19.3			10	µg/L	J		168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Boron		24.2			10	µg/L	J		162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Boron		23.3			10	µg/L	J		157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Boron		16.2			10	µg/L	J		150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Metals	SW-846:6020	Chromium		3			1	µg/L			184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Metals	SW-846:6020	Chromium		3.6			1	µg/L			168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Metals	SW-846:6010B	Chromium		2.4			1	µg/L	J		162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Metals	SW-846:6010B	Chromium		1.8			1	µg/L	J		157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Metals	SW-846:6010B	Chromium	<	1			1	µg/L	U		150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Metals	SW-846:6020	Chromium		2.9			1	µg/L	J		184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Metals	SW-846:6020	Chromium		4.3			1	µg/L			168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Chromium		4			1	µg/L	J		162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Chromium		10			1	µg/L			157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Chromium		2.5			1	µg/L	J		150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Metals	SW-846:6010B	Iron		111			18	µg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Metals	SW-846:6010B	Iron		144			18	µg/L		J+	168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Metals	SW-846:6010B	Iron		52.8			18	µg/L	J		162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Metals	SW-846:6010B	Iron	<	51.7			18	µg/L	J	U	157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Metals	SW-846:6010B	Iron		244			18	µg/L			150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Metals	SW-846:6010B	Iron		127			18	µg/L			184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Iron		164			18	µg/L		J+	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Iron		93.9			18	µg/L	J		162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Iron		1190			18	µg/L			157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Iron		432			18	µg/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Metals	SW-846:6010B	Manganese		2.2			2	µg/L	J		184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Metals	SW-846:6010B	Manganese		4.5			2	µg/L	J		168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Metals	SW-846:6010B	Manganese		6.4			2	µg/L	J		162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Metals	SW-846:6010B	Manganese		6.7			2	µg/L	J		157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Metals	SW-846:6020	Manganese		18.9			1	µg/L			150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Metals	SW-846:6010B	Manganese		2.4			2	µg/L	J		184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		4.4			2	µg/L	J		168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		20			2	µg/L			162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		29.4			2	µg/L			157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Metals	SW-846:6020	Manganese		25.5			1	µg/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Metals	SW-846:6020	Nickel		1.5			0.5	µg/L	J		184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Metals	SW-846:6020	Nickel		1.5			0.5	µg/L	J		168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Metals	SW-846:6020	Nickel		1.6			0.5	µg/L	J		162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Metals	SW-846:6020	Nickel		2.2			0.5	µg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Metals	SW-846:6010B	Nickel		9.2			1	µg/L		J	150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Metals	SW-846:6020	Nickel		1.6			0.5	µg/L	J		184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Metals	SW-846:6020	Nickel		1.6			0.5	µg/L	J		168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Metals	SW-846:6020	Nickel		1.6			0.5	µg/L	J		162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Metals	SW-846:6020	Nickel		2.2			0.5	µg/L			157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Nickel		2.2			1	µg/L	J	J	150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Metals	SW-846:6010B	Strontium		113			1	µg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Metals	SW-846:6010B	Strontium		118			1	µg/L			168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Metals	SW-846:6010B	Strontium		129			1	µg/L			162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Metals	SW-846:6010B	Strontium		134			1	µg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Metals	SW-846:6010B	Strontium		137			1	µg/L			150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		114			1	µg/L			184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		109			1	µg/L			168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		54.9			1	µg/L			162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		136			1	µg/L			157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		133			1	µg/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Metals	SW-846:6010B	Tin		2.9			2.5	µg/L	J	J+	184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Metals	SW-846:6010B	Tin	<	2.5			2.5	µg/L	U		168072	GF060700G6IR01	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-6i	5881	602	05/11/06	WG	F	CS		Metals	SW-846:6010B	Tin	<	2.5			2.5	µg/L	U		162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Metals	SW-846:6010B	Tin	<	2.5			2.5	µg/L	U		157323	GF06020G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Tin	<	2.5			2.5	µg/L	U		168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Tin	<	2.5			2.5	µg/L	U		162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Tin	<	2.5			2.5	µg/L	U		157323	GU06020G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Metals	SW-846:6020	Uranium		0.54			0.05	µg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.64			0.05	µg/L			168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.65			0.05	µg/L			162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.73			0.05	µg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Metals	SW-846:6020	Uranium		0.8			0.05	µg/L			150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Metals	SW-846:6020	Uranium		0.55			0.05	µg/L			184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.65			0.05	µg/L			168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.62			0.05	µg/L			162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.79			0.05	µg/L			157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Metals	SW-846:6020	Uranium		0.76			0.05	µg/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		2.1			1	µg/L	J	JN-, J+	184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Metals	SW-846:6010B	Vanadium	<	2.1			1	µg/L	J	U	168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		2.5			1	µg/L	J		162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		2.7			1	µg/L	J		157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Metals	SW-846:6010B	Vanadium		1.8			1	µg/L	J		150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		1.8			1	µg/L	J	J+, JN-	184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium	<	2			1	µg/L	J	U	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		8.6			1	µg/L			162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		2.9			1	µg/L	J		157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium		1.8			1	µg/L	J		150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Metals	SW-846:6010B	Zinc		14.3			2	µg/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Metals	SW-846:6010B	Zinc		45.7			2	µg/L		J+	168072	GF060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	F	CS		Metals	SW-846:6010B	Zinc	<	12.4			2	µg/L		U	162882	GF060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	F	CS		Metals	SW-846:6010B	Zinc		16.5			2	µg/L			157323	GF06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	F	CS		Metals	SW-846:6010B	Zinc		12.9			2	µg/L			150539	GF05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		6.4			2	µg/L	J		184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	9.6			2	µg/L	J	U	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	13.2			2	µg/L		U	162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Metals	SW-846:6010B	Zinc		29.9			2	µg/L			157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Metals	SW-846:6010B	Zinc		18.1			2	µg/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		-0.00175	0.003933333	0.0564	pCi/L	U	U	184266	GF070400G6IR01	GELC	
R-6i	5881	602	07/26/06	WG	F	CS		Rad	HASL-300:AM-241	Americium-241		0.00539	0.00152	0.0241	pCi/L	U	U	168072	GF060700G6IR01	GELC	
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	HASL-300:AM-241	Americium-241		0.00719	0.003433333	0.0581	pCi/L	U	U	184266	GU070400G6IR01-FB	GELC	
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.00503	0.004366667	0.0619	pCi/L	U	U	184266	GU070400G6IR01	GELC	
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.0164	0.002003333	0.0244	pCi/L	U	U	168072	GU060700G6IR01	GELC	
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.00814	0.003866667	0.0305	pCi/L	U	U	162882	GU060500G6IR01	GELC	
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.00465	0.00143	0.032	pCi/L	U	U	157323	GU06020G6IR01	GELC	
R-6i	5881	602	11/17/05	WG	UF	CS		Rad	EPA:901.1	Americium-241		-9.61	2.043333333	18	pCi/L	U	U	150539	GU05110G6IR01	GELC	
R-6i	5881	602	11/17/05	WG	UF	CS		Rad	HASL-300:AM-241	Americium-241		0.00202	0.001886667	0.041	pCi/L	U	U	150539	GU05110G6IR01	GELC	
R-6i	5881	602	04/12/07	WG	F	CS		Rad	EPA:901.1	Cesium-137		0.528	0.376666667	3.76	pCi/L	U	U	184266	GF070400G6IR01	GELC	
R-6i	5881	602	07/26/06	WG	F	CS		Rad	EPA:901.1	Cesium-137		0.791	0.433333333	4.26	pCi/L	U	U	168072	GF060700G6IR01	GELC	
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	EPA:901.1	Cesium-137		-1.74	0.433333333	3.85	pCi/L	U	U	184266	GU070400G6IR01-FB	GELC	
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	EPA:901.1	Cesium-137		-2.28	0.343333333	2.75	pCi/L	U	U	184266	GU070400G6IR01	GELC	
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	EPA:901.1	Cesium-137		-0.807	0.336666667	3.49	pCi/L	U	U	168072	GU060700G6IR01	GELC	
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	EPA:901.1	Cesium-137		0.203	0.311333333	3.45	pCi/L	U	U	162882	GU060500G6IR01	GELC	
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	EPA:901.1	Cesium-137		0.103	0.463333333	4.9	pCi/L	U	U	157323	GU06020G6IR01	GELC	
R-6i	5881	602	11/17/05	WG	UF	CS		Rad	EPA:901.1	Cesium-137		-0.0263	0.283	3.01	pCi/L	U	U	150539	GU05110G6IR01	GELC	
R-6i	5881	602	04/12/07	WG	F	CS		Rad	EPA:901.1	Cobalt-60		1.49	0.35	3.83	pCi/L	U	U	184266	GF070400G6IR01	GELC	
R-6i	5881	602	07/26/06	WG	F	CS		Rad	EPA:901.1	Cobalt-60		0.0992	0.38	4.3	pCi/L	U	U	168072	GF060700G6IR01	GELC	
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	EPA:901.1	Cobalt-60		0.627	0.36	3.72	pCi/L	U	U	184266	GU070400G6IR01-FB	GELC	
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		-2.09	0.343333333	2.6	pCi/L	U	U	184266	GU070400G6IR01	GELC	
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		1.35	0.41	4.37	pCi/L	U	U	168072	GU060700G6IR01	GELC	
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		1.86	0.353333333	4.4	pCi/L	U	U	162882	GU060500G6IR01	GELC	
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		2.29	0.426666667	5.34	pCi/L	U	U	157323	GU06020G6IR01	GELC	
R-6i	5881	602	11/17/05	WG	UF	CS		Rad	EPA:901.1	Cobalt-60		-0.283	0.297	3.24	pCi/L	U	U	150539	GU05110G6IR01	GELC	
R-6i	5881	602	04/12/07	WG	F	CS		Rad	EPA:900	Gross alpha		1.53	0.208	1.42	pCi/L		J	184266	GF070400G6IR01	GELC	

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-6i	5881	602	07/26/06	WG	F	CS		Rad	EPA:900	Gross alpha		-0.245	0.219	2.94		pCi/L	U	U	168072	GF060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	EPA:900	Gross alpha		0.0949	0.101	1.3		pCi/L	U	U	184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	EPA:900	Gross alpha		1.52	0.216	1.61		pCi/L	U	U	184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	EPA:900	Gross alpha		0.0594	0.209666667	2.93		pCi/L	U	U	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	EPA:900	Gross alpha		1.31	0.159666667	1.42		pCi/L	U	J-, U	162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	EPA:900	Gross alpha		3.48	0.282666667	1.85		pCi/L		JN+, J	157323	GU060200G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Rad	EPA:900	Gross beta		0.956	0.281666667	2.85		pCi/L	U	U	184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Rad	EPA:900	Gross beta		0.948	0.236333333	2.89		pCi/L	U	U	168072	GF060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	EPA:900	Gross beta		-0.985	0.258666667	3.13		pCi/L	U	U	184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	EPA:900	Gross beta		0.702	0.281333333	2.88		pCi/L	U	U	184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	EPA:900	Gross beta		2.13	0.258	2.93		pCi/L	U	U	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	EPA:900	Gross beta		0.921	0.218333333	2.6		pCi/L	U	U	162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	EPA:900	Gross beta		4.85	0.287333333	2.96		pCi/L		J	157323	GU060200G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Rad	EPA:901.1	Gross gamma		80.9	19.73333333	292		pCi/L	U	U	184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Rad	EPA:901.1	Gross gamma		61.6	17.46666667	234		pCi/L	U	U	168072	GF060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	EPA:901.1	Gross gamma		95.1	27.03333333	377		pCi/L	U	U	184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	EPA:901.1	Gross gamma		95.7	24.06666667	314		pCi/L	U	U	184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	EPA:901.1	Gross gamma		81.1	18.23333333	245		pCi/L	U	U	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	EPA:901.1	Gross gamma		66.4	30.13333333	205		pCi/L	U	U	162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	EPA:901.1	Gross gamma		89.3	22.53333333	322		pCi/L	U	U	157323	GU060200G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Rad	EPA:901.1	Neptunium-237		-14.8	2.796666667	25.1		pCi/L	U	U	184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Rad	EPA:901.1	Neptunium-237		3.28	3.136666667	28.3		pCi/L	U	U	168072	GF060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	EPA:901.1	Neptunium-237		-12.5	2.453333333	22.3		pCi/L	U	U	184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		17	3.02	27		pCi/L	U	U	184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		-3.95	2.496666667	25.4		pCi/L	U	U	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		7.45	2.346666667	24.9		pCi/L	U	U	162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	EPA:901.1	Neptunium-237		1.97	1.823333333	19.1		pCi/L	U	U	157323	GU060200G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.0031	0.001036667	0.0318		pCi/L	U	U	184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-238		0.0042	0.002623333	0.0202		pCi/L	U	U	168072	GF060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	HASL-300:ISOPU	Plutonium-238		0.0162	0.003366667	0.0237		pCi/L	U	U	184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00875	0.0044	0.0314		pCi/L	U	U	184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.0099	0.00234	0.0355		pCi/L	U	U	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00556	0.002933333	0.0334		pCi/L	U	U	162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		-0.00364	0.005833333	0.0426		pCi/L	U	U	157323	GU060200G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-238		6.86E-10	0.00235	0.0598		pCi/L	U	U	150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00931	0.0045	0.046		pCi/L	U	U	184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.0147	0.00233	0.0235		pCi/L	U	U	168072	GF060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00231	0.002983333	0.0343		pCi/L	U	U	184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.000909	0.003026667	0.0457		pCi/L	U	U	184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.00948	0.003866667	0.0415		pCi/L	U	U	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00278	0.001606667	0.0366		pCi/L	U	U	162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		-0.00364	0.0047	0.0467		pCi/L	U	U	157323	GU060200G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Rad	HASL-300:ISOPU	Plutonium-239/Plutonium-240		0.00863	0.002146667	0.0505		pCi/L	U	U	150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Rad	EPA:901.1	Potassium-40		23.1	5.233333333	38.9		pCi/L	U	U	184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Rad	EPA:901.1	Potassium-40		43.6	5.033333333	62.6		pCi/L	U	U	168072	GF060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	EPA:901.1	Potassium-40		25.8	7.1	51.5		pCi/L	U	U	184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	EPA:901.1	Potassium-40		11.2	4.266666667	44.4		pCi/L	U	U	184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	EPA:901.1	Potassium-40		44.3	4.366666667	56		pCi/L	U	U	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	EPA:901.1	Potassium-40		16.2	8.8	39.3		pCi/L	U	U	162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	EPA:901.1	Potassium-40		30.4	4.366666667	55.8		pCi/L	U	U	157323	GU060200G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Rad	EPA:901.1	Potassium-40		25.6	6.466666667	38.5		pCi/L	U	U	150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Rad	EPA:901.1	Sodium-22		-0.21	0.366666667	3.53		pCi/L	U	U	184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Rad	EPA:901.1	Sodium-22		1.91	0.330333333	4.03		pCi/L	U	U	168072	GF060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	EPA:901.1	Sodium-22		0.363	0.423333333	4.25		pCi/L	U	U	184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	EPA:901.1	Sodium-22		-0.0186	0.466666667	3.93		pCi/L	U	U	184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	EPA:901.1	Sodium-22		1.23	0.363333333	4.34		pCi/L	U	U	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	EPA:901.1	Sodium-22		-0.879	0.4	3.53		pCi/L	U	U	162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	EPA:901.1	Sodium-22		1.77	0.443333333	4.97		pCi/L	U	U	157323	GU060200G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Rad	EPA:901.1	Sodium-22		0.0928	0.311666667	3.49		pCi/L	U	U	150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Rad	EPA:905.0	Strontium-90		-0.223	0.0306	0.322		pCi/L	U	U	184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Rad	EPA:905.0	Strontium-90		-0.076	0.025333333	0.39		pCi/L	U	U	168072	GF060700G6IR01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	EPA:905.0	Strontium-90		0.0939	0.034	0.345		pCi/L	U	U	184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	EPA:905.0	Strontium-90		0.0347	0.032233333	0.342		pCi/L	U	U	184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	EPA:905.0	Strontium-90		0.158	0.029566667	0.362		pCi/L	U	U	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	EPA:905.0	Strontium-90		0.287	0.035666667	0.421		pCi/L	U	U, J	162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	EPA:905.0	Strontium-90		0.0142	0.032833333	0.447		pCi/L	U	U	157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Rad	EPA:905.0	Strontium-90		-0.0548	0.026633333	0.41		pCi/L	U	U	150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	EPA:906.0	Tritium		-123	18.9	197		pCi/L	U	U	184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	EPA:906.0	Tritium		4230	65.66666667	330		pCi/L			184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	LLEE	Tritium		4332.901	47.895	0.28737		pCi/L			2236	UU060700G6IR01	UMTL
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	LLEE	Tritium		4249.883	46.83066667	0.28737		pCi/L			2212	UU060500G6IR01	UMTL
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	LLEE	Tritium		4364.831	47.895	0.28737		pCi/L			2191	UU06020G6IR01	UMTL
R-6i	5881	602	11/17/05	WG	UF	CS		Rad	LLEE	Tritium		4272.234	46.83066667	0.28737		pCi/L			2145	UU05110G6IR01	UMTL
R-6i	5881	602	04/12/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.476	0.015033333	0.0687		pCi/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-234		0.511	0.0158	0.0522		pCi/L		J	168072	GF060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	HASL-300:ISOU	Uranium-234		0.00994	0.002573333	0.0544		pCi/L	U	U	184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.58	0.0166	0.0584		pCi/L			184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.559	0.0163	0.0484		pCi/L		J	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.537	0.0167	0.0816		pCi/L			162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.653	0.019566667	0.0902		pCi/L			157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-234		0.666	0.016533333	0.0766		pCi/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0341	0.003766667	0.0436		pCi/L	U	U	184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0155	0.002326667	0.0441		pCi/L	U	U	168072	GF060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0123	0.001846667	0.0346		pCi/L	U	U	184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0237	0.0032	0.0371		pCi/L	U	U	184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0172	0.002366667	0.0408		pCi/L	U	U	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0221	0.004366667	0.0396		pCi/L	U	U	162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0245	0.003533333	0.0437		pCi/L	U	U	157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-235/Uranium-236		0.0248	0.0036	0.0577		pCi/L	U	U	150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.178	0.0081	0.0523		pCi/L			184266	GF070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	F	CS		Rad	HASL-300:ISOU	Uranium-238		0.205	0.0089	0.0556		pCi/L		J	168072	GF060700G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	Rad	HASL-300:ISOU	Uranium-238		0.0139	0.002213333	0.0415		pCi/L	U	U	184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.252	0.0092	0.0445		pCi/L			184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.241	0.0095	0.0515		pCi/L		J	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.2	0.008833333	0.0457		pCi/L			162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.209	0.0093	0.0506		pCi/L			157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		Rad	HASL-300:ISOU	Uranium-238		0.279	0.009566667	0.0543		pCi/L			150539	GU05110G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS		SVOA	SW-846:8270C	Dioxane[1,4-]		1.13			1.06	µg/L	J	J-, J	184266	GU070400G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		SVOA	SW-846:8270C	Dioxane[1,4-]		2.66			1.04	µg/L	J	J	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		SVOA	SW-846:8270C	Dioxane[1,4-]	<	10.2			1.02	µg/L	U		162882	GU060500G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FB	VOA	SW-846:8260B	Acetone		13.7			1.25	µg/L			184266	GU070400G6IR01-FB	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		VOA	SW-846:8260B	Acetone	<	5			1.25	µg/L	UH	UJ	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		VOA	SW-846:8260B	Acetone	<	7.96			1.25	µg/L		U	162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		VOA	SW-846:8260B	Acetone	<	5			1.25	µg/L	U		157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		VOA	SW-846:8260B	Acetone	<	5			1.25	µg/L	U	R, UJ	150539	GU05110G6IR01	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		VOA	SW-846:8260B	Dioxane[1,4-]	<	50			20	µg/L	UH	UJ, R	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		VOA	SW-846:8260B	Dioxane[1,4-]	<	50			20	µg/L	U	R	162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		VOA	SW-846:8260B	Dioxane[1,4-]	<	50			20	µg/L	U	R	157323	GU06020G6IR01	GELC
R-6i	5881	602	04/12/07	WG	UF	CS	FTB	VOA	SW-846:8260B	Toluene		0.54			0.25	µg/L	J		184266	GU070400G6IR01-FTB	GELC
R-6i	5881	602	07/26/06	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1			0.25	µg/L	UH	UJ	168072	GU060700G6IR01	GELC
R-6i	5881	602	05/11/06	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1			0.25	µg/L	U		162882	GU060500G6IR01	GELC
R-6i	5881	602	03/01/06	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1			0.25	µg/L	U		157323	GU06020G6IR01	GELC
R-6i	5881	602	11/17/05	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1.27			0.25	µg/L		U	150539	GU05110G6IR01	GELC
R-7	1442	915.1	04/26/05	WG	UF	CS		Geninorg	SW-846:9050A	Specific Conductance		96.4			1	µS/cm			135408	GU0504G07R301	GELC
R-7	1442	915.1	05/26/04	WG	UF	CS		Geninorg	SW-846:9050A	Specific Conductance		98.2			1	uS/cm			113809	GU0405G07R301	GELC
R-7	1442	915.1	12/18/03	WG	UF	CS		Geninorg	SW-846:9050A	Specific Conductance		97.7			1	uS/cm			104282	GU0311G07R301	GELC
R-7	1442	915.1	04/26/05	WG	UF	CS		Geninorg	EPA:150.1	pH		6.72			0.01	SU	H	J	135408	GU0504G07R301	GELC
R-7	1442	915.1	05/26/04	WG	UF	CS		Geninorg	EPA:150.1	pH		6.92				SU	H	J	113809	GU0405G07R301	GELC
R-7	1442	915.1	12/18/03	WG	UF	CS		Geninorg	EPA:150.1	pH		6.69			0.01	SU	H	J	104282	GU0311G07R301	GELC
R-7	1442	915.1	12/18/03	WG	UF	DUP		Geninorg	EPA:150.1	pH		6.75				SU	H		104282	GU0311G07R301	GELC
R-7	1442	915.1	04/13/07	WG	UF	CS		Rad	LLEE	Tritium		0.09579	0.09579	0.28737		pCi/L		U	2328	UU07040G07R301	UMTL
R-7	1442	915.1	04/13/07	WG	UF	RE		Rad	LLEE	Tritium		0.35123	0.09579	0.28737		pCi/L		U	2328	UU07040G07R301	UMTL

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-7	1442	915.1	07/31/06	WG	UF	CS		Rad	LLEE	Tritium		0.25544	0.09579	0.28737		pCi/L		U	2238	UU06070G07R301	UMTL
R-7	1442	915.1	04/26/05	WG	UF	CS		Rad	LLEE	Tritium		0.09579	0.09579		0.28737	pCi/L		U	2054	UU0504G07R301	UMTL
R-7	1442	915.1	04/26/05	WG	UF	CS		Rad	EPA:906.0	Tritium		-10.8	20.46666667	211		pCi/L	U	U	135408	GU0504G07R301	GELC
R-7	1442	915.1	05/26/04	WG	UF	CS		Rad	LLEE	Tritium		0.03193	0.09579		0.28737	pCi/L		U	1896	UU0405G07R301	UMTL
R-7	1442	915.1	05/26/04	WG	UF	CS		Rad	EPA:906.0	Tritium		120	14.66666667	134		pCi/L	U	U	113809	GU0405G07R301	GELC
R-7	1442	915.1	12/18/03	WG	UF	CS		Rad	LLEE	Tritium		-0.12772	0.09579			pCi/L		U	1829	UU0311G07R301	UMTL
R-7	1442	915.1	12/18/03	WG	UF	CS		Rad	EPA:906.0	Tritium		0	17.16666667	169		pCi/L	U	U	104282	GU0311G07R301	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		1.45			0.725	mg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	0.725			0.725	mg/L	U		168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		127273	GF0411G08R101	GELC
R-8	2302	711.1	04/26/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		111870	GF0404G08R101	GELC
R-8	2302	711.1	04/26/04	WG	F	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		111870	GF0404G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		0.784			0.725	mg/L	J		168595	GU06070G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		75.6			0.725	mg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		66.6			0.725	mg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		69.8			1.45	mg/L			127273	GF0411G08R101	GELC
R-8	2302	711.1	04/26/04	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		66.2			1.45	mg/L			111870	GF0404G08R101	GELC
R-8	2302	711.1	04/26/04	WG	F	DUP		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		71.3			1.45	mg/L			111870	GF0404G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		65.6			0.725	mg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		59.5			1.45	mg/L		J	135528	GU0504G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		15.3			0.036	mg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		17			0.036	mg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Geninorg	SW-846:6010B	Calcium		17.5			0.00554	mg/L			127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Geninorg	SW-846:6010B	Calcium		16.9			0.00554	mg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Geninorg	SW-846:6010B	Calcium		17.1			0.00554	mg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		17.1			0.036	mg/L			184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		17.1			0.036	mg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		17.1			0.036	mg/L			135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		17.7			0.00554	mg/L			127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		17.1			0.00554	mg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Geninorg	SW-846:6010B	Calcium		17.3			0.00554	mg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		1.43			0.066	mg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		1.49			0.066	mg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Geninorg	EPA:300.0	Chloride	<	1.52			0.0322	mg/L		U	127273	GF0411G08R101	GELC
R-8	2302	711.1	04/26/04	WG	F	CS		Geninorg	EPA:300.0	Chloride		1.47			0.0322	mg/L			111870	GF0404G08R101	GELC
R-8	2302	711.1	04/26/04	WG	F	DUP		Geninorg	EPA:300.0	Chloride		1.48			0.0322	mg/L			111870	GF0404G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		1.47			0.066	mg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Geninorg	EPA:300.0	Chloride		1.38			0.053	mg/L			135528	GU0504G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.537			0.033	mg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.569			0.033	mg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.571			0.0553	mg/L			127273	GF0411G08R101	GELC
R-8	2302	711.1	04/26/04	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.597			0.0553	mg/L			111870	GF0404G08R101	GELC
R-8	2302	711.1	04/26/04	WG	F	DUP		Geninorg	EPA:300.0	Fluoride		0.583			0.0553	mg/L			111870	GF0404G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.547			0.033	mg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.536			0.03	mg/L			135528	GU0504G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		48.2			0.44	mg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		53.6			0.085	mg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		53.8			0.44	mg/L			184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		54			0.085	mg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Geninorg	SM:A2340B	Hardness		54.4			0.085	mg/L			135528	GU0504G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		2.43			0.085	mg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		2.7			0.085	mg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		2.85			0.00518	mg/L			127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		2.79			0.00518	mg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Geninorg	SW-846:6010B	Magnesium		2.83			0.00518	mg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		2.72			0.085	mg/L			184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		2.72			0.085	mg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		2.84			0.085	mg/L			135528	GU0504G08R101	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-8	2302	711.1	12/08/04	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		2.95			0.00518	mg/L			127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		2.85			0.00518	mg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Geninorg	SW-846:6010B	Magnesium		2.88			0.00518	mg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.572			0.01	mg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.374			0.014	mg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.363			0.003	mg/L			127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.367			0.003	mg/L	H	J	120019	GF0407G08R101	GELC
R-8	2302	711.1	04/26/04	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.35			0.01	mg/L		J+	111870	GF0404G08R101	GELC
R-8	2302	711.1	04/26/04	WG	F	DUP		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.36			0.01	mg/L			111870	GF0404G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.41			0.014	mg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.356			0.003	mg/L			127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.387			0.003	mg/L	H	J	120019	GU0407G08R101	GELC
R-8	2302	711.1	04/26/04	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.36			0.01	mg/L		J+	111870	GU0404G08R101	GELC
R-8	2302	711.1	04/26/04	WG	UF	DUP		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.36			0.01	mg/L			111870	GU0404G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.289			0.05	µg/L		J	184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.289			0.05	µg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168595	GF06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U	UJ	135528	GU0504G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.291			0.05	µg/L		J	135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		127273	GU0411G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.301			0.05	µg/L			127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.315			0.05	µg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		1.86			0.05	mg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		1.99			0.05	mg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Geninorg	SW-846:6010B	Potassium		2.09			0.0165	mg/L			127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Geninorg	SW-846:6010B	Potassium		1.84			0.0165	mg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Geninorg	SW-846:6010B	Potassium		1.85			0.0165	mg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		2.08			0.05	mg/L			184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		1.99			0.05	mg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		2.13			0.05	mg/L			135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		2.12			0.0165	mg/L			127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		1.86			0.0165	mg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Geninorg	SW-846:6010B	Potassium		1.84			0.0165	mg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		54.9			0.032	mg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		58.5			0.032	mg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		27			0.00983	mg/L			127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		26.4			0.00983	mg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Geninorg	SW-846:6010B	Silicon Dioxide		26.3			0.00983	mg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		58.2			0.032	mg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		55.8			0.032	mg/L			135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		28.1			0.00983	mg/L			127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		26.8			0.00983	mg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Geninorg	SW-846:6010B	Silicon Dioxide		27.3			0.00983	mg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		8.82			0.045	mg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		9.48			0.045	mg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Geninorg	SW-846:6010B	Sodium		9.78			0.0144	mg/L			127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Geninorg	SW-846:6010B	Sodium		8.83			0.0144	mg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Geninorg	SW-846:6010B	Sodium		8.88			0.0144	mg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		9.91			0.045	mg/L			184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		9.54			0.045	mg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		9.74			0.045	mg/L			135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		9.66			0.0144	mg/L			127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		8.77			0.0144	mg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Geninorg	SW-846:6010B	Sodium		8.83			0.0144	mg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		151			1	uS/cm			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		146			1	uS/cm			168595	GF06070G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		155			1	uS/cm			168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Geninorg	SW-846:9050A	Specific Conductance		139			1	uS/cm			135528	GU0504G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.06			0.1	mg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.14			0.1	mg/L			168595	GF06070G08R101	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-8	2302	711.1	12/08/04	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.23			0.193	mg/L			127273	GF0411G08R101	GELC
R-8	2302	711.1	04/26/04	WG	F	CS		Geninorg	EPA:300.0	Sulfate		2.12			0.193	mg/L			111870	GF0404G08R101	GELC
R-8	2302	711.1	04/26/04	WG	F	DUP		Geninorg	EPA:300.0	Sulfate		2.07			0.193	mg/L			111870	GF0404G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		2.17			0.1	mg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		2.03			0.057	mg/L			135528	GU0504G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		133			2.38	mg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		138			2.38	mg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		137			2.38	mg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		135			2.38	mg/L			135528	GU0504G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.029			0.029	mg/L	J	JN-	184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01			0.01	mg/L	U	UJ	168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.044			0.044	mg/L	U		127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.073			0.044	mg/L	J		120019	GF0407G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01			0.01	mg/L	U	UJ	168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.01			0.01	mg/L	U	R	135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen	<	0.044			0.044	mg/L	U		127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Geninorg	EPA:351.2	Total Kjeldahl Nitrogen		0.169			0.044	mg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Geninorg	EPA:150.1	pH		8.14			0.01	SU	H	J	184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Geninorg	EPA:150.1	pH		8.21			0.01	SU	H	J	168595	GF06070G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Geninorg	EPA:150.1	pH		8.33			0.01	SU	H	J	168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Geninorg	EPA:150.1	pH		7.8				SU	H	J	135528	GU0504G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Metals	SW-846:6020	Arsenic		4.2			1.5	µg/L	J		184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U		127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U		120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Metals	SW-846:6010B	Arsenic		3.61			2.24	µg/L	B		120019	GF0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Metals	SW-846:6020	Arsenic		4.2			1.5	µg/L	J		184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U		127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U		120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U		120019	GU0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Metals	SW-846:6010B	Barium		23			1	µg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Metals	SW-846:6010B	Barium		22.7			1	µg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Metals	SW-846:6010B	Barium		25.3			0.222	µg/L			127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Metals	SW-846:6010B	Barium		21.5			0.222	µg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Metals	SW-846:6010B	Barium		21.5			0.222	µg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Metals	SW-846:6010B	Barium		28			1	µg/L			184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Barium		23.3			1	µg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Metals	SW-846:6010B	Barium		23.7			1	µg/L			135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Metals	SW-846:6010B	Barium		25.4			0.222	µg/L			127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Metals	SW-846:6010B	Barium		21			0.222	µg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Metals	SW-846:6010B	Barium		21.2			0.222	µg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Metals	SW-846:6010B	Boron		17.5			10	µg/L	J		184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Metals	SW-846:6010B	Boron		15.5			10	µg/L	J		168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Metals	SW-846:6010B	Boron	<	24.9			4.88	µg/L	J	U	127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Metals	SW-846:6010B	Boron		17.5			4.88	µg/L	B		120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Metals	SW-846:6010B	Boron		15.8			4.88	µg/L	B		120019	GF0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Metals	SW-846:6010B	Boron		18.8			10	µg/L	J		184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Boron		13.5			10	µg/L	J		168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Metals	SW-846:6010B	Boron		24.6			10	µg/L	J		135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Metals	SW-846:6010B	Boron	<	21.1			4.88	µg/L	J	U	127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Metals	SW-846:6010B	Boron		17.9			4.88	µg/L	B		120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Metals	SW-846:6010B	Boron		19.7			4.88	µg/L	B		120019	GU0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Metals	SW-846:6020	Chromium		3.4			1	µg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Metals	SW-846:6020	Chromium		3.8			1	µg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Metals	SW-846:6010B	Chromium		2.9			0.503	µg/L	J		127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Metals	SW-846:6010B	Chromium	<	2.5			0.503	µg/L	B	U	120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Metals	SW-846:6010B	Chromium		2.34			0.503	µg/L	B		120019	GF0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Metals	SW-846:6020	Chromium		3.6			1	µg/L			184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Metals	SW-846:6020	Chromium		3.2			1	µg/L			168595	GU06070G08R101	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-8	2302	711.1	04/27/05	WG	UF	CS		Metals	SW-846:6010B	Chromium		7.4			1	µg/L			135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Metals	SW-846:6010B	Chromium		10.9			0.503	µg/L			127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Metals	SW-846:6010B	Chromium		5			0.503	µg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Metals	SW-846:6010B	Chromium		6.39			0.503	µg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Metals	SW-846:6010B	Iron	<	12.6			12.6	µg/L	U	UJ	127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Metals	SW-846:6010B	Iron	<	12.6			12.6	µg/L	U		120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Metals	SW-846:6010B	Iron	<	12.6			12.6	µg/L	U		120019	GF0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Metals	SW-846:6010B	Iron		136			18	µg/L			184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Metals	SW-846:6010B	Iron		20.5			18	µg/L	J		135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Metals	SW-846:6010B	Iron	<	12.6			12.6	µg/L	U	UJ	127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Metals	SW-846:6010B	Iron		14.6			12.6	µg/L	B		120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Metals	SW-846:6010B	Iron		27.4			12.6	µg/L	B		120019	GU0407G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Metals	SW-846:6010B	Manganese	<	2			2	µg/L	U		168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Metals	SW-846:6020	Manganese		3.1			1.61	µg/L	J		127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Metals	SW-846:6020	Manganese	<	1.61			1.61	µg/L	U		120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Metals	SW-846:6020	Manganese	<	1.61			1.61	µg/L	U		120019	GF0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Metals	SW-846:6010B	Manganese		4.1			2	µg/L	J		184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Manganese	<	2			2	µg/L	U		168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Metals	SW-846:6020	Manganese		1.8			1	µg/L	J		135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Metals	SW-846:6020	Manganese		2.1			1.61	µg/L	J		127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Metals	SW-846:6020	Manganese	<	1.61			1.61	µg/L	U		120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Metals	SW-846:6020	Manganese	<	1.61			1.61	µg/L	U		120019	GU0407G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Metals	SW-846:6010B	Molybdenum	<	2			2	µg/L	U		168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Metals	SW-846:6020	Molybdenum		1.6			0.2	µg/L			127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Metals	SW-846:6020	Molybdenum		1.5			0.2	µg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Metals	SW-846:6020	Molybdenum		1.46			0.2	µg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Metals	SW-846:6010B	Molybdenum		5.9			2	µg/L	J		184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Molybdenum	<	2			2	µg/L	U		168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Metals	SW-846:6020	Molybdenum		2.1			0.1	µg/L			135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Metals	SW-846:6020	Molybdenum		2			0.2	µg/L			127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Metals	SW-846:6020	Molybdenum		2.1			0.2	µg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Metals	SW-846:6020	Molybdenum		1.66			0.2	µg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Metals	SW-846:6020	Nickel		0.69			0.5	µg/L	J		168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Metals	SW-846:6010B	Nickel	<	0.69			0.69	µg/L	U		127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Metals	SW-846:6010B	Nickel	<	0.69			0.69	µg/L	U		120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Metals	SW-846:6010B	Nickel	<	0.69			0.69	µg/L	U		120019	GF0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Metals	SW-846:6020	Nickel		0.56			0.5	µg/L	J		184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Metals	SW-846:6020	Nickel	<	0.5			0.5	µg/L	U		168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Metals	SW-846:6010B	Nickel		1.2			1	µg/L	J		135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Metals	SW-846:6010B	Nickel		3.1			0.69	µg/L	J		127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Metals	SW-846:6010B	Nickel	<	1.6			0.69	µg/L	B	U	120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Metals	SW-846:6010B	Nickel		2.66			0.69	µg/L	B		120019	GU0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Metals	SW-846:6010B	Strontium		82.8			1	µg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Metals	SW-846:6010B	Strontium		88.9			1	µg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Metals	SW-846:6010B	Strontium		97.2			0.178	µg/L			127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Metals	SW-846:6010B	Strontium		88			0.178	µg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Metals	SW-846:6010B	Strontium		88.4			0.178	µg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		91.8			1	µg/L			184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		89.6			1	µg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		96.6			1	µg/L			135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Metals	SW-846:6010B	Strontium		96.7			0.178	µg/L			127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Metals	SW-846:6010B	Strontium		87.6			0.178	µg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Metals	SW-846:6010B	Strontium		88.3			0.178	µg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Metals	SW-846:6020	Uranium		0.28			0.05	µg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Metals	SW-846:6020	Uranium		0.38			0.05	µg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Metals	SW-846:6020	Uranium		0.35			0.02	µg/L			127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Metals	SW-846:6020	Uranium		0.33			0.02	µg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Metals	SW-846:6020	Uranium		0.344			0.02	µg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	04/26/04	WG	F	CS		Metals	SW-846:6020	Uranium		0.365			0.02	µg/L		J	111870	GF0404G08R101	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-8	2302	711.1	04/26/04	WG	F	DUP		Metals	SW-846:6020	Uranium		0.363			0.02	µg/L			111870	GF0404G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Metals	SW-846:6020	Uranium		0.28			0.05	µg/L			184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Metals	SW-846:6020	Uranium		0.33			0.05	µg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Metals	SW-846:6020	Uranium		0.34			0.02	µg/L			127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Metals	SW-846:6020	Uranium		0.34			0.02	µg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Metals	SW-846:6020	Uranium		0.34			0.02	µg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	04/26/04	WG	UF	CS		Metals	SW-846:6020	Uranium		0.37			0.02	µg/L		J	111870	GU0404G08R101	GELC
R-8	2302	711.1	04/26/04	WG	UF	DUP		Metals	SW-846:6020	Uranium		0.355			0.02	µg/L			111870	GU0404G08R101	GELC
R-8	2302	711.1	04/10/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		12			1	µg/L			184079	GF07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		13.5			1	µg/L			168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Metals	SW-846:6010B	Vanadium		13.4			0.606	µg/L			127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Metals	SW-846:6010B	Vanadium		12.4			0.606	µg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Metals	SW-846:6010B	Vanadium		11.7			0.606	µg/L			120019	GF0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		13.7			1	µg/L		J+	184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		13.3			1	µg/L			168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium		13.5			1	µg/L			135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Metals	SW-846:6010B	Vanadium		14			0.606	µg/L			127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Metals	SW-846:6010B	Vanadium		13.1			0.606	µg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Metals	SW-846:6010B	Vanadium		12.3			0.606	µg/L			120019	GU0407G08R101	GELC
R-8	2302	711.1	08/01/06	WG	F	CS		Metals	SW-846:6010B	Zinc		2			2	µg/L	J		168595	GF06070G08R101	GELC
R-8	2302	711.1	12/08/04	WG	F	CS		Metals	SW-846:6010B	Zinc		3.4			0.883	µg/L	J		127273	GF0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	CS		Metals	SW-846:6010B	Zinc	<	5.8			0.883	µg/L		U	120019	GF0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	F	DUP		Metals	SW-846:6010B	Zinc		1.74			0.883	µg/L	B		120019	GF0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS		Metals	SW-846:6010B	Zinc		16.1			2	µg/L			184079	GU07040G08R101	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	2			2	µg/L	U		168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		Metals	SW-846:6010B	Zinc		8.4			2	µg/L	J		135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		Metals	SW-846:6010B	Zinc		3			0.883	µg/L	J		127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		Metals	SW-846:6010B	Zinc	<	1.7			0.883	µg/L	B	U	120019	GU0407G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	DUP		Metals	SW-846:6010B	Zinc		4.33			0.883	µg/L	B		120019	GU0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS	FTB	VOA	SW-846:8260B	Methylene Chloride		2.23			2	µg/L	J	J+	184079	GU07040G08R101-FTB	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		VOA	SW-846:8260B	Methylene Chloride	<	5			2	µg/L	U		168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		VOA	SW-846:8260B	Methylene Chloride	<	5				µg/L	U		135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		VOA	SW-846:8260B	Methylene Chloride	<	5				µg/L	U		127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		VOA	SW-846:8260B	Methylene Chloride	<	5				µg/L	U		120019	GU0407G08R101	GELC
R-8	2302	711.1	04/10/07	WG	UF	CS	FTB	VOA	SW-846:8260B	Toluene		0.649			0.25	µg/L	J		184079	GU07040G08R101-FTB	GELC
R-8	2302	711.1	08/01/06	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1			0.25	µg/L	U		168595	GU06070G08R101	GELC
R-8	2302	711.1	04/27/05	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				µg/L	U		135528	GU0504G08R101	GELC
R-8	2302	711.1	12/08/04	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				µg/L	U		127273	GU0411G08R101	GELC
R-8	2302	711.1	08/24/04	WG	UF	CS		VOA	SW-846:8260B	Toluene	<	1				µg/L	U		120019	GU0407G08R101	GELC
R-8	2372	825	04/28/05	WG	UF	CS		Geninorg	SW-846:9050A	Specific Conductance		173			1	µS/cm			135560	GU0504G08R201	GELC
R-8	2372	825	04/28/05	WG	UF	CS		Geninorg	EPA:150.1	pH		9.01				SU	H	J	135560	GU0504G08R201	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		1.44			0.725	mg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		1.05			0.725	mg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		0.873			0.725	mg/L	J		168378	GF060700G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>		1.06			0.725	mg/L			168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		135560	GU0504G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub>	<	1.45			1.45	mg/L	U		103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		126			0.725	mg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		118			0.725	mg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		110			0.725	mg/L			168378	GF060700G09R01	GELC
R-9	1731	684	05/15/01	WG	F	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		120				mg/L		NQ	8831R	GW09-01-0006	PARA
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		111			0.725	mg/L			168378	GU060700G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		100			1.45	mg/L			113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Geninorg	EPA:310.1	Alkalinity-CO <sub>3</sub> +HCO <sub>3</sub>		107			1.45	mg/L			103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	EPA:300.0	Bromide		0.221			0.066	mg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Bromide		0.241			0.066	mg/L			184003	GF070400G09R01	GELC



Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		168378	GF060700G09R01	GELC
R-9	1731	684	05/15/01	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.2				mg/L	U	U	8831R	GW09-01-0006	PARA
R-9	1731	684	02/13/01	WG	F	CS		Geninorg	EPA:300.0	Bromide	<	0.02				mg/L	U	U	8338R	GW09-01-0004	GELC
R-9	1731	684	02/13/01	WG	F	CS		Geninorg	EPA:320.1	Bromide	<	0.2				mg/L	U	U	8336R	GW09-01-0004	PARA
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.066			0.066	mg/L	U		168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	EPA:300.0	Bromide	<	0.041			0.041	mg/L	U		135560	GU05040G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Calcium		23.5			0.036	mg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	SW-846:6010B	Calcium		23.2			0.036	mg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	SW-846:6010B	Calcium		24.3			0.036	mg/L			168378	GF060700G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Calcium		23.4			0.036	mg/L			184003	GU070400G09R20	GELC
R-9	1731	684	04/10/07	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		22.4			0.036	mg/L			184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		24.4			0.036	mg/L			168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		25.2			0.036	mg/L			135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		24.7			0.00554	mg/L			113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Geninorg	SW-846:6010B	Calcium		25.3			0.00554	mg/L			103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	EPA:300.0	Chloride		6.03			0.066	mg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Chloride		6.06			0.066	mg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	EPA:300.0	Chloride		5.9			0.066	mg/L			168378	GF060700G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	EPA:300.0	Chloride		5.92			0.066	mg/L			168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	EPA:300.0	Chloride		5.99			0.053	mg/L			135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Geninorg	EPA:300.0	Chloride		6.51			0.0322	mg/L			113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Geninorg	EPA:300.0	Chloride		6.39			0.0322	mg/L			103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	EPA:300.0	Fluoride		0.304			0.033	mg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.307			0.033	mg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	EPA:300.0	Fluoride		0.332			0.033	mg/L			168378	GF060700G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.343			0.033	mg/L			168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.348			0.03	mg/L		J+	135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.358			0.0553	mg/L			113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Geninorg	EPA:300.0	Fluoride		0.269			0.0553	mg/L			103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	SM:A2340B	Hardness		86.6			0.44	mg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	SM:A2340B	Hardness		85.9			0.44	mg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	SM:A2340B	Hardness		86.8			0.085	mg/L			168378	GF060700G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS	FD	Geninorg	SM:A2340B	Hardness		86			0.44	mg/L			184003	GU070400G09R20	GELC
R-9	1731	684	04/10/07	WG	UF	CS		Geninorg	SM:A2340B	Hardness		82.3			0.44	mg/L			184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	SM:A2340B	Hardness		87.1			0.085	mg/L			168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	SM:A2340B	Hardness		89.3			0.085	mg/L			135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Geninorg	EPA:200.7	Hardness		86.5			0.00554	mg/L			113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Geninorg	EPA:200.7	Hardness		88			0.00554	mg/L			103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Magnesium		6.78			0.085	mg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		6.76			0.085	mg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	SW-846:6010B	Magnesium		6.35			0.085	mg/L			168378	GF060700G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Magnesium		6.68			0.085	mg/L			184003	GU070400G09R20	GELC
R-9	1731	684	04/10/07	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		6.37			0.085	mg/L			184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		6.32			0.085	mg/L			168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		6.42			0.085	mg/L			135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		6.01			0.00518	mg/L			113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Geninorg	SW-846:6010B	Magnesium		6.05			0.00518	mg/L			103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.622			0.01	mg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:353.2	Nitrate-Nitrite as N		0.605			0.01	mg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.715			0.014	mg/L			168378	GF060700G09R01	GELC
R-9	1731	684	04/28/05	WG	F	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.578			0.003	mg/L			135560	GF05040G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.653			0.014	mg/L			168378	GU060700G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.67			0.01	mg/L			113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Geninorg	EPA:353.1	Nitrate-Nitrite as N		0.78			0.01	mg/L			103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	SW-846:6850	Perchlorate		0.917			0.05	µg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	SW-846:6850	Perchlorate		0.886			0.05	µg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	SW846 6850	Perchlorate		0.884			0.05	µg/L			168378	GF060700G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		168378	GF060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		0.984			0.1	µg/L		J	135560	GU05040G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U	UJ	135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Geninorg	SW846 6850	Perchlorate		1.04			0.1	µg/L			113901	GU04050G09R01	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-9	1731	684	05/27/04	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Geninorg	EPA:314.0	Perchlorate	<	4			4	µg/L	U		103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Potassium		3.7			0.05	mg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	SW-846:6010B	Potassium		3.67			0.05	mg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	SW-846:6010B	Potassium		3.61			0.05	mg/L			168378	GF060700G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Potassium		3.75			0.05	mg/L			184003	GU070400G09R20	GELC
R-9	1731	684	04/10/07	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.58			0.05	mg/L			184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.62			0.05	mg/L			168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.68			0.05	mg/L			135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.59			0.0165	mg/L			113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Geninorg	SW-846:6010B	Potassium		3.71			0.0165	mg/L			103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Silicon Dioxide		75.5			0.032	mg/L		J-	184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		74.3			0.032	mg/L		J-	184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	SW-846:6010B	Silicon Dioxide		74.4			0.032	mg/L		J	168378	GF060700G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		74.3			0.032	mg/L		J	168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		73			0.032	mg/L			135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		68.7			0.0212	mg/L			113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Geninorg	SW-846:6010B	Silicon Dioxide		72.1			0.0212	mg/L			103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	SW-846:6010B	Sodium		18.9			0.045	mg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	SW-846:6010B	Sodium		18.5			0.045	mg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	SW-846:6010B	Sodium		18.1			0.045	mg/L			168378	GF060700G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS	FD	Geninorg	SW-846:6010B	Sodium		18.8			0.045	mg/L			184003	GU070400G09R20	GELC
R-9	1731	684	04/10/07	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		18			0.045	mg/L			184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		17.8			0.045	mg/L			168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		18.5			0.045	mg/L			135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		18.7			0.0144	mg/L			113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Geninorg	SW-846:6010B	Sodium		19			0.0144	mg/L			103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	EPA:120.1	Specific Conductance		245			1	µS/cm			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		250			1	µS/cm			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	EPA:120.1	Specific Conductance		274			1	µS/cm			168378	GF060700G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	EPA:120.1	Specific Conductance		276			1	µS/cm			168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	SW-846:9050A	Specific Conductance		240			1	µS/cm			135560	GU05040G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	EPA:300.0	Sulfate		5.83			0.1	mg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:300.0	Sulfate		5.89			0.1	mg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	EPA:300.0	Sulfate		5.76			0.1	mg/L			168378	GF060700G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		5.79			0.1	mg/L			168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		5.79			0.057	mg/L			135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		6.42			0.193	mg/L			113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Geninorg	EPA:300.0	Sulfate		6.05			0.193	mg/L			103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	EPA:160.1	Total Dissolved Solids		193			2.38	mg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		210			2.38	mg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		207			2.38	mg/L			168378	GU060700G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		206			2.38	mg/L			168378	GF060700G09R01	GELC
R-9	1731	684	04/28/05	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		204			2.38	mg/L		J	135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		206			3.07	mg/L			113901	GU04050G09R01	GELC
R-9	1731	684	05/27/04	WG	F	DUP		Geninorg	EPA:160.1	Total Dissolved Solids		209			3.07	mg/L			113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	F	CS		Geninorg	EPA:160.1	Total Dissolved Solids		185			3.07	mg/L			103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.405			0.33	mg/L	J		184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon	<	0.644			0.33	mg/L	J	U	168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.421			0.074	mg/L		J-	135560	GU05040G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Geninorg	SW-846:9060	Total Organic Carbon		0.385			0.025	mg/L		J-	103702	GU03120G09R01	GELC
R-9	1731	684	05/15/01	WG	UF	CS		Geninorg	EPA:415.1	Total Organic Carbon	<	1				mg/L	U	U	8829R	GW09-01-0005	PARA
R-9	1731	684	04/10/07	WG	F	CS	FD	Geninorg	EPA:150.1	pH		7.84			0.01	SU	H	J	184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Geninorg	EPA:150.1	pH		7.79			0.01	SU	H	J	184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Geninorg	EPA:150.1	pH		8.12			0.01	SU	H	J	168378	GF060700G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Geninorg	EPA:150.1	pH		8.09			0.01	SU	H	J	168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Geninorg	EPA:150.1	pH		7.89				SU	H	J	135560	GU05040G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Metals	SW-846:6020	Arsenic		2.3			1.5	µg/L	J		184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Metals	SW-846:6020	Arsenic		2.4			1.5	µg/L	J		184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168378	GF060700G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS	FD	Metals	SW-846:6020	Arsenic		2.4			1.5	µg/L	J		184003	GU070400G09R20	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-9	1731	684	04/10/07	WG	UF	CS		Metals	SW-846:6020	Arsenic		2.5			1.5	µg/L	J		184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	6			6	µg/L	U		135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U		113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Metals	SW-846:6010B	Arsenic	<	2.24			2.24	µg/L	U		103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Metals	SW-846:6010B	Barium		209			1	µg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Metals	SW-846:6010B	Barium		206			1	µg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Metals	SW-846:6010B	Barium		185			1	µg/L			168378	GF060700G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS	FD	Metals	SW-846:6010B	Barium		204			1	µg/L			184003	GU070400G09R20	GELC
R-9	1731	684	04/10/07	WG	UF	CS		Metals	SW-846:6010B	Barium		193			1	µg/L			184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Metals	SW-846:6010B	Barium		183			1	µg/L			168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Metals	SW-846:6010B	Barium		170			1	µg/L			135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Metals	SW-846:6010B	Barium		179			0.222	µg/L			113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Metals	SW-846:6010B	Barium		172			0.222	µg/L			103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Metals	SW-846:6010B	Boron		47.2			10	µg/L	J		184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Metals	SW-846:6010B	Boron		49.9			10	µg/L	J		184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Metals	SW-846:6010B	Boron		47.5			10	µg/L	J		168378	GF060700G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS	FD	Metals	SW-846:6010B	Boron		48			10	µg/L	J		184003	GU070400G09R20	GELC
R-9	1731	684	04/10/07	WG	UF	CS		Metals	SW-846:6010B	Boron		46			10	µg/L	J		184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Metals	SW-846:6010B	Boron		45			10	µg/L	J		168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Metals	SW-846:6010B	Boron		47.6			10	µg/L	J		135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Metals	SW-846:6010B	Boron		48.2			4.88	µg/L	B		113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Metals	SW-846:6010B	Boron		42.2			4.88	µg/L	B		103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Metals	SW-846:6020	Chromium		1.9			1	µg/L	J		184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Metals	SW-846:6020	Chromium		2.3			1	µg/L	J		184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Metals	SW-846:6020	Chromium		2.3			1	µg/L	J		168378	GF060700G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS	FD	Metals	SW-846:6020	Chromium		2.1			1	µg/L	J		184003	GU070400G09R20	GELC
R-9	1731	684	04/10/07	WG	UF	CS		Metals	SW-846:6020	Chromium		2.2			1	µg/L	J		184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Metals	SW-846:6020	Chromium		2.4			1	µg/L	J		168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Metals	SW-846:6010B	Chromium		2.4			1	µg/L	J		135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Metals	SW-846:6010B	Chromium		2.63			0.503	µg/L	B	J	113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Metals	SW-846:6010B	Chromium	<	2.95			0.503	µg/L	B	U	103702	GU03120G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		168378	GF060700G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS	FD	Metals	SW-846:6010B	Iron		35.7			18	µg/L	J		184003	GU070400G09R20	GELC
R-9	1731	684	04/10/07	WG	UF	CS		Metals	SW-846:6010B	Iron		18.1			18	µg/L	J		184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Metals	SW-846:6010B	Iron		35			18	µg/L	J		168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Metals	SW-846:6010B	Iron	<	18			18	µg/L	U		135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Metals	SW-846:6010B	Iron		255			12.6	µg/L			113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Metals	SW-846:6010B	Iron	<	61.5			12.6	µg/L	B	U	103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Metals	SW-846:6010B	Manganese		16.5			2	µg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Metals	SW-846:6010B	Manganese		16			2	µg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Metals	SW-846:6010B	Manganese		30.6			2	µg/L			168378	GF060700G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS	FD	Metals	SW-846:6010B	Manganese		16.9			2	µg/L			184003	GU070400G09R20	GELC
R-9	1731	684	04/10/07	WG	UF	CS		Metals	SW-846:6010B	Manganese		15.8			2	µg/L			184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Metals	SW-846:6010B	Manganese		31.2			2	µg/L			168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Metals	SW-846:6020	Manganese		54.4			1	µg/L			135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Metals	SW-846:6010B	Manganese		113			0.296	µg/L			113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Metals	SW-846:6010B	Manganese		83.6			0.296	µg/L			103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Metals	SW-846:6020	Nickel		1.3			0.5	µg/L	J		184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Metals	SW-846:6020	Nickel		1.3			0.5	µg/L	J		184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Metals	SW-846:6020	Nickel		0.86			0.5	µg/L	J		168378	GF060700G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS	FD	Metals	SW-846:6020	Nickel		1			0.5	µg/L	J		184003	GU070400G09R20	GELC
R-9	1731	684	04/10/07	WG	UF	CS		Metals	SW-846:6020	Nickel		0.91			0.5	µg/L	J		184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Metals	SW-846:6020	Nickel		0.92			0.5	µg/L	J		168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Metals	SW-846:6010B	Nickel	<	1			1	µg/L	U		135560	GU05040G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Metals	SW-846:6010B	Nickel		1.16			0.69	µg/L	B	JN-	113901	GU04050G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Metals	SW-846:6010B	Nickel	<	0.8			0.69	µg/L	B	U	103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Metals	SW-846:6010B	Strontium		187			1	µg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Metals	SW-846:6010B	Strontium		184			1	µg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Metals	SW-846:6010B	Strontium		167			1	µg/L			168378	GF060700G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS	FD	Metals	SW-846:6010B	Strontium		183			1	µg/L			184003	GU070400G09R20	GELC

Analytical Results

Location	Port	Depth (ft)	Date	Field Matrix	Field Prep	Lab Sample Type	Field QC Type	Suite	Method	Analyte	Symbol	Result	1-sigma TPU	MDA	MDL	Units	Lab Qual	2nd Qual	Request	Sample	Lab
R-9	1731	684	04/10/07	WG	UF	CS		Metals	SW-846:6010B	Strontium		174			1	µg/L			184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Metals	SW-846:6010B	Strontium		164			1	µg/L			168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Metals	SW-846:6010B	Strontium		165			1	µg/L			135560	GU050400G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Metals	SW-846:6010B	Strontium		157			0.178	µg/L			113901	GU040500G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Metals	SW-846:6010B	Strontium		165			0.178	µg/L			103702	GU03120G09R01	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Metals	SW-846:6020	Uranium		1.8			0.05	µg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Metals	SW-846:6020	Uranium		1.8			0.05	µg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Metals	SW-846:6020	Uranium		1.7			0.05	µg/L			168378	GF060700G09R01	GELC
R-9	1731	684	05/15/01	WG	F	CS		Metals	SW-846:6020	Uranium		1.94				µg/L	N	NQ	8834R	GW09-01-0006	GELC
R-9	1731	684	04/10/07	WG	UF	CS	FD	Metals	SW-846:6020	Uranium		1.8			0.05	µg/L			184003	GU070400G09R20	GELC
R-9	1731	684	04/10/07	WG	UF	CS		Metals	SW-846:6020	Uranium		1.9			0.05	µg/L			184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Metals	SW-846:6020	Uranium		1.6			0.05	µg/L			168378	GU060700G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Metals	SW-846:6020	Uranium		1.75			0.02	µg/L			113901	GU040500G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Metals	SW-846:6020	Uranium		1.8			0.02	µg/L			103702	GU03120G09R01	GELC
R-9	1731	684	05/15/01	WG	UF	CS		Metals	SW-846:6020	Uranium		1.94				µg/L	N	NQ	8834R	GW09-01-0005	GELC
R-9	1731	684	04/10/07	WG	F	CS	FD	Metals	SW-846:6010B	Vanadium		11.1			1	µg/L			184003	GF070400G09R20	GELC
R-9	1731	684	04/10/07	WG	F	CS		Metals	SW-846:6010B	Vanadium		11.4			1	µg/L			184003	GF070400G09R01	GELC
R-9	1731	684	07/31/06	WG	F	CS		Metals	SW-846:6010B	Vanadium		10.8			1	µg/L			168378	GF060700G09R01	GELC
R-9	1731	684	04/10/07	WG	UF	CS	FD	Metals	SW-846:6010B	Vanadium		10.8			1	µg/L			184003	GU070400G09R20	GELC
R-9	1731	684	04/10/07	WG	UF	CS		Metals	SW-846:6010B	Vanadium		10.8			1	µg/L			184003	GU070400G09R01	GELC
R-9	1731	684	07/31/06	WG	UF	CS		Metals	SW-846:6010B	Vanadium		11.2			1	µg/L			168378	GU060700G09R01	GELC
R-9	1731	684	04/28/05	WG	UF	CS		Metals	SW-846:6010B	Vanadium		10.3			1	µg/L			135560	GU050400G09R01	GELC
R-9	1731	684	05/27/04	WG	UF	CS		Metals	SW-846:6010B	Vanadium		9.78			0.606	µg/L			113901	GU040500G09R01	GELC
R-9	1731	684	12/12/03	WG	UF	CS		Metals	SW-846:6010B	Vanadium		11.3			0.606	µg/L			103702	GU03120G09R01	GELC

# **Appendix E**

---

## *Screening Results*



The following pages provide (1) definitions for other codes, (2) laboratory qualifier codes, (3) secondary validation flag codes, and (4) secondary validation reason codes. Refer to each of these sets of codes while reviewing the tables in Appendix E.

**Definitions for Other Codes**

Field Prep Code	
Field Prep Code	Description
ASHED	Ashed
CRUSH	Crushed
F	Filtered
NA	Not Applicable
SV	Sieved
UA	Unassigned
UF	Unfiltered
UNK	Unknown
Field QC Type Code	
Field QC Type Code	Description
CO	Collocated
EQB	Equipment Blank
FB	Field Blank
FD	Field Duplicate
FPR	Field Prepared Reagent
FPS	Field Prepared Spike
FR	Field Rinsate
FS	Field Split
FTB	Field Trip Blank
FTR	Field Triplicate
INB	Equipment blank taken during installation and not assoc with a sampling event
ITB	Trip blank taken during installation and not assoc with a sampling event
NA	Not Applicable
PE	Performance Evaluation
PEB	Performance Evaluation Blank
PEK	Performance Evaluation Known
RES	Resample
SS	Special Sampling Event, Data Unique
UA	Unassigned

**Definitions for Other Codes (continued)**

Analyte Suite Code	
Suite Code	Description
DIOX/FUR	Dioxins and Furans
DRO	Diesel Range Organics
GENINORG	General Inorganics
HERB	Herbicides
HEXP	High Explosives
METALS	Metal
PEST/PCB	Pesticides and PCBs
RAD	Radionuclides
SVOA	Semivolatile Organics
VOA	Volatile Organics
Lab Sample Type Code	
Lab Sample Type Code	Description
BLIND	Blind QC
BS	Blank Spike
BSD	Blank Spike Duplicate
CS	Client Sample
DL	Dilution
DUP	Duplicate
LCS	Lab Control Sample
LCSD	Lab Control Sample Duplicate
LCST	Laboratory Control Sample Triplicate
MB	Method Blank
MBD	Method Blank Duplicate
MBT	Method Blank Triplicate
MS	Matrix Spike
MSD	Matrix Spike Duplicate
MSQD	Matrix Spike Quadruplicate
MSQT	Fifth Matrix Spike
MST	Matrix Spike Triplicate
QNT	Fifth Replicate
QUD	Quadruplicate
RE	Reanalysis
REDP	Reanalysis Duplicate
RETRP	Reanalysis Triplicate
RI	Reissue
RID	Reissue Duplicate
SXT	Sixth Replicate
TOTC	Calculated Total
TOTCD	Calculated Total for a Duplicate
TRP	Triplicate



### Laboratory Qualifier Codes

Lab Qualifier Code	Laboratory Qualifier Description
*	*(Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
**	** (Organic) and (Inorganic)—The result for this analyte in the Laboratory Control Sample analysis was outside acceptance criteria.
*E	*(Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES) - The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
ABJ	(A) (Organic)—The tentatively Identified compound is an aldol condensate. (B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (J) (Organic)—The reported analyte is a tentatively identified compound (TIC).
AJ	A (Organic)—The tentatively Identified compound is an aldol condensate. (J) (Organic)—The reported analyte is a tentatively identified compound (TIC).
B	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit.
B*	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit.* (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
B*E	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit.* (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
BE	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
BE*	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.* (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.

## Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
BEN	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic) - The result for this analyte in the matrix spike sample was outside acceptance criteria.
BEN*	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.* (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
BJ	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit. (J) (Organic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL).
BJN	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (J) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC).
BJP	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit. (J) (Organic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
BN	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.
BN*	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.* (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.

## Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
BNE	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
BP	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
BPX	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)— The result for this analyte should be regarded as not detected.
BW	(B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit. (W) (Inorganic GFAA CLP)—The result for this analyte in the postdigestion spike sample was outside acceptance criteria.
D	(D) (Organic)—The result for this analyte was reported from a dilution.
DJ	(D) (Organic)—The result for this analyte was reported from a dilution. (J) (Organic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL).
DP	(D) (Organic)—The result for this analyte was reported from a dilution. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
DPX	(D) (Organic)—The result for this analyte was reported from a dilution. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.

## Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
E	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.
E*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.* (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
EJ	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL).
EJ*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL).* (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
EJN	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.
EN	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.
EN*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)— The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.* (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
H	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.

## Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
H*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.* (Organic) and (Inorganic)—The result for this analyte in the Laboratory Control Sample analysis was outside acceptance criteria.
HJ	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. (J) (Organic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL).
HJ*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. (J) (Organic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL).* (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
I	(I) (DIOXIN)—The lab is reporting an interference for the associated congener. The reported concentration is an Estimated Maximum Possible Concentration (EMPC) due to the reported interference.
J	(J) (Organic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL).
J*	(J) (Organic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL).* (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
JN	(J) (Organic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.
JN*	(J) (Organic/Inorganic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.* (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
JP	(J) (Organic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
JPX	(J) (Organic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL). (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromatography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
JX	(J) (Organic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL). (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.

## Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
L	(L) (Inorganic)—The result for this analyte in the serial dilution sample indicates physical and chemical interferences are present.
LT	(LT) (Rad)—The result for this analyte is affected by spectral interference.
N	(N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic) - The result for this analyte in the matrix spike sample was outside acceptance criteria.
N*	(N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.* (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
P	(P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference.
PJ	(P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (J) (Organic/General Inorganics)—The result for this analyte was greater than the Method Detection Limit (MDL) but less than the Practical Quantitation Limit (PQL).
PX	(P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary GC columns were greater than 25% difference. (P) (SW-846 EPA Method 8310 High Pressure Liquid Chromotography, HPLC results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
Q	(Q)—The result for this analyte was reported at an elevated reporting limit.
SI	(SI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification due to spectral interference.
SQ	(SQ) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification due to spectral interference.
TI	(TI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification due to spectral interference.
U	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit.
U*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit.* (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
UE	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative.

## Laboratory Qualifier Codes (continued)

Lab Qualifier Code	Laboratory Qualifier Description
UEN	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICP-AES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.
UH	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.
UH*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.* (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
UI	(UI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification.
UJ	(UJ) (Organic)—Legacy CST lab code should not be used.
UL	UL (all suites)—Not detected legacy—This lab qualifier code is applied by WQ personnel for CST data and other legacy data that was reported as not detected using the less than symbol without the laboratory assigning a U lab code.
UN	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.
UN*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike sample was outside acceptance criteria.* (Inorganic)—The result for this analyte in the Laboratory Replicate analysis was outside acceptance criteria.
UUI	(UUI) (Rad)—Gamma spectroscopy result should be regarded as an uncertain identification and the lab assigned these gamma spectroscopy results as not detected.
UW	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (W) (Inorganic GFAA CLP)—The result for this analyte in the postdigestion spike sample was outside acceptance criteria.
UY2	(UY2) (Rad)—Result should be regarded as an uncertain identification due to spectral interference.
W	(W) (Inorganic GFAA CLP)—The result for this analyte in the postdigestion spike sample was outside acceptance criteria.
X	(X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
XB	(X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected. (B) (Organic)—This analyte was detected in the associated Laboratory Method Blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the Instrument Detection Limit but less than the Contract Required Detection Limit.

### Secondary Validation Flag Codes

Valid Flag Code	Valid Flag Desc
A	The contractually required supporting documentation for this datum is absent.
GUP	Matrix and Units are inconsistent
IUP	Matrix and Units are inconsistent A
J	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual.
J+	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual with a potential positive bias.
J-	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual with a potential negative bias.
JN+	Presumptive evidence of the presence of the material at an estimated quantity with a suspected positive bias.
JN-	Presumptive evidence of the presence of the material at an estimated quantity with a suspected negative bias.
JPM	The analyte is classified as detected but the reported concentration value is expected to be more uncertain than usual. Manual review of raw data are recommended to determine if the observed noncompliances with quality acceptance criteria adversely impacts data use.
LIMIT	The limit type is uncertain.
MS	Invalid validation flag. MS indicates a laboratory matrix spike sample.
MSD	Invalid validation flag. MSD indicates a laboratory matrix spike duplicate sample.
N	Presumptive evidence of the presence of the material.
NJ	(Organic)—Analyte has been tentatively identified and the associated numerical value is estimated based upon 1:1 response factor to the nearest eluting internal standard
NQ	No validation qualifier flag is associated with this result, and the analyte is classified as detected.
NUP	Matrix and Units are inconsistent B
P	Use professional judgment based on data use. A decision must be made by the project manager or a delegate with regard to the need for further review of the data. This review should include some consideration of potential impact that could result from using the P-qualified data.
PM	Manual review of raw data is recommended to determine if the observed noncompliances with quality acceptance criteria adversely impacts data use.
R	The reported sample result is classified as rejected due to serious noncompliances regarding quality control acceptance criteria. The presence or absence of the analyte cannot be verified based on routine validation alone



**Secondary Validation Flag Codes (continued)**

Valid Flag Code	Valid Flag Description
RPM	The reported sample result is classified as rejected due to serious noncompliances regarding quality control acceptance criteria. The presence or absence of the analyte cannot be verified based on routine validation alone.
RUP	Matrix and Units are inconsistent C
U	The analyte is classified as not detected.
UA	Invalid validation flag of unknown meaning.
UJ	The analyte is classified as not detected, with an expectation that the reported result is more uncertain than usual.
VUP	Matrix and Units are inconsistent D

**Secondary Validation Reason Codes**

Valid Reason Code	Valid Reason Description
C12d	VOC_C12d
DR12a	ORGANIC_ODRO12a
DR3b	ORGANIC_ODRO3b
DR9a	ORGANIC_ODRO9a
G165b	GAMMA_GR165b
G165c	GAMMA_GR165c
G16b	GAMMA_G16b
G16bc	GAMMA_GR16bc
G16c	GAMMA_G16c
G3TPU	The sample result is less than or equal to three times the 1-sigma total propagated uncertainty.
G9a	GAMMA_G9a
G9ra	GAMMA_G9ra
GADM1	GAMMA_GADMIN1
GADMI	GAMMA_GADMIN1
GCZ	CST put zeros in the TPU field to indicate nondetects, therefore not detected (U).

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
GI16b	GAMMA_GI16b
GI16c	GAMMA_GI16c
GI16d	GAMMA_GI16d
GI4	GAMMA_GI4
GI5	GAMMA_GI5
GIQ	GIQ
GIR16	GAMMA_GIR16c
GJCST	Chemical Sciences and Technology validators assigned a J qualifier to this sample result. The hardcopy validation report should be reviewed to determine the reason for applying the J qualifier.
GJLAB	GJLAB_GAMMA
GLCS	The percent recovery from the laboratory control sample for this analyte was less than 10%.
GNONE	A reason code is not available in the database for the data qualifier(s) applied to this sample result.
GNPO	The reported result should be regarded as rejected because no peak was observed for this radionuclide in the gamma spectrum.
GNQ	The reported result should be regarded as rejected because the gamma spectrum peak was not quantitated.
GR1	The tracer yield information is missing. Data may not be acceptable for use.
GR10	GAMMA_GR10
GR10a	GAMMA_GR10a
GR11	GAMMA_GR11
GR15b	GAMMA_GR15b
GR15c	GAMMA_GR15c
GR16	GAMMA_GR16
GR165	GAMMA_GR165b
GR166	GAMMA_GR166
GR16a	GAMMA_GR16a
GR16b	GAMMA_GR16b
GR16c	GAMMA_GR16c
GR16d	GAMMA_GR16d

## Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
GR16g	GAMMA_GR16g
GR17c	GAMMA_GR17c
GR19	The validator identified quality deficiencies in the reported data that require qualification.
GR1a	The tracer %R value is less than 10%.
GR1c	The MDC for the affected analytes are qualified as estimated because the associated tracer recovery was less than 30% but greater than 10% and the result is a nondetect.
GR1d	The results for the affected analytes are qualified as estimated and biased high because the associated tracer yield was greater than 105%.
GR3	The matrix spike information is missing. Data may not be acceptable for use.
GR3a	ORGANIC_OGRO3a
GR3b	ORGANIC_OGRO3b
GR3c	ORGANIC_OGRO3c
GR3d	ORGANIC_OGRO3d
GR3e	The results for the affected analytes are qualified as estimated and biased low because the associated matrix spike recovery was less than the LAL but greater than 10%, and the results are nondetect.
GR4	GAMMA_GR4
GR4a	The results for the affected analytes should be regarded as not detected (U) because the associated sample concentration is less than or equal to 5x the associated sample concentration.
GR5	GAMMA_GR5
GR54	GAMMA_GR54
GR5a	The MDC and/or TPU documentation is missing. Data may not be acceptable for use.
GR5b	GR5b
GR6	GAMMA_GR6
GR6a	GR6a
GR6b	The results for the affected analytes should be regarded as rejected because the LCS %R was less than 10%.
GR6c	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are detected.
GR6d	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are nondetect.

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
GR6e	GR6e
GR7	GAMMA_GR7
GR7a	The results for the affected analytes are qualified as estimated because the associated duplicate results were prepared separately from the original analysis.
GR7b	GAMMA_GR7b
GR7c	The affected analytes are qualified as rejected because the RER was greater than 4.
GR8	GAMMA_GR8
GR9	GAMMA_GR9
GR9a	GAMMA_GR9a
GR9b	GAMMA_GR9b
GRA	GAMMA_GRA
GRLAB	R Lab Gamma
GRNA	GAMMA_GRNA
GRR16	GAMMA_GRR16c
GRR1b	GAMMA_GRR1b
GRR6c	GAMMA_GRR16c
GSI	The reported result for this radionuclide should be regarded as rejected (R) due to spectral interference in the gamma spectrum.
GTI	The reported result should be regarded as rejected because the radionuclide identification based on the gamma spectrum is tentative.
GUJC	This analyte should be regarded as not detected because the analytical laboratory assigned a U lab qualifier. Chemical Sciences and Technology validators assigned the J qualifier. The hardcopy validation report should be reviewed to determine the reason for applying the J qualifier.
GULAB	This analyte should be regarded as not detected because the analytical laboratory assigned a U lab qualifier.
GUP_R	Gamma: Units and matrix inconsistent.
GZR	The result for this radionuclide was reported as zero (0); therefore, this analyte should be regarded as not detected.
GZUNC	Chemical Sciences and Technology division reported this result with an uncertainty value of zero (0), indicating that this analyte should be regarded as not detected.
G_LIA	The sample was lost in analysis. Results are not available for this sample.
G_MDA	The limit type (e.g., MDA, MDC, or DLC) was not reported by the analytical laboratory; the reported limit value has been saved in the MDA field.
G_NQ	No data qualifier flag has been applied to this sample result.

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
G_TPU	Result less than or equal to 3 * 1-sigma TPU, therefore not detected (U).
H10	The affected analytes are considered suspect because the sample was diluted without any target analytes identified due to matrix interference.
H11	The required retention time information is missing. Data may not be acceptable for use.
H11a	The affected analytes should be regarded as rejected because the associated retention times have shifted by more than 0.05 minutes from the initial calibration.
H12	Required LCS data are missing. The LCS analyte recoveries could not be evaluated. Data may not be acceptable for use.
H12a	H12a
H12b	HEXP_H12b
H12c	HEXP_H12c
H12d	HEXP_H12d
H14a	Insufficient sample volume was received for a matrix spike and/or a matrix spike duplicate analysis.
H14b	The matrix spike and/or the matrix spike duplicate analyses were not performed on a sample associated with a LANL request number.
H14c	The matrix spike and/or the matrix spike duplicate were analyzed on a sample associated with a different LANL request number but no summary was included.
H15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
H16	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
H19	The validator identified quality deficiencies in the reported data that require qualification.
H3	The surrogate percent recovery is greater than the UAL, which indicates the potential for a high bias in the results and the potential for false positive results
H3a	The surrogate percent recovery is less than the LAL but greater than 10%R, which indicates the potential for a low bias in the detected results.
H3b	The surrogate is less than 10%R, which indicates the potential for a severely low bias in the results.
H3c	The reporting limit is approximated for nondetects because a surrogate percent recovery is lower than the LAL but greater than or equal to 10%R, which indicates an increased potential for false negative results.
H3d	The surrogate recovery is less than 10% and the result is a nondetect, which indicates significant potential for false negative results.
H3e	At least one surrogate percent recovery exceeds its upper UAL and at least one surrogate is less than its LAL, which indicates a greater than normal degree of uncertainty in the data.
H3f	At least one surrogate is less than 10%R and the sample result is a detect, which indicates the potential for a severely low bias in the results.
H3g	Required surrogate information is missing. Data may not be acceptable for use.

### Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
H4	The sample result is greater than the EQL and less than five times the concentration of the related analyte in the blank, which indicates that the reported detection is considered indistinguishable from blank contamination.
H4a	The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was greater than 5x.
H4b	Required method blank information is missing. Data may not be acceptable for use.
H5	The sample result is less than the EQL and less than five times the concentration of the analyte in the method blank, which indicates the reported detection is considered indistinguishable from contamination in the blank.
H5a	Method-blank data is missing, or method blank was not analyzed. Data may not be acceptable for use.
H6	The recovery of the LCS analyte is greater than the UAL, which indicates the potential for high bias in the results and for false positive results.
H6a	HEXP_H6a
H6b	The of the LCS analyte percent recovery is less than the LAL and greater than or equal to 10%R, which indicates (1) the reporting limit is approximate and probably biased low for nondetected results, and (2) that detected results likely are biased low.
H6c	H6c
H6d	The result is a nondetect and the %R value of surrogates or the analyte in the LCS is less than 10%R, which indicates a greatly increased potential for false negative results.
H7	The affected results were not analyzed with a valid 5 point calibration curve and/or a standard at the reporting limit.
H7a	HEXP_H7a
H7c	The affected analytes should be regarded as estimated and/or rejected because the associated analyte did not have a standard at the reporting limit.
H8	HEXP_H8
H8a	The required confirmation column analysis data is missing. Data may not be acceptable for use.
H9	The holding time is exceeded. The data user should conduct a technical evaluation of the data of interest with respect to the effects of exceeding the holding time. Factors to consider include how long the holding time was exceeded, sample preservation, sample storage practices, use of the data, levels of contamination found in the sample, and the physical, chemical, and biological stability of the target analytes in the sample matrix.
H9a	H9a
H9b	HEXP_H9b
HEQLM	The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
HERB	ORGANIC_HERB 3A
HERB1	ORGANIC_HERB12A
HERB3	ORGANIC_HERB3

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
HERB4	ORGANIC_HERB4
HERB8	ORGANIC_HERB8
HERB9	ORGANIC_HERB9
HHOLD	The result should be regarded as rejected (R) because the holding time was exceeded by more than 2 times.
HJCST	CST assigned the J qualifier, need hard-copy to determine CST's reason.
HNONE	No reason for historic HEXP data.
HNQ	HNQ
HQCBL	The J or R qualifier should not be accepted because the qualifier was assigned by CST based on a noncertified standard. The J or R qualifier should be ignored.
HR12a	ORGANIC_HERB12A
HR12b	ORGANIC_HERB12B
HR12c	ORGANIC_HERB12C
HR12d	ORGANIC_HERB12D
HR3a	ORGANIC_HERB 3A
HR3b	ORGANIC_HERB 3D
HR3d	ORGANIC_HERB3D
HR9	ORGANIC_HERB 9
HRLAB	R Lab HEXP
HSM	HEXP_SPECTRAL MATCH
HUJCS	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier. CST assigned the J qualifier, need hard-copy to determine CST's reason.
HUJL	HUJL
HUJLA	HUJLA_HEXP
HULAB	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier.
HWQ1	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
HWQ10	Calibration Verification %D exceeded 60%
HWQ2	The spike percent recovery value is greater than or equal to the upper acceptance limit and the result is a detect, which indicates a potential high bias in the sample results.

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
HWQ3	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
HWQ4	The spike percent recovery value is less than 10% which increases the potential for false negatives being reported. This could be caused by analytical interferences.
HWQ5	Non-specified quality control failure; see validation report
HWQ6	The sample was improperly preserved.
HWQ7	Calibration % RSD was greater than the acceptance criteria but less than 60%
HWQ8	Calibration % RSD was greater than 60%
HWQ9	Calibration verification %D exceeded acceptance criteria but was less than 60%
Hba	HEXP_Hba
I	INORGANIC_I
I1	The sample result was reported as detected between the IDL and the EDL. Reported result may be less precise than results that are reported as being above the EDL.
I10	The duplicate sample RPD is greater than the advisory limit and the sample result is a detect. Manual review is suggested to determine the source of the difference between analyses.
I10a	The duplicate sample RPD is greater than the advisory limit and the sample result is a nondetect. Manual review is suggested to determine the source of the difference between analyses.
I10b	The affected analytes should be regarded as estimated because the duplicate results were not analyzed on a LANL sample.
I10c	The affected analytes should be regarded as estimated because the duplicate results exceeded the RPD requirements.
I10d	The affected analytes should be regarded as estimated because the duplicate results were greater than 2x the RL and the RPD was greater than 20 for water and 35 for soils.
I110	INORGANIC_I110
I113a	INORGANIC_I113a
I114b	INORGANIC_I114b
I13	INORGANIC_I13
I134b	INORGANIC_I134b
I13a	Insufficient sample volume was received for a duplicate-sample analysis.
I13b	The duplicate-sample analysis was not performed on a sample associated with this request number.
I13d	INORGANIC_I13d

November 2007

E-18

EP2007-0670

Periodic Monitoring Report for Los Alamos Watershed



**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
I14	I14
I14a	Insufficient sample volume was received for a matrix-spike analysis.
I14b	The matrix-spike analysis was not performed on a sample associated with this request number.
I15	The sample was damaged, lost, or there was insufficient quantity and the analytical laboratory was unable to analyze it.
I15a	An ICV was not reported for this sample.
I15b	A CCV was not reported for this sample.
I16	Relative percent difference is greater than 10% in the serial dilution sample.
I16a	The affected analytes should be regarded as rejected because the ICV/CCV recovered high.
I16b	INORGANIC_I16b
I16c	The affected analytes should be regarded as estimated because the ICV/CCV recovered low.
I16d	The affected analytes should be regarded as rejected because the ICV/CCV recovered less than 10%.
I16e	The affected analytes should be regarded as rejected because the initial calibrations correlation coefficient was less than 0.995
I16z	The affected analytes should be regarded as rejected because the ICV/CCV was not analyzed with the associated samples.
I17d	INORGANIC_I17d
I18	The affected analytes should be regarded as estimated because a serial dilution sample was not analyzed.
I18a	The affected analytes should be regarded as estimated because a serial dilution sample was not analyzed on a LANL sample.
I18b	The affected analytes should be regarded as estimated because the serial dilution sample RPD exceeded criteria.
I19	INORGANIC_I19
I1a	INORGANIC_I1a
I20	INORGANIC_I20
I24b	INORGANIC_I24b
I2h	INORGANIC_I2h
I3	The spike percent recovery value is greater than or equal to the upper acceptance limit (125%) but less than or equal to 150% and the result is a detect, which indicates a potential high bias in the sample results.
I3a	The spike percent recovery value is greater than 30% and less than the lower acceptance limit (75%), and the sample result is a detect, which indicates a potential low bias in the results.
I3b	INORGANIC_I3b

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
I3c	INORGANIC_I3c
I3d	The spike percent recovery value is less than 30%, and the result is a nondetect, which increases the potential for false negatives being reported. This could be caused by analytical interferences.
I3e	The spike percent recovery value is greater than 30% and less than the lower acceptance limit (75%), and the sample result is a nondetect, which indicates a potential for false negatives being reported.
I3e I	INORGANIC_I3e I4
I3eI4	INORGANIC_I3e I4
I3f	The spike percent recovery value is less than 30% and the sample result is a detect, which indicates a potential low bias.
I3g	The sample result is undetected and the spike percent recovery value is greater than 150%, which indicates a potential bias in the sample result.
I3h	The sample result is detected and the spike percent recovery value is greater than 150%, which indicates a potential high bias in the sample result.
I3j	INORGANIC_I3j
I3I	INORGANIC_I3I
I4	INORGANIC_I4
I4a	In comparison with the preparation blank, the sample result is greater than the EDL but less than or equal to 5 times the concentration of the related analyte in the blank.
I4b	Preparation blank data were not reported by the analytical laboratory.
I5	The sample result is less than the estimated detection limit (EDL) and is considered to be not detected.
I6	The percent recovery value of the analyte in the LCS is greater than the upper acceptance limit, which indicates a potential for quantitation problems in the analyses and the potential for false positive results being reported.
I6a	The percent recovery value of the analyte in the LCS is less than the lower acceptance limit and the analyte is a detect, which indicates a potential for quantitation problems in the analyses and the potential for false negative results being reported.
I6b	The percent recovery value of the analyte in the LCS is less than the lower acceptance limit and the analyte is a nondetect, which indicates a potential for quantitation problems in the analyses and the potential for false negative results being reported.
I6c	The corresponding LCS or LCS analyte was not analyzed with the associated batch.
I7	The ICS percent recovery value is greater than 120% and the result is a detect, which indicates potential quantitation problems in the analyses and the potential for false positive results being reported.
I7a	The ICS percent recovery value is greater than or equal to 50% and less than 80% and the result is a detect, which indicates a potential for a low bias.
I7b	The ICS percent recovery value is less than 50%, which indicates a greatly increased potential for false negative sample results being reported.

## Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
I7c	The ICS percent recovery value is greater than or equal to 50% and less than 80%, and the result is a nondetect, which indicates a potential for false negative results being reported.
I7d	The ICS data was not provided by the analytical laboratory.
I9	The holding time is exceeded. Positive results may be biased low and nondetected analytes may be false negatives. An evaluation of the data with respect to the technical implications of exceeding the holding time is recommended. Factors to consider include sample preservation; sample storage practices; data use; levels of contamination found in the sample; and the physical, chemical, and biological stability of the target analytes in the sample matrix.
I9a	The affected analytes should be regarded as estimated because the extraction holding time was exceeded by 2 times the acceptable holding time.
IADM1	INORGANIC_IADMIN1
IADMI	INORGANIC_IADMIN1
ICSTZ	CST put zeros in the TPU field to indicate nondetects, therefore not detected (U).
IDRPD	IDRPD
IEQL	INORGANIC_IEQL/MDL
IEQL/	INORGANIC_IEQL/MDL
IH6a	INORGANIC_IH6a
IHOLD	IHOLD
IICP	IICP
IJCST	CST assigned the J qualifier, need hard copy to determine CST's reason.
IJLAB	IJLAB
ILCS	ILCS
ILIA	ILIA
ILOWS	VOC_LOWSTD
ILS	VOC_LOW STD
IMS10	IMS10
IMS30	IMS30
INONE	No reason for historical inorganic data
INQ	INQ
IPM	INORGANIC_IPM

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
IQCBL	IQCBL
IR10b	INORGANIC_IR10b
IR14b	INORGANIC_IR14b
IR3	INORGANIC_IR3
IR3a	INORGANIC_IR3a
IR4	INORGANIC_IR4
IR5	INORGANIC_IR5
IR6a	INORGANIC_IR6a
IR7	INORGANIC_IR7
IR9a	INORGANIC_IR9a
IR9b	INORGANIC_IR9b
IRCST	CST assigned the R qualifier, need hard-copy to determine CST's reason.
IU1	INORGANIC_IU1
IU3e	INORGANIC_IU3e
IUA	INORGANIC_IUA
IUJCS	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier. CST assigned the J qualifier, need hard copy to determine CST's reason.
IUJLA	IUJLA
IULAB	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier.
IUP_R	Inorganic: Units and matrix are inconsistent.
IUUJ	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier. CST assigned the J qualifier, need hard-copy to determine CST's reason.
IV3a	INORGANIC_IV3a
IWQ1	The sample temperature was elevated
IWQ2	Negative blank samples results were greater than the MDL
IWQ3	Failed serial dilution RPD
IWQ4	Sample should have been preserved by acidification but was not. Error was not corrected at the laboratory.

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
IWQ5	Sample should not have been acidified but was. Error could not be corrected at the laboratory.
IWQ6	Nonspecified quality control failure; see validation report
IWQ7	Reporting limit verification recovery was greater than the acceptance criteria.
IZR	IZR
Id	INORGANIC_Id
Is	INORGANIC_Is
J+	VOC_J+
J-	VOC_J-
J_LAB	The analytical laboratory qualified the detected result as estimated (J) because the result was less than the PQL but greater than the MDL.
LB	Gross contamination exists from a source other than the standard.
LB1	Method-blank data are missing, or method blank was not analyzed at the required frequency.
LB2	ICB/CCB data are missing, or ICB/CCB was not run at the required frequency.
LB9	The sample result is less than 5 times the concentration of the related analyte in the blank.
LC1	The frequency of the CCV did not meet method criteria.
LC2	The CCV %D failed high.
LC3	The CCV %D failed low.
LCO	Suspected carryover. Compound detected in sample at value < 5X PQL. The previous sample had a value >high standard and required dilution.
LDL1	No CRI was analyzed to verify the reporting limit.
LDL2	The CRI recovery failed high.
LDL3	The CRI recovery failed low.
LDS1	An initial dilution was performed and the surrogate recovery was >= 10% OR <10% but some sample results are >PQL.
LDS2	An initial dilution was performed and the surrogate recovery was 0% and sample results are nondetect.
LDS3	The sample result in a diluted sample was nondetect.
LDS4	The instrument response for a diluted sample result was < half the lowest calibration standard and the sample result is detect.
LH1	The holding time is exceeded for sample analysis
LH2	The holding time is exceeded for sample extraction
LH3	The holding time is exceeded by greater than twice the specified holding time

EP2007-0670

E-23

November 2007

Periodic Monitoring Report for Los Alamos Watershed

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
LI1	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
LI2	A second source ICV (or second standard made from the same stock) was not used to verify the Ical.
LI3	The initial calibration %RSD or correlation coefficient failed to meet acceptance criteria.
LI4	The initial calibration slope or RF criteria were not met.
LI5	The initial calibration y-intercept criteria were not met.
LI6	An insufficient number of calibration standards were used and/or all standards were not analyzed within a 24-hour period. Data may not be acceptable for use.
LI7	Points were removed from the calibration curve and the reporting limits were not adjusted accordingly.
LIR1	Chorine isotope ratio criteria not met.
LIS	Required IS information is missing.
LIS1	The IS area count failed high.
LIS2	The IS area count failed low.
LIS4	The IS RT is >30sec from that of the associated standard.
LIV2	The ICV %D failed high.
LIV3	The ICV %D failed low.
LL1	The frequency of the LCS did not meet the specified criteria.
LL2	The LCS %R failed high.
LL3	The LCS %R failed low.
LL4	The LCS %Rs failed both high and low, or the LCS/LSCD RPD failed to meet criteria.
LMS1	An applicable MS/MSD analysis was not performed.
LMS2	The MS/MSD %R failed high.
LMS3	The MS/MSD %R failed low.
LMS4	Relative percent difference of the MS/MSD is greater than the acceptance criteria or the recoveries fail both high and low.
LOW S	VOC_LOW STD
LOWST	VOC_LOWSTD
LP1	The sample was improperly preserved.
LP3	Sample not maintained at required temperature

November 2007

E-24

EP2007-0670

Periodic Monitoring Report for Los Alamos Watershed

## Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
LR1	The sample result exceeded the calibration range.
LR2	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
LRP1	There is no measure of precision for the sample, i.e., no replicate, MSD or LCSD was performed.
LRP2	The replicate precision criteria are not met.
LS	Required surrogate information is missing. Data may not be acceptable for use.
LS1	Surrogate failed high.
LS2	Surrogate failed low.
LS4	The surrogate %R in the blank did not meet acceptance criteria.
LWQ1	specified quality control failure; see report
MDL	ORGANIC_OEQL/MDL
N3TPU	NONE_<3*TPU Result less than or equal to 3 * 1-sigma TPU, therefore not detected (U).
NJCST	NONE_J_CST
NJLAB	NONE_J_LAB
NND	NONE_NONDETECT
NNQ	NONE_NQ
NQ	The analytical laboratory did not qualify the analyte as not detected and/or any other standard qualifier. The analyte is detected in the sample.
NS12a	SVOC_SVV12a
NS12c	SVOC_SVV12c
NS1a	SVOC_SVVS1a
NUA	NONE_NUA
NULAB	NONE_U_LAB This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier.
NUP_R	Units and matrix are inconsistent.
O12d	ORGANIC_OSV12d
O5XBL	ORGANIC_O5XBLANK
ODRO1	ORGANIC_ODRO12a
ODRO3	ORGANIC_ODRO3
ODRO4	ORGANIC_ODRO4

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
ODRO5	ODRO5_ORGANIC
ODRO7	ODRO7_ORGANIC
ODRO9	ORGANIC_ODRO9
OEQL/	ORGANIC_OEQL/MDL
OGR3b	OGR3b_ORGANIC
OGR3c	OGR3c_ORGANIC
OGRO3	ORGANIC_OGRO3
OGRO7	OGRO7_ORGANIC
OGRO9	ORGANIC_OGRO9
OH12b	ORGANIC_OH12b
OH9	ORGANIC_OH9
OI3	ORGANIC_OI3
OI4	ORGANIC_OI4
OI9	ORGANIC_OI9
ONONE	ORGANIC_ONONE
ONQ	ONQ
OP12a	ORGANIC_OP12a
OP12b	ORGANIC_OP12b
OP3	ORGANIC_OP3
OP3a	ORGANIC_OP3a
OP3b	ORGANIC_OP3b
OP3c	ORGANIC_OP3c
OP3d	ORGANIC_OP3d
OP4	ORGANIC_OP4
OP5	ORGANIC_OP5
OP6	ORGANIC_OP6
OP7	ORGANIC_OP7



**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
OP7a	ORGANIC_OP7a
OP9	ORGANIC_OP9
OP9a	OP9a Organic
OPa	ORGANIC_OPa
OR1	INORGANIC_OR1
OSIN	ORGANIC_OSIN
OSV12	ORGANIC_OSV12d
OSV1a	ORGANIC_OSV1a
OSV3	ORGANIC_OSV3
OSV3a	ORGANIC_OSV3a
OSV4	ORGANIC_OSV4
OSV4a	ORGANIC_OSV4a
OSV7	ORGANIC_OSV7
OSV7a	ORGANIC_OSV7a
OSV9	ORGANIC_OSV9
OUJLA	O_UJ_LAB
OULAB	O_U_LAB This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier.
OV3	OV3
OV36	ORGANIC_OV36
OV3a	ORGANIC_OV3a
OV3b	ORGANIC_OV3b
OV3c	ORGANIC_OV3c
OV4	INORGANIC_OV4
OV7	ORGANIC_OV7
OV7a	ORGANIC_OV7a
OV9	ORGANIC_OV9

### Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
P10	The breakdown criteria have been exceeded, which indicates poor instrument performance, which can result in a low bias in the reported results and potential the labile compounds Endrin and 4,4'-DDT.
P10a	The breakdown criteria have been exceeded, which indicates poor instrument performance, which can result in a high bias in the reported results and potential false positive results for the breakdown products Endrin ketone, Endrin aldehyde, DDD, and DDE.
P10b	The breakdown recovery data are missing. The analyte breakdown could not be evaluated.
P10c	The affected analytes are considered suspect because the sample was diluted without any target analytes identified due to matrix interference.
P11	The surrogate retention time has shifted by more than 0.05 min, possibly affecting analyte identification and causing false positives or negatives to be reported.
P11a	The surrogate recovery data are missing. Surrogate recoveries could not be evaluated.
P11b	The affected analytes are considered estimated because the confirmed analytes was outside the retention time windows.
P12	The LCS data are missing. The LCS analyte recoveries could not be evaluated.
P12a	The LCS analyte is less than 10%R, which indicates the potential for a severely low bias in the results.
P12b	The LCS analyte is greater than 10%R but less than the LAL, which indicates the potential for a low bias in the results.
P12c	The result is a nondetect and the LCS analyte is greater than 10%R but less than the LAL, which indicates the potential for false negative results.
P12d	The LCS analyte %R value is greater than the UAL, which indicates the potential for high bias in the results and for false positive results.
P13	The Florisil cleanup not conducted; interferences may have increased analytical uncertainty and the potential for both false positives and false negatives.
P13a	The GPC cleanup was not conducted on this soil sample; interferences may have increased analytical uncertainty and the potential for both false positives and false negatives.
P13b	The appropriate cleanup was not conducted; interferences may have increased the analytical uncertainty and the potential for both false positives and false negatives. Examples of required cleanups are sulfur contamination (sulfur cleanup required), interferences in PCB samples (sulfuric acid cleanup required), and high molecular weight interferences in water samples (GPC cleanup required).
P14a	Insufficient sample volume was received for a matrix spike and/or a matrix spike duplicate analysis.
P14b	The matrix spike and/or the matrix spike duplicate analysis were not performed on a sample associated with a LANL request number.
P14c	The matrix spike and/or the matrix spike duplicate were analyzed on a sample associated with a different LANL request number but no summary was included.
P15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
P16	Required continuing calibration information is missing. Data may not be acceptable for use.
P19	The validator identified quality deficiencies in the reported data that require qualification.

### Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
P23B	P23B
P3	The surrogate %R value is greater than the UAL, which indicates the potential for a high bias in the results and a potential for false positive results.
P3a	The surrogate is greater than 10%R but less than the LAL, which indicates the potential for low bias in the results.
P3b	The surrogate is less than 10%R, which indicates the potential for a severely low bias in the results.
P3c	The result is less than the EQL and the surrogate %R value is greater than 10 % but less than the LAL, which indicates a potential for false negative results being reported.
P3d	The result is less than the EQL and the surrogate less than 10%R, which indicates a significant potential for false negative results.
P3e	One surrogate recovery is greater than the UAL and one surrogate recovery is less than the LAL, which indicates increased uncertainty in reported results.
P3f	The surrogate information is missing. Data may not be acceptable for use.
P4	The sample result is a detect but less than 5 times the concentration of the related analyte in the blank, which indicates that the reported detection is considered indistinguishable from blank contamination.
P46	PESTPCB_P46
P4a	The method blank or instrument blank documentation is missing.
P4b	The surrogate information is missing. Data may not be acceptable for use.
P5	PESTPCB_P5
P6	PESTPCB_P6
P7	The percent relative standard deviation (%RSD) or percent difference (%D) exceeds the applicable acceptance criterion, which indicates potential quantitation problems in the analyses and the potential for false negative results.
P77	The affected analytes are considered estimated because the associated continuing calibration standard was not analyzed within 72 h of the initial analysis. This is for multicomponent analytes.
P7a	The multicomponent analyte standard was not analyzed within 72 h of a multicomponent analyte detection. Quantitation of the multicomponent detection in the sample may not be accurate.
P7b	PESTPCB_P7b
P7c	PESTPCB_P7c
P8	This analyte should be regarded as not detected because it was not confirmed on a second dissimilar column.
P8a	The required confirmation column analysis data is missing. Data may not be acceptable for use.
P9	The holding time is exceeded. The data user should conduct a technical evaluation of the data of interest with respect to the impact of exceeding

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
	the holding time. Factors to consider include sample preservation, sample storage practices, use of the data, levels of contamination found in the sample, and the physical, chemical, and biological stability of the target analytes in the sample matrix.
P913	PESTPCB_P913
P9a	The affected analytes should be regarded as estimated because the extraction holding time was exceeded by 2 times the acceptable holding time.
P9b	The results for the affected analytes are rejected because the analytical holding time was exceeded.
PC	PESTPCB_PC
PEQL	P_EQL/MDL The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
PHOLD	P_HOLD_TIME
PJCST	P_J_CST
PJLAB	PJLAB_PESTPCB
PLIA	P_LIA
PNONE	No reason for historic AROCLOR data.
PNQ	P_NQ
PQCBL	P_QC_BLIND
PS10	P_Surr < 10%
PUJCS	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier. CST assigned the J qualifier, need hard-copy to determine CST's reason.
PUJLA	P_U_LAB
PULAB	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier.
PV3	PESTPCB_PV3
PV4	PESTPCB_PV4
PWQ1	No MS/MSD data was included in the data package.
PWQ10	Calibration verification %D exceeded acceptance criteria but was less than 60%
PWQ11	Calibration Verification %D exceeded 60%
PWQ2	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
PWQ3	The spike percent recovery value is greater than or equal to the upper acceptance limit and the result is a detect, which indicates a potential high bias in the sample results.
PWQ4	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.

November 2007

E-30

EP2007-0670

### Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
PWQ5	The spike percent recovery value is less than 10% which increases the potential for false negatives being reported. This could be caused by analytical interferences.
PWQ6	Non-specified quality control failure; see validation report
PWQ7	The sample was improperly preserved.
PWQ8	Calibration % RSD was greater than the acceptance criteria but less than 60%
PWQ9	Calibration % RSD was greater than 60%
R 6B	RAD_R 6B
R1	The tracer /carrier %R value is < 10%.
R10	RAD_R10
R10a	RAD_R10a
R10b	RAD_R10b
R11	The results for the affected analytes should be regarded as not-detected (U) because the associated sample concentration was less than 3x the 1 sigma TPU.
R11a	RAD_R11a
R11b	RAD_R11b
R11c	RAD_R11c
R11d	RAD_R11d
R14	RAD_R14
R14a	Insufficient sample volume was received for a matrix-spike analysis.
R14b	The matrix-spike analysis was not performed on a sample associated with this RN
R16	RAD_R16
R16a	Result is greater than the MDC for the following fission and activation products with half-lives less than 365 days: Ce-144, Co-57, Mn-54, Pa-233, Se-75, and Zn-65.
R16b	Result is greater than the MDC for the following radionuclides not reliably measured by gamma spectroscopy: Ac-228, Ba-140, Bi-212, I-129, La-140, Np-237, Pa-231, Pa-234, Pb-210, Pb-211, Ra,-223, Ra-224, Ra-226, and Rn-219.
R16c	Result is greater than the MDC for the following naturally occurring radionuclides that are reliably measured by gamma spectroscopy and that can provide an indication of the quality of the gamma spectroscopy measurement: Bi-211, Bi-214, K-40, Pb-212, Pb-214, Th-227, Th-234, Tl-208, and annihilation radiation.

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
R16d	Result is greater than the MDC for the following six radionuclides typically used by the analytical labs in their LCSs for instrument calibration and checks on instrument performance: Cd-109, Ce-139, Hg-203, Sn-113, Sr-85, and Y-88.
R19	The validator identified quality deficiencies in the reported data that require qualification.
R1a	The tracer %R value is 10-30% inclusive and the sample result is greater than the MDA.
R1b	The tracer %R value is 10-30% inclusive and the sample result is less than the MDA.
R1c	The MDC for the affected analytes are qualified as estimated because the associated tracer recovery was less than 30% but greater than 10% and the result is a nondetect.
R1d	The results for the affected analytes are qualified as estimated and biased high because the associated tracer yield was greater than 105%.
R1e	The tracer/carrier %R value is not reported.
R1x	The tracer %R value is less than 10%.
R1z	The tracer %R value is less than 30% but greater than 10% and the sample result is a detect.
R3	The matrix spike %R value is greater than the upper limit and the sample result is greater than the MDA.
R3TPU	P_UJ_LAB
R3a	The matrix spike %R value is less than the lower limit and the sample result is greater than the MDA.
R3b	The matrix-spike %R value is less than 10% and the result is not-detected.
R3c	The matrix spike %R value is less than the lower limit and the sample result is less than the MDA.
R3d	The results for the affected analytes are qualified as estimated and biased low because the associate matrix spike recovery was less than the LAL but greater than 10%, and the results are detected.
R3e	The results for the affected analytes are qualified as estimated and biased low because the associate matrix spike recovery was less than the LAL but greater than 10%, and the results are nondetect.
R4	The sample result is greater than the MDA but less than 5 times the amount found in the blank.
R4a	The results for the affected analytes should be regarded as not-detected (U) because the associated sample concentration is less than or equal to 5x the associated sample concentration.
R4b	Blank data is either missing from or not reported in the data record package.
R4z	The method blank information is missing. The data may be acceptable for use.
R5	Analyte is not detected because the amount reported is less than the MDC.
R5a	The MDC and/or TPU documentation is missing. Data may not be acceptable for use.
R5b	This analyte should be regarded as rejected because spectral interferences prevents positive identification of the analytes.

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
R6	Recovery of the analyte in the LCS is greater than the upper limit and the analyte result is greater than the MDA.
R6a	Recovery of analyte in the LCS is less than the lower limit and the analyte is greater than the MDA in the sample.
R6b	The results for the affected analytes should be regarded as rejected because the LCS %R was less than 10%.
R6c	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are detected.
R6d	The results for the affected analytes are qualified as estimated and biased low because the associated LCS was less than the LAL but greater than 10%, and the results are nondetect.
R6e	The LCS data is missing from the data record package.
R7	The duplicate information is missing. Data may not be acceptable for use.
R7a	The results for the affected analytes are qualified as estimated because the associated duplicate results were prepared separately from the original analysis.
R7b	The duplicate and sample results have a DER (duplicate error ratio) that is greater than 2.0.
R7c	The affected analytes are qualified as rejected because the RER was greater than 4
R8	RAD_R8
R9	The results for the affected analytes should be regarded as estimated because the holding time was exceeded.
R96	RAD_R96
R9a	The results for the affected analytes should be regarded as rejected because the holding time was exceeded by 2 times the method published holding times.
R9b	RAD_R9b
RA	R_Accidentally_
RB7	RAD_RB7
RC0TP	R_CST_ZERO_TPU
RC0UN	R_CST_0_UNC
RI14a	RAD_RI14a
RI14b	RAD_RI14b
RI3	RAD_RI3
RI3a	RAD_RI3a
RI4	RAD_RI4

Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
RI5	RAD_RI5
RI6	RAD_RI6
RIA	RAD_RIA
RIB	RAD_RIB
RJCST	R_J_CST
RJLAB	R_J_LAB
RLIA	R_LIA
RNONE	No reason for historic RAD data.
RNQ	R_NQ
RPA	RAD_RPA
RQCBL	RQCBL_RAD
RQCMX	R_Samp_QC_Mixed
RRLAB	R Lab RAD
RSQLP	RAD_SQLPLUR9B
RT30	R_Tracer < 30%
RUJCS	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier. CST assigned the J qualifier, need hard-copy to determine CST's reason.
RUJLA	RUJLA_RAD
RULAB	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier.
RUP_R	RAD: Units and matrix inconsistent.
RWQ1	Planchets were flamed
RWQ2	Result values are less than 3 times the MDC
RWQ3	Less than the negative MDC
RWQ4	Planchets were not flamed
RWQ5	The tracer %R value is greater than 105% but less than 125%
RWQ6	The tracer %R value is greater than 125%
RWQ7	Non-specified quality control failure; see validation report



**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
RZUNC	R_ZERO_UNCERT
R_MDA	R_MDA
Rb	RAD_Rb
SEQLM	The result should be regarded as estimated (J) because the result was less than the EQL but greater than the MDL.
SHOLD	SHOLD
SJCST	SJCST
SJLAB	SJLAB
SNQ	SNQ
SPECT	HEXP_SPECTRAL MATCH
SQCBL	SQCBL
SQLPL	RAD_SQLPLUR9B
SRO9	ORGANIC_SRO9
SSU10	SSU10
SUJCS	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier. CST assigned the J qualifier, need hard-copy to determine CST's reason.
SUJLA	SUJLA
SULAB	SULAB
SV0	The IS retention time has shifted by more than ?30 sec, which could affect compound identification and result in false positives or negatives.
SV1	The IS area count for the quantitating IS is outside the -50%+100% window in relation to the previous continuing calibration, which could affect the quantitation accuracy of the associated analytes and the correct quantitation of surrogate %R values.
SV10	The affected analytes are considered suspect because the sample was diluted without any target analytes identified due to matrix interference.
SV11	TICs are not reported but were requested by ER Project. The validator contacted the laboratory that had not provided TICs.
SV12	The LCS documentation is missing. Data may not be acceptable for use.
SV12a	The LCS percent recovery was less than 10%.
SV12b	The LCS percent recovery was less than the LAL but greater than 10% and the result is detected.
SV12c	The LCS percent recovery was less than the LAL but greater than 10% and the result is not detected.
SV12d	The affected analytes should be regarded as estimated and biased high because the LCS percent recovery was greater than the UAL.

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
SV13c	SVOC_SV13c
SV15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
SV16	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
SV16a	The results for the affected analytes are rejected because the instrument performance sample (DFTPP) did not pass method acceptance criteria
SV19	The affected analytes are qualified because the data validator identified quality deficiencies in the reported data.
SV1a	The area count for the quantitating IS is less than 50% of the area count for the previous continuing calibration, greatly increasing the potential for false negative results.
SV1b	The area count for the quantitating IS is greater than 200% of the area count for the previous continuing calibration.
SV2	The quantitating IS area count is less than 10% of the expected value, which indicates increased potential for false negative results and other possible problems with sample quantitation.
SV2a	Required IS information is missing. Data may not be acceptable for use.
SV2c	SVOC_SV2c
SV3	The %R values for two or more surrogates in either SV fraction is greater than the UAL, which indicates the potential for high bias in the results and the potential for false positive results.
SV3a	Two or more surrogates in either SV fraction are greater than or equal to 10%R but less than the LAL, which indicates the potential for low bias in the results.
SV3b	A surrogate in the related fraction is less than 10%R, and the result is a detect, which indicates the potential for severely low bias in the results.
SV3c	The result is a nondetect and two or more surrogates are greater than or equal to 10%R but less than the LAL, which indicates increased potential for false negative results.
SV3d	The result is a nondetect and a surrogate in the related fraction is less than 10%R, which indicates a greatly increased potential for false negative results.
SV3e	The %R value of one surrogate in a fraction is greater than the UAL and one is less than the LAL but greater than or equal to 10%R, which indicates a greater than normal uncertainty in the results.
SV3f	Required surrogate information is missing. Data may not be acceptable for use.
SV4	The sample result is greater than the EQL and less than or equal to 5 times (10 times for common phthalates) the concentration of the related analyte in the blank, which indicates the reported detection is considered indistinguishable from contamination in the blank.
SV4a	The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was greater than 5x (10x for common lab contaminants).
SV4b	Required method blank information is missing. Data may not be acceptable for use.

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
SV5	The sample result is less than the EQL and less than or equal to 5 times (10 times for common phthalates) the concentration of the analyte in the blank, which indicates the detected result was indistinguishable from contamination in the blank.
SV5a	Method-blank data is missing, or method blank was not analyzed. Data may not be acceptable for use.
SV5v7	SVOC_SV5v7a
SV6	SVOC_SV6
SV6b	SVOC_SV6b
SV7	The affected results were not analyzed with a valid 5 point calibration curve and/or a standard at the reporting limit.
SV7a	The affected analytes were analyzed with a initial calibration curve that exceeded the %RSD criteria and/or a continuing calibration standard that exceeded %D criteria.
SV7b	The affected analytes were analyzed with a RRF of less than 0.05.
SV8	The affected analyte is considered not detected because mass spectrum did not meet specifications.
SV8a	The mass spectrum documentation is missing. Data may not be acceptable for use.
SV9	The extraction holding time is exceeded. The data user should evaluate the data of interest with respect to the effect of exceeding the holding time. Factors to consider include sample preservation, sample storage practices, use of the data, levels of contamination found in the sample, and the physical, chemical, and biological stability of the target analytes in the sample matrix.
SV9a	The affected analytes are regarded as rejected because the extraction holding time was exceeded by 2 times the method published holding time requirements.
SV9b	The affected analytes are regarded as rejected because the analytical holding time was exceeded.
SVA	SVOC_SVA
SVC	SVOC_SVC
SVD	SVOC_SVD
SVI	SVOC_SVI
SVIA	SVOC_SVIA
SVNON	No reason for historic SVOC data.
SVPM	SVOC_SVPM
SVS	SVOC_SVS
SVV12	SVOC_SVV12a
SVV1a	SVOC_SVV1a

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
SVV3	SVOC_SVV3
SVV4	SVOC_SVV4
SVV5	SVOC_SVV5
SVV7a	SVOC_SVV7a
SVV9	SVOC_SVV9
SVVS1	SVOC_SVVS1a
SWQ1	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
SWQ10	Calibration Verification %D exceeded 60%
SWQ11	The LCS recovery was greater than the acceptance criteria
SWQ2	The spike percent recovery value is greater than or equal to the upper acceptance limit and the result is a detect, which indicates a potential high bias in the sample results.
SWQ3	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
SWQ4	The spike percent recovery value is less than 10% which increases the potential for false negatives being reported. This could be caused by analytical interferences.
SWQ5	Non-specified quality control failure; see validation report
SWQ6	The sample was improperly preserved.
SWQ7	Calibration % RSD was greater than the acceptance criteria but less than 60%
SWQ8	Calibration %RSD exceeded 60%
SWQ9	Calibration Verification %D was greater than the acceptance criteria but less than 60%
UNK	Unknown
U_LAB	The analytical laboratory qualified the analyte as not detected.
V	VOC_V
V+	VOC_V+
V0	The IS retention time has shifted by more than 30 seconds, which could affect compound identification and cause false positives or negatives to be reported.
V1	The IS area count for the quantitating IS is outside the -50% to +100% window in relation to the previous continuing calibration. This condition could affect the quantitation accuracy of the associated analytes.
V10	The affected analytes are considered suspect because the sample was diluted without any target analytes identified due to matrix interference.

November 2007

E-38

EP2007-0670

Periodic Monitoring Report for Los Alamos Watershed

### Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
V11	TICs are not reported by the analytical laboratory but were requested by the ER Project. The analytical laboratory was contacted and TICs were not provided.
V12	The LCS documentation is missing. The data may not be acceptable for use.
V126	VOC_V126
V12a	The LCS percent recovery was less than 10%.
V12b	The LCS percent recovery was less than the LAL but greater than 10%. The result is biased low and is detected.
V12c	The LCS percent recovery was less than the LAL but greater than 10%. The result was not-detected.
V12d	The LCS percent recovery was greater than the UAL. The result is detected and biased high.
V14a	Insufficient sample volume was received for a matrix spike and/or a matrix spike duplicate analysis.
V14b	The matrix spike and/or the matrix spike duplicate analysis was not performed on a sample associated with a LANL request number.
V14c	The matrix spike and/or the matrix spike duplicate was analyzed on a sample associated with a different LANL request number but no summary was included.
V15	Because the sample was damaged, lost, or of insufficient quantity, the laboratory was unable to analyze it.
V16	Required calibration information is missing or samples were analyzed on an expired calibration. Data may not be acceptable for use.
V16a	The results should be regarded as rejected because the BFB instrument performance sample did not pass method acceptance criteria.
V19	The validator identified quality deficiencies in the reported data that require qualification.
V1a	The area count for the quantitating IS is less than 50% of the area count for the previous continuing calibration, greatly increasing the potential for false negative results.
V1b	This analyte should be regarded as estimated because the IS failed high.
V1c	VOC_V1c
V1s	VOC_V1s
V2	The quantitating IS area is less than 10% of the expected value, which indicates an increased potential for false negative results and possibly other problems with sample quantitation.
V2a	Required IS information is missing. Data may not be acceptable for use.
V3	The surrogate percent recovery is greater than the UAL, which indicates the potential for a high bias in the results and the potential for false positive results.
V3a	The surrogate is less than the LAL but greater than or equal to 10%R, which indicates the potential for a low bias in the results.
V3b	The surrogate is less than 10%R and the result is a detect, which indicates the potential for a severely low bias in the results.

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
V3c	The surrogate is less than LAL and the result is a nondetect, which indicates the potential for a low bias in the results.
V3d	The surrogate is less than 10%R and the result is a nondetect, which indicates a greatly increased potential for false negative results.
V3e	At least one surrogate is greater than the UAL and one surrogate is less than the LAL, which indicates a greater than normal degree of uncertainty in the result.
V3f	Required surrogate information is missing. Data may not be acceptable for use.
V4	The sample result is less than or equal to 5 times (10 times for acetone, methylene chloride, and 2-butanone) the concentration of the related analyte in the method blank, which indicates the reported detection is considered indistinguishable from contamination in the blank.
V4a	The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was greater than 5x (10x for common lab contaminants).
V4b	Required method blank information is missing. Data may not be acceptable for use.
V5	VOC_V5
V5a	Method-blank data is missing, or method blank was not analyzed. Data may not be acceptable for use.
V5c	VOC_V5c
V6b	VOC_V6b
V7	The affected results were not analyzed with a valid 5 point calibration curve and/or a standard at the reporting limit.
V76	VOC_V76
V78	VOC_V78
V7a	The affected analytes were analyzed with a initial calibration curve that exceeded the %RSD criteria and/or a continuing calibration standard that exceeded %D criteria.
V7b	The affected analytes were analyzed with a RRF of less than 0.05.
V8	The affected analyte is considered not detected because mass spectrum did not meet specifications.
V8a	The mass spectrum documentation is missing. Data may not be acceptable for use.
V9	The analytical and/or extraction holding time is exceeded. The data user should evaluate the data of interest with respect to the effects of exceeding the holding time. Factors to consider include sample preservation, sample storage practices, use of the data, levels of contamination found in the sample, and the physical, chemical, and biological stability of the target analytes in the sample matrix.
V9a	The affected analytes are regarded as rejected because the analytical/extraction holding time was exceeded by 2x the method published holding time requirements.
VC4	VOC_VC4
VEQL	The result should be regarded as estimated (J) because the result was less than the EQL, but greater than the MDL.

## Secondary Validation Reason Codes (continued)

Valid Reason Code	Valid Reason Description
VI1	VOC_VI1
VI4	VOC_VI4
VI45	VOC_VI45
VIA	VOC_VIA
VIC	VOC_VIC
VJCST	VJCST
VJLAB	VJLAB
VLA	VOC_VLA
VNONE	No reason for historic VOC data.
VNQ	VNQ
VO	VOC_VO
VP	VOC_VP
VQCBL	VQCBL
VR5	VOC_VR5
VR7b	VOC_VR7b
VS	VOC_SPECTRUM
VSV1	VOC_VSV1
VSV1a	VOC_VSV1a
VSV3b	VOC_VSV3b
VSV3c	VOC_VSV3c
VSV4	VOC_VSV4
VSV5	VOC_VSV5
VSV7	VOC_VSV7
VSV7a	VOC_VSV7a
VU7a	VOC_VU7a
VUCST	VUCST

**Secondary Validation Reason Codes (continued)**

Valid Reason Code	Valid Reason Description
VUJCS	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier. CST assigned the J qualifier, need hard-copy to determine CST's reason.
VUJLA	VUJLA
VULAB	This analyte should be regarded as not detected because the laboratory assigned a U lab qualifier.
VUP_R	VOC: Units and matrix inconsistent.
VWQ1	Relative percent difference of the MS/MSD is greater than the acceptance criteria.
VWQ10	Calibration Verification %D exceeded 60%
VWQ11	The LCS recovery was greater than the acceptance criteria
VWQ2	The spike percent recovery value is greater than or equal to the upper acceptance limit but and the result is a detect, which indicates a potential high bias in the sample results.
VWQ3	The spike percent recovery value is greater than 10% and less than the lower acceptance limit, which indicates a potential low bias in the results.
VWQ4	The spike percent recovery value is less than 10% which increases the potential for false negatives being reported. This could be caused by analytical interferences.
VWQ5	Nonspecified quality control failure; see validation report
VWQ6	The sample was improperly preserved.
VWQ7	Calibration % RSD was greater than the acceptance criteria but less than 60%
VWQ8	Calibration %RSD exceeded 60%
VWQ9	Calibration Verification %D was greater than the acceptance criteria but less than 60%



**Table E-1  
Surface-Water Metals**

Location	Date	Analyte	Field Preparation Code	Field QC Type Code	Symbol	Result	Method Detection Limit	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	NM Aquatic Acute 100 mg F	Ratio (Result/Scr Level)	NM Aquatic Chronic 100 mg F	Ratio (Result/Scr Level)	NM Human Health F	Ratio (Result/Scr Level)	NMWQCC WLDLF HAB UF	Ratio (Result/Scr Level)
Los Alamos below Ice Rink (E026)	04/10/07	Al	F	—*	—	777	68	µg/L	GELC	—	—	—	EPA:200.7	750	1.04	87	8.93	—	—	—	—
Los Alamos above DP Canyon (E030)	04/10/07	Al	F	—	—	533	68	µg/L	GELC	—	—	—	EPA:200.7	750	0.71	87	6.13	—	—	—	—
Los Alamos above State Highway 4 (E042)	04/10/07	Al	F	—	—	171	68	µg/L	GELC	J	—	—	EPA:200.7	—	—	87	1.97	—	—	—	—
Los Alamos below Los Alamos Weir (E050)	04/10/07	Al	F	—	—	179	68	µg/L	GELC	J	—	—	EPA:200.7	—	—	87	2.06	—	—	—	—
Los Alamos below Los Alamos Weir (E050)	04/10/07	Zn	F	—	—	67.7	2	µg/L	GELC	—	—	—	EPA:200.7	117.2	0.58	118	0.57	—	—	—	—
Guaje above Rendija (E089)	04/20/07	Al	F	—	—	457	68	µg/L	GELC	—	—	—	SW-846:6010B	750	0.61	87	5.25	—	—	—	—
Los Alamos below Los Alamos Weir (E050)	04/12/07	Al	F	—	—	436	68	µg/L	GELC	—	—	—	SW-846:6010B	750	0.58	87	5.01	—	—	—	—
Los Alamos below Los Alamos Weir (E050)	04/12/07	Zn	F	—	—	77.7	2	µg/L	GELC	—	—	—	SW-846:6010B	117.2	0.66	118	0.66	—	—	—	—
Pueblo above Acid (E055)	04/18/07	Al	F	—	—	243	68	µg/L	GELC	—	JN-	IWQ2	SW-846:6010B	—	—	87	2.79	—	—	—	—
Los Alamos below Ice Rink (E026)	04/16/07	Al	F	FD	—	472	68	µg/L	GELC	—	—	—	SW-846:6010B	750	0.63	87	5.43	—	—	—	—
Los Alamos below Ice Rink (E026)	04/16/07	Al	F	—	—	484	68	µg/L	GELC	—	—	—	SW-846:6010B	750	0.65	87	5.56	—	—	—	—
Los Alamos above DP Canyon (E030)	04/17/07	Al	F	—	—	405	68	µg/L	GELC	—	—	—	SW-846:6010B	750	0.54	87	4.66	—	—	—	—
Los Alamos above State Highway 4 (E042)	04/12/07	Al	F	—	—	597	68	µg/L	GELC	—	—	—	SW-846:6010B	750	0.8	87	6.86	—	—	—	—
Acid above Pueblo (E056)	04/18/07	Cd	F	—	—	0.16	0.1	µg/L	GELC	J	—	—	SW-846:6020	—	—	0.2	0.8	—	—	—	—
Pueblo 3	04/20/07	Al	F	—	—	253	68	µg/L	GELC	—	—	—	SW-846:6010B	—	—	87	2.91	—	—	—	—
Pueblo 3	04/20/07	Cu	F	—	—	12.9	3	µg/L	GELC	—	—	—	SW-846:6010B	13.4	0.96	9	1.43	—	—	—	—
Pueblo 3	04/20/07	Hg	UF	—	—	0.95	0.06	µg/L	GELC	—	—	—	EPA:245.2	—	—	—	—	—	—	0.77	1.23
Pueblo above State Highway 502 (E060)	04/11/07	Ag	F	—	—	1.6	0.2	µg/L	GELC	—	—	—	SW-846:6020	3.2	0.5	—	—	—	—	—	—
Pueblo above State Highway 502 (E060)	04/11/07	Al	F	FD	—	91.3	68	µg/L	GELC	J	J	I18, I14b, I13b	SW-846:6010B	—	—	87	1.05	—	—	—	—
Pueblo above State Highway 502 (E060)	04/11/07	Al	F	—	—	120	68	µg/L	GELC	J	J	I13b, I18, I14b	SW-846:6010B	—	—	87	1.38	—	—	—	—
Pueblo above State Highway 502 (E060)	04/11/07	As	F	FD	—	5.3	1.5	µg/L	GELC	—	—	—	SW-846:6020	—	—	—	—	9	0.59	—	—
Pueblo above State Highway 502 (E060)	04/11/07	As	F	—	—	4.8	1.5	µg/L	GELC	J	—	—	SW-846:6020	—	—	—	—	9	0.53	—	—
Pueblo above State Highway 502 (E060)	04/11/07	Cu	F	FD	—	19.4	3	µg/L	GELC	—	J	I14b, I13b, I18	SW-846:6010B	13.4	1.45	9	2.16	—	—	—	—
Pueblo above State Highway 502 (E060)	04/11/07	Cu	F	—	—	19.5	3	µg/L	GELC	—	J	I14b, I18, I13b	SW-846:6010B	13.4	1.46	9	2.17	—	—	—	—
Los Alamos Canyon near Otowi Bridge	04/10/07	As	F	—	—	4.9	1.5	µg/L	GELC	J	—	—	SW-846:6020	—	—	—	—	9	0.54	—	—

\* — = No data.

**Table E-2**  
**Surface-Water Organic Chemicals**

Location	Date	Field QC Type Code	Field Preparation Code	Anyl Suite Code	Analyte	Symbol	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	NM Human Health F	Ratio
Los Alamos Canyon near Otowi Bridge (E110)	04/10/07	FTB	UF	VOA	Methylene chloride	—*	2.19	2	µg/L	1	J	—	—	SW-846:8260B	GELC	5.90E+03	0
Los Alamos Canyon near Otowi Bridge (E110)	04/10/07	FTB	UF	VOA	Toluene	—	0.66	0.25	µg/L	1	J	—	—	SW-846:8260B	GELC	2.00E+05	0
Los Alamos Canyon near Otowi Bridge (E110)	04/10/07	—	UF	SVOA	Bis(2-ethylhexyl)phthalate	—	2.37	2.17	µg/L	1	J	—	—	SW-846:8270C	GELC	2.20E+01	0.11

\* — = No data.

**Table E-3**  
**Surface-Water Perchlorate**

Location	Date	Field QC Type Code	Field Preparation Code	Analytical Method Code	Symbol	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
Guaje above Rendija (E089)	04/20/07	—*	F	SW-846:6850	—	0.409	0.05	µg/L	1	—	J-	LMS3	GELC
Los Alamos below Los Alamos Weir (E050)	04/12/07	—	F	SW-846:6850	—	0.233	0.05	µg/L	1	—	—	—	GELC
Los Alamos below Ice Rink (E026)	04/16/07	—	F	SW-846:6850	—	0.327	0.05	µg/L	1	—	—	—	GELC
Los Alamos below Ice Rink (E026)	04/16/07	FD	F	SW-846:6850	—	0.343	0.05	µg/L	1	—	—	—	GELC
DP below Meadow at TA-21 (E039)	04/17/07	—	F	SW-846:6850	<	0.05	0.05	µg/L	1	U	—	—	GELC
Los Alamos above State Highway 4 (E042)	04/12/07	—	F	SW-846:6850	—	0.287	0.05	µg/L	1	—	—	—	GELC
Los Alamos above DP Canyon (E030)	04/17/07	—	F	SW-846:6850	—	0.295	0.05	µg/L	1	—	—	—	GELC
Pueblo above Acid (E055)	04/18/07	—	F	SW-846:6850	—	0.257	0.05	µg/L	1	—	—	—	GELC
Pueblo 3	04/20/07	—	F	EPA:314.0	—	25.8	8	µg/L	2	—	—	—	GELC
Pueblo 3	04/20/07	—	F	SW-846:6850	—	0.117	0.05	µg/L	1	J	J-	LMS3	GELC
Pueblo above State Highway 502 (E060)	04/11/07	—	F	SW-846:6850	—	0.116	0.05	µg/L	1	J	—	—	GELC
Pueblo above State Highway -502 (E060)	04/11/07	FD	F	EPA:314.0	—	5.53	4	µg/L	1	J	—	—	GELC
Pueblo above State Highway 502 (E060)	04/11/07	FD	F	SW-846:6850	—	0.112	0.05	µg/L	1	J	—	—	GELC
Acid above Pueblo (E056)	04/18/07	—	F	SW-846:6850	—	0.572	0.05	µg/L	1	—	—	—	GELC
Los Alamos Canyon near Otowi Bridge (E110)	04/10/07	—	F	SW-846:6850	—	0.281	0.05	µg/L	1	—	—	—	GELC

\* — = No data.

**Table E-4  
Surface-Water Radionuclides**

Location	Date	Analyte	Field Preparation Code	Field QC Type Code	Symbol	Result	Uncertainty	Minimum Detectable Activity	Unit	Lab Code	Analytical Method Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	NM LVSTK WTR STD	Ratio (Result/Scr Level)	NMED Rad Prot	Ratio (Result/Scr Level)
Los Alamos below Ice Rink (E026)	04/10/07	Ra-226	UF	—*	—	0.464	0.157	0.441	pCi/L	GELC	EPA:903.1	—	J	RWQ2	30	0.02	60	0.01
Los Alamos above DP Canyon (E030)	04/10/07	Ra-226	UF	—	—	0.62	0.164	0.417	pCi/L	GELC	EPA:903.1	—	J	RWQ2	30	0.02	60	0.01
Los Alamos above State Highway 4 (E042)	04/10/07	Pu-239/240	UF	—	—	0.037	0.00873	0.0287	pCi/L	GELC	HASL-300:ISOPU	—	J	RWQ2	—	—	20	0
Los Alamos above State Highway 4 (E042)	04/10/07	Sr-90	F	—	—	1.34	0.177	0.345	pCi/L	GELC	EPA:905.0	—	—	—	—	—	500	0
Los Alamos above State Highway 4 (E042)	04/10/07	Sr-90	UF	—	—	1.08	0.176	0.378	pCi/L	GELC	EPA:905.0	—	J	RWQ2	—	—	500	0
Los Alamos below Los Alamos Weir (E050)	04/10/07	Pu-239/240	UF	—	—	0.0972	0.0138	0.0291	pCi/L	GELC	HASL-300:ISOPU	—	—	—	—	—	20	0
Los Alamos below Los Alamos Weir (E050)	04/10/07	Ra-226	F	—	—	0.359	0.121	0.316	pCi/L	GELC	EPA:903.1	—	J	RWQ2	30	0.01	60	0
Los Alamos below Los Alamos Weir (E050)	04/10/07	Ra-226	UF	—	—	0.524	0.148	0.385	pCi/L	GELC	EPA:903.1	—	J	RWQ2	30	0.02	60	0.01
Los Alamos below Los Alamos Weir (E050)	04/10/07	Sr-90	F	—	—	2.02	0.221	0.385	pCi/L	GELC	EPA:905.0	—	—	—	—	—	500	0
Los Alamos below Los Alamos Weir (E050)	04/10/07	Sr-90	UF	—	—	1.98	0.215	0.381	pCi/L	GELC	EPA:905.0	—	—	—	—	—	500	0

\* — = No data.

**Table E-5  
Surface-Water Tritium**

Location	Date	Field Preparation Code	Field QC Type Code	Symbol	Result	Uncertainty	Minimum Detectable Activity	Unit	Analytical Method Code	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code
Guaje above Rendija	04/20/07	UF	—*	—	48.85	1.60	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Los Alamos below Los Alamos Weir	04/12/07	UF	—	—	74.40	2.55	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Pueblo 3	04/20/07	UF	—	—	2.46	0.29	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Los Alamos above State Highway 4	04/12/07	UF	—	—	74.08	2.55	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Los Alamos below Ice Rink	04/16/07	UF	FD	—	66.73	2.24	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Los Alamos below Ice Rink	04/16/07	UF	—	—	67.37	2.24	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—

\* — = No data.

**Table E-6  
Groundwater Metals**

Zone	Location	Well Class	Port Depth (ft)	Date	Analyte	Field Preparation Code	Field QC Type Code	Symbol	Result	Method Detection Limit	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	EPA PRIM DW STD	Ratio (Result/Scr Level)	NMWQCC GW STD	Ratio (Result/Scr Level)
Alluvial	APCO-1	Single	4.7	04/25/07	As	F	—*	—	5.1	1.5	µg/L	GELC	—	—	—	SW-846:6020	10	0.51	—	—
Alluvial	APCO-1	Single	4.7	04/25/07	Fe	F	FD	—	1400	18	µg/L	GELC	—	—	—	SW-846:6010B	—	—	1000	1.4
Alluvial	APCO-1	Single	4.7	04/25/07	Fe	F	—	—	1180	18	µg/L	GELC	—	—	—	SW-846:6010B	—	—	1000	1.18
Alluvial	APCO-1	Single	4.7	04/25/07	Mn	F	FD	—	5660	2	µg/L	GELC	—	—	—	SW-846:6010B	—	—	200	28.3
Alluvial	APCO-1	Single	4.7	04/25/07	Mn	F	—	—	5310	2	µg/L	GELC	—	—	—	SW-846:6010B	—	—	200	26.55

\* — = No data.

**Table E-7  
Groundwater Organic Chemicals**

Zone	Location	Well Class	Port Depth (ft)	Date	Field QC Type Code	Field Preparation Code	Analytical Suite Code	Analyte	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	EPA PRIM DW STD	Ratio (Result/Scr Level)	EPA TAP SCRNL LVL C	Ratio (Result/Scr Level)	EPA TAP SCRNL LVL N	Ratio (Result/Scr Level)	NMWQCC GW STD	Ratio (Result/Scr Level)
Intermediate	POI-4	Single	159	04/25/07	FTB	UF	VOA	Toluene	0.406	0.25	µg/L	1	J	—*	—	SW-846:8260B	GELC	1.00E+03	0	—	—	2.28E+03	0	7.50E+02	0
Intermediate	R-5	Multi	383.9	04/17/07	FTB	UF	VOA	Toluene	0.556	0.25	µg/L	1	J	—	—	SW-846:8260B	GELC	1.00E+03	0	—	—	2.28E+03	0	7.50E+02	0
Regional	R-4	Single	792.9	04/17/07	FTB	UF	VOA	Toluene	0.577	0.25	µg/L	1	J	—	—	SW-846:8260B	GELC	1.00E+03	0	—	—	2.28E+03	0	7.50E+02	0
Regional	R-5	Multi	718.6	04/18/07	FTB	UF	VOA	Toluene	0.65	0.25	µg/L	1	J	—	—	SW-846:8260B	GELC	1.00E+03	0	—	—	2.28E+03	0	7.50E+02	0
Alluvial Spring	DP Spring	Spring	—	04/18/07	—	UF	VOA	Butanone[2-]	1.76	1.25	µg/L	1	J	—	—	SW-846:8260B	GELC	—	—	—	—	7.06E+03	0	—	0
Alluvial Spring	DP Spring	Spring	—	04/18/07	FTB	UF	VOA	Toluene	0.565	0.25	µg/L	1	J	—	—	SW-846:8260B	GELC	1.00E+03	0	—	—	2.28E+03	0	7.50E+02	0
Alluvial	LAO-3a	Single	4.7	04/12/07	—	UF	PEST/PCB	BHC[delta-]	0.411	0.00521	µg/L	1	—	—	—	SW-846:8081A	GELC	—	—	—	—	—	—	—	
Intermediate	LAOI(a)-1.1	Single	295.2	04/25/07	FTB	UF	VOA	Toluene	0.469	0.25	µg/L	1	J	—	—	SW-846:8260B	GELC	1.00E+03	0	—	—	2.28E+03	0	7.50E+02	0
Intermediate	R-6i	Single	602	04/12/07	—	UF	SVOA	Dioxane[1,4-]	1.13	1.06	µg/L	1	J	J-, J	SWQ9, SV16	SW-846:8270C	GELC	—	—	6.11E+01	0.02	—	—	—	—
Intermediate	R-6i	Single	602	04/12/07	FB	UF	VOA	Acetone	13.7	1.25	µg/L	1	—	—	—	SW-846:8260B	GELC	—	—	—	—	5.48E+03	0	—	—
Intermediate	R-6i	Single	602	04/12/07	FTB	UF	VOA	Toluene	0.54	0.25	µg/L	1	J	—	—	SW-846:8260B	GELC	1.00E+03	0	—	—	2.28E+03	0	7.50E+02	0
Intermediate	LAOI-3.2a	Single	181.4	04/25/07	—	UF	VOA	Chloroform	0.279	0.25	µg/L	1	J	—	—	SW-846:8260B	GELC	8.00E+01	0	1.67E+00	0.17	—	—	1.00E+02	0
Intermediate	LAOI-7	Single	240	04/18/07	FB	UF	VOA	Acetone	7.39	1.25	µg/L	1	—	J-	VWQ3, VWQ9	SW-846:8260B	GELC	—	—	—	—	5.48E+03	0	—	—
Intermediate	LAOI-7	Single	240	04/18/07	FD	UF	VOA	Toluene	38.1	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	1.00E+03	0.04	—	—	2.28E+03	0.02	7.50E+02	0.05
Intermediate	LAOI-7	Single	240	04/18/07	FTB	UF	VOA	Toluene	0.552	0.25	µg/L	1	J	—	—	SW-846:8260B	GELC	1.00E+03	0	—	—	2.28E+03	0	7.50E+02	—
Intermediate	LAOI-7	Single	240	04/18/07	—	UF	VOA	Toluene	41.1	0.25	µg/L	1	—	—	—	SW-846:8260B	GELC	1.00E+03	0.04	—	—	2.28E+03	0.02	7.50E+02	0.05

Table E-7 (continued)

Zone	Location	Well Class	Port Depth (ft)	Date	Field QC Type Code	Field Preparation Code	Analytical Suite Code	Analyte	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Analytical Method Code	Lab Code	EPA PRIM DW STD	Ratio (Result/Scr Level)	EPA TAP SCRNL LVL C	Ratio (Result/Scr Level)	EPA TAP SCRNL LVL N	Ratio (Result/Scr Level)	NMWQCC GW STD	Ratio (Result/Scr Level)
Regional	R-8	Multi	711.1	04/10/07	FTB	UF	VOA	Methylene chloride	2.23	2	µg/L	1	J	J+	VWQ9	SW-846:8260B	GELC	5.00E+00	0.45	8.94E+01	0.02	—	—	1.00E+02	0.02
Regional	R-8	Multi	711.1	04/10/07	FTB	UF	VOA	Toluene	0.649	0.25	µg/L	1	J	—*	—	SW-846:8260B	GELC	1.00E+03	0	—	—	2.28E+03	0	7.50E+02	0
Intermediate Spring	Los Alamos Spring	Spring	—	04/26/07	FB	UF	VOA	Acetone	5.49	1.25	µg/L	1	—	J-	VWQ3, VWQ9	SW-846:8260B	GELC	—	—	—	—	5.48E+03	0	—	—
Intermediate Spring	Los Alamos Spring	Spring	—	04/26/07	FB	UF	VOA	Butanone[2-]	1.34	1.25	µg/L	1	J	—	—	SW-846:8260B	GELC	—	—	—	—	7.06E+03	0	—	—
Regional	R-24	Single	825	04/16/07	FB	UF	VOA	Acetone	11	1.25	µg/L	1	—	—	—	SW-846:8260B	GELC	—	—	—	—	5.48E+03	0	—	—

\* —= No data.

Table E-8  
Groundwater General Inorganic Chemicals

Analyte	Zone	Location	Well Class	Port Depth (ft)	Date	Field Preparation Code	Field QC Type Code	Symbol	Result	Method Detection Limit	Unit	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	EPA PRIM DW STD	Ratio (Result/Scr Level)	NMWQCC GW STD	Ratio (Result/Scr Level)
Cl(-1)	Alluvial	PAO-2	SINGLE	6.06	04/23/07	F	—*	—	135	1.32	mg/L	GELC	—	J	I14b, I13b	—	—	250	0.54
Cl(-1)	Alluvial Spring	DP Spring	SPRING	—	04/18/07	F	—	—	175	1.32	mg/L	GELC	—	—	—	—	—	250	0.7
Cl(-1)	Alluvial	LAUZ-1	SINGLE	5.35	04/17/07	F	—	—	506	3.3	mg/L	GELC	—	J	I14b, I13b	—	—	250	2.02
F(-1)	Intermediate	R-5	MULTI	383.9	04/17/07	F	—	—	1.05	0.033	mg/L	GELC	—	—	—	—	—	1.6	0.66
F(-1)	Intermediate Spring	Los Alamos Spring	SPRING	—	04/26/07	F	—	—	0.903	0.033	mg/L	GELC	—	—	—	—	—	1.6	0.56
NO3+NO2-N	Intermediate	POI-4	SINGLE	159	04/25/07	F	—	—	7.48	0.1	mg/L	GELC	—	J	I14b, I13b	10	0.75	10	0.75
NO3+NO2-N	Alluvial	LLAO-1b	SINGLE	11.32	04/24/07	F	—	—	13.4	0.5	mg/L	GELC	—	—	—	10	1.34	10	1.34
NO3+NO2-N	Intermediate Spring	Basalt Spring	SPRING	—	04/26/07	F	—	—	6.92	0.1	mg/L	GELC	—	J	I13b, I14b	10	0.69	10	0.69
TDS	Alluvial	LAUZ-1	SINGLE	5.35	04/17/07	F	—	—	1160	2.38	mg/L	GELC	—	—	—	—	—	1000	1.16

\* —= No data.

**Table E-9**  
**Groundwater Perchlorate**

Zone	Location	Well Class	Port Depth (ft)	Date	Field QC Type Code	Field Preparation Code	Analytical Method Code	Symbol	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
Alluvial Spring	GU-0.01 Spring	Spring	—*	04/26/07	—	F	SW-846:6850	—	0.52	0.05	µg/L	1	—	—	—	GELC
Alluvial Spring	GU-0.01 Spring	Spring	—	04/26/07	FB	UF	SW-846:6850	<	0.05	0.05	µg/L	1	U	—	—	GELC
Alluvial	PAO-1	Single	6	04/23/07	—	F	SW-846:6850	—	0.223	0.05	µg/L	1	—	—	—	GELC
Alluvial	PAO-2	Single	6	04/23/07	—	F	SW-846:6850	—	0.308	0.05	µg/L	1	—	—	—	GELC
Alluvial	PAO-4	Single	2	04/19/07	—	F	SW-846:6850	<	0.05	0.05	µg/L	1	U	—	—	GELC
Alluvial	APCO-1	Single	5	04/25/07	—	F	EPA:314.0	—	4.42	4	µg/L	1	J	—	—	GELC
Alluvial	APCO-1	Single	5	04/25/07	—	F	SW-846:6850	<	0.05	0.05	µg/L	1	U	—	—	GELC
Alluvial	APCO-1	Single	5	04/25/07	FD	F	EPA:314.0	—	8.31	4	µg/L	1	J	—	—	GELC
Alluvial	APCO-1	Single	5	04/25/07	FD	F	SW-846:6850	<	0.05	0.05	µg/L	1	U	—	—	GELC
Intermediate	POI-4	Single	159	04/25/07	—	F	SW-846:6850	—	0.234	0.05	µg/L	1	—	—	—	GELC
Intermediate	R-5	Multi	384	04/17/07	—	F	SW-846:6850	—	1.33	0.1	µg/L	2	—	—	—	GELC
Intermediate	R-3i	Single	215	04/09/07	—	F	SW-846:6850	—	2.6	0.25	µg/L	5	—	—	—	GELC
Regional	R-2	Single	918	04/17/07	—	F	SW-846:6850	—	0.347	0.05	µg/L	1	—	—	—	GELC
Regional	R-4	Single	793	04/17/07	—	F	SW-846:6850	—	2.54	0.25	µg/L	5	—	—	—	GELC
Regional	R-5	Multi	719	04/18/07	—	F	SW-846:6850	—	1.19	0.1	µg/L	2	—	—	—	GELC
Regional	R-5	Multi	861	04/17/07	—	F	SW-846:6850	—	0.27	0.05	µg/L	1	—	—	—	GELC
Alluvial Spring	DP Spring	Spring	—	04/18/07	—	F	SW-846:6850	—	0.168	0.05	µg/L	1	J	—	—	GELC
Alluvial	LAO-B	Single	12	04/09/07	—	F	SW-846:6850	—	0.287	0.05	µg/L	1	—	—	—	GELC
Alluvial	LAO-0.3	Single	6	04/13/07	—	F	SW-846:6850	—	0.212	0.05	µg/L	1	—	J	LMS1	GELC
Alluvial	LAO-0.6	Single	8	04/10/07	—	F	EPA:314.0	—	8.46	4	µg/L	1	J	—	—	GELC
Alluvial	LAO-0.6	Single	8	04/10/07	—	F	SW-846:6850	—	7.3	0.5	µg/L	10	—	J	LMS1	GELC
Alluvial	LAO-1	Single	8	04/11/07	—	F	SW-846:6850	—	0.249	0.05	µg/L	1	—	J	LMS1	GELC
Alluvial	LAO-1.6g	Single	10	04/10/07	—	F	SW-846:6850	—	0.257	0.05	µg/L	1	—	J	LMS1	GELC
Alluvial	LAO-1.6g	Single	10	04/10/07	FD	F	SW-846:6850	—	0.26	0.05	µg/L	1	—	J	LMS1	GELC
Alluvial	LAO-1.8	Single	8	04/12/07	—	F	SW-846:6850	—	0.288	0.05	µg/L	1	—	J	LMS1	GELC
Alluvial	LAUZ-1	Single	5	04/17/07	—	F	SW-846:6850	<	0.05	0.05	µg/L	1	U	—	—	GELC
Alluvial	LAO-2	Single	7	04/18/07	—	F	SW-846:6850	—	0.977	0.05	µg/L	1	—	—	—	GELC
Alluvial	LAO-3a	Single	5	04/12/07	—	F	SW-846:6850	—	0.585	0.05	µg/L	1	—	J	LMS1	GELC
Alluvial	LAO-4.5c	Single	13	04/12/07	—	F	SW-846:6850	—	0.374	0.05	µg/L	1	—	J	LMS1	GELC
Alluvial	LAO-5	Single	5	04/16/07	—	F	SW-846:6850	—	0.28	0.05	µg/L	1	—	—	—	GELC
Alluvial	LAO-5	Single	5	04/16/07	FD	F	SW-846:6850	—	0.278	0.05	µg/L	1	—	—	—	GELC
Alluvial	LAO-6a	Single	4	04/18/07	—	F	SW-846:6850	—	0.273	0.05	µg/L	1	—	—	—	GELC

Table E-9 (continued)

Zone	Location	Well Class	Port Depth (ft)	Date	Field QC Type Code	Field Preparation Code	Analytical Method Code	Symbol	Result	Method Detection Limit	Unit	Dilution Factor	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code	Lab Code
Intermediate	LAOI(a)-1.1	Single	295	04/25/07	—	F	SW-846:6850	—	0.167	0.05	µg/L	1	J	—	—	GELC
Intermediate	R-6i	Single	602	04/12/07	—	F	EPA:314.0	—	8.6	4	µg/L	1	J	—	—	GELC
Intermediate	R-6i	Single	602	04/12/07	—	F	SW-846:6850	—	7.04	0.5	µg/L	10	—	J	LMS1	GELC
Intermediate	R-6i	Single	602	04/12/07	FB	UF	SW-846:6850	<	0.05	0.05	µg/L	1	U	UJ	LMS1	GELC
Intermediate	LAOI-3.2	Single	153	04/19/07	—	F	EPA:314.0	—	8.16	4	µg/L	1	J	—	—	GELC
Intermediate	LAOI-3.2	Single	153	04/19/07	—	F	SW-846:6850	—	6.65	0.5	µg/L	10	—	J	LMS1	GELC
Intermediate	LAOI-3.2a	Single	181	04/25/07	—	F	EPA:314.0	—	4.27	4	µg/L	1	J	—	—	GELC
Intermediate	LAOI-3.2a	Single	181	04/25/07	—	F	SW-846:6850	—	3.52	0.25	µg/L	5	—	—	—	GELC
Intermediate	LAOI-7	Single	240	04/18/07	—	F	SW-846:6850	—	0.757	0.05	µg/L	1	—	—	—	GELC
Intermediate	LAOI-7	Single	240	04/18/07	FD	F	SW-846:6850	—	0.773	0.05	µg/L	1	—	—	—	GELC
Intermediate	LAOI-7	Single	240	04/18/07	FB	UF	SW-846:6850	<	0.05	0.05	µg/L	1	U	—	—	GELC
Regional	R-8	Multi	711	04/10/07	—	F	SW-846:6850	—	0.289	0.05	µg/L	1	—	J	LMS1	GELC
Regional	R-6	Single	1205	04/12/07	—	F	SW-846:6850	—	0.345	0.05	µg/L	1	—	J	LMS1	GELC
Regional	R-9	Single	684	04/10/07	—	F	SW-846:6850	—	0.886	0.05	µg/L	1	—	—	—	GELC
Regional	R-9	Single	684	04/10/07	FD	F	SW-846:6850	—	0.917	0.05	µg/L	1	—	—	—	GELC
Alluvial	LLAO-1b	Single	11	04/24/07	—	F	SW-846:6850	—	0.252	0.05	µg/L	1	—	—	—	GELC
Alluvial	LLAO-4	Single	5	04/24/07	—	F	SW-846:6850	—	0.0516	0.05	µg/L	1	J	—	—	GELC
Intermediate Spring	Basalt Spring	Spring	—	04/26/07	—	F	SW-846:6850	—	1.38	0.1	µg/L	2	—	—	—	GELC
Intermediate Spring	Basalt Spring	Spring	—	04/26/07	FB	UF	SW-846:6850	<	0.05	0.05	µg/L	1	U	—	—	GELC
Intermediate Spring	Los Alamos Spring	Spring	—	04/26/07	—	F	SW-846:6850	—	1.43	0.1	µg/L	2	—	—	—	GELC
Intermediate Spring	Los Alamos Spring	Spring	—	04/26/07	FB	UF	SW-846:6850	<	0.05	0.05	µg/L	1	U	—	—	GELC
Regional	R-24	Single	825	04/16/07	—	F	SW-846:6850	—	0.209	0.05	µg/L	1	—	—	—	GELC
Regional	R-24	Single	825	04/16/07	FD	F	SW-846:6850	—	0.202	0.05	µg/L	1	—	—	—	GELC
Regional	R-24	Single	825	04/16/07	FB	UF	SW-846:6850	<	0.05	0.05	µg/L	1	U	—	—	GELC

\* — = No data.

**Table E-10  
Groundwater Radionuclides**

Zone	Location	Well Class	Port Depth (ft)	Date	Analyte	Field Preparation Code	Field QC Type Code	Result	Uncertainty	Minimum Detectable Activity	Unit	Lab Code	Analytical Method Code	EPA PRIM DW STD	Ratio (Result/Scr Level)	NMWQCC GW STD	Ratio (Result/Scr Level)	NMED Rad Prot	Ratio (Result/Scr Level)
Intermediate	R-3i	Single	215.2	04/09/07	U	F	—*	8.5	—	—	µg/L	GELC	SW-846:6020	30	0.28	30	0.28	—	—
Intermediate	R-3i	Single	215.2	04/09/07	U	UF	—	8.6	—	—	µg/L	GELC	SW-846:6020	30	0.29	30	0.29	—	—
Intermediate	R-6i	Single	602	04/12/07	H-3	UF	—	4230	197	330	pCi/L	GELC	EPA:906.0	20000	0.21	—	—	1000000	0
Intermediate	LAOI-3.2	Single	153.3	04/19/07	H-3	UF	—	2990	112	119	pCi/L	GELC	EPA:906.0	20000	0.15	—	—	1000000	0
Intermediate	LAOI-3.2a	Single	181.4	04/25/07	H-3	UF	—	2700	108	121	pCi/L	GELC	EPA:906.0	20000	0.14	—	—	1000000	0
Intermediate	LAOI-7	Single	240	04/18/07	H-3	UF	FD	1080	71.2	193	pCi/L	GELC	EPA:906.0	20000	0.05	—	—	1000000	0
Intermediate	LAOI-7	Single	240	04/18/07	H-3	UF	—	1130	72	194	pCi/L	GELC	EPA:906.0	20000	0.06	—	—	1000000	0

\* — = No data.

**Table E-11  
Groundwater Tritium**

Zone	Location	Well Class	Port Depth (ft)	Date	Field Preparation Code	Lab Sample Type Code	Field QC Type Code	Result	Uncertainty	Minimum Detectable Activity	Unit	Analytical Method Code	Lab Code	Lab Qualifier Code	Secondary Validation Flag Code	Secondary Validation Reason Code
Alluvial	PAO-1	Single	5.89	04/23/07	UF	CS	—*	85.25	2.87	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Alluvial	PAO-2	Single	6.06	04/23/07	UF	CS	—	80.46	2.55	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Alluvial	PAO-4	Single	1.97	04/19/07	UF	CS	—	7.95	0.29	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Alluvial	APCO-1	Single	4.7	04/25/07	UF	CS	FD	4.66	0.29	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Alluvial	APCO-1	Single	4.7	04/25/07	UF	CS	—	4.79	0.29	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Intermediate	POI-4	Single	159	04/25/07	UF	CS	—	17.75	0.57	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Regional	R-5	Multi	718.6	04/18/07	UF	CS	—	0.42	0.29	0.28737	pCi/L	Generic:LLEE	UMTL	—	U	R5
Regional	R-5	Multi	718.6	04/18/07	UF	RE	—	0.29	0.29	0.28737	pCi/L	Generic:LLEE	UMTL	—	U	R5
Alluvial	LAO-0.3	Single	5.9	04/13/07	UF	CS	—	68.01	2.24	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Alluvial	LAO-1.8	Single	8	04/12/07	UF	CS	—	73.12	2.55	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Alluvial	LAO-2	Single	7	04/18/07	UF	CS	—	135.70	4.47	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Alluvial	LAO-3a	Single	4.7	04/12/07	UF	CS	—	125.80	4.15	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Alluvial	LAO-4.5c	Single	13.3	04/12/07	UF	CS	—	75.35	2.55	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Alluvial	LAO-6a	Single	4.2	04/18/07	UF	CS	—	78.23	2.55	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Intermediate	LAOI(a)-1.1	Single	295.2	04/25/07	UF	CS	—	2.97	0.29	0.28737	pCi/L	Generic:LLEE	UMTL	—	—	—
Regional	R-7	Multi	915.1	04/13/07	UF	CS	—	0.10	0.29	0.28737	pCi/L	Generic:LLEE	UMTL	—	U	R5
Regional	R-7	Multi	915.1	04/13/07	UF	RE	—	0.35	0.29	0.28737	pCi/L	Generic:LLEE	UMTL	—	U	R5
Regional	R-6	Single	1205	04/12/07	UF	CS	—	0.32	0.29	0.28737	pCi/L	Generic:LLEE	UMTL	—	U	R5

\* — = No data.



# **Appendix F**

---

## *Investigation-Derived Waste Management*



## **F.1-0 INTRODUCTION**

This appendix describes the storage and disposal of investigation-derived waste (IDW) generated during this periodic groundwater monitoring event conducted in the Los Alamos/Pueblo Watershed under the Los Alamos National Laboratory (LANL or the Laboratory) Interim Facility-Wide Groundwater Monitoring Plan (IFGMP). IDW is waste generated as a result of field investigation activities and may include, but is not limited to, purge water; contaminated personal protective equipment (PPE), sampling supplies, and plastic; fluids from the decontamination of PPE and sampling equipment; and all other wastes potentially contacting contaminants. IDW generated during implementation of the IFGMP is managed to protect human health and the environment, comply with applicable regulatory requirements, and adhere to Laboratory waste minimization goals.

## **F.2-0 STANDARD OPERATING PROCEDURES**

All IDW generated during this periodic monitoring event is being (and has been) managed in accordance with applicable Environmental Programs—Environment and Remediation Support Services and Environmental Protection Water Quality and Resource Conservation Recovery Group (ENV-RCRA) standard operating procedures (SOPs). These SOPs incorporate the requirements of all applicable U.S. Environmental Protection Agency and New Mexico Environment Department (NMED) regulations, Department of Energy orders, and Laboratory implementation requirements.

SOPs applicable to the characterization and management of IDW are the following:

- SOP-1.06, Revision 2, Management of Environmental Restoration Project Waste
- SOP-1.10, Revision 2, Waste Characterization and
- SOP-010.0, Land Application of Groundwater

These SOPs are applicable to implementation of the Interim Plan and may be found at the following URL: <http://erproject.lanl.gov/documents/procedures/sops.html>.

The Laboratory's 2006 Los Alamos National Laboratory Hazardous Waste Minimization Report (LANL 2006, 096015) will be implemented during groundwater monitoring to minimize waste generation. This document is updated annually as a requirement of Module VIII of the Laboratory's Hazardous Waste Facility Permit.

Two particular documents are being implemented during the management of groundwater monitoring IDW:

- LANL's NMED-approved notice of intent (NOI) decision tree (Revision 7/26/06)
- Los Alamos/Pueblo Watershed Groundwater Monitoring Waste Characterization Strategy Form (WCSF), included in the "Periodic Monitoring Report for Los Alamos Watershed Sampled July 24 through August 10, 2006" (NMED 2007, 095494).

## **F.3-0 IDW WASTE STREAMS**

The IDW streams associated with groundwater monitoring are identified in Table F.3-0 and are briefly described below. Table F.3-0 summarizes the waste type, volumes, characterization methods, methods of on-site management, and disposition path for each of the waste streams. Only the wastes generated during this particular monitoring event are detailed in this section and in Table F.3-0.

Purge water: The purge water waste stream consists of groundwater purged from wells in the Los Alamos/Pueblo Watershed before sampling to ensure that representative samples are collected. Purge water is being managed and characterized in accordance with the Los Alamos/Pueblo Watershed groundwater monitoring waste characterization strategy form (WCSF) and the NOI decision tree, which were approved by the NMED Ground Water Quality Bureau and Hazardous Waste Bureau on November 21, 2006. The purge water is being characterized with analytical results from groundwater samples collected at the time of purging. The groundwater analyses are augmented by direct sampling of containerized purge waters as needed to fulfill disposal facility waste acceptance criteria. The results of the analyses, along with acceptable knowledge (AK) of the sources of constituents identified in the purge water, will be used to determine whether the water contains hazardous waste in accordance with 40 CFR 262.11 (incorporated by the 20.4.1.300 New Mexico Administrative Code) (decision point D2 of the NOI decision trees). If the water is determined to be hazardous, it will be treated or disposed of at a permitted off-site treatment, storage, and disposal (TSD) facility unless a "contained-in" determination has been granted by the NMED (decision point D5).

During the monitoring activity, purge water was collected and containerized as it was removed from the wells. The type of container that was used depended on the volume of purge water expected and includes 5-gal. carboys stored in 55-gal. drums, 55-gal. drums or tanks. U.S. Department of Transportation (DOT)-approved containers are used, as appropriate for transport. The containers of purge water are managed conservatively and staged in satellite accumulation areas or less-than-90-d areas, pending results of analysis, hazardous waste determinations and waste profile form (WPF) approval. These accumulation areas are approved by ENV-RCRA. The accumulation areas may be at the location of the wells or may be at other locations at the Laboratory. Containerized purge water will be characterized based on the results of the analysis of water samples from the associated well(s) or by direct sampling and analysis of the purge water, as described below. The groundwater analysis data are currently in review.

At wells where purge waters are determined to be nonhazardous, they remain in storage pending comparison of the data to land application criteria and approval for discharge to the ground. At wells where nonhazardous determinations have been made but land application criteria have not been met, the purge water will be transported and disposed of at on-site facilities.

The Laboratory expects most of the remaining stored purge waters will eventually be approved for land application and discharged to the ground, designated nonhazardous liquid waste or radioactive liquid waste that would be sent to Sanitary Wastewater Systems Consolidation (SWSC) Plant or Sanitary Effluent Reclamation Facility (SERF) evaporation basins, the Radioactive Liquid Waste Treatment Facility (RLWTF) or the TA-53 evaporation basins, respectively. If purge water is approved for land application, the discharge will be conducted in accordance with the NOI decision tree, disposal pathway P2, and SOP-010.0, Land Application of Groundwater.

Spent PPE: The spent PPE waste stream consists of PPE that "contacted" potentially contaminated environmental media (i.e., purge water) and that cannot be decontaminated. The bulk of this waste stream consists of gloves. Spent PPE has been collected together with spent disposable sampling supplies from the same sample location in containers, such as zip-lock baggies and accumulated in 55-gal. drums at monitoring sites or at a consolidated accumulation area. Characterization of this waste stream is being performed through AK of the waste materials, the methods of generation, and the levels of contamination observed in the environmental media (e.g., the results of analysis of associated water samples). At present, the spent PPE that has been in contact with nonhazardous, nonradioactive groundwater has been disposed of at a New Mexico solid waste landfill using WPF 39268, a copy of which was included in Appendix F of the previous PMR (NMED 2007, 095494). The remaining spent PPE is being managed conservatively and staged in satellite accumulation areas or less-than-90-d areas at

each well or at a consolidated accumulation area, pending data review, hazardous waste determinations, and WPF approval.

The Laboratory expects most of these remaining wastes will be designated as nonhazardous waste that will be disposed of at a New Mexico solid waste landfill. If groundwater contains elevated radioactivity, the contact wastes may be designated as low-level radioactive waste and disposed of at TA-54 Area G. If the LANL Green Is Clean program verifies that spent PPE is nonradioactive, it will be disposed of at a New Mexico solid waste landfill. If the purge water is determined to be hazardous, the associated PPE wastes will be treated or disposed of at a permitted off-site TSD facility.

Disposable sampling supplies: The spent disposable sampling supplies waste stream consists of all equipment and materials required to collect samples that directly contact contaminated environmental media (i.e., purge water) and cannot be decontaminated. This waste stream also includes wastes associated with dry decontamination activities, such as paper items. Spent disposable sampling supplies have been collected together with spent PPE from the same sample location in containers such as zip-lock baggies and accumulated in 55-gal. drums at monitoring sites or at a consolidated accumulation area. Characterization of this waste stream is performed through AK of the waste materials, the methods of generation, and the levels of contamination observed in the environmental media (e.g., the results of analysis of associated water samples). At present the spent disposable sampling supplies that have been in contact with nonhazardous, nonradioactive groundwater have been disposed of at a New Mexico solid waste landfill. At present, the remaining spent disposable sampling supplies are being managed conservatively and staged in satellite accumulation areas or less-than-90-d areas at each well or at a consolidated accumulation area, pending data review, hazardous waste determinations, and WPF approval.

The Laboratory expects most of these remaining wastes will be designated as nonhazardous waste that will be disposed of at a New Mexico solid waste landfill. If groundwater contains elevated radioactivity, the contact wastes may be designated as low-level radioactive waste and disposed of at TA-54 Area G, or the LANL Green Is Clean program will be used to verify that disposable sampling supplies are nonradioactive and qualify for disposal at a New Mexico solid waste landfill. If the purge water contains hazardous waste, the associated sampling wastes will be treated or disposed of at a permitted off-site TSD facility.

Decontamination fluids: The decontamination fluids waste stream consists of liquid wastes from decontamination activities (i.e., decontamination solutions and rinse waters, such as deionized water and Alconox). Consistent with waste minimization practices, the Laboratory has employed dry decontamination methods to the extent possible. Where dry decontamination could not be performed, liquid decontamination wastes were collected in containers at the point of generation. The decontamination fluids waste stream has been accumulated in drums and is being characterized through AK of the waste materials, the levels of contamination observed in the environmental media (e.g., the results of the associated water samples) and, if necessary, direct sampling of the containerized waste.

These wastes will receive the same designation as the associated purge water. The Laboratory expects most of these wastes will be designated nonhazardous liquid waste or radioactive liquid waste that would be sent to SWSC or the SERF evaporation basins or to the RLWTF and the TA-53 evaporation basins, respectively. The decontamination water will be dispositioned in the same manner as the purge water.

Before the start of field investigation activities, the Los Alamos/Pueblo Watershed groundwater monitoring WCSF was prepared and approved per requirements of SOP-01.10, Revision 2. The WCSF provides information on IDW characterization, management, containerization, analytical methods, and estimated volumes. IDW characterization will be completed through review of existing data and/or documentation,

sampling of the media being investigated (i.e., groundwater), and by direct sampling of the IDW. The approved WCSF was provided in the previous PMR as Attachment F-1 (NMED 2007, 095494).

Immediately following containerization of IDW for storage, each waste container was individually labeled with a unique identification number and with information regarding suspected waste classification, item(s), radioactivity (if applicable), and date generated. The wastes have been contained in clearly marked and appropriately constructed waste accumulation areas. Waste accumulation area postings, regulated storage duration, and inspection requirements are based on the type of IDW and its suspected classification. Container and storage requirements are detailed in the WCSF and approved before waste is generated. The selection of waste containers for transportation is pending final waste determinations and segregation and will be based on appropriate DOT requirements, waste types, actual volumes of IDW to be disposed of, and transport mechanism.

#### **F.4-0 REFERENCE**

*The following list includes all documents cited in this appendix. Parenthetical information following each reference provides the author(s), publication date, and ER ID number. This information is also included in text citations. ER ID numbers are assigned by the Environmental Programs Directorate's Records Processing Facility (RPF) and are used to locate the document at the RPF and, where applicable, in the master reference set.*

*Copies of the master reference set are maintained at the NMED Hazardous Waste Bureau; the U.S. Department of Energy—Los Alamos Site Office; the U.S. Environmental Protection Agency, Region 6; and the Directorate. The set was developed to ensure that the administrative authority has all material needed to review this document, and it is updated with every document submitted to the administrative authority. Documents previously submitted to the administrative authority are not included.*

LANL (Los Alamos National Laboratory), November 2006. "Los Alamos National Laboratory Hazardous Waste Minimization Report," Los Alamos National Laboratory document LA-UR-06-8175, Los Alamos, New Mexico. (LANL 2006, 096015)

NMED (New Mexico Environment Department), April 9, 2007. "Periodic Monitoring Report for Los Alamos Watershed Sampled July 24 Through August 10, 2006," New Mexico Environment Department letter to D. Gregory (DOE LASO) and D. McInroy (LANL) from J.P. Bearzi (NMED HWB), Santa Fe, New Mexico. (NMED 2007, 095494)

**Table F-1  
Summary of IDW Generation and Management**

Waste Stream	Waste Type	Volume	Characterization Method	On-site Management	Disposition Status
Purge Water	Suspect hazardous; suspect radioactive	113.5 gal.	Analytical results from groundwater monitoring samples and AK	Managed conservatively and collected in 5-gal. carboys, stored in 55-gal. drums at satellite accumulation areas or collected in tanks at less-than-90-d accumulation areas	Pending data review, hazardous waste determination and WPF approval
Purge Water	Nonhazardous; suspect radioactive	710 gal.	Analytical results from groundwater monitoring samples and acceptable knowledge (AK)	Managed conservatively and collected in 5-gal. carboys, stored in 55-gal. drums at satellite accumulation areas or collected in tanks at less-than-90-d accumulation areas. These wells have been determined to be nonhazardous based on data review and due diligence. The containers and/or accumulation areas have been downgraded to nonhazardous.	Pending land application review and approval
Purge Water	Nonhazardous; nonradioactive	953 gal.	Analytical results from groundwater monitoring samples and AK	Managed conservatively and collected in 5-gal. carboys, stored in 55-gal. drums at satellite accumulation areas or collected in tanks at less-than-90-d accumulation areas. These wells have been determined to be nonhazardous based on data review and due diligence. The containers and/or accumulation areas have been downgraded to nonhazardous.	Pending land application review and approval
Spent PPE and Disposable Sampling Supplies	Suspect hazardous; suspect radioactive	<0.2 yd <sup>3</sup> (25 gal.)	AK	Zip-lock baggies accumulated in 55-gal. drums stored in 55-gal. drums at satellite accumulation areas	Pending data review, hazardous waste determination and WPF approval

Waste Stream	Waste Type	Volume	Characterization Method	On-site Management	Disposition Status
Spent PPE and Disposable Sampling Supplies	Nonhazardous; suspect radioactive	<0.05 yd <sup>3</sup> (10 gal.)	AK	Zip-lock baggies accumulated in 55-gal. drums	Pending data review, radioactive waste determination, segregation, WPF approval and disposal
Spent PPE and Disposable Sampling Supplies	Nonhazardous; suspect radioactive	<0.05 yd <sup>3</sup> (10 gal.)	AK	Zip-lock baggies accumulated in 55-gal. drums	Pending Green Is Clean verification, segregation, WPF approval and disposal
Spent PPE and Disposable Sampling Supplies	Nonhazardous; nonradioactive	<0.05 yd <sup>3</sup> (10 gal.)	AK	Zip-lock baggies accumulated in 55-gal. drums	Disposed at New Mexico solid waste landfill*
Decontamination Fluids	Suspect hazardous; suspect radioactive	4 gal.	AK	Collected in 250 ml to 1-gal. bottles, stored in 55-gal. drums at accumulation areas	Pending data review, hazardous waste determination and WPF approval

Note: Volumes recorded represent volume generated during this particular sample event. The associated disposal documents record volumes for multiple sample events.

\*The existing WPF for this waste stream was submitted in Appendix F of the previous PMR.



# **Appendix G**

---

*Analytical Reports*  
*(on DVD included with this document)*



**DVD Table of Contents**

Request	Suite	Sample	Date	Location
183872	GENINORG	GF070400GBAL01	4/9/2007	LAO-B
183872	GENINORG	GU070400GBAL01	4/9/2007	LAO-B
183872	PEST/PCB	GU070400GBAL01	4/9/2007	LAO-B
183956	GENINORG	GU070400G3iR02	4/9/2007	R-3i
183956	GENINORG	GU070400G3iR01	4/9/2007	R-3i
183956	GENINORG	GF070400G3iR01	4/9/2007	R-3i
183956	GENINORG	GF070400G3iR02	4/9/2007	R-3i
183956	HEXP	GU070400G3iR01	4/9/2007	R-3i
183956	METALS	GF070400G3iR01	4/9/2007	R-3i
183956	METALS	GF070400G3iR02	4/9/2007	R-3i
183956	METALS	GU070400G3iR01	4/9/2007	R-3i
183956	METALS	GU070400G3iR02	4/9/2007	R-3i
183956	PEST/PCB	GU070400G3iR01	4/9/2007	R-3i
183956	RAD	GF070400G3iR01	4/9/2007	R-3i
183956	RAD	GU070400G3iR01	4/9/2007	R-3i
183956	SVOA	GU070400G3iR01	4/9/2007	R-3i
183956	VOA	GU070400G3iR01	4/9/2007	R-3i
183956	VOA	GU070400G3iR01-FTB	4/9/2007	R-3i
183995	GENINORG	GF070400M02601	4/10/2007	Los Alamos below Ice Rink
183995	GENINORG	GU070400M02601	4/10/2007	Los Alamos below Ice Rink
183995	METALS	GU070400M02601	4/10/2007	Los Alamos below Ice Rink
183995	METALS	GF070400M02601	4/10/2007	Los Alamos below Ice Rink
183995	PEST/PCB	GU070400M02601	4/10/2007	Los Alamos below Ice Rink
183995	RAD	GF070400M02601	4/10/2007	Los Alamos below Ice Rink
183995	RAD	GU070400M02601	4/10/2007	Los Alamos below Ice Rink
184003	GENINORG	GF070400G09R01	4/10/2007	R-9
184003	GENINORG	GF070400G09R20	4/10/2007	R-9
184003	GENINORG	GU070400G09R01	4/10/2007	R-9
184003	GENINORG	GU070400G09R20	4/10/2007	R-9
184003	METALS	GU070400G09R20	4/10/2007	R-9
184003	METALS	GF070400G09R01	4/10/2007	R-9
184003	METALS	GF070400G09R20	4/10/2007	R-9
184003	METALS	GU070400G09R01	4/10/2007	R-9
184003	PEST/PCB	GU070400G09R20	4/10/2007	R-9
184003	PEST/PCB	GU070400G09R01	4/10/2007	R-9
184003	SVOA	GU070400G09R01	4/10/2007	R-9
184003	SVOA	GU070400G09R20	4/10/2007	R-9
184003	VOA	GU070400G09R01	4/10/2007	R-9
184003	VOA	GU070400G09R01-FTB	4/10/2007	R-9

Request	Suite	Sample	Date	Location
184003	VOA	GU070400G09R20	4/10/2007	R-9
184008	GENINORG	GF070400P11001	4/10/2007	Los Alamos Canyon near Otowi Bridge
184008	GENINORG	GU070400P11001	4/10/2007	Los Alamos Canyon near Otowi Bridge
184008	METALS	GF070400P11001	4/10/2007	Los Alamos Canyon near Otowi Bridge
184008	METALS	GU070400P11001	4/10/2007	Los Alamos Canyon near Otowi Bridge
184008	PEST/PCB	GU070400P11001	4/10/2007	Los Alamos Canyon near Otowi Bridge
184008	SVOA	GU070400P11001	4/10/2007	Los Alamos Canyon near Otowi Bridge
184008	VOA	GU070400P11001	4/10/2007	Los Alamos Canyon near Otowi Bridge
184008	VOA	GU070400P11001-FTB	4/10/2007	Los Alamos Canyon near Otowi Bridge
184058	GENINORG	GF070400P06020	4/11/2007	Pueblo above State Highway 502
184058	GENINORG	GU070400P06001	4/11/2007	Pueblo above State Highway 502
184058	GENINORG	GU070400P06020	4/11/2007	Pueblo above State Highway 502
184058	GENINORG	GF070400P06001	4/11/2007	Pueblo above State Highway 502
184058	METALS	GF070400P06001	4/11/2007	Pueblo above State Highway 502
184058	METALS	GF070400P06020	4/11/2007	Pueblo above State Highway 502
184058	METALS	GU070400P06001	4/11/2007	Pueblo above State Highway 502
184058	METALS	GU070400P06020	4/11/2007	Pueblo above State Highway 502
184058	PEST/PCB	GU070400P06001	4/11/2007	Pueblo above State Highway 502
184058	PEST/PCB	GU070400P06020	4/11/2007	Pueblo above State Highway 502
184079	GENINORG	GU070400G16G01	4/10/2007	LAO-1.6g
184079	GENINORG	GU07040G08R101	4/10/2007	R-8
184079	GENINORG	GU07040GLA0601	4/10/2007	LAO-0.6
184079	GENINORG	GU070400G16G20	4/10/2007	LAO-1.6g
184079	GENINORG	GF07040G08R101	4/10/2007	R-8
184079	GENINORG	GF070400G16G01	4/10/2007	LAO-1.6g
184079	GENINORG	GF070400G16G20	4/10/2007	LAO-1.6g
184079	GENINORG	GF07040GLA0601	4/10/2007	LAO-0.6
184079	METALS	GF07040G08R101	4/10/2007	R-8
184079	METALS	GU07040G08R101	4/10/2007	R-8
184079	PEST/PCB	GU070400G16G20	4/10/2007	LAO-1.6g
184079	PEST/PCB	GU07040G08R101	4/10/2007	R-8
184079	PEST/PCB	GU070400G16G01	4/10/2007	LAO-1.6g
184079	PEST/PCB	GU07040GLA0601	4/10/2007	LAO-0.6
184079	SVOA	GU07040G08R101	4/10/2007	R-8
184079	VOA	GU07040G08R101	4/10/2007	R-8
184079	VOA	GU07040G08R101-FTB	4/10/2007	R-8
184109	GENINORG	GF070400M04201	4/10/2007	Los Alamos above SR-4
184109	GENINORG	GU070400M04201	4/10/2007	Los Alamos above SR-4
184109	GENINORG	GU070400M05001	4/10/2007	Los Alamos below Los Alamos Weir
184109	GENINORG	GF070400M05001	4/10/2007	Los Alamos below Los Alamos Weir
184109	GENINORG	GF070400M03001	4/10/2007	Los Alamos above DP Canyon

Request	Suite	Sample	Date	Location
184109	GENINORG	GU070400M03001	4/10/2007	Los Alamos above DP Canyon
184109	METALS	GF070400M03001	4/10/2007	Los Alamos above DP Canyon
184109	METALS	GF070400M04201	4/10/2007	Los Alamos above State Highway 4
184109	METALS	GF070400M05001	4/10/2007	Los Alamos below Los Alamos Weir
184109	METALS	GU070400M03001	4/10/2007	Los Alamos above DP Canyon
184109	METALS	GU070400M04201	4/10/2007	Los Alamos above State Highway 4
184109	METALS	GU070400M05001	4/10/2007	Los Alamos below Los Alamos Weir
184109	PEST/PCB	GU070400M03001	4/10/2007	Los Alamos above DP Canyon
184109	PEST/PCB	GU070400M04201	4/10/2007	Los Alamos above State Highway 4
184109	PEST/PCB	GU070400M05001	4/10/2007	Los Alamos below Los Alamos Weir
184109	RAD	GU070400M04201	4/10/2007	Los Alamos above State Highway 4
184109	RAD	GF070400M03001	4/10/2007	Los Alamos above DP Canyon
184109	RAD	GU070400M05001	4/10/2007	Los Alamos below Los Alamos Weir
184109	RAD	GF070400M05001	4/10/2007	Los Alamos below Los Alamos Weir
184109	RAD	GF070400M04201	4/10/2007	Los Alamos above State Highway 4
184109	RAD	GU070400M03001	4/10/2007	Los Alamos above DP Canyon
184191	GENINORG	GF070400G1OL01	4/11/2007	LAO-1
184191	GENINORG	GF070400GA3L01	4/12/2007	LAO-3a
184191	GENINORG	GF070400GC5401	4/12/2007	LAO-4.5c
184191	GENINORG	GF070400GLA1801	4/12/2007	LAO-1.8
184191	GENINORG	GU070400G1OL01	4/11/2007	LAO-1
184191	GENINORG	GU070400GA3L01	4/12/2007	LAO-3a
184191	GENINORG	GU070400GC5401	4/12/2007	LAO-4.5c
184191	GENINORG	GU070400GLA1801	4/12/2007	LAO-1.8
184191	PEST/PCB	GU070400GC5401	4/12/2007	LAO-4.5c
184191	PEST/PCB	GU070400GLA1801	4/12/2007	LAO-1.8
184191	PEST/PCB	GU070400GA3L01	4/12/2007	LAO-3a
184191	PEST/PCB	GU070400G1OL01	4/11/2007	LAO-1
184210	GENINORG	GF070400P05001	4/12/2007	Los Alamos below Los Alamos Weir
184210	GENINORG	GU070400P04201	4/12/2007	Los Alamos above State Highway 4
184210	GENINORG	GU070400P05001	4/12/2007	Los Alamos below Los Alamos Weir
184210	GENINORG	GF070400P04201	4/12/2007	Los Alamos above State Highway 4
184210	METALS	GF070400P04201	4/12/2007	Los Alamos above State Highway 4
184210	METALS	GF070400P05001	4/12/2007	Los Alamos below Los Alamos Weir
184210	METALS	GU070400P04201	4/12/2007	Los Alamos State Highway 4
184210	METALS	GU070400P05001	4/12/2007	Los Alamos below Los Alamos Weir
184210	PEST/PCB	GU070400P04201	4/12/2007	Los Alamos above State Highway 4
184210	PEST/PCB	GU070400P05001	4/12/2007	Los Alamos below Los Alamos Weir
184266	GENINORG	GU070400G06R01	4/12/2007	R-6
184266	GENINORG	GU070400G6IR01-FB	4/12/2007	R-6i
184266	GENINORG	GU070400G6IR01	4/12/2007	R-6i

Periodic Monitoring Report for Los Alamos Watershed

Request	Suite	Sample	Date	Location
184266	GENINORG	GF070400G6IR01	4/12/2007	R-6i
184266	GENINORG	GF070400G06R01	4/12/2007	R-6
184266	GENINORG	GU07040GLA0301	4/13/2007	LAO-0.3
184266	GENINORG	GF07040GLA0301	4/13/2007	LAO-0.3
184266	METALS	GF070400G06R01	4/12/2007	R-6
184266	METALS	GF070400G6IR01	4/12/2007	R-6i
184266	METALS	GU070400G06R01	4/12/2007	R-6
184266	METALS	GU070400G6IR01	4/12/2007	R-6i
184266	METALS	GU070400G6IR01-FB	4/12/2007	R-6i
184266	PEST/PCB	GU070400G06R01	4/12/2007	R-6
184266	PEST/PCB	GU070400G6IR01	4/12/2007	R-6i
184266	PEST/PCB	GU070400G6IR01-FB	4/12/2007	R-6i
184266	PEST/PCB	GU07040GLA0301	4/13/2007	LAO-0.3
184266	RAD	GU070400G06R01	4/12/2007	R-6
184266	RAD	GU070400G6IR01	4/12/2007	R-6i
184266	RAD	GF070400G6IR01	4/12/2007	R-6i
184266	RAD	GF070400G06R01	4/12/2007	R-6
184266	RAD	GU070400G6IR01-FB	4/12/2007	R-6i
184266	SVOA	GU070400G06R01	4/12/2007	R-6
184266	SVOA	GU070400G6IR01	4/12/2007	R-6i
184266	SVOA	GU070400G6IR01-FB	4/12/2007	R-6i
184266	VOA	GU070400G06R01-FTB	4/12/2007	R-6
184266	VOA	GU070400G6IR01-FTB	4/12/2007	R-6i
184266	VOA	GU070400G6IR01	4/12/2007	R-6i
184266	VOA	GU070400G06R01	4/12/2007	R-6
184266	VOA	GU070400G6IR01-FB	4/12/2007	R-6i
184348	GENINORG	GF070400P02601	4/16/2007	Los Alamos below Ice Rink
184348	GENINORG	GF070400P02620	4/16/2007	Los Alamos below Ice Rink
184348	GENINORG	GU070400P02601	4/16/2007	Los Alamos below Ice Rink
184348	GENINORG	GU070400P02620	4/16/2007	Los Alamos below Ice Rink
184348	METALS	GF070400P02620	4/16/2007	Los Alamos below Ice Rink
184348	METALS	GU070400P02601	4/16/2007	Los Alamos below Ice Rink
184348	METALS	GF070400P02601	4/16/2007	Los Alamos below Ice Rink
184348	METALS	GU070400P02620	4/16/2007	Los Alamos below Ice Rink
184348	PEST/PCB	GU070400P02601	4/16/2007	Los Alamos below Ice Rink
184348	PEST/PCB	GU070400P02620	4/16/2007	Los Alamos below Ice Rink
184416	GENINORG	GU070400GR2401	4/16/2007	R-24
184416	GENINORG	GU07040GLAO520	4/16/2007	LAO-5
184416	GENINORG	GU07040GLAO501	4/16/2007	LAO-5
184416	GENINORG	GU070400GR2401-FB	4/16/2007	R-24
184416	GENINORG	GF07040GLAO520	4/16/2007	LAO-5

Request	Suite	Sample	Date	Location
184416	GENINORG	GF07040GLAO501	4/16/2007	LAO-5
184416	GENINORG	GF070400GR2420	4/16/2007	R-24
184416	GENINORG	GF070400GR2401	4/16/2007	R-24
184416	GENINORG	GU070400GR2420	4/16/2007	R-24
184416	HEXP	GU070400GR2420	4/16/2007	R-24
184416	HEXP	GU070400GR2401	4/16/2007	R-24
184416	HEXP	GU070400GR2401-FB	4/16/2007	R-24
184416	METALS	GU070400GR2420	4/16/2007	R-24
184416	METALS	GU070400GR2401-FB	4/16/2007	R-24
184416	METALS	GU070400GR2401	4/16/2007	R-24
184416	METALS	GF070400GR2401	4/16/2007	R-24
184416	METALS	GF070400GR2420	4/16/2007	R-24
184416	PEST/PCB	GU070400GR2401	4/16/2007	R-24
184416	PEST/PCB	GU070400GR2401-FB	4/16/2007	R-24
184416	PEST/PCB	GU070400GR2420	4/16/2007	R-24
184416	PEST/PCB	GU07040GLAO501	4/16/2007	LAO-5
184416	PEST/PCB	GU07040GLAO520	4/16/2007	LAO-5
184416	RAD	GF070400GR2401	4/16/2007	R-24
184416	RAD	GF070400GR2420	4/16/2007	R-24
184416	RAD	GU070400GR2401	4/16/2007	R-24
184416	RAD	GU070400GR2401-FB	4/16/2007	R-24
184416	RAD	GU070400GR2420	4/16/2007	R-24
184416	SVOA	GU070400GR2401-FB	4/16/2007	R-24
184416	SVOA	GU070400GR2420	4/16/2007	R-24
184416	SVOA	GU070400GR2401	4/16/2007	R-24
184416	VOA	GU070400GR2401	4/16/2007	R-24
184416	VOA	GU070400GR2401-FB	4/16/2007	R-24
184416	VOA	GU070400GR2401-FTB	4/16/2007	R-24
184416	VOA	GU070400GR2420	4/16/2007	R-24
184479	GENINORG	GF070400P05501	4/18/2007	Pueblo above Acid
184479	GENINORG	GU070400P05601	4/18/2007	Acid above Pueblo
184479	GENINORG	GU070400P05501	4/18/2007	Pueblo above Acid
184479	GENINORG	GU070400P03901	4/17/2007	DP below Meadow at TA-21
184479	GENINORG	GF070400P05601	4/18/2007	Acid above Pueblo
184479	GENINORG	GF070400P03901	4/17/2007	DP below Meadow at TA-21
184479	GENINORG	GF070400P03001	4/17/2007	Los Alamos above DP Canyon
184479	GENINORG	GU070400P03001	4/17/2007	Los Alamos above DP Canyon
184479	METALS	GU070400P03901	4/17/2007	DP below Meadow at TA-21
184479	METALS	GF070400P03001	4/17/2007	Los Alamos above DP Canyon
184479	METALS	GU070400P05601	4/18/2007	Acid above Pueblo
184479	METALS	GU070400P05501	4/18/2007	Pueblo above Acid

Periodic Monitoring Report for Los Alamos Watershed

Request	Suite	Sample	Date	Location
184479	METALS	GU070400P03001	4/17/2007	Los Alamos above DP Canyon
184479	METALS	GF070400P05601	4/18/2007	Acid above Pueblo
184479	METALS	GF070400P03901	4/17/2007	DP below Meadow at TA-21
184479	METALS	GF070400P05501	4/18/2007	Pueblo above Acid
184479	PEST/PCB	GU070400P03001	4/17/2007	Los Alamos above DP Canyon
184479	PEST/PCB	GU070400P03901	4/17/2007	DP below Meadow at TA-21
184479	PEST/PCB	GU070400P05501	4/18/2007	Pueblo above Acid
184479	PEST/PCB	GU070400P05601	4/18/2007	Acid above Pueblo
184483	GENINORG	GF07040G05R201	4/17/2007	R-5
184483	GENINORG	GU07040G05R201	4/17/2007	R-5
184483	GENINORG	GU070400G1ZL01	4/17/2007	LAUZ-1
184483	GENINORG	GU070400G04R01	4/17/2007	R-4
184483	GENINORG	GF07040G05R401	4/17/2007	R-5
184483	GENINORG	GF070400G1ZL01	4/17/2007	LAUZ-1
184483	GENINORG	GF070400G04R01	4/17/2007	R-4
184483	GENINORG	GF070400G02R01	4/17/2007	R-2
184483	GENINORG	GU070400G02R01	4/17/2007	R-2
184483	METALS	GF07040G05R201	4/17/2007	R-5
184483	METALS	GU07040G05R201	4/17/2007	R-5
184483	METALS	GU070400G02R01	4/17/2007	R-2
184483	METALS	GF070400G04R01	4/17/2007	R-4
184483	METALS	GF070400G02R01	4/17/2007	R-2
184483	METALS	GU070400G04R01	4/17/2007	R-4
184483	PEST/PCB	GU07040G05R201	4/17/2007	R-5
184483	PEST/PCB	GU070400G02R01	4/17/2007	R-2
184483	PEST/PCB	GU070400G04R01	4/17/2007	R-4
184483	PEST/PCB	GU070400G1ZL01	4/17/2007	LAUZ-1
184483	SVOA	GU07040G05R201	4/17/2007	R-5
184483	SVOA	GU070400G02R01	4/17/2007	R-2
184483	SVOA	GU070400G04R01	4/17/2007	R-4
184483	VOA	GU070400G02R01	4/17/2007	R-2
184483	VOA	GU070400G02R01-FTB	4/17/2007	R-2
184483	VOA	GU070400G04R01	4/17/2007	R-4
184483	VOA	GU070400G04R01-FTB	4/17/2007	R-4
184483	VOA	GU07040G05R201	4/17/2007	R-5
184483	VOA	GU07040G05R201-FTB	4/17/2007	R-5
184649	GENINORG	GF07040LAOI720	4/18/2007	LAOI-7
184649	GENINORG	GU07040LAOI720	4/18/2007	LAOI-7
184649	GENINORG	GU07040LAOI701-FB	4/18/2007	LAOI-7
184649	GENINORG	GU07040LAOI701	4/18/2007	LAOI-7
184649	GENINORG	GU07040G05R301	4/18/2007	R-5



Request	Suite	Sample	Date	Location
184649	GENINORG	GU070400GSPD01	4/18/2007	DP Spring
184649	GENINORG	GU070400G2OL01	4/18/2007	LAO-2
184649	GENINORG	GF07040LAOI701	4/18/2007	LAOI-7
184649	GENINORG	GF07040G05R301	4/18/2007	R-5
184649	GENINORG	GF070400GSPD01	4/18/2007	DP Spring
184649	GENINORG	GF070400GA6L01	4/18/2007	LAO-6a
184649	GENINORG	GF070400G2OL01	4/18/2007	LAO-2
184649	GENINORG	GU070400GA6L01	4/18/2007	LAO-6a
184649	HEXP	GU070400GSPD01	4/18/2007	DP Spring
184649	METALS	GU07040LAOI701-FB	4/18/2007	LAOI-7
184649	METALS	GU07040LAOI720	4/18/2007	LAOI-7
184649	METALS	GU07040LAOI701	4/18/2007	LAOI-7
184649	METALS	GU07040G05R301	4/18/2007	R-5
184649	METALS	GF07040LAOI720	4/18/2007	LAOI-7
184649	METALS	GF07040LAOI701	4/18/2007	LAOI-7
184649	METALS	GF07040G05R301	4/18/2007	R-5
184649	METALS	GF070400GSPD01	4/18/2007	DP Spring
184649	METALS	GU070400GSPD01	4/18/2007	DP Spring
184649	PEST/PCB	GU07040LAOI701	4/18/2007	LAOI-7
184649	PEST/PCB	GU070400G2OL01	4/18/2007	LAO-2
184649	PEST/PCB	GU07040LAOI701-FB	4/18/2007	LAOI-7
184649	PEST/PCB	GU07040G05R301	4/18/2007	R-5
184649	PEST/PCB	GU070400GSPD01	4/18/2007	DP Spring
184649	PEST/PCB	GU070400GA6L01	4/18/2007	LAO-6a
184649	PEST/PCB	GU07040LAOI720	4/18/2007	LAOI-7
184649	RAD	GU07040LAOI720	4/18/2007	LAOI-7
184649	RAD	GF07040LAOI701	4/18/2007	LAOI-7
184649	RAD	GF07040LAOI720	4/18/2007	LAOI-7
184649	RAD	GU070400GSPD01	4/18/2007	DP Spring
184649	RAD	GU07040LAOI701	4/18/2007	LAOI-7
184649	RAD	GU07040LAOI701-FB	4/18/2007	LAOI-7
184649	SVOA	GU07040LAOI720	4/18/2007	LAOI-7
184649	SVOA	GU07040LAOI701-FB	4/18/2007	LAOI-7
184649	SVOA	GU070400GSPD01	4/18/2007	DP Spring
184649	SVOA	GU07040G05R301	4/18/2007	R-5
184649	SVOA	GU07040LAOI701	4/18/2007	LAOI-7
184649	VOA	GU070400GSPD01	4/18/2007	DP Spring
184649	VOA	GU070400GSPD01-FTB	4/18/2007	DP Spring
184649	VOA	GU07040G05R301	4/18/2007	R-5
184649	VOA	GU07040G05R301-FTB	4/18/2007	R-5
184649	VOA	GU07040LAOI701	4/18/2007	LAOI-7

Request	Suite	Sample	Date	Location
184649	VOA	GU07040LAOI701-FB	4/18/2007	LAOI-7
184649	VOA	GU07040LAOI701-FTB	4/18/2007	LAOI-7
184649	VOA	GU07040LAOI720	4/18/2007	LAOI-7
184713	GENINORG	GU070400G32L01	4/19/2007	LAOI-3.2
184713	GENINORG	GU07040G4OAP01	4/19/2007	PAO-4
184713	GENINORG	GF070400G32L01	4/19/2007	LAOI-3.2
184713	GENINORG	GF07040G4OAP01	4/19/2007	PAO-4
184713	METALS	GF070400G32L01	4/19/2007	LAOI-3.2
184713	METALS	GU070400G32L01	4/19/2007	LAOI-3.2
184713	PEST/PCB	GU070400G32L01	4/19/2007	LAOI-3.2
184713	PEST/PCB	GU07040G4OAP01	4/19/2007	PAO-4
184713	RAD	GU070400G32L01	4/19/2007	LAOI-3.2
184713	SVOA	GU070400G32L01	4/19/2007	LAOI-3.2
184713	VOA	GU070400G32L01	4/19/2007	LAOI-3.2
184713	VOA	GU070400G32L01-FTB	4/19/2007	LAOI-3.2
184767	GENINORG	GF070400P08901	4/20/2007	Guaje above Rendija
184767	GENINORG	GF070400P3LP01	4/20/2007	Pueblo 3
184767	GENINORG	GU070400P08901	4/20/2007	Guaje above Rendija
184767	GENINORG	GU070400P3LP01	4/20/2007	Pueblo 3
184767	METALS	GF070400P08901	4/20/2007	Guaje above Rendija
184767	METALS	GU070400P3LP01	4/20/2007	Pueblo 3
184767	METALS	GU070400P08901	4/20/2007	Guaje above Rendija
184767	METALS	GF070400P3LP01	4/20/2007	Pueblo 3
184767	PEST/PCB	GU070400P08901	4/20/2007	Guaje above Rendija
184767	PEST/PCB	GU070400P3LP01	4/20/2007	Pueblo 3
184854	GENINORG	GF07040G1OAP01	4/23/2007	PAO-1
184854	GENINORG	GF07040GPAO201	4/23/2007	PAO-2
184854	GENINORG	GU07040G1OAP01	4/23/2007	PAO-1
184854	GENINORG	GU07040GPAO201	4/23/2007	PAO-2
184854	PEST/PCB	GU07040G1OAP01	4/23/2007	PAO-1
184854	PEST/PCB	GU07040GPAO201	4/23/2007	PAO-2
184942	GENINORG	GF070400G4LL01	4/24/2007	LLAO-4
184942	GENINORG	GF070400GB1L01	4/24/2007	LLAO-1b
184942	GENINORG	GU070400G4LL01	4/24/2007	LLAO-4
184942	GENINORG	GU070400GB1L01	4/24/2007	LLAO-1b
184942	PEST/PCB	GU070400G4LL01	4/24/2007	LLAO-4
184942	PEST/PCB	GU070400GB1L01	4/24/2007	LLAO-1b
185012	GENINORG	GU070400G1PA01	4/25/2007	APCO-1
185012	GENINORG	GU07040GI32A01	4/25/2007	LAOI-3.2a
185012	GENINORG	GF070400G11L01	4/25/2007	LAOI(a)-1.1
185012	GENINORG	GU070400G1PA20	4/25/2007	APCO-1

Request	Suite	Sample	Date	Location
185012	GENINORG	GU070400G11L01	4/25/2007	LAOI(a)-1.1
185012	GENINORG	GF07040GI32A01	4/25/2007	LAOI-3.2a
185012	GENINORG	GF070400G4OP01	4/25/2007	POI-4
185012	GENINORG	GF070400G1PA20	4/25/2007	APCO-1
185012	GENINORG	GF070400G1PA01	4/25/2007	APCO-1
185012	GENINORG	GU070400G4OP01	4/25/2007	POI-4
185012	METALS	GU070400G11L01	4/25/2007	LAOI(a)-1.1
185012	METALS	GF07040GI32A01	4/25/2007	LAOI-3.2a
185012	METALS	GU07040GI32A01	4/25/2007	LAOI-3.2a
185012	METALS	GU070400G4OP01	4/25/2007	POI-4
185012	METALS	GU070400G1PA20	4/25/2007	APCO-1
185012	METALS	GF070400G11L01	4/25/2007	LAOI(a)-1.1
185012	METALS	GF070400G4OP01	4/25/2007	POI-4
185012	METALS	GF070400G1PA20	4/25/2007	APCO-1
185012	METALS	GF070400G1PA01	4/25/2007	APCO-1
185012	METALS	GU070400G1PA01	4/25/2007	APCO-1
185012	PEST/PCB	GU070400G11L01	4/25/2007	LAOI(a)-1.1
185012	PEST/PCB	GU070400G1PA01	4/25/2007	APCO-1
185012	PEST/PCB	GU070400G1PA20	4/25/2007	APCO-1
185012	PEST/PCB	GU070400G4OP01	4/25/2007	POI-4
185012	PEST/PCB	GU07040GI32A01	4/25/2007	LAOI-3.2a
185012	RAD	GF07040GI32A01	4/25/2007	LAOI-3.2a
185012	RAD	GU07040GI32A01	4/25/2007	LAOI-3.2a
185012	SVOA	GU070400G1PA20	4/25/2007	APCO-1
185012	SVOA	GU070400G4OP01	4/25/2007	POI-4
185012	SVOA	GU070400G1PA01	4/25/2007	APCO-1
185012	SVOA	GU070400G11L01	4/25/2007	LAOI(a)-1.1
185012	SVOA	GU07040GI32A01	4/25/2007	LAOI-3.2a
185012	VOA	GU070400G1PA20	4/25/2007	APCO-1
185012	VOA	GU07040GI32A01-FTB	4/25/2007	LAOI-3.2a
185012	VOA	GU07040GI32A01	4/25/2007	LAOI-3.2a
185012	VOA	GU070400G4OP01	4/25/2007	POI-4
185012	VOA	GU070400G1PA01-FTB	4/25/2007	APCO-1
185012	VOA	GU070400G1PA01	4/25/2007	APCO-1
185012	VOA	GU070400G11L01-FTB	4/25/2007	LAOI(a)-1.1
185012	VOA	GU070400G11L01	4/25/2007	LAOI(a)-1.1
185012	VOA	GU070400G4OP01-FTB	4/25/2007	POI-4
185087	GENINORG	GF070400GLAS01	4/26/2007	Los Alamos Spring
185087	GENINORG	GU07040GGU0101	4/26/2007	GU-0.01 Spring
185087	GENINORG	GU070400GLAS01	4/26/2007	Los Alamos Spring
185087	GENINORG	GU070400GLAS01-FB	4/26/2007	Los Alamos Spring

Periodic Monitoring Report for Los Alamos Watershed

Request	Suite	Sample	Date	Location
185087	GENINORG	GU07040GGU0101-FB	4/26/2007	GU-0.01 Spring
185087	GENINORG	GF07040GGU0101	4/26/2007	GU-0.01 Spring
185087	GENINORG	GF070400GGSB01	4/26/2007	Basalt Spring
185087	GENINORG	GU070400GGSB01-FB	4/26/2007	Basalt Spring
185087	GENINORG	GU070400GGSB01	4/26/2007	Basalt Spring
185087	METALS	GU070400GGSB01	4/26/2007	Basalt Spring
185087	METALS	GU07040GGU0101-FB	4/26/2007	GU-0.01 Spring
185087	METALS	GU07040GGU0101	4/26/2007	GU-0.01 Spring
185087	METALS	GU070400GLAS01-FB	4/26/2007	Los Alamos Spring
185087	METALS	GU070400GGSB01-FB	4/26/2007	Basalt Spring
185087	METALS	GF07040GGU0101	4/26/2007	GU-0.01 Spring
185087	METALS	GF070400GLAS01	4/26/2007	Los Alamos Spring
185087	METALS	GF070400GGSB01	4/26/2007	Basalt Spring
185087	METALS	GU070400GLAS01	4/26/2007	Los Alamos Spring
185087	PEST/PCB	GU070400GGSB01-FB	4/26/2007	Basalt Spring
185087	PEST/PCB	GU07040GGU0101-FB	4/26/2007	GU-0.01 Spring
185087	PEST/PCB	GU07040GGU0101	4/26/2007	GU-0.01 Spring
185087	PEST/PCB	GU070400GLAS01	4/26/2007	Los Alamos Spring
185087	PEST/PCB	GU070400GGSB01	4/26/2007	Basalt Spring
185087	PEST/PCB	GU070400GLAS01-FB	4/26/2007	Los Alamos Spring
185087	SVOA	GU070400GGSB01	4/26/2007	Basalt Spring
185087	SVOA	GU070400GGSB01-FB	4/26/2007	Basalt Spring
185087	SVOA	GU070400GLAS01	4/26/2007	Los Alamos Spring
185087	SVOA	GU070400GLAS01-FB	4/26/2007	Los Alamos Spring
185087	SVOA	GU07040GGU0101	4/26/2007	GU-0.01 Spring
185087	SVOA	GU07040GGU0101-FB	4/26/2007	GU-0.01 Spring
185087	VOA	GU070400GGSB01-FTB	4/26/2007	Basalt Spring
185087	VOA	GU07040GGU0101-FB	4/26/2007	GU-0.01 Spring
185087	VOA	GU07040GGU0101	4/26/2007	GU-0.01 Spring
185087	VOA	GU07040GGU0101-FTB	4/26/2007	GU-0.01 Spring
185087	VOA	GU070400GLAS01-FTB	4/26/2007	Los Alamos Spring
185087	VOA	GU070400GGSB01-FB	4/26/2007	Basalt Spring
185087	VOA	GU070400GGSB01	4/26/2007	Basalt Spring
185087	VOA	GU070400GLAS01-FB	4/26/2007	Los Alamos Spring
185087	VOA	GU070400GLAS01	4/26/2007	Los Alamos Spring
186487	METALS	GU070400M04201	4/10/2007	Los Alamos above State Highway 4
2328	RAD	UU07040G07R301	4/13/2007	R-7
2328	RAD	UU07040GLA0301	4/13/2007	LAO-0.3
2328	RAD	UU070400P05001	4/12/2007	Los Alamos below Los Alamos Weir
2328	RAD	UU070400P04201	4/12/2007	Los Alamos above State Highway 4
2328	RAD	UU070400P02601	4/16/2007	Los Alamos below Ice Rink

Request	Suite	Sample	Date	Location
2328	RAD	UU070400GC5401	4/12/2007	LAO-4.5c
2328	RAD	UU070400GA3L01	4/12/2007	LAO-3a
2328	RAD	UU070400G06R01	4/12/2007	R-6
2328	RAD	UU070400P02620	4/16/2007	Los Alamos below Ice Rink
2328	RAD	UU070400GLA1801	4/12/2007	LAO-1.8
2332	RAD	UU070400P08901	4/20/2007	Guaje above Rendija
2332	RAD	UU070400GPAO201	4/23/2007	PAO-2
2332	RAD	UU070400G4OAP01	4/19/2007	PAO-4
2332	RAD	UU070400G1OAP01	4/23/2007	PAO-1
2332	RAD	UU070400P3LP01	4/20/2007	Pueblo 3
2332	RAD	UU070400GA6L01	4/18/2007	LAO-6a
2332	RAD	UU070400G2OL01	4/18/2007	LAO-2
2332	RAD	UU070400G05R301	4/18/2007	R-5
2336	RAD	UU070400G4OP01	4/25/2007	POI-4
2336	RAD	UU070400G11L01	4/25/2007	LAOI(a)-1.1
2336	RAD	UU070400G1PA01	4/25/2007	APCO-1
2336	RAD	UU070400G1PA20	4/25/2007	APCO-1

