

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Summaries of pesticide analytical results in food from the Food and Drug Administration's Total Diet Study program summarized by food. The information pertains to Total Diet Study market baskets 1991-3 through 2003-4 collected between September 1991 and October 2003.

Notes:

- Number of Analyses: Number of times this food item was analyzed in this program.
- Number of \geq LQ: Number of result(s) that were greater than the limit of quantification (LQ).
- Number of Traces: Number of result(s) that were greater than or equal to the limit of detection but less than the limit of quantification.
- Statistics were calculated using value of 0 for results below the limit of detection.
- Some values have been rounded.
- Benzene*: An FDA evaluation has determined that the TDS method used in the Kansas City District Office laboratory to measure benzene produces unreliable results for benzene in some foods. Based on this evaluation, FDA scientists recommend that benzene data be viewed with great caution, while FDA considers removing these data from the TDS website. There is no evidence of problems with other TDS data. See Questions and Answers on the Occurrence of Benzene in Soft Drinks and Other Beverages for more information.
- BF: Baby Food
- RTF: Ready to Feed

Revision 3, 1991-2003, December 2006

Revision 2, 1991-2001, June 2003

Revision 1, 1991-1997, June 1999

This document is available on the Internet at <http://www.cfsan.fda.gov/~comm/tds-res.html>

US Food and Drug Administration
Center for Food Safety and Applied Nutrition
Office of Food Safety
5100 Paint Branch Parkway
College Park, Maryland 20740
USA

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
001	Milk, whole, fluid						
	1,2,4-trimethylbenzene	44	0	1	0.00009	0.0040	0.0040
	benzene*	44	1	3	0.00027	0.0010	0.0080
	chlorobenzene	44	0	1	0.00005	0.0020	0.0020
	chloroform	44	9	10	0.00389	0.0020	0.0220
	DDE, p,p'	44	5	24	0.00068	0.0001	0.0100
	dieldrin	44	0	18	0.00005	0.0001	0.0003
	endosulfan sulfate	44	0	4	0.00002	0.0001	0.0004
	heptachlor epoxide	44	0	1	0.00000	0.0001	0.0001
	methoxychlor, p,p'-	44	0	1	0.00000	0.0002	0.0002
	permethrin, cis-	44	0	1	0.00000	0.0002	0.0002
	permethrin, trans-	44	0	1	0.00000	0.0002	0.0002
	styrene	44	0	1	0.00005	0.0020	0.0020
	tetrachloroethylene	44	0	1	0.00007	0.0030	0.0030
	toluene	44	2	2	0.00057	0.0010	0.0160
	trichloroethylene	44	1	0	0.00025	0.0110	0.0110
002	Milk, lowfat (2%), fluid						
	DDE, p,p'	44	4	18	0.00040	0.0001	0.0050
	dieldrin	44	0	10	0.00003	0.0001	0.0003
	endosulfan sulfate	44	0	2	0.00001	0.0001	0.0003
	hexachlorobenzene	44	0	1	0.00000	0.0001	0.0001
	methoxychlor, p,p'-	44	0	1	0.00000	0.0002	0.0002
003	Milk, chocolate, lowfat, fluid						
	DDE, p,p'	44	1	7	0.00020	0.0004	0.0040
004	Milk, skim, fluid						
	DDE, p,p'	44	0	5	0.00003	0.0001	0.0004
	dieldrin	44	0	1	0.00000	0.0001	0.0001
006	Yogurt, plain, low-fat						
	DDE, p,p'	40	0	7	0.00006	0.0002	0.0006
	endosulfan II	40	0	1	0.00001	0.0004	0.0004
007	Milk shake, chocolate, fast-food						
	chlorpyrifos	44	0	1	0.00005	0.0020	0.0020
	DDE, p,p'	44	1	17	0.00025	0.0001	0.0020
	dieldrin	44	0	6	0.00002	0.0001	0.0002
008	Evaporated milk, canned						
	BHC, alpha	40	0	1	0.00001	0.0004	0.0004
	chlordane, cis-	40	0	1	0.00002	0.0009	0.0009
	DDE, p,p'	40	8	24	0.00085	0.0002	0.0040
	dieldrin	40	1	9	0.00012	0.0001	0.0020
	endrin	40	0	1	0.00003	0.0010	0.0010
	heptachlor epoxide	40	0	1	0.00002	0.0006	0.0006
	lindane	40	0	1	0.00002	0.0008	0.0008

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	toluene	40	2	0	0.00058	0.0100	0.0130
010	Cheese, American, processed						
	1,1,1-trichloroethane	44	1	2	0.00070	0.0030	0.0250
	1,2,4-trimethylbenzene	44	0	2	0.00023	0.0040	0.0060
	benzene*	44	2	5	0.00073	0.0010	0.0090
	bromodichloromethane	44	0	1	0.00007	0.0030	0.0030
	chlorobenzene	44	0	1	0.00007	0.0030	0.0030
	chloroform	44	27	0	0.01720	0.0090	0.1920
	DDE, p,p'	44	25	19	0.00595	0.0008	0.0400
	dichlorobenzene, p-	44	0	3	0.00018	0.0020	0.0030
	dieldrin	44	0	31	0.00046	0.0001	0.0020
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00182	0.0800	0.0800
	endosulfan sulfate	44	0	6	0.00010	0.0004	0.0010
	ethyl benzene	44	1	6	0.00064	0.0020	0.0120
	heptachlor epoxide	44	0	6	0.00007	0.0002	0.0009
	hexachlorobenzene	44	0	8	0.00006	0.0001	0.0007
	lindane	44	0	1	0.00000	0.0002	0.0002
	permethrin, cis-	44	0	1	0.00001	0.0005	0.0005
	permethrin, trans-	44	0	1	0.00001	0.0006	0.0006
	styrene	44	1	7	0.00084	0.0020	0.0110
	tetrachloroethylene	44	0	2	0.00009	0.0020	0.0020
	toluene	44	29	0	0.02820	0.0130	0.2550
	trichloroethylene	44	0	6	0.00048	0.0020	0.0050
	xylene, m- and/or p-	44	18	9	0.01889	0.0040	0.1120
	xylene, o-	44	0	4	0.00025	0.0020	0.0040
011	Cottage cheese, creamed, 4% milk fat						
	DDE, p,p'	40	3	13	0.00048	0.0001	0.0050
	dieldrin	40	0	4	0.00003	0.0001	0.0005
012	Cheese, cheddar, natural (sharp/mild)						
	1,1,1-trichloroethane	44	4	1	0.00130	0.0030	0.0280
	1,2,4-trimethylbenzene	44	1	0	0.00025	0.0110	0.0110
	1,2-dichloroethene, trans-	44	10	0	0.00382	0.0060	0.0420
	azinphos-methyl	44	0	1	0.00011	0.0050	0.0050
	benzene*	44	5	4	0.00250	0.0010	0.0470
	chlordane, trans-	44	0	1	0.00002	0.0008	0.0008
	chlorobenzene	44	0	2	0.00016	0.0030	0.0040
	chloroform	44	26	1	0.02582	0.0030	0.1600
	DDE, p,p'	44	13	21	0.00281	0.0002	0.0300
	dichlorobenzene, p-	44	0	1	0.00005	0.0020	0.0020
	dieldrin	44	1	32	0.00074	0.0002	0.0050
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00205	0.0900	0.0900
	endosulfan sulfate	44	0	3	0.00008	0.0005	0.0020
	ethyl benzene	44	1	4	0.00073	0.0020	0.0120
	heptachlor epoxide	44	0	13	0.00018	0.0001	0.0020
	hexachlorobenzene	44	0	5	0.00005	0.0003	0.0006

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	methoxychlor, p,p'-	44	0	1	0.00002	0.0007	0.0007
	octachlor epoxide	44	0	2	0.00002	0.0003	0.0004
	permethrin, cis-	44	0	1	0.00002	0.0009	0.0009
	permethrin, trans-	44	0	1	0.00002	0.0010	0.0010
	propylbenzene, n-	44	1	0	0.00050	0.0220	0.0220
	styrene	44	3	2	0.00648	0.0030	0.1960
	tetrachloroethylene	44	1	2	0.00030	0.0020	0.0080
	toluene	44	26	5	0.14850	0.0020	1.7300
	trichloroethylene	44	2	6	0.00098	0.0020	0.0140
	xylene, m- and/or p-	44	8	15	0.00773	0.0020	0.0430
013	Beef, ground, regular, pan-cooked						
	1,1,1-trichloroethane	44	0	3	0.00023	0.0030	0.0040
	1,2,4-trimethylbenzene	44	2	1	0.00125	0.0040	0.0400
	benzene*	44	23	2	0.01550	0.0030	0.1900
	BHC, alpha	44	0	1	0.00001	0.0004	0.0004
	butylbenzene, n-	44	0	1	0.00018	0.0080	0.0080
	chlorobenzene	44	0	1	0.00009	0.0040	0.0040
	chloroform	44	3	6	0.00323	0.0020	0.0990
	chlorotoluene, o-	44	1	0	0.00025	0.0110	0.0110
	chlorpyrifos	44	0	1	0.00001	0.0005	0.0005
	DDE, p,p'	44	17	23	0.00170	0.0003	0.0070
	DDT, p,p'	44	0	2	0.00001	0.0003	0.0003
	dichlorobenzene, o-	44	0	1	0.00016	0.0070	0.0070
	dichlorobenzene, p-	44	1	7	0.00395	0.0020	0.1270
	dieldrin	44	0	29	0.00033	0.0001	0.0010
	diphenyl 2-ethylhexyl phosphate	44	5	0	0.00636	0.0100	0.0900
	ethyl benzene	44	0	6	0.00036	0.0020	0.0040
	heptachlor epoxide	44	0	14	0.00008	0.0001	0.0009
	hexachlorobenzene	44	0	11	0.00005	0.0001	0.0004
	lindane	44	0	1	0.00001	0.0005	0.0005
	octachlor epoxide	44	0	4	0.00002	0.0001	0.0003
	propylbenzene, n-	44	0	1	0.00011	0.0050	0.0050
	styrene	44	6	8	0.00266	0.0020	0.0140
	tetrachloroethylene	44	1	4	0.00048	0.0020	0.0060
	toluene	44	31	0	0.01582	0.0100	0.0890
	trichloroethylene	44	0	5	0.00043	0.0030	0.0060
	xylene, m- and/or p-	44	1	12	0.00116	0.0020	0.0110
	xylene, o-	44	0	7	0.00041	0.0020	0.0040
014	Beef roast, chuck, oven-roasted						
	1,1,1-trichloroethane	44	1	6	0.00084	0.0030	0.0140
	benzene*	44	24	3	0.01973	0.0010	0.0990
	butylbenzene, n-	44	0	2	0.00023	0.0030	0.0070
	chlorobenzene	44	1	0	0.00195	0.0860	0.0860
	chloroform	44	4	6	0.00545	0.0020	0.1840
	chlorpropham	44	6	1	0.00298	0.0009	0.0600
	chlorpyrifos	44	0	1	0.00001	0.0005	0.0005

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	chlorpyrifos-methyl	44	0	1	0.00002	0.0008	0.0008
	DDE, p,p'	44	7	23	0.00071	0.0001	0.0040
	dichlorobenzene, o-	44	0	1	0.00027	0.0120	0.0120
	dichlorobenzene, p-	44	3	2	0.00205	0.0060	0.0380
	dicloran	44	0	1	0.00001	0.0006	0.0006
	dieldrin	44	0	10	0.00009	0.0001	0.0010
	ethyl benzene	44	1	3	0.00048	0.0020	0.0140
	heptachlor epoxide	44	0	4	0.00003	0.0001	0.0005
	hexachlorobenzene	44	0	2	0.00001	0.0001	0.0003
	octachlor epoxide	44	0	1	0.00000	0.0001	0.0001
	polychlorinated biphenyls	44	0	1	0.00023	0.0100	0.0100
	styrene	44	4	9	0.00336	0.0020	0.0500
	tetrachloroethylene	44	0	1	0.00007	0.0030	0.0030
	toluene	44	30	0	0.01982	0.0060	0.0770
	trichloroethylene	44	1	6	0.00066	0.0020	0.0110
	xylene, m- and/or p-	44	2	5	0.00241	0.0020	0.0610
	xylene, o-	44	1	4	0.00082	0.0020	0.0260
016	Beef (loin/sirloin) steak, pan cooked with added fat						
	chloroform	40	1	0	0.00033	0.0130	0.0130
	DDE, p,p'	40	7	15	0.00069	0.0002	0.0040
	DDT, p,p'	40	0	1	0.00001	0.0002	0.0002
	diazinon	40	0	1	0.00002	0.0009	0.0009
	dieldrin	40	1	11	0.00017	0.0001	0.0020
	heptachlor epoxide	40	0	4	0.00002	0.0001	0.0003
	octachlor epoxide	40	0	2	0.00003	0.0001	0.0010
	polychlorinated biphenyls	40	0	1	0.00050	0.0200	0.0200
	toluene	40	2	0	0.00085	0.0100	0.0240
017	Ham, cured (not canned), baked						
	DDE, p,p'	44	0	2	0.00002	0.0002	0.0007
	DDT, p,p'	44	0	1	0.00000	0.0002	0.0002
	malathion	44	0	1	0.00001	0.0006	0.0006
	pentachlorophenol	44	1	0	0.00045	0.0200	0.0200
	permethrin, cis-	44	0	2	0.00003	0.0002	0.0010
	permethrin, trans-	44	0	2	0.00003	0.0002	0.0010
	toluene	44	2	0	0.00055	0.0120	0.0120
018	Pork chop, pan-cooked w/ oil						
	chlordane, cis-	44	0	1	0.00002	0.0008	0.0008
	chlordane, trans-	44	0	1	0.00002	0.0008	0.0008
	chlorpropham	44	0	1	0.00005	0.0020	0.0020
	chlorpyrifos	44	0	1	0.00005	0.0020	0.0020
	DDE, p,p'	44	2	7	0.00036	0.0001	0.0100
	DDT, o,p'	44	0	1	0.00005	0.0020	0.0020
	DDT, p,p'	44	2	2	0.00033	0.0007	0.0070
	diazinon	44	0	1	0.00002	0.0008	0.0008
	dieldrin	44	0	3	0.00001	0.0001	0.0003

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	heptachlor epoxide	44	0	1	0.00000	0.0001	0.0001
	hexachlorobenzene	44	0	2	0.00001	0.0002	0.0003
	lindane	44	1	0	0.00002	0.0010	0.0010
	nonachlor, trans-	44	1	0	0.00002	0.0010	0.0010
	polychlorinated biphenyls	44	0	1	0.00045	0.0200	0.0200
	TDE, p,p'	44	1	0	0.00014	0.0060	0.0060
	toluene	44	2	0	0.00084	0.0110	0.0260
019	Pork sausage (link/patty), oven-cooked						
	2-chloroethyl linoleate	44	20	9	0.05359	0.0008	0.4100
	2-chloroethyl myristate	44	1	4	0.00132	0.0010	0.0400
	2-chloroethyl palmitate	44	11	14	0.01337	0.0003	0.1300
	2-chloroethyl stearate	44	0	2	0.00068	0.0100	0.0200
	BHC, alpha	44	0	5	0.00005	0.0002	0.0010
	DDE, p,p'	44	4	27	0.00174	0.0002	0.0300
	DDT, p,p'	44	3	9	0.00068	0.0002	0.0100
	dieldrin	44	0	3	0.00003	0.0003	0.0008
	ethion	44	2	6	0.00036	0.0009	0.0030
	heptachlor epoxide	44	0	1	0.00001	0.0006	0.0006
	hexachlorobenzene	44	1	0	0.00005	0.0020	0.0020
	lindane	44	0	2	0.00001	0.0002	0.0003
	octachlor epoxide	44	0	2	0.00003	0.0005	0.0006
	phosalone	44	0	1	0.00007	0.0030	0.0030
	styrene	44	1	0	0.00041	0.0180	0.0180
	TDE, p,p'	44	1	4	0.00018	0.0003	0.0040
	toluene	44	2	0	0.00184	0.0300	0.0510
	xylene, m- and/or p-	44	1	0	0.00030	0.0130	0.0130
020	Pork bacon, oven-cooked						
	1,1,1-trichloroethane	44	1	4	0.00089	0.0030	0.0240
	1,2,4-trimethylbenzene	44	11	3	0.00575	0.0060	0.0800
	benzene*	44	6	11	0.00227	0.0010	0.0170
	butylbenzene, n-	44	0	1	0.00007	0.0030	0.0030
	chlorobenzene	44	0	2	0.00016	0.0030	0.0040
	chloroform	44	3	8	0.00373	0.0020	0.1150
	DDE, p,p'	44	1	23	0.00054	0.0002	0.0020
	DDT, p,p'	44	0	9	0.00029	0.0003	0.0030
	dichlorobenzene, p-	44	0	4	0.00098	0.0040	0.0160
	dieldrin	44	0	4	0.00005	0.0003	0.0007
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00098	0.0430	0.0430
	ethyl benzene	44	2	7	0.00116	0.0020	0.0160
	hexachlorobenzene	44	0	2	0.00002	0.0003	0.0006
	nonachlor, trans-	44	0	1	0.00001	0.0006	0.0006
	propylbenzene, n-	44	1	0	0.00032	0.0140	0.0140
	styrene	44	11	9	0.00759	0.0040	0.0850
	TDE, p,p'	44	0	1	0.00001	0.0004	0.0004
	tetrachloroethylene	44	1	6	0.00086	0.0020	0.0220
	toluene	44	32	0	0.03048	0.0060	0.2300

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	trichloroethylene	44	3	4	0.00132	0.0040	0.0140
	xylene, m- and/or p-	44	4	14	0.00484	0.0020	0.0590
	xylene, o-	44	1	8	0.00109	0.0020	0.0220
021	Pork roast, loin, oven-roasted						
	benzene*	44	2	0	0.00177	0.0300	0.0480
	butylbenzene, n-	44	1	0	0.00384	0.1690	0.1690
	chloroform	44	1	0	0.00068	0.0300	0.0300
	DDE, p,p'	44	1	4	0.00011	0.0001	0.0040
	dicloran	44	1	4	0.00021	0.0004	0.0040
	dieldrin	44	0	1	0.00002	0.0010	0.0010
	heptachlor epoxide	44	0	1	0.00001	0.0003	0.0003
	lindane	44	1	0	0.00005	0.0020	0.0020
	permethrin, cis-	44	0	1	0.00001	0.0005	0.0005
	permethrin, trans-	44	0	1	0.00001	0.0005	0.0005
	polychlorinated biphenyls	44	0	1	0.00023	0.0100	0.0100
	toluene	44	2	0	0.00168	0.0340	0.0400
022	Lamb chop, pan-cooked w/ oil						
	chloroform	44	1	0	0.00039	0.0170	0.0170
	chlorpyrifos	44	1	1	0.00014	0.0002	0.0060
	DDE, p,p'	44	22	20	0.00507	0.0003	0.0300
	DDT, p,p'	44	0	1	0.00001	0.0005	0.0005
	diazinon	44	1	2	0.00030	0.0020	0.0090
	dieldrin	44	1	4	0.00009	0.0001	0.0020
	endosulfan sulfate	44	0	3	0.00001	0.0001	0.0003
	heptachlor epoxide	44	0	1	0.00001	0.0004	0.0004
	hexachlorobenzene	44	4	18	0.00030	0.0001	0.0020
	octachlor epoxide	44	0	5	0.00003	0.0001	0.0004
	polychlorinated biphenyls	44	0	1	0.00023	0.0100	0.0100
	propetamphos	44	1	0	0.00045	0.0200	0.0200
	styrene	44	1	0	0.00023	0.0100	0.0100
	TDE, p,p'	44	0	1	0.00001	0.0004	0.0004
	toluene	44	2	0	0.00052	0.0110	0.0120
024	Chicken, drumsticks and breasts, breaded and fried, homemade						
	chloroform	40	1	0	0.00070	0.0280	0.0280
	DDE, p,p'	40	0	7	0.00010	0.0003	0.0010
	dieldrin	40	0	2	0.00001	0.0001	0.0002
	lindane	40	0	2	0.00002	0.0002	0.0007
	polychlorinated biphenyls	40	0	1	0.00023	0.0090	0.0090
	toluene	40	1	0	0.00030	0.0120	0.0120
	xylene, m- and/or p-	40	1	0	0.00025	0.0100	0.0100
026	Turkey breast, oven-roasted						
	benzene*	44	1	0	0.00077	0.0340	0.0340
	chloroform	44	1	0	0.00045	0.0200	0.0200
	DDE, p,p'	44	0	7	0.00008	0.0001	0.0008

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	dicloran	44	0	4	0.00012	0.0004	0.0020
	dieldrin	44	0	1	0.00002	0.0010	0.0010
	diphenyl 2-ethylhexyl phosphate	44	2	0	0.00230	0.0410	0.0600
	styrene	44	1	0	0.00030	0.0130	0.0130
	toluene	44	2	0	0.00093	0.0200	0.0210
027	Liver (beef/calf), pan-cooked w/ oil						
	1,2,4-trimethylbenzene	44	1	0	0.00057	0.0250	0.0250
	chloroform	44	1	0	0.00034	0.0150	0.0150
	DDE, p,p'	44	1	8	0.00014	0.0002	0.0020
	dieldrin	44	1	15	0.00015	0.0001	0.0020
	endosulfan sulfate	44	0	3	0.00003	0.0003	0.0006
	ethyl benzene	44	1	0	0.00048	0.0210	0.0210
	heptachlor epoxide	44	0	2	0.00001	0.0001	0.0002
	toluene	44	2	0	0.00057	0.0100	0.0150
	xylene, m- and/or p-	44	1	0	0.00148	0.0650	0.0650
	xylene, o-	44	1	0	0.00073	0.0320	0.0320
028	Frankfurter (beef/pork), boiled						
	1,1,1-trichloroethane	44	0	1	0.00007	0.0030	0.0030
	1,2,4-trimethylbenzene	44	0	1	0.00020	0.0090	0.0090
	1,2-dichloroethene, trans-	44	1	1	0.00030	0.0020	0.0110
	2-chloroethyl linoleate	44	12	1	0.05843	0.0100	0.9300
	2-chloroethyl myristate	44	0	6	0.00075	0.0030	0.0100
	2-chloroethyl palmitate	44	4	8	0.00732	0.0020	0.1100
	benzene*	44	5	8	0.00159	0.0010	0.0140
	bromodichloromethane	44	0	4	0.00039	0.0040	0.0050
	butylbenzene, n-	44	2	3	0.01293	0.0030	0.5470
	carbon tetrachloride	44	1	1	0.00034	0.0040	0.0110
	chlorobenzene	44	0	1	0.00007	0.0030	0.0030
	chloroform	44	10	7	0.00311	0.0030	0.0230
	DDE, p,p'	44	9	30	0.00197	0.0004	0.0100
	DDT, p,p'	44	0	1	0.00000	0.0002	0.0002
	dichlorobenzene, o-	44	0	1	0.00005	0.0020	0.0020
	dieldrin	44	0	22	0.00035	0.0002	0.0020
	endosulfan II	44	0	1	0.00000	0.0001	0.0001
	endosulfan sulfate	44	0	1	0.00001	0.0003	0.0003
	ethyl benzene	44	0	10	0.00091	0.0020	0.0090
	heptachlor epoxide	44	0	7	0.00008	0.0001	0.0010
	hexachlorobenzene	44	0	8	0.00004	0.0001	0.0005
	lindane	44	0	3	0.00006	0.0007	0.0010
	propylbenzene, n-	44	1	1	0.00048	0.0100	0.0110
	styrene	44	4	11	0.00409	0.0030	0.0770
	tetrachloroethylene	44	6	5	0.00273	0.0020	0.0600
	toluene	44	31	1	0.01986	0.0040	0.0820
	trichloroethylene	44	7	5	0.00536	0.0020	0.1050
	xylene, m- and/or p-	44	5	14	0.00548	0.0020	0.0320
	xylene, o-	44	0	10	0.00091	0.0020	0.0080

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
029	Bologna (beef/pork)						
	1,1,1-trichloroethane	44	2	0	0.00064	0.0100	0.0180
	1,2,4-trimethylbenzene	44	0	4	0.00048	0.0040	0.0070
	2-chloroethyl linoleate	44	4	1	0.00364	0.0100	0.0600
	2-chloroethyl myristate	44	1	0	0.00091	0.0400	0.0400
	2-chloroethyl palmitate	44	0	2	0.00036	0.0060	0.0100
	benzene*	44	11	7	0.00518	0.0010	0.0500
	bromodichloromethane	44	1	1	0.00043	0.0030	0.0160
	butylbenzene, n-	44	1	3	0.00964	0.0040	0.4100
	carbon tetrachloride	44	1	0	0.00025	0.0110	0.0110
	chlorobenzene	44	0	1	0.00005	0.0020	0.0020
	chloroform	44	12	5	0.00414	0.0020	0.0270
	DDE, p,p'	44	0	24	0.00060	0.0002	0.0030
	DDT, p,p'	44	0	1	0.00001	0.0005	0.0005
	dichlorobenzene, o-	44	0	1	0.00014	0.0060	0.0060
	dieldrin	44	0	9	0.00008	0.0002	0.0010
	ethyl benzene	44	1	10	0.00127	0.0020	0.0200
	heptachlor epoxide	44	0	1	0.00000	0.0002	0.0002
	lindane	44	0	1	0.00002	0.0007	0.0007
	styrene	44	6	8	0.00523	0.0020	0.0780
	tetrachloroethylene	44	8	3	0.00261	0.0020	0.0270
	toluene	44	29	2	0.01691	0.0030	0.0770
	trichloroethylene	44	5	3	0.00207	0.0020	0.0200
	xylene, m- and/or p-	44	1	15	0.00339	0.0020	0.0610
	xylene, o-	44	1	7	0.00107	0.0020	0.0190
030	Salami, luncheon-meat type (not hard)						
	1,1,1-trichloroethane	44	1	1	0.00039	0.0050	0.0120
	2-chloroethyl laurate	44	0	1	0.00002	0.0010	0.0010
	2-chloroethyl linoleate	44	7	3	0.00657	0.0020	0.0900
	2-chloroethyl myristate	44	3	4	0.00170	0.0020	0.0300
	2-chloroethyl palmitate	44	4	6	0.00201	0.0006	0.0200
	benzene*	44	7	7	0.00327	0.0030	0.0240
	BHC, alpha	44	0	1	0.00001	0.0003	0.0003
	bromodichloromethane	44	0	1	0.00009	0.0040	0.0040
	carbon tetrachloride	44	0	1	0.00011	0.0050	0.0050
	chlorobenzene	44	0	2	0.00014	0.0030	0.0030
	chloroform	44	6	7	0.00257	0.0030	0.0270
	DDE, p,p'	44	1	30	0.00058	0.0001	0.0040
	DDT, p,p'	44	0	4	0.00001	0.0001	0.0002
	dieldrin	44	0	9	0.00008	0.0001	0.0008
	ethyl benzene	44	0	9	0.00068	0.0020	0.0080
	propylbenzene, n-	44	2	2	0.00086	0.0080	0.0110
	styrene	44	7	9	0.00411	0.0020	0.0430
	tetrachloroethylene	44	4	3	0.00225	0.0020	0.0660
	toluene	44	32	0	0.02091	0.0080	0.0820
	trichloroethylene	44	1	1	0.00050	0.0080	0.0140

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	xylene, m- and/or p-	44	5	13	0.00459	0.0020	0.0340
	xylene, o-	44	1	9	0.00109	0.0020	0.0110
032	Tuna, canned in oil, drained						
	1,1,1-trichloroethane	40	0	2	0.00020	0.0030	0.0050
	1,2,4-trimethylbenzene	40	0	1	0.00010	0.0040	0.0040
	benzene*	40	12	3	0.00330	0.0020	0.0220
	BHC, alpha	40	0	1	0.00003	0.0010	0.0010
	carbon tetrachloride	40	0	1	0.00010	0.0040	0.0040
	chlorobenzene	40	0	1	0.00005	0.0020	0.0020
	chloroform	40	1	6	0.00105	0.0020	0.0210
	DDE, p,p'	40	1	9	0.00023	0.0003	0.0030
	dichlorobenzene, p-	40	0	1	0.00010	0.0040	0.0040
	dieldrin	40	0	2	0.00002	0.0004	0.0005
	ethyl benzene	40	0	3	0.00018	0.0020	0.0030
	hexachlorobenzene	40	0	1	0.00001	0.0005	0.0005
	polychlorinated biphenyls	40	0	1	0.00100	0.0400	0.0400
	propylbenzene, n-	40	1	0	0.00045	0.0180	0.0180
	styrene	40	0	3	0.00023	0.0020	0.0040
	tetrachloroethylene	40	0	1	0.00005	0.0020	0.0020
	toluene	40	21	3	0.05040	0.0030	0.7900
	trichloroethylene	40	4	2	0.00128	0.0020	0.0160
	xylene, m- and/or p-	40	1	9	0.00120	0.0020	0.0170
	xylene, o-	40	0	5	0.00030	0.0020	0.0040
034	Fish sticks or patty, frozen, oven-cooked						
	1,1,1-trichloroethane	44	1	2	0.00043	0.0030	0.0120
	1,2,4-trimethylbenzene	44	17	1	0.01064	0.0040	0.0550
	benzene*	44	5	7	0.00261	0.0010	0.0560
	butylbenzene, n-	44	2	5	0.00193	0.0040	0.0340
	carbon tetrachloride	44	0	1	0.00011	0.0050	0.0050
	chloroform	44	20	3	0.01448	0.0040	0.0910
	chlorpyrifos	44	0	2	0.00004	0.0009	0.0010
	chlorpyrifos-methyl	44	11	33	0.00219	0.0003	0.0060
	cumene (isopropyl benzene)	44	0	3	0.00036	0.0040	0.0070
	DDE, p,p'	44	0	3	0.00001	0.0002	0.0002
	DDT, p,p'	44	0	1	0.00001	0.0003	0.0003
	dichlorobenzene, o-	44	0	1	0.00007	0.0030	0.0030
	dichlorobenzene, p-	44	5	10	0.00507	0.0020	0.0580
	ethyl benzene	44	7	12	0.00334	0.0020	0.0190
	malathion	44	22	19	0.00309	0.0008	0.0100
	methoxychlor, p,p'	44	0	1	0.00002	0.0010	0.0010
	pirimiphos-methyl	44	0	1	0.00002	0.0010	0.0010
	propylbenzene, n-	44	0	6	0.00064	0.0030	0.0070
	styrene	44	11	6	0.00382	0.0030	0.0200
	tetrachloroethylene	44	8	4	0.00261	0.0020	0.0240
	toluene	44	26	2	0.01545	0.0030	0.0700
	trichloroethylene	44	2	4	0.00093	0.0020	0.0160

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	xylene, m- and/or p-	44	9	13	0.01061	0.0040	0.0810
	xylene, o-	44	4	12	0.00309	0.0020	0.0180
035	Eggs, scrambled w/ oil						
	1,1,1-trichloroethane	44	0	1	0.00009	0.0040	0.0040
	1,2,4-trimethylbenzene	44	2	0	0.00064	0.0130	0.0150
	benzene*	44	5	5	0.00307	0.0010	0.0410
	butylbenzene, n-	44	1	0	0.00030	0.0130	0.0130
	chlorobenzene	44	0	2	0.00030	0.0040	0.0090
	chloroform	44	2	8	0.00125	0.0020	0.0130
	chlorpropham	44	1	0	0.00023	0.0100	0.0100
	cumene (isopropyl benzene)	44	0	2	0.00020	0.0040	0.0050
	DDE, p,p'	44	1	13	0.00020	0.0002	0.0020
	dichlorobenzene, o-	44	0	1	0.00020	0.0090	0.0090
	dichlorobenzene, p-	44	1	2	0.00100	0.0070	0.0260
	dieldrin	44	0	4	0.00001	0.0001	0.0002
	ethyl benzene	44	0	6	0.00039	0.0020	0.0050
	propylbenzene, n-	44	1	1	0.00059	0.0070	0.0190
	styrene	44	5	11	0.00286	0.0020	0.0160
	tetrachloroethylene	44	0	4	0.00027	0.0020	0.0040
	toluene	44	18	5	0.01123	0.0030	0.1000
	trichloroethylene	44	0	1	0.00007	0.0030	0.0030
	xylene, m- and/or p-	44	0	7	0.00052	0.0020	0.0040
	xylene, o-	44	0	2	0.00009	0.0020	0.0020
036	Eggs, fried with added fat						
	bromodichloromethane	40	1	0	0.00033	0.0130	0.0130
	chloroform	40	1	0	0.00053	0.0210	0.0210
	DDE, p,p'	40	0	9	0.00017	0.0002	0.0020
	dieldrin	40	0	5	0.00004	0.0001	0.0007
	permethrin, cis-	40	0	1	0.00003	0.0010	0.0010
	permethrin, trans-	40	0	1	0.00002	0.0006	0.0006
	polychlorinated biphenyls	40	1	1	0.00123	0.0100	0.0390
037	Eggs, boiled						
	chloroform	44	1	0	0.00052	0.0230	0.0230
	DDE, p,p'	44	1	13	0.00019	0.0001	0.0030
	dieldrin	44	0	7	0.00004	0.0001	0.0005
	toluene	44	1	0	0.00023	0.0100	0.0100
038	Pinto beans, dry, boiled						
	iprodione metabolite isomer	44	0	1	0.00007	0.0030	0.0030
039	Pork and beans, canned						
	2-chloroethyl linoleate	44	13	5	0.01270	0.0030	0.1390
	2-chloroethyl myristate	44	0	5	0.00015	0.0007	0.0020
	2-chloroethyl palmitate	44	3	8	0.00132	0.0010	0.0160
	bromodichloromethane	44	1	0	0.00025	0.0110	0.0110

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	chloroform	44	1	0	0.00036	0.0160	0.0160
	chlorpyrifos	44	0	1	0.00000	0.0002	0.0002
	toluene	44	1	0	0.00205	0.0900	0.0900
	xylene, m- and/or p-	44	1	0	0.00030	0.0130	0.0130
042	Lima beans, immature, frozen, boiled						
	acephate	44	29	2	0.01755	0.0010	0.2000
	chloroform	44	1	0	0.00041	0.0180	0.0180
	DCPA	44	0	2	0.00003	0.0003	0.0008
	DDE, p,p'	44	0	5	0.00005	0.0001	0.0008
	dicofol, p,p'	44	1	6	0.00068	0.0020	0.0100
	dieldrin	44	0	2	0.00001	0.0002	0.0003
	dimethoate	44	12	3	0.00177	0.0010	0.0160
	endosulfan sulfate	44	0	1	0.00005	0.0020	0.0020
	iprodione	44	0	2	0.00006	0.0005	0.0020
	iprodione metabolite isomer	44	2	0	0.00034	0.0060	0.0090
	lindane	44	1	6	0.00005	0.0001	0.0010
	methamidophos	44	24	3	0.00791	0.0009	0.0900
	omethoate	44	0	7	0.00028	0.0005	0.0030
	vinclozolin	44	0	1	0.00005	0.0020	0.0020
046	Peas, green, frozen, boiled						
	chloroform	44	1	0	0.00025	0.0110	0.0110
	DDE, p,p'	44	0	1	0.00002	0.0010	0.0010
	diazinon	44	1	1	0.00009	0.0010	0.0030
	dieldrin	44	0	1	0.00002	0.0009	0.0009
	dimethoate	44	10	6	0.00100	0.0009	0.0070
	endosulfan I	44	1	0	0.00005	0.0020	0.0020
	endosulfan II	44	1	0	0.00009	0.0040	0.0040
	endosulfan sulfate	44	1	0	0.00068	0.0300	0.0300
	methamidophos	44	2	0	0.00632	0.0320	0.2460
	methoxychlor, p,p'	44	1	0	0.00045	0.0200	0.0200
	omethoate	44	0	2	0.00005	0.0010	0.0010
	parathion	44	0	1	0.00002	0.0010	0.0010
	pentachloroaniline	44	0	1	0.00000	0.0002	0.0002
	phenylphenol, o-	44	1	0	0.00082	0.0360	0.0360
	pyrazophos (afugan)	44	1	0	0.00048	0.0210	0.0210
	triphenyl phosphate	44	1	0	0.00023	0.0100	0.0100
	tris(beta-chloroethyl) phosphate	44	1	0	0.00182	0.0800	0.0800
047	Peanut butter, creamy						
	1,1,1-trichloroethane	44	7	4	0.00480	0.0030	0.0510
	1,2,4-trimethylbenzene	44	9	3	0.02016	0.0050	0.2000
	benzene*	44	7	9	0.00252	0.0010	0.0250
	BHC, beta	44	0	9	0.00008	0.0001	0.0010
	bromodichloromethane	44	1	0	0.00023	0.0100	0.0100
	butylbenzene, n-	44	0	2	0.00014	0.0030	0.0030
	carbon tetrachloride	44	1	0	0.00070	0.0310	0.0310

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	chloroform	44	4	4	0.00298	0.0020	0.0810
	chlorpyrifos	44	6	32	0.00268	0.0002	0.0070
	cumene (isopropyl benzene)	44	0	1	0.00005	0.0020	0.0020
	DDE, p,p'	44	6	27	0.00159	0.0005	0.0040
	dichlorobenzene, p-	44	0	1	0.00016	0.0070	0.0070
	dicloran	44	0	1	0.00002	0.0010	0.0010
	dieldrin	44	0	35	0.00076	0.0001	0.0030
	endosulfan II	44	0	3	0.00003	0.0002	0.0009
	endosulfan sulfate	44	1	24	0.00060	0.0002	0.0060
	ethyl benzene	44	5	13	0.00261	0.0020	0.0140
	fenitrothion	44	0	1	0.00016	0.0070	0.0070
	heptachlor epoxide	44	0	1	0.00000	0.0002	0.0002
	hexachlorobenzene	44	0	1	0.00000	0.0002	0.0002
	lindane	44	0	1	0.00001	0.0004	0.0004
	malathion	44	5	7	0.00186	0.0010	0.0200
	methoxychlor, p,p'-	44	0	3	0.00016	0.0010	0.0030
	pentachloroaniline	44	19	22	0.00239	0.0004	0.0200
	pentachlorobenzene	44	6	33	0.00099	0.0003	0.0070
	pentachlorophenyl methyl ether	44	6	22	0.00070	0.0001	0.0080
	pentachlorophenyl methyl sulfide	44	4	8	0.00036	0.0003	0.0040
	pirimiphos-methyl	44	1	1	0.00025	0.0010	0.0100
	propylbenzene, n-	44	1	6	0.00091	0.0030	0.0140
	quintozene	44	2	14	0.00043	0.0002	0.0060
	styrene	44	30	0	0.01477	0.0110	0.0380
	tetrachloroethylene	44	1	5	0.00048	0.0020	0.0070
	toluene	44	31	0	0.03070	0.0240	0.0970
	toxaphene	44	1	35	0.02018	0.0030	0.0700
	trichloroethylene	44	3	5	0.00261	0.0020	0.0700
	xylene, m- and/or p-	44	6	14	0.00548	0.0020	0.0370
	xylene, o-	44	3	11	0.00209	0.0020	0.0260
048	Peanuts, dry roasted, salted						
	1,1,1-trichloroethane	44	1	0	0.00027	0.0120	0.0120
	2-chloroethyl linoleate	44	4	2	0.03182	0.0100	1.0100
	2-chloroethyl palmitate	44	2	2	0.00166	0.0030	0.0400
	2-chloroethyl stearate	44	0	1	0.00016	0.0070	0.0070
	BHC, beta	44	0	6	0.00007	0.0002	0.0010
	carbon tetrachloride	44	1	0	0.00039	0.0170	0.0170
	chloroform	44	1	0	0.00025	0.0110	0.0110
	chlorpropham	44	0	1	0.00009	0.0040	0.0040
	chlorpyrifos	44	5	25	0.00234	0.0005	0.0100
	DDE, p,p'	44	4	29	0.00134	0.0003	0.0070
	dieldrin	44	1	30	0.00068	0.0001	0.0050
	endosulfan II	44	0	2	0.00002	0.0003	0.0004
	endosulfan sulfate	44	0	24	0.00064	0.0002	0.0020
	fonofos	44	1	0	0.00136	0.0600	0.0600
	hexachlorobenzene	44	0	1	0.00000	0.0002	0.0002
	lindane	44	1	1	0.00005	0.0004	0.0020

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	malathion	44	0	6	0.00041	0.0020	0.0040
	pentachloroaniline	44	16	24	0.00180	0.0003	0.0100
	pentachlorobenzene	44	6	35	0.00092	0.0002	0.0060
	pentachlorophenyl methyl ether	44	3	23	0.00051	0.0001	0.0050
	pentachlorophenyl methyl sulfide	44	3	7	0.00032	0.0005	0.0040
	permethrin, cis-	44	0	1	0.00014	0.0060	0.0060
	permethrin, trans-	44	0	1	0.00020	0.0090	0.0090
	pirimiphos-methyl	44	1	1	0.00027	0.0020	0.0100
	quintozene	44	2	7	0.00032	0.0003	0.0060
	styrene	44	1	0	0.00025	0.0110	0.0110
	toluene	44	2	0	0.00159	0.0290	0.0410
	toxaphene	44	3	36	0.02609	0.0030	0.1600
	xylene, m- and/or p-	44	1	0	0.00039	0.0170	0.0170
050	Rice, white, enriched, cooked						
	2,4,5-T	44	0	1	0.00009	0.0040	0.0040
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00045	0.0200	0.0200
	iprodione	44	0	1	0.00005	0.0020	0.0020
	iprodione metabolite isomer	44	0	2	0.00009	0.0020	0.0020
	malathion	44	0	2	0.00009	0.0020	0.0020
	methoxychlor, p,p'-	44	0	2	0.00003	0.0005	0.0008
	MGK 264	44	1	0	0.00164	0.0720	0.0720
	quinclorac	44	2	16	0.00169	0.0006	0.0080
	tributyl phosphate	44	1	0	0.00011	0.0050	0.0050
	triclopyr	44	0	1	0.00001	0.0006	0.0006
051	Oatmeal, plain, cooked						
	1,2,4-trimethylbenzene	44	1	0	0.00025	0.0110	0.0110
	carbaryl	44	0	1	0.00007	0.0030	0.0030
	chlorpyrifos	44	2	2	0.00048	0.0020	0.0100
	chlorpyrifos-methyl	44	2	6	0.00053	0.0004	0.0130
	clopyralid	44	0	3	0.00011	0.0004	0.0040
	dicamba	44	0	4	0.00010	0.0005	0.0020
	endosulfan II	44	1	0	0.00005	0.0020	0.0020
	endosulfan sulfate	44	1	0	0.00007	0.0030	0.0030
	malathion	44	3	6	0.00048	0.0010	0.0040
	phenylphenol, o-	44	1	0	0.00011	0.0050	0.0050
	tributyl phosphate	44	1	0	0.00014	0.0060	0.0060
	tris(2-butoxyethyl)phosphate	44	2	0	0.00368	0.0520	0.1100
	tris(beta-chloroethyl) phosphate	44	0	1	0.00002	0.0010	0.0010
	xylene, m- and/or p-	44	1	0	0.00068	0.0300	0.0300
052	Cream of wheat (farina), enriched, cooked						
	chloroform	44	1	0	0.00027	0.0120	0.0120
	chlorpyrifos-methyl	44	2	4	0.00032	0.0004	0.0060
	DDE, p,p'	44	0	1	0.00000	0.0001	0.0001
	dicloran	44	1	0	0.00011	0.0050	0.0050
	malathion	44	2	1	0.00018	0.0010	0.0040

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	tributyl phosphate	44	6	0	0.00200	0.0080	0.0300
	tris(beta-chloroethyl) phosphate	44	1	0	0.00259	0.1140	0.1140
053	Corn/hominy grits, enriched, cooked						
	benzene*	44	1	0	0.00041	0.0180	0.0180
	dicloran	44	0	1	0.00002	0.0010	0.0010
	malathion	44	3	3	0.00030	0.0010	0.0030
	pirimiphos-methyl	44	1	1	0.00011	0.0007	0.0040
	polychlorinated biphenyls	44	0	1	0.00023	0.0100	0.0100
054	Corn, fresh/frozen, boiled						
	chloroform	44	1	0	0.00066	0.0290	0.0290
	diazinon	44	0	2	0.00003	0.0003	0.0010
	dieldrin	44	0	1	0.00001	0.0003	0.0003
055	Corn, canned						
	no residue found	4	0	0	na	na	na
056	Corn, cream style, canned						
	acephate	40	0	1	0.00003	0.0010	0.0010
	benzene*	40	1	2	0.00038	0.0030	0.0080
	chloroform	40	1	3	0.00085	0.0020	0.0240
	dimethoate	40	1	0	0.00005	0.0020	0.0020
	ethyl benzene	40	0	1	0.00005	0.0020	0.0020
	styrene	40	0	1	0.00010	0.0040	0.0040
	tetrachloroethylene	40	0	1	0.00010	0.0040	0.0040
	toluene	40	5	3	0.00288	0.0010	0.0550
	trichloroethylene	40	1	0	0.00030	0.0120	0.0120
	xylene, o-	40	0	1	0.00010	0.0040	0.0040
057	Popcorn, popped in oil						
	1,1,1,2-tetrachloroethane	40	1	0	0.00040	0.0160	0.0160
	1,1,1-trichloroethane	40	5	3	0.00248	0.0040	0.0270
	1,2,4-trimethylbenzene	40	2	4	0.00128	0.0050	0.0140
	benzene*	40	8	4	0.00393	0.0010	0.0580
	bromodichloromethane	40	0	1	0.00013	0.0050	0.0050
	butylbenzene, n-	40	0	3	0.00048	0.0060	0.0070
	butylbenzene, sec-	40	1	0	0.00025	0.0100	0.0100
	chlordane	40	0	2	0.00250	0.0200	0.0800
	chlordane, cis-	40	1	3	0.00013	0.0010	0.0020
	chlordane, trans-	40	4	0	0.00023	0.0020	0.0030
	chlorobenzene	40	0	1	0.00005	0.0020	0.0020
	chloroform	40	2	1	0.00088	0.0020	0.0180
	chlorpyrifos	40	1	2	0.00032	0.0006	0.0100
	DDE, p,p'	40	0	1	0.00005	0.0020	0.0020
	diazinon	40	1	1	0.00028	0.0010	0.0100
	dichlorobenzene, p-	40	4	1	0.01035	0.0120	0.2920
	dieldrin	40	0	4	0.00012	0.0002	0.0020

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	endosulfan sulfate	40	0	1	0.00003	0.0010	0.0010
	ethyl benzene	40	0	5	0.00035	0.0020	0.0040
	lindane	40	1	1	0.00007	0.0009	0.0020
	malathion	40	7	7	0.00523	0.0010	0.1100
	methoxychlor, p,p'-	40	7	10	0.01078	0.0004	0.3000
	permethrin, cis-	40	0	1	0.00018	0.0070	0.0070
	permethrin, trans-	40	0	1	0.00018	0.0070	0.0070
	pirimiphos-methyl	40	22	4	0.06550	0.0010	0.2400
	polychlorinated biphenyls	40	1	3	0.00170	0.0090	0.0300
	propylbenzene, n-	40	0	1	0.00008	0.0030	0.0030
	styrene	40	1	7	0.00093	0.0020	0.0110
	tetrachloroethylene	40	0	1	0.00010	0.0040	0.0040
	toluene	40	26	0	0.02073	0.0110	0.0740
	toxaphene	40	0	3	0.00085	0.0050	0.0200
	trichloroethylene	40	2	5	0.00143	0.0020	0.0260
	xylene, m- and/or p-	40	2	12	0.00415	0.0030	0.0330
	xylene, o-	40	0	7	0.00055	0.0020	0.0070
058	Bread, white, enriched						
	1,1,1-trichloroethane	44	0	1	0.00007	0.0030	0.0030
	1,2,4-trimethylbenzene	44	3	6	0.00175	0.0040	0.0170
	2,4-D	44	3	15	0.00139	0.0010	0.0090
	benzene*	44	5	6	0.00200	0.0010	0.0250
	BHC, alpha	44	0	1	0.00000	0.0001	0.0001
	biphenyl	44	0	1	0.00005	0.0020	0.0020
	chlorobenzene	44	0	2	0.00039	0.0080	0.0090
	chloroform	44	2	1	0.00048	0.0020	0.0110
	chlorpropham	44	3	2	0.00084	0.0020	0.0200
	chlorpyrifos	44	0	7	0.00013	0.0002	0.0020
	chlorpyrifos-methyl	44	32	11	0.00714	0.0010	0.0400
	clopyralid	44	0	3	0.00016	0.0010	0.0040
	cumene (isopropyl benzene)	44	0	2	0.00016	0.0030	0.0040
	diazinon	44	1	3	0.00013	0.0001	0.0040
	dicamba	44	3	11	0.00105	0.0005	0.0090
	dichlorobenzene, p-	44	2	6	0.00195	0.0020	0.0250
	diphenyl 2-ethylhexyl phosphate	44	21	0	0.09427	0.0100	0.6800
	ethyl benzene	44	2	3	0.00125	0.0020	0.0280
	ethylenethiourea	44	0	3	0.00030	0.0030	0.0050
	iprodione	44	0	1	0.00016	0.0070	0.0070
	malathion	44	42	1	0.01330	0.0020	0.0700
	pirimiphos-methyl	44	1	3	0.00015	0.0008	0.0030
	propylbenzene, n-	44	0	1	0.00007	0.0030	0.0030
	styrene	44	5	6	0.00523	0.0020	0.1440
	tetrachloroethylene	44	0	1	0.00011	0.0050	0.0050
	toluene	44	8	9	0.00336	0.0010	0.0410
	trichloroethylene	44	1	3	0.00091	0.0020	0.0250
	xylene, m- and/or p-	44	2	7	0.00266	0.0020	0.0760
	xylene, o-	44	1	2	0.00061	0.0020	0.0140

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
059	Rolls, white, soft, enriched						
	1,1,2-trichloroethane	40	1	0	0.00028	0.0110	0.0110
	1,2,4-trimethylbenzene	40	1	0	0.00030	0.0120	0.0120
	BHC, alpha	40	0	1	0.00000	0.0001	0.0001
	chlorpropham	40	4	1	0.00072	0.0009	0.0100
	chlorpyrifos	40	1	7	0.00021	0.0003	0.0030
	chlorpyrifos-methyl	40	35	5	0.00828	0.0010	0.0300
	DDE, p,p'	40	0	1	0.00001	0.0002	0.0002
	DDT, p,p'	40	0	2	0.00002	0.0003	0.0005
	diazinon	40	2	0	0.00010	0.0020	0.0020
	diphenyl 2-ethylhexyl phosphate	40	13	0	0.03885	0.0300	0.4900
	fenitrothion	40	0	1	0.00001	0.0005	0.0005
	malathion	40	36	4	0.01440	0.0010	0.0700
	methoxychlor, p,p'-	40	0	1	0.00003	0.0010	0.0010
	parathion	40	0	1	0.00005	0.0020	0.0020
	pirimiphos-methyl	40	5	3	0.00090	0.0020	0.0100
	toluene	40	1	0	0.00063	0.0250	0.0250
	triphenyl phosphate	40	1	0	0.00075	0.0300	0.0300
	tris(beta-chloroethyl) phosphate	40	0	1	0.00008	0.0030	0.0030
060	Cornbread, homemade						
	1,1,1,2-tetrachloroethane	44	1	0	0.00057	0.0250	0.0250
	1,1,1-trichloroethane	44	1	0	0.00064	0.0280	0.0280
	benzene*	44	1	0	0.00050	0.0220	0.0220
	bromodichloromethane	44	1	0	0.00030	0.0130	0.0130
	chlorpyrifos	44	0	3	0.00003	0.0002	0.0005
	chlorpyrifos-methyl	44	9	21	0.00140	0.0003	0.0060
	DDE, p,p'	44	0	7	0.00010	0.0003	0.0010
	DDT, p,p'	44	0	1	0.00000	0.0002	0.0002
	diazinon	44	0	4	0.00006	0.0006	0.0010
	dieldrin	44	0	1	0.00002	0.0010	0.0010
	heptachlor	44	1	0	0.00005	0.0020	0.0020
	malathion	44	25	13	0.00347	0.0007	0.0100
	pirimiphos-methyl	44	3	3	0.00341	0.0010	0.1200
	polychlorinated biphenyls	44	0	1	0.00023	0.0100	0.0100
	toluene	44	1	0	0.00139	0.0610	0.0610
	xylene, m- and/or p-	44	1	0	0.00023	0.0100	0.0100
061	Biscuits, refrigerated-type, baked						
	1,1,1,2-tetrachloroethane	44	1	0	0.00027	0.0120	0.0120
	chloroform	44	1	0	0.00032	0.0140	0.0140
	chlorpyrifos	44	0	3	0.00006	0.0007	0.0010
	chlorpyrifos-methyl	44	21	17	0.00322	0.0002	0.0100
	diazinon	44	2	1	0.00011	0.0008	0.0020
	malathion	44	12	16	0.00165	0.0006	0.0080
	methoxychlor, p,p'-	44	0	2	0.00002	0.0004	0.0006
	pirimiphos-methyl	44	2	1	0.00025	0.0010	0.0070

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	polychlorinated biphenyls	44	0	1	0.00023	0.0100	0.0100
	toluene	44	1	0	0.00039	0.0170	0.0170
062	Bread, whole wheat						
	1,1,1-trichloroethane	44	1	0	0.00032	0.0140	0.0140
	1,2,4-trimethylbenzene	44	1	0	0.00052	0.0230	0.0230
	2,4-D	44	2	2	0.00052	0.0010	0.0160
	biphenyl	44	0	1	0.00005	0.0020	0.0020
	chlorpyrifos	44	0	14	0.00042	0.0004	0.0020
	chlorpyrifos-methyl	44	44	0	0.02823	0.0080	0.1400
	clopyralid	44	0	3	0.00016	0.0020	0.0030
	DDE, p,p'	44	0	1	0.00000	0.0001	0.0001
	DDT, p,p'	44	0	1	0.00000	0.0002	0.0002
	diazinon	44	1	1	0.00008	0.0007	0.0030
	dicamba	44	0	4	0.00014	0.0005	0.0030
	diphenyl 2-ethylhexyl phosphate	44	20	0	0.07077	0.0300	0.6710
	ethylenethiourea	44	0	1	0.00018	0.0080	0.0080
	fenitrothion	44	1	0	0.00007	0.0030	0.0030
	lindane	44	1	0	0.00011	0.0050	0.0050
	malathion	44	44	0	0.02300	0.0040	0.0700
	MGK 264	44	1	0	0.00045	0.0200	0.0200
	parathion	44	0	1	0.00005	0.0020	0.0020
	piperonyl butoxide	44	1	0	0.00039	0.0170	0.0170
	pirimiphos-methyl	44	14	6	0.00402	0.0010	0.0670
	toluene	44	1	0	0.00032	0.0140	0.0140
	triphenyl phosphate	44	1	0	0.00036	0.0160	0.0160
	tris(2-butoxyethyl)phosphate	44	1	0	0.00114	0.0500	0.0500
	xylene, m- and/or p-	44	1	0	0.00050	0.0220	0.0220
063	Tortilla, flour						
	chlorpyrifos	44	0	6	0.00008	0.0003	0.0010
	chlorpyrifos-methyl	44	32	11	0.00697	0.0002	0.0900
	diphenyl 2-ethylhexyl phosphate	44	19	0	0.09755	0.0220	1.4200
	malathion	44	38	4	0.01120	0.0010	0.0500
	methoxychlor, p,p'	44	0	6	0.00015	0.0003	0.0020
	pirimiphos-methyl	44	0	2	0.00004	0.0009	0.0010
	toluene	44	2	0	0.00055	0.0100	0.0140
	triphenyl phosphate	44	1	0	0.00050	0.0220	0.0220
	xylene, m- and/or p-	44	1	0	0.00045	0.0200	0.0200
064	Bread, rye						
	2-chloroethyl linoleate	44	1	1	0.00232	0.0020	0.1000
	2-chloroethyl palmitate	44	0	1	0.00009	0.0040	0.0040
	benzene*	44	1	0	0.00048	0.0210	0.0210
	BHC, alpha	44	0	2	0.00002	0.0004	0.0005
	bromophos-ethyl	44	0	1	0.00005	0.0020	0.0020
	chlorpyrifos	44	2	8	0.00044	0.0005	0.0090
	chlorpyrifos-methyl	44	41	2	0.00948	0.0010	0.0700

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	DDT, p,p'	44	0	1	0.00000	0.0001	0.0001
	diazinon	44	1	0	0.00007	0.0030	0.0030
	diphenyl 2-ethylhexyl phosphate	44	9	0	0.03334	0.0140	0.6370
	hexachlorobenzene	44	0	1	0.00001	0.0003	0.0003
	lindane	44	0	4	0.00003	0.0001	0.0009
	malathion	44	42	1	0.01250	0.0020	0.0660
	methoxychlor, p,p'	44	0	1	0.00002	0.0008	0.0008
	parathion	44	0	1	0.00002	0.0010	0.0010
	permethrin, cis-	44	1	1	0.00025	0.0008	0.0100
	permethrin, trans-	44	1	1	0.00047	0.0007	0.0200
	pirimiphos-methyl	44	8	6	0.00103	0.0005	0.0080
	toluene	44	2	0	0.00080	0.0160	0.0190
	triphenyl phosphate	44	1	0	0.00039	0.0170	0.0170
	xylene, m- and/or p-	44	1	0	0.00036	0.0160	0.0160
065	Muffin, fruit or plain						
	1,1,1-trichloroethane	44	0	5	0.00050	0.0030	0.0060
	1,2,4-trimethylbenzene	44	7	3	0.00311	0.0050	0.0240
	azinphos-methyl	44	1	0	0.00045	0.0200	0.0200
	benzene*	44	5	8	0.00175	0.0010	0.0160
	chloroform	44	4	8	0.00511	0.0030	0.1570
	chlorothalonil	44	1	0	0.00007	0.0030	0.0030
	chlorpyrifos	44	1	1	0.00025	0.0010	0.0100
	chlorpyrifos-methyl	44	32	9	0.00538	0.0002	0.0200
	cumene (isopropyl benzene)	44	0	6	0.00043	0.0020	0.0050
	DDE, p,p'	44	0	1	0.00001	0.0004	0.0004
	diazinon	44	1	0	0.00009	0.0040	0.0040
	dichlorobenzene, o-	44	1	1	0.00091	0.0040	0.0360
	dichlorobenzene, p-	44	1	6	0.00336	0.0040	0.1020
	ethyl benzene	44	6	9	0.01000	0.0020	0.2240
	malathion	44	30	11	0.00582	0.0010	0.0500
	methoxychlor, p,p'	44	1	2	0.00139	0.0003	0.0600
	phosmet	44	0	3	0.00039	0.0030	0.0080
	pirimiphos-methyl	44	3	4	0.00037	0.0003	0.0070
	propylbenzene, n-	44	0	1	0.00011	0.0050	0.0050
	styrene	44	24	3	0.02907	0.0050	0.5100
	tetrachloroethylene	44	6	7	0.00227	0.0030	0.0270
	toluene	44	32	0	0.04466	0.0080	0.4560
	trichloroethylene	44	2	6	0.00098	0.0020	0.0120
	xylene, m- and/or p-	44	8	14	0.01520	0.0020	0.2910
	xylene, o-	44	5	11	0.00532	0.0020	0.0760
066	Crackers, saltine						
	1,2,4-trimethylbenzene	44	1	0	0.00109	0.0480	0.0480
	chlorpyrifos	44	0	8	0.00017	0.0002	0.0020
	chlorpyrifos-methyl	44	34	9	0.01550	0.0005	0.1000
	diazinon	44	1	1	0.00014	0.0010	0.0050
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00014	0.0060	0.0060

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	malathion	44	42	2	0.01441	0.0020	0.0600
	methoxychlor, p,p'	44	2	17	0.00065	0.0002	0.0070
	pirimiphos-methyl	44	0	1	0.00002	0.0010	0.0010
	toluene	44	1	0	0.00043	0.0190	0.0190
	xylene, m- and/or p-	44	1	0	0.00055	0.0240	0.0240
067	Corn/tortilla chips						
	1,1,1-trichloroethane	44	2	7	0.00177	0.0030	0.0240
	1,2,4-trimethylbenzene	44	5	3	0.00189	0.0040	0.0160
	benzene*	44	12	7	0.00445	0.0010	0.0430
	butylbenzene, n-	44	0	4	0.00030	0.0030	0.0040
	carbon tetrachloride	44	1	0	0.00059	0.0260	0.0260
	chlorobenzene	44	0	2	0.00011	0.0020	0.0030
	chloroform	44	4	8	0.00448	0.0020	0.1360
	chlorpropham	44	0	1	0.00002	0.0007	0.0007
	chlorpyrifos	44	0	1	0.00007	0.0030	0.0030
	dichlorobenzene, p-	44	1	2	0.00080	0.0070	0.0180
	endosulfan II	44	0	1	0.00000	0.0001	0.0001
	endosulfan sulfate	44	0	1	0.00002	0.0009	0.0009
	ethyl benzene	44	0	5	0.00032	0.0020	0.0040
	malathion	44	2	4	0.00168	0.0008	0.0600
	methoxychlor olefin	44	0	1	0.00002	0.0010	0.0010
	methoxychlor, o,p'	44	0	1	0.00005	0.0020	0.0020
	methoxychlor, p,p'	44	0	3	0.00011	0.0010	0.0020
	pirimiphos-methyl	44	7	4	0.01157	0.0010	0.1700
	styrene	44	3	9	0.00211	0.0020	0.0300
	tetrachloroethylene	44	1	3	0.00036	0.0030	0.0070
	toluene	44	30	0	0.01993	0.0070	0.0980
	trichloroethylene	44	2	8	0.00130	0.0020	0.0180
	xylene, m- and/or p-	44	2	15	0.00339	0.0020	0.0260
	xylene, o-	44	0	7	0.00036	0.0020	0.0040
068	Pancakes made from mix with addition of egg, milk, and oil						
	benzene*	40	1	0	0.00028	0.0110	0.0110
	chlorpropham	40	1	1	0.00015	0.0010	0.0050
	chlorpyrifos	40	0	3	0.00006	0.0005	0.0010
	chlorpyrifos-methyl	40	21	15	0.00540	0.0003	0.0200
	DDE, p,p'	40	2	3	0.00019	0.0004	0.0040
	diazinon	40	1	0	0.00008	0.0030	0.0030
	malathion	40	26	12	0.00565	0.0009	0.0200
	methoxychlor, p,p'	40	0	3	0.00008	0.0004	0.0020
	polychlorinated biphenyls	40	0	1	0.00050	0.0200	0.0200
	toluene	40	2	0	0.00593	0.0190	0.2180
	xylene, m- and/or p-	40	1	0	0.00035	0.0140	0.0140
069	Noodles, egg, enriched, boiled						
	chlorpyrifos	44	1	5	0.00027	0.0010	0.0050
	chlorpyrifos-methyl	44	23	15	0.00335	0.0007	0.0120

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	diazinon	44	1	1	0.00020	0.0010	0.0080
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00045	0.0200	0.0200
	endosulfan sulfate	44	1	0	0.00005	0.0020	0.0020
	malathion	44	20	12	0.00241	0.0005	0.0090
	toluene	44	1	0	0.00030	0.0130	0.0130
	xylene, m- and/or p-	44	1	0	0.00034	0.0150	0.0150
070	Macaroni, enriched, cooked						
	chlorpyrifos	40	0	2	0.00005	0.0010	0.0010
	chlorpyrifos-methyl	40	9	15	0.00161	0.0003	0.0100
	lindane	40	0	1	0.00002	0.0006	0.0006
	malathion	40	4	13	0.00078	0.0003	0.0060
	methoxychlor, p,p'-	40	0	1	0.00003	0.0010	0.0010
	pirimiphos-methyl	40	1	0	0.00008	0.0030	0.0030
071	Corn flakes cereal						
	benzene*	44	1	0	0.00027	0.0120	0.0120
	chlorpyrifos	44	0	1	0.00001	0.0003	0.0003
	diazinon	44	0	1	0.00001	0.0003	0.0003
	methoxychlor, p,p'-	44	0	1	0.00005	0.0020	0.0020
	pirimiphos-methyl	44	0	1	0.00002	0.0010	0.0010
	tributyl phosphate	44	4	0	0.00314	0.0250	0.0450
	xylene, m- and/or p-	44	1	0	0.00025	0.0110	0.0110
072	Fruit-flavored cereal, presweetened						
	1,2,4-trimethylbenzene	44	1	0	0.00045	0.0200	0.0200
	benzene*	44	9	5	0.00480	0.0010	0.0880
	chlorobenzene	44	0	1	0.00009	0.0040	0.0040
	chloroform	44	1	8	0.00093	0.0020	0.0120
	chlorotoluene, o-	44	1	0	0.00025	0.0110	0.0110
	chlorpyrifos	44	1	10	0.00043	0.0007	0.0030
	chlorpyrifos-methyl	44	2	7	0.00041	0.0009	0.0050
	clopyralid	44	0	1	0.00002	0.0010	0.0010
	cumene (isopropyl benzene)	44	0	1	0.00009	0.0040	0.0040
	diazinon	44	0	1	0.00002	0.0010	0.0010
	dicamba	44	0	11	0.00049	0.0008	0.0030
	dicofol, p,p'-	44	0	3	0.00023	0.0010	0.0050
	ethion	44	4	3	0.00029	0.0006	0.0040
	ethion oxygen analog	44	0	1	0.00002	0.0010	0.0010
	ethyl benzene	44	0	5	0.00043	0.0020	0.0070
	ethylene dichloride	44	12	1	0.01252	0.0050	0.1440
	malathion	44	3	15	0.00079	0.0002	0.0080
	mecarbam	44	2	1	0.00020	0.0020	0.0040
	methidathion	44	7	1	0.00066	0.0010	0.0070
	propylbenzene, n-	44	0	1	0.00009	0.0040	0.0040
	styrene	44	2	7	0.00177	0.0020	0.0500
	tetrachloroethylene	44	2	0	0.00036	0.0060	0.0100
	tetradifon	44	1	0	0.00005	0.0020	0.0020

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	toluene	44	14	6	0.00814	0.0030	0.1400
	tributyl phosphate	44	1	0	0.00018	0.0080	0.0080
	trichloroethylene	44	0	3	0.00027	0.0030	0.0060
	xylene, m- and/or p-	44	1	13	0.00170	0.0020	0.0200
	xylene, o-	44	0	2	0.00016	0.0030	0.0040
073	Shredded wheat cereal						
	1,2,4-trimethylbenzene	44	2	0	0.00050	0.0100	0.0120
	2,4-D	44	0	1	0.00002	0.0010	0.0010
	biphenyl	44	0	1	0.00002	0.0010	0.0010
	chlorpyrifos	44	1	7	0.00023	0.0003	0.0040
	chlorpyrifos-methyl	44	28	3	0.02295	0.0010	0.1100
	clopyralid	44	0	1	0.00005	0.0020	0.0020
	diazinon	44	3	1	0.00025	0.0010	0.0040
	dicamba	44	0	2	0.00004	0.0007	0.0009
	malathion	44	31	8	0.01989	0.0010	0.1100
	methoxychlor, p,p'-	44	2	5	0.00179	0.0003	0.0400
	toluene	44	2	0	0.00195	0.0130	0.0730
	tributyl phosphate	44	3	0	0.00123	0.0080	0.0310
	xylene, m- and/or p-	44	1	0	0.00039	0.0170	0.0170
074	Raisin bran cereal						
	1,2,4-trimethylbenzene	44	1	0	0.00045	0.0200	0.0200
	2,4-D	44	1	9	0.00070	0.0006	0.0070
	biphenyl	44	0	1	0.00005	0.0020	0.0020
	captan	44	1	1	0.00018	0.0010	0.0070
	chlorpyrifos	44	0	9	0.00026	0.0003	0.0020
	chlorpyrifos-methyl	44	31	4	0.01057	0.0010	0.0600
	clopyralid	44	0	2	0.00003	0.0006	0.0008
	DDE, p,p'	44	0	4	0.00005	0.0001	0.0009
	DDT, p,p'	44	0	1	0.00000	0.0001	0.0001
	diazinon	44	0	1	0.00002	0.0007	0.0007
	dicamba	44	0	2	0.00005	0.0004	0.0020
	dicloran	44	1	0	0.00014	0.0060	0.0060
	dicofol, o,p'-	44	4	3	0.00233	0.0003	0.0400
	dicofol, p,p'-	44	12	4	0.02264	0.0010	0.2500
	dimethoate	44	1	0	0.00005	0.0020	0.0020
	endosulfan I	44	1	2	0.00009	0.0003	0.0030
	endosulfan II	44	3	5	0.00034	0.0004	0.0080
	endosulfan sulfate	44	0	4	0.00009	0.0002	0.0020
	fenpropathrin	44	1	0	0.00132	0.0580	0.0580
	iprodione	44	2	1	0.00043	0.0020	0.0100
	iprodione metabolite isomer	44	0	1	0.00005	0.0020	0.0020
	malathion	44	17	12	0.00498	0.0009	0.1200
	methoxychlor, p,p'-	44	0	1	0.00001	0.0006	0.0006
	pirimiphos-methyl	44	0	2	0.00005	0.0010	0.0010
	propargite	44	14	11	0.02909	0.0100	0.2100
	tributyl phosphate	44	1	0	0.00018	0.0080	0.0080

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
075	Crisped rice cereal						
	2,4-D	44	0	1	0.00002	0.0010	0.0010
	diazinon	44	0	1	0.00002	0.0008	0.0008
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00298	0.1310	0.1310
	malathion	44	0	1	0.00005	0.0020	0.0020
	quinclorac	44	1	13	0.00115	0.0007	0.0080
	toluene	44	1	0	0.00036	0.0160	0.0160
	tributyl phosphate	44	1	0	0.00086	0.0380	0.0380
	triclopyr	44	0	2	0.00005	0.0003	0.0020
076	Granola w/ raisins						
	1,1,1-trichloroethane	44	1	0	0.00025	0.0110	0.0110
	chlorpyrifos	44	0	12	0.00029	0.0001	0.0020
	chlorpyrifos-methyl	44	24	5	0.01625	0.0006	0.1400
	DDE, p,p'	44	0	2	0.00001	0.0002	0.0004
	diazinon	44	1	3	0.00010	0.0005	0.0020
	dicofol, o,p'	44	0	1	0.00002	0.0010	0.0010
	dicofol, p,p'	44	2	5	0.00077	0.0020	0.0100
	dieldrin	44	0	1	0.00001	0.0005	0.0005
	endosulfan I	44	0	1	0.00000	0.0001	0.0001
	endosulfan sulfate	44	0	1	0.00000	0.0001	0.0001
	heptachlor epoxide	44	0	1	0.00000	0.0002	0.0002
	iprodione	44	1	1	0.00027	0.0020	0.0100
	malathion	44	11	10	0.00923	0.0006	0.2890
	methoxychlor, p,p'	44	0	3	0.00006	0.0002	0.0020
	procymidone	44	0	1	0.00001	0.0006	0.0006
	styrene	44	1	0	0.00048	0.0210	0.0210
	tecnazene	44	0	1	0.00002	0.0008	0.0008
	toluene	44	2	0	0.00132	0.0170	0.0410
	xylene, m- and/or p-	44	2	0	0.00077	0.0130	0.0210
077	Oat ring cereal						
	1,2,4-trimethylbenzene	44	1	0	0.00055	0.0240	0.0240
	2,4-D	44	0	5	0.00018	0.0009	0.0020
	chlorpyrifos	44	3	1	0.00593	0.0010	0.1200
	chlorpyrifos-methyl	44	2	2	0.00049	0.0005	0.0100
	clopyralid	44	8	9	0.00218	0.0010	0.0100
	dicamba	44	23	9	0.00454	0.0008	0.0150
	malathion	44	3	0	0.00052	0.0030	0.0100
	toluene	44	1	0	0.00205	0.0900	0.0900
	tributyl phosphate	44	1	0	0.00034	0.0150	0.0150
078	Apple (red), raw (w/ peel)						
	4-cyclohexene-1,2-dicarboximide, cis-	44	1	0	0.00977	0.4300	0.4300
	azinphos-methyl	44	26	11	0.03330	0.0020	0.1900
	benomyl	44	3	8	0.02459	0.0300	0.4300
	benzene*	44	5	7	0.00245	0.0010	0.0320

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	captan	44	10	5	0.02223	0.0020	0.6450
	carbaryl	44	10	6	0.01016	0.0030	0.1500
	carbon tetrachloride	44	0	1	0.00007	0.0030	0.0030
	chlorobenzene	44	0	2	0.00034	0.0030	0.0120
	chloroform	44	0	4	0.00027	0.0020	0.0060
	chlorpyrifos	44	18	8	0.00573	0.0002	0.1000
	DDE, p,p'	44	0	2	0.00002	0.0003	0.0004
	diazinon	44	1	2	0.00008	0.0005	0.0020
	dichlorobenzene, p-	44	0	1	0.00020	0.0090	0.0090
	dicloran	44	0	2	0.00007	0.0009	0.0020
	dicofol, o,p'-	44	0	1	0.00002	0.0010	0.0010
	dicofol, p,p'-	44	5	0	0.00405	0.0080	0.0800
	dimethoate	44	8	1	0.00150	0.0020	0.0200
	diphenylamine	44	3	0	0.05477	0.5490	1.0500
	endosulfan I	44	11	7	0.00083	0.0002	0.0080
	endosulfan II	44	12	12	0.00135	0.0002	0.0100
	endosulfan sulfate	44	10	12	0.00146	0.0003	0.0100
	ethion	44	2	0	0.00341	0.0600	0.0900
	ethion oxygen analog	44	2	0	0.00011	0.0020	0.0030
	ethyl benzene	44	2	2	0.00123	0.0050	0.0250
	fenarimol	44	1	0	0.00091	0.0400	0.0400
	fenvalerate	44	0	1	0.00032	0.0140	0.0140
	iprodione	44	0	1	0.00005	0.0020	0.0020
	iprodione metabolite isomer	44	0	1	0.00005	0.0020	0.0020
	methamidophos	44	0	1	0.00005	0.0020	0.0020
	methomyl	44	3	0	0.00075	0.0080	0.0150
	methoxychlor olefin	44	0	2	0.00015	0.0004	0.0060
	methoxychlor, o,p'-	44	0	2	0.00014	0.0020	0.0040
	methoxychlor, p,p'-	44	19	3	0.02008	0.0007	0.2200
	omethoate	44	5	3	0.00141	0.0020	0.0200
	parathion	44	0	1	0.00002	0.0010	0.0010
	parathion-methyl	44	2	3	0.00034	0.0010	0.0060
	phosalone	44	2	1	0.00166	0.0030	0.0500
	phosmet	44	6	7	0.00770	0.0020	0.1200
	phosphamidon	44	8	3	0.00184	0.0030	0.0200
	propargite	44	11	0	0.05318	0.0400	0.6100
	thiabendazole	44	41	2	0.48550	0.0200	1.2800
	toluene	44	3	7	0.00150	0.0010	0.0210
	tributyl phosphate	44	1	0	0.00043	0.0190	0.0190
	trichloroethylene	44	0	2	0.00016	0.0020	0.0050
	tris(chloropropyl) phosphate	44	3	1	0.00082	0.0020	0.0200
	xylene, m- and/or p-	44	10	14	0.01018	0.0030	0.0640
	xylene, o-	44	0	1	0.00007	0.0030	0.0030
079	Orange (navel/Valencia), raw						
	benomyl	44	0	1	0.00166	0.0730	0.0730
	benzene*	44	5	1	0.00134	0.0010	0.0150
	bromodichloromethane	44	1	0	0.00032	0.0140	0.0140

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	captan	44	0	1	0.00005	0.0020	0.0020
	carbaryl	44	2	6	0.00227	0.0040	0.0400
	chlordane, cis-	44	0	1	0.00000	0.0001	0.0001
	chlorobenzene	44	0	1	0.00007	0.0030	0.0030
	chloroform	44	0	7	0.00055	0.0020	0.0060
	chlorpyrifos	44	3	16	0.00077	0.0002	0.0100
	cumene (isopropyl benzene)	44	1	0	0.00057	0.0250	0.0250
	dicloran	44	0	1	0.00002	0.0010	0.0010
	dicofol, p,p'-	44	3	1	0.00052	0.0040	0.0070
	dimethoate	44	0	1	0.00005	0.0020	0.0020
	endosulfan I	44	1	0	0.00009	0.0040	0.0040
	endosulfan sulfate	44	0	4	0.00004	0.0004	0.0005
	ethion	44	2	1	0.00023	0.0010	0.0060
	iprodione	44	1	0	0.00045	0.0200	0.0200
	methidathion	44	7	2	0.00072	0.0008	0.0070
	omethoate	44	0	1	0.00005	0.0020	0.0020
	phenylphenol, o-	44	1	0	0.00014	0.0060	0.0060
	styrene	44	0	3	0.00016	0.0020	0.0030
	thiabendazole	44	31	7	0.13345	0.0100	0.5800
	toluene	44	12	6	0.01655	0.0010	0.1830
	trichloroethylene	44	0	4	0.00025	0.0020	0.0050
	xylene, m- and/or p-	44	4	4	0.00395	0.0020	0.0660
080	Banana, raw						
	benzene*	44	25	1	0.03368	0.0010	0.1360
	chlorobenzene	44	0	1	0.00007	0.0030	0.0030
	chloroform	44	2	2	0.00091	0.0060	0.0200
	ethyl benzene	44	0	1	0.00005	0.0020	0.0020
	pentachlorophenyl methyl ether	44	0	1	0.00002	0.0009	0.0009
	styrene	44	0	1	0.00011	0.0050	0.0050
	thiabendazole	44	17	20	0.03445	0.0100	0.0900
	toluene	44	6	7	0.00243	0.0010	0.0360
	trichloroethylene	44	0	4	0.00041	0.0020	0.0070
	xylene, m- and/or p-	44	1	2	0.00059	0.0020	0.0220
081	Watermelon, raw/frozen						
	acephate	44	0	1	0.00002	0.0010	0.0010
	carbaryl	44	2	2	0.00216	0.0020	0.0800
	dicloran	44	1	0	0.00007	0.0030	0.0030
	dieldrin	44	0	1	0.00001	0.0005	0.0005
	dimethoate	44	0	1	0.00002	0.0008	0.0008
	endosulfan II	44	0	1	0.00001	0.0004	0.0004
	endosulfan sulfate	44	1	11	0.00021	0.0002	0.0020
	ethylenethiourea	44	0	1	0.00007	0.0030	0.0030
	heptachlor epoxide	44	0	1	0.00000	0.0001	0.0001
	hexachlorobenzene	44	1	4	0.00006	0.0001	0.0010
	methamidophos	44	4	0	0.00200	0.0080	0.0400
	methomyl	44	1	2	0.00032	0.0010	0.0100

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	omethoate	44	0	1	0.00005	0.0020	0.0020
	pentachloroaniline	44	1	1	0.00004	0.0009	0.0010
	thiabendazole	44	1	0	0.00118	0.0520	0.0520
083	Peach, raw/frozen						
	1-naphthol	44	1	0	0.00407	0.1790	0.1790
	2,4-dichloro-6-nitrobenzenamine	44	3	1	0.00043	0.0020	0.0100
	azinphos-methyl	44	11	6	0.01232	0.0040	0.1200
	benomyl	44	13	2	0.10868	0.0500	0.6620
	benzene*	44	1	0	0.00061	0.0270	0.0270
	captan	44	6	3	0.00520	0.0020	0.1700
	carbaryl	44	16	4	0.01977	0.0020	0.1600
	chlorpropham	44	0	1	0.00002	0.0010	0.0010
	chlorpyrifos	44	11	7	0.00857	0.0005	0.2200
	DDE, p,p'	44	1	1	0.00013	0.0005	0.0050
	diazinon	44	8	3	0.00080	0.0003	0.0090
	dicloran	44	22	4	0.21684	0.0010	2.3300
	dicofol, o,p'	44	1	0	0.00016	0.0070	0.0070
	dicofol, p,p'	44	3	2	0.01148	0.0020	0.4100
	dieldrin	44	0	1	0.00000	0.0002	0.0002
	dimethoate	44	3	0	0.00016	0.0020	0.0030
	endosulfan I	44	5	3	0.00120	0.0002	0.0360
	endosulfan II	44	4	4	0.00217	0.0002	0.0470
	endosulfan sulfate	44	5	1	0.00134	0.0010	0.0330
	esfenvalerate	44	0	1	0.00027	0.0120	0.0120
	fenvalerate	44	0	3	0.00057	0.0070	0.0100
	fludioxonil	44	1	0	0.00952	0.4190	0.4190
	iprodione	44	34	0	0.71545	0.0400	5.6700
	iprodione metabolite isomer	44	28	4	0.05773	0.0030	0.3100
	methamidophos	44	1	0	0.00011	0.0050	0.0050
	methomyl	44	1	0	0.00168	0.0740	0.0740
	parathion	44	0	1	0.00005	0.0020	0.0020
	parathion-methyl	44	17	3	0.00857	0.0020	0.0700
	permethrin, cis-	44	2	4	0.00060	0.0002	0.0100
	permethrin, trans-	44	1	5	0.00082	0.0002	0.0200
	phosalone	44	0	1	0.00011	0.0050	0.0050
	phosmet	44	21	1	0.02770	0.0020	0.1900
	propargite	44	6	0	0.02682	0.0800	0.5700
	thiabendazole	44	1	1	0.00020	0.0010	0.0080
	toluene	44	1	0	0.00059	0.0260	0.0260
	xylene, m- and/or p-	44	1	0	0.00034	0.0150	0.0150
084	Applesauce, bottled						
	4-cyclohexene-1,2-dicarboximide, cis-	44	2	0	0.00168	0.0360	0.0380
	acephate	44	1	1	0.00011	0.0020	0.0030
	azinphos-methyl	44	0	2	0.00030	0.0050	0.0080
	benomyl	44	0	6	0.00343	0.0110	0.0400
	captan	44	0	1	0.00002	0.0010	0.0010

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	carbaryl	44	1	16	0.00327	0.0040	0.0500
	chloroform	44	1	0	0.00025	0.0110	0.0110
	chlorpyrifos	44	0	7	0.00019	0.0007	0.0020
	dimethoate	44	13	4	0.00157	0.0010	0.0100
	diphenylamine	44	3	0	0.00111	0.0140	0.0180
	endosulfan I	44	0	1	0.00000	0.0002	0.0002
	endosulfan II	44	0	3	0.00001	0.0001	0.0002
	endosulfan sulfate	44	0	8	0.00013	0.0002	0.0020
	ethylenethiourea	44	1	4	0.00064	0.0030	0.0100
	methamidophos	44	0	1	0.00002	0.0010	0.0010
	omethoate	44	3	5	0.00045	0.0009	0.0050
	parathion	44	0	1	0.00001	0.0006	0.0006
	parathion-methyl	44	1	1	0.00014	0.0010	0.0050
	phosmet	44	0	1	0.00002	0.0010	0.0010
	phosphamidon	44	1	0	0.00023	0.0100	0.0100
	propargite	44	0	1	0.00023	0.0100	0.0100
	thiabendazole	44	8	6	0.02430	0.0010	0.2240
	tributyl phosphate	44	15	0	0.00430	0.0090	0.0200
	xylene, m- and/or p-	44	1	0	0.00027	0.0120	0.0120
085	Pear, raw (w/ peel)						
	4-cyclohexene-1,2-dicarboximide, cis-	44	1	0	0.00123	0.0540	0.0540
	azinphos-methyl	44	25	9	0.03430	0.0050	0.2200
	benomyl	44	1	2	0.00455	0.0400	0.1200
	benzene*	44	1	0	0.00041	0.0180	0.0180
	captan	44	5	5	0.00150	0.0010	0.0200
	carbaryl	44	5	3	0.00870	0.0040	0.1900
	chloroform	44	1	0	0.00023	0.0100	0.0100
	chlorpropham	44	0	2	0.00004	0.0008	0.0010
	chlorpyrifos	44	0	3	0.00004	0.0002	0.0010
	cypermethrin	44	0	1	0.00027	0.0120	0.0120
	DDE, p,p'	44	0	1	0.00000	0.0001	0.0001
	DDT, p,p'	44	0	1	0.00000	0.0002	0.0002
	diazinon	44	0	5	0.00011	0.0009	0.0010
	dicloran	44	1	7	0.00015	0.0002	0.0030
	dicofol, o,p'-	44	2	2	0.00100	0.0010	0.0200
	dicofol, p,p'-	44	7	0	0.03000	0.0300	0.6100
	diphenylamine	44	1	2	0.00045	0.0030	0.0140
	endosulfan I	44	3	4	0.00079	0.0002	0.0200
	endosulfan II	44	5	13	0.00185	0.0001	0.0300
	endosulfan sulfate	44	6	16	0.00153	0.0002	0.0200
	fenpropathrin	44	1	0	0.01355	0.5960	0.5960
	iprodione	44	2	2	0.00175	0.0010	0.0500
	iprodione metabolite isomer	44	0	1	0.00002	0.0009	0.0009
	omethoate	44	0	1	0.00005	0.0020	0.0020
	parathion-methyl	44	5	3	0.00125	0.0010	0.0300
	pentachlorophenyl methyl ether	44	0	1	0.00001	0.0003	0.0003
	permethrin, cis-	44	0	1	0.00009	0.0040	0.0040

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	permethrin, trans-	44	0	1	0.00005	0.0020	0.0020
	phenylphenol, o-	44	2	0	0.00107	0.0090	0.0380
	phosmet	44	16	9	0.02255	0.0030	0.5700
	thiabendazole	44	36	2	0.27980	0.0400	1.0400
	toluene	44	1	0	0.00027	0.0120	0.0120
	tris(chloropropyl) phosphate	44	1	0	0.00009	0.0040	0.0040
	xylene, m- and/or p-	44	1	0	0.00066	0.0290	0.0290
086	Strawberries, raw/frozen						
	1,2,4-trimethylbenzene	43	0	1	0.00009	0.0040	0.0040
	4-cyclohexene-1,2-dicarboximide, cis-	43	4	0	0.06940	0.3270	1.0890
	anilazine	43	2	0	0.02814	0.2000	1.0100
	azinphos-methyl	43	0	2	0.00040	0.0080	0.0090
	azoxystrobin	43	1	0	0.00312	0.1340	0.1340
	benomyl	43	8	4	0.04095	0.0400	0.5600
	benzene*	43	3	3	0.00105	0.0010	0.0200
	BHC, beta	43	0	2	0.00004	0.0009	0.0009
	bifenthrin	43	4	4	0.00516	0.0020	0.0800
	bromodichloromethane	43	0	1	0.00007	0.0030	0.0030
	captan	43	26	4	0.18179	0.0008	2.9200
	carbaryl	43	17	6	0.05826	0.0030	0.5300
	carbofuran	43	0	1	0.00019	0.0080	0.0080
	carbon tetrachloride	43	0	1	0.00007	0.0030	0.0030
	chlordane, cis-	43	0	1	0.00001	0.0003	0.0003
	chlordane, trans-	43	0	1	0.00000	0.0002	0.0002
	chlorobenzene	43	0	2	0.00014	0.0030	0.0030
	chloroform	43	0	2	0.00012	0.0020	0.0030
	cyprodinil	43	2	0	0.00100	0.0020	0.0410
	DDE, p,p'	43	0	8	0.00010	0.0003	0.0010
	diazinon	43	3	0	0.00023	0.0030	0.0040
	dicloran	43	0	1	0.00005	0.0020	0.0020
	dicofol, p,p'	43	2	2	0.00314	0.0009	0.1000
	dieldrin	43	0	7	0.00008	0.0002	0.0010
	dimethoate	43	1	0	0.01140	0.4900	0.4900
	diphenyl 2-ethylhexyl phosphate	43	2	0	0.00126	0.0200	0.0340
	endosulfan I	43	7	4	0.00103	0.0002	0.0200
	endosulfan II	43	9	5	0.00241	0.0003	0.0300
	endosulfan sulfate	43	12	4	0.00287	0.0005	0.0400
	ethyl benzene	43	1	1	0.00051	0.0040	0.0180
	fenhexamid	43	4	0	0.01691	0.0100	0.3500
	fenpropathrin	43	1	0	0.00095	0.0410	0.0410
	folpet	43	4	1	0.00649	0.0020	0.1600
	iprodione	43	23	6	0.12450	0.0003	1.2700
	iprodione metabolite isomer	43	2	4	0.00073	0.0004	0.0100
	malathion	43	19	3	0.00553	0.0020	0.0400
	methamidophos	43	1	0	0.00002	0.0010	0.0010
	methiocarb	43	1	0	0.00093	0.0400	0.0400
	methomyl	43	6	1	0.01951	0.0020	0.5570

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	mevinphos, (e)-	43	4	0	0.00328	0.0010	0.0800
	mevinphos, (z)-	43	4	0	0.00133	0.0030	0.0300
	omethoate	43	1	0	0.00047	0.0200	0.0200
	parathion-methyl	43	0	1	0.00005	0.0020	0.0020
	propargite	43	1	0	0.00860	0.3700	0.3700
	pyriproxyfen	43	1	0	0.00044	0.0190	0.0190
	styrene	43	18	2	0.11926	0.0050	1.9800
	tetrachloroethylene	43	0	1	0.00012	0.0050	0.0050
	toluene	43	2	2	0.00091	0.0030	0.0160
	toxaphene	43	0	1	0.00023	0.0100	0.0100
	triphenyl phosphate	43	1	0	0.00028	0.0120	0.0120
	vinclozolin	43	12	1	0.06467	0.0010	0.9700
	xylene, m- and/or p-	43	0	4	0.00098	0.0020	0.0210
087	Fruit cocktail, canned in light syrup						
	1-naphthol	44	1	1	0.00057	0.0090	0.0160
	carbaryl	44	8	14	0.00545	0.0010	0.0300
	carbofuran	44	1	0	0.00048	0.0210	0.0210
	chlorpyrifos	44	0	1	0.00002	0.0010	0.0010
	cyprodinil	44	2	0	0.00189	0.0200	0.0630
	dicofol, o,p'-	44	1	0	0.00136	0.0600	0.0600
	dicofol, p,p'-	44	6	0	0.00239	0.0080	0.0500
	endosulfan II	44	0	2	0.00003	0.0005	0.0010
	endosulfan sulfate	44	0	1	0.00001	0.0004	0.0004
	iprodione	44	8	6	0.00173	0.0020	0.0100
	iprodione metabolite isomer	44	3	8	0.00125	0.0020	0.0100
	permethrin, cis-	44	0	1	0.00002	0.0010	0.0010
	permethrin, trans-	44	0	1	0.00002	0.0010	0.0010
	phenylphenol, o-	44	1	0	0.00036	0.0160	0.0160
	propargite	44	0	1	0.00023	0.0100	0.0100
	toluene	44	1	0	0.00086	0.0380	0.0380
	xylene, m- and/or p-	44	1	0	0.00045	0.0200	0.0200
088	Grapes (red/green), raw						
	4-cyclohexene-1,2-dicarboximide, cis-	44	1	1	0.01384	0.0030	0.6060
	azinphos-methyl	44	2	1	0.00425	0.0070	0.1000
	benomyl	44	2	5	0.01132	0.0160	0.1400
	benzene*	44	1	0	0.00023	0.0100	0.0100
	bifenthrin	44	0	1	0.00005	0.0020	0.0020
	captan	44	22	2	0.02729	0.0007	0.2700
	carbaryl	44	3	2	0.00582	0.0080	0.1100
	chlorpyrifos	44	5	8	0.00893	0.0003	0.1800
	cyprodinil	44	5	1	0.01573	0.0050	0.3340
	DDE, p,p'	44	0	13	0.00013	0.0001	0.0008
	diazinon	44	1	0	0.00014	0.0060	0.0060
	dicloran	44	3	4	0.00746	0.0003	0.3100
	dicofol, o,p'-	44	1	0	0.00091	0.0400	0.0400
	dicofol, p,p'-	44	3	3	0.00526	0.0005	0.1400

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	dieldrin	44	0	1	0.00002	0.0008	0.0008
	dimethoate	44	10	3	0.00814	0.0010	0.1500
	endosulfan I	44	1	2	0.00007	0.0005	0.0020
	endosulfan II	44	3	3	0.00042	0.0002	0.0100
	endosulfan sulfate	44	1	4	0.00018	0.0005	0.0050
	fenarimol	44	0	3	0.00009	0.0009	0.0020
	fenhexamid	44	3	0	0.00302	0.0110	0.1100
	fenvalerate	44	0	1	0.00014	0.0060	0.0060
	folpet	44	6	0	0.00150	0.0060	0.0200
	iprodione	44	23	3	0.07134	0.0010	0.7600
	iprodione metabolite isomer	44	12	6	0.01182	0.0010	0.1400
	methomyl	44	10	2	0.02350	0.0020	0.2600
	omethoate	44	11	3	0.00832	0.0010	0.1000
	phosmet	44	1	0	0.00045	0.0200	0.0200
	propargite	44	2	1	0.04636	0.0200	1.6600
	vinclozolin	44	4	1	0.00902	0.0010	0.1800
089	Cantaloupe, raw/frozen						
	acephate	44	1	1	0.00020	0.0040	0.0050
	benomyl	44	0	1	0.00068	0.0300	0.0300
	benzene*	44	1	0	0.00030	0.0130	0.0130
	carbaryl	44	2	4	0.00223	0.0030	0.0700
	chlorpyrifos	44	1	3	0.00026	0.0006	0.0080
	DCPA	44	0	2	0.00003	0.0005	0.0010
	DDE, p,p'	44	0	1	0.00001	0.0006	0.0006
	diazinon	44	0	1	0.00000	0.0002	0.0002
	dicofol, p,p'-	44	2	1	0.00048	0.0050	0.0090
	dieldrin	44	3	13	0.00029	0.0001	0.0030
	dimethoate	44	1	0	0.00068	0.0300	0.0300
	endosulfan I	44	0	16	0.00016	0.0001	0.0009
	endosulfan II	44	0	22	0.00028	0.0002	0.0010
	endosulfan sulfate	44	32	7	0.00966	0.0002	0.0300
	endrin	44	1	0	0.00005	0.0020	0.0020
	heptachlor epoxide	44	0	1	0.00001	0.0005	0.0005
	methamidophos	44	15	0	0.01543	0.0020	0.2100
	methomyl	44	4	3	0.00695	0.0030	0.2300
	omethoate	44	1	0	0.00068	0.0300	0.0300
	pentachloroaniline	44	0	4	0.00002	0.0001	0.0002
	permethrin, cis-	44	0	3	0.00022	0.0008	0.0050
	thiabendazole	44	3	6	0.00889	0.0010	0.0900
	toxaphene	44	3	19	0.00791	0.0010	0.0700
091	Plums, purple, raw						
	2,4-dichloro-6-nitrobenzenamine	39	1	1	0.00013	0.0010	0.0040
	4-cyclohexene-1,2-dicarboximide, cis-	39	1	0	0.00103	0.0400	0.0400
	azinphos-methyl	39	1	0	0.00128	0.0500	0.0500
	benomyl	39	7	6	0.03795	0.0300	0.2900
	benzene*	39	1	0	0.00033	0.0130	0.0130

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	captan	39	4	1	0.00662	0.0020	0.1300
	carbaryl	39	2	3	0.00085	0.0020	0.0100
	chlorpropham	39	0	1	0.00003	0.0010	0.0010
	chlorpyrifos	39	5	15	0.00112	0.0003	0.0090
	diazinon	39	2	0	0.00015	0.0020	0.0040
	dicloran	39	21	4	0.07232	0.0002	1.0200
	dicofol, o,p'-	39	3	1	0.00087	0.0030	0.0200
	dicofol, p,p'-	39	5	1	0.00877	0.0020	0.1700
	endosulfan I	39	0	3	0.00005	0.0005	0.0007
	endosulfan sulfate	39	2	6	0.00028	0.0003	0.0040
	fenhexamid	39	1	0	0.00133	0.0520	0.0520
	iprodione	39	33	1	0.21585	0.0010	1.1960
	iprodione metabolite isomer	39	27	5	0.04431	0.0009	0.3900
	omethoate	39	1	0	0.00013	0.0050	0.0050
	parathion-methyl	39	4	3	0.00054	0.0010	0.0060
	pentachlorophenyl methyl ether	39	0	1	0.00001	0.0002	0.0002
	phosmet	39	0	4	0.00044	0.0020	0.0080
	propargite	39	2	3	0.00456	0.0080	0.0600
	thiabendazole	39	1	0	0.00154	0.0600	0.0600
092	Grapefruit, raw						
	carbaryl	44	0	1	0.00011	0.0050	0.0050
	chlorobenzilate	44	0	1	0.00002	0.0010	0.0010
	chlorpyrifos	44	0	1	0.00001	0.0006	0.0006
	diazinon	44	1	0	0.00014	0.0060	0.0060
	dicofol, o,p'-	44	0	1	0.00002	0.0008	0.0008
	dicofol, p,p'-	44	3	1	0.00091	0.0020	0.0200
	ethion	44	10	4	0.00108	0.0007	0.0080
	ethion oxygen analog	44	0	1	0.00000	0.0002	0.0002
	methidathion	44	0	2	0.00005	0.0010	0.0010
	thiabendazole	44	38	5	0.18189	0.0200	0.7100
093	Pineapple, canned in juice						
	bromodichloromethane	44	1	0	0.00032	0.0140	0.0140
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00023	0.0100	0.0100
	endosulfan I	44	0	1	0.00001	0.0003	0.0003
	iprodione	44	1	0	0.00018	0.0080	0.0080
	methoxychlor, p,p'-	44	0	1	0.00007	0.0030	0.0030
	phenylphenol, o-	44	3	0	0.00159	0.0170	0.0310
	toluene	44	1	0	0.00039	0.0170	0.0170
094	Cherries, sweet, raw						
	1-naphthol	34	0	1	0.00024	0.0080	0.0080
	acephate	34	1	0	0.00059	0.0200	0.0200
	azinphos-methyl	34	19	5	0.02847	0.0070	0.1400
	benomyl	34	1	4	0.00888	0.0300	0.1300
	benzene*	34	1	0	0.00047	0.0160	0.0160
	captan	34	4	2	0.01229	0.0010	0.3170

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	carbaryl	34	21	4	0.04335	0.0070	0.3200
	chloroform	34	1	0	0.00032	0.0110	0.0110
	chlorpyrifos	34	1	4	0.00018	0.0006	0.0030
	DDE, p,p'	34	0	3	0.00004	0.0001	0.0008
	diazinon	34	1	1	0.00018	0.0010	0.0050
	dimethoate	34	2	1	0.00044	0.0010	0.0100
	diphenyl 2-ethylhexyl phosphate	34	1	0	0.00059	0.0200	0.0200
	endosulfan I	34	3	5	0.00019	0.0003	0.0020
	endosulfan II	34	8	7	0.00099	0.0002	0.0070
	endosulfan sulfate	34	11	6	0.00278	0.0004	0.0200
	esfenvalerate	34	0	1	0.00012	0.0040	0.0040
	fenarimol	34	9	4	0.00541	0.0010	0.0500
	fenvalerate	34	1	1	0.00341	0.0060	0.1100
	iprodione	34	27	1	0.44785	0.0030	2.1840
	iprodione metabolite isomer	34	15	7	0.01129	0.0010	0.0600
	malathion	34	6	7	0.00144	0.0010	0.0100
	methoxychlor, o,p'	34	1	0	0.00018	0.0060	0.0060
	methoxychlor, p,p'	34	2	2	0.00597	0.0010	0.1600
	omethoate	34	4	0	0.00171	0.0080	0.0300
	parathion-methyl	34	1	1	0.00015	0.0020	0.0030
	permethrin, cis-	34	5	2	0.00276	0.0020	0.0200
	permethrin, trans-	34	5	2	0.00397	0.0020	0.0400
	phosmet	34	1	4	0.00147	0.0030	0.0200
	toluene	34	1	0	0.00044	0.0150	0.0150
	vinclozolin	34	0	1	0.00006	0.0020	0.0020

095 Raisins

	1,2,4-trimethylbenzene	44	0	1	0.00009	0.0040	0.0040
	benzene*	44	9	1	0.00461	0.0010	0.0970
	butylbenzene, n-	44	0	1	0.00007	0.0030	0.0030
	carbaryl	44	12	6	0.01259	0.0010	0.2000
	chlorobenzene	44	0	1	0.00014	0.0060	0.0060
	chloroform	44	8	5	0.00255	0.0020	0.0220
	chlorpyrifos	44	0	8	0.00016	0.0003	0.0020
	DDE, p,p'	44	7	28	0.00082	0.0002	0.0020
	DDT, p,p'	44	0	4	0.00004	0.0001	0.0007
	diazinon	44	0	1	0.00001	0.0004	0.0004
	dicofol, o,p'	44	5	5	0.01491	0.0010	0.3600
	dicofol, p,p'	44	19	8	0.03800	0.0010	0.4800
	dimethoate	44	1	1	0.00025	0.0010	0.0100
	diphenylamine	44	1	1	0.00039	0.0070	0.0100
	endosulfan I	44	4	2	0.00037	0.0005	0.0090
	endosulfan II	44	8	6	0.00127	0.0004	0.0200
	endosulfan sulfate	44	1	8	0.00045	0.0003	0.0100
	fenarimol	44	0	6	0.00036	0.0009	0.0040
	fenpropathrin	44	3	0	0.00532	0.0520	0.1130
	iprodione	44	1	2	0.00036	0.0030	0.0100
	iprodione metabolite isomer	44	2	1	0.00073	0.0030	0.0200

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	malathion	44	1	1	0.00014	0.0020	0.0040
	parathion-methyl	44	1	1	0.00014	0.0010	0.0050
	permethrin, cis-	44	0	1	0.00002	0.0007	0.0007
	permethrin, trans-	44	0	1	0.00002	0.0007	0.0007
	phenylphenol, o-	44	3	0	0.00500	0.0320	0.1330
	phosmet	44	1	1	0.00039	0.0070	0.0100
	polychlorinated biphenyls	44	0	1	0.00023	0.0100	0.0100
	propargite	44	40	2	0.32116	0.0100	1.2600
	styrene	44	0	6	0.00059	0.0020	0.0070
	tetrachloroethylene	44	1	0	0.00025	0.0110	0.0110
	thiabendazole	44	0	1	0.00005	0.0020	0.0020
	toluene	44	4	6	0.00186	0.0010	0.0300
	trichloroethylene	44	0	4	0.00032	0.0030	0.0040
	xylene, m- and/or p-	44	1	7	0.00239	0.0040	0.0200
	xylene, o-	44	0	1	0.00005	0.0020	0.0020
096	Prunes, dried, uncooked						
	azinphos-methyl	40	0	1	0.00018	0.0070	0.0070
	carbaryl	40	1	1	0.00070	0.0080	0.0200
	chlorpyrifos	40	0	4	0.00009	0.0007	0.0010
	DDE, p,p'	40	0	4	0.00002	0.0001	0.0003
	dicloran	40	1	2	0.00032	0.0008	0.0100
	dicofol, o,p'-	40	3	6	0.00113	0.0010	0.0150
	dicofol, p,p'-	40	11	7	0.00820	0.0008	0.0820
	endosulfan I	40	0	5	0.00006	0.0002	0.0009
	endosulfan II	40	0	11	0.00019	0.0003	0.0010
	endosulfan sulfate	40	2	15	0.00054	0.0004	0.0030
	iprodione	40	13	7	0.01073	0.0020	0.0700
	iprodione metabolite isomer	40	11	1	0.00420	0.0010	0.0600
	malathion	40	0	1	0.00003	0.0010	0.0010
	permethrin, cis-	40	0	4	0.00015	0.0004	0.0030
	permethrin, trans-	40	0	4	0.00014	0.0005	0.0020
	piperonyl butoxide	40	2	0	0.00098	0.0100	0.0290
	propargite	40	10	6	0.03715	0.0170	0.5600
	toluene	40	1	0	0.00030	0.0120	0.0120
	tris(chloropropyl) phosphate	40	1	1	0.00015	0.0020	0.0040
097	Avocado, raw						
	1,1,1-trichloroethane	44	1	0	0.00136	0.0600	0.0600
	benzene*	44	17	6	0.00823	0.0010	0.0840
	butylbenzene, n-	44	0	1	0.00009	0.0040	0.0040
	chlorobenzene	44	0	2	0.00018	0.0020	0.0060
	chloroform	44	10	4	0.00364	0.0020	0.0300
	dichlorobenzene, p-	44	0	1	0.00023	0.0100	0.0100
	ethyl benzene	44	0	3	0.00020	0.0020	0.0040
	malathion	44	0	1	0.00002	0.0010	0.0010
	propylbenzene, n-	44	1	0	0.00030	0.0130	0.0130
	styrene	44	11	3	0.03245	0.0020	0.5500

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	tetrachloroethylene	44	5	3	0.00173	0.0020	0.0250
	toluene	44	2	13	0.00168	0.0020	0.0180
	trichloroethylene	44	6	2	0.01173	0.0020	0.3000
	xylene, m- and/or p-	44	0	4	0.00025	0.0020	0.0050
	xylene, o-	44	0	1	0.00005	0.0020	0.0020
098	Orange juice, frozen conc, reconstituted						
	benzene*	44	5	5	0.00170	0.0010	0.0180
	carbaryl	44	0	8	0.00064	0.0020	0.0090
	chlorobenzene	44	0	2	0.00014	0.0020	0.0040
	chloroform	44	1	9	0.00100	0.0020	0.0080
	chlorpyrifos	44	0	2	0.00005	0.0010	0.0010
	DDE, p,p'	44	0	1	0.00001	0.0004	0.0004
	dicofol, p,p'-	44	0	4	0.00015	0.0007	0.0030
	ethion	44	11	13	0.00080	0.0003	0.0030
	ethion oxygen analog	44	0	4	0.00007	0.0006	0.0010
	ethyl benzene	44	1	3	0.00055	0.0030	0.0110
	methidathion	44	0	9	0.00029	0.0007	0.0020
	styrene	44	0	4	0.00055	0.0040	0.0070
	toluene	44	13	4	0.00714	0.0010	0.0900
	tributyl phosphate	44	1	0	0.00045	0.0200	0.0200
	trichloroethylene	44	0	1	0.00007	0.0030	0.0030
	xylene, m- and/or p-	44	1	5	0.00086	0.0020	0.0160
	xylene, o-	44	0	1	0.00007	0.0030	0.0030
099	Apple juice, bottled						
	4-cyclohexene-1,2-dicarboximide, cis-	44	2	0	0.00693	0.1090	0.1960
	acephate	44	0	1	0.00001	0.0006	0.0006
	benomyl	44	0	1	0.00023	0.0100	0.0100
	benzene*	44	1	0	0.00036	0.0160	0.0160
	bromodichloromethane	44	1	0	0.00075	0.0330	0.0330
	carbaryl	44	11	15	0.00702	0.0010	0.0500
	chloroform	44	1	0	0.00027	0.0120	0.0120
	dimethoate	44	12	6	0.00115	0.0005	0.0100
	diphenylamine	44	1	0	0.00007	0.0030	0.0030
	ethylenethiourea	44	1	0	0.00027	0.0120	0.0120
	methamidophos	44	1	0	0.00002	0.0010	0.0010
	omethoate	44	1	3	0.00023	0.0010	0.0060
	phosmet	44	0	1	0.00005	0.0020	0.0020
	phosphamidon	44	1	0	0.00014	0.0060	0.0060
	thiabendazole	44	14	9	0.05005	0.0080	0.2700
	toluene	44	1	0	0.00082	0.0360	0.0360
	tris(chloropropyl) phosphate	44	0	1	0.00005	0.0020	0.0020
100	Grapefruit juice, frozen conc, reconstituted						
	1,1,2-trichloroethane	44	1	0	0.00025	0.0110	0.0110
	benzene*	44	1	0	0.00043	0.0190	0.0190
	chlorpyrifos	44	0	1	0.00001	0.0003	0.0003

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	dicofol, p,p'-ethion	44	0	2	0.00004	0.0008	0.0010
	ethion oxygen analog	44	11	21	0.00105	0.0004	0.0040
	iprodone	44	0	7	0.00011	0.0004	0.0010
	methidathion	44	1	0	0.00023	0.0100	0.0100
	thiabendazole	44	0	1	0.00001	0.0004	0.0004
	toluene	44	2	7	0.00291	0.0010	0.0400
	tributyl phosphate	44	1	0	0.00048	0.0210	0.0210
	tributyl phosphate	44	1	0	0.00091	0.0400	0.0400
103	Prune juice, bottled						
	benzene*	44	1	0	0.00025	0.0110	0.0110
	carbaryl	44	0	1	0.00002	0.0010	0.0010
	dicloran	44	0	2	0.00010	0.0005	0.0030
	dicofol, p,p'-endosulfan I	44	0	1	0.00001	0.0004	0.0004
	endosulfan I	44	0	1	0.00000	0.0002	0.0002
	endosulfan sulfate	44	0	1	0.00000	0.0002	0.0002
	iprodone	44	5	10	0.00140	0.0008	0.0100
	iprodone metabolite isomer	44	1	9	0.00075	0.0009	0.0100
	permethrin, cis-	44	0	1	0.00001	0.0004	0.0004
	permethrin, trans-	44	0	1	0.00001	0.0005	0.0005
	piperonyl butoxide	44	1	0	0.00036	0.0160	0.0160
	propargite	44	0	1	0.00020	0.0090	0.0090
	toluene	44	1	0	0.00041	0.0180	0.0180
	tributyl phosphate	44	2	0	0.00089	0.0090	0.0300
	xylene, m- and/or p-	44	1	0	0.00041	0.0180	0.0180
105	Lemonade, frozen conc, reconstituted						
	chloroform	44	1	0	0.00023	0.0100	0.0100
	chlorpyrifos	44	0	3	0.00009	0.0008	0.0020
	dieldrin	44	0	1	0.00000	0.0002	0.0002
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00080	0.0350	0.0350
	ethion	44	0	3	0.00004	0.0004	0.0009
	methidathion	44	0	2	0.00007	0.0010	0.0020
	toluene	44	1	0	0.00111	0.0490	0.0490
	triphenyl phosphate	44	1	0	0.00041	0.0180	0.0180
107	Spinach, fresh/frozen, boiled						
	2,4-dichloro-6-nitrobenzamine	44	0	1	0.00002	0.0008	0.0008
	acephate	44	1	0	0.00014	0.0060	0.0060
	bifenthrin	44	1	0	0.00295	0.1300	0.1300
	chlordane, cis-	44	2	3	0.00011	0.0002	0.0030
	chlordane, trans-	44	1	3	0.00009	0.0004	0.0020
	chloroform	44	2	0	0.00084	0.0100	0.0270
	chlorpyrifos	44	5	12	0.00091	0.0002	0.0100
	cypermethrin	44	1	1	0.00570	0.0100	0.2410
	DCPA	44	6	5	0.00126	0.0002	0.0300
	DDE, p,p'	44	42	2	0.00936	0.0009	0.0300
	DDT, o,p'	44	3	10	0.00034	0.0001	0.0040

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	DDT, p,p'	44	14	19	0.00190	0.0003	0.0100
	diazinon	44	1	2	0.00009	0.0010	0.0020
	dicloran	44	3	5	0.00053	0.0003	0.0100
	dieldrin	44	5	16	0.00078	0.0001	0.0100
	dimethoate	44	2	2	0.00027	0.0010	0.0060
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00114	0.0500	0.0500
	endosulfan I	44	6	1	0.00040	0.0008	0.0100
	endosulfan II	44	3	6	0.00065	0.0001	0.0200
	endosulfan sulfate	44	12	10	0.00775	0.0002	0.1800
	ethylenethiourea	44	4	5	0.00959	0.0040	0.2760
	fenvalerate	44	1	0	0.00364	0.1600	0.1600
	heptachlor epoxide	44	1	2	0.00006	0.0002	0.0020
	iprodione	44	1	0	0.00045	0.0200	0.0200
	iprodione metabolite isomer	44	1	2	0.00076	0.0006	0.0300
	lambda-cyhalothrin	44	1	0	0.00068	0.0300	0.0300
	lindane	44	0	1	0.00001	0.0006	0.0006
	nonachlor, trans-	44	1	1	0.00006	0.0007	0.0020
	omethoate	44	2	4	0.00056	0.0007	0.0100
	pentachloroaniline	44	2	4	0.00009	0.0001	0.0020
	pentachlorophenyl methyl ether	44	1	0	0.00002	0.0010	0.0010
	permethrin, cis-	44	37	3	0.50233	0.0004	2.3100
	permethrin, trans-	44	37	3	0.53550	0.0003	2.7400
	TDE, p,p'	44	8	7	0.00071	0.0002	0.0040
	toxaphene	44	1	6	0.00359	0.0030	0.1300
108	Collards, fresh/frozen, boiled						
	acephate	44	1	0	0.00009	0.0040	0.0040
	azoxystrobin	44	1	0	0.00243	0.1070	0.1070
	bifenthrin	44	1	0	0.02841	1.2500	1.2500
	bromodichloromethane	44	1	0	0.00032	0.0140	0.0140
	captan	44	1	0	0.00016	0.0070	0.0070
	carbaryl	44	1	0	0.00023	0.0100	0.0100
	chlordane, cis-	44	0	2	0.00002	0.0002	0.0005
	chlordane, trans-	44	0	2	0.00001	0.0002	0.0004
	chloroform	44	1	0	0.00057	0.0250	0.0250
	chlorpropham	44	0	2	0.00014	0.0020	0.0040
	chlorpyrifos	44	6	3	0.00092	0.0004	0.0100
	cypermethrin	44	15	2	0.12091	0.0010	1.2400
	DCPA	44	17	5	0.00838	0.0002	0.1500
	DDE, p,p'	44	29	10	0.00450	0.0003	0.0200
	DDT, o,p'	44	0	1	0.00002	0.0007	0.0007
	DDT, p,p'	44	1	6	0.00022	0.0003	0.0030
	demeton-S sulfone	44	0	1	0.00002	0.0010	0.0010
	diazinon	44	2	1	0.00116	0.0010	0.0430
	dicloran	44	2	2	0.00036	0.0007	0.0090
	dieldrin	44	6	13	0.00053	0.0002	0.0040
	dimethoate	44	3	1	0.00039	0.0020	0.0090
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00045	0.0200	0.0200

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	endosulfan I	44	6	2	0.00049	0.0002	0.0100
	endosulfan II	44	3	5	0.00030	0.0001	0.0040
	endosulfan sulfate	44	9	10	0.00200	0.0003	0.0200
	esfenvalerate	44	3	2	0.00568	0.0200	0.0900
	ethylenethiourea	44	5	2	0.01077	0.0080	0.2070
	fenvalerate	44	9	9	0.03830	0.0070	0.3700
	iprodione	44	1	1	0.00023	0.0040	0.0060
	iprodione metabolite isomer	44	2	0	0.00105	0.0060	0.0400
	lambda-cyhalothrin	44	2	0	0.00382	0.0280	0.1400
	malathion	44	2	1	0.00018	0.0008	0.0040
	methamidophos	44	1	1	0.00067	0.0006	0.0290
	mevinphos, (e)-	44	1	0	0.00007	0.0030	0.0030
	mevinphos, (z)-	44	3	0	0.00032	0.0020	0.0080
	nonachlor, trans-	44	0	1	0.00001	0.0004	0.0004
	omethoate	44	3	1	0.00084	0.0040	0.0200
	pentachloroaniline	44	0	4	0.00005	0.0003	0.0008
	permethrin, cis-	44	34	5	0.30977	0.0020	1.3300
	permethrin, trans-	44	34	5	0.29305	0.0020	1.1800
	piperonyl butoxide	44	1	0	0.02495	1.0980	1.0980
	quintozene	44	0	1	0.00000	0.0002	0.0002
	TDE, o,p'	44	1	0	0.00007	0.0030	0.0030
	TDE, p,p'	44	2	2	0.00017	0.0006	0.0040
	toluene	44	1	0	0.00025	0.0110	0.0110
	toxaphene	44	2	8	0.00444	0.0005	0.1200
109	Lettuce, iceberg, raw						
	acephate	44	21	5	0.00541	0.0010	0.0400
	biphenyl	44	0	1	0.00005	0.0020	0.0020
	cypermethrin	44	0	2	0.00068	0.0100	0.0200
	DCPA	44	0	2	0.00003	0.0002	0.0009
	DDE, p,p'	44	1	3	0.00007	0.0003	0.0020
	demeton-S sulfone	44	0	1	0.00007	0.0030	0.0030
	diazinon	44	1	1	0.00005	0.0002	0.0020
	dicloran	44	0	2	0.00002	0.0004	0.0005
	dieldrin	44	0	3	0.00003	0.0002	0.0007
	dimethoate	44	10	6	0.00148	0.0009	0.0170
	endosulfan I	44	9	8	0.00056	0.0002	0.0060
	endosulfan II	44	5	10	0.00041	0.0002	0.0030
	endosulfan sulfate	44	10	11	0.00189	0.0003	0.0100
	methamidophos	44	13	4	0.00105	0.0002	0.0110
	methomyl	44	4	0	0.00155	0.0080	0.0400
	mevinphos, (z)-	44	1	1	0.00008	0.0006	0.0030
	omethoate	44	5	7	0.00124	0.0007	0.0160
	permethrin, cis-	44	4	7	0.00318	0.0004	0.0560
	permethrin, trans-	44	3	8	0.00314	0.0004	0.0490
	vinclozolin	44	1	0	0.00009	0.0040	0.0040

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
110	Cabbage, fresh, boiled						
	1,1,2-trichloroethane	44	1	0	0.00027	0.0120	0.0120
	3-hydroxycarbofuran	44	0	1	0.00009	0.0040	0.0040
	acephate	44	2	0	0.00045	0.0100	0.0100
	biphenyl	44	1	0	0.00002	0.0010	0.0010
	carbaryl	44	0	1	0.00011	0.0050	0.0050
	demeton-S sulfone	44	2	2	0.00064	0.0010	0.0200
	dicloran	44	0	1	0.00001	0.0004	0.0004
	disulfoton sulfone	44	0	1	0.00007	0.0030	0.0030
	endosulfan sulfate	44	3	11	0.00043	0.0003	0.0040
	methamidophos	44	2	0	0.00034	0.0050	0.0100
	methomyl	44	0	1	0.00009	0.0040	0.0040
	permethrin, cis-	44	0	1	0.00002	0.0007	0.0007
	permethrin, trans-	44	0	1	0.00001	0.0005	0.0005
111	Coleslaw with dressing, homemade						
	2-chloroethyl linoleate	40	2	5	0.00163	0.0020	0.0200
	2-chloroethyl palmitate	40	0	2	0.00010	0.0009	0.0030
	benzene*	40	26	2	0.01968	0.0030	0.1020
	BHC, alpha	40	1	16	0.00038	0.0001	0.0050
	carbon tetrachloride	40	0	1	0.00013	0.0050	0.0050
	chlorobenzene	40	0	2	0.00015	0.0020	0.0040
	chloroform	40	2	4	0.00125	0.0020	0.0250
	chlorotoluene, o-	40	0	1	0.00008	0.0030	0.0030
	chlorpropham	40	1	0	0.00050	0.0200	0.0200
	chlorpyrifos	40	0	1	0.00001	0.0004	0.0004
	cumene (isopropyl benzene)	40	1	0	0.00038	0.0150	0.0150
	DDE, p,p'	40	0	1	0.00000	0.0001	0.0001
	DDT, o,p'	40	0	2	0.00006	0.0002	0.0020
	DDT, p,p'	40	1	11	0.00030	0.0001	0.0030
	diazinon	40	0	1	0.00003	0.0010	0.0010
	dichlorobenzene, p-	40	1	1	0.00100	0.0090	0.0310
	dicloran	40	0	2	0.00008	0.0010	0.0020
	dieldrin	40	0	7	0.00006	0.0001	0.0008
	endosulfan II	40	0	1	0.00001	0.0002	0.0002
	endosulfan sulfate	40	3	12	0.00058	0.0001	0.0060
	lindane	40	1	6	0.00008	0.0001	0.0010
	permethrin, cis-	40	1	0	0.00015	0.0060	0.0060
	permethrin, trans-	40	1	0	0.00018	0.0070	0.0070
	styrene	40	0	3	0.00025	0.0020	0.0060
	toluene	40	5	7	0.00220	0.0010	0.0190
	trichloroethylene	40	0	1	0.00008	0.0030	0.0030
	xylene, m- and/or p-	40	0	2	0.00010	0.0020	0.0020
112	Sauerkraut, canned						
	benzene*	40	1	0	0.00048	0.0190	0.0190
	chloroform	40	1	0	0.00040	0.0160	0.0160
	dicloran	40	1	1	0.00023	0.0010	0.0080

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	dieldrin	40	0	4	0.00004	0.0002	0.0005
	endosulfan sulfate	40	1	3	0.00010	0.0003	0.0020
	heptachlor epoxide	40	0	1	0.00001	0.0004	0.0004
	permethrin, cis-	40	0	2	0.00003	0.0005	0.0007
	permethrin, trans-	40	0	2	0.00003	0.0004	0.0007
	triphenyl phosphate	40	1	0	0.00025	0.0100	0.0100
113	Broccoli, fresh/frozen, boiled						
	chloroform	44	1	0	0.00032	0.0140	0.0140
	chlorpyrifos	44	2	4	0.00040	0.0006	0.0100
	cypermethrin	44	0	1	0.00023	0.0100	0.0100
	DCPA	44	8	4	0.00096	0.0003	0.0100
	DDE, p,p'	44	2	16	0.00024	0.0001	0.0020
	diazinon	44	2	1	0.00025	0.0010	0.0080
	dieldrin	44	0	3	0.00001	0.0001	0.0003
	dimethoate	44	2	1	0.00030	0.0010	0.0100
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00025	0.0110	0.0110
	endosulfan I	44	4	4	0.00022	0.0002	0.0040
	endosulfan II	44	2	6	0.00022	0.0001	0.0040
	endosulfan sulfate	44	3	5	0.00045	0.0001	0.0100
	iprodione	44	1	0	0.00045	0.0200	0.0200
	permethrin, cis-	44	4	12	0.00188	0.0008	0.0300
	permethrin, trans-	44	4	12	0.00152	0.0004	0.0200
	triphenyl phosphate	44	1	0	0.00023	0.0100	0.0100
	tris(beta-chloroethyl) phosphate	44	1	0	0.00014	0.0060	0.0060
114	Celery, raw						
	2,4-dichloro-6-nitrobenzenamine	44	8	5	0.00111	0.0008	0.0080
	acephate	44	34	1	0.06666	0.0030	0.5200
	azinphos-methyl	44	1	1	0.00068	0.0100	0.0200
	captan	44	1	0	0.00068	0.0300	0.0300
	chlorothalonil	44	8	0	0.00111	0.0020	0.0100
	chlorpropham	44	0	2	0.00016	0.0020	0.0050
	cypermethrin	44	0	1	0.00018	0.0080	0.0080
	DCPA	44	0	1	0.00002	0.0007	0.0007
	DDE, p,p'	44	14	19	0.00122	0.0003	0.0050
	DDT, o,p'	44	0	4	0.00003	0.0001	0.0005
	DDT, p,p'	44	1	16	0.00033	0.0001	0.0030
	diazinon	44	5	4	0.00591	0.0010	0.2200
	dicloran	44	33	2	0.14591	0.0004	4.3300
	dieldrin	44	0	1	0.00002	0.0007	0.0007
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00023	0.0100	0.0100
	disulfoton sulfone	44	0	1	0.00005	0.0020	0.0020
	endosulfan I	44	3	1	0.00019	0.0002	0.0040
	endosulfan II	44	3	1	0.00023	0.0010	0.0050
	endosulfan sulfate	44	2	2	0.00023	0.0010	0.0060
	iprodione	44	0	1	0.00007	0.0030	0.0030
	malathion	44	2	3	0.00048	0.0002	0.0110

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	methamidophos	44	20	3	0.00420	0.0010	0.0560
	methomyl	44	2	1	0.00055	0.0040	0.0100
	omethoate	44	1	1	0.00014	0.0030	0.0030
	oxamyl	44	1	0	0.00227	0.1000	0.1000
	parathion-methyl	44	2	0	0.00059	0.0060	0.0200
	permethrin, cis-	44	24	14	0.00825	0.0010	0.0300
	permethrin, trans-	44	21	17	0.00640	0.0007	0.0200
	piperonyl butoxide	44	1	0	0.00130	0.0570	0.0570
	propylbenzene, n-	44	1	0	0.00034	0.0150	0.0150
	TDE, p,p'	44	0	2	0.00003	0.0005	0.0010
	toluene	44	1	0	0.00032	0.0140	0.0140
	xylene, m- and/or p-	44	1	0	0.00032	0.0140	0.0140
115	Asparagus, fresh/frozen, boiled						
	1,1,2-trichloroethane	44	1	0	0.00036	0.0160	0.0160
	chlorpyrifos	44	4	3	0.00168	0.0010	0.0600
	DCPA	44	0	1	0.00001	0.0005	0.0005
	DDE, p,p'	44	0	8	0.00010	0.0002	0.0010
	dicloran	44	1	1	0.00018	0.0020	0.0060
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00045	0.0200	0.0200
	neburon	44	1	0	0.00023	0.0100	0.0100
	permethrin, cis-	44	1	1	0.00387	0.0003	0.1700
	permethrin, trans-	44	1	1	0.00478	0.0003	0.2100
	phenylphenol, o-	44	1	0	0.00030	0.0130	0.0130
	toluene	44	1	0	0.00068	0.0300	0.0300
	triphenyl phosphate	44	1	0	0.00023	0.0100	0.0100
116	Cauliflower, fresh/frozen, boiled						
	acephate	44	1	0	0.00014	0.0060	0.0060
	chloroform	44	1	0	0.00034	0.0150	0.0150
	DCPA	44	0	1	0.00002	0.0010	0.0010
	DDE, p,p'	44	0	1	0.00000	0.0002	0.0002
	diazinon	44	1	1	0.00025	0.0010	0.0100
	dimethoate	44	2	1	0.00025	0.0008	0.0080
	iprodione	44	1	0	0.00023	0.0100	0.0100
	iprodione metabolite isomer	44	1	0	0.00523	0.2300	0.2300
	methamidophos	44	2	1	0.00027	0.0020	0.0070
	omethoate	44	0	1	0.00002	0.0009	0.0009
	permethrin, cis-	44	0	2	0.00014	0.0020	0.0040
	permethrin, trans-	44	0	2	0.00009	0.0020	0.0020
	thiabendazole	44	0	1	0.00007	0.0030	0.0030
117	Tomato, raw						
	1,1,2-trichloroethane	44	1	0	0.00030	0.0130	0.0130
	acephate	44	1	1	0.00052	0.0030	0.0200
	benzene*	44	6	7	0.00389	0.0010	0.0670
	bromodichloromethane	44	1	0	0.00025	0.0110	0.0110
	butylbenzene, n-	44	0	3	0.00030	0.0030	0.0050

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	chlorobenzene	44	0	2	0.00016	0.0030	0.0040
	chloroform	44	2	5	0.00132	0.0020	0.0300
	chlorothalonil	44	1	0	0.00023	0.0100	0.0100
	chlorpropham	44	1	1	0.00015	0.0008	0.0060
	chlorpyrifos	44	9	8	0.00195	0.0001	0.0200
	cyfluthrin	44	0	1	0.00032	0.0140	0.0140
	dicloran	44	3	3	0.00047	0.0002	0.0090
	dicofol, o,p'-	44	3	2	0.00242	0.0005	0.0900
	dicofol, p,p'-	44	5	1	0.00895	0.0010	0.2100
	endosulfan I	44	21	7	0.00159	0.0002	0.0090
	endosulfan II	44	22	10	0.00301	0.0002	0.0100
	endosulfan sulfate	44	22	11	0.00364	0.0003	0.0400
	esfenvalerate	44	1	4	0.00125	0.0050	0.0200
	ethyl benzene	44	1	3	0.00091	0.0020	0.0290
	fenvalerate	44	1	4	0.00366	0.0040	0.1300
	lambda-cyhalothrin	44	0	1	0.00002	0.0008	0.0008
	methamidophos	44	27	1	0.01950	0.0010	0.1000
	omethoate	44	4	3	0.00050	0.0020	0.0050
	permethrin, cis-	44	9	13	0.00383	0.0006	0.0600
	permethrin, trans-	44	9	13	0.00407	0.0005	0.0700
	propylbenzene, n-	44	1	0	0.00039	0.0170	0.0170
	styrene	44	0	4	0.00048	0.0020	0.0090
	toluene	44	1	6	0.00050	0.0010	0.0080
	trichloroethylene	44	0	2	0.00011	0.0020	0.0030
	triphenyl phosphate	44	1	0	0.00341	0.1500	0.1500
	vinclozolin	44	1	0	0.00023	0.0100	0.0100
	xylene, m- and/or p-	44	1	7	0.00125	0.0020	0.0160
	xylene, o-	44	0	2	0.00020	0.0020	0.0070
119	Tomato sauce, plain, bottled						
	2-chloroethyl linoleate	44	10	6	0.01418	0.0060	0.2300
	2-chloroethyl palmitate	44	4	8	0.00184	0.0008	0.0240
	2-chloroethyl stearate	44	1	3	0.00107	0.0070	0.0200
	acephate	44	2	0	0.00032	0.0040	0.0100
	benzene*	44	1	0	0.00050	0.0220	0.0220
	chlorpyrifos	44	0	4	0.00012	0.0003	0.0020
	DDE, p,p'	44	0	9	0.00007	0.0001	0.0006
	dieldrin	44	0	1	0.00001	0.0003	0.0003
	endosulfan I	44	3	7	0.00020	0.0004	0.0020
	endosulfan II	44	4	10	0.00037	0.0002	0.0030
	endosulfan sulfate	44	0	10	0.00015	0.0003	0.0010
	lambda-cyhalothrin	44	0	1	0.00007	0.0030	0.0030
	methamidophos	44	14	4	0.00341	0.0010	0.0700
	permethrin, cis-	44	0	4	0.00008	0.0007	0.0010
	permethrin, trans-	44	0	4	0.00008	0.0007	0.0010
	phenylphenol, o-	44	1	0	0.00011	0.0050	0.0050
	toluene	44	1	0	0.00495	0.2180	0.2180
	xylene, m- and/or p-	44	1	0	0.00059	0.0260	0.0260

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
121	Green beans, fresh/frozen, boiled						
	1,2,3-trichloropropane	44	1	0	0.00041	0.0180	0.0180
	acephate	44	29	2	0.05073	0.0020	0.3500
	benomyl	44	1	5	0.00891	0.0120	0.1600
	bifenthrin	44	1	2	0.00034	0.0020	0.0100
	carbaryl	44	1	7	0.00177	0.0020	0.0400
	chloroform	44	1	0	0.00025	0.0110	0.0110
	chlorpropham	44	0	1	0.00005	0.0020	0.0020
	DCPA	44	2	0	0.00073	0.0020	0.0300
	DDE, p,p'	44	1	3	0.00011	0.0005	0.0030
	demeton-S sulfone	44	1	0	0.00014	0.0060	0.0060
	diazinon	44	0	1	0.00002	0.0010	0.0010
	dicloran	44	3	0	0.00439	0.0030	0.1600
	dieldrin	44	0	1	0.00000	0.0002	0.0002
	dimethoate	44	5	2	0.00093	0.0010	0.0150
	endosulfan I	44	7	5	0.00146	0.0002	0.0210
	endosulfan II	44	6	3	0.00126	0.0001	0.0210
	endosulfan sulfate	44	12	4	0.00763	0.0003	0.1240
	ethylenethiourea	44	1	2	0.00048	0.0030	0.0140
	fenvalerate	44	0	3	0.00091	0.0100	0.0200
	iprodione	44	2	0	0.00034	0.0050	0.0100
	iprodione metabolite isomer	44	2	1	0.00077	0.0040	0.0200
	methamidophos	44	29	1	0.01636	0.0020	0.0900
	neburon	44	3	0	0.01295	0.0500	0.3700
	omethoate	44	3	1	0.00034	0.0020	0.0050
	parathion	44	1	0	0.00018	0.0080	0.0080
	parathion-methyl	44	1	0	0.00016	0.0070	0.0070
	pentachloroaniline	44	1	3	0.00006	0.0003	0.0010
	permethrin, cis-	44	0	1	0.00011	0.0050	0.0050
	permethrin, trans-	44	0	1	0.00007	0.0030	0.0030
	tris(beta-chloroethyl) phosphate	44	1	0	0.00159	0.0700	0.0700
	vinclozolin	44	14	5	0.00251	0.0006	0.0200
	vinclozolin metabolite E	44	1	0	0.00005	0.0020	0.0020
122	Green beans, canned						
	acephate	4	1	0	0.00225	0.0090	0.0090
	benomyl	4	1	1	0.01375	0.0250	0.0300
	bifenthrin	4	0	3	0.00300	0.0020	0.0080
	cypermethrin	4	0	2	0.00375	0.0060	0.0090
	methamidophos	4	1	0	0.00200	0.0080	0.0080
	vinclozolin	4	1	0	0.00100	0.0040	0.0040
	vinclozolin metabolite E	4	1	0	0.00175	0.0070	0.0070
123	Cucumber, peeled, raw						
	acephate	44	3	1	0.00034	0.0010	0.0070
	benzene*	44	1	0	0.00030	0.0130	0.0130
	BHC, alpha	44	0	2	0.00003	0.0004	0.0009

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	BHC, beta	44	0	1	0.00002	0.0007	0.0007
	butylbenzene, n-	44	1	0	0.00066	0.0290	0.0290
	carbaryl	44	0	2	0.00036	0.0060	0.0100
	chlordane	44	0	1	0.00045	0.0200	0.0200
	chlordane, cis-	44	4	5	0.00027	0.0004	0.0040
	chlordane, trans-	44	2	5	0.00012	0.0001	0.0020
	chlorpyrifos	44	0	2	0.00006	0.0008	0.0020
	DDE, p,p'	44	1	0	0.00007	0.0030	0.0030
	diazinon	44	1	0	0.00005	0.0020	0.0020
	dicloran	44	0	2	0.00006	0.0008	0.0020
	dieldrin	44	16	15	0.00273	0.0002	0.0200
	endosulfan I	44	34	5	0.00373	0.0002	0.0100
	endosulfan II	44	24	17	0.00229	0.0004	0.0080
	endosulfan sulfate	44	38	6	0.01006	0.0007	0.0350
	endrin	44	0	1	0.00002	0.0010	0.0010
	heptachlor epoxide	44	2	4	0.00028	0.0001	0.0080
	metalaxyl	44	2	0	0.00125	0.0210	0.0340
	methamidophos	44	12	1	0.02213	0.0005	0.2800
	methomyl	44	1	0	0.00016	0.0070	0.0070
	nonachlor, cis-	44	1	1	0.00003	0.0004	0.0010
	nonachlor, trans-	44	4	4	0.00032	0.0004	0.0060
	octachlor epoxide	44	0	2	0.00003	0.0006	0.0007
	thiabendazole	44	1	0	0.00016	0.0070	0.0070
	toxaphene	44	1	13	0.00480	0.0010	0.0500
124	Summer squash, fresh/frozen, boiled						
	acephate	44	2	1	0.00027	0.0010	0.0060
	benzene*	44	1	0	0.00032	0.0140	0.0140
	chlordane	44	0	1	0.00023	0.0100	0.0100
	chlordane, cis-	44	2	3	0.00014	0.0001	0.0040
	chlordane, trans-	44	0	5	0.00005	0.0002	0.0006
	DCPA	44	1	0	0.00005	0.0020	0.0020
	DDE, p,p'	44	6	6	0.00056	0.0002	0.0080
	DDT, o,p'	44	0	3	0.00003	0.0002	0.0010
	DDT, p,p'	44	1	3	0.00010	0.0002	0.0030
	dieldrin	44	20	14	0.00712	0.0002	0.0700
	endosulfan I	44	29	4	0.00457	0.0004	0.0200
	endosulfan II	44	15	14	0.00115	0.0003	0.0070
	endosulfan sulfate	44	38	1	0.01355	0.0010	0.0500
	endrin	44	1	1	0.00005	0.0004	0.0020
	heptachlor epoxide	44	2	6	0.00013	0.0001	0.0020
	hexachlorobenzene	44	0	5	0.00003	0.0001	0.0007
	methamidophos	44	3	1	0.00011	0.0010	0.0020
	nonachlor, cis-	44	0	1	0.00002	0.0010	0.0010
	nonachlor, trans-	44	2	3	0.00015	0.0003	0.0040
	octachlor epoxide	44	0	3	0.00003	0.0003	0.0004
	pentachloroaniline	44	7	8	0.00047	0.0003	0.0040
	pentachlorobenzene	44	1	2	0.00003	0.0001	0.0010

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	permethrin, cis-	44	0	1	0.00002	0.0010	0.0010
	permethrin, trans-	44	0	1	0.00002	0.0010	0.0010
	phenylphenol, o-	44	0	1	0.00016	0.0070	0.0070
	quintozene	44	0	1	0.00000	0.0001	0.0001
	TDE, o,p'	44	0	2	0.00003	0.0002	0.0010
	TDE, p,p'	44	0	3	0.00003	0.0001	0.0010
	toxaphene	44	2	14	0.00561	0.0020	0.0500
125	Pepper, sweet, green, raw						
	acephate	44	35	1	0.20339	0.0040	1.4900
	bifenthrin	44	2	3	0.00086	0.0020	0.0160
	bromodichloromethane	44	1	0	0.00032	0.0140	0.0140
	carbaryl	44	2	5	0.00327	0.0040	0.0800
	chlorpropham	44	1	9	0.00060	0.0007	0.0070
	chlorpyrifos	44	12	2	0.01261	0.0010	0.1200
	cyfluthrin	44	0	10	0.00164	0.0010	0.0180
	DCPA	44	1	0	0.00014	0.0060	0.0060
	DDE, p,p'	44	2	10	0.00026	0.0002	0.0030
	DDT, p,p'	44	0	1	0.00000	0.0001	0.0001
	deltamethrin	44	0	1	0.00023	0.0100	0.0100
	diazinon	44	1	0	0.00045	0.0200	0.0200
	dicloran	44	0	1	0.00001	0.0003	0.0003
	dicofol, o,p'-	44	3	3	0.00134	0.0020	0.0400
	dicofol, p,p'-	44	9	0	0.02305	0.0100	0.6800
	dimethoate	44	11	1	0.00572	0.0008	0.0700
	disulfoton sulfone	44	0	1	0.00005	0.0020	0.0020
	endosulfan I	44	19	10	0.00728	0.0002	0.1300
	endosulfan II	44	20	10	0.01022	0.0002	0.1400
	endosulfan sulfate	44	16	13	0.00564	0.0003	0.0900
	esfenvalerate	44	3	1	0.00111	0.0090	0.0200
	fenvalerate	44	0	2	0.00023	0.0030	0.0070
	iprodione	44	0	1	0.00002	0.0007	0.0007
	lambda-cyhalothrin	44	1	2	0.00047	0.0008	0.0100
	metalaxyl	44	2	0	0.00348	0.0260	0.1270
	methamidophos	44	38	2	0.06968	0.0020	0.3400
	methomyl	44	8	0	0.00789	0.0070	0.1200
	omethoate	44	12	2	0.00498	0.0020	0.0600
	oxydemeton-methyl	44	1	0	0.00068	0.0300	0.0300
	pentachloroaniline	44	0	1	0.00002	0.0009	0.0009
	permethrin, cis-	44	15	4	0.00879	0.0008	0.0800
	permethrin, trans-	44	16	3	0.01002	0.0009	0.0700
126	Squash, winter (Hubbard/acorn), fresh/frozen, boiled						
	acephate	44	0	1	0.00002	0.0010	0.0010
	chlordane	44	1	2	0.00152	0.0070	0.0500
	chlordane, cis-	44	5	3	0.00044	0.0001	0.0070
	chlordane, trans-	44	3	4	0.00025	0.0002	0.0050
	chloroform	44	1	0	0.00068	0.0300	0.0300

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	chlorpropham	44	0	2	0.00014	0.0020	0.0040
	chlorpyrifos	44	1	2	0.00016	0.0010	0.0040
	DCPA	44	0	1	0.00000	0.0001	0.0001
	DDE, p,p'	44	2	3	0.00029	0.0001	0.0060
	DDT, o,p'	44	0	1	0.00000	0.0001	0.0001
	diazinon	44	0	2	0.00003	0.0003	0.0010
	dicloran	44	1	0	0.00018	0.0080	0.0080
	dieldrin	44	20	10	0.00501	0.0001	0.0200
	endosulfan I	44	4	1	0.00017	0.0006	0.0020
	endosulfan II	44	0	4	0.00006	0.0003	0.0010
	endosulfan sulfate	44	16	13	0.00318	0.0002	0.0200
	endrin	44	0	1	0.00001	0.0005	0.0005
	ethylenethiourea	44	0	1	0.00020	0.0090	0.0090
	heptachlor epoxide	44	3	11	0.00030	0.0001	0.0030
	hexachlorobenzene	44	0	3	0.00003	0.0001	0.0009
	lindane	44	0	1	0.00001	0.0006	0.0006
	methamidophos	44	2	0	0.00073	0.0020	0.0300
	nonachlor, cis-	44	0	1	0.00001	0.0006	0.0006
	nonachlor, trans-	44	2	5	0.00019	0.0002	0.0030
	octachlor epoxide	44	0	2	0.00001	0.0001	0.0002
	pentachloroaniline	44	2	1	0.00010	0.0006	0.0020
	permethrin, cis-	44	0	1	0.00002	0.0010	0.0010
	TDE, p,p'	44	0	1	0.00000	0.0001	0.0001
	toluene	44	1	0	0.00168	0.0740	0.0740
	toxaphene	44	2	7	0.00463	0.0006	0.0600
128	Onion, mature, raw						
	dicloran	44	0	1	0.00002	0.0010	0.0010
	dieldrin	44	0	1	0.00001	0.0003	0.0003
	iprodione metabolite isomer	44	1	2	0.00173	0.0030	0.0690
131	Beets, canned						
	no residue found	4	0	0	na	na	na
132	Radish, raw						
	benzene*	40	1	0	0.00058	0.0230	0.0230
	carbaryl	40	0	1	0.00015	0.0060	0.0060
	chlordane, cis-	40	0	3	0.00003	0.0003	0.0005
	chlordane, trans-	40	0	4	0.00003	0.0001	0.0004
	chlorpyrifos	40	5	7	0.00109	0.0003	0.0200
	cyfluthrin	40	0	1	0.00025	0.0100	0.0100
	DCPA	40	7	5	0.00188	0.0003	0.0300
	DDE, p,p'	40	10	14	0.00108	0.0002	0.0080
	DDT, o,p'	40	0	5	0.00003	0.0001	0.0005
	DDT, p,p'	40	0	13	0.00027	0.0001	0.0020
	dicloran	40	0	2	0.00005	0.0010	0.0010
	dieldrin	40	3	13	0.00037	0.0002	0.0040
	dimethoate	40	1	0	0.00005	0.0020	0.0020

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	endosulfan I	40	0	1	0.00002	0.0009	0.0009
	endosulfan II	40	0	1	0.00003	0.0010	0.0010
	endosulfan sulfate	40	3	10	0.00055	0.0001	0.0060
	endrin	40	1	2	0.00007	0.0002	0.0020
	heptachlor epoxide	40	0	2	0.00003	0.0001	0.0010
	iprodione	40	0	1	0.00002	0.0008	0.0008
	nonachlor, trans- omethoate	40	0	1	0.00001	0.0002	0.0002
	40	40	1	1	0.00013	0.0020	0.0030
	pentachloroaniline	40	1	1	0.00011	0.0002	0.0040
	permethrin, cis-	40	0	1	0.00003	0.0010	0.0010
	permethrin, trans-	40	0	1	0.00001	0.0005	0.0005
	TDE, p,p'	40	0	2	0.00003	0.0005	0.0007
	toxaphene	40	0	2	0.00063	0.0050	0.0200
134 French fries, frozen, commercial, heated							
	1,2,3,5-tetrachlorobenzene	40	0	1	0.00001	0.0002	0.0002
	2,3,5,6-tetrachloroaniline	40	0	2	0.00001	0.0001	0.0002
	2-chloroethyl linoleate	40	3	0	0.00475	0.0100	0.0900
	2-chloroethyl palmitate	40	0	2	0.00033	0.0060	0.0070
	benzene*	40	1	0	0.00025	0.0100	0.0100
	chlorpropham	40	34	2	0.26498	0.0020	1.0100
	chlorpyrifos-methyl	40	0	1	0.00003	0.0010	0.0010
	DDE, p,p'	40	1	6	0.00011	0.0002	0.0020
	DDT, p,p'	40	0	1	0.00001	0.0005	0.0005
	dicloran	40	1	3	0.00021	0.0004	0.0060
	dieldrin	40	1	10	0.00017	0.0001	0.0020
	diphenyl 2-ethylhexyl phosphate	40	1	0	0.00075	0.0300	0.0300
	endosulfan II	40	0	1	0.00003	0.0010	0.0010
	endosulfan sulfate	40	21	14	0.00295	0.0003	0.0100
	ethylenethiourea	40	7	16	0.00538	0.0030	0.0210
	heptachlor epoxide	40	0	2	0.00001	0.0001	0.0004
	iprodione	40	1	0	0.00075	0.0300	0.0300
	isopropyl(3-chloro-4-methoxyphenyl)carbamate	40	10	6	0.01065	0.0020	0.2800
	malathion	40	1	1	0.00020	0.0020	0.0060
	pentachloroaniline	40	0	2	0.00003	0.0002	0.0009
	pentachlorobenzene	40	0	4	0.00003	0.0001	0.0006
	pentachlorophenyl methyl sulfide	40	0	1	0.00001	0.0002	0.0002
	TDE, p,p'	40	0	1	0.00001	0.0004	0.0004
135 Mashed potatoes with margarine and milk, prepared from instant							
	chlorpropham	40	38	2	0.04853	0.0020	0.1730
	chlorpyrifos	40	0	1	0.00003	0.0010	0.0010
	DDE, p,p'	40	2	7	0.00020	0.0001	0.0020
	dicloran	40	0	2	0.00003	0.0005	0.0008
	dieldrin	40	0	2	0.00001	0.0001	0.0003
	diphenyl 2-ethylhexyl phosphate	40	12	0	0.03565	0.0300	0.3300
	endosulfan sulfate	40	5	18	0.00069	0.0004	0.0040
	isopropyl(3-chloro-4-methoxyphenyl)carbamate	40	2	10	0.00200	0.0010	0.0240

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	triphenyl phosphate	40	1	0	0.00025	0.0100	0.0100
136	Potato, boiled (w/out peel)						
	2,3,5,6-tetrachloroaniline	44	1	0	0.00011	0.0050	0.0050
	2,3,5,6-tetrachloroanisidine	44	0	1	0.00001	0.0003	0.0003
	chlordane, cis-	44	0	1	0.00000	0.0001	0.0001
	chlorpropham	44	26	6	0.08597	0.0006	0.7000
	DDE, p,p'	44	0	5	0.00003	0.0001	0.0005
	demeton-S	44	1	0	0.00023	0.0100	0.0100
	demeton-S sulfone	44	0	2	0.00011	0.0020	0.0030
	dicloran	44	0	1	0.00005	0.0020	0.0020
	dieldrin	44	0	4	0.00004	0.0001	0.0008
	endosulfan I	44	0	1	0.00001	0.0004	0.0004
	endosulfan sulfate	44	4	21	0.00075	0.0001	0.0040
	ethylenethiourea	44	7	11	0.00407	0.0030	0.0220
	heptachlor epoxide	44	0	2	0.00001	0.0001	0.0002
	isopropyl(3-chloro-4-methoxyphenyl)carbamate	44	6	8	0.00240	0.0008	0.0240
	methamidophos	44	2	0	0.00030	0.0030	0.0100
	nonachlor, trans-	44	0	2	0.00001	0.0002	0.0002
	pentachloroaniline	44	0	1	0.00001	0.0003	0.0003
	pentachlorobenzene	44	0	1	0.00001	0.0006	0.0006
	pentachlorophenyl methyl sulfide	44	0	1	0.00001	0.0005	0.0005
	tecnazene	44	1	0	0.00009	0.0040	0.0040
	thiabendazole	44	1	2	0.00305	0.0040	0.1100
137	Potato, baked (w/ peel)						
	1,2,4,5-Tetrachlorobenzene	44	0	1	0.00001	0.0006	0.0006
	2,3,5,6-tetrachloroaniline	44	1	0	0.00009	0.0040	0.0040
	2,3,5,6-tetrachloroanisidine	44	0	1	0.00001	0.0003	0.0003
	benzene*	44	1	0	0.00032	0.0140	0.0140
	chlordane, cis-	44	0	1	0.00002	0.0008	0.0008
	chloroform	44	1	0	0.00027	0.0120	0.0120
	chlorpropham	44	38	4	0.44380	0.0010	3.8500
	chlorpyrifos	44	1	1	0.00025	0.0020	0.0090
	DDE, p,p'	44	15	17	0.00128	0.0003	0.0060
	DDT, o,p'	44	0	6	0.00006	0.0002	0.0010
	DDT, p,p'	44	4	16	0.00066	0.0002	0.0050
	demeton-S sulfone	44	1	3	0.00023	0.0010	0.0050
	dicloran	44	0	2	0.00009	0.0020	0.0020
	dieldrin	44	2	10	0.00026	0.0001	0.0040
	endosulfan I	44	1	2	0.00003	0.0002	0.0010
	endosulfan II	44	0	5	0.00005	0.0001	0.0010
	endosulfan sulfate	44	16	18	0.00223	0.0002	0.0200
	endrin ketone	44	0	1	0.00001	0.0004	0.0004
	ethylenethiourea	44	11	12	0.00543	0.0030	0.0250
	heptachlor epoxide	44	0	4	0.00003	0.0001	0.0006
	iprodione	44	0	2	0.00007	0.0010	0.0020
	iprodione metabolite isomer	44	0	3	0.00009	0.0002	0.0030

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	isopropyl(3-chloro-4-methoxyphenyl)carbamate	44	11	6	0.00682	0.0010	0.0800
	methamidophos	44	3	0	0.00077	0.0040	0.0200
	nonachlor, trans-	44	2	0	0.00025	0.0010	0.0100
	pentachloroaniline	44	1	2	0.00004	0.0002	0.0010
	pentachlorobenzene	44	0	1	0.00001	0.0006	0.0006
	pentachlorophenyl methyl sulfide	44	1	0	0.00002	0.0010	0.0010
	phorate sulfone	44	1	0	0.00011	0.0050	0.0050
	phorate sulfoxide	44	1	0	0.00009	0.0040	0.0040
	quintozene	44	0	1	0.00001	0.0004	0.0004
	TDE, p,p'	44	0	1	0.00001	0.0003	0.0003
	tecnazene	44	1	0	0.00045	0.0200	0.0200
	thiabendazole	44	17	4	0.07430	0.0030	0.6700

138 Potato chips

	1,1,1,2-tetrachloroethane	44	1	0	0.00023	0.0100	0.0100
	1,1,1-trichloroethane	44	3	6	0.00134	0.0030	0.0120
	1,2,4-trimethylbenzene	44	8	4	0.00523	0.0040	0.0440
	2-chloroethyl linoleate	44	0	1	0.00043	0.0190	0.0190
	2-chloroethyl myristate	44	0	1	0.00005	0.0020	0.0020
	2-chloroethyl palmitate	44	0	1	0.00005	0.0020	0.0020
	benzene*	44	8	7	0.00216	0.0010	0.0130
	butylbenzene, n-	44	0	3	0.00025	0.0030	0.0040
	chlordane, cis-	44	0	2	0.00002	0.0004	0.0004
	chlorobenzene	44	0	1	0.00005	0.0020	0.0020
	chloroform	44	4	6	0.00220	0.0030	0.0470
	chlorpropham	44	25	4	0.57699	0.0004	2.9200
	chlorpyrifos	44	0	1	0.00002	0.0010	0.0010
	DDE, p,p'	44	2	9	0.00049	0.0004	0.0070
	DDT, p,p'	44	0	5	0.00009	0.0004	0.0010
	dichlorobenzene, p-	44	1	2	0.00050	0.0060	0.0100
	dieldrin	44	1	13	0.00029	0.0002	0.0040
	endosulfan II	44	0	1	0.00001	0.0006	0.0006
	endosulfan sulfate	44	4	19	0.00103	0.0003	0.0090
	ethyl benzene	44	5	7	0.00227	0.0020	0.0260
	heptachlor epoxide	44	0	3	0.00003	0.0002	0.0006
	hexachlorobenzene	44	0	1	0.00000	0.0002	0.0002
	iprodione	44	0	1	0.00002	0.0010	0.0010
	isopropyl(3-chloro-4-methoxyphenyl)carbamate	44	5	7	0.00295	0.0030	0.0300
	nonachlor, trans-	44	0	2	0.00001	0.0002	0.0004
	pentachloroaniline	44	2	4	0.00073	0.0010	0.0270
	pentachlorobenzene	44	2	1	0.00026	0.0006	0.0090
	pentachlorophenyl methyl ether	44	0	1	0.00001	0.0004	0.0004
	pentachlorophenyl methyl sulfide	44	2	2	0.00020	0.0008	0.0050
	quintozene	44	2	1	0.00010	0.0002	0.0030
	styrene	44	3	12	0.00373	0.0020	0.0860
	tetrachloroethylene	44	2	3	0.00052	0.0030	0.0070
	toluene	44	27	0	0.16661	0.0090	4.4400
	tribufos	44	1	6	0.00041	0.0010	0.0060

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	trichloroethylene	44	2	9	0.00634	0.0020	0.1400
	xylene, m- and/or p-	44	4	14	0.00550	0.0020	0.0650
	xylene, o-	44	2	7	0.00118	0.0020	0.0180
139	Scalloped potatoes, homemade						
	1,1,1,2-tetrachloroethane	40	1	0	0.00068	0.0270	0.0270
	2,3,5,6-tetrachloroaniline	40	1	0	0.00018	0.0070	0.0070
	chlordane, cis-	40	0	1	0.00000	0.0001	0.0001
	chlorpropham	40	21	7	0.04453	0.0010	0.2800
	chlorpyrifos	40	0	2	0.00003	0.0001	0.0010
	chlorpyrifos-methyl	40	0	2	0.00002	0.0001	0.0005
	DDE, p,p'	40	1	13	0.00018	0.0001	0.0020
	dieldrin	40	0	4	0.00003	0.0001	0.0005
	diphenyl 2-ethylhexyl phosphate	40	10	0	0.02875	0.0200	0.3100
	endosulfan sulfate	40	4	21	0.00081	0.0002	0.0100
	heptachlor epoxide	40	0	1	0.00000	0.0001	0.0001
	isopropyl(3-chloro-4-methoxyphenyl)carbamate	40	8	3	0.00333	0.0020	0.0450
	nonachlor, trans-	40	0	1	0.00001	0.0002	0.0002
	tecnazene	40	1	0	0.00025	0.0100	0.0100
	toluene	40	1	0	0.00030	0.0120	0.0120
	triphenyl phosphate	40	1	0	0.00023	0.0090	0.0090
	xylene, m- and/or p-	40	1	0	0.00058	0.0230	0.0230
140	Sweet potato, fresh, baked in skin						
	2,4-dichloro-6-nitrobenzenamine	40	1	5	0.00020	0.0004	0.0040
	acephate	40	0	1	0.00005	0.0020	0.0020
	chloroform	40	1	0	0.00068	0.0270	0.0270
	chlorpropham	40	1	6	0.00042	0.0007	0.0070
	chlorpyrifos	40	0	1	0.00003	0.0010	0.0010
	dicloran	40	34	1	0.08028	0.0003	0.5800
	dieldrin	40	0	3	0.00004	0.0003	0.0006
	methamidophos	40	0	1	0.00005	0.0020	0.0020
	pentachloroaniline	40	0	1	0.00002	0.0007	0.0007
	permethrin, cis-	40	0	1	0.00003	0.0010	0.0010
	permethrin, trans-	40	0	1	0.00003	0.0010	0.0010
	toluene	40	1	0	0.00025	0.0100	0.0100
142	Spaghetti w/ meat sauce, homemade						
	2-chloroethyl linoleate	44	2	2	0.00111	0.0030	0.0260
	2-chloroethyl palmitate	44	0	4	0.00016	0.0010	0.0030
	benzene*	44	2	0	0.00080	0.0130	0.0220
	chlorpyrifos	44	0	5	0.00004	0.0002	0.0007
	chlorpyrifos-methyl	44	0	9	0.00027	0.0001	0.0020
	DCPA	44	0	1	0.00001	0.0003	0.0003
	DDE, p,p'	44	0	24	0.00025	0.0001	0.0010
	dieldrin	44	0	3	0.00001	0.0001	0.0001
	endosulfan I	44	1	6	0.00007	0.0002	0.0010
	endosulfan II	44	1	7	0.00013	0.0002	0.0020

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	endosulfan sulfate	44	0	2	0.00002	0.0003	0.0004
	lindane	44	0	2	0.00000	0.0001	0.0001
	malathion	44	1	3	0.00015	0.0005	0.0030
	permethrin, cis-	44	0	1	0.00001	0.0004	0.0004
	permethrin, trans-	44	0	1	0.00001	0.0004	0.0004
	toluene	44	2	0	0.00105	0.0140	0.0320
	xylene, m- and/or p-	44	1	0	0.00027	0.0120	0.0120
143	Beef and vegetable stew, homemade						
	2,3,5,6-tetrachloroaniline	40	1	0	0.00005	0.0020	0.0020
	chlorpropham	40	17	3	0.01868	0.0010	0.0740
	chlorpyrifos-methyl	40	0	4	0.00007	0.0003	0.0010
	DDE, p,p'	40	1	14	0.00024	0.0001	0.0020
	dieldrin	40	0	6	0.00003	0.0001	0.0004
	endosulfan sulfate	40	1	14	0.00034	0.0002	0.0040
	iprodione	40	0	2	0.00010	0.0020	0.0020
	iprodione metabolite isomer	40	1	0	0.00025	0.0100	0.0100
	isopropyl(3-chloro-4-methoxyphenyl)carbamate	40	0	7	0.00058	0.0020	0.0060
	linuron	40	1	1	0.00025	0.0040	0.0060
	malathion	40	1	1	0.00017	0.0007	0.0060
	pentachloroaniline	40	0	1	0.00001	0.0005	0.0005
	tecnazene	40	1	0	0.00008	0.0030	0.0030
	toluene	40	1	0	0.00043	0.0170	0.0170
145	Chili con carne w/ beans, canned						
	2-chloroethyl laurate	4	1	2	0.00725	0.0020	0.0240
	2-chloroethyl linoleate	4	4	0	1.48900	0.1360	2.7200
	2-chloroethyl myristate	4	3	1	0.02500	0.0050	0.0400
	2-chloroethyl palmitate	4	4	0	0.18725	0.0220	0.3400
	chlorpyrifos	4	0	3	0.00063	0.0005	0.0010
	chlorpyrifos-methyl	4	0	1	0.00020	0.0008	0.0008
	DDE, p,p'	4	0	4	0.00040	0.0002	0.0006
	dieldrin	4	0	2	0.00010	0.0002	0.0002
	ethion	4	0	3	0.00033	0.0003	0.0005
	hexachlorobenzene	4	0	1	0.00003	0.0001	0.0001
	permethrin, cis-	4	0	1	0.00100	0.0040	0.0040
	permethrin, trans-	4	1	0	0.00175	0.0070	0.0070
	TDE, p,p'	4	0	1	0.00008	0.0003	0.0003
146	Macaroni and cheese, prepared from box mix						
	chlorpyrifos	44	0	2	0.00003	0.0006	0.0007
	chlorpyrifos-methyl	44	13	27	0.00204	0.0005	0.0100
	DDE, p,p'	44	4	12	0.00034	0.0001	0.0030
	dieldrin	44	0	1	0.00000	0.0002	0.0002
	diphenyl 2-ethylhexyl phosphate	44	2	0	0.00682	0.1400	0.1600
	ethyl benzene	44	1	0	0.00034	0.0150	0.0150
	malathion	44	2	21	0.00082	0.0006	0.0040
	xylene, m- and/or p-	44	2	0	0.00064	0.0110	0.0170

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
147	Quarter-pound hamburger on bun, fast-food						
	1,1,1-trichloroethane	44	2	1	0.00070	0.0030	0.0190
	1,2,4-trimethylbenzene	44	1	1	0.00061	0.0040	0.0230
	benzene*	44	23	3	0.01036	0.0020	0.0470
	BHC, alpha	44	0	1	0.00001	0.0006	0.0006
	BHC, beta	44	0	1	0.00001	0.0003	0.0003
	bromodichloromethane	44	1	0	0.00084	0.0370	0.0370
	butylbenzene, n-	44	1	3	0.00230	0.0040	0.0780
	carbon tetrachloride	44	0	1	0.00009	0.0040	0.0040
	chlordane, cis-	44	0	1	0.00000	0.0001	0.0001
	chlorobenzene	44	0	1	0.00005	0.0020	0.0020
	chloroform	44	4	7	0.00195	0.0020	0.0230
	chlorpropham	44	1	1	0.00050	0.0020	0.0200
	chlorpyrifos	44	0	7	0.00013	0.0002	0.0020
	chlorpyrifos-methyl	44	15	25	0.00252	0.0004	0.0140
	cumene (isopropyl benzene)	44	1	1	0.00032	0.0020	0.0120
	DDE, p,p'	44	19	24	0.00193	0.0002	0.0080
	DDT, p,p'	44	0	3	0.00001	0.0001	0.0002
	diazinon	44	0	1	0.00001	0.0005	0.0005
	dichlorobenzene, p-	44	0	1	0.00032	0.0140	0.0140
	dieldrin	44	0	32	0.00029	0.0001	0.0009
	endosulfan I	44	0	5	0.00002	0.0001	0.0003
	endosulfan II	44	0	5	0.00003	0.0001	0.0003
	endosulfan sulfate	44	0	14	0.00018	0.0002	0.0010
	ethyl benzene	44	2	11	0.00243	0.0020	0.0380
	heptachlor epoxide	44	0	7	0.00002	0.0001	0.0003
	hexachlorobenzene	44	0	5	0.00001	0.0001	0.0002
	lindane	44	2	3	0.00021	0.0001	0.0050
	malathion	44	25	15	0.00397	0.0008	0.0100
	nonachlor, trans-	44	0	1	0.00000	0.0001	0.0001
	octachlor epoxide	44	0	1	0.00000	0.0001	0.0001
	pirimiphos-methyl	44	2	0	0.00016	0.0030	0.0040
	propylbenzene, n-	44	1	1	0.00050	0.0060	0.0160
	styrene	44	13	8	0.00625	0.0030	0.0300
	tetrachloroethylene	44	2	0	0.00100	0.0060	0.0380
	toluene	44	32	0	0.02809	0.0100	0.1800
	trichloroethylene	44	2	5	0.00095	0.0020	0.0160
	xylene, m- and/or p-	44	4	14	0.00557	0.0020	0.0880
	xylene, o-	44	1	8	0.00130	0.0020	0.0280
148	Meatloaf, beef, homemade						
	1,1,1-trichloroethane	44	1	2	0.00034	0.0030	0.0080
	1,2,4-trimethylbenzene	44	0	1	0.00011	0.0050	0.0050
	1,2-dichloroethene, trans-	44	0	1	0.00005	0.0020	0.0020
	2-chloroethyl linoleate	44	3	0	0.00264	0.0100	0.0860
	2-chloroethyl myristate	44	0	1	0.00005	0.0020	0.0020
	2-chloroethyl palmitate	44	0	3	0.00039	0.0030	0.0080

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	benzene*	44	12	9	0.00639	0.0020	0.0560
	BHC, alpha	44	0	2	0.00000	0.0001	0.0001
	butylbenzene, n-	44	0	1	0.00018	0.0080	0.0080
	chlorobenzene	44	1	2	0.00077	0.0020	0.0260
	chloroform	44	1	6	0.00059	0.0020	0.0090
	chlorpropham	44	4	1	0.00180	0.0040	0.0390
	chlorpyrifos	44	0	7	0.00016	0.0007	0.0020
	chlorpyrifos-methyl	44	0	2	0.00002	0.0002	0.0005
	cumene (isopropyl benzene)	44	1	0	0.00052	0.0230	0.0230
	DCPA	44	3	2	0.00022	0.0005	0.0040
	DDE, p,p'	44	20	23	0.00203	0.0005	0.0100
	diazinon	44	0	3	0.00006	0.0008	0.0010
	dichlorobenzene, o-	44	0	2	0.00030	0.0040	0.0090
	dichlorobenzene, p-	44	1	1	0.00180	0.0090	0.0700
	dieldrin	44	0	30	0.00030	0.0002	0.0009
	diphenyl 2-ethylhexyl phosphate	44	2	0	0.00273	0.0600	0.0600
	ethyl benzene	44	0	5	0.00043	0.0020	0.0090
	heptachlor epoxide	44	0	11	0.00004	0.0001	0.0004
	hexachlorobenzene	44	0	9	0.00003	0.0001	0.0003
	iprodione	44	0	2	0.00006	0.0008	0.0020
	malathion	44	0	1	0.00002	0.0007	0.0007
	octachlor epoxide	44	0	2	0.00000	0.0001	0.0001
	permethrin, cis-	44	0	2	0.00003	0.0005	0.0006
	permethrin, trans-	44	0	2	0.00003	0.0005	0.0007
	polychlorinated biphenyls	44	0	1	0.00045	0.0200	0.0200
	styrene	44	9	10	0.00475	0.0050	0.0230
	tetrachloroethylene	44	1	3	0.00034	0.0030	0.0060
	toluene	44	25	0	0.01025	0.0090	0.0430
	trichloroethylene	44	1	8	0.00089	0.0020	0.0130
	xylene, m- and/or p-	44	2	12	0.00232	0.0020	0.0410
	xylene, o-	44	0	6	0.00057	0.0020	0.0120
149	Spaghetti in tomato sauce, canned						
	chlorpyrifos	40	0	1	0.00003	0.0010	0.0010
	chlorpyrifos-methyl	40	0	6	0.00022	0.0008	0.0020
	DDE, p,p'	40	0	1	0.00000	0.0001	0.0001
	endosulfan I	40	0	1	0.00001	0.0003	0.0003
	endosulfan II	40	0	4	0.00005	0.0004	0.0009
	endosulfan sulfate	40	0	2	0.00001	0.0001	0.0004
	malathion	40	1	1	0.00013	0.0020	0.0030
	methamidophos	40	4	1	0.00023	0.0010	0.0030
	xylene, m- and/or p-	40	2	0	0.00073	0.0120	0.0170
151	Lasagna with meat, homemade						
	2-chloroethyl linoleate	40	1	2	0.00065	0.0020	0.0200
	2-chloroethyl palmitate	40	0	2	0.00015	0.0020	0.0040
	benzene*	40	1	0	0.00048	0.0190	0.0190
	chlorpropham	40	0	1	0.00003	0.0010	0.0010

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	chlorpyrifos	40	0	5	0.00008	0.0004	0.0010
	chlorpyrifos-methyl	40	0	10	0.00024	0.0004	0.0020
	DDE, p,p'	40	5	27	0.00080	0.0002	0.0070
	diazinon	40	1	0	0.00008	0.0030	0.0030
	dieldrin	40	1	7	0.00009	0.0001	0.0020
	endosulfan I	40	0	3	0.00003	0.0003	0.0004
	endosulfan II	40	0	6	0.00007	0.0001	0.0010
	endosulfan sulfate	40	0	4	0.00002	0.0001	0.0003
	malathion	40	0	2	0.00004	0.0005	0.0010
	xylene, m- and/or p-	40	1	0	0.00028	0.0110	0.0110
152	Chicken potpie, frozen, heated						
	2-chloroethyl linoleate	44	0	4	0.00045	0.0020	0.0100
	2-chloroethyl palmitate	44	0	1	0.00005	0.0020	0.0020
	chlorpropham	44	19	13	0.00495	0.0006	0.0200
	chlorpyrifos	44	0	5	0.00008	0.0006	0.0010
	chlorpyrifos-methyl	44	27	11	0.00666	0.0002	0.0400
	DDE, p,p'	44	0	1	0.00001	0.0003	0.0003
	diazinon	44	0	2	0.00003	0.0005	0.0010
	dicloran	44	0	2	0.00005	0.0010	0.0010
	dieldrin	44	0	1	0.00000	0.0001	0.0001
	endosulfan sulfate	44	0	2	0.00001	0.0001	0.0003
	linuron	44	0	2	0.00011	0.0010	0.0040
	malathion	44	36	7	0.00707	0.0010	0.0500
	methoxychlor, p,p'-	44	0	5	0.00008	0.0003	0.0010
	pirimiphos-methyl	44	0	3	0.00005	0.0005	0.0010
	polychlorinated biphenyls	44	0	1	0.00009	0.0040	0.0040
	xylene, m- and/or p-	44	1	0	0.00052	0.0230	0.0230
155	Soup, chicken noodle, canned, cond, prepared w/ water						
	malathion	44	0	1	0.00005	0.0020	0.0020
	methamidophos	44	1	0	0.00002	0.0010	0.0010
156	Soup, tomato, canned, cond, prepared w/ water						
	chlorpyrifos-methyl	44	0	10	0.00021	0.0004	0.0020
	endosulfan I	44	0	1	0.00001	0.0003	0.0003
	endosulfan II	44	0	5	0.00004	0.0002	0.0005
	endosulfan sulfate	44	0	2	0.00001	0.0001	0.0003
	malathion	44	3	8	0.00045	0.0008	0.0040
	methamidophos	44	7	1	0.00034	0.0010	0.0030
157	Soup, vegetable beef, canned, cond, prepared w/ water						
	acephate	44	1	0	0.00018	0.0080	0.0080
	chlorpropham	44	21	3	0.00914	0.0010	0.0750
	chlorpyrifos	44	0	1	0.00002	0.0010	0.0010
	DCPA	44	0	1	0.00001	0.0003	0.0003
	DDE, p,p'	44	0	1	0.00000	0.0002	0.0002
	dieldrin	44	0	1	0.00001	0.0003	0.0003

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	methamidophos	44	2	2	0.00030	0.0010	0.0100
	triphenyl phosphate	44	1	0	0.00068	0.0300	0.0300
	vinclozolin	44	0	1	0.00001	0.0005	0.0005
160	White sauce homemade						
	chlorpyrifos	40	0	1	0.00003	0.0010	0.0010
	chlorpyrifos-methyl	40	6	11	0.00084	0.0003	0.0090
	DDE, p,p'	40	5	5	0.00069	0.0002	0.0100
	dieldrin	40	0	3	0.00001	0.0001	0.0002
	diphenyl 2-ethylhexyl phosphate	40	15	0	0.15900	0.0500	1.9500
	malathion	40	3	14	0.00080	0.0009	0.0050
	toluene	40	1	0	0.00068	0.0270	0.0270
	triphenyl phosphate	40	4	0	0.00285	0.0100	0.0500
161	Dill cucumber pickles						
	acephate	44	2	1	0.00075	0.0010	0.0300
	BHC, alpha	44	0	2	0.00003	0.0004	0.0008
	carbaryl	44	1	6	0.00116	0.0030	0.0100
	chlordane	44	0	1	0.00023	0.0100	0.0100
	chlordane, cis-	44	5	4	0.00056	0.0001	0.0100
	chlordane, trans-	44	1	7	0.00008	0.0002	0.0010
	DDE, p,p'	44	3	1	0.00037	0.0003	0.0060
	DDT, p,p'	44	1	0	0.00009	0.0040	0.0040
	dieldrin	44	33	8	0.00437	0.0004	0.0110
	endosulfan I	44	38	1	0.00348	0.0009	0.0200
	endosulfan II	44	22	17	0.00252	0.0007	0.0100
	endosulfan sulfate	44	39	4	0.00785	0.0006	0.0350
	ethion	44	0	1	0.00001	0.0006	0.0006
	heptachlor epoxide	44	2	2	0.00012	0.0005	0.0020
	lindane	44	8	6	0.00163	0.0001	0.0200
	methamidophos	44	1	0	0.00005	0.0020	0.0020
	nonachlor, trans-	44	2	3	0.00033	0.0002	0.0110
	octachlor epoxide	44	0	2	0.00001	0.0002	0.0003
	pentachloroaniline	44	0	1	0.00001	0.0003	0.0003
	permethrin, cis-	44	0	4	0.00013	0.0007	0.0030
	permethrin, trans-	44	0	4	0.00006	0.0005	0.0009
	toluene	44	2	0	0.00064	0.0130	0.0150
	toxaphene	44	1	17	0.00588	0.0008	0.0400
	tributyl phosphate	44	1	0	0.00023	0.0100	0.0100
162	Margarine, regular (salted)						
	1,1,1-trichloroethane	44	1	1	0.00039	0.0030	0.0140
	1,2,4-trimethylbenzene	44	6	5	0.00425	0.0040	0.0600
	1,2-dichloroethene, trans-	44	0	1	0.00005	0.0020	0.0020
	benzene*	44	8	3	0.00257	0.0010	0.0300
	bromobenzene	44	0	1	0.00009	0.0040	0.0040
	bromodichloromethane	44	0	3	0.00030	0.0030	0.0070
	chlorobenzene	44	0	1	0.00014	0.0060	0.0060

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	chloroform	44	8	6	0.00239	0.0020	0.0150
	cumene (isopropyl benzene)	44	0	6	0.00045	0.0020	0.0050
	dichlorobenzene, p-	44	5	4	0.00739	0.0030	0.2080
	diphenyl 2-ethylhexyl phosphate	44	22	0	1.23743	0.1200	7.1800
	ethyl benzene	44	4	13	0.00239	0.0020	0.0200
	propylbenzene, n-	44	0	2	0.00027	0.0040	0.0080
	styrene	44	14	8	0.00539	0.0020	0.0220
	tetrachloroethylene	44	5	7	0.00284	0.0020	0.0420
	toluene	44	32	0	0.04211	0.0110	0.2720
	trichloroethylene	44	4	3	0.00139	0.0020	0.0210
	triphenyl phosphate	44	15	0	0.04068	0.0400	0.2670
	xylene, m- and/or p-	44	10	13	0.00970	0.0030	0.0440
	xylene, o-	44	2	9	0.00141	0.0020	0.0120
164	Butter, regular (salted)						
	1,1,1-trichloroethane	44	5	1	0.00209	0.0070	0.0230
	1,2,4-trimethylbenzene	44	14	2	0.00889	0.0040	0.0540
	1,2-dichloroethene, trans-	44	0	1	0.00005	0.0020	0.0020
	benzene*	44	9	7	0.00320	0.0010	0.0220
	BHC, alpha	44	0	9	0.00012	0.0002	0.0020
	bromodichloromethane	44	0	1	0.00014	0.0060	0.0060
	butylbenzene, n-	44	0	1	0.00007	0.0030	0.0030
	carbon tetrachloride	44	0	1	0.00009	0.0040	0.0040
	chlordan	44	0	1	0.00023	0.0100	0.0100
	chlorobenzene	44	0	1	0.00009	0.0040	0.0040
	chloroform	44	31	0	0.03645	0.0150	0.0830
	cumene (isopropyl benzene)	44	0	7	0.00077	0.0020	0.0080
	DDE, p,p'	44	38	5	0.01907	0.0030	0.1000
	DDT, p,p'	44	0	1	0.00000	0.0002	0.0002
	dichlorobenzene, p-	44	4	6	0.00552	0.0030	0.0950
	dieldrin	44	6	34	0.00192	0.0005	0.0080
	diphenyl 2-ethylhexyl phosphate	44	5	0	0.00811	0.0360	0.1000
	endosulfan sulfate	44	1	23	0.00113	0.0002	0.0100
	ethyl benzene	44	11	11	0.00445	0.0020	0.0160
	heptachlor epoxide	44	0	22	0.00030	0.0002	0.0010
	hexachlorobenzene	44	6	29	0.00087	0.0004	0.0070
	lambda-cyhalothrin	44	0	4	0.00045	0.0030	0.0070
	lindane	44	1	13	0.00019	0.0002	0.0020
	methoxychlor, p,p'	44	0	3	0.00025	0.0010	0.0090
	nonachlor, trans-	44	0	6	0.00006	0.0001	0.0010
	octachlor epoxide	44	1	17	0.00030	0.0001	0.0050
	permethrin, cis-	44	0	10	0.00033	0.0003	0.0030
	permethrin, trans-	44	0	10	0.00039	0.0004	0.0030
	polychlorinated biphenyls	44	1	1	0.00318	0.0200	0.1200
	propylbenzene, n-	44	0	4	0.00036	0.0030	0.0060
	styrene	44	25	1	0.01111	0.0080	0.0290
	tetrachloroethylene	44	15	3	0.00902	0.0030	0.1020
	toluene	44	32	0	0.05918	0.0300	0.2000

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	trichloroethylene	44	3	7	0.00134	0.0020	0.0120
	triphenyl phosphate	44	1	0	0.00175	0.0770	0.0770
	xylene, m- and/or p-	44	16	13	0.01620	0.0050	0.0590
	xylene, o-	44	6	14	0.00398	0.0020	0.0200
166	Mayonnaise, regular, bottled						
	2-chloroethyl linoleate	44	0	1	0.00007	0.0030	0.0030
	benzene*	44	1	0	0.00064	0.0280	0.0280
	DDE, p,p'	44	0	1	0.00002	0.0010	0.0010
	dieldrin	44	0	27	0.00050	0.0001	0.0030
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00818	0.3600	0.3600
	endosulfan sulfate	44	0	7	0.00008	0.0003	0.0009
	methoxychlor, p,p'	44	0	4	0.00010	0.0003	0.0020
167	Half & Half cream						
	chloroform	44	1	0	0.00027	0.0120	0.0120
	DDE, p,p'	44	12	24	0.00180	0.0001	0.0200
	dieldrin	44	0	16	0.00013	0.0001	0.0010
	endosulfan sulfate	44	0	1	0.00000	0.0002	0.0002
	heptachlor epoxide	44	0	4	0.00002	0.0001	0.0005
	hexachlorobenzene	44	0	2	0.00000	0.0001	0.0001
	methoxychlor, p,p'	44	0	1	0.00001	0.0003	0.0003
	octachlor epoxide	44	0	1	0.00000	0.0001	0.0001
	permethrin, cis-	44	0	2	0.00001	0.0002	0.0003
	permethrin, trans-	44	0	2	0.00002	0.0002	0.0005
	xylene, m- and/or p-	44	1	0	0.00027	0.0120	0.0120
168	Cream substitute, non-dairy, liquid/frozen						
	DDE, p,p'	44	0	1	0.00000	0.0001	0.0001
	dieldrin	44	0	1	0.00000	0.0002	0.0002
	malathion	44	0	1	0.00002	0.0010	0.0010
	triphenyl phosphate	44	1	0	0.00102	0.0450	0.0450
169	Sugar, white, granulated						
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00023	0.0100	0.0100
	tributyl phosphate	44	1	0	0.00045	0.0200	0.0200
170	Syrup, pancake						
	chloroform	44	1	0	0.00025	0.0110	0.0110
172	Honey						
	coumaphos	44	0	5	0.00036	0.0010	0.0060
	dicloran	44	0	2	0.00007	0.0010	0.0020
	ethion	44	1	0	0.00016	0.0070	0.0070
173	Tomato catsup						
	2-chloroethyl laurate	44	0	1	0.00002	0.0010	0.0010
	2-chloroethyl linoleate	44	18	3	0.02284	0.0030	0.2430

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	2-chloroethyl palmitate	44	5	11	0.00255	0.0020	0.0130
	2-chloroethyl stearate	44	0	2	0.00034	0.0050	0.0100
	acephate	44	1	2	0.00014	0.0010	0.0040
	chlordane, cis-	44	0	1	0.00000	0.0002	0.0002
	chlorpyrifos	44	0	9	0.00020	0.0005	0.0020
	DCPA	44	1	0	0.00007	0.0030	0.0030
	DDE, p,p'	44	1	12	0.00014	0.0002	0.0020
	endosulfan I	44	3	7	0.00015	0.0002	0.0020
	endosulfan II	44	8	7	0.00056	0.0003	0.0040
	endosulfan sulfate	44	1	13	0.00020	0.0002	0.0020
	esfenvalerate	44	0	2	0.00009	0.0020	0.0020
	ethion	44	0	2	0.00002	0.0003	0.0006
	ethylenethiourea	44	0	1	0.00009	0.0040	0.0040
	lambda-cyhalothrin	44	0	1	0.00005	0.0020	0.0020
	methamidophos	44	10	1	0.00113	0.0009	0.0100
	permethrin, cis-	44	0	7	0.00012	0.0004	0.0010
	permethrin, trans-	44	0	7	0.00010	0.0003	0.0010
	tris(chloropropyl) phosphate	44	2	0	0.00030	0.0040	0.0090
175	Chocolate pudding, from instant mix						
	chlorpropham	40	1	0	0.00018	0.0070	0.0070
	DDE, p,p'	40	2	9	0.00032	0.0001	0.0040
	toluene	40	1	0	0.00030	0.0120	0.0120
177	Ice cream, light, vanilla						
	1,1,1-trichloroethane	44	0	1	0.00007	0.0030	0.0030
	1,2,4-trimethylbenzene	44	0	1	0.00009	0.0040	0.0040
	benzene*	44	3	7	0.00116	0.0010	0.0160
	bromodichloromethane	44	0	2	0.00016	0.0030	0.0040
	butylbenzene, n-	44	0	1	0.00016	0.0070	0.0070
	chlorobenzene	44	0	2	0.00034	0.0040	0.0110
	chloroform	44	22	3	0.00989	0.0040	0.0560
	DDE, p,p'	44	6	9	0.00042	0.0001	0.0030
	dichlorobenzene, o-	44	0	2	0.00014	0.0030	0.0030
	dichlorobenzene, p-	44	0	1	0.00011	0.0050	0.0050
	dieldrin	44	1	1	0.00005	0.0003	0.0020
	ethyl benzene	44	0	3	0.00016	0.0020	0.0030
	styrene	44	0	1	0.00005	0.0020	0.0020
	tetrachloroethylene	44	0	2	0.00009	0.0020	0.0020
	toluene	44	0	7	0.00041	0.0020	0.0030
	trichloroethylene	44	0	1	0.00009	0.0040	0.0040
	xylene, m- and/or p-	44	1	8	0.00175	0.0020	0.0340
	xylene, o-	44	0	1	0.00005	0.0020	0.0020
178	Cake, chocolate w/ icing						
	1,1,1-trichloroethane	44	1	1	0.00034	0.0070	0.0080
	1,2,4-trimethylbenzene	44	11	3	0.01257	0.0070	0.1500
	benzene*	44	5	5	0.00236	0.0010	0.0350

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	butylbenzene, n-	44	1	1	0.00043	0.0050	0.0140
	carbon tetrachloride	44	0	1	0.00009	0.0040	0.0040
	chlorobenzene	44	1	2	0.00102	0.0020	0.0400
	chloroform	44	4	9	0.00180	0.0020	0.0160
	chlorpyrifos	44	0	5	0.00013	0.0007	0.0020
	chlorpyrifos-methyl	44	10	19	0.00140	0.0004	0.0060
	cumene (isopropyl benzene)	44	0	4	0.00041	0.0030	0.0060
	DDE, p,p'	44	0	4	0.00003	0.0001	0.0005
	dichlorobenzene, o-	44	0	1	0.00011	0.0050	0.0050
	dichlorobenzene, p-	44	5	4	0.00484	0.0030	0.0690
	dieldrin	44	0	2	0.00002	0.0002	0.0005
	ethyl benzene	44	1	16	0.00198	0.0020	0.0130
	ethylene dichloride	44	1	0	0.00018	0.0080	0.0080
	lindane	44	0	6	0.00003	0.0001	0.0004
	malathion	44	5	13	0.00083	0.0006	0.0070
	styrene	44	23	6	0.01127	0.0070	0.0570
	tetrachloroethylene	44	12	5	0.01568	0.0020	0.4330
	toluene	44	32	0	0.04370	0.0100	0.4370
	trichloroethylene	44	3	4	0.00209	0.0020	0.0570
	xylene, m- and/or p-	44	7	17	0.00861	0.0040	0.0410
	xylene, o-	44	3	17	0.00232	0.0020	0.0160
179	Yellow cake with white icing, prepared from cake and icing mixes						
	chlorpyrifos-methyl	40	16	14	0.00207	0.0007	0.0070
	malathion	40	12	21	0.00225	0.0006	0.0080
	xylene, m- and/or p-	40	1	0	0.00050	0.0200	0.0200
182	Sweet roll/Danish pastry						
	1,1,1-trichloroethane	44	0	2	0.00016	0.0030	0.0040
	1,2,4-trimethylbenzene	44	9	0	0.01059	0.0160	0.1870
	2-chloroethyl linoleate	44	0	2	0.00034	0.0060	0.0090
	2-chloroethyl palmitate	44	0	1	0.00005	0.0020	0.0020
	benzene*	44	7	6	0.00255	0.0010	0.0260
	carbon tetrachloride	44	0	1	0.00009	0.0040	0.0040
	chlorobenzene	44	0	3	0.00030	0.0020	0.0070
	chloroform	44	5	6	0.00166	0.0020	0.0260
	chlorpyrifos	44	1	6	0.00022	0.0003	0.0040
	chlorpyrifos-methyl	44	27	14	0.00380	0.0004	0.0140
	cumene (isopropyl benzene)	44	1	2	0.00080	0.0030	0.0250
	DDE, p,p'	44	1	1	0.00007	0.0010	0.0020
	DDT, p,p'	44	0	1	0.00000	0.0001	0.0001
	diazinon	44	2	0	0.00014	0.0030	0.0030
	dichlorobenzene, o-	44	1	0	0.00043	0.0190	0.0190
	dichlorobenzene, p-	44	1	1	0.00073	0.0130	0.0190
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00341	0.1500	0.1500
	ethyl benzene	44	1	12	0.00136	0.0020	0.0120
	malathion	44	35	8	0.00591	0.0010	0.0170
	methoxychlor, p,p'-	44	0	3	0.00005	0.0007	0.0009

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	pirimiphos-methyl	44	0	1	0.00002	0.0010	0.0010
	propylbenzene, n-	44	0	1	0.00020	0.0090	0.0090
	styrene	44	30	0	0.03164	0.0130	0.0930
	tetrachloroethylene	44	5	4	0.00164	0.0020	0.0240
	toluene	44	29	0	0.02898	0.0100	0.1450
	trichloroethylene	44	1	6	0.00066	0.0020	0.0120
	xylene, m- and/or p-	44	4	15	0.00425	0.0020	0.0290
	xylene, o-	44	0	6	0.00073	0.0020	0.0120
183	Chocolate chip cookies						
	1,1,1-trichloroethane	44	0	2	0.00018	0.0030	0.0050
	1,2,4-trimethylbenzene	44	13	6	0.00991	0.0050	0.0810
	benzene*	44	3	5	0.00086	0.0010	0.0130
	BHC, alpha	44	0	13	0.00015	0.0001	0.0020
	bromobenzene	44	0	1	0.00005	0.0020	0.0020
	chlorobenzene	44	0	3	0.00030	0.0030	0.0070
	chloroform	44	3	6	0.00123	0.0020	0.0150
	chlorpyrifos	44	0	4	0.00010	0.0006	0.0020
	chlorpyrifos-methyl	44	17	17	0.00595	0.0006	0.0480
	cumene (isopropyl benzene)	44	2	2	0.00075	0.0020	0.0150
	DDE, p,p'	44	0	2	0.00003	0.0006	0.0007
	DDT, p,p'	44	0	4	0.00007	0.0003	0.0010
	diazinon	44	1	1	0.00010	0.0004	0.0040
	dichlorobenzene, p-	44	4	6	0.00705	0.0020	0.1760
	diphenyl 2-ethylhexyl phosphate	44	3	0	0.00209	0.0220	0.0400
	endosulfan sulfate	44	0	1	0.00001	0.0003	0.0003
	ethyl benzene	44	2	9	0.00170	0.0020	0.0330
	lindane	44	11	22	0.00093	0.0001	0.0090
	malathion	44	34	9	0.01057	0.0020	0.0500
	methoxychlor, p,p'	44	1	4	0.00017	0.0003	0.0040
	pentachlorophenyl methyl ether	44	0	1	0.00000	0.0002	0.0002
	pirimiphos-methyl	44	1	1	0.00013	0.0008	0.0050
	propylbenzene, n-	44	0	1	0.00011	0.0050	0.0050
	styrene	44	30	0	0.04609	0.0120	0.1980
	TDE, p,p'	44	0	1	0.00002	0.0009	0.0009
	tetrachloroethylene	44	2	6	0.00105	0.0020	0.0180
	toluene	44	31	0	0.03134	0.0100	0.2480
	trichloroethylene	44	1	7	0.00075	0.0020	0.0120
	xylene, m- and/or p-	44	2	16	0.00420	0.0030	0.0250
	xylene, o-	44	1	11	0.00111	0.0020	0.0120
184	Sandwich cookies w/ crème filling						
	1,1,1-trichloroethane	44	0	2	0.00016	0.0030	0.0040
	1,2,4-trimethylbenzene	44	6	1	0.00511	0.0050	0.1700
	benzene*	44	3	7	0.00189	0.0010	0.0390
	carbon tetrachloride	44	1	0	0.00025	0.0110	0.0110
	chlorobenzene	44	0	2	0.00011	0.0020	0.0030
	chloroform	44	3	7	0.00195	0.0020	0.0280

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	chlorpyrifos	44	0	1	0.00001	0.0003	0.0003
	chlorpyrifos-methyl	44	23	14	0.00576	0.0002	0.0300
	dichlorobenzene, p-	44	0	1	0.00025	0.0110	0.0110
	ethyl benzene	44	0	6	0.00048	0.0020	0.0080
	hexachlorobenzene	44	0	1	0.00000	0.0001	0.0001
	lindane	44	0	1	0.00000	0.0001	0.0001
	malathion	44	40	3	0.01311	0.0020	0.0800
	pirimiphos-methyl	44	1	2	0.00025	0.0010	0.0080
	styrene	44	30	0	0.04425	0.0130	0.1650
	tetrachloroethylene	44	0	5	0.00032	0.0020	0.0050
	toluene	44	21	2	0.01498	0.0050	0.2240
	trichloroethylene	44	0	3	0.00025	0.0030	0.0050
	xylene, m- and/or p-	44	2	16	0.00343	0.0020	0.0370
	xylene, o-	44	0	4	0.00039	0.0020	0.0090
185	Apple pie, fresh/frozen						
	1,1,1-trichloroethane	44	1	1	0.00027	0.0030	0.0090
	1,2,4-trimethylbenzene	44	15	3	0.01370	0.0060	0.1180
	2-chloroethyl linoleate	44	0	1	0.00007	0.0030	0.0030
	2-chloroethyl palmitate	44	0	1	0.00002	0.0010	0.0010
	benzene*	44	5	8	0.00195	0.0020	0.0230
	butylbenzene, n-	44	1	2	0.00061	0.0080	0.0110
	chlorobenzene	44	0	1	0.00005	0.0020	0.0020
	chloroform	44	7	6	0.00423	0.0020	0.0640
	chlorpyrifos	44	0	1	0.00005	0.0020	0.0020
	chlorpyrifos-methyl	44	35	2	0.00674	0.0007	0.0500
	cumene (isopropyl benzene)	44	1	4	0.00086	0.0020	0.0220
	dichlorobenzene, p-	44	3	2	0.00514	0.0020	0.1690
	endosulfan sulfate	44	0	6	0.00006	0.0001	0.0010
	ethyl benzene	44	3	12	0.00186	0.0020	0.0140
	malathion	44	31	11	0.00757	0.0010	0.0800
	methoxychlor, p,p'-	44	0	3	0.00009	0.0010	0.0020
	styrene	44	20	4	0.00977	0.0060	0.0490
	tetrachloroethylene	44	5	6	0.00570	0.0020	0.1250
	toluene	44	16	5	0.00775	0.0040	0.0420
	trichloroethylene	44	1	4	0.00050	0.0020	0.0120
	xylene, m- and/or p-	44	5	14	0.00770	0.0040	0.0770
	xylene, o-	44	3	10	0.00255	0.0020	0.0380
186	Pumpkin pie, fresh/frozen						
	2-chloroethyl laurate	44	2	15	0.00106	0.0005	0.0080
	2-chloroethyl linoleate	44	13	13	0.01059	0.0020	0.0800
	2-chloroethyl myristate	44	28	12	0.02164	0.0000	0.1000
	2-chloroethyl palmitate	44	4	19	0.00298	0.0020	0.0200
	2-chloroethyl stearate	44	1	1	0.00091	0.0100	0.0300
	BHC, alpha	44	0	3	0.00002	0.0001	0.0006
	chlordane, cis-	44	0	2	0.00001	0.0002	0.0003
	chlordane, trans-	44	0	1	0.00000	0.0001	0.0001

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	chloroform	44	1	0	0.00039	0.0170	0.0170
	chlorpyrifos-methyl	44	21	17	0.00347	0.0002	0.0100
	DDE, p,p'	44	1	4	0.00010	0.0001	0.0030
	diazinon	44	0	1	0.00002	0.0010	0.0010
	dieldrin	44	28	9	0.00243	0.0006	0.0090
	endosulfan I	44	0	1	0.00001	0.0003	0.0003
	endosulfan sulfate	44	0	2	0.00003	0.0003	0.0009
	ethyl benzene	44	1	0	0.00066	0.0290	0.0290
	malathion	44	26	13	0.00445	0.0008	0.0100
	methoxychlor, p,p'	44	0	1	0.00005	0.0020	0.0020
	nonachlor, trans-	44	0	2	0.00002	0.0002	0.0005
	permethrin, cis-	44	0	14	0.00061	0.0005	0.0060
	permethrin, trans-	44	1	13	0.00074	0.0006	0.0080
	styrene	44	2	0	0.00130	0.0200	0.0370
	tetrachloroethylene	44	1	0	0.00243	0.1070	0.1070
	toluene	44	2	0	0.00139	0.0130	0.0480
	xylene, m- and/or p-	44	2	0	0.00057	0.0100	0.0150
187	Candy bar, milk chocolate, plain						
	1,1,1-trichloroethane	44	0	4	0.00032	0.0030	0.0040
	1,2,4-trimethylbenzene	44	15	1	0.00964	0.0060	0.0640
	benzene*	44	5	5	0.00227	0.0010	0.0280
	BHC, alpha	44	1	19	0.00051	0.0001	0.0050
	bromodichloromethane	44	0	1	0.00009	0.0040	0.0040
	butylbenzene, n-	44	0	2	0.00014	0.0030	0.0030
	chlorobenzene	44	0	3	0.00041	0.0020	0.0120
	chloroform	44	4	5	0.00214	0.0020	0.0360
	chlorpyrifos	44	0	7	0.00015	0.0002	0.0030
	DDE, p,p'	44	1	32	0.00078	0.0002	0.0030
	DDT, p,p'	44	2	18	0.00097	0.0002	0.0090
	dichlorobenzene, p-	44	2	3	0.00068	0.0020	0.0120
	dieldrin	44	0	4	0.00002	0.0001	0.0004
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.01727	0.7600	0.7600
	endosulfan I	44	0	6	0.00005	0.0003	0.0005
	endosulfan II	44	0	3	0.00001	0.0002	0.0002
	endosulfan sulfate	44	0	11	0.00017	0.0002	0.0010
	ethyl benzene	44	3	14	0.00230	0.0020	0.0150
	lindane	44	21	22	0.00167	0.0001	0.0060
	malathion	44	1	0	0.00014	0.0060	0.0060
	pentachlorophenyl methyl ether	44	0	1	0.00000	0.0002	0.0002
	pirimiphos-methyl	44	0	1	0.00002	0.0010	0.0010
	propylbenzene, n-	44	0	1	0.00007	0.0030	0.0030
	styrene	44	23	4	0.01302	0.0030	0.0760
	TDE, p,p'	44	0	14	0.00034	0.0003	0.0030
	tetrachloroethylene	44	17	2	0.00952	0.0020	0.0700
	toluene	44	30	0	0.02305	0.0090	0.0780
	trichloroethylene	44	1	10	0.00098	0.0020	0.0090
	xylene, m- and/or p-	44	13	14	0.01286	0.0030	0.0540

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	xylene, o-	44	6	13	0.00307	0.0020	0.0150
188	Candy, caramels						
	benzene*	40	1	5	0.00068	0.0010	0.0110
	carbon tetrachloride	40	1	0	0.00023	0.0090	0.0090
	chlorobenzene	40	0	1	0.00008	0.0030	0.0030
	chloroform	40	5	7	0.00340	0.0020	0.0640
	DDE, p,p'	40	0	3	0.00002	0.0002	0.0004
	dieldrin	40	0	1	0.00001	0.0002	0.0002
	diphenyl 2-ethylhexyl phosphate	40	32	0	2.46548	0.0500	23.5000
	ethyl benzene	40	0	2	0.00015	0.0020	0.0040
	polychlorinated biphenyls	40	0	1	0.00015	0.0060	0.0060
	styrene	40	0	2	0.00013	0.0020	0.0030
	tetrachloroethylene	40	1	1	0.00045	0.0040	0.0140
	toluene	40	3	3	0.00215	0.0010	0.0360
	trichloroethylene	40	1	3	0.00060	0.0020	0.0090
	triphenyl phosphate	40	24	0	0.04503	0.0070	0.2900
	tris(2-butoxyethyl)phosphate	40	1	0	0.00075	0.0300	0.0300
	xylene, m- and/or p-	40	1	2	0.00090	0.0020	0.0200
	xylene, o-	40	0	1	0.00015	0.0060	0.0060
190	Gelatin dessert, any flavor						
	chloroform	44	1	0	0.00134	0.0590	0.0590
	toluene	44	1	0	0.00034	0.0150	0.0150
191	Carbonated beverage, cola, regular						
	1,2,4-trimethylbenzene	44	0	1	0.00016	0.0070	0.0070
	benzene*	44	7	4	0.00536	0.0010	0.1380
	bromodichloromethane	44	0	4	0.00043	0.0030	0.0070
	chlorobenzene	44	0	2	0.00016	0.0020	0.0050
	chloroform	44	13	5	0.00595	0.0030	0.0390
	dichlorobenzene, o-	44	0	1	0.00007	0.0030	0.0030
	ethyl benzene	44	0	2	0.00027	0.0050	0.0070
	styrene	44	2	2	0.00082	0.0020	0.0180
	toluene	44	2	5	0.00148	0.0010	0.0360
	trichloroethylene	44	0	1	0.00005	0.0020	0.0020
	xylene, m- and/or p-	44	0	1	0.00011	0.0050	0.0050
	xylene, o-	44	0	1	0.00005	0.0020	0.0020
193	Fruit drink, from powder						
	benzene*	44	1	0	0.00216	0.0950	0.0950
	chlorobenzene	44	1	0	0.00034	0.0150	0.0150
	chloroform	44	1	0	0.00050	0.0220	0.0220
	ethion	44	0	1	0.00002	0.0010	0.0010
	iprodione	44	0	1	0.00009	0.0040	0.0040
	toluene	44	1	0	0.00061	0.0270	0.0270
	triphenyl phosphate	44	1	0	0.00023	0.0100	0.0100

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
194	Carbonated beverage, cola, low-calorie						
	benzene*	44	22	5	0.01211	0.0010	0.0550
	bromodichloromethane	44	0	4	0.00036	0.0030	0.0070
	chloroform	44	10	6	0.00420	0.0030	0.0410
	dichlorobenzene, o-	44	0	1	0.00007	0.0030	0.0030
	methomyl	44	1	0	0.00045	0.0200	0.0200
	propylbenzene, n-	44	0	1	0.00007	0.0030	0.0030
	styrene	44	0	1	0.00005	0.0020	0.0020
	toluene	44	0	2	0.00011	0.0020	0.0030
	trichloroethylene	44	0	1	0.00005	0.0020	0.0020
196	Coffee, decaffeinated, from instant						
	chloroform	40	1	0	0.00093	0.0370	0.0370
	diphenyl 2-ethylhexyl phosphate	40	1	0	0.00113	0.0450	0.0450
197	Tea, from tea bag						
	aldoxycarb	44	0	1	0.00016	0.0070	0.0070
	carbaryl	44	0	1	0.00007	0.0030	0.0030
	chloroform	44	1	0	0.00034	0.0150	0.0150
	chlorpyrifos	44	0	1	0.00001	0.0003	0.0003
	methamidophos	44	1	0	0.00002	0.0010	0.0010
	phenylphenol, o-	44	1	0	0.00070	0.0310	0.0310
198	Beer						
	no residue found	44	0	0	na	na	na
199	Wine, dry table, red/ white						
	azoxystrobin	44	1	0	0.00025	0.0110	0.0110
	benomyl	44	0	3	0.00307	0.0270	0.0680
	carbaryl	44	22	14	0.01573	0.0020	0.1100
	cyprodinil	44	0	1	0.00016	0.0070	0.0070
	dicloran	44	2	5	0.00039	0.0010	0.0050
	dimethoate	44	21	3	0.00397	0.0007	0.0200
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.03114	1.3700	1.3700
	ethylenethiourea	44	0	3	0.00039	0.0030	0.0090
	fenhexamid	44	1	0	0.00066	0.0290	0.0290
	iprodione	44	20	11	0.01200	0.0004	0.0800
	iprodione metabolite isomer	44	1	5	0.00035	0.0003	0.0100
	omethoate	44	14	1	0.00207	0.0010	0.0100
	procymidone	44	0	1	0.00005	0.0020	0.0020
	pyrimethanil	44	1	0	0.00016	0.0070	0.0070
	thiabendazole	44	1	0	0.00114	0.0500	0.0500
	triphenyl phosphate	44	1	0	0.00068	0.0300	0.0300
200	Whiskey						
	no residue found	40	0	0	na	na	na

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
201	Tap water						
	bromodichloromethane	34	3	0	0.00162	0.0100	0.0300
	chloroform	34	5	0	0.00653	0.0370	0.0530
202	Infant formula, milk-based, high iron, RTF						
	no residue found	44	0	0	na	na	na
203	Infant formula, milk-based, low iron, RTF						
	benzene*	44	1	5	0.00052	0.0010	0.0090
	chloroform	44	3	6	0.00132	0.0020	0.0250
	styrene	44	0	1	0.00005	0.0020	0.0020
	toluene	44	0	5	0.00027	0.0010	0.0050
205	BF, beef and broth/gravy						
	1,2,4-trimethylbenzene	44	3	9	0.00205	0.0040	0.0130
	benzene*	44	6	7	0.00259	0.0010	0.0400
	bromodichloromethane	44	0	1	0.00007	0.0030	0.0030
	butylbenzene, n-	44	0	2	0.00034	0.0040	0.0110
	chlorobenzene	44	0	3	0.00018	0.0020	0.0030
	chloroform	44	8	2	0.00320	0.0030	0.0290
	DDE, p,p'	44	6	21	0.00078	0.0002	0.0100
	ethyl benzene	44	0	1	0.00009	0.0040	0.0040
	propylbenzene, n-	44	0	2	0.00016	0.0030	0.0040
	styrene	44	0	2	0.00009	0.0020	0.0020
	toluene	44	29	0	0.01632	0.0110	0.0490
	xylene, m- and/or p-	44	0	6	0.00039	0.0020	0.0050
	xylene, o-	44	0	4	0.00018	0.0020	0.0020
207	BF, chicken and broth/gravy						
	DDE, p,p'	44	0	9	0.00005	0.0001	0.0005
	dieldrin	44	0	1	0.00001	0.0003	0.0003
	permethrin, cis-	44	0	1	0.00002	0.0010	0.0010
	permethrin, trans-	44	0	1	0.00002	0.0008	0.0008
	toluene	44	1	0	0.00025	0.0110	0.0110
208	BF, high meat, chicken and vegetables						
	no residue found	2	0	0	na	na	na
209	BF, high meat, beef and vegetables						
	DDE, p,p'	2	1	0	0.00100	0.0020	0.0020
210	BF, high meat, ham and vegetables						
	no residue found	2	0	0	na	na	na
211	BF, vegetables and beef						
	acephate	44	1	0	0.00025	0.0110	0.0110
	chlorpropham	44	9	5	0.00300	0.0009	0.0500
	DDE, p,p'	44	0	21	0.00018	0.0001	0.0010

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	dicloran	44	0	1	0.00001	0.0005	0.0005
	dieldrin	44	0	2	0.00002	0.0003	0.0006
	endosulfan sulfate	44	0	1	0.00000	0.0002	0.0002
	xylene, m- and/or p-	44	1	0	0.00036	0.0160	0.0160
212	BF, vegetables and chicken						
	chlorpropham	44	17	10	0.00525	0.0008	0.0300
	DDE, p,p'	44	0	6	0.00007	0.0002	0.0010
	dieldrin	44	0	5	0.00005	0.0002	0.0008
	iprodione	44	1	0	0.00020	0.0090	0.0090
	permethrin, cis-	44	0	1	0.00002	0.0010	0.0010
	permethrin, trans-	44	0	1	0.00002	0.0010	0.0010
	polychlorinated biphenyls	44	0	1	0.00068	0.0300	0.0300
213	BF, vegetables and ham						
	chlorpropham	44	19	12	0.00465	0.0006	0.0200
	DDE, p,p'	44	0	7	0.00004	0.0001	0.0005
	dieldrin	44	0	2	0.00001	0.0002	0.0004
	iprodione	44	0	1	0.00001	0.0005	0.0005
	iprodione metabolite isomer	44	1	1	0.00015	0.0006	0.0060
	pentachloroaniline	44	0	1	0.00000	0.0002	0.0002
	pentachlorobenzene	44	0	1	0.00000	0.0002	0.0002
	quintozene	44	0	1	0.00001	0.0003	0.0003
214	BF, chicken noodle dinner						
	chlorpropham	44	10	3	0.00158	0.0007	0.0100
	DDE, p,p'	44	0	4	0.00003	0.0001	0.0009
	dieldrin	44	0	3	0.00005	0.0004	0.0010
215	BF, macaroni, tomato and beef						
	chlorpropham	44	3	3	0.00081	0.0007	0.0100
	chlorpyrifos	44	0	1	0.00001	0.0005	0.0005
	DDE, p,p'	44	0	14	0.00008	0.0001	0.0007
	dieldrin	44	0	5	0.00004	0.0002	0.0005
	endosulfan I	44	0	3	0.00003	0.0001	0.0006
	endosulfan II	44	0	3	0.00004	0.0003	0.0010
	endosulfan sulfate	44	0	3	0.00003	0.0004	0.0006
	methamidophos	44	2	0	0.00020	0.0010	0.0080
	phenylphenol, o-	44	2	0	0.00127	0.0270	0.0290
	thiabendazole	44	2	0	0.00082	0.0140	0.0220
216	BF, turkey and rice						
	benzene*	44	1	0	0.00027	0.0120	0.0120
	chloroform	44	1	0	0.00023	0.0100	0.0100
	chlorpropham	44	10	8	0.00180	0.0010	0.0100
	DDE, p,p'	44	0	1	0.00001	0.0004	0.0004
	dicloran	44	1	1	0.00008	0.0006	0.0030
	dieldrin	44	0	4	0.00003	0.0002	0.0005

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	endosulfan I	44	1	0	0.00002	0.0010	0.0010
	endosulfan II	44	0	1	0.00000	0.0002	0.0002
	thiabendazole	44	1	0	0.00023	0.0100	0.0100
	tris(beta-chloroethyl) phosphate	44	1	0	0.00048	0.0210	0.0210
	xylene, m- and/or p-	44	1	0	0.00034	0.0150	0.0150
218	BF, carrots						
	benzene*	44	3	5	0.00100	0.0010	0.0120
	chlorobenzene	44	0	3	0.00018	0.0020	0.0040
	chloroform	44	1	6	0.00073	0.0020	0.0080
	cumene (isopropyl benzene)	44	0	1	0.00007	0.0030	0.0030
	DDE, p,p'	44	0	3	0.00001	0.0001	0.0002
	dichlorobenzene, o-	44	0	1	0.00009	0.0040	0.0040
	dicloran	44	1	0	0.00009	0.0040	0.0040
	ethyl benzene	44	0	1	0.00005	0.0020	0.0020
	iprodione metabolite isomer	44	0	2	0.00009	0.0020	0.0020
	styrene	44	0	2	0.00020	0.0020	0.0070
	toluene	44	1	10	0.00080	0.0010	0.0120
	xylene, m- and/or p-	44	0	2	0.00011	0.0020	0.0030
219	BF, green beans						
	acephate	44	22	3	0.00557	0.0010	0.0600
	bifenthrin	44	0	2	0.00009	0.0010	0.0030
	DDE, p,p'	44	0	2	0.00001	0.0002	0.0002
	demeton-S sulfone	44	0	1	0.00002	0.0010	0.0010
	dicloran	44	1	1	0.00618	0.0020	0.2700
	dieldrin	44	0	1	0.00000	0.0002	0.0002
	endosulfan I	44	2	1	0.00054	0.0006	0.0200
	endosulfan II	44	1	1	0.00023	0.0009	0.0090
	endosulfan sulfate	44	2	1	0.00034	0.0009	0.0100
	methamidophos	44	26	0	0.01309	0.0030	0.2000
	mevinphos, (z)-	44	1	0	0.00020	0.0090	0.0090
	neburon	44	1	0	0.01159	0.5100	0.5100
	pentachloroaniline	44	0	2	0.00003	0.0006	0.0007
	permethrin, cis-	44	0	2	0.00016	0.0020	0.0050
	permethrin, trans-	44	0	2	0.00016	0.0020	0.0050
	vinclozolin	44	1	8	0.00033	0.0005	0.0030
220	BF, mixed vegetables						
	2,3,5,6-tetrachloroaniline	44	1	0	0.00007	0.0030	0.0030
	acephate	44	2	1	0.00045	0.0010	0.0100
	carbaryl	44	0	1	0.00002	0.0010	0.0010
	chlorpropham	44	16	5	0.00939	0.0010	0.1730
	chlorpyrifos	44	0	1	0.00002	0.0007	0.0007
	DDE, p,p'	44	0	3	0.00001	0.0002	0.0002
	dicloran	44	1	0	0.00009	0.0040	0.0040
	dieldrin	44	0	1	0.00002	0.0010	0.0010
	iprodione metabolite isomer	44	0	1	0.00005	0.0020	0.0020

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	methamidophos	44	3	3	0.00068	0.0010	0.0190
	thiabendazole	44	1	1	0.00032	0.0020	0.0120
	xylene, m- and/or p-	44	1	0	0.00023	0.0100	0.0100
221	BF, sweet potatoes						
	dicloran	44	36	3	0.01023	0.0020	0.0400
	piperonyl butoxide	44	1	0	0.00068	0.0300	0.0300
222	BF, creamed corn						
	no residue found	34	0	0	na	na	na
223	BF, peas						
	butylbenzene, n-	44	1	0	0.00036	0.0160	0.0160
	phenylphenol, o-	44	0	1	0.00007	0.0030	0.0030
	tris(beta-chloroethyl) phosphate	44	0	1	0.00002	0.0010	0.0010
	xylene, m- and/or p-	44	1	0	0.00039	0.0170	0.0170
224	BF, creamed spinach						
	DDE, p,p'	40	6	19	0.00067	0.0001	0.0050
	permethrin, cis-	40	4	6	0.00679	0.0006	0.1300
	permethrin, trans-	40	4	6	0.00670	0.0004	0.1200
	xylene, m- and/or p-	40	1	0	0.00038	0.0150	0.0150
225	BF, applesauce						
	benomyl	44	1	10	0.01082	0.0260	0.1100
	carbaryl	44	2	9	0.00211	0.0010	0.0400
	chlorpropham	44	0	1	0.00005	0.0020	0.0020
	chlorpyrifos	44	16	10	0.00226	0.0006	0.0100
	diazinon	44	1	0	0.00007	0.0030	0.0030
	dicloran	44	0	1	0.00002	0.0010	0.0010
	dicofol, o,p'	44	0	1	0.00002	0.0007	0.0007
	dicofol, p,p'	44	1	1	0.00027	0.0020	0.0100
	dimethoate	44	18	1	0.00311	0.0010	0.0200
	endosulfan I	44	2	5	0.00021	0.0002	0.0040
	endosulfan II	44	4	14	0.00050	0.0001	0.0070
	endosulfan sulfate	44	3	19	0.00064	0.0002	0.0050
	ethion	44	1	0	0.00011	0.0050	0.0050
	ethylenethiourea	44	3	12	0.00266	0.0040	0.0190
	methamidophos	44	0	1	0.00002	0.0010	0.0010
	methoxychlor, p,p'	44	0	1	0.00005	0.0020	0.0020
	omethoate	44	9	5	0.00125	0.0010	0.0100
	parathion	44	1	0	0.00007	0.0030	0.0030
	parathion-methyl	44	0	2	0.00007	0.0010	0.0020
	permethrin, cis-	44	0	1	0.00001	0.0005	0.0005
	permethrin, trans-	44	0	1	0.00001	0.0005	0.0005
	phosmet	44	0	1	0.00009	0.0040	0.0040
	propargite	44	4	0	0.00523	0.0300	0.1100
	thiabendazole	44	5	2	0.01182	0.0030	0.1800

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	toluene	44	1	0	0.00030	0.0130	0.0130
	xylene, m- and/or p-	44	1	0	0.00045	0.0200	0.0200
226	BF, peaches						
	1,1,1-trichloroethane	44	1	0	0.00036	0.0160	0.0160
	4-cyclohexene-1,2-dicarboximide, cis-carbaryl	44	1	0	0.00395	0.1740	0.1740
	chloroform	44	6	14	0.00526	0.0004	0.0510
	chlorpyrifos	44	1	0	0.00039	0.0170	0.0170
	chlorpyrifos	44	0	16	0.00044	0.0002	0.0020
	DDE, p,p'	44	0	2	0.00001	0.0002	0.0002
	dicloran	44	1	0	0.00023	0.0100	0.0100
	dicofol, o,p'	44	0	1	0.00005	0.0020	0.0020
	dicofol, p,p'	44	1	0	0.00030	0.0130	0.0130
	endosulfan I	44	0	3	0.00003	0.0002	0.0006
	endosulfan II	44	1	4	0.00009	0.0004	0.0020
	endosulfan sulfate	44	1	7	0.00024	0.0002	0.0040
	esfenvalerate	44	0	6	0.00111	0.0010	0.0200
	fenvalerate	44	0	4	0.00102	0.0100	0.0140
	iprodione	44	10	5	0.00396	0.0006	0.0500
	iprodione metabolite isomer	44	2	8	0.00127	0.0007	0.0200
	parathion-methyl	44	1	5	0.00025	0.0008	0.0040
	permethrin, cis-	44	19	10	0.00918	0.0004	0.0700
	permethrin, trans-	44	20	9	0.01073	0.0005	0.0900
	propargite	44	1	1	0.00227	0.0100	0.0900
	propiconazole	44	1	1	0.00018	0.0040	0.0040
	toluene	44	1	0	0.00043	0.0190	0.0190
	xylene, m- and/or p-	44	1	0	0.00057	0.0250	0.0250
227	BF, pears						
	azinphos-methyl	44	1	9	0.00189	0.0050	0.0100
	carbaryl	44	0	1	0.00023	0.0100	0.0100
	chlorpyrifos	44	0	3	0.00005	0.0003	0.0010
	dicofol, p,p'	44	1	0	0.00014	0.0060	0.0060
	dimethoate	44	3	1	0.00100	0.0010	0.0300
	endosulfan I	44	4	8	0.00029	0.0002	0.0030
	endosulfan II	44	10	5	0.00115	0.0002	0.0100
	endosulfan sulfate	44	11	9	0.00239	0.0002	0.0200
	ethylenethiourea	44	8	20	0.00498	0.0030	0.0190
	fenpropathrin	44	2	0	0.00105	0.0150	0.0310
	omethoate	44	2	1	0.00020	0.0020	0.0040
	parathion-methyl	44	4	5	0.00090	0.0007	0.0200
	permethrin, cis-	44	0	7	0.00017	0.0001	0.0020
	permethrin, trans-	44	0	7	0.00018	0.0004	0.0020
	phosmet	44	3	6	0.00225	0.0040	0.0200
	thiabendazole	44	5	1	0.00570	0.0040	0.0700
	toluene	44	1	0	0.00027	0.0120	0.0120
	vinclozolin	44	0	1	0.00005	0.0020	0.0020
	xylene, m- and/or p-	44	1	0	0.00027	0.0120	0.0120

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
230	BF, juice, apple						
	4-cyclohexene-1,2-dicarboximide, cis-benomyl	44	2	0	0.00311	0.0410	0.0960
	benzyl	44	0	2	0.00075	0.0100	0.0230
	benzene*	44	4	8	0.00252	0.0020	0.0420
	bromobenzene	44	0	1	0.00005	0.0020	0.0020
	butylbenzene, n-carbaryl	44	0	1	0.00007	0.0030	0.0030
	carbaryl	44	1	12	0.00193	0.0020	0.0100
	carbon tetrachloride	44	0	1	0.00009	0.0040	0.0040
	chlorobenzene	44	0	2	0.00016	0.0020	0.0050
	chloroform	44	4	4	0.00114	0.0020	0.0130
	dimethoate	44	20	4	0.00448	0.0010	0.0300
	omethoate	44	10	5	0.00174	0.0004	0.0100
	styrene	44	0	1	0.00005	0.0020	0.0020
	tetrachloroethylene	44	0	1	0.00011	0.0050	0.0050
	thiabendazole	44	13	13	0.04575	0.0010	0.4000
	toluene	44	0	1	0.00002	0.0010	0.0010
	tris(2-butoxyethyl)phosphate	44	1	0	0.00018	0.0080	0.0080
231	BF, juice, orange						
	carbaryl	44	0	2	0.00016	0.0030	0.0040
	ethion	44	6	14	0.00062	0.0003	0.0040
	ethion oxygen analog	44	0	4	0.00004	0.0003	0.0008
	thiabendazole	44	0	2	0.00091	0.0200	0.0200
	xylene, m- and/or p-	44	1	0	0.00039	0.0170	0.0170
232	BF, vanilla custard/pudding						
	chlorpyrifos	44	0	1	0.00005	0.0020	0.0020
	DDE, p,p'	44	0	1	0.00001	0.0003	0.0003
	DDT, o,p'	44	0	1	0.00000	0.0001	0.0001
	DDT, p,p'	44	0	1	0.00002	0.0007	0.0007
	dieldrin	44	0	1	0.00001	0.0003	0.0003
	dimethoate	44	1	0	0.00023	0.0100	0.0100
	endosulfan sulfate	44	0	1	0.00000	0.0002	0.0002
	malathion	44	0	1	0.00005	0.0020	0.0020
	omethoate	44	1	0	0.00011	0.0050	0.0050
233	BF, fruit dessert/pudding						
	chlorpyrifos	44	3	3	0.00043	0.0010	0.0080
	dicloran	44	5	1	0.00170	0.0010	0.0200
	dicofol, o,p'-	44	1	0	0.00011	0.0050	0.0050
	dicofol, p,p'-	44	1	0	0.00045	0.0200	0.0200
	dimethoate	44	3	1	0.00020	0.0010	0.0030
	endosulfan I	44	1	2	0.00009	0.0002	0.0030
	endosulfan II	44	2	5	0.00018	0.0001	0.0030
	endosulfan sulfate	44	1	8	0.00034	0.0001	0.0040
	esfenvalerate	44	0	2	0.00011	0.0020	0.0030
	iprodione	44	11	8	0.00718	0.0010	0.1500

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	iprodione metabolite isomer	44	1	7	0.00085	0.0008	0.0100
	omethoate	44	1	1	0.00011	0.0010	0.0040
	parathion-methyl	44	0	1	0.00002	0.0009	0.0009
	permethrin, cis-	44	4	22	0.00199	0.0005	0.0100
	permethrin, trans-	44	4	22	0.00232	0.0006	0.0100
	propargite	44	1	1	0.00159	0.0200	0.0500
	thiabendazole	44	0	1	0.00002	0.0010	0.0010
235	Yogurt, lowfat, fruit-flavored						
	DDE, p,p'	44	0	8	0.00009	0.0002	0.0010
	dicloran	44	1	0	0.00023	0.0100	0.0100
	endosulfan I	44	0	6	0.00004	0.0001	0.0005
	endosulfan II	44	0	7	0.00008	0.0002	0.0010
	endosulfan sulfate	44	0	6	0.00004	0.0001	0.0006
	iprodione	44	3	3	0.00118	0.0010	0.0300
	iprodione metabolite isomer	44	0	1	0.00016	0.0070	0.0070
	malathion	44	0	3	0.00011	0.0010	0.0020
	vinclozolin	44	1	3	0.00017	0.0006	0.0040
236	Cheese, Swiss, natural						
	1,1,1-trichloroethane	44	1	2	0.00066	0.0040	0.0200
	1,2,4-trimethylbenzene	44	3	1	0.00309	0.0050	0.0790
	1,2-dichloroethene, trans-	44	0	1	0.00005	0.0020	0.0020
	benzene*	44	4	9	0.00218	0.0010	0.0350
	BHC, alpha	44	0	3	0.00002	0.0001	0.0004
	bromodichloromethane	44	1	2	0.00036	0.0030	0.0100
	carbon tetrachloride	44	0	1	0.00011	0.0050	0.0050
	chlorobenzene	44	1	1	0.00030	0.0020	0.0110
	chloroform	44	22	0	0.02298	0.0100	0.2300
	chlorotoluene, o-	44	0	1	0.00014	0.0060	0.0060
	DDE, p,p'	44	4	33	0.00120	0.0001	0.0070
	dieldrin	44	0	36	0.00066	0.0002	0.0030
	ethyl benzene	44	0	4	0.00023	0.0020	0.0040
	heptachlor epoxide	44	0	13	0.00014	0.0001	0.0010
	hexachlorobenzene	44	0	9	0.00009	0.0003	0.0005
	lindane	44	0	2	0.00001	0.0002	0.0002
	methoxychlor, p,p'	44	0	1	0.00002	0.0010	0.0010
	octachlor epoxide	44	0	4	0.00002	0.0001	0.0003
	permethrin, cis-	44	0	2	0.00004	0.0009	0.0009
	permethrin, trans-	44	0	2	0.00004	0.0009	0.0010
	styrene	44	1	4	0.00052	0.0020	0.0130
	tetrachloroethylene	44	3	0	0.00166	0.0110	0.0510
	toluene	44	23	3	0.01186	0.0020	0.0860
	trichloroethylene	44	2	8	0.00141	0.0030	0.0120
	xylene, m- and/or p-	44	1	7	0.00145	0.0020	0.0400
	xylene, o-	44	1	0	0.00034	0.0150	0.0150

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
237	Cream cheese						
	1,1,1-trichloroethane	44	1	2	0.00082	0.0030	0.0270
	benzene*	44	4	5	0.00132	0.0010	0.0170
	bromodichloromethane	44	0	1	0.00009	0.0040	0.0040
	carbon tetrachloride	44	0	1	0.00011	0.0050	0.0050
	chloroform	44	28	0	0.03884	0.0240	0.2060
	cumene (isopropyl benzene)	44	0	1	0.00005	0.0020	0.0020
	DDE, p,p'	44	19	25	0.00397	0.0002	0.0100
	DDT, p,p'	44	0	1	0.00000	0.0001	0.0001
	dieldrin	44	0	38	0.00079	0.0002	0.0030
	endosulfan sulfate	44	0	6	0.00010	0.0002	0.0020
	heptachlor epoxide	44	0	15	0.00021	0.0001	0.0020
	hexachlorobenzene	44	0	8	0.00007	0.0003	0.0005
	lindane	44	0	2	0.00002	0.0004	0.0004
	methoxychlor, p,p'	44	1	4	0.00024	0.0004	0.0040
	octachlor epoxide	44	0	7	0.00005	0.0001	0.0005
	permethrin, cis-	44	0	4	0.00007	0.0004	0.0010
	permethrin, trans-	44	0	4	0.00011	0.0009	0.0020
	styrene	44	0	2	0.00011	0.0020	0.0030
	tetrachloroethylene	44	1	2	0.00073	0.0040	0.0230
	toluene	44	25	0	0.00925	0.0060	0.0420
	trichloroethylene	44	0	3	0.00018	0.0020	0.0030
	xylene, m- and/or p-	44	1	3	0.00061	0.0020	0.0200
238	Veal cutlet, pan-cooked						
	chlorpropham	40	0	1	0.00003	0.0010	0.0010
	DDE, p,p'	40	2	0	0.00018	0.0020	0.0050
	lindane	40	0	2	0.00002	0.0004	0.0005
	malathion	40	0	1	0.00003	0.0010	0.0010
	permethrin, cis-	40	0	1	0.00005	0.0020	0.0020
	permethrin, trans-	40	0	1	0.00005	0.0020	0.0020
	polychlorinated biphenyls	40	0	1	0.00025	0.0100	0.0100
239	Luncheon meat (ham)						
	2-chloroethyl linoleate	44	0	1	0.00014	0.0060	0.0060
	DDT, p,p'	44	0	1	0.00001	0.0005	0.0005
	hexachlorobenzene	44	0	2	0.00001	0.0002	0.0004
240	Chicken breast, oven-roasted (skin removed)						
	atrazine	44	0	1	0.00002	0.0010	0.0010
	benzene*	44	1	0	0.00082	0.0360	0.0360
	chlorpropham	44	2	0	0.00023	0.0040	0.0060
	DDE, p,p'	44	0	5	0.00006	0.0002	0.0008
	malathion	44	0	1	0.00002	0.0010	0.0010
	pentachlorophenol	44	1	0	0.00023	0.0100	0.0100
	polychlorinated biphenyls	44	0	2	0.00136	0.0300	0.0300
	toluene	44	1	0	0.00045	0.0200	0.0200

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
241	Chicken nuggets, fast-food						
	1,1,1-trichloroethane	44	0	7	0.00073	0.0030	0.0070
	2-chloroethyl linoleate	44	4	2	0.00798	0.0050	0.2700
	2-chloroethyl myristate	44	0	1	0.00007	0.0030	0.0030
	2-chloroethyl palmitate	44	1	3	0.00114	0.0010	0.0400
	benzene*	44	6	12	0.00595	0.0010	0.1000
	bromodichloromethane	44	0	3	0.00023	0.0030	0.0040
	butylbenzene, n-	44	1	6	0.00102	0.0030	0.0100
	carbon tetrachloride	44	0	2	0.00018	0.0030	0.0050
	chlorobenzene	44	1	2	0.00043	0.0030	0.0100
	chloroform	44	4	9	0.00393	0.0020	0.1040
	chlorotoluene, o-	44	1	0	0.00030	0.0130	0.0130
	chlorpropham	44	2	7	0.00089	0.0020	0.0060
	chlorpyrifos	44	0	1	0.00002	0.0010	0.0010
	chlorpyrifos-methyl	44	2	21	0.00063	0.0003	0.0050
	cumene (isopropyl benzene)	44	3	3	0.00152	0.0070	0.0170
	DDE, p,p'	44	0	2	0.00001	0.0001	0.0004
	DDT, p,p'	44	0	1	0.00002	0.0009	0.0009
	diazinon	44	0	1	0.00002	0.0010	0.0010
	dichlorobenzene, p-	44	2	1	0.00423	0.0050	0.1380
	dichlorooctadecenoic acids	44	1	0	0.01409	0.6200	0.6200
	dieldrin	44	0	1	0.00000	0.0002	0.0002
	endosulfan I	44	0	1	0.00002	0.0010	0.0010
	ethion	44	0	1	0.00001	0.0004	0.0004
	ethyl benzene	44	4	14	0.00282	0.0020	0.0230
	hexachlorobenzene	44	0	1	0.00000	0.0001	0.0001
	malathion	44	2	27	0.00119	0.0003	0.0100
	propylbenzene, n-	44	0	5	0.00039	0.0030	0.0040
	styrene	44	25	2	0.01370	0.0060	0.0780
	tetrachloroethylene	44	3	5	0.00098	0.0020	0.0110
	toluene	44	31	0	0.04180	0.0100	0.2300
	trichloroethylene	44	0	9	0.00073	0.0020	0.0050
	xylene, m- and/or p-	44	4	16	0.00650	0.0030	0.0870
	xylene, o-	44	2	12	0.00193	0.0020	0.0360
242	Chicken, fried (breast, leg, and thigh), fast-food						
	1,1,1-trichloroethane	40	1	3	0.00063	0.0030	0.0100
	1,2-dichloroethene, trans-	40	0	1	0.00005	0.0020	0.0020
	2-chloroethyl linoleate	40	3	2	0.00310	0.0060	0.0600
	2-chloroethyl palmitate	40	0	2	0.00030	0.0040	0.0080
	benzene*	40	9	5	0.00273	0.0020	0.0160
	chloroform	40	1	5	0.00068	0.0020	0.0100
	chlorpropham	40	0	1	0.00008	0.0030	0.0030
	chlorpyrifos-methyl	40	0	8	0.00013	0.0002	0.0010
	cumene (isopropyl benzene)	40	3	0	0.00105	0.0120	0.0160
	DDE, p,p'	40	0	5	0.00005	0.0002	0.0006
	diazinon	40	1	0	0.00005	0.0020	0.0020
	dichlorobenzene, p-	40	1	0	0.00070	0.0280	0.0280

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	dichlorooctadecenoic acids	40	1	0	0.00450	0.1800	0.1800
	dieldrin	40	0	5	0.00007	0.0002	0.0008
	ethion	40	0	1	0.00001	0.0004	0.0004
	ethyl benzene	40	2	6	0.00125	0.0020	0.0220
	hexachlorobenzene	40	1	0	0.00005	0.0020	0.0020
	malathion	40	1	7	0.00026	0.0004	0.0030
	propylbenzene, n-	40	0	1	0.00008	0.0030	0.0030
	styrene	40	11	7	0.00645	0.0030	0.0530
	tetrachloroethylene	40	0	1	0.00005	0.0020	0.0020
	toluene	40	26	0	0.02115	0.0110	0.1040
	trichloroethylene	40	0	5	0.00038	0.0020	0.0040
	xylene, m- and/or p-	40	5	11	0.00528	0.0020	0.0920
	xylene, o-	40	1	4	0.00100	0.0020	0.0320
243	Haddock						
	BHC, alpha	20	0	1	0.00002	0.0003	0.0003
	DDE, p,p'	20	0	3	0.00012	0.0005	0.0010
	dieldrin	20	0	2	0.00003	0.0002	0.0003
	hexachlorobenzene	20	0	6	0.00009	0.0002	0.0003
244	Shrimp, boiled						
	atrazine	44	0	1	0.00002	0.0009	0.0009
	BHC, alpha	44	0	3	0.00001	0.0001	0.0003
	BHC, beta	44	0	1	0.00002	0.0008	0.0008
	chlorpropham	44	1	0	0.00023	0.0100	0.0100
	DDE, p,p'	44	2	12	0.00029	0.0001	0.0050
	DDT, o,p'	44	0	1	0.00000	0.0002	0.0002
	DDT, p,p'	44	0	1	0.00005	0.0020	0.0020
	TDE, p,p'	44	0	1	0.00001	0.0004	0.0004
245	Kidney beans, dry, boiled						
	pirimiphos-methyl	40	1	0	0.00013	0.0050	0.0050
	vinclozolin	40	0	1	0.00003	0.0010	0.0010
246	Peas, mature, dry, boiled						
	acephate	40	3	0	0.00030	0.0020	0.0060
	diazinon	40	1	0	0.00025	0.0100	0.0100
	diphenyl 2-ethylhexyl phosphate	40	7	0	0.01333	0.0200	0.3000
	lindane	40	0	1	0.00001	0.0004	0.0004
	methamidophos	40	2	0	0.00013	0.0020	0.0030
	pentachloroaniline	40	0	1	0.00001	0.0002	0.0002
	toluene	40	1	0	0.00025	0.0100	0.0100
247	Mixed nuts, no peanuts, dry roasted						
	1,1,1-trichloroethane	40	0	4	0.00045	0.0030	0.0070
	1,2,4-trimethylbenzene	40	16	3	0.01498	0.0050	0.1130
	benzene*	40	4	7	0.00160	0.0010	0.0120
	BHC, alpha	40	5	14	0.00124	0.0002	0.0100

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	BHC, beta	40	0	9	0.00019	0.0001	0.0030
	BHC, delta	40	2	9	0.00037	0.0002	0.0040
	chloroform	40	1	5	0.00080	0.0020	0.0140
	chlorpyrifos	40	5	14	0.00240	0.0004	0.0280
	chlorpyrifos-methyl	40	0	1	0.00005	0.0020	0.0020
	cumene (isopropyl benzene)	40	0	7	0.00075	0.0020	0.0080
	DDE, p,p'	40	0	1	0.00002	0.0008	0.0008
	DDT, o,p'	40	0	4	0.00014	0.0007	0.0020
	DDT, p,p'	40	2	11	0.00103	0.0010	0.0090
	diazinon	40	0	1	0.00003	0.0010	0.0010
	dichlorobenzene, p-	40	1	2	0.00065	0.0020	0.0150
	dieldrin	40	0	3	0.00004	0.0004	0.0006
	ethyl benzene	40	7	11	0.00475	0.0030	0.0380
	lindane	40	1	10	0.00018	0.0001	0.0020
	malathion	40	1	5	0.00055	0.0020	0.0100
	pentachloroaniline	40	0	2	0.00003	0.0005	0.0007
	pentachlorobenzene	40	0	1	0.00001	0.0003	0.0003
	propylbenzene, n-	40	2	0	0.00080	0.0130	0.0190
	styrene	40	27	0	0.03765	0.0210	0.1160
	tetrachloroethylene	40	6	2	0.00333	0.0030	0.0540
	toluene	40	28	0	0.05835	0.0210	0.5180
	trichloroethylene	40	0	8	0.00055	0.0020	0.0050
	xylene, m- and/or p-	40	11	9	0.01535	0.0070	0.1070
	xylene, o-	40	9	9	0.00518	0.0040	0.0250
248	Bread, cracked wheat						
	2,4-D	44	3	18	0.00156	0.0007	0.0100
	chlorpyrifos	44	1	9	0.00028	0.0004	0.0030
	chlorpyrifos-methyl	44	43	0	0.01211	0.0030	0.0300
	clopyralid	44	0	4	0.00013	0.0006	0.0020
	diazinon	44	1	1	0.00011	0.0010	0.0040
	dicamba	44	1	15	0.00085	0.0004	0.0090
	diphenyl 2-ethylhexyl phosphate	44	13	0	0.04141	0.0210	0.4100
	fenitrothion	44	1	0	0.00009	0.0040	0.0040
	heptachlor	44	0	1	0.00001	0.0005	0.0005
	malathion	44	43	0	0.01555	0.0030	0.0600
	methoxychlor, p,p'	44	0	1	0.00001	0.0003	0.0003
	permethrin, cis-	44	0	1	0.00002	0.0009	0.0009
	permethrin, trans-	44	0	1	0.00002	0.0009	0.0009
	pirimiphos-methyl	44	2	5	0.00057	0.0009	0.0100
	tricresyl phosphate	44	1	0	0.00205	0.0900	0.0900
	triphenyl phosphate	44	2	0	0.00057	0.0100	0.0150
	tris(beta-chloroethyl) phosphate	44	0	1	0.00002	0.0010	0.0010
249	Bagel, plain, toasted						
	chlorpropham	44	1	0	0.00023	0.0100	0.0100
	chlorpyrifos	44	0	6	0.00013	0.0002	0.0020
	chlorpyrifos-methyl	44	36	6	0.00770	0.0006	0.0300

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	DDE, p,p'	44	0	2	0.00001	0.0001	0.0003
	DDT, p,p'	44	0	2	0.00000	0.0001	0.0001
	diazinon	44	0	1	0.00002	0.0010	0.0010
	diphenyl 2-ethylhexyl phosphate	44	2	0	0.00182	0.0400	0.0400
	fenitrothion	44	0	1	0.00007	0.0030	0.0030
	heptachlor	44	0	1	0.00001	0.0006	0.0006
	malathion	44	33	8	0.00670	0.0010	0.0500
	methoxychlor, p,p'	44	0	1	0.00005	0.0020	0.0020
	phenylphenol, o-	44	2	0	0.00034	0.0050	0.0100
	phosalone	44	0	1	0.00016	0.0070	0.0070
	pirimiphos-methyl	44	4	7	0.00053	0.0004	0.0050
250	English muffin, plain, toasted						
	biphenyl	44	0	1	0.00011	0.0050	0.0050
	chlorpyrifos	44	0	1	0.00002	0.0010	0.0010
	chlorpyrifos-methyl	44	33	9	0.00566	0.0010	0.0200
	diazinon	44	1	0	0.00020	0.0090	0.0090
	dicloran	44	1	2	0.00020	0.0020	0.0050
	diphenyl 2-ethylhexyl phosphate	44	2	0	0.00136	0.0300	0.0300
	heptachlor	44	0	1	0.00002	0.0007	0.0007
	malathion	44	37	5	0.00764	0.0020	0.0290
	phenylphenol, o-	44	4	0	0.04307	0.2360	0.6830
	pirimiphos-methyl	44	2	3	0.00034	0.0004	0.0100
	polychlorinated biphenyls	44	1	0	0.00023	0.0100	0.0100
251	Crackers, graham						
	1,1,1-trichloroethane	44	0	3	0.00032	0.0030	0.0070
	1,2,4-trimethylbenzene	44	14	6	0.01134	0.0040	0.0970
	2-chloroethyl palmitate	44	0	1	0.00014	0.0060	0.0060
	benzene*	44	4	7	0.00182	0.0010	0.0320
	bromodichloromethane	44	0	1	0.00007	0.0030	0.0030
	butylbenzene, n-	44	0	3	0.00020	0.0030	0.0030
	carbon tetrachloride	44	0	1	0.00007	0.0030	0.0030
	chlorobenzene	44	0	3	0.00034	0.0030	0.0060
	chloroform	44	6	3	0.00298	0.0030	0.0560
	chlorpyrifos	44	0	8	0.00015	0.0003	0.0020
	chlorpyrifos-methyl	44	37	6	0.01256	0.0007	0.0500
	cumene (isopropyl benzene)	44	0	3	0.00032	0.0020	0.0060
	diazinon	44	0	1	0.00002	0.0010	0.0010
	dichlorobenzene, o-	44	0	1	0.00005	0.0020	0.0020
	dichlorobenzene, p-	44	2	9	0.00286	0.0030	0.0500
	ethyl benzene	44	1	9	0.00139	0.0020	0.0230
	malathion	44	44	0	0.01632	0.0040	0.0570
	methoxychlor, p,p'	44	0	13	0.00033	0.0003	0.0030
	pirimiphos-methyl	44	0	2	0.00003	0.0004	0.0010
	propylbenzene, n-	44	1	4	0.00091	0.0040	0.0150
	styrene	44	10	8	0.00400	0.0020	0.0210
	tetrachloroethylene	44	0	6	0.00041	0.0020	0.0050

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	toluene	44	24	4	0.01643	0.0050	0.1090
	trichloroethylene	44	1	1	0.00030	0.0020	0.0110
	triphenyl phosphate	44	1	0	0.00045	0.0200	0.0200
	xylene, m- and/or p-	44	3	16	0.00400	0.0020	0.0500
	xylene, o-	44	0	11	0.00107	0.0020	0.0110
252	Crackers, butter-type						
	1,1,1-trichloroethane	44	1	2	0.00034	0.0030	0.0080
	1,2,4-trimethylbenzene	44	9	3	0.00591	0.0040	0.0750
	benzene*	44	4	6	0.00143	0.0010	0.0180
	butylbenzene, n-	44	0	1	0.00011	0.0050	0.0050
	carbon tetrachloride	44	0	1	0.00007	0.0030	0.0030
	chlorobenzene	44	1	0	0.00036	0.0160	0.0160
	chloroform	44	2	8	0.00134	0.0020	0.0250
	chlorpyrifos-methyl	44	27	17	0.00849	0.0008	0.0500
	cumene (isopropyl benzene)	44	0	1	0.00007	0.0030	0.0030
	diazinon	44	1	0	0.00014	0.0060	0.0060
	dichlorobenzene, p-	44	1	2	0.00159	0.0020	0.0640
	diphenyl 2-ethylhexyl phosphate	44	2	0	0.00064	0.0080	0.0200
	endosulfan sulfate	44	0	1	0.00000	0.0002	0.0002
	ethyl benzene	44	0	6	0.00080	0.0030	0.0080
	hexachlorobenzene	44	0	3	0.00005	0.0004	0.0008
	malathion	44	39	5	0.01141	0.0010	0.0700
	methoxychlor, p,p'-	44	0	15	0.00023	0.0001	0.0020
	polychlorinated biphenyls	44	0	1	0.00025	0.0110	0.0110
	propylbenzene, n-	44	0	3	0.00034	0.0040	0.0070
	styrene	44	3	13	0.00259	0.0020	0.0290
	tetrachloroethylene	44	2	6	0.00111	0.0020	0.0190
	toluene	44	24	1	0.00989	0.0030	0.0570
	trichloroethylene	44	0	6	0.00043	0.0020	0.0050
	xylene, m- and/or p-	44	2	13	0.00302	0.0020	0.0370
	xylene, o-	44	1	8	0.00109	0.0020	0.0170
253	Apricot, raw						
	4-cyclohexene-1,2-dicarboximide, cis-	35	1	0	0.00323	0.1130	0.1130
	acephate	35	0	1	0.00006	0.0020	0.0020
	azinphos-methyl	35	12	1	0.05486	0.0100	0.7100
	benomyl	35	8	3	0.05160	0.0700	0.2700
	captan	35	10	2	0.01296	0.0007	0.2400
	carbaryl	35	13	2	0.24417	0.0060	2.0400
	chlorpyrifos	35	4	2	0.00109	0.0010	0.0160
	DDE, p,p'	35	0	2	0.00001	0.0001	0.0003
	diazinon	35	1	2	0.00014	0.0010	0.0030
	dicloran	35	0	1	0.00001	0.0003	0.0003
	dicofol, o,p'-	35	3	0	0.00274	0.0100	0.0460
	dicofol, p,p'-	35	3	0	0.01400	0.1400	0.1900
	endosulfan I	35	3	4	0.00024	0.0001	0.0030
	endosulfan II	35	6	5	0.00091	0.0001	0.0070

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	endosulfan sulfate	35	6	6	0.00195	0.0003	0.0200
	esfenvalerate	35	1	2	0.00231	0.0100	0.0600
	fenvalerate	35	0	5	0.00283	0.0090	0.0300
	iprodione	35	19	5	0.09163	0.0020	0.5900
	iprodione metabolite isomer	35	5	5	0.00275	0.0004	0.0300
	malathion	35	2	0	0.00080	0.0080	0.0200
	methamidophos	35	0	1	0.00002	0.0008	0.0008
	parathion	35	0	1	0.00003	0.0010	0.0010
	parathion-methyl	35	1	4	0.00184	0.0005	0.0600
	permethrin, cis-	35	0	1	0.00002	0.0007	0.0007
	permethrin, trans-	35	0	1	0.00003	0.0010	0.0010
	phosmet	35	17	1	0.15789	0.0060	1.4200
	propargite	35	2	0	0.03829	0.5200	0.8200
	thiabendazole	35	1	2	0.00429	0.0100	0.1000
	vinclozolin	35	1	0	0.00143	0.0500	0.0500
254	Peach, canned in light/medium syrup						
	1-naphthol	44	0	1	0.00023	0.0100	0.0100
	acephate	44	1	0	0.00005	0.0020	0.0020
	carbaryl	44	16	11	0.01323	0.0010	0.1000
	dicloran	44	0	1	0.00002	0.0010	0.0010
	endosulfan I	44	0	1	0.00001	0.0005	0.0005
	iprodione	44	3	2	0.00084	0.0020	0.0200
	iprodione metabolite isomer	44	2	2	0.00036	0.0010	0.0060
	methamidophos	44	1	0	0.00005	0.0020	0.0020
	permethrin, cis-	44	0	1	0.00001	0.0004	0.0004
	permethrin, trans-	44	0	1	0.00001	0.0005	0.0005
	toluene	44	2	0	0.00130	0.0210	0.0360
	tributyl phosphate	44	1	0	0.00045	0.0200	0.0200
	tris(2-butoxyethyl)phosphate	44	1	0	0.00039	0.0170	0.0170
255	Pear, canned in light syrup						
	carbaryl	44	0	1	0.00023	0.0100	0.0100
	dimethoate	44	0	1	0.00002	0.0010	0.0010
	diphenylamine	44	0	2	0.00009	0.0010	0.0030
	endosulfan sulfate	44	0	3	0.00010	0.0005	0.0020
	thiabendazole	44	0	2	0.00007	0.0010	0.0020
	toluene	44	1	0	0.00030	0.0130	0.0130
256	Pineapple juice, frozen conc, reconstituted						
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00068	0.0300	0.0300
	endosulfan sulfate	44	0	12	0.00015	0.0002	0.0020
257	Grape juice, frozen conc, reconstituted						
	4-cyclohexene-1,2-dicarboximide, cis-	44	1	0	0.00218	0.0960	0.0960
	captan	44	2	2	0.00040	0.0007	0.0100
	carbaryl	44	13	17	0.00589	0.0020	0.0200
	dicofol, o,p'-	44	0	1	0.00001	0.0006	0.0006

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	dicofol, p,p'-dimethoate	44	1	0	0.00016	0.0070	0.0070
	folpet	44	3	3	0.00022	0.0007	0.0030
	iprodione	44	3	0	0.00050	0.0040	0.0100
	omethoate	44	1	3	0.00025	0.0010	0.0070
	omethoate	44	1	1	0.00009	0.0010	0.0030
258	Potato, french-fried, fast-food						
	1,1,1-trichloroethane	44	0	2	0.00018	0.0030	0.0050
	1,2,4-trimethylbenzene	44	8	5	0.00723	0.0040	0.0720
	2-chloroethyl linoleate	44	2	0	0.00093	0.0200	0.0210
	2-chloroethyl palmitate	44	0	2	0.00016	0.0020	0.0050
	benzene*	44	10	2	0.00409	0.0020	0.0580
	bromodichloromethane	44	0	1	0.00007	0.0030	0.0030
	butylbenzene, n-	44	0	3	0.00041	0.0030	0.0100
	carbon tetrachloride	44	0	2	0.00018	0.0030	0.0050
	chlordane, cis-	44	0	1	0.00002	0.0007	0.0007
	chlorobenzene	44	1	1	0.00039	0.0040	0.0130
	chloroform	44	2	7	0.00423	0.0020	0.1460
	chlorpropham	44	31	2	0.28095	0.0020	1.2600
	chlorpyrifos	44	0	4	0.00010	0.0007	0.0020
	cumene (isopropyl benzene)	44	2	4	0.00100	0.0020	0.0240
	DDE, p,p'	44	1	10	0.00015	0.0001	0.0020
	DDT, p,p'	44	0	1	0.00001	0.0004	0.0004
	diazinon	44	1	0	0.00005	0.0020	0.0020
	dichlorobenzene, o-	44	1	0	0.00025	0.0110	0.0110
	dichlorobenzene, p-	44	1	3	0.00307	0.0050	0.1100
	dicloran	44	4	2	0.00041	0.0009	0.0060
	dieldrin	44	0	8	0.00008	0.0001	0.0007
	endosulfan sulfate	44	22	16	0.00295	0.0003	0.0120
	ethyl benzene	44	3	13	0.00230	0.0020	0.0220
	heptachlor epoxide	44	0	2	0.00001	0.0002	0.0003
	isopropyl(3-chloro-4-methoxyphenyl)carbamate	44	9	8	0.01300	0.0010	0.3600
	malathion	44	0	2	0.00006	0.0006	0.0020
	pentachloroaniline	44	0	4	0.00004	0.0001	0.0008
	pentachlorobenzene	44	0	5	0.00005	0.0002	0.0009
	pentachlorophenyl methyl sulfide	44	0	3	0.00002	0.0002	0.0003
	phorate sulfone	44	2	0	0.00102	0.0050	0.0400
	propylbenzene, n-	44	0	5	0.00057	0.0030	0.0100
	styrene	44	23	6	0.01795	0.0020	0.0940
	tetrachloroethylene	44	3	3	0.00068	0.0020	0.0080
	toluene	44	29	0	0.03409	0.0120	0.1680
	trichloroethylene	44	0	5	0.00034	0.0020	0.0040
	xylylene, m- and/or p-	44	4	16	0.00482	0.0020	0.0300
	xylylene, o-	44	0	14	0.00132	0.0020	0.0080
259	Carrot, fresh, peeled, boiled						
	chlorpropham	44	1	1	0.00011	0.0008	0.0040
	DDE, p,p'	44	4	11	0.00050	0.0002	0.0070

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	DDT, p,p'	44	0	1	0.00002	0.0007	0.0007
	diazinon	44	2	0	0.00039	0.0070	0.0100
	dicloran	44	2	0	0.00016	0.0030	0.0040
	dieldrin	44	0	3	0.00003	0.0001	0.0007
	endosulfan I	44	0	1	0.00001	0.0004	0.0004
	endosulfan II	44	0	1	0.00001	0.0004	0.0004
	endosulfan sulfate	44	0	2	0.00002	0.0001	0.0009
	iprodione	44	2	10	0.00084	0.0010	0.0090
	iprodione metabolite isomer	44	9	8	0.00325	0.0010	0.0200
	linuron	44	4	2	0.00148	0.0070	0.0200
	pentachloroaniline	44	1	1	0.00006	0.0005	0.0020
	thiabendazole	44	1	0	0.00009	0.0040	0.0040
260	Tomato, stewed, canned						
	1,1,2-trichloroethane	40	1	0	0.00045	0.0180	0.0180
	2-chloroethyl linoleate	40	7	4	0.00720	0.0030	0.1260
	2-chloroethyl palmitate	40	2	10	0.00205	0.0008	0.0400
	acephate	40	1	0	0.00015	0.0060	0.0060
	benzene*	40	1	0	0.00025	0.0100	0.0100
	carbaryl	40	0	1	0.00003	0.0010	0.0010
	chlorpyrifos	40	0	1	0.00002	0.0008	0.0008
	endosulfan I	40	0	2	0.00002	0.0002	0.0006
	endosulfan II	40	0	2	0.00003	0.0005	0.0006
	endosulfan sulfate	40	0	2	0.00003	0.0006	0.0007
	ethylenethiourea	40	0	1	0.00008	0.0030	0.0030
	methamidophos	40	7	2	0.00075	0.0010	0.0100
	parathion	40	0	1	0.00003	0.0010	0.0010
	permethrin, cis-	40	0	3	0.00011	0.0004	0.0020
	permethrin, trans-	40	0	3	0.00012	0.0007	0.0020
	toluene	40	1	0	0.00045	0.0180	0.0180
261	Tomato juice, bottled						
	carbaryl	44	0	5	0.00052	0.0030	0.0060
	DDE, p,p'	44	0	1	0.00000	0.0002	0.0002
	endosulfan I	44	0	4	0.00003	0.0002	0.0004
	endosulfan II	44	0	10	0.00012	0.0003	0.0010
	endosulfan sulfate	44	0	8	0.00007	0.0002	0.0010
	iprodione	44	1	0	0.00011	0.0050	0.0050
	methamidophos	44	11	3	0.00092	0.0005	0.0100
	phenylphenol, o-	44	1	0	0.00041	0.0180	0.0180
	tributyl phosphate	44	1	0	0.00018	0.0080	0.0080
	tris(chloropropyl) phosphate	44	2	0	0.00032	0.0040	0.0100
262	Beets, fresh/frozen, boiled						
	acephate	40	0	1	0.00003	0.0010	0.0010
	chlorpropham	40	1	0	0.00175	0.0700	0.0700
	DCPA	40	1	4	0.00010	0.0004	0.0020
	DDE, p,p'	40	3	11	0.00035	0.0001	0.0030

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	dieldrin	40	2	18	0.00053	0.0001	0.0060
	endosulfan I	40	0	1	0.00002	0.0008	0.0008
	endosulfan II	40	0	1	0.00002	0.0007	0.0007
	endosulfan sulfate	40	3	11	0.00040	0.0002	0.0030
	iprodione metabolite isomer	40	0	1	0.00005	0.0020	0.0020
	methamidophos	40	2	0	0.00025	0.0010	0.0090
	pentachloroaniline	40	2	2	0.00008	0.0001	0.0020
263	Brussels sprouts, fresh/frozen, boiled						
	acephate	44	1	0	0.00061	0.0270	0.0270
	carbaryl	44	0	1	0.00020	0.0090	0.0090
	chlorpyrifos	44	24	8	0.00750	0.0004	0.1400
	DDE, p,p'	44	1	20	0.00021	0.0001	0.0020
	demeton-S sulfone	44	2	0	0.00020	0.0040	0.0050
	diazinon	44	4	4	0.00043	0.0004	0.0100
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00136	0.0600	0.0600
	endosulfan I	44	2	2	0.00023	0.0001	0.0060
	endosulfan II	44	3	4	0.00033	0.0003	0.0060
	endosulfan sulfate	44	6	6	0.00053	0.0002	0.0060
	iprodione	44	0	1	0.00005	0.0020	0.0020
	iprodione metabolite isomer	44	1	0	0.00023	0.0100	0.0100
	methamidophos	44	7	2	0.00082	0.0009	0.0130
	omethoate	44	1	0	0.00018	0.0080	0.0080
	pentachloroaniline	44	0	3	0.00003	0.0003	0.0008
	permethrin, cis-	44	9	16	0.00559	0.0004	0.1200
	permethrin, trans-	44	7	18	0.00487	0.0003	0.1000
264	Mushrooms, raw						
	benomyl	44	14	13	0.07589	0.0190	0.5000
	chlorpropham	44	0	2	0.00007	0.0009	0.0020
	diazinon	44	12	4	0.00234	0.0010	0.0200
	dimethoate	44	1	0	0.00007	0.0030	0.0030
	esfenvalerate	44	0	1	0.00023	0.0100	0.0100
	lindane	44	1	0	0.00023	0.0100	0.0100
	omethoate	44	0	1	0.00007	0.0030	0.0030
	permethrin, cis-	44	2	4	0.00368	0.0003	0.1500
	permethrin, trans-	44	1	5	0.00290	0.0002	0.1200
	phenylphenol, o-	44	1	0	0.00025	0.0110	0.0110
	thiabendazole	44	28	7	0.21375	0.0010	1.3500
265	Eggplant, fresh, peeled, boiled						
	acephate	44	9	0	0.00589	0.0020	0.0900
	carbaryl	44	1	1	0.00084	0.0070	0.0300
	dimethoate	44	0	1	0.00002	0.0010	0.0010
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00068	0.0300	0.0300
	endosulfan II	44	0	1	0.00000	0.0002	0.0002
	endosulfan sulfate	44	0	4	0.00005	0.0001	0.0010
	ethylenethiourea	44	0	1	0.00009	0.0040	0.0040

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	methamidophos	44	19	1	0.01095	0.0020	0.1000
	methomyl	44	1	0	0.00023	0.0100	0.0100
	omethoate	44	0	1	0.00002	0.0010	0.0010
	tris(beta-chloroethyl) phosphate	44	1	0	0.00175	0.0770	0.0770
266	Turnip, fresh/frozen, boiled						
	chlorpyrifos	44	23	1	0.01516	0.0010	0.1200
	DCPA	44	11	3	0.00268	0.0009	0.0200
	DDE, p,p'	44	9	12	0.00101	0.0004	0.0100
	DDT, p,p'	44	0	2	0.00002	0.0001	0.0009
	dieldrin	44	3	8	0.00030	0.0001	0.0040
	dimethoate	44	2	0	0.00032	0.0040	0.0100
	endosulfan I	44	0	3	0.00002	0.0002	0.0004
	endosulfan II	44	1	5	0.00010	0.0003	0.0020
	endosulfan sulfate	44	3	10	0.00058	0.0003	0.0090
	omethoate	44	0	1	0.00005	0.0020	0.0020
	pentachloroaniline	44	1	3	0.00007	0.0002	0.0020
	permethrin, cis-	44	0	4	0.00015	0.0007	0.0030
	permethrin, trans-	44	0	4	0.00013	0.0006	0.0030
	phenylphenol, o-	44	0	1	0.00020	0.0090	0.0090
	TDE, p,p'	44	0	4	0.00005	0.0002	0.0008
267	Okra, fresh/frozen, boiled						
	acephate	44	1	0	0.00005	0.0020	0.0020
	carbaryl	44	1	1	0.00027	0.0020	0.0100
	chloroform	44	1	0	0.00025	0.0110	0.0110
	cypermethrin	44	1	0	0.00045	0.0200	0.0200
	dicloran	44	1	0	0.00018	0.0080	0.0080
	dimethoate	44	1	1	0.00025	0.0010	0.0100
	diphenyl 2-ethylhexyl phosphate	44	2	0	0.00091	0.0200	0.0200
	endosulfan I	44	2	3	0.00010	0.0001	0.0030
	endosulfan II	44	2	7	0.00038	0.0002	0.0100
	endosulfan sulfate	44	3	6	0.00048	0.0003	0.0100
	fenvalerate	44	0	1	0.00068	0.0300	0.0300
	methamidophos	44	1	0	0.00009	0.0040	0.0040
	parathion	44	1	0	0.00009	0.0040	0.0040
	permethrin, cis-	44	0	1	0.00005	0.0020	0.0020
	permethrin, trans-	44	0	1	0.00005	0.0020	0.0020
	phenylphenol, o-	44	0	1	0.00014	0.0060	0.0060
268	Mixed vegetables, frozen, boiled						
	1-naphthol	44	1	0	0.00025	0.0110	0.0110
	acephate	44	24	1	0.00665	0.0004	0.0400
	bifenthrin	44	0	3	0.00030	0.0020	0.0070
	carbaryl	44	0	2	0.00016	0.0030	0.0040
	DDE, p,p'	44	0	2	0.00002	0.0001	0.0009
	dieldrin	44	1	2	0.00006	0.0003	0.0020
	dimethoate	44	0	3	0.00006	0.0008	0.0010

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	endosulfan I	44	0	1	0.00001	0.0004	0.0004
	endosulfan II	44	0	1	0.00001	0.0005	0.0005
	endosulfan sulfate	44	1	0	0.00009	0.0040	0.0040
	methamidophos	44	21	3	0.00330	0.0003	0.0500
	methoxychlor, p,p'-	44	1	0	0.00023	0.0100	0.0100
	neburon	44	1	0	0.00023	0.0100	0.0100
	parathion-methyl	44	0	1	0.00001	0.0006	0.0006
	pentachloroaniline	44	1	0	0.00002	0.0010	0.0010
	pentachlorobenzene	44	1	0	0.00005	0.0020	0.0020
	pentachlorophenyl methyl sulfide	44	0	1	0.00000	0.0001	0.0001
	permethrin, cis-	44	0	1	0.00009	0.0040	0.0040
	permethrin, trans-	44	0	1	0.00007	0.0030	0.0030
	quintozene	44	0	1	0.00000	0.0002	0.0002
	TDE, p,p'	44	0	1	0.00002	0.0010	0.0010
	vinclozolin	44	1	7	0.00033	0.0007	0.0040
269	Beef stroganoff w/ noodles, homemade						
	benzene*	44	1	0	0.00059	0.0260	0.0260
	chlorpropham	44	1	0	0.00023	0.0100	0.0100
	chlorpyrifos	44	0	4	0.00010	0.0005	0.0020
	chlorpyrifos-methyl	44	6	29	0.00128	0.0003	0.0050
	DDE, p,p'	44	3	13	0.00029	0.0001	0.0020
	DDT, p,p'	44	0	1	0.00002	0.0009	0.0009
	diazinon	44	2	8	0.00031	0.0003	0.0060
	dieldrin	44	0	3	0.00002	0.0002	0.0003
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00023	0.0100	0.0100
	endosulfan sulfate	44	0	1	0.00000	0.0002	0.0002
	heptachlor epoxide	44	0	1	0.00000	0.0001	0.0001
	iprodione	44	1	2	0.00034	0.0030	0.0090
	malathion	44	5	18	0.00088	0.0004	0.0040
	methoxychlor, p,p'-	44	0	1	0.00002	0.0008	0.0008
	permethrin, cis-	44	1	0	0.00023	0.0100	0.0100
	permethrin, trans-	44	1	0	0.00023	0.0100	0.0100
	tetrachloroethylene	44	1	0	0.00082	0.0360	0.0360
270	Green peppers stuffed with beef and rice, homemade						
	azinphos-methyl	40	0	1	0.00003	0.0010	0.0010
	BHC, alpha	40	0	5	0.00004	0.0001	0.0005
	bifenthrin	40	0	1	0.00002	0.0008	0.0008
	chlorpropham	40	1	5	0.00063	0.0010	0.0170
	chlorpyrifos	40	9	3	0.00389	0.0004	0.0600
	cyfluthrin	40	0	5	0.00054	0.0006	0.0090
	DCPA	40	1	0	0.00005	0.0020	0.0020
	DDE, p,p'	40	1	17	0.00033	0.0002	0.0030
	DDT, p,p'	40	0	2	0.00002	0.0004	0.0005
	diazinon	40	1	0	0.00005	0.0020	0.0020
	dicofol, o,p'-	40	4	5	0.00098	0.0005	0.0100
	dicofol, p,p'-	40	8	1	0.01515	0.0040	0.1700

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	dieldrin	40	0	4	0.00004	0.0001	0.0008
	endosulfan I	40	11	5	0.00146	0.0003	0.0100
	endosulfan II	40	10	7	0.00215	0.0004	0.0200
	endosulfan sulfate	40	9	7	0.00147	0.0004	0.0100
	esfenvalerate	40	0	3	0.00038	0.0030	0.0070
	fenvalerate	40	0	2	0.00025	0.0040	0.0060
	heptachlor epoxide	40	0	1	0.00001	0.0005	0.0005
	lambda-cyhalothrin	40	0	3	0.00033	0.0020	0.0090
	malathion	40	0	1	0.00003	0.0010	0.0010
	permethrin, cis-	40	5	11	0.00340	0.0004	0.0700
	permethrin, trans-	40	6	10	0.00406	0.0005	0.0900
271	Chili con carne with beans, homemade						
	2-chloroethyl laurate	40	1	7	0.00068	0.0003	0.0070
	2-chloroethyl linoleate	40	29	2	0.27128	0.0080	2.4000
	2-chloroethyl myristate	40	7	6	0.00323	0.0010	0.0300
	2-chloroethyl palmitate	40	19	10	0.04473	0.0020	0.4000
	2-chloroethyl stearate	40	6	1	0.02508	0.0100	0.4300
	DCPA	40	0	1	0.00003	0.0010	0.0010
	DDE, p,p'	40	3	20	0.00044	0.0002	0.0030
	dieldrin	40	0	3	0.00002	0.0002	0.0002
	diphenyl 2-ethylhexyl phosphate	40	1	0	0.00075	0.0300	0.0300
	ethion	40	0	1	0.00001	0.0004	0.0004
	lindane	40	0	1	0.00000	0.0001	0.0001
	malathion	40	0	1	0.00005	0.0020	0.0020
	toluene	40	1	0	0.00040	0.0160	0.0160
	xylene, m- and/or p-	40	1	0	0.00025	0.0100	0.0100
272	Tuna noodle casserole, homemade						
	chlorotoluene, p- (4-chlorotoluene)	44	1	0	0.00068	0.0300	0.0300
	chlorpropham	44	3	3	0.00056	0.0005	0.0080
	chlorpyrifos	44	2	10	0.00037	0.0002	0.0040
	chlorpyrifos-methyl	44	0	31	0.00071	0.0003	0.0020
	DDE, p,p'	44	5	29	0.00072	0.0002	0.0030
	DDT, p,p'	44	0	1	0.00001	0.0003	0.0003
	diazinon	44	1	2	0.00018	0.0008	0.0060
	dicloran	44	28	6	0.00938	0.0009	0.0900
	dicofol, p,p'-	44	1	0	0.00023	0.0100	0.0100
	dieldrin	44	0	6	0.00002	0.0001	0.0004
	endosulfan I	44	3	7	0.00029	0.0002	0.0060
	endosulfan II	44	3	8	0.00042	0.0002	0.0100
	endosulfan sulfate	44	2	12	0.00160	0.0002	0.0600
	malathion	44	3	17	0.00092	0.0008	0.0100
	methoxychlor, p,p'-	44	0	1	0.00000	0.0002	0.0002
	parathion-methyl	44	1	1	0.00009	0.0010	0.0030
	permethrin, cis-	44	0	16	0.00051	0.0005	0.0030
	permethrin, trans-	44	0	16	0.00043	0.0005	0.0030
	procymidone	44	1	0	0.00014	0.0060	0.0060

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	toluene	44	2	0	0.00161	0.0210	0.0500
	vinclozolin	44	0	1	0.00002	0.0010	0.0010
273	Frozen meal - salisbury steak with gravy, potatoes, and vegetables, heated						
	2-chloroethyl linoleate	40	2	7	0.00165	0.0010	0.0200
	2-chloroethyl palmitate	40	0	2	0.00010	0.0010	0.0030
	2-chloroethyl stearate	40	0	1	0.00020	0.0080	0.0080
	BHC, alpha	40	0	1	0.00001	0.0003	0.0003
	chloroform	40	1	0	0.00028	0.0110	0.0110
	chlorpropham	40	37	2	0.01943	0.0020	0.0910
	chlorpyrifos-methyl	40	0	9	0.00020	0.0005	0.0020
	DDE, p,p'	40	0	25	0.00032	0.0001	0.0010
	dicloran	40	1	1	0.00015	0.0008	0.0050
	dieldrin	40	0	6	0.00002	0.0001	0.0003
	endosulfan sulfate	40	0	13	0.00013	0.0001	0.0010
	heptachlor epoxide	40	0	1	0.00001	0.0003	0.0003
	malathion	40	1	5	0.00027	0.0007	0.0040
	pentachloroaniline	40	1	0	0.00003	0.0010	0.0010
	pentachlorobenzene	40	0	1	0.00002	0.0008	0.0008
	pentachlorophenyl methyl sulfide	40	0	1	0.00001	0.0004	0.0004
	quintozene	40	0	1	0.00001	0.0002	0.0002
	toluene	40	1	0	0.00035	0.0140	0.0140
	vinclozolin	40	0	12	0.00043	0.0007	0.0020
	xylene, m- and/or p-	40	1	0	0.00030	0.0120	0.0120
274	Frozen meal-turkey with gravy, dressing, potatoes, and vegetable, heated						
	2-chloroethyl linoleate	40	1	0	0.00393	0.1570	0.1570
	2-chloroethyl palmitate	40	1	0	0.00043	0.0170	0.0170
	chloroform	40	1	0	0.00035	0.0140	0.0140
	chlorpropham	40	35	3	0.01633	0.0020	0.0500
	chlorpyrifos	40	0	4	0.00004	0.0003	0.0006
	chlorpyrifos-methyl	40	0	6	0.00009	0.0002	0.0010
	DDE, p,p'	40	0	5	0.00003	0.0001	0.0007
	diazinon	40	0	1	0.00002	0.0007	0.0007
	dicloran	40	0	1	0.00005	0.0020	0.0020
	dieldrin	40	0	2	0.00001	0.0001	0.0003
	endosulfan sulfate	40	1	10	0.00015	0.0001	0.0020
	malathion	40	0	8	0.00027	0.0009	0.0020
	vinclozolin	40	0	4	0.00010	0.0004	0.0020
	xylene, m- and/or p-	40	1	0	0.00030	0.0120	0.0120
275	Quarter-pound cheeseburger on bun, fast-food						
	1,1,1-trichloroethane	44	0	2	0.00016	0.0030	0.0040
	2-chloroethyl linoleate	44	0	1	0.00020	0.0090	0.0090
	2-chloroethyl palmitate	44	0	1	0.00005	0.0020	0.0020
	benzene*	44	18	4	0.00902	0.0030	0.0540
	BHC, alpha	44	0	2	0.00002	0.0002	0.0008
	butylbenzene, n-	44	0	4	0.00061	0.0040	0.0090

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	chlorobenzene	44	0	1	0.00011	0.0050	0.0050
	chloroform	44	6	6	0.00566	0.0020	0.1460
	chlorpyrifos	44	1	8	0.00022	0.0003	0.0040
	chlorpyrifos-methyl	44	18	22	0.00257	0.0004	0.0100
	cumene (isopropyl benzene)	44	1	0	0.00023	0.0100	0.0100
	DDE, p,p'	44	33	10	0.00389	0.0004	0.0100
	DDT, p,p'	44	0	1	0.00000	0.0002	0.0002
	diazinon	44	0	1	0.00002	0.0009	0.0009
	dichlorobenzene, o-	44	0	2	0.00018	0.0040	0.0040
	dichlorobenzene, p-	44	0	1	0.00014	0.0060	0.0060
	dieldrin	44	1	35	0.00045	0.0001	0.0030
	endosulfan I	44	0	5	0.00003	0.0002	0.0004
	endosulfan II	44	0	6	0.00005	0.0001	0.0010
	endosulfan sulfate	44	0	18	0.00023	0.0001	0.0010
	ethyl benzene	44	1	9	0.00077	0.0020	0.0110
	heptachlor epoxide	44	0	4	0.00003	0.0001	0.0007
	hexachlorobenzene	44	0	2	0.00001	0.0001	0.0002
	lindane	44	2	4	0.00021	0.0001	0.0060
	malathion	44	24	16	0.00342	0.0008	0.0100
	octachlor epoxide	44	0	1	0.00000	0.0001	0.0001
	permethrin, cis-	44	0	1	0.00011	0.0050	0.0050
	permethrin, trans-	44	1	0	0.00023	0.0100	0.0100
	pirimiphos-methyl	44	0	3	0.00011	0.0010	0.0020
	propylbenzene, n-	44	0	1	0.00018	0.0080	0.0080
	quintozene	44	1	0	0.00002	0.0010	0.0010
	styrene	44	8	9	0.00425	0.0040	0.0230
	tetrachloroethylene	44	2	1	0.00118	0.0040	0.0400
	toluene	44	31	0	0.02518	0.0120	0.1900
	trichloroethylene	44	0	7	0.00064	0.0020	0.0070
	xylene, m- and/or p-	44	4	15	0.00466	0.0020	0.0490
	xylene, o-	44	1	8	0.00075	0.0020	0.0140
276	Fish sandwich on bun, fast-food						
	BHC, alpha	44	0	2	0.00001	0.0001	0.0002
	BHC, beta	44	0	1	0.00000	0.0002	0.0002
	chlorpropham	44	0	5	0.00020	0.0008	0.0020
	chlorpyrifos	44	1	7	0.00027	0.0007	0.0030
	chlorpyrifos-methyl	44	21	21	0.00322	0.0004	0.0200
	DDE, p,p'	44	8	29	0.00073	0.0001	0.0020
	DDT, p,p'	44	0	2	0.00001	0.0001	0.0002
	diazinon	44	2	2	0.00011	0.0003	0.0020
	dieldrin	44	2	19	0.00029	0.0001	0.0020
	endosulfan I	44	1	2	0.00006	0.0002	0.0020
	endosulfan II	44	0	3	0.00005	0.0004	0.0010
	endosulfan sulfate	44	2	4	0.00019	0.0002	0.0030
	ethyl benzene	44	1	0	0.00023	0.0100	0.0100
	hexachlorobenzene	44	2	9	0.00015	0.0001	0.0020
	malathion	44	27	14	0.00415	0.0008	0.0200

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	methoxychlor, p,p'-	44	0	2	0.00003	0.0005	0.0009
	pentachloroaniline	44	0	3	0.00003	0.0002	0.0006
	pentachlorophenyl methyl sulfide	44	0	1	0.00000	0.0002	0.0002
	pirimiphos-methyl	44	1	1	0.00011	0.0010	0.0040
	styrene	44	1	0	0.00036	0.0160	0.0160
	toluene	44	1	0	0.00025	0.0110	0.0110
	xylene, m- and/or p-	44	2	0	0.00148	0.0290	0.0360
	xylene, o-	44	1	0	0.00027	0.0120	0.0120
277	Frankfurter on bun, fast-food						
	2-chloroethyl linoleate	40	11	5	0.02790	0.0030	0.2900
	2-chloroethyl myristate	40	1	3	0.00045	0.0008	0.0100
	2-chloroethyl palmitate	40	5	5	0.00287	0.0008	0.0500
	2-chloroethyl stearate	40	1	0	0.00025	0.0100	0.0100
	BHC, alpha	40	0	1	0.00000	0.0001	0.0001
	chlorpropham	40	0	1	0.00003	0.0010	0.0010
	chlorpyrifos	40	1	14	0.00409	0.0002	0.1500
	chlorpyrifos-methyl	40	24	13	0.00331	0.0007	0.0100
	DDE, p,p'	40	5	29	0.00067	0.0002	0.0020
	DDT, p,p'	40	0	7	0.00007	0.0001	0.0010
	diazinon	40	0	4	0.00007	0.0004	0.0010
	dieldrin	40	0	13	0.00009	0.0001	0.0006
	diphenyl 2-ethylhexyl phosphate	40	3	0	0.00300	0.0300	0.0500
	endosulfan I	40	0	1	0.00001	0.0002	0.0002
	endosulfan II	40	0	1	0.00001	0.0003	0.0003
	endosulfan sulfate	40	0	3	0.00002	0.0001	0.0006
	heptachlor epoxide	40	0	2	0.00001	0.0001	0.0003
	hexachlorobenzene	40	1	4	0.00007	0.0001	0.0020
	lindane	40	0	2	0.00002	0.0002	0.0004
	malathion	40	28	8	0.00448	0.0010	0.0100
	pirimiphos-methyl	40	1	2	0.00015	0.0010	0.0030
	styrene	40	1	0	0.00028	0.0110	0.0110
	toluene	40	1	0	0.00155	0.0620	0.0620
	xylene, m- and/or p-	40	1	0	0.00063	0.0250	0.0250
278	Egg, cheese, and ham on English muffin, fast-food						
	2-chloroethyl linoleate	44	0	1	0.00011	0.0050	0.0050
	chlorpyrifos	44	0	2	0.00004	0.0008	0.0010
	chlorpyrifos-methyl	44	16	24	0.00248	0.0006	0.0100
	DDE, p,p'	44	29	12	0.00248	0.0001	0.0060
	diazinon	44	0	2	0.00003	0.0005	0.0007
	dieldrin	44	0	8	0.00003	0.0001	0.0003
	endosulfan sulfate	44	0	1	0.00002	0.0010	0.0010
	malathion	44	23	17	0.00347	0.0007	0.0100
	methoxychlor, p,p'-	44	0	1	0.00001	0.0003	0.0003
	pirimiphos-methyl	44	1	4	0.00024	0.0006	0.0050
	xylene, m- and/or p-	44	2	0	0.00048	0.0100	0.0110

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
279	Taco/tostada w/ beef and cheese, from Mexican carry-out						
	1,1,1-trichloroethane	44	0	1	0.00007	0.0030	0.0030
	1,2,4-trimethylbenzene	44	2	0	0.00166	0.0150	0.0580
	2-chloroethyl caprate	44	0	2	0.00002	0.0005	0.0005
	2-chloroethyl laurate	44	0	4	0.00017	0.0007	0.0030
	2-chloroethyl linoleate	44	29	3	0.11925	0.0008	1.3900
	2-chloroethyl myristate	44	3	7	0.00134	0.0003	0.0200
	2-chloroethyl palmitate	44	15	10	0.01436	0.0010	0.1300
	2-chloroethyl stearate	44	7	1	0.01111	0.0050	0.1300
	benzene*	44	8	6	0.00327	0.0020	0.0310
	BHC, alpha	44	0	1	0.00000	0.0002	0.0002
	bromodichloromethane	44	0	1	0.00009	0.0040	0.0040
	butylbenzene, n-	44	0	1	0.00007	0.0030	0.0030
	carbon tetrachloride	44	0	1	0.00007	0.0030	0.0030
	chlorobenzene	44	0	1	0.00005	0.0020	0.0020
	chloroform	44	6	7	0.00280	0.0020	0.0490
	chlorpyrifos	44	2	14	0.00045	0.0001	0.0050
	chlorpyrifos-methyl	44	2	9	0.00045	0.0003	0.0060
	cumene (isopropyl benzene)	44	5	3	0.00211	0.0030	0.0270
	DCPA	44	0	1	0.00002	0.0010	0.0010
	DDE, p,p'	44	12	28	0.00107	0.0003	0.0040
	diazinon	44	0	2	0.00004	0.0006	0.0010
	dichlorobenzene, p-	44	0	1	0.00020	0.0090	0.0090
	dieldrin	44	1	10	0.00017	0.0001	0.0040
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00045	0.0200	0.0200
	endosulfan I	44	3	4	0.00020	0.0003	0.0050
	endosulfan II	44	3	6	0.00051	0.0003	0.0100
	endosulfan sulfate	44	4	7	0.00148	0.0004	0.0400
	ethion	44	1	4	0.00015	0.0003	0.0040
	ethyl benzene	44	1	13	0.00184	0.0020	0.0280
	fenvalerate	44	0	1	0.00005	0.0020	0.0020
	hexachlorobenzene	44	0	3	0.00003	0.0003	0.0004
	malathion	44	10	13	0.00156	0.0007	0.0080
	methoxychlor, p,p'	44	0	1	0.00002	0.0010	0.0010
	permethrin, cis-	44	0	5	0.00012	0.0004	0.0030
	permethrin, trans-	44	0	5	0.00014	0.0003	0.0040
	pirimiphos-methyl	44	1	1	0.00057	0.0010	0.0240
	propylbenzene, n-	44	0	3	0.00030	0.0030	0.0070
	styrene	44	16	8	0.01143	0.0050	0.0920
	tetrachloroethylene	44	2	3	0.00064	0.0040	0.0100
	toluene	44	28	0	0.02466	0.0090	0.1390
	trichloroethylene	44	0	2	0.00009	0.0020	0.0020
	xylene, m- and/or p-	44	4	16	0.00523	0.0030	0.0350
	xylene, o-	44	1	11	0.00152	0.0020	0.0280
280	Cheese pizza, regular crust, from pizza carry-out						
	1,1,1-trichloroethane	40	0	3	0.00028	0.0030	0.0050
	1,2,4-trimethylbenzene	40	1	2	0.00148	0.0040	0.0510

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	2-chloroethyl caprate	40	2	2	0.00040	0.0020	0.0070
	2-chloroethyl laurate	40	0	3	0.00028	0.0020	0.0050
	2-chloroethyl linoleate	40	15	6	0.01590	0.0020	0.0810
	2-chloroethyl myristate	40	2	4	0.00090	0.0020	0.0100
	2-chloroethyl palmitate	40	4	13	0.00305	0.0009	0.0300
	2-chloroethyl stearate	40	0	1	0.00025	0.0100	0.0100
	benzene*	40	0	6	0.00043	0.0010	0.0040
	butylbenzene, n-	40	0	1	0.00013	0.0050	0.0050
	chloroform	40	4	4	0.00128	0.0030	0.0110
	chlorpyrifos	40	1	17	0.00049	0.0002	0.0040
	chlorpyrifos-methyl	40	29	10	0.00520	0.0003	0.0200
	cumene (isopropyl benzene)	40	3	1	0.00108	0.0070	0.0150
	DDE, p,p'	40	16	20	0.00149	0.0002	0.0070
	DDT, p,p'	40	0	1	0.00000	0.0001	0.0001
	diazinon	40	2	2	0.00017	0.0006	0.0030
	dieldrin	40	1	8	0.00013	0.0001	0.0030
	endosulfan I	40	0	3	0.00003	0.0002	0.0005
	endosulfan II	40	0	4	0.00004	0.0002	0.0007
	endosulfan sulfate	40	0	3	0.00004	0.0004	0.0006
	endrin	40	0	1	0.00003	0.0010	0.0010
	ethyl benzene	40	2	5	0.00138	0.0020	0.0220
	heptachlor	40	0	1	0.00001	0.0004	0.0004
	lindane	40	0	1	0.00001	0.0005	0.0005
	malathion	40	23	12	0.00410	0.0010	0.0200
	permethrin, cis-	40	0	2	0.00003	0.0003	0.0009
	permethrin, trans-	40	0	2	0.00003	0.0003	0.0010
	pirimiphos-methyl	40	0	1	0.00005	0.0020	0.0020
	styrene	40	7	8	0.00478	0.0020	0.0380
	tetrachloroethylene	40	3	3	0.00128	0.0020	0.0160
	toluene	40	27	0	0.02493	0.0080	0.2530
	trichloroethylene	40	0	3	0.00015	0.0020	0.0020
	xylene, m- and/or p-	40	5	12	0.00460	0.0020	0.0270
	xylene, o-	40	0	6	0.00043	0.0020	0.0040

281 Pizza, cheese and pepperoni, regular crust, from pizza carry-out

	1,1,1-trichloroethane	44	0	4	0.00039	0.0030	0.0050
	2-chloroethyl caprate	44	2	4	0.00043	0.0010	0.0060
	2-chloroethyl laurate	44	0	4	0.00029	0.0009	0.0050
	2-chloroethyl linoleate	44	30	7	0.05068	0.0020	0.3200
	2-chloroethyl myristate	44	2	6	0.00086	0.0010	0.0100
	2-chloroethyl palmitate	44	9	23	0.00714	0.0003	0.0500
	2-chloroethyl stearate	44	3	0	0.00182	0.0200	0.0400
	benzene*	44	9	6	0.00536	0.0020	0.0820
	BHC, alpha	44	0	1	0.00000	0.0002	0.0002
	bromodichloromethane	44	0	1	0.00011	0.0050	0.0050
	carbon tetrachloride	44	0	1	0.00007	0.0030	0.0030
	chlorobenzene	44	0	3	0.00036	0.0020	0.0120
	chloroform	44	4	8	0.00539	0.0020	0.1640

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	chlorpyrifos	44	1	20	0.00054	0.0003	0.0050
	chlorpyrifos-methyl	44	32	10	0.00436	0.0009	0.0110
	cumene (isopropyl benzene)	44	2	1	0.00075	0.0080	0.0140
	DDE, p,p'	44	15	26	0.00123	0.0002	0.0050
	DDT, p,p'	44	0	1	0.00000	0.0001	0.0001
	diazinon	44	2	1	0.00015	0.0008	0.0040
	dichlorobenzene, p-	44	0	1	0.00014	0.0060	0.0060
	dieldrin	44	0	8	0.00007	0.0001	0.0008
	endosulfan I	44	0	5	0.00003	0.0001	0.0005
	endosulfan II	44	0	5	0.00004	0.0002	0.0007
	endosulfan sulfate	44	0	2	0.00001	0.0002	0.0004
	ethion	44	1	6	0.00015	0.0004	0.0020
	ethyl benzene	44	0	12	0.00098	0.0020	0.0070
	lindane	44	0	1	0.00001	0.0003	0.0003
	malathion	44	28	14	0.00422	0.0007	0.0300
	permethrin, cis-	44	0	3	0.00004	0.0004	0.0007
	permethrin, trans-	44	0	3	0.00004	0.0003	0.0008
	pirimiphos-methyl	44	0	2	0.00006	0.0007	0.0020
	styrene	44	14	9	0.00720	0.0030	0.0450
	tetrachloroethylene	44	5	5	0.00223	0.0020	0.0280
	toluene	44	30	0	0.03043	0.0100	0.3100
	trichloroethylene	44	0	6	0.00039	0.0020	0.0070
	xylene, m- and/or p-	44	8	16	0.00739	0.0040	0.0420
	xylene, o-	44	2	9	0.00123	0.0020	0.0140
282	Beef chow mein, from Chinese carry-out						
	chlorpyrifos	40	4	9	0.00062	0.0006	0.0050
	chlorpyrifos-methyl	40	1	8	0.00032	0.0004	0.0040
	cyfluthrin	40	0	1	0.00010	0.0040	0.0040
	DCPA	40	0	1	0.00001	0.0004	0.0004
	DDE, p,p'	40	0	3	0.00003	0.0001	0.0006
	diazinon	40	4	3	0.00053	0.0006	0.0090
	dicloran	40	12	6	0.00518	0.0004	0.1200
	dieldrin	40	0	1	0.00001	0.0002	0.0002
	endosulfan I	40	0	1	0.00000	0.0001	0.0001
	endosulfan II	40	0	1	0.00001	0.0005	0.0005
	endosulfan sulfate	40	0	4	0.00008	0.0002	0.0020
	malathion	40	0	7	0.00021	0.0007	0.0020
	permethrin, cis-	40	0	8	0.00031	0.0006	0.0030
	permethrin, trans-	40	0	8	0.00022	0.0006	0.0020
	styrene	40	1	0	0.00103	0.0410	0.0410
	toluene	40	1	0	0.00043	0.0170	0.0170
283	Soup, bean w/ bacon/pork, canned, cond, prepared w/ water						
	2-chloroethyl linoleate	44	1	0	0.01048	0.4610	0.4610
	2-chloroethyl myristate	44	0	1	0.00016	0.0070	0.0070
	2-chloroethyl palmitate	44	1	0	0.00143	0.0630	0.0630
	chlorpropham	44	0	2	0.00009	0.0020	0.0020

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	dieldrin	44	0	1	0.00000	0.0001	0.0001
	ethion	44	0	1	0.00001	0.0003	0.0003
284	Mushroom soup, canned, condensed, prepared with whole milk						
	chlorpropham	40	1	0	0.00025	0.0100	0.0100
	chlorpyrifos	40	0	1	0.00001	0.0005	0.0005
	chlorpyrifos-methyl	40	1	7	0.00036	0.0004	0.0040
	DDE, p,p'	40	1	2	0.00007	0.0002	0.0020
	diazinon	40	1	4	0.00017	0.0006	0.0030
	dieldrin	40	1	0	0.00005	0.0020	0.0020
	lindane	40	0	1	0.00002	0.0007	0.0007
	malathion	40	0	3	0.00013	0.0010	0.0020
	thiabendazole	40	2	9	0.00523	0.0100	0.0700
285	Clam chowder, New England, canned, cond, prepared w/ whole milk						
	benzene*	44	1	0	0.00030	0.0130	0.0130
	chlorpropham	44	24	6	0.02370	0.0010	0.2000
	chlorpyrifos-methyl	44	0	4	0.00005	0.0001	0.0010
	DDE, p,p'	44	3	6	0.00024	0.0001	0.0050
	dicloran	44	0	4	0.00010	0.0004	0.0020
	dieldrin	44	0	3	0.00001	0.0001	0.0003
	endosulfan sulfate	44	0	2	0.00001	0.0002	0.0003
	isopropyl(3-chloro-4-methoxyphenyl)carbamate	44	1	0	0.00020	0.0090	0.0090
286	Ice cream, regular, vanilla						
	1,1,1-trichloroethane	44	0	1	0.00007	0.0030	0.0030
	1,2,4-trimethylbenzene	44	0	1	0.00016	0.0070	0.0070
	benzene*	44	3	5	0.00118	0.0020	0.0140
	bromodichloromethane	44	0	5	0.00034	0.0030	0.0030
	butylbenzene, n-	44	0	1	0.00016	0.0070	0.0070
	chloroform	44	28	0	0.01884	0.0110	0.1180
	DDE, p,p'	44	14	21	0.00148	0.0002	0.0100
	dichlorobenzene, p-	44	0	1	0.00005	0.0020	0.0020
	dieldrin	44	1	21	0.00029	0.0001	0.0070
	endosulfan sulfate	44	0	2	0.00001	0.0002	0.0004
	ethyl benzene	44	0	2	0.00009	0.0020	0.0020
	heptachlor epoxide	44	0	2	0.00000	0.0001	0.0001
	hexachlorobenzene	44	0	2	0.00000	0.0001	0.0001
	permethrin, cis-	44	0	1	0.00001	0.0004	0.0004
	permethrin, trans-	44	0	1	0.00001	0.0006	0.0006
	styrene	44	0	5	0.00030	0.0020	0.0040
	tetrachloroethylene	44	1	3	0.00030	0.0020	0.0060
	toluene	44	3	12	0.00184	0.0010	0.0300
	trichloroethylene	44	0	1	0.00009	0.0040	0.0040
	xylene, m- and/or p-	44	0	11	0.00109	0.0020	0.0090
287	Sherbet, fruit-flavored						
	benzene*	44	3	8	0.00257	0.0010	0.0610

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	bromodichloromethane	44	0	3	0.00032	0.0030	0.0070
	butylbenzene, n-	44	0	1	0.00016	0.0070	0.0070
	captan	44	3	0	0.00893	0.0030	0.3600
	carbon tetrachloride	44	0	1	0.00007	0.0030	0.0030
	chloroform	44	15	2	0.00595	0.0050	0.0700
	cumene (isopropyl benzene)	44	1	0	0.00089	0.0390	0.0390
	DDE, p,p'	44	3	8	0.00025	0.0002	0.0030
	dieldrin	44	0	1	0.00001	0.0003	0.0003
	endosulfan sulfate	44	0	2	0.00001	0.0003	0.0003
	ethion	44	3	3	0.00022	0.0006	0.0030
	ethion oxygen analog	44	0	1	0.00000	0.0002	0.0002
	ethyl benzene	44	0	2	0.00011	0.0020	0.0030
	iprodione	44	1	1	0.00023	0.0003	0.0100
	methidathion	44	4	2	0.00056	0.0008	0.0090
	toluene	44	18	6	0.01625	0.0010	0.2030
	trichloroethylene	44	0	1	0.00009	0.0040	0.0040
	vinclozolin	44	0	1	0.00002	0.0008	0.0008
	xylene, m- and/or p-	44	6	9	0.00643	0.0020	0.0650
288	Popsicle, fruit-flavored						
	1,1,2-trichloroethane	44	1	0	0.00045	0.0200	0.0200
	1,2,4-trimethylbenzene	44	1	0	0.00382	0.1680	0.1680
	benzene*	44	1	10	0.00082	0.0010	0.0100
	bromodichloromethane	44	0	6	0.00050	0.0030	0.0060
	captan	44	1	0	0.00091	0.0400	0.0400
	carbaryl	44	1	2	0.00091	0.0040	0.0300
	chlorobenzene	44	0	1	0.00005	0.0020	0.0020
	chloroform	44	10	6	0.00350	0.0020	0.0200
	chlorpyrifos	44	0	1	0.00001	0.0003	0.0003
	cumene (isopropyl benzene)	44	4	0	0.00311	0.0120	0.0630
	dicofol, p,p'	44	2	5	0.00052	0.0008	0.0070
	dimethoate	44	0	1	0.00002	0.0010	0.0010
	ethion	44	1	2	0.00008	0.0005	0.0020
	ethion oxygen analog	44	0	1	0.00001	0.0003	0.0003
	iprodione	44	2	0	0.00045	0.0100	0.0100
	methidathion	44	1	5	0.00025	0.0010	0.0040
	styrene	44	1	5	0.00073	0.0020	0.0110
	toluene	44	7	12	0.00611	0.0010	0.1000
	trichloroethylene	44	0	1	0.00009	0.0040	0.0040
	tris(2-butoxyethyl)phosphate	44	2	0	0.00225	0.0090	0.0900
	xylene, m- and/or p-	44	1	0	0.00039	0.0170	0.0170
289	Chocolate snack cake with chocolate icing (e.g., Ding Dongs)						
	1,1,1-trichloroethane	40	0	2	0.00018	0.0030	0.0040
	1,2,4-trimethylbenzene	40	8	0	0.00495	0.0150	0.0490
	benzene*	40	3	5	0.00130	0.0010	0.0220
	chloroform	40	2	5	0.00093	0.0020	0.0100
	chlorpyrifos	40	0	1	0.00005	0.0020	0.0020

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	chlorpyrifos-methyl	40	17	16	0.00276	0.0007	0.0100
	DDE, p,p'	40	1	1	0.00012	0.0006	0.0040
	diazinon	40	1	1	0.00013	0.0010	0.0040
	dichlorobenzene, p-	40	0	3	0.00063	0.0070	0.0090
	lindane	40	0	1	0.00002	0.0009	0.0009
	malathion	40	9	14	0.00175	0.0009	0.0100
	pirimiphos-methyl	40	0	1	0.00003	0.0010	0.0010
	styrene	40	3	8	0.00185	0.0020	0.0170
	tetrachloroethylene	40	1	1	0.00025	0.0030	0.0070
	toluene	40	27	0	0.01620	0.0090	0.0620
	trichloroethylene	40	1	1	0.00040	0.0040	0.0120
	xylene, m- and/or p-	40	1	11	0.00145	0.0020	0.0150
	xylene, o-	40	0	1	0.00010	0.0040	0.0040

290 Doughnut, cake-type, any flavor

	1,1,1-trichloroethane	44	0	3	0.00025	0.0030	0.0040
	1,2,4-trimethylbenzene	44	7	5	0.00530	0.0040	0.0660
	2-chloroethyl laurate	44	0	1	0.00007	0.0030	0.0030
	2-chloroethyl linoleate	44	0	2	0.00041	0.0080	0.0100
	2-chloroethyl myristate	44	6	3	0.00418	0.0050	0.1090
	2-chloroethyl palmitate	44	1	2	0.00034	0.0020	0.0100
	benzene*	44	5	7	0.00180	0.0020	0.0200
	butylbenzene, n-	44	1	4	0.00100	0.0040	0.0170
	carbon tetrachloride	44	0	1	0.00007	0.0030	0.0030
	chlorobenzene	44	0	1	0.00007	0.0030	0.0030
	chloroform	44	1	7	0.00086	0.0020	0.0100
	chlorotoluene, o-	44	1	0	0.00025	0.0110	0.0110
	chlorotoluene, p- (4-chlorotoluene)	44	1	0	0.00023	0.0100	0.0100
	chlorpropham	44	0	1	0.00005	0.0020	0.0020
	chlorpyrifos	44	1	13	0.00053	0.0005	0.0030
	chlorpyrifos-methyl	44	28	12	0.00577	0.0008	0.0300
	cumene (isopropyl benzene)	44	1	2	0.00089	0.0050	0.0270
	DDE, p,p'	44	0	2	0.00002	0.0001	0.0006
	DDT, p,p'	44	0	2	0.00000	0.0001	0.0001
	diazinon	44	3	2	0.00032	0.0020	0.0040
	dichlorobenzene, p-	44	0	1	0.00025	0.0110	0.0110
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00136	0.0600	0.0600
	ethyl benzene	44	3	10	0.00202	0.0020	0.0160
	lindane	44	1	0	0.00005	0.0020	0.0020
	malathion	44	28	14	0.00688	0.0006	0.0300
	methoxychlor, p,p'	44	0	2	0.00002	0.0004	0.0005
	pirimiphos-methyl	44	1	3	0.00023	0.0020	0.0030
	propylbenzene, n-	44	3	4	0.00177	0.0070	0.0230
	styrene	44	23	4	0.01620	0.0050	0.0780
	tetrachloroethylene	44	5	4	0.00409	0.0020	0.0860
	toluene	44	30	0	0.05898	0.0090	0.4160
	trichloroethylene	44	0	4	0.00032	0.0030	0.0040
	xylene, m- and/or p-	44	9	15	0.00959	0.0040	0.0440

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	xylene, o-	44	4	13	0.00270	0.0020	0.0160
291	Brownie						
	1,1,1-trichloroethane	44	1	2	0.00034	0.0030	0.0080
	1,2,4-trimethylbenzene	44	14	4	0.01170	0.0060	0.0740
	benzene*	44	4	5	0.00220	0.0010	0.0400
	BHC, alpha	44	0	1	0.00000	0.0002	0.0002
	butylbenzene, n-	44	1	0	0.00014	0.0060	0.0060
	chlorobenzene	44	0	2	0.00023	0.0030	0.0070
	chloroform	44	5	9	0.00391	0.0020	0.0590
	chlorpyrifos	44	0	2	0.00004	0.0009	0.0010
	chlorpyrifos-methyl	44	23	14	0.00379	0.0003	0.0200
	cumene (isopropyl benzene)	44	0	3	0.00016	0.0020	0.0030
	diazinon	44	3	2	0.00024	0.0006	0.0040
	dichlorobenzene, o-	44	0	1	0.00011	0.0050	0.0050
	dichlorobenzene, p-	44	0	5	0.00057	0.0030	0.0070
	dieldrin	44	0	1	0.00000	0.0002	0.0002
	ethyl benzene	44	4	10	0.00186	0.0020	0.0140
	lindane	44	2	3	0.00013	0.0002	0.0020
	malathion	44	22	18	0.00526	0.0007	0.0300
	methoxychlor, p,p'	44	0	1	0.00007	0.0030	0.0030
	propylbenzene, n-	44	0	1	0.00009	0.0040	0.0040
	styrene	44	9	11	0.00452	0.0030	0.0250
	tetrachloroethylene	44	2	7	0.00111	0.0020	0.0150
	toluene	44	28	1	0.01930	0.0040	0.0920
	trichloroethylene	44	0	3	0.00023	0.0020	0.0050
	xylene, m- and/or p-	44	7	14	0.00759	0.0020	0.0680
	xylene, o-	44	4	8	0.00184	0.0020	0.0230
292	Sugar cookies						
	1,1,1-trichloroethane	44	0	2	0.00016	0.0030	0.0040
	1,2,4-trimethylbenzene	44	4	1	0.00602	0.0070	0.1700
	2-chloroethyl laurate	44	1	4	0.00045	0.0010	0.0080
	2-chloroethyl linoleate	44	0	2	0.00020	0.0010	0.0080
	2-chloroethyl myristate	44	9	0	0.00770	0.0200	0.1000
	2-chloroethyl palmitate	44	0	2	0.00016	0.0030	0.0040
	benzene*	44	4	3	0.00161	0.0020	0.0300
	butylbenzene, n-	44	1	2	0.00059	0.0030	0.0190
	chlorobenzene	44	0	3	0.00018	0.0020	0.0030
	chloroform	44	7	3	0.00243	0.0020	0.0260
	chlorpyrifos	44	0	4	0.00006	0.0003	0.0010
	chlorpyrifos-methyl	44	32	8	0.01245	0.0010	0.0500
	cumene (isopropyl benzene)	44	1	0	0.00032	0.0140	0.0140
	DDE, p,p'	44	0	4	0.00010	0.0004	0.0030
	DDT, p,p'	44	0	2	0.00002	0.0003	0.0007
	diazinon	44	1	1	0.00011	0.0007	0.0040
	dichlorobenzene, p-	44	1	4	0.00123	0.0020	0.0290
	dieldrin	44	1	0	0.00005	0.0020	0.0020

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	ethyl benzene	44	2	11	0.00168	0.0020	0.0190
	hexachlorobenzene	44	0	1	0.00001	0.0003	0.0003
	malathion	44	40	2	0.01152	0.0020	0.0500
	methoxychlor, p,p'-	44	0	2	0.00004	0.0006	0.0010
	pirimiphos-methyl	44	1	0	0.00020	0.0090	0.0090
	propylbenzene, n-	44	0	2	0.00018	0.0030	0.0050
	quintozene	44	1	0	0.00002	0.0010	0.0010
	styrene	44	29	1	0.05077	0.0070	0.1990
	tetrachloroethylene	44	2	4	0.00164	0.0020	0.0350
	toluene	44	26	0	0.04016	0.0060	0.4170
	trichloroethylene	44	1	3	0.00048	0.0020	0.0120
	xylene, m- and/or p-	44	4	15	0.00555	0.0020	0.0710
	xylene, o-	44	2	9	0.00170	0.0020	0.0240
293	Candy, hard, any flavor						
	benzene*	44	1	0	0.00027	0.0120	0.0120
	chlorpyrifos	44	1	4	0.00016	0.0004	0.0030
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00045	0.0200	0.0200
	ethion	44	1	4	0.00008	0.0002	0.0020
	ethion oxygen analog	44	0	1	0.00002	0.0007	0.0007
	methidathion	44	1	4	0.00015	0.0006	0.0030
	toluene	44	2	0	0.00148	0.0320	0.0330
	tris(beta-chloroethyl) phosphate	44	0	1	0.00002	0.0010	0.0010
	xylene, m- and/or p-	44	1	0	0.00036	0.0160	0.0160
294	Pretzels, hard, salted						
	chlorpropham	44	0	2	0.00009	0.0010	0.0030
	chlorpyrifos	44	0	7	0.00016	0.0006	0.0020
	chlorpyrifos-methyl	44	40	4	0.02050	0.0004	0.0800
	diazinon	44	0	1	0.00002	0.0010	0.0010
	malathion	44	39	4	0.01893	0.0010	0.2100
	methoxychlor, p,p'-	44	1	11	0.00044	0.0005	0.0070
	pirimiphos-methyl	44	1	2	0.00027	0.0009	0.0100
295	Syrup, chocolate						
	2-chloroethyl palmitate	44	1	0	0.00091	0.0400	0.0400
	chlorpyrifos	44	0	1	0.00001	0.0006	0.0006
	lindane	44	0	3	0.00002	0.0002	0.0004
296	Jelly, any flavor						
	4-cyclohexene-1,2-dicarboximide, cis-	44	2	0	0.00484	0.0450	0.1680
	benzene*	44	1	0	0.00052	0.0230	0.0230
	carbaryl	44	15	14	0.01109	0.0040	0.0900
	chlorpyrifos	44	0	1	0.00005	0.0020	0.0020
	cyprodinil	44	0	2	0.00007	0.0010	0.0020
	dicofol, p,p'-	44	0	1	0.00007	0.0030	0.0030
	dimethoate	44	0	1	0.00002	0.0010	0.0010
	diphenyl 2-ethylhexyl phosphate	44	1	0	0.00045	0.0200	0.0200

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	endosulfan I	44	1	0	0.00014	0.0060	0.0060
	endosulfan II	44	1	0	0.00020	0.0090	0.0090
	endosulfan sulfate	44	1	0	0.00009	0.0040	0.0040
	iprodione	44	4	3	0.00166	0.0010	0.0300
	iprodione metabolite isomer	44	0	1	0.00007	0.0030	0.0030
	malathion	44	1	0	0.00007	0.0030	0.0030
	parathion-methyl	44	0	1	0.00002	0.0009	0.0009
	thiabendazole	44	2	1	0.00170	0.0100	0.0490
297	Sweet cucumber pickles						
	benzene*	40	2	0	0.00093	0.0110	0.0260
	BHC, alpha	40	0	4	0.00005	0.0002	0.0009
	BHC, beta	40	0	2	0.00001	0.0001	0.0003
	BHC, delta	40	0	2	0.00001	0.0001	0.0001
	carbaryl	40	0	1	0.00020	0.0080	0.0080
	chlordane	40	0	1	0.00002	0.0009	0.0009
	chlordane, cis-	40	3	10	0.00022	0.0002	0.0020
	chlordane, trans-	40	1	11	0.00011	0.0001	0.0010
	chlorpropham	40	0	1	0.00005	0.0020	0.0020
	chlorpyrifos	40	8	8	0.00163	0.0005	0.0190
	DDE, p,p'	40	0	4	0.00008	0.0002	0.0010
	DDT, o,p'	40	0	1	0.00001	0.0005	0.0005
	DDT, p,p'	40	0	1	0.00000	0.0001	0.0001
	dicofol, p,p'-	40	1	0	0.00018	0.0070	0.0070
	dieldrin	40	27	10	0.00288	0.0004	0.0090
	endosulfan I	40	30	7	0.00273	0.0003	0.0100
	endosulfan II	40	25	13	0.00270	0.0004	0.0100
	endosulfan sulfate	40	32	8	0.00692	0.0008	0.0200
	ethion	40	1	1	0.00013	0.0010	0.0040
	ethylene dibromide	40	1	0	0.00033	0.0130	0.0130
	heptachlor epoxide	40	1	3	0.00006	0.0004	0.0009
	lindane	40	4	7	0.00060	0.0001	0.0090
	nonachlor, trans-	40	0	8	0.00010	0.0003	0.0009
	octachlor epoxide	40	0	2	0.00001	0.0001	0.0002
	permethrin, cis-	40	0	2	0.00005	0.0010	0.0010
	permethrin, trans-	40	0	2	0.00002	0.0004	0.0005
	TDE, p,p'	40	0	1	0.00001	0.0005	0.0005
	toxaphene	40	0	12	0.00453	0.0040	0.0300
	triphenyl phosphate	40	1	0	0.00025	0.0100	0.0100
	tris(beta-chloroethyl) phosphate	40	0	1	0.00005	0.0020	0.0020
298	Yellow mustard						
	1,1,2-trichloroethane	44	1	0	0.00148	0.0650	0.0650
	2-chloroethyl laurate	44	0	2	0.00014	0.0020	0.0040
	2-chloroethyl linoleate	44	34	3	0.25473	0.0080	1.5700
	2-chloroethyl myristate	44	12	9	0.00382	0.0010	0.0300
	2-chloroethyl palmitate	44	22	12	0.03102	0.0010	0.2400
	2-chloroethyl stearate	44	3	1	0.00200	0.0100	0.0400

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	BHC, alpha	44	11	20	0.00105	0.0001	0.0090
	BHC, beta	44	1	11	0.00014	0.0001	0.0020
	BHC, delta	44	0	9	0.00005	0.0001	0.0010
	chlorpropham	44	0	1	0.00005	0.0020	0.0020
	chlorpyrifos	44	0	3	0.00008	0.0004	0.0020
	chlorpyrifos-methyl	44	0	1	0.00002	0.0010	0.0010
	DDE, p,p'	44	0	1	0.00000	0.0002	0.0002
	DDT, p,p'	44	0	9	0.00010	0.0002	0.0010
	endosulfan I	44	0	1	0.00001	0.0004	0.0004
	endosulfan II	44	0	1	0.00001	0.0005	0.0005
	endosulfan sulfate	44	0	1	0.00001	0.0005	0.0005
	ethion	44	0	1	0.00001	0.0003	0.0003
	ethylene dichloride	44	1	0	0.00061	0.0270	0.0270
	lindane	44	4	34	0.00052	0.0001	0.0040
	malathion	44	0	1	0.00002	0.0010	0.0010
	TDE, p,p'	44	0	2	0.00001	0.0001	0.0003
	toluene	44	2	0	0.00211	0.0210	0.0720
299	Black olives						
	2-chloroethyl linoleate	44	1	0	0.00045	0.0200	0.0200
	2-chloroethyl palmitate	44	0	1	0.00005	0.0020	0.0020
	chloroform	44	1	0	0.00025	0.0110	0.0110
	chlorpyrifos	44	11	30	0.00189	0.0005	0.0060
	DCPA	44	1	13	0.00025	0.0002	0.0020
	DDE, p,p'	44	0	22	0.00014	0.0001	0.0006
	dicofol, o,p'-	44	0	1	0.00001	0.0003	0.0003
	dicofol, p,p'-	44	0	15	0.00090	0.0006	0.0050
	endosulfan I	44	6	17	0.00033	0.0001	0.0020
	endosulfan II	44	0	10	0.00010	0.0002	0.0010
	endosulfan sulfate	44	15	27	0.00244	0.0002	0.0100
	iprodione	44	0	1	0.00009	0.0040	0.0040
	lindane	44	0	3	0.00003	0.0002	0.0006
	toluene	44	2	0	0.00145	0.0110	0.0530
300	Sour cream						
	1,1,1-trichloroethane	44	1	0	0.00023	0.0100	0.0100
	1,2,4-trimethylbenzene	44	0	1	0.00009	0.0040	0.0040
	benzene*	44	4	4	0.00157	0.0030	0.0200
	bromodichloromethane	44	0	4	0.00030	0.0030	0.0040
	butylbenzene, n-	44	1	0	0.00082	0.0360	0.0360
	chlorobenzene	44	0	3	0.00014	0.0020	0.0020
	chloroform	44	28	1	0.02873	0.0040	0.1760
	DDE, p,p'	44	18	23	0.00240	0.0002	0.0200
	dichlorobenzene, p-	44	0	1	0.00005	0.0020	0.0020
	dieldrin	44	1	31	0.00032	0.0001	0.0020
	endosulfan sulfate	44	0	7	0.00008	0.0002	0.0009
	ethyl benzene	44	0	1	0.00005	0.0020	0.0020
	heptachlor epoxide	44	0	6	0.00003	0.0001	0.0004

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	hexachlorobenzene	44	0	8	0.00004	0.0001	0.0004
	lindane	44	0	1	0.00001	0.0003	0.0003
	methoxychlor, p,p'	44	0	2	0.00003	0.0004	0.0010
	permethrin, cis-	44	0	1	0.00002	0.0010	0.0010
	permethrin, trans-	44	0	1	0.00002	0.0010	0.0010
	propylbenzene, n-	44	1	0	0.00039	0.0170	0.0170
	styrene	44	2	2	0.00114	0.0050	0.0300
	tetrachloroethylene	44	1	0	0.00016	0.0070	0.0070
	toluene	44	7	8	0.00302	0.0010	0.0280
	trichloroethylene	44	0	2	0.00011	0.0020	0.0030
	xylene, m- and/or p-	44	0	2	0.00027	0.0020	0.0100
	xylene, o-	44	0	2	0.00011	0.0020	0.0030
301	Brown gravy, homemade						
	BHC, alpha	40	0	1	0.00000	0.0001	0.0001
	chlorpropham	40	7	1	0.00220	0.0009	0.0400
	chlorpyrifos	40	0	2	0.00003	0.0003	0.0010
	chlorpyrifos-methyl	40	2	14	0.00056	0.0002	0.0030
	DDE, p,p'	40	3	9	0.00037	0.0003	0.0040
	diazinon	40	1	0	0.00005	0.0020	0.0020
	dieldrin	40	0	4	0.00003	0.0001	0.0004
	heptachlor epoxide	40	0	1	0.00001	0.0002	0.0002
	lindane	40	0	1	0.00001	0.0004	0.0004
	malathion	40	5	8	0.00071	0.0007	0.0040
	polychlorinated biphenyls	40	0	1	0.00075	0.0300	0.0300
	toluene	40	1	0	0.00033	0.0130	0.0130
302	French salad dressing, regular						
	2-chloroethyl laurate	40	0	6	0.00030	0.0010	0.0030
	2-chloroethyl linoleate	40	30	3	0.41808	0.0060	4.3200
	2-chloroethyl myristate	40	10	16	0.00716	0.0005	0.0400
	2-chloroethyl palmitate	40	24	5	0.08883	0.0030	1.3700
	2-chloroethyl stearate	40	2	0	0.04250	0.0300	1.6700
	benzene*	40	1	0	0.00025	0.0100	0.0100
	BHC, alpha	40	0	2	0.00002	0.0003	0.0006
	BHC, beta	40	0	1	0.00001	0.0002	0.0002
	BHC, delta	40	0	1	0.00001	0.0002	0.0002
	chloroform	40	1	0	0.00053	0.0210	0.0210
	chlorpyrifos	40	0	1	0.00008	0.0030	0.0030
	cypermethrin	40	0	1	0.00025	0.0100	0.0100
	DCPA	40	0	1	0.00003	0.0010	0.0010
	DDE, p,p'	40	0	1	0.00001	0.0004	0.0004
	DDT, p,p'	40	0	1	0.00002	0.0006	0.0006
	dicofol, p,p'	40	1	0	0.00050	0.0200	0.0200
	dieldrin	40	0	2	0.00002	0.0004	0.0005
	ethion	40	2	2	0.00038	0.0020	0.0080
	lindane	40	0	1	0.00001	0.0002	0.0002
	xylene, m- and/or p-	40	1	0	0.00053	0.0210	0.0210

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
303	Italian salad dressing, low-calorie						
	2-chloroethyl laurate	40	0	1	0.00002	0.0009	0.0009
	2-chloroethyl linoleate	40	11	7	0.02220	0.0020	0.2400
	2-chloroethyl myristate	40	0	6	0.00030	0.0009	0.0060
	2-chloroethyl palmitate	40	7	7	0.00381	0.0004	0.0500
	2-chloroethyl stearate	40	0	1	0.00025	0.0100	0.0100
	chloroform	40	1	0	0.00050	0.0200	0.0200
	DCPA	40	1	2	0.00011	0.0002	0.0030
	ethion	40	0	2	0.00003	0.0002	0.0010
304	Olive/safflower oil						
	1,1,1-trichloroethane	40	1	0	0.00073	0.0290	0.0290
	1,2,4-trimethylbenzene	40	3	2	0.00230	0.0060	0.0490
	Aroclor 1260	40	0	1	0.00025	0.0100	0.0100
	benzene*	40	8	7	0.00580	0.0010	0.1010
	BHC, alpha	40	0	3	0.00007	0.0004	0.0020
	carbon tetrachloride	40	1	0	0.00025	0.0100	0.0100
	chlorobenzene	40	0	1	0.00018	0.0070	0.0070
	chloroform	40	0	5	0.00030	0.0020	0.0040
	chlorpyrifos	40	1	3	0.00030	0.0010	0.0080
	DDE, p,p'	40	0	17	0.00043	0.0003	0.0020
	DDT, p,p'	40	0	2	0.00010	0.0010	0.0030
	diazinon	40	1	0	0.00010	0.0040	0.0040
	diphenyl 2-ethylhexyl phosphate	40	2	0	0.00250	0.0400	0.0600
	endosulfan I	40	2	8	0.00021	0.0003	0.0020
	endosulfan II	40	0	13	0.00029	0.0004	0.0030
	endosulfan sulfate	40	13	18	0.00450	0.0002	0.0300
	ethyl benzene	40	1	5	0.00100	0.0020	0.0230
	hexachlorobenzene	40	0	1	0.00002	0.0008	0.0008
	lindane	40	1	10	0.00017	0.0002	0.0020
	malathion	40	1	0	0.00100	0.0400	0.0400
	methidathion	40	1	1	0.00020	0.0020	0.0060
	oxyfluorfen	40	0	2	0.00023	0.0030	0.0060
	procymidone	40	0	1	0.00002	0.0009	0.0009
	simazine	40	1	3	0.00073	0.0020	0.0200
	styrene	40	12	5	0.01113	0.0030	0.0710
	TDE, p,p'	40	0	2	0.00005	0.0009	0.0010
	tetrachloroethylene	40	1	1	0.00023	0.0020	0.0070
	toluene	40	16	1	0.00635	0.0040	0.0320
	trichloroethylene	40	0	2	0.00018	0.0030	0.0040
	xylene, m- and/or p-	40	4	9	0.00730	0.0020	0.1100
	xylene, o-	40	2	3	0.00143	0.0030	0.0230
305	Coffee, from ground						
	1-naphthol	44	1	0	0.00059	0.0260	0.0260
	carbaryl	44	0	1	0.00020	0.0090	0.0090
	ethyl benzene	44	1	0	0.00039	0.0170	0.0170

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	phenylphenol, o-	44	1	0	0.00057	0.0250	0.0250
	toluene	44	1	0	0.00027	0.0120	0.0120
306	Carbonated beverage, fruit-flavored, regular						
	benzene*	44	9	7	0.00302	0.0010	0.0190
	bromodichloromethane	44	0	3	0.00043	0.0030	0.0080
	carbaryl	44	0	2	0.00034	0.0050	0.0100
	carbon tetrachloride	44	0	1	0.00011	0.0050	0.0050
	chlorobenzene	44	0	3	0.00057	0.0030	0.0130
	chloroform	44	15	6	0.00757	0.0030	0.0700
	dichlorobenzene, o-	44	0	1	0.00020	0.0090	0.0090
	endosulfan sulfate	44	0	1	0.00002	0.0010	0.0010
	ethion	44	0	2	0.00002	0.0003	0.0005
	styrene	44	0	2	0.00011	0.0020	0.0030
	toluene	44	2	6	0.00105	0.0020	0.0180
	trichloroethylene	44	0	1	0.00005	0.0020	0.0020
	xylene, m- and/or p-	44	0	2	0.00009	0.0020	0.0020
307	Fruit drink (10% juice), canned or bottled						
	carbaryl	44	0	3	0.00048	0.0050	0.0100
	dimethoate	44	0	1	0.00002	0.0007	0.0007
	ethion	44	0	2	0.00005	0.0010	0.0010
	thiabendazole	44	0	1	0.00091	0.0400	0.0400
	toluene	44	1	0	0.00030	0.0130	0.0130
308	Martini						
	dimethoate	30	0	1	0.00002	0.0007	0.0007
309	Infant formula, soy-based, RTF						
	benzene*	44	2	6	0.00066	0.0010	0.0080
	chloroform	44	3	7	0.00120	0.0020	0.0130
	chlorpyrifos-methyl	44	0	1	0.00001	0.0004	0.0004
	styrene	44	0	1	0.00005	0.0020	0.0020
	toluene	44	0	6	0.00032	0.0010	0.0040
	xylene, m- and/or p-	44	0	1	0.00007	0.0030	0.0030
310	BF, egg yolk, strained						
	DDE, p,p'	12	0	1	0.00005	0.0006	0.0006
	dieldrin	12	0	5	0.00018	0.0003	0.0006
311	BF, cereal, rice, instant, prepared with whole milk						
	DDE, p,p'	40	1	7	0.00018	0.0002	0.0030
	methoxychlor, p,p'-	40	0	2	0.00003	0.0004	0.0007
	quinclorac	40	0	7	0.00060	0.0008	0.0060
312	BF, cereal, rice, strained						
	acephate	20	0	1	0.00005	0.0010	0.0010
	chlorpyrifos	20	1	12	0.00087	0.0006	0.0030

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	dimethoate	20	2	2	0.00030	0.0010	0.0020
	endosulfan I	20	1	3	0.00018	0.0003	0.0020
	endosulfan II	20	2	2	0.00034	0.0008	0.0030
	endosulfan sulfate	20	1	2	0.00029	0.0008	0.0030
	malathion	20	0	1	0.00005	0.0010	0.0010
	thiabendazole	20	1	1	0.00400	0.0200	0.0600
313	BF, bananas						
	endosulfan I	44	0	1	0.00000	0.0001	0.0001
	endosulfan II	44	0	1	0.00001	0.0005	0.0005
	endosulfan sulfate	44	0	1	0.00000	0.0002	0.0002
	pentachloroaniline	44	0	1	0.00000	0.0002	0.0002
314	BF, beets						
	no residue found	15	0	0	na	na	na
316	BF, split peas w/ ham						
	benzene*	27	1	0	0.00089	0.0240	0.0240
	chlorpropham	27	7	4	0.00285	0.0020	0.0200
	DDE, p,p'	27	0	1	0.00001	0.0004	0.0004
	diazinon	27	0	1	0.00001	0.0002	0.0002
	dieldrin	27	0	1	0.00001	0.0003	0.0003
	permethrin, cis-	27	0	1	0.00003	0.0008	0.0008
	permethrin, trans-	27	0	1	0.00003	0.0009	0.0009
	xylene, m- and/or p-	27	1	0	0.00048	0.0130	0.0130
317	BF, teething biscuits						
	1,2,4-trimethylbenzene	44	4	0	0.00148	0.0120	0.0220
	biphenyl	44	0	1	0.00007	0.0030	0.0030
	butylbenzene, n-	44	2	0	0.00075	0.0140	0.0190
	chlordane, cis-	44	0	1	0.00002	0.0008	0.0008
	chlordane, trans-	44	0	1	0.00002	0.0008	0.0008
	chloroform	44	1	0	0.00759	0.3340	0.3340
	chlorpyrifos	44	1	2	0.00011	0.0010	0.0030
	chlorpyrifos-methyl	44	30	13	0.03223	0.0005	0.5300
	DDE, p,p'	44	0	1	0.00000	0.0002	0.0002
	diazinon	44	0	1	0.00002	0.0010	0.0010
	diphenyl 2-ethylhexyl phosphate	44	2	0	0.00295	0.0500	0.0800
	malathion	44	30	12	0.01101	0.0006	0.2700
	methoxychlor, p,p'-	44	1	0	0.00007	0.0030	0.0030
	phenylphenol, o-	44	1	0	0.00016	0.0070	0.0070
	pirimiphos-methyl	44	1	0	0.00014	0.0060	0.0060
	styrene	44	1	0	0.00182	0.0800	0.0800
	toluene	44	3	0	0.00148	0.0130	0.0360
	tris(beta-chloroethyl) phosphate	44	0	2	0.00006	0.0006	0.0020
	xylene, m- and/or p-	44	2	0	0.00107	0.0200	0.0270

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
318	Salmon, steaks/fillets, baked						
	1,2,4,5-Tetrachlorobenzene	24	1	4	0.00041	0.0004	0.0080
	BHC, alpha	24	9	12	0.00082	0.0001	0.0020
	BHC, beta	24	0	3	0.00006	0.0003	0.0009
	chlordane, cis-	24	1	4	0.00016	0.0004	0.0010
	chlordane, trans-	24	0	3	0.00003	0.0002	0.0003
	chlorpropham	24	0	1	0.00004	0.0010	0.0010
	cypermethrin	24	0	1	0.00050	0.0120	0.0120
	DDE, p,p'	24	22	2	0.00804	0.0010	0.0180
	DDT, o,p'	24	0	1	0.00004	0.0010	0.0010
	DDT, p,p'	24	1	0	0.00021	0.0050	0.0050
	dieldrin	24	16	7	0.00184	0.0003	0.0040
	endosulfan sulfate	24	0	2	0.00005	0.0003	0.0008
	heptachlor epoxide	24	0	15	0.00020	0.0001	0.0006
	hexachlorobenzene	24	11	12	0.00098	0.0003	0.0020
	lindane	24	0	7	0.00008	0.0001	0.0006
	nonachlor, cis-	24	0	2	0.00005	0.0005	0.0007
	octachlor epoxide	24	1	13	0.00023	0.0001	0.0010
	oxyfluorfen	24	1	0	0.00167	0.0400	0.0400
	pentachlorobenzene	24	0	6	0.00003	0.0001	0.0002
	polychlorinated biphenyls	24	15	7	0.02438	0.0090	0.0550
	TDE, p,p'	24	13	3	0.00200	0.0009	0.0060
319	BF, cereal, rice w/apples						
	benomyl	18	0	1	0.00167	0.0300	0.0300
	captan	18	0	1	0.00003	0.0005	0.0005
	carbaryl	18	0	5	0.00111	0.0030	0.0050
	chlorpyrifos	18	1	8	0.00078	0.0002	0.0070
	dimethoate	18	1	0	0.00033	0.0060	0.0060
	endosulfan I	18	2	5	0.00023	0.0002	0.0020
	endosulfan II	18	1	8	0.00037	0.0003	0.0030
	endosulfan sulfate	18	0	12	0.00041	0.0002	0.0010
	fenpropathrin	18	0	1	0.00072	0.0130	0.0130
	piperonyl butoxide	18	0	1	0.00011	0.0020	0.0020
	thiabendazole	18	0	2	0.00222	0.0200	0.0200
320	BF, squash						
	bifenthrin	44	0	1	0.00007	0.0030	0.0030
	DCPA	44	0	1	0.00002	0.0010	0.0010
	DDE, p,p'	44	0	5	0.00007	0.0003	0.0010
	dieldrin	44	6	15	0.00181	0.0003	0.0330
	endosulfan I	44	2	2	0.00008	0.0001	0.0020
	endosulfan II	44	0	3	0.00005	0.0002	0.0010
	endosulfan sulfate	44	2	12	0.00048	0.0004	0.0040
	ethylenethiourea	44	0	2	0.00025	0.0050	0.0060
	heptachlor epoxide	44	0	4	0.00003	0.0001	0.0005
	hexachlorobenzene	44	3	2	0.00008	0.0002	0.0010
	octachlor epoxide	44	0	1	0.00001	0.0004	0.0004

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	pentachloroaniline	44	1	1	0.00013	0.0005	0.0050
	permethrin, cis-	44	0	2	0.00004	0.0008	0.0009
	permethrin, trans-	44	0	2	0.00004	0.0008	0.0009
	TDE, p,p'	44	0	1	0.00000	0.0002	0.0002
	toxaphene	44	0	1	0.00023	0.0100	0.0100
323	BF, cereal, oatmeal, dry, prepared w/ water						
	biphenyl	4	1	0	0.00050	0.0020	0.0020
	chlorpyrifos-methyl	4	0	1	0.00023	0.0009	0.0009
	clopyralid	4	0	2	0.00075	0.0010	0.0020
	dicamba	4	0	3	0.00085	0.0004	0.0020
324	BF, cereal, rice, dry, prepared w/ water						
	quinclorac	4	0	3	0.00063	0.0005	0.0010
325	BF, cereal, rice w/apples, dry, prepared w/ water						
	2,4-D	4	1	0	0.00175	0.0070	0.0070
	DDE, p,p'	4	0	1	0.00020	0.0008	0.0008
	phenylphenol, o-	4	2	0	0.01675	0.0140	0.0530
	phosmet	4	0	1	0.00075	0.0030	0.0030
	quinclorac	4	0	4	0.00145	0.0005	0.0040
326	BF, veal and broth/gravy						
	1,2,4-trimethylbenzene	4	3	1	0.01925	0.0080	0.0340
	benzene*	4	3	1	0.01250	0.0050	0.0190
	cumene (isopropyl benzene)	4	0	2	0.00100	0.0020	0.0020
	DDE, p,p'	4	0	1	0.00008	0.0003	0.0003
	ethyl benzene	4	0	2	0.00150	0.0020	0.0040
	propylbenzene, n-	4	0	3	0.00425	0.0040	0.0080
	tetrachloroethylene	4	2	1	0.00550	0.0030	0.0110
	toluene	4	4	0	0.02175	0.0100	0.0360
	xylene, m- and/or p-	4	0	3	0.00200	0.0020	0.0030
	xylene, o-	4	0	3	0.00200	0.0020	0.0040
327	BF, lamb and broth/gravy						
	1,2,4-trimethylbenzene	4	2	1	0.01000	0.0040	0.0220
	benzene*	4	0	3	0.00325	0.0040	0.0050
	butylbenzene, n-	4	0	1	0.00100	0.0040	0.0040
	chlorobenzene	4	0	1	0.00300	0.0120	0.0120
	chloroform	4	0	2	0.00200	0.0040	0.0040
	DDE, p,p'	4	2	2	0.00220	0.0008	0.0040
	dichlorobenzene, o-	4	0	1	0.00050	0.0020	0.0020
	propylbenzene, n-	4	0	2	0.00150	0.0030	0.0030
	toluene	4	4	0	0.01100	0.0080	0.0140
	xylene, m- and/or p-	4	0	2	0.00100	0.0020	0.0020
328	BF, turkey and broth/gravy						
	1,2,4-trimethylbenzene	4	2	1	0.01100	0.0080	0.0220

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	benzene*	4	2	2	0.00675	0.0010	0.0170
	chloroform	4	1	1	0.00700	0.0030	0.0250
	dieldrin	4	0	1	0.00005	0.0002	0.0002
	ethyl benzene	4	0	1	0.00050	0.0020	0.0020
	propylbenzene, n-	4	0	2	0.00150	0.0030	0.0030
	toluene	4	4	0	0.01325	0.0070	0.0180
	trichloroethylene	4	0	1	0.00075	0.0030	0.0030
	xylene, m- and/or p-	4	0	2	0.00100	0.0020	0.0020
	xylene, o-	4	0	2	0.00100	0.0020	0.0020
331	Meal replacement, liquid RTD, any flavor						
	no residue found	4	0	0	na	na	na
332	Cottage cheese, creamed, lowfat (2% milk fat)						
	DDE, p,p'	4	0	2	0.00010	0.0002	0.0002
333	Sour cream dip, any flavor						
	benzene*	4	3	1	0.00750	0.0040	0.0100
	carbon tetrachloride	4	0	1	0.00075	0.0030	0.0030
	chlorobenzene	4	0	2	0.00175	0.0020	0.0050
	chloroform	4	4	0	0.03475	0.0210	0.0480
	DDE, p,p'	4	0	4	0.00058	0.0004	0.0007
	dieldrin	4	0	1	0.00008	0.0003	0.0003
	permethrin, cis-	4	1	0	0.00675	0.0270	0.0270
	permethrin, trans-	4	1	0	0.00700	0.0280	0.0280
	toluene	4	2	1	0.00525	0.0050	0.0100
334	Beef steak, loin/sirloin, broiled						
	chlorpropham	4	0	1	0.00050	0.0020	0.0020
	DDE, p,p'	4	0	4	0.00033	0.0002	0.0006
335	Luncheon meat (chicken/turkey)						
	diphenyl 2-ethylhexyl phosphate	4	1	0	0.02200	0.0880	0.0880
336	Chicken breast, fried, fast-food (w/ skin)						
	1,1,1-trichloroethane	4	0	1	0.00100	0.0040	0.0040
	benzene*	4	3	1	0.01250	0.0020	0.0280
	carbon tetrachloride	4	0	1	0.00100	0.0040	0.0040
	chlorobenzene	4	0	1	0.00125	0.0050	0.0050
	chloroform	4	2	2	0.04175	0.0020	0.1430
	chlorpropham	4	0	1	0.00015	0.0006	0.0006
	dichlorobenzene, p-	4	0	2	0.00325	0.0050	0.0080
	ethyl benzene	4	1	2	0.00575	0.0020	0.0150
	malathion	4	0	1	0.00050	0.0020	0.0020
	pirimiphos-methyl	4	0	1	0.00010	0.0004	0.0004
	styrene	4	1	3	0.00775	0.0030	0.0150
	tetrachloroethylene	4	0	2	0.00200	0.0040	0.0040
	toluene	4	4	0	0.08700	0.0150	0.2810

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	trichloroethylene	4	0	3	0.00400	0.0030	0.0070
	xylene, m- and/or p-	4	0	4	0.00425	0.0020	0.0090
	xylene, o-	4	0	2	0.00275	0.0040	0.0070
337	Chicken thigh, oven-roasted (skin removed)						
	no residue found	4	0	0	na	na	na
338	Chicken leg, fried, fast-food (w/ skin)						
	benzene*	4	4	0	0.01750	0.0060	0.0350
	bromodichloromethane	4	0	1	0.00075	0.0030	0.0030
	chlorobenzene	4	0	1	0.00075	0.0030	0.0030
	chloroform	4	2	2	0.03325	0.0020	0.1130
	chlorpropham	4	0	1	0.00050	0.0020	0.0020
	ethyl benzene	4	0	1	0.00150	0.0060	0.0060
	malathion	4	0	1	0.00050	0.0020	0.0020
	pirimiphos-methyl	4	0	1	0.00025	0.0010	0.0010
	styrene	4	2	1	0.00675	0.0050	0.0120
	tetrachloroethylene	4	0	2	0.00150	0.0030	0.0030
	toluene	4	4	0	0.08400	0.0160	0.2680
	trichloroethylene	4	0	1	0.00075	0.0030	0.0030
	xylene, m- and/or p-	4	0	4	0.00450	0.0020	0.0070
	xylene, o-	4	0	1	0.00150	0.0060	0.0060
339	Catfish, pan-cooked w/ oil						
	1,2,4-trimethylbenzene	4	4	0	0.03550	0.0190	0.0600
	benzene*	4	1	3	0.00725	0.0030	0.0170
	bromodichloromethane	4	0	1	0.00075	0.0030	0.0030
	chloroform	4	2	1	0.01700	0.0020	0.0590
	cumene (isopropyl benzene)	4	0	2	0.00200	0.0030	0.0050
	DDE, p,p'	4	4	0	0.03225	0.0050	0.0910
	dieldrin	4	0	2	0.00018	0.0003	0.0004
	ethyl benzene	4	2	2	0.01250	0.0050	0.0220
	lindane	4	0	1	0.00015	0.0006	0.0006
	polychlorinated biphenyls	4	1	0	0.00425	0.0170	0.0170
	propylbenzene, n-	4	1	3	0.00925	0.0040	0.0160
	styrene	4	1	1	0.00450	0.0050	0.0130
	TDE, o,p'	4	2	0	0.00200	0.0030	0.0050
	TDE, p,p'	4	2	1	0.01075	0.0010	0.0310
	TDE, p,p'-, olefin	4	1	0	0.00925	0.0370	0.0370
	toluene	4	4	0	0.02750	0.0120	0.0430
	tribufos	4	0	1	0.00008	0.0003	0.0003
	trichloroethylene	4	0	1	0.00050	0.0020	0.0020
	xylene, m- and/or p-	4	2	2	0.02450	0.0110	0.0340
	xylene, o-	4	3	1	0.01725	0.0070	0.0260
340	Tuna, canned in water, drained						
	1,2,4-trimethylbenzene	4	0	1	0.00125	0.0050	0.0050
	benzene*	4	3	1	0.00875	0.0030	0.0160

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	chloroform	4	1	1	0.00250	0.0030	0.0070
	DDE, p,p'	4	0	1	0.00025	0.0010	0.0010
	dichlorobenzene, p-ethyl benzene	4	1	0	0.00475	0.0190	0.0190
	ethyl benzene	4	0	2	0.00125	0.0020	0.0030
	toluene	4	4	0	0.01325	0.0070	0.0200
	xylene, m- and/or p-	4	0	3	0.00200	0.0020	0.0040
	xylene, o-	4	0	2	0.00100	0.0020	0.0020
341	Refried beans, canned						
	2-chloroethyl linoleate	4	3	1	0.04525	0.0050	0.1000
	2-chloroethyl palmitate	4	1	2	0.00425	0.0020	0.0120
342	White beans, dry, boiled						
	no residue found	4	0	0	na	na	na
343	Sunflower seeds (shelled), roasted, salted						
	1,1,1-trichloroethane	4	1	0	0.00275	0.0110	0.0110
	1,2,4-trimethylbenzene	4	0	1	0.00125	0.0050	0.0050
	benzene*	4	3	1	0.01750	0.0030	0.0380
	bromodichloromethane	4	0	1	0.00100	0.0040	0.0040
	butylbenzene, n-	4	0	1	0.00300	0.0120	0.0120
	carbon tetrachloride	4	0	1	0.00200	0.0080	0.0080
	chloroform	4	2	0	0.12050	0.0150	0.4670
	dichlorobenzene, p-ethyl benzene	4	1	0	0.04750	0.1900	0.1900
	ethyl benzene	4	3	0	0.01400	0.0140	0.0210
	propylbenzene, n-	4	2	0	0.04325	0.0570	0.1160
	styrene	4	4	0	0.02500	0.0140	0.0490
	tetrachloroethylene	4	0	2	0.00125	0.0020	0.0030
	toluene	4	4	0	0.14675	0.0400	0.4350
	xylene, m- and/or p-	4	0	4	0.00950	0.0060	0.0120
	xylene, o-	4	0	1	0.00175	0.0070	0.0070
344	Pancakes, frozen, heated						
	chlorpyrifos-methyl	4	3	1	0.00800	0.0010	0.0140
	malathion	4	3	0	0.00675	0.0070	0.0120
	methoxychlor, p,p'	4	0	1	0.00005	0.0002	0.0002
345	Breakfast tart/toaster pastry						
	1,2,4-trimethylbenzene	4	1	0	0.00275	0.0110	0.0110
	benzene*	4	2	0	0.00925	0.0180	0.0190
	chlorobenzene	4	1	0	0.01200	0.0480	0.0480
	chloroform	4	1	1	0.00975	0.0020	0.0370
	chlorpyrifos-methyl	4	3	1	0.00808	0.0003	0.0180
	dichlorobenzene, p-ethyl benzene	4	1	0	0.00575	0.0230	0.0230
	ethyl benzene	4	0	1	0.00125	0.0050	0.0050
	malathion	4	4	0	0.01175	0.0040	0.0190
	pirimiphos-methyl	4	0	1	0.00023	0.0009	0.0009
	propylbenzene, n-	4	0	1	0.00100	0.0040	0.0040

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	styrene	4	1	2	0.00725	0.0020	0.0240
	toluene	4	0	3	0.00300	0.0030	0.0050
	xylene, m- and/or p-	4	0	1	0.00125	0.0050	0.0050
346	Macaroni salad, from grocery/deli						
	1,2,4-trimethylbenzene	4	1	0	0.00550	0.0220	0.0220
	benzene*	4	2	2	0.03375	0.0010	0.1210
	bromodichloromethane	4	0	4	0.00450	0.0030	0.0060
	butylbenzene, n-	4	0	1	0.00075	0.0030	0.0030
	carbon tetrachloride	4	0	2	0.00175	0.0030	0.0040
	chlorobenzene	4	0	1	0.00200	0.0080	0.0080
	chloroform	4	4	0	0.01725	0.0110	0.0340
	chlorpyrifos	4	0	2	0.00043	0.0008	0.0009
	chlorpyrifos-methyl	4	0	4	0.00078	0.0005	0.0009
	DDE, p,p'	4	0	2	0.00028	0.0002	0.0009
	dichlorobenzene, p-	4	2	1	0.01150	0.0030	0.0250
	endosulfan II	4	0	1	0.00005	0.0002	0.0002
	endosulfan sulfate	4	0	1	0.00010	0.0004	0.0004
	ethyl benzene	4	1	2	0.00525	0.0030	0.0120
	malathion	4	0	1	0.00020	0.0008	0.0008
	permethrin, cis-	4	0	1	0.00025	0.0010	0.0010
	permethrin, trans-	4	0	1	0.00025	0.0010	0.0010
	pirimiphos-methyl	4	0	1	0.00015	0.0006	0.0006
	styrene	4	0	3	0.00450	0.0050	0.0070
	tetrachloroethylene	4	0	1	0.00050	0.0020	0.0020
	toluene	4	4	0	0.11425	0.0090	0.4100
	xylene, m- and/or p-	4	0	4	0.00675	0.0020	0.0160
	xylene, o-	4	0	2	0.00225	0.0040	0.0050
347	Spaghetti, enriched, boiled						
	chlorpyrifos-methyl	4	0	2	0.00063	0.0005	0.0020
	malathion	4	0	2	0.00030	0.0004	0.0008
348	Apricots, canned in heavy/light syrup						
	fenvalerate	4	0	3	0.00850	0.0080	0.0180
	phenylphenol, o-	4	1	0	0.00575	0.0230	0.0230
350	Fruit juice blend (100% juice), canned/bottled						
	4-cyclohexene-1,2-dicarboximide, cis-	4	2	0	0.04450	0.0730	0.1050
	benomyl	4	0	2	0.00725	0.0110	0.0180
	benzene*	4	1	1	0.00525	0.0050	0.0160
	butylbenzene, n-	4	0	1	0.00075	0.0030	0.0030
	carbaryl	4	1	0	0.00325	0.0130	0.0130
	chloroform	4	0	2	0.00275	0.0050	0.0060
	dimethoate	4	0	1	0.00015	0.0006	0.0006
	styrene	4	0	1	0.00050	0.0020	0.0020
	thiabendazole	4	2	0	0.00750	0.0030	0.0270
	toluene	4	0	1	0.00075	0.0030	0.0030

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
351	Cranberry juice cocktail, canned/bottled						
	1,2,4-trimethylbenzene	4	1	0	0.00650	0.0260	0.0260
	acephate	4	1	0	0.00300	0.0120	0.0120
	benzene*	4	4	0	0.01650	0.0120	0.0180
	bromodichloromethane	4	0	1	0.00175	0.0070	0.0070
	chlorobenzene	4	1	0	0.00350	0.0140	0.0140
	chloroform	4	2	1	0.01025	0.0040	0.0240
	dichlorobenzene, p-	4	0	1	0.00100	0.0040	0.0040
	ethyl benzene	4	0	1	0.00150	0.0060	0.0060
	styrene	4	0	2	0.00100	0.0020	0.0020
	toluene	4	0	3	0.00250	0.0020	0.0040
352	Orange juice, bottled/carton						
	benzene*	4	2	1	0.00625	0.0020	0.0170
	bromodichloromethane	4	0	1	0.00075	0.0030	0.0030
	carbaryl	4	0	1	0.00100	0.0040	0.0040
	chloroform	4	2	1	0.00525	0.0020	0.0110
	styrene	4	1	0	0.00325	0.0130	0.0130
	thiabendazole	4	0	1	0.00025	0.0010	0.0010
	toluene	4	0	2	0.00200	0.0030	0.0050
	xylene, m- and/or p-	4	0	1	0.00075	0.0030	0.0030
353	Potato salad, mayonnaise-type, from grocery/deli						
	benzene*	4	3	1	0.02300	0.0050	0.0440
	BHC, beta	4	0	1	0.00008	0.0003	0.0003
	bromodichloromethane	4	0	1	0.00100	0.0040	0.0040
	carbon tetrachloride	4	0	1	0.00100	0.0040	0.0040
	chlorobenzene	4	0	1	0.00050	0.0020	0.0020
	chloroform	4	2	1	0.00825	0.0040	0.0190
	chlorpropham	4	3	1	0.11475	0.0030	0.3780
	DDE, p,p'	4	0	1	0.00005	0.0002	0.0002
	dicloran	4	1	0	0.00225	0.0090	0.0090
	dieldrin	4	0	2	0.00030	0.0005	0.0007
	endosulfan sulfate	4	0	3	0.00040	0.0003	0.0010
	ethyl benzene	4	0	2	0.00150	0.0020	0.0040
	pentachloroaniline	4	0	3	0.00050	0.0005	0.0008
	pentachlorobenzene	4	1	1	0.00035	0.0004	0.0010
	pentachlorophenyl methyl sulfide	4	0	2	0.00008	0.0001	0.0002
	quintozene	4	0	1	0.00003	0.0001	0.0001
	styrene	4	0	1	0.00150	0.0060	0.0060
	toluene	4	3	1	0.01175	0.0040	0.0180
	trichloroethylene	4	0	1	0.00050	0.0020	0.0020
	xylene, m- and/or p-	4	0	2	0.00200	0.0030	0.0050
	xylene, o-	4	0	2	0.00150	0.0020	0.0040
354	Potato, mashed, prepared from fresh						
	chlorpropham	4	3	0	0.15575	0.1050	0.2710

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	DDE, p,p'	4	2	2	0.00175	0.0010	0.0030
	dieldrin	4	0	1	0.00005	0.0002	0.0002
	endosulfan sulfate	4	0	4	0.00070	0.0005	0.0009
	isopropyl(3-chloro-4-methoxyphenyl)carbamate	4	2	0	0.00825	0.0120	0.0210
	pentachlorobenzene	4	0	1	0.00013	0.0005	0.0005
	pentachlorophenyl methyl sulfide	4	0	1	0.00003	0.0001	0.0001
355	Coleslaw, mayonnaise-type, from grocery/deli						
	benzene*	4	4	0	0.02975	0.0060	0.0800
	bromodichloromethane	4	0	1	0.00075	0.0030	0.0030
	chlorobenzene	4	0	2	0.00175	0.0020	0.0050
	chloroform	4	0	3	0.00275	0.0020	0.0060
	dichlorobenzene, p-	4	0	3	0.00725	0.0080	0.0130
	endosulfan sulfate	4	0	1	0.00020	0.0008	0.0008
	ethyl benzene	4	0	3	0.00350	0.0030	0.0080
	propylbenzene, n-	4	0	1	0.00150	0.0060	0.0060
	styrene	4	0	3	0.00375	0.0030	0.0080
	toluene	4	3	1	0.04125	0.0020	0.1150
	trichloroethylene	4	0	1	0.00100	0.0040	0.0040
	xylene, m- and/or p-	4	0	3	0.00325	0.0030	0.0050
	xylene, o-	4	0	2	0.00325	0.0040	0.0090
356	Carrot, baby, raw						
	no residue found	4	0	0	na	na	na
357	Lettuce, leaf, raw						
	acephate	4	0	1	0.00018	0.0007	0.0007
	chlorpyrifos	4	0	1	0.00013	0.0005	0.0005
	cypermethrin	4	0	1	0.00225	0.0090	0.0090
	DCPA	4	0	2	0.00020	0.0001	0.0007
	DDE, p,p'	4	2	0	0.00150	0.0020	0.0040
	DDT, o,p'	4	0	1	0.00010	0.0004	0.0004
	DDT, p,p'	4	0	1	0.00023	0.0009	0.0009
	diazinon	4	0	3	0.00050	0.0003	0.0010
	dieldrin	4	0	3	0.00023	0.0001	0.0006
	dimethoate	4	2	0	0.00275	0.0030	0.0080
	endosulfan I	4	0	1	0.00008	0.0003	0.0003
	endosulfan II	4	1	0	0.00050	0.0020	0.0020
	endosulfan sulfate	4	1	0	0.00250	0.0100	0.0100
	iprodione	4	0	1	0.00125	0.0050	0.0050
	lambda-cyhalothrin	4	1	1	0.02225	0.0040	0.0850
	malathion	4	0	1	0.00025	0.0010	0.0010
	methamidophos	4	1	1	0.16210	0.0004	0.6480
	methomyl	4	0	1	0.00075	0.0030	0.0030
	omethoate	4	1	1	0.00725	0.0010	0.0280
	pentachloroaniline	4	0	1	0.00005	0.0002	0.0002
	permethrin, cis-	4	3	0	0.19375	0.0060	0.5120
	permethrin, trans-	4	2	1	0.13750	0.0020	0.3720

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	vinclozolin	4	1	0	0.00100	0.0040	0.0040
358	Sweet potatoes, canned						
	dicloran	4	1	1	0.00095	0.0008	0.0030
	phenylphenol, o-	4	1	0	0.00525	0.0210	0.0210
359	Tomato salsa, bottled						
	2-chloroethyl linoleate	4	0	1	0.00023	0.0009	0.0009
	carbaryl	4	0	4	0.00800	0.0060	0.0110
	chlorpyrifos	4	2	1	0.00770	0.0008	0.0270
	DDE, p,p'	4	0	2	0.00010	0.0001	0.0003
	diazinon	4	0	1	0.00018	0.0007	0.0007
	dieldrin	4	0	1	0.00003	0.0001	0.0001
	endosulfan I	4	1	2	0.00048	0.0002	0.0010
	endosulfan II	4	1	2	0.00083	0.0003	0.0020
	endosulfan sulfate	4	0	3	0.00033	0.0004	0.0005
	methamidophos	4	2	0	0.00375	0.0070	0.0080
	pentachloroaniline	4	1	0	0.00050	0.0020	0.0020
	pentachlorobenzene	4	0	1	0.00003	0.0001	0.0001
360	Beef and vegetable stew, canned						
	chlorpropham	4	2	1	0.02075	0.0020	0.0450
	chlorpyrifos	4	1	0	0.00200	0.0080	0.0080
	chlorpyrifos-methyl	4	1	0	0.00225	0.0090	0.0090
	DDE, p,p'	4	0	3	0.00028	0.0002	0.0006
	diphenyl 2-ethylhexyl phosphate	4	1	0	0.00600	0.0240	0.0240
	malathion	4	1	0	0.00125	0.0050	0.0050
	triphenyl phosphate	4	1	0	0.00975	0.0390	0.0390
361	Lasagna w/ meat, frozen, heated						
	2-chloroethyl linoleate	4	1	0	0.05250	0.2100	0.2100
	2-chloroethyl palmitate	4	1	0	0.00950	0.0380	0.0380
	chlorpyrifos	4	0	1	0.00005	0.0002	0.0002
	chlorpyrifos-methyl	4	0	3	0.00125	0.0010	0.0020
	DDE, p,p'	4	0	3	0.00050	0.0005	0.0008
	endosulfan I	4	0	2	0.00043	0.0008	0.0009
	endosulfan II	4	2	0	0.00125	0.0020	0.0030
	endosulfan sulfate	4	0	2	0.00038	0.0005	0.0010
	malathion	4	0	1	0.00025	0.0010	0.0010
362	Beef w/ vegetables in sauce, from Chinese carry-out						
	dicloran	4	0	1	0.00025	0.0010	0.0010
	endosulfan I	4	0	1	0.00015	0.0006	0.0006
	endosulfan II	4	0	1	0.00013	0.0005	0.0005
	endosulfan sulfate	4	1	0	0.00075	0.0030	0.0030
	permethrin, cis-	4	1	0	0.00150	0.0060	0.0060
	permethrin, trans-	4	1	0	0.00150	0.0060	0.0060

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
363	Chicken w/ vegetables in sauce, from Chinese carry-out						
	dicloran	4	1	0	0.00225	0.0090	0.0090
	endosulfan I	4	1	1	0.00058	0.0003	0.0020
	endosulfan II	4	0	2	0.00013	0.0002	0.0003
	endosulfan sulfate	4	1	1	0.00375	0.0010	0.0140
	permethrin, cis-	4	0	1	0.00100	0.0040	0.0040
	permethrin, trans-	4	0	1	0.00100	0.0040	0.0040
364	Fried rice, meatless, from Chinese carry-out						
	2,4-D	4	0	1	0.00050	0.0020	0.0020
	bifenthrin	4	0	1	0.00025	0.0010	0.0010
	diazinon	4	0	1	0.00013	0.0005	0.0005
	permethrin, cis-	4	0	1	0.00100	0.0040	0.0040
	permethrin, trans-	4	0	1	0.00100	0.0040	0.0040
	quinclorac	4	1	2	0.00320	0.0008	0.0100
365	Burrito w/ beef, beans and cheese, from Mexican carry-out						
	2-chloroethyl laurate	4	0	3	0.00060	0.0005	0.0010
	2-chloroethyl linoleate	4	4	0	0.21650	0.1020	0.3030
	2-chloroethyl myristate	4	1	2	0.00425	0.0010	0.0120
	2-chloroethyl palmitate	4	4	0	0.03550	0.0100	0.0550
	benzene*	4	2	1	0.01825	0.0030	0.0480
	chlorobenzene	4	0	1	0.00075	0.0030	0.0030
	chloroform	4	0	2	0.00275	0.0050	0.0060
	chlorpyrifos	4	0	1	0.00010	0.0004	0.0004
	chlorpyrifos-methyl	4	1	3	0.00178	0.0002	0.0040
	DDE, p,p'	4	0	4	0.00038	0.0001	0.0007
	ethyl benzene	4	0	2	0.00250	0.0040	0.0060
	malathion	4	3	1	0.00400	0.0020	0.0060
	styrene	4	0	3	0.00300	0.0020	0.0050
	tetrachloroethylene	4	0	1	0.00050	0.0020	0.0020
	toluene	4	4	0	0.01350	0.0080	0.0260
	xylene, m- and/or p-	4	0	4	0.00525	0.0030	0.0080
	xylene, o-	4	0	1	0.00100	0.0040	0.0040
366	Chicken filet (broiled) sandwich on bun, fast-food						
	1,2,4-trimethylbenzene	4	0	1	0.00100	0.0040	0.0040
	2-chloroethyl caprate	4	0	1	0.00050	0.0020	0.0020
	2-chloroethyl laurate	4	0	1	0.00015	0.0006	0.0006
	2-chloroethyl linoleate	4	3	0	0.15500	0.0190	0.4730
	2-chloroethyl myristate	4	0	1	0.00018	0.0007	0.0007
	2-chloroethyl palmitate	4	2	1	0.01550	0.0030	0.0480
	benzene*	4	0	3	0.00300	0.0030	0.0050
	carbon tetrachloride	4	0	1	0.00075	0.0030	0.0030
	chlorobenzene	4	0	1	0.00050	0.0020	0.0020
	chloroform	4	1	2	0.02100	0.0040	0.0760
	chlorpyrifos-methyl	4	0	3	0.00083	0.0004	0.0020
	endosulfan I	4	0	1	0.00018	0.0007	0.0007

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	endosulfan II	4	1	1	0.00058	0.0003	0.0020
	endosulfan sulfate	4	1	1	0.00160	0.0004	0.0060
	ethyl benzene	4	0	2	0.00250	0.0030	0.0070
	malathion	4	2	1	0.00225	0.0020	0.0040
	propylbenzene, n-	4	0	1	0.00150	0.0060	0.0060
	styrene	4	1	3	0.00575	0.0020	0.0130
	toluene	4	4	0	0.02275	0.0100	0.0530
	xylene, m- and/or p-	4	0	2	0.00175	0.0030	0.0040
	xylene, o-	4	0	1	0.00050	0.0020	0.0020
367	Soup, Oriental noodles (ramen noodles), prepared w/ water						
	2-chloroethyl linoleate	4	0	2	0.00325	0.0020	0.0110
	2-chloroethyl palmitate	4	0	2	0.00068	0.0007	0.0020
	chlorpyrifos-methyl	4	0	1	0.00050	0.0020	0.0020
	malathion	4	0	2	0.00033	0.0005	0.0008
	tris(beta-chloroethyl) phosphate	4	1	0	0.00725	0.0290	0.0290
368	Pudding, ready-to-eat, flavor other than chocolate						
	diphenyl 2-ethylhexyl phosphate	4	1	0	0.00575	0.0230	0.0230
369	Cake, yellow w/ icing						
	chlorpyrifos	4	0	2	0.00033	0.0004	0.0009
	chlorpyrifos-methyl	4	4	0	0.00650	0.0040	0.0110
	malathion	4	2	2	0.00375	0.0010	0.0070
370	Granola bar, w/ raisins						
	azinphos-methyl	4	0	1	0.00020	0.0008	0.0008
	DDE, p,p'	4	0	1	0.00008	0.0003	0.0003
	dicofol, p,p'	4	0	1	0.00025	0.0010	0.0010
371	Candy bar, chocolate, nougat, and nuts						
	1,2,4-trimethylbenzene	4	1	0	0.00875	0.0350	0.0350
	benzene*	4	3	0	0.01050	0.0060	0.0180
	carbon tetrachloride	4	0	1	0.00075	0.0030	0.0030
	chlorobenzene	4	0	1	0.00100	0.0040	0.0040
	chloroform	4	2	1	0.01275	0.0020	0.0360
	cumene (isopropyl benzene)	4	0	2	0.00275	0.0050	0.0060
	DDE, p,p'	4	0	4	0.00115	0.0007	0.0020
	endosulfan I	4	0	1	0.00010	0.0004	0.0004
	endosulfan II	4	0	1	0.00010	0.0004	0.0004
	endosulfan sulfate	4	0	1	0.00075	0.0030	0.0030
	ethyl benzene	4	1	1	0.00450	0.0060	0.0120
	lindane	4	0	4	0.00045	0.0001	0.0008
	pentachloroaniline	4	1	0	0.00050	0.0020	0.0020
	pentachlorobenzene	4	0	1	0.00013	0.0005	0.0005
	pentachlorophenyl methyl sulfide	4	0	1	0.00005	0.0002	0.0002
	propylbenzene, n-	4	0	2	0.00225	0.0040	0.0050
	styrene	4	2	1	0.01075	0.0020	0.0270

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	tetrachloroethylene	4	0	1	0.00075	0.0030	0.0030
	toluene	4	4	0	0.02200	0.0120	0.0410
	trichloroethylene	4	0	1	0.00050	0.0020	0.0020
	xylene, m- and/or p-	4	1	2	0.00775	0.0020	0.0240
	xylene, o-	4	1	0	0.00450	0.0180	0.0180
372	Popcorn, microwave, butter-flavored						
	1,2,4-trimethylbenzene	4	1	1	0.00525	0.0090	0.0120
	benzene*	4	3	0	0.01350	0.0100	0.0240
	butylbenzene, n-	4	1	0	0.00975	0.0390	0.0390
	chlorobenzene	4	1	0	0.01875	0.0750	0.0750
	chloroform	4	1	1	0.00850	0.0040	0.0300
	chlorpyrifos-methyl	4	0	1	0.00020	0.0008	0.0008
	dichlorobenzene, p-	4	0	1	0.00175	0.0070	0.0070
	ethyl benzene	4	2	1	0.04275	0.0050	0.1290
	malathion	4	3	0	0.00475	0.0040	0.0090
	methoxychlor, p,p'-	4	0	2	0.00113	0.0005	0.0040
	permethrin, cis-	4	0	1	0.00025	0.0010	0.0010
	permethrin, trans-	4	0	1	0.00050	0.0020	0.0020
	pirimiphos-methyl	4	2	2	0.03418	0.0007	0.0880
	propylbenzene, n-	4	1	0	0.00975	0.0390	0.0390
	styrene	4	1	2	0.01200	0.0060	0.0330
	tetrachloroethylene	4	1	0	0.00150	0.0060	0.0060
	toluene	4	4	0	0.04550	0.0160	0.0680
	xylene, m- and/or p-	4	2	2	0.04600	0.0160	0.0750
	xylene, o-	4	1	2	0.00825	0.0040	0.0210
373	Sweet & sour sauce						
	2-chloroethyl linoleate	4	3	0	0.01450	0.0150	0.0270
	2-chloroethyl myristate	4	0	1	0.00005	0.0002	0.0002
	2-chloroethyl palmitate	4	0	3	0.00275	0.0020	0.0050
	2-chloroethyl stearate	4	0	1	0.00075	0.0030	0.0030
	chlorpyrifos	4	0	3	0.00150	0.0020	0.0020
	cypermethrin	4	0	1	0.00175	0.0070	0.0070
	DDE, p,p'	4	0	1	0.00005	0.0002	0.0002
	DDT, p,p'	4	0	1	0.00008	0.0003	0.0003
	dicloran	4	1	0	0.00150	0.0060	0.0060
	dicofol, o,p'-	4	0	1	0.00015	0.0006	0.0006
	dicofol, p,p'-	4	1	0	0.00175	0.0070	0.0070
	endosulfan I	4	1	0	0.00050	0.0020	0.0020
	endosulfan II	4	1	0	0.00075	0.0030	0.0030
	endosulfan sulfate	4	0	1	0.00023	0.0009	0.0009
	ethion	4	1	1	0.00168	0.0007	0.0060
	ethoxyquin	4	1	0	0.11550	0.4620	0.4620
	malathion	4	0	1	0.00050	0.0020	0.0020
	phenylphenol, o-	4	1	0	0.00625	0.0250	0.0250
	phosalone	4	0	1	0.00075	0.0030	0.0030

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
374	Brown gravy, canned or bottled						
	DDE, p,p'	4	0	1	0.00025	0.0010	0.0010
375	Salad dressing, creamy/buttermilk type, regular						
	no residue found	4	0	0	na	na	na
376	Salad dressing, creamy/buttermilk type, low-calorie						
	1,2,4-trimethylbenzene	4	0	1	0.00100	0.0040	0.0040
	2-chloroethyl linoleate	4	0	1	0.00200	0.0080	0.0080
	benzene*	4	1	2	0.00400	0.0010	0.0110
	bromodichloromethane	4	1	0	0.00250	0.0100	0.0100
	chlorobenzene	4	0	1	0.00150	0.0060	0.0060
	chloroform	4	1	1	0.00525	0.0030	0.0180
	DDE, p,p'	4	0	1	0.00005	0.0002	0.0002
	ethyl benzene	4	0	1	0.00175	0.0070	0.0070
	propylbenzene, n-	4	0	1	0.00150	0.0060	0.0060
	styrene	4	0	1	0.00200	0.0080	0.0080
	toluene	4	3	1	0.00975	0.0020	0.0150
	xylene, m- and/or p-	4	0	2	0.00275	0.0040	0.0070
377	Salad dressing, Italian, regular						
	2-chloroethyl linoleate	4	3	0	0.16775	0.0680	0.4190
	2-chloroethyl palmitate	4	3	0	0.04075	0.0090	0.1170
378	Olive oil						
	1,2,4-trimethylbenzene	4	1	0	0.01125	0.0450	0.0450
	benzene*	4	1	2	0.00475	0.0050	0.0090
	chloroform	4	2	0	0.00350	0.0070	0.0070
	chlorpyrifos	4	0	1	0.00025	0.0010	0.0010
	DDE, p,p'	4	0	4	0.00100	0.0010	0.0010
	endosulfan I	4	1	1	0.00073	0.0009	0.0020
	endosulfan II	4	1	2	0.00080	0.0004	0.0020
	endosulfan sulfate	4	4	0	0.01925	0.0040	0.0370
	ethyl benzene	4	3	1	0.01150	0.0040	0.0180
	lindane	4	1	1	0.00150	0.0010	0.0050
	propylbenzene, n-	4	0	2	0.00375	0.0070	0.0080
	simazine	4	0	1	0.00225	0.0090	0.0090
	styrene	4	3	1	0.04650	0.0040	0.1150
	tetrachloroethylene	4	1	1	0.00325	0.0050	0.0080
	toluene	4	3	1	0.03150	0.0050	0.0560
	xylene, m- and/or p-	4	2	2	0.02125	0.0060	0.0410
	xylene, o-	4	1	2	0.00925	0.0030	0.0250
379	Vegetable oil						
	benzene*	4	0	3	0.00250	0.0010	0.0050
	chloroform	4	1	2	0.02025	0.0020	0.0740
	chlorpropham	4	1	0	0.00200	0.0080	0.0080
	DDE, p,p'	4	0	1	0.00075	0.0030	0.0030

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	dieldrin	4	0	2	0.00025	0.0002	0.0008
	endosulfan I	4	0	1	0.00050	0.0020	0.0020
	endosulfan II	4	0	1	0.00025	0.0010	0.0010
	endosulfan sulfate	4	2	1	0.00230	0.0002	0.0070
	simazine	4	0	1	0.00450	0.0180	0.0180
	styrene	4	0	2	0.00125	0.0020	0.0030
	tetrachloroethylene	4	0	1	0.00050	0.0020	0.0020
	toluene	4	1	1	0.00200	0.0020	0.0060
	trichloroethylene	4	0	2	0.00100	0.0020	0.0020
380	Bottled drinking water (mineral/spring), not carbonated or flavored						
	benzene*	4	1	1	0.00275	0.0050	0.0060
	chlorobenzene	4	0	1	0.00225	0.0090	0.0090
	chloroform	4	0	1	0.00125	0.0050	0.0050
	ethyl benzene	4	0	1	0.00050	0.0020	0.0020
	phenylphenol, o- xylene, m- and/or p-	4	2	0	0.00450	0.0080	0.0100
		4	0	1	0.00050	0.0020	0.0020
381	Decaffeinated coffee, from ground						
	no residue found	4	0	0	na	na	na
382	Decaffeinated tea, from tea bag						
	no residue found	4	0	0	na	na	na
700	BF, cereal, barley, dry, prepared w/ water						
	acephate	44	0	1	0.00002	0.0010	0.0010
	DDE, p,p'	44	0	1	0.00001	0.0005	0.0005
	DDT, p,p'	44	0	1	0.00001	0.0004	0.0004
	malathion	44	1	3	0.00016	0.0010	0.0030
701	BF, cereal, mixed, dry, prepared w/ water						
	acephate	44	0	1	0.00002	0.0010	0.0010
	chlorpyrifos	44	0	1	0.00002	0.0010	0.0010
	chlorpyrifos-methyl	44	1	4	0.00018	0.0010	0.0030
	hexachlorobenzene	44	0	5	0.00003	0.0002	0.0005
	malathion	44	1	10	0.00045	0.0008	0.0040
	tributyl phosphate	44	5	0	0.00432	0.0200	0.0500
703	BF, juice, apple-banana						
	4-cyclohexene-1,2-dicarboximide, cis-	44	1	0	0.00102	0.0450	0.0450
	acephate	44	1	0	0.00005	0.0020	0.0020
	benomyl	44	0	1	0.00068	0.0300	0.0300
	carbaryl	44	5	9	0.00330	0.0030	0.0430
	dieldrin	44	0	1	0.00000	0.0001	0.0001
	dimethoate	44	8	4	0.00091	0.0004	0.0100
	diphenylamine	44	1	0	0.00114	0.0500	0.0500
	methamidophos	44	1	0	0.00002	0.0010	0.0010
	omethoate	44	4	2	0.00048	0.0010	0.0060

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	thiabendazole	44	4	7	0.01068	0.0010	0.1100
	triphenyl phosphate	44	1	0	0.00295	0.1300	0.1300
704	BF, juice, apple-cherry						
	1-naphthol	44	1	0	0.00034	0.0150	0.0150
	4-cyclohexene-1,2-dicarboximide, cis-	44	0	1	0.00020	0.0090	0.0090
	benomyl	44	0	1	0.00068	0.0300	0.0300
	carbaryl	44	9	26	0.00843	0.0020	0.0500
	dimethoate	44	15	6	0.00259	0.0010	0.0300
	fenarimol	44	1	1	0.00003	0.0003	0.0008
	iprodione	44	7	4	0.00130	0.0010	0.0100
	omethoate	44	7	2	0.00085	0.0005	0.0100
	thiabendazole	44	1	7	0.00432	0.0010	0.0500
705	BF, juice, apple-grape						
	4-cyclohexene-1,2-dicarboximide, cis-	44	1	0	0.00075	0.0330	0.0330
	acephate	44	0	1	0.00002	0.0010	0.0010
	carbaryl	44	6	13	0.00409	0.0020	0.0300
	carbofuran	44	0	1	0.00009	0.0040	0.0040
	dicloran	44	0	1	0.00002	0.0010	0.0010
	dimethoate	44	7	5	0.00073	0.0002	0.0100
	diphenylamine	44	1	0	0.00025	0.0110	0.0110
	fenarimol	44	0	1	0.00002	0.0010	0.0010
	iprodione	44	0	1	0.00005	0.0020	0.0020
	methamidophos	44	0	1	0.00002	0.0010	0.0010
	omethoate	44	1	4	0.00023	0.0010	0.0040
	permethrin, cis-	44	0	1	0.00005	0.0020	0.0020
	permethrin, trans-	44	0	1	0.00005	0.0020	0.0020
	thiabendazole	44	3	4	0.00389	0.0010	0.0720
706	BF, juice, apple-peach						
	carbaryl	19	6	5	0.01011	0.0040	0.0600
	dicloran	19	1	3	0.00126	0.0010	0.0200
	dimethoate	19	3	4	0.00105	0.0009	0.0100
	iprodione	19	5	6	0.00279	0.0010	0.0100
	iprodione metabolite isomer	19	0	1	0.00016	0.0030	0.0030
	omethoate	19	2	1	0.00084	0.0020	0.0100
	permethrin, cis-	19	5	8	0.00409	0.0007	0.0100
	permethrin, trans-	19	5	8	0.00452	0.0009	0.0100
	phosphamidon	19	0	1	0.00021	0.0040	0.0040
	thiabendazole	19	1	0	0.00316	0.0600	0.0600
707	BF, juice, apple-pineapple						
	acephate	1	0	1	0.00100	0.0010	0.0010
	dimethoate	1	0	1	0.00100	0.0010	0.0010
708	BF, juice, apple-plum						
	acephate	15	1	1	0.00016	0.0004	0.0020

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	carbaryl	15	0	2	0.00067	0.0030	0.0070
	dicloran	15	5	2	0.00239	0.0009	0.0080
	dimethoate	15	2	3	0.00047	0.0010	0.0020
	iprodione	15	0	2	0.00016	0.0004	0.0020
	iprodione metabolite isomer	15	1	0	0.00040	0.0060	0.0060
	omethoate	15	0	3	0.00020	0.0010	0.0010
709	BF, juice, apple-prune						
	azinphos-methyl	34	1	0	0.00088	0.0300	0.0300
	carbaryl	34	0	5	0.00068	0.0020	0.0090
	chlorpyrifos	34	0	1	0.00001	0.0005	0.0005
	dimethoate	34	2	3	0.00021	0.0010	0.0020
	iprodione	34	1	7	0.00085	0.0006	0.0200
	iprodione metabolite isomer	34	0	1	0.00009	0.0030	0.0030
	methamidophos	34	1	0	0.00006	0.0020	0.0020
	omethoate	34	1	1	0.00014	0.0007	0.0040
	phosmet	34	0	1	0.00024	0.0080	0.0080
710	BF, juice, mixed fruit						
	acephate	44	1	2	0.00016	0.0010	0.0030
	carbaryl	44	2	8	0.00141	0.0010	0.0100
	chlorbromuron	44	1	0	0.00295	0.1300	0.1300
	dicloran	44	0	1	0.00002	0.0010	0.0010
	dimethoate	44	8	2	0.00071	0.0005	0.0070
	diphenylamine	44	0	1	0.00016	0.0070	0.0070
	ethion	44	0	1	0.00001	0.0004	0.0004
	methamidophos	44	1	1	0.00007	0.0010	0.0020
	omethoate	44	3	2	0.00030	0.0010	0.0040
	thiabendazole	44	0	4	0.00202	0.0010	0.0300
711	BF, juice, pear						
	4-cyclohexene-1,2-dicarboximide, cis-	44	2	0	0.00207	0.0260	0.0650
	acephate	44	2	0	0.00011	0.0020	0.0030
	carbaryl	44	0	7	0.00086	0.0030	0.0090
	dimethoate	44	1	0	0.00005	0.0020	0.0020
	iprodione	44	0	1	0.00005	0.0020	0.0020
	omethoate	44	0	1	0.00005	0.0020	0.0020
	phenylphenol, o-	44	1	0	0.00014	0.0060	0.0060
	thiabendazole	44	31	5	0.11832	0.0100	0.5600
712	BF, juice, grape						
	carbaryl	44	6	8	0.00432	0.0020	0.0500
	dimethoate	44	8	8	0.00071	0.0004	0.0060
	iprodione	44	0	4	0.00012	0.0004	0.0020
	omethoate	44	0	3	0.00006	0.0008	0.0010
713	BF, pears and pineapple						
	azinphos-methyl	44	0	2	0.00039	0.0070	0.0100

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	chlorpyrifos	44	0	4	0.00012	0.0002	0.0020
	diazinon	44	1	0	0.00005	0.0020	0.0020
	dicofol, o,p'-	44	0	1	0.00009	0.0040	0.0040
	dicofol, p,p'-	44	1	3	0.00098	0.0020	0.0360
	dimethoate	44	2	1	0.00018	0.0010	0.0040
	diphenylamine	44	1	0	0.00016	0.0070	0.0070
	endosulfan I	44	4	8	0.00029	0.0001	0.0040
	endosulfan II	44	9	11	0.00113	0.0002	0.0100
	endosulfan sulfate	44	13	12	0.00210	0.0001	0.0200
	ethylenethiourea	44	5	14	0.00348	0.0030	0.0130
	omethoate	44	0	2	0.00007	0.0010	0.0020
	parathion	44	0	1	0.00002	0.0007	0.0007
	parathion-methyl	44	7	3	0.00098	0.0010	0.0100
	permethrin, cis-	44	1	2	0.00017	0.0003	0.0060
	permethrin, trans-	44	1	2	0.00017	0.0003	0.0060
	phosalone	44	0	1	0.00009	0.0040	0.0040
	phosmet	44	3	5	0.00148	0.0020	0.0200
	thiabendazole	44	3	1	0.00259	0.0030	0.0700
	tris(beta-chloroethyl) phosphate	44	0	1	0.00002	0.0010	0.0010
714	BF, plums/prunes w/ apples and/or pears						
	4-cyclohexene-1,2-dicarboximide, cis-	44	1	0	0.00066	0.0290	0.0290
	azinphos-methyl	44	0	3	0.00034	0.0040	0.0060
	benomyl	44	0	13	0.01255	0.0140	0.0600
	carbaryl	44	3	12	0.00248	0.0010	0.0300
	chlorpyrifos	44	0	8	0.00018	0.0004	0.0020
	dicloran	44	1	0	0.00009	0.0040	0.0040
	dicofol, p,p'-	44	0	2	0.00014	0.0010	0.0050
	dimethoate	44	0	2	0.00005	0.0010	0.0010
	endosulfan I	44	0	8	0.00007	0.0002	0.0007
	endosulfan II	44	0	10	0.00008	0.0001	0.0008
	endosulfan sulfate	44	9	18	0.00118	0.0002	0.0080
	esfenvalerate	44	0	1	0.00018	0.0080	0.0080
	iprodione	44	26	2	0.02939	0.0020	0.1800
	iprodione metabolite isomer	44	8	14	0.00302	0.0010	0.0200
	omethoate	44	0	2	0.00006	0.0005	0.0020
	parathion	44	0	1	0.00002	0.0009	0.0009
	parathion-methyl	44	0	3	0.00006	0.0006	0.0010
	permethrin, cis-	44	0	9	0.00013	0.0002	0.0010
	permethrin, trans-	44	0	9	0.00019	0.0003	0.0020
	phenylphenol, o-	44	1	0	0.00234	0.1030	0.1030
	phosalone	44	0	1	0.00009	0.0040	0.0040
	phosmet	44	1	5	0.00077	0.0020	0.0100
	propargite	44	5	6	0.00841	0.0100	0.0800
	propiconazole	44	9	1	0.00500	0.0030	0.0500
	thiabendazole	44	1	2	0.00127	0.0010	0.0340
	vinclozolin	44	2	2	0.00077	0.0020	0.0200

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
715	BF, bananas and pineapple						
	chlorpyrifos	40	0	1	0.00002	0.0008	0.0008
	diazinon	40	0	1	0.00003	0.0010	0.0010
	endosulfan sulfate	40	0	1	0.00002	0.0007	0.0007
	ethylenethiourea	40	0	2	0.00020	0.0040	0.0040
716	BF, apples/applesauce w/ apricots						
	acephate	40	1	0	0.00015	0.0060	0.0060
	benomyl	40	0	7	0.00575	0.0300	0.0400
	carbaryl	40	4	11	0.00313	0.0020	0.0300
	chlorpyrifos	40	10	17	0.00180	0.0005	0.0100
	dicloran	40	0	1	0.00005	0.0020	0.0020
	dimethoate	40	12	0	0.00158	0.0020	0.0100
	diphenyl 2-ethylhexyl phosphate	40	1	0	0.00875	0.3500	0.3500
	endosulfan I	40	0	9	0.00008	0.0001	0.0007
	endosulfan II	40	1	12	0.00026	0.0001	0.0020
	endosulfan sulfate	40	4	14	0.00057	0.0002	0.0040
	ethion	40	0	2	0.00005	0.0010	0.0010
	ethylenethiourea	40	0	10	0.00158	0.0040	0.0100
	iprodione	40	4	6	0.00105	0.0010	0.0100
	iprodione metabolite isomer	40	0	1	0.00003	0.0010	0.0010
	monolinuron	40	1	0	0.00200	0.0800	0.0800
	omethoate	40	3	3	0.00043	0.0020	0.0050
	parathion	40	1	1	0.00010	0.0010	0.0030
	parathion-methyl	40	0	3	0.00006	0.0006	0.0010
	phosmet	40	0	1	0.00018	0.0070	0.0070
	propargite	40	1	2	0.00250	0.0100	0.0700
	thiabendazole	40	2	3	0.00750	0.0300	0.1200
717	BF, apricots w/ mixed fruit						
	carbaryl	44	1	2	0.00059	0.0070	0.0100
	chlorpyrifos	44	0	1	0.00005	0.0020	0.0020
	esfenvalerate	44	1	6	0.00150	0.0040	0.0200
	ethylenethiourea	44	1	2	0.00039	0.0030	0.0100
	fenvalerate	44	0	4	0.00045	0.0020	0.0100
	iprodione	44	6	8	0.00247	0.0002	0.0300
	iprodione metabolite isomer	44	0	3	0.00030	0.0010	0.0070
	thiabendazole	44	4	0	0.00041	0.0030	0.0060
719	BF, banana dessert						
	azinphos-methyl	44	0	1	0.00023	0.0100	0.0100
	benomyl	44	0	2	0.00102	0.0150	0.0300
	carbaryl	44	1	3	0.00148	0.0030	0.0500
	chlorpyrifos	44	3	12	0.00071	0.0002	0.0090
	dimethoate	44	5	6	0.00061	0.0010	0.0060
	diphenylamine	44	1	0	0.00043	0.0190	0.0190
	endosulfan I	44	1	5	0.00012	0.0002	0.0030
	endosulfan II	44	2	8	0.00027	0.0001	0.0060

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	endosulfan sulfate	44	2	14	0.00045	0.0001	0.0100
	ethion	44	2	0	0.00009	0.0020	0.0020
	ethylenethiourea	44	0	6	0.00055	0.0030	0.0060
	iprodione	44	0	1	0.00005	0.0020	0.0020
	omethoate	44	1	2	0.00014	0.0010	0.0030
	pentachlorophenyl methyl ether	44	0	1	0.00001	0.0006	0.0006
	propargite	44	0	1	0.00045	0.0200	0.0200
	thiabendazole	44	1	2	0.01023	0.0100	0.4000
720	BF, peach cobbler/dessert						
	carbaryl	44	4	10	0.00295	0.0010	0.0300
	chlorpyrifos	44	0	12	0.00023	0.0002	0.0020
	chlorpyrifos-methyl	44	1	0	0.00009	0.0040	0.0040
	dicloran	44	4	3	0.00256	0.0008	0.0800
	endosulfan I	44	0	1	0.00001	0.0003	0.0003
	endosulfan II	44	0	3	0.00005	0.0005	0.0010
	endosulfan sulfate	44	1	3	0.00014	0.0006	0.0030
	ethylenethiourea	44	0	1	0.00018	0.0080	0.0080
	fenvalerate	44	0	4	0.00041	0.0030	0.0070
	iprodione	44	16	6	0.01093	0.0008	0.2100
	iprodione metabolite isomer	44	4	12	0.00281	0.0007	0.0600
	malathion	44	0	2	0.00007	0.0010	0.0020
	parathion-methyl	44	2	4	0.00028	0.0006	0.0050
	permethrin, cis-	44	28	10	0.00877	0.0007	0.0300
	permethrin, trans-	44	29	9	0.01064	0.0010	0.0400
	propargite	44	0	1	0.00023	0.0100	0.0100
	vinclozolin	44	0	1	0.00002	0.0010	0.0010
721	BF, fruit yogurt dessert						
	chlorpyrifos	44	1	5	0.00018	0.0004	0.0030
	dicloran	44	1	0	0.00007	0.0030	0.0030
	dimethoate	44	2	1	0.00014	0.0010	0.0030
	endosulfan I	44	0	3	0.00002	0.0002	0.0003
	endosulfan II	44	0	4	0.00004	0.0002	0.0007
	endosulfan sulfate	44	0	7	0.00009	0.0001	0.0010
	esfenvalerate	44	0	1	0.00007	0.0030	0.0030
	iprodione	44	5	4	0.00109	0.0020	0.0100
	iprodione metabolite isomer	44	0	2	0.00011	0.0010	0.0040
	omethoate	44	0	1	0.00002	0.0010	0.0010
	parathion-methyl	44	0	3	0.00005	0.0007	0.0008
	permethrin, cis-	44	5	15	0.00188	0.0005	0.0100
	permethrin, trans-	44	5	15	0.00220	0.0006	0.0100
	thiabendazole	44	1	0	0.00068	0.0300	0.0300
722	BF, Dutch apple/apple cobbler						
	4-cyclohexene-1,2-dicarboximide, cis-	44	1	0	0.00145	0.0640	0.0640
	chlorpyrifos	44	4	16	0.00095	0.0007	0.0060
	dicofol, p,p'-	44	2	1	0.00036	0.0020	0.0070

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	diphenylamine	44	1	1	0.00011	0.0020	0.0030
	endosulfan I	44	2	4	0.00008	0.0002	0.0010
	endosulfan II	44	2	8	0.00020	0.0002	0.0030
	endosulfan sulfate	44	1	10	0.00028	0.0003	0.0030
	methoxychlor, p,p'-	44	0	1	0.00002	0.0010	0.0010
	parathion	44	0	1	0.00005	0.0020	0.0020
723	BF, arrowroot cookies						
	biphenyl	44	0	1	0.00005	0.0020	0.0020
	chlorpyrifos-methyl	44	28	14	0.00788	0.0007	0.1700
	malathion	44	41	1	0.01120	0.0020	0.0400
	methoxychlor, p,p'-	44	0	4	0.00008	0.0003	0.0020
	pirimiphos-methyl	44	0	1	0.00005	0.0020	0.0020
	tris(chloropropyl) phosphate	44	1	2	0.00018	0.0020	0.0040
724	BF, zwieback toast						
	2-chloroethyl linoleate	44	10	6	0.00498	0.0040	0.0400
	2-chloroethyl myristate	44	0	8	0.00059	0.0020	0.0050
	2-chloroethyl palmitate	44	3	13	0.00275	0.0020	0.0200
	2-chloroethyl stearate	44	0	1	0.00014	0.0060	0.0060
	biphenyl	44	0	1	0.00005	0.0020	0.0020
	chlorpyrifos	44	0	7	0.00021	0.0004	0.0020
	chlorpyrifos-methyl	44	38	6	0.00747	0.0008	0.0300
	DDE, p,p'	44	0	3	0.00002	0.0001	0.0006
	fenitrothion	44	0	2	0.00005	0.0010	0.0010
	malathion	44	42	2	0.00720	0.0010	0.0200
	methoxychlor, p,p'-	44	0	1	0.00005	0.0020	0.0020
	pirimiphos-methyl	44	0	1	0.00005	0.0020	0.0020
	triphenyl phosphate	44	1	0	0.00400	0.1760	0.1760
725	BF, cereal, oatmeal w/ fruit, prepared w/ water						
	thiabendazole	4	0	1	0.00025	0.0010	0.0010
726	BF, chicken w/ rice						
	DDE, p,p'	4	0	2	0.00008	0.0001	0.0002
	endosulfan I	4	0	1	0.00005	0.0002	0.0002
	endosulfan II	4	0	1	0.00005	0.0002	0.0002
727	BF, beef and noodles/beef stroganoff						
	DDE, p,p'	4	0	3	0.00023	0.0002	0.0005
	dieldrin	4	0	1	0.00003	0.0001	0.0001
	endosulfan I	4	0	1	0.00003	0.0001	0.0001
	endosulfan II	4	0	1	0.00008	0.0003	0.0003
	endosulfan sulfate	4	0	1	0.00003	0.0001	0.0001
728	BF, vegetables and turkey						
	chlorpropham	4	1	3	0.00350	0.0010	0.0080
	DDE, p,p'	4	0	2	0.00010	0.0001	0.0003
	dieldrin	4	0	1	0.00003	0.0001	0.0001

**US Food and Drug Administration - Total Diet Study
Market Baskets 1991-3 through 2003-4**

Food #	Description	Number of			Level in ppm		
		Analyses	≥ LQ	Traces	Mean	Min	Max
	diphenyl 2-ethylhexyl phosphate	4	1	0	0.12225	0.4890	0.4890
	triphenyl phosphate	4	1	0	0.02175	0.0870	0.0870
729	BF, macaroni and cheese						
	chlorpropham	4	0	3	0.00125	0.0010	0.0030
	DDE, p,p'	4	0	1	0.00003	0.0001	0.0001
	dieldrin	4	0	1	0.00003	0.0001	0.0001
	endosulfan sulfate	4	0	1	0.00003	0.0001	0.0001
	toluene	4	1	0	0.00300	0.0120	0.0120
	xylene, m- and/or p-	4	0	1	0.00350	0.0140	0.0140
730	BF, apples with berries						
	4-cyclohexene-1,2-dicarboximide, cis-	4	2	0	0.01850	0.0260	0.0480
	benomyl	4	0	4	0.01750	0.0120	0.0240
	carbaryl	4	1	1	0.00500	0.0060	0.0140
	dieldrin	4	0	1	0.00003	0.0001	0.0001
	diphenylamine	4	1	1	0.00125	0.0020	0.0030
	endosulfan I	4	0	2	0.00028	0.0003	0.0008
	endosulfan II	4	0	3	0.00040	0.0004	0.0008
	endosulfan sulfate	4	1	2	0.00100	0.0010	0.0020
	ethylenethiourea	4	0	2	0.00150	0.0030	0.0030
	fenpropathrin	4	1	0	0.00875	0.0350	0.0350
	permethrin, cis-	4	0	1	0.00018	0.0007	0.0007
	permethrin, trans-	4	0	1	0.00005	0.0002	0.0002
731	BF, apples w/ other fruit except berries						
	4-cyclohexene-1,2-dicarboximide, cis-	3	2	0	0.04967	0.0540	0.0950
	benomyl	3	0	1	0.00400	0.0120	0.0120
	carbaryl	3	0	1	0.00167	0.0050	0.0050
	DDE, p,p'	3	0	1	0.00007	0.0002	0.0002
	diphenylamine	3	0	1	0.00133	0.0040	0.0040
	endosulfan I	3	0	2	0.00007	0.0001	0.0001
	endosulfan II	3	0	2	0.00020	0.0002	0.0004
	endosulfan sulfate	3	0	2	0.00047	0.0007	0.0007
	ethylenethiourea	3	0	1	0.00100	0.0030	0.0030
	permethrin, cis-	3	0	1	0.00023	0.0007	0.0007
	permethrin, trans-	3	0	1	0.00020	0.0006	0.0006
	phenylphenol, o-	3	1	0	0.01133	0.0340	0.0340
	thiabendazole	3	1	1	0.01200	0.0010	0.0350