Regulation of Combination Products

Medical Device Manufacturers Association September 30, 2004

Mark D. Kramer

Director, Office of Combination Products


Overview

- Role of Office of Combination Products
- Primary Mode of Action and Assignment Process
- Premarket Review of Combination Products
- Postmarket Regulation of Combination Products
- The Future

Combination Products Are Diverse

- Combinations of different types of regulated products (21 CFR 3.2(e))
 - Drug-device
 - Device-biologic
 - Drug-biologic
 - Drug-device-biologic
- Physically/chemically combined
- Co-package or kit
- Separate cross labeled products

Regulatory Approaches



Office of Combination Products (Established December 24, 2002)

- Resource for industry and agency reviewers
- Assignment of combination products
- Ensure timely and effective premarket review
- Consistent and appropriate postmarket regulation
- Dispute resolution (timeliness vs. substance)
- Review/update guidance, agreements, practices
- Report to Congress

Assignment of Combination Products

- Primary mode of action (PMOA) is the statutory criterion FDA must use in assigning an agency component with primary jurisdiction for premarket review and regulation of a combination product.
- PMOA is not currently defined in the Act or regulations.
- Goals:
 - Simplify the designation process for sponsors
 - Enhance consistency, predictability, and transparency
 - Further MDUFMA's requirement for prompt assignment of combination products, and to review/revise agreements, guidance and practices specific to the assignment of combination products

Request for Designation (RFD) - General Information

- Voluntary
- 21 CFR 3.7 has requirements -- ≤ 15 pages
- For both combination and non-combination products
 - Classification and Assignment
 - Primary Mode of Action (for combination products)
 - Clarification of Regulatory Pathway
- 60 day clock
- Email: combination@fda.gov

Resources

- Intercenter Agreements
 - CDER-CDRH; CBER-CDER; CBER-CDRH
 - http://www.fda.gov/oc/combination/intercenter.html

- Jurisdictional Updates
 - Recently expanded with ~70 jurisdictional determinations
 - http://www.fda.gov/oc/combination/updates.html

PMOA Proposed Rule: May 7, 2004 Federal Register

- "Mode of Action" would be defined as the means by which a product achieves a therapeutic effect
 - "Therapeutic" includes any effect or action of the combination product intended to diagnose, cure, mitigate, treat, or prevent disease, or affect the structure or any function of the body
- Three types of modes of action: biological product, device, drug
- Combination products are comprised of more than one type of regulated article [or constituent part] and will typically have more than one identifiable mode of action (e.g., drug and device, device and biological product, etc.)

- A constituent part of a combination product has a:
 - Biological product MOA if it acts by means of a virus, therapeutic serum, toxin, antitoxin, vaccine, blood, blood component or derivative, allergenic product, or analogous product applicable to the prevention, treatment, or cure of a disease or condition of human beings...
 - Device MOA if it meets the definition of device..., it does does not have a biological product MOA, and it does not achieve its primary intended purposes through chemical action within or on the body....and is not dependent on being metabolized for the achievement of its primary intended purposes
 - Drug MOA if it meets the definition of drug...and it does not have a biological product or device MOA.

o "Primary Mode of Action":

 The single mode of action of a combination product that provides the most important therapeutic action of the combination product.

- If unable to determine the most important therapeutic action with reasonable certainty:
 - Examples: early in development (just don't know) -- or two important,
 independent modes of action, neither of which is subordinate to the other
 - o Follow Assignment Algorithm:
 - 1st: CONSISTENCY: Assign to agency component that regulates other combination products that present similar questions of safety and effectiveness with regard to the combination product as a whole.
 - That is, assign to the Center with direct experience in that type of combination product

- If there are no other combination products that present similar questions of safety and effectiveness with regard to the combination product as whole:
 - Examples: it is the first such combination product, or when differences in its intended use, design, formulation, etc. present different safety and effectiveness questions
- Continue with assignment algorithm:
 - 2nd: SAFETY AND EFFECTIVENESS: Assign to agency component with the most expertise related to the most significant safety and effectiveness questions presented by the combination product
 - That is, assign to Center with most related experience for that type of product

Primary Mode of Action – An Illustration

Drug Eluting Stent



- o Primary Mode of Action:
 - Stent opens artery
- Secondary Action:
 - Drug prevents inflammation and restenosis of artery
- Regulated as a Device (PMA)

Drug Eluting Disk



- Primary Mode of Action:
 - Cancer chemotherapy
- Secondary Action
 - Local drug delivery by device
- Regulated as a Drug (NDA)

PMOA Proposed Rule: Selected Stakeholder Comments

- Clarify roles of intended use, precedents, and intercenter agreements
- Clarify effect on existing products
- Provide more examples
- Post precedents on web
- Clarify some terms; issue companion guidance
- Clarify how PMOA affects regulatory authorities and need for 1 vs. 2 marketing applications

OCP Assignments of Combination Products (10/1/03 through 8/31/04)

Requests	Assignments	%	Pending
for	Issued	Issued within	(not overdue)
Assignment Submitted		60	Overdue)
		days	
27*	26*	100%	1

Mean Total Review Time = 38.3 days Median Total Review Time = 35 days Range of Total Review Time = 18-59 days

Assigned to CBER: 3 (2 dev/biol, 1 drug/dev/biol)
Assigned to CDER: 6 (5 drug-device, 1 dev/biol)
Assigned to CDRH: 17 (15 drug-device, 2 dev/biol)

^{*}does not include requests for reconsideration nor RFDs not filed or withdrawn

OCP Classification Decisions (Non-Combination Products (10/1/03 -- 8/31/04)

Requests for Classification Submitted	Classifications Issued	% Issued within 60 days	Pending (not overdue)
19 [*]	13 [*]	100%	6

Mean Total Review Time = 46.2 days Median Total Review Time = 48.0 days Range of Total Review Time = 31-59 days

Assigned to CBER: 2 (1 device, 1 biologic)

Assigned to CDER: 2 (2 drug)

Assigned to CDRH: 9 (9 device)

^{*}does not include requests for reconsideration nor RFDs not filed or withdrawn

Review of Combination Products

Statute:

 Ensure timely and effective premarket review by overseeing timeliness of and coordinating reviews involving more than one agency Center

Review of Combination Products

- Developed SOP for intercenter consultation process
- Establish regulatory pathways for difficult products
- Establish and facilitate intercenter working groups
- Monitor the consultation process for combination products
- Monitor combination product review timeliness
- Advise sponsors and review staff
- Provide training and reviewer tools
- Published dispute resolution guidance
- Implemented categorization of all premarket submissions

Intercenter Consultation Requests 10/01/03 through 8/31/04

		Consulting Center		
		CBER	CDER	CDRH
Primary Assigned Center	CBER		3	13
	CDER	2	<u></u>	55
	CDRH	7	106	

Dispute Resolution Guidance

- Resolution of Disputes Regarding Timeliness of Premarket Review of Combination Products http://www.fda.gov/oc/combination/dispute.pdf
- "Any dispute regarding the timeliness of the premarket review of a combination product may be presented to OCP for resolution, unless the timeliness of the dispute is clearly premature"
- OCP's goal is to develop and implement policies and processes to streamline the regulation of combination products, and to ensure timely and effective premarket review
- The guidance provides procedural/process information affecting a narrow range of inquiries presented to OCP, i.e., "missed due dates" where sponsor wishes to submit formal request for timeliness dispute resolution
- OCP remains available, formally or informally, to sponsors regarding combination product issues throughout product development

Application User Fees for Combination Products – Open for Comment

- Single marketing application: fee associated with that type of application
- Sponsor chooses to submit two marketing applications when one would suffice: fee for each application (waivers/reductions possible)
- FDA requires two marketing applications: fees for each application (waivers/reductions possible)
- For innovative combination products where two applications are required: use of PDUFA barrier to innovation waiver to reduce additional fee burden associated with FDA's requirement for two marketing applications. Guidance provides factors FDA would consider.
 - MDUFMA and PDUFA applications: reduce PDUFA fee by amount of MDUFMA fee
 - Two PDUFA applications: reduce each PDUFA fee by half

Postmarket Regulation

- Statute:
 - Ensure consistency and appropriateness
- Examples:
 - Identify appropriate regulatory mechanisms
 - Coordinate Centers and field
 - Establish and facilitate intercenter working groups
 - Draft guidance (GMP's, adverse event reporting)

Current Good Manufacturing Practices for Combination Products -- Open for Comment

- CGMP and QS regulations are similar but each is tailored to the types of products for which they were designed. Manufacturers: parallel GMP operating systems are unnecessary.
- Prior to combination, each constituent part of a combination product is subject only to its governing GMP regulations. During and after combination (21 CFR 3.2(e)(1) or (e)(2)), both regulations apply.
- Compliance with both regulations can generally be achieved by using either regulation (e.g., by using the system in place at a facility)
- Guidance includes key provisions to consider in ensuring compliance with both regulations; others should be considered depending on product
 - If under CGMP: design controls, purchasing controls, CAPA
 - If under QSR: calculation of yield; expiration dating; stability testing; testing and approval/rejection of components, drug product containers and closures; testing and release for distribution; special testing requirements; reserve samples

General Considerations

- One size doesn't fit all
- Regulatory pathway and questions that need to be addressed for that pathway
- "Additive" effect of the "new" component
- Don't forget about GMP's
- Review guidance documents and approval documentation for other combination products
- Consult with FDA; get both Centers at table

What's Still Left to be Done: A Lot

- Publish and finalize remaining guidance/regulations
- Continued outreach and training
- Address "2nd tier" issues, such as
 - Post-approval changes
 - Labeling format
 - Registration & Listing
 - Promotion & Advertising
 - ...and more
- Evaluate impact of new policies and need for revisions
- Continued stakeholder input
- ...and more

How Does the Future Look?

- Numbers and types of combination products will continue to grow
- Consultation process more systematized
- Clearer, more predictable process for assignment,
 premarket review and postmarket regulation
- Continued opportunities for stakeholder input at meetings like this

OCP Website: http://www.fda.gov/oc/combination/



U.S. Food and Drug Administration



FDA Home Page | Search FDA Site | A-Z Index | Contact FDA

Office of Combination Products

Overview of the Office of Combination Products

Office of Combination Products: Annual Report to Congress PDF (251KB) HTML

Quarterly Progress Reports to Stakeholders

NEW! FY04 OCP Review Performance: Formal Requests for Designation Submitted by Industry

Assignment of Combination Products/Product Jurisdiction Program -Revised 6/13/2003

Instructions for Submitting a Request for Designation (RFD)

June 23, 2003 Final Rule

Intercenter Agreements

NEW! Transfer of Therapeutic Biological Products to the Center for Drug Evaluation and Research

Jurisdicational Updates

- NEW! Jurisdictional Update: Drug-Biologic Combination Products
- Human Demineralized Bone Matrix Drug-Eluting Cardiovascular Stents

General Information

Definition of a Combination Product

November 25, 2002 Public Hearing on Regulation of Combination Products

- Federal Register Notice
- Agenda and Presentations
- Transcript of Nov. 25, 2002 Public Hearing - PDF [213KB] HTML

NEW! Innovative Systems for Delivery of Drugs and Biologics: Scientific, Clinical and Regulatory Challenges: Summary of July 8, 2003 FDA Workshop

Regulation of Combination Products: FDA Employee Perspectives PDF [74KB] [HTML]

Selected Guidance Documents Applicable to Combination Products.

Review of Combination Products

Intercenter Consultative/Collaborative Review Process PDF [82KB] HTML

NEW! Draft Guidance for Industry: Combination Products, Timeliness of Premarket Reviews: Dispute Resolution Guidance [PDF]

Recent Examples of Combination Product Approvals

Press Release

FDA Establishes Office of Combination Products, Dec. 31, 2002

Contact Us

We are interested in your comments and suggestions about combination products issues. Please contact:

Mark D. Kramer, Director Office of Combination Products Food and Drug Administration 15800 Crabbs Branch Way (HFG-3) Suite 200 Rodorilla, MD 20855 (301) 827-9229 email: combination@fda.gov

Agency Jurisdictional Experts

Leigh Hayes/Suzanne O'Shea Product Assignment/Classification Officers 301-427-1934

CBER: Sherry Lard 301-827-0379

CDER: Warren Rumble 301-594-5480

CDRH: Gene Berk 301-594-1190

Contact Us – Office of Combination Products

Mark D. Kramer
Director, Office of Combination Products
15800 Crabbs Branch Way (HFG-3)
Rockville, MD 20855

combination@fda.gov

(301) 427-1934

http://www.fda.gov/oc/combination/