sm - Buried Plant Warning Signs, Stakes and Decal Markings

<u>Manufacturer</u> <u>Catalog Number</u>

sm-a Decal Type Warning Signs and Markings(1)(2)

Non-Reflective

	Warning Signs	Numerals & Letters	<u>Symbols</u>
3M Company	Χ	X	-
ACP International	Χ	X	-
Michael J. Arnold & Co.(11)	Χ	X	X
W. H. Brady	X	X	-
Color Arts, Inc.	Χ	X	-
Emerson Network Power, Energy System	ns X	X	-
May Advertising Corp.	X	X	-
Tech Products	X	X	X
Vernon Company	Χ	-	-
Vulcan Signs	X	X	-

sm-b Decal Type Warning Signs and Markings(1)(2)

Reflective

	Warning Signs	Numerals & Letters	<u>Symbols</u>
3M Company	-	No. 5000 (5) No. 5005 (6) No. 5025 (6)	No. 5002
ACP International	CBC36RY CBC36RO	CBC36RY CBC36RO	-
Michael J. Arnold & Co.(11)	MJADWR	MJAD(12) _R	MJADSR
W. H. Brady	-	5905 Series	-
William Frick & Co.	CAUT-BC/IND	REF1.5 (5)(16) OREF1.5 (6)(16) REF3T ⁽⁵⁾ OREF3T ⁽⁶⁾	
Vulcan Signs	UCM Series	UEC Series	-

See page 3.5.3 for notes.

sm - Buried Plant Warning Signs, Stakes and Decal Markings

Manufacturer

Catalog Number

sm-c Signs and Stakes

ACP International ⁽³⁾	Cable Splice PD ⁽²⁾ , PDOC ⁽²⁾ ACP ⁽¹⁸⁾ -66, 72, 78 PV-4, 6, 12	Cable Route PD ⁽²⁾ , PDOC ⁽²⁾ ACP ⁽¹⁸⁾ -66, 72, 78 PV-4, 6, 12	Warning PD ⁽²⁾ , PDOC ⁽²⁾ ACP ⁽¹⁸⁾ -66, 72, 78 PV-4, 6, 12 ACP-BM-53 ⁽²⁾
Carsonite	-	-	Impactor
Decal Industries ⁽⁴⁾	-	-	FP ⁽⁷⁾ ⁽⁸⁾ D ⁽⁹⁾
Emerson Network Power, Energy Systems ⁽³⁾	1SP41233	1SP41232	1SP4121
GreenLine ⁽⁴⁾	-	-	FLU1RD96016
J. Miller Industries, Inc. ⁽⁶⁾	-	-	JMI-375-096-OR-100
Lyle Signs Inc. ⁽³⁾⁽⁴⁾	UT-55	UT-54	UT-53
Maloney Technical Products ⁽⁶⁾	-	-	MRKR™
May Advertising Corp. (3)(4)	BM55-MABCS 412	BM54-MACR 412	BM53-MABC 412
Michael J. Arnold & Co. ⁽³⁾⁽⁴⁾	MJABCSA	MJA930615 ⁽¹³⁾ -	MJACBC MJA ⁽¹⁴⁾
Pro-Mark	PM-303	PM-303	PM-303
Quantum	-	-	QM-375
Repnet	REA/PSA-1	REA/PSA-2	REA/PSA-3
Rustproof Signs, Inc. ⁽³⁾	R-709 -	R-710 -	R-708 R-666
SArgent-SOwell ⁽³⁾	49PHV067	49PHV069	49PHV068
Vulcan Signs ⁽³⁾⁽⁴⁾	UCM-102	UCM-101	UCM-505
W. H. Brady	B-11 ⁽³⁾ - -	B-13 ⁽³⁾ - -	B-12 ⁽³⁾ BL1 BL2
William Frick & Co. ⁽⁴⁾	BC-SPLICE ⁽³⁾ DM3, DMTS3	CABLE-RT ⁽³⁾ DM3, DMTS3	BC-CAUTION ⁽³⁾ DM3, DMTS3

sm - Buried Plant Warning Signs, Stakes and Decal Markings

<u>Manufacturer</u> <u>Catalog Number</u>

sm-c Signs and Stakes

Mounting Stakes

ACP International UC-8/GR⁽²⁰⁾

UC-8/GLV⁽²⁰⁾

Michael J. Arnold & Co. UPC-8__(15)

W. H. Brady 96920

Carsonite CUM-375

Decal Industries FP__(7)___(9)

William Frick & Co. POST-8FT⁽¹⁷⁾

FlexStake 302

303 304 305

GreenLine FLU1-96

Emerson Network Power, Energy Systems UP4120__(10)

J. Miller Industries, Inc. JMI-375-096-OR

Rustproof Signs, Inc. RP-208N

Vulcan Signs 82GR

See page 3.5.3 for notes.

- **Notes:** (1)All decals should be applied using manufacturers recommended materials and practices.
 - (2)Order by size and description.
 - (3)Stake not included.
 - (4) Signs may be ordered with black lettering on orange background.
 - (5) Available only in black lettering on yellow background.
 - (6) Available only in black lettering on orange background.
 - (7)Blank denotes color of marker. Replace blank with W for White, O for Orange, or G for Green.
 - (8) Blank denotes number and color of decals. Replace blank with 1Y for 1 yellow decal, 2Y for 2 yellow decals, 1O for 1 orange decal, or 2O for 2 orange decals.
 - (9) Blank denotes length of marker in inches. Replace blank with 60, 66, 72, or 78.
 - (10) Blank denotes length of stake in inches. Replace blank with either 72 or 96.
 - (11)Decals may be ordered with black lettering on orange background.
 - (12) Replace blank with "N" for numerals and "L" for letters.
 - (13) Add letter "A" to catalog number to obtain sign with arrows. The six-digit number is the manufactured date and identifies the purchaser.
 - (14) Replace blank with "TF" for tri-fold and "QF" for quad-fold.
 - (15) Replace blank with "G" for green painted and "GAL" for galvanized.
 - (16) When ordering specify either 1 decal or 4 decals per sheet.
 - (17)When ordering specify either 2 pound or 1.12 pound post.
 - (18) When ordering specify 1 or 2 decals and wording.
 - (19)When ordering specify by color and wording.
 - (20) Replace "UC" with "DL" for 1.12 pound and replace "8" with desired length in ft. (6.5, 10,etc.)