

Table 3.1A Estimated Numbers (in Thousands) Reporting About Risk and Availability of Drugs, by Age Group: 2000 and 2001

Risk/Availability ¹	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2000	2001	2000	2001	2000	2001	2000	2001
PERCEPTIONS OF GREAT RISK								
Cigarettes								
Smoke one or more packs per day	153,077 ^b	158,777	14,843	14,865	18,645	19,011	119,589 ^b	124,900
Marijuana								
Smoke once a month	96,603 ^b	92,411	8,670 ^a	8,307	8,554 ^b	7,870	79,379 ^a	76,234
Smoke once or twice a week	122,943 ^b	117,639	12,920	12,472	12,059 ^b	11,072	97,964 ^a	94,095
Cocaine								
Use once a month	166,281	165,247	12,701	12,549	19,762	19,426	133,818	133,273
Use once or twice a week	198,818	199,509	18,859	18,871	25,253	25,399	154,707	155,239
Heroin								
Try once or twice	184,837	184,729	14,272	14,158	22,770	22,820	147,794	147,751
Use once or twice a week	206,097	207,621	19,291	19,231	26,638	27,047	160,168	161,344
LSD								
Try once or twice	167,213	165,234	12,934	12,755	18,635	18,219	135,643	134,260
Use once or twice a week	194,880	195,460	17,611	17,655	24,092	24,308	153,177	153,498
Alcohol								
Four or five drinks nearly every day	155,892	156,516	14,750	14,783	18,391	18,296	122,751	123,437
Five or more drinks once or twice a week	104,113	102,423	9,997	10,020	10,813	10,551	83,302	81,852
AVAILABILITY								
Fairly or very easy to obtain								
Marijuana	115,571 ^b	120,539	12,318	12,754	21,424 ^a	22,379	81,829 ^a	85,406
Cocaine	63,139	64,329	5,649	5,788	10,871	11,385	46,619	47,156
Crack	60,097	60,795	6,010	6,139	9,423	9,496	44,663	45,160
Heroin	40,005	39,522	3,799	3,782	6,252	6,263	29,954	29,477
LSD	45,951	45,419	5,114	5,125	9,302	9,190	31,535	31,104
Approached by someone selling drugs past month	16,405 ^a	17,638	3,692	3,838	5,025 ^a	5,435	7,688	8,365

*Low precision; no estimate reported.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹Respondents with missing data were excluded.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.1B Percentages Reporting About Risk and Availability of Drugs, by Age Group: 2000 and 2001

Risk/Availability ¹	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2000	2001	2000	2001	2000	2001	2000	2001
PERCEPTIONS OF GREAT RISK								
Cigarettes								
Smoke one or more packs per day	69.3 ^b	71.0	64.1	63.6	64.7	64.8	70.8 ^b	73.0
Marijuana								
Smoke once a month	44.3 ^b	41.9	37.7 ^b	35.7	29.8 ^b	26.9	47.8 ^b	45.3
Smoke once or twice a week	56.4 ^b	53.3	56.0 ^b	53.5	41.9 ^b	37.8	58.9 ^b	56.0
Cocaine								
Use once a month	76.0 ^b	74.6	55.4 ^a	54.1	69.0 ^b	66.5	80.1 ^a	78.8
Use once or twice a week	90.8 ^b	90.0	82.1	81.3	88.1 ^a	87.0	92.4 ^a	91.7
Heroin								
Try once or twice	84.4 ^b	83.5	62.3	61.2	79.5 ^a	78.3	88.3 ^a	87.4
Use once or twice a week	94.1	93.7	84.1 ^a	83.1	93.0	92.8	95.6	95.4
LSD								
Try once or twice	76.8 ^b	75.2	57.2 ^a	56.1	65.2 ^b	62.7	81.5 ^b	79.9
Use once or twice a week	89.4 ^a	88.7	77.7	77.3	84.3	83.6	91.9 ^a	91.1
Alcohol								
Four or five drinks nearly every day	70.6	70.1	63.7	63.2	63.8 ^a	62.3	72.7	72.4
Five or more drinks once or twice a week	47.1 ^a	45.9	43.2	42.8	37.5 ^a	36.0	49.3 ^a	48.0
AVAILABILITY								
Fairly or very easy to obtain								
Marijuana	54.8 ^b	56.6	54.1 ^a	55.4	75.3 ^b	77.2	51.2 ^b	53.0
Cocaine	30.4	30.8	25.2	25.5	39.0	40.2	29.6	29.8
Crack	29.0	29.2	26.8	27.0	33.9	33.6	28.4	28.7
Heroin	19.4	19.0	17.0	16.7	22.6	22.2	19.2	18.8
LSD	22.3	21.9	23.0	22.8	33.5	32.6	20.2	19.8
Approached by someone selling drugs past month	7.4 ^a	7.8	15.9	16.3	17.4 ^a	18.5	4.5	4.9

*Low precision; no estimate reported.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹Respondents with missing data were excluded.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.2A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Cigarette Smoking: 2000 and 2001

(I) Demographic Characteristic	Smoke One or More Packs of Cigarettes Per Day ¹		(II) Drug Use	Smoke One or More Packs of Cigarettes Per Day ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	14,843	14,865	PAST MONTH				
AGE			Any Illicit Drug ²	1,155 ^b	1,333	1,094	1,201
12-13	4,925	4,720	Marijuana	834 ^b	979	836	893
14-15	5,068	5,166	Any Illicit Drug Other Than Marijuana ²	526	584	538	564
16-17	4,850	4,979	Cigarettes	1,467	1,427	1,649	1,604
GENDER			Alcohol	2,120	2,282	1,685	1,764
Male	7,119	7,183	"Binge" Alcohol ³	1,254	1,349	1,173	1,129
Female	7,725	7,682	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	2,335 ^b	2,734	1,986	2,150
Not Hispanic	12,691	12,698	Marijuana	1,646 ^b	1,986	1,472	1,569
White Only	9,695	9,650	Any Illicit Drug Other Than Marijuana ²	1,346 ^a	1,499	1,260	1,321
Black Only	2,133	2,109	Cigarettes	2,474	2,416	2,365	2,281
American Indian or Alaska Native Only	*	96	Alcohol	4,499	4,725	3,184	3,231
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	507	540	LIFETIME				
More Than One Race	236	262	Any Illicit Drug ²	3,551 ^a	3,791	2,689	2,856
Hispanic	2,152	2,167	Marijuana	2,371 ^a	2,598	1,886	2,015
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	2,269	2,406	1,921	1,969
Large Metro	7,381	7,212	Cigarettes	4,574	4,433	3,466	3,434
Small Metro	4,536	4,588	Alcohol	5,772	6,048	3,920	3,996
Nonmetro	2,927	3,065	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.2B Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Cigarette Smoking: 2000 and 2001

(I) Demographic Characteristic	Smoke One or More Packs of Cigarettes Per Day ¹		(II) Drug Use	Smoke One or More Packs of Cigarettes Per Day ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	64.1	63.6	PAST MONTH				
AGE			Any Illicit Drug ²	7.8 ^b	9.0	13.2	14.1
12-13	64.6 ^b	62.1	Marijuana	5.6 ^b	6.6	10.1	10.5
14-15	63.4	63.8	Any Illicit Drug Other Than Marijuana ²	3.5	3.9	6.5	6.6
16-17	64.5	64.8	Cigarettes	9.9	9.6	19.8	18.8
GENDER			Alcohol	14.3 ^a	15.3	20.3	20.7
Male	60.2	60.1	"Binge" Alcohol ³	8.4	9.1	14.1	13.3
Female	68.3	67.2	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	15.7 ^b	18.4	23.9	25.2
Not Hispanic	63.8	63.5	Marijuana	11.1 ^b	13.4	17.7	18.4
White Only	63.8	63.3	Any Illicit Drug Other Than Marijuana ²	9.1 ^a	10.1	15.2	15.5
Black Only	64.9	63.4	Cigarettes	16.7	16.3	28.5	26.8
American Indian or Alaska Native Only	*	55.8	Alcohol	30.3 ^a	31.8	38.3	37.9
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	61.6	65.3	LIFETIME				
More Than One Race	65.2	67.4	Any Illicit Drug ²	23.9 ^a	25.5	32.4	33.5
Hispanic	65.9	64.3	Marijuana	16.0 ^a	17.5	22.7	23.7
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	15.3	16.2	23.1	23.1
Large Metro	65.6	64.9	Cigarettes	30.8	29.8	41.7	40.3
Small Metro	63.6	62.9	Alcohol	38.9 ^a	40.7	47.2	46.9
Nonmetro	61.5	61.6	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.3A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once a Month: 2000 and 2001

(I) Demographic Characteristic	Smoke Marijuana Once a Month ¹		(II) Drug Use	Smoke Marijuana Once a Month ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	8,670 ^a	8,307	PAST MONTH				
AGE			Any Illicit Drug ²	296	340	1,950 ^b	2,200
12-13	3,445	3,357	Marijuana	132	141	1,538 ^b	1,736
14-15	2,949	2,808	Any Illicit Drug Other Than Marijuana ²	205	223	855	926
16-17	2,277	2,142	Cigarettes	546	486	2,562	2,543
GENDER			Alcohol	764	727	3,026 ^b	3,318
Male	4,149	3,980	"Binge" Alcohol ³	420	376	2,001	2,097
Female	4,521	4,327	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	712	793	3,609 ^b	4,096
Not Hispanic	7,421 ^a	7,050	Marijuana	343	360	2,779 ^b	3,202
White Only	5,658 ^a	5,358	Any Illicit Drug Other Than Marijuana ²	496	538	2,106 ^a	2,284
Black Only	1,271	1,198	Cigarettes	1,022 ^a	895	3,803	3,799
American Indian or Alaska Native Only	40	46	Alcohol	1,887 ^a	1,734	5,771 ^b	6,220
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	312	310	LIFETIME				
More Than One Race	125	114	Any Illicit Drug ²	1,253	1,316	4,978 ^b	5,330
Hispanic	1,249	1,258	Marijuana	608	590	3,648 ^b	4,030
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	911	964	3,274	3,409
Large Metro	4,057	3,826	Cigarettes	2,043 ^a	1,845	5,974	6,004
Small Metro	2,712	2,564	Alcohol	2,585	2,460	7,073 ^b	7,573
Nonmetro	1,901	1,918	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.3B Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once a Month: 2000 and 2001

(I) Demographic Characteristic	Smoke Marijuana Once a Month ¹		(II) Drug Use	Smoke Marijuana Once a Month ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	37.7 ^b	35.7	PAST MONTH				
AGE			Any Illicit Drug ²	3.4	4.1	13.6 ^a	14.7
12-13	45.6	44.5	Marijuana	1.5	1.7	10.7	11.6
14-15	37.1 ^a	34.8	Any Illicit Drug Other Than Marijuana ²	2.4	2.7	6.0	6.2
16-17	30.3 ^b	28.0	Cigarettes	6.3	5.9	17.9	17.0
GENDER			Alcohol	8.8	8.8	21.1	22.2
Male	35.3 ^a	33.4	"Binge" Alcohol ³	4.8	4.5	14.0	14.0
Female	40.2 ^b	38.0	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	8.2 ^a	9.5	25.2 ^b	27.3
Not Hispanic	37.5 ^b	35.4	Marijuana	4.0	4.3	19.4 ^b	21.4
White Only	37.4 ^b	35.3	Any Illicit Drug Other Than Marijuana ²	5.7	6.5	14.7	15.2
Black Only	38.8	36.2	Cigarettes	11.8	10.8	26.5	25.4
American Indian or Alaska Native Only	27.7	27.5	Alcohol	21.8	20.9	40.2	41.5
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	38.8	38.0	LIFETIME				
More Than One Race	34.9	29.1	Any Illicit Drug ²	14.4 ^a	15.8	34.7	35.6
Hispanic	38.5	37.3	Marijuana	7.0	7.1	25.4 ^a	26.9
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	10.5	11.6	22.8	22.8
Large Metro	36.2 ^a	34.5	Cigarettes	23.6	22.2	41.6 ^a	40.1
Small Metro	38.3 ^b	35.4	Alcohol	29.8	29.6	49.3	50.6
Nonmetro	40.2	38.7	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.4A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once or Twice a Week: 2000 and 2001

(I) Demographic Characteristic	Smoke Marijuana Once or Twice a Week ¹		(II) Drug Use	Smoke Marijuana Once or Twice a Week ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	12,920	12,472	PAST MONTH				
AGE			Any Illicit Drug ²	413	478	1,839 ^b	2,057
12-13	5,068	4,854	Marijuana	181	207	1,491 ^a	1,668
14-15	4,457	4,247	Any Illicit Drug Other Than Marijuana ²	280	318	785	829
16-17	3,395	3,372	Cigarettes	757	745	2,349	2,284
GENDER			Alcohol	1,150	1,161	2,649 ^a	2,888
Male	6,234	6,064	"Binge" Alcohol ³	605	599	1,822	1,876
Female	6,687	6,408	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	1,071 ^a	1,200	3,256 ^b	3,683
Not Hispanic	11,189	10,757	Marijuana	532	611	2,589 ^b	2,947
White Only	8,816 ^a	8,413	Any Illicit Drug Other Than Marijuana ²	723	782	1,882 ^a	2,039
Black Only	1,601	1,548	Cigarettes	1,491	1,378	3,335	3,316
American Indian or Alaska Native Only	*	65	Alcohol	2,914	2,805	4,753 ^b	5,145
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	504	498	LIFETIME				
More Than One Race	180	205	Any Illicit Drug ²	1,891	1,965	4,347 ^b	4,678
Hispanic	1,731	1,715	Marijuana	925	948	3,333 ^b	3,668
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	1,339	1,413	2,847	2,961
Large Metro	6,108	5,874	Cigarettes	3,013 ^a	2,786	5,010	5,078
Small Metro	4,021	3,866	Alcohol	3,956	3,864	5,711 ^b	6,177
Nonmetro	2,791	2,732	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.4B Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once or Twice a Week: 2000 and 2001

(I) Demographic Characteristic	Smoke Marijuana Once or Twice a Week ¹		(II) Drug Use	Smoke Marijuana Once or Twice a Week ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	56.0 ^b	53.5	PAST MONTH				
AGE			Any Illicit Drug ²	3.2 ^a	3.8	18.1	19.0
12-13	66.8 ^b	64.1	Marijuana	1.4	1.7	14.7	15.4
14-15	55.9 ^b	52.5	Any Illicit Drug Other Than Marijuana ²	2.2	2.6	7.7	7.6
16-17	45.2	44.0	Cigarettes	5.9	6.0	23.1 ^b	21.0
GENDER			Alcohol	8.9	9.3	26.1	26.6
Male	52.9 ^b	50.8	"Binge" Alcohol ³	4.7	4.8	17.9	17.3
Female	59.3 ^b	56.2	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	8.3 ^b	9.6	32.1 ^a	33.9
Not Hispanic	56.5 ^b	53.9	Marijuana	4.1 ^a	4.9	25.5 ^a	27.1
White Only	58.2 ^b	55.4	Any Illicit Drug Other Than Marijuana ²	5.6	6.3	18.5	18.8
Black Only	48.8	46.5	Cigarettes	11.5	11.0	32.9 ^b	30.5
American Indian or Alaska Native Only	*	37.5	Alcohol	22.6	22.5	46.8	47.4
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	62.8	60.5	LIFETIME				
More Than One Race	49.8	52.7	Any Illicit Drug ²	14.6	15.8	42.8	43.1
Hispanic	53.0	50.8	Marijuana	7.2	7.6	32.8	33.8
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	10.4 ^a	11.3	28.0	27.3
Large Metro	54.5	52.9	Cigarettes	23.3	22.3	49.4 ^b	46.8
Small Metro	56.5 ^b	53.2	Alcohol	30.6	31.0	56.3	56.9
Nonmetro	58.9 ^b	55.1	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.5A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine: 2000 and 2001

(I) Demographic Characteristic	Use Cocaine Once a Month ¹		(II) Drug Use	Use Cocaine Once a Month ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	12,701	12,549	PAST MONTH				
AGE			Any Illicit Drug ²	1,210 ^a	1,360	1,022 ^a	1,156
12-13	3,686	3,523	Marijuana	948	1,044	711 ^a	813
14-15	4,315	4,260	Any Illicit Drug Other Than Marijuana ²	483	548	572	597
16-17	4,700	4,766	Cigarettes	1,818	1,763	1,260	1,229
GENDER			Alcohol	2,211	2,322	1,557 ^a	1,706
Male	6,611	6,521	"Binge" Alcohol ³	1,431	1,416	982	1,045
Female	6,090	6,028	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	2,382 ^b	2,696	1,912 ^b	2,149
Not Hispanic	11,020	10,872	Marijuana	1,807 ^b	2,045	1,285 ^b	1,477
White Only	8,389	8,256	Any Illicit Drug Other Than Marijuana ²	1,296	1,395	1,299	1,411
Black Only	1,955	1,890	Cigarettes	2,779	2,644	2,006	1,992
American Indian or Alaska Native Only	*	84	Alcohol	4,387	4,492	3,231	3,410
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	391	405	LIFETIME				
More Than One Race	186	212	Any Illicit Drug ²	3,493	3,705	2,706 ^a	2,892
Hispanic	1,682	1,677	Marijuana	2,583	2,734	1,640 ^b	1,841
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	2,111	2,221	2,052	2,131
Large Metro	6,206	5,904	Cigarettes	4,683	4,498	3,278	3,274
Small Metro	3,927	3,931	Alcohol	5,538	5,712	4,073	4,270
Nonmetro	2,568	2,713	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.5B Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine Once a Month: 2000 and 2001

(I) Demographic Characteristic	Use Cocaine Once a Month ¹		(II) Drug Use	Use Cocaine Once a Month ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	55.4 ^a	54.1	PAST MONTH				
AGE			Any Illicit Drug ²	9.5 ^b	10.8	10.0	10.9
12-13	48.8 ^a	46.7	Marijuana	7.5 ^a	8.3	6.9	7.6
14-15	54.5	53.1	Any Illicit Drug Other Than Marijuana ²	3.8	4.4	5.6	5.6
16-17	62.9	62.5	Cigarettes	14.3	14.0	12.3	11.6
GENDER			Alcohol	17.4	18.5	15.2	16.0
Male	56.4	55.2	"Binge" Alcohol ³	11.3	11.3	9.6	9.8
Female	54.3	53.1	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	18.8 ^b	21.5	18.7 ^a	20.2
Not Hispanic	56.0	54.9	Marijuana	14.2 ^b	16.3	12.5 ^a	13.9
White Only	55.7	54.7	Any Illicit Drug Other Than Marijuana ²	10.2	11.1	12.7	13.3
Black Only	59.9	57.1	Cigarettes	21.9	21.1	19.6	18.7
American Indian or Alaska Native Only	*	48.7	Alcohol	34.5	35.8	31.5	32.1
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	48.3	50.5	LIFETIME				
More Than One Race	51.8	55.5	Any Illicit Drug ²	27.5 ^b	29.5	26.4	27.2
Hispanic	51.7	49.8	Marijuana	20.3 ^a	21.8	16.0	17.3
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	16.6	17.7	20.0	20.0
Large Metro	55.6 ^a	53.5	Cigarettes	36.9	35.8	32.0	30.8
Small Metro	55.5	54.5	Alcohol	43.6 ^a	45.5	39.8	40.2
Nonmetro	54.5	55.1	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.6A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine Once or Twice a Week: 2000 and 2001

(I) Demographic Characteristic	Use Cocaine Once or Twice a Week ¹		(II) Drug Use	Use Cocaine Once or Twice a Week ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	18,859	18,871	PAST MONTH				
AGE			Any Illicit Drug ²	1,651 ^b	1,912	584	610
12-13	5,814	5,712	Marijuana	1,280 ^a	1,443	384	418
14-15	6,570	6,561	Any Illicit Drug Other Than Marijuana ²	678 ^b	807	375	341
16-17	6,475	6,598	Cigarettes	2,468	2,384	617	617
GENDER			Alcohol	3,069 ^a	3,321	699	713
Male	9,621	9,725	"Binge" Alcohol ³	1,931	1,976	481	494
Female	9,238	9,146	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	3,358 ^b	3,796	942	1,057
Not Hispanic	16,349	16,303	Marijuana	2,481 ^b	2,846	620	683
White Only	12,790	12,734	Any Illicit Drug Other Than Marijuana ²	1,886 ^a	2,053	709	755
Black Only	2,526	2,457	Cigarettes	3,867	3,736	926	911
American Indian or Alaska Native Only	92	115	Alcohol	6,355	6,590	1,271	1,316
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	610	628	LIFETIME				
More Than One Race	282	328	Any Illicit Drug ²	4,930 ^a	5,230	1,275	1,373
Hispanic	2,510	2,569	Marijuana	3,474 ^a	3,745	760	838
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	3,123	3,263	1,042	1,090
Large Metro	9,182	8,981	Cigarettes	6,554	6,374	1,417	1,410
Small Metro	5,785	5,879	Alcohol	7,987	8,308	1,636	1,680
Nonmetro	3,892	4,011	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.6B Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine Once or Twice a Week: 2000 and 2001

(I) Demographic Characteristic	Use Cocaine Once or Twice a Week ¹		(II) Drug Use	Use Cocaine Once or Twice a Week ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	82.1	81.3	PAST MONTH				
AGE			Any Illicit Drug ²	8.8 ^b	10.1	14.2	14.1
12-13	76.9	75.6	Marijuana	6.8 ^a	7.6	9.3	9.6
14-15	82.8	81.7	Any Illicit Drug Other Than Marijuana ²	3.6 ^b	4.3	9.1	7.9
16-17	86.6	86.5	Cigarettes	13.1	12.6	15.0	14.2
GENDER			Alcohol	16.3 ^b	17.6	17.0	16.5
Male	82.1	82.1	"Binge" Alcohol ³	10.2	10.5	11.7	11.4
Female	82.1 ^b	80.5	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	17.8 ^b	20.1	22.9	24.4
Not Hispanic	82.9	82.2	Marijuana	13.2 ^b	15.1	15.1	15.8
White Only	84.8	84.3	Any Illicit Drug Other Than Marijuana ²	10.0 ^a	10.9	17.2	17.4
Black Only	77.5 ^a	74.3	Cigarettes	20.5	19.8	22.5	21.0
American Indian or Alaska Native Only	65.4	67.0	Alcohol	33.7	34.9	30.9	30.4
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	75.2	77.9	LIFETIME				
More Than One Race	78.6	85.6	Any Illicit Drug ²	26.1 ^a	27.7	31.0	31.7
Hispanic	77.2	76.2	Marijuana	18.4 ^b	19.8	18.5	19.3
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	16.6	17.3	25.3	25.2
Large Metro	82.2	81.3	Cigarettes	34.8	33.8	34.4	32.5
Small Metro	81.7	81.4	Alcohol	42.4 ^a	44.0	39.8	38.8
Nonmetro	82.4	81.3	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.7A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying Heroin Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying Heroin Once or Twice: 2000 and 2001

(I) Demographic Characteristic	Try Heroin Once or Twice ¹		(II) Drug Use	Try Heroin Once or Twice ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	14,272	14,158	PAST MONTH				
AGE			Any Illicit Drug ²	1,566 ^b	1,761	662	751
12-13	3,986	3,878	Marijuana	1,224 ^a	1,382	433	469
14-15	4,889	4,877	Any Illicit Drug Other Than Marijuana ²	678	731	373	409
16-17	5,397	5,402	Cigarettes	2,256	2,171	819	815
GENDER			Alcohol	2,646	2,820	1,114	1,200
Male	7,376	7,344	"Binge" Alcohol ³	1,735	1,793	672	666
Female	6,896	6,814	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	2,953 ^b	3,293	1,331 ^b	1,540
Not Hispanic	12,238	12,053	Marijuana	2,272 ^b	2,558	814 ^b	954
White Only	9,411	9,166	Any Illicit Drug Other Than Marijuana ²	1,660	1,787	924	1,012
Black Only	2,085	2,037	Cigarettes	3,352	3,242	1,427	1,387
American Indian or Alaska Native Only	*	104	Alcohol	5,191	5,357	2,417	2,523
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	401 ^a	490	LIFETIME				
More Than One Race	223	228	Any Illicit Drug ²	4,198 ^a	4,449	1,988	2,130
Hispanic	2,034	2,105	Marijuana	3,149	3,355	1,067 ^a	1,206
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	2,643	2,783	1,512	1,556
Large Metro	6,972	6,795	Cigarettes	5,488	5,338	2,459	2,422
Small Metro	4,385	4,351	Alcohol	6,479	6,724	3,123	3,230
Nonmetro	2,915	3,012	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.7B Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying Heroin Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying Heroin Once or Twice: 2000 and 2001

(I) Demographic Characteristic	Try Heroin Once or Twice ¹		(II) Drug Use	Try Heroin Once or Twice ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	62.3	61.2	PAST MONTH				
AGE			Any Illicit Drug ²	11.0 ^b	12.4	7.7	8.4
12-13	52.9	51.8	Marijuana	8.6 ^b	9.8	5.0	5.2
14-15	61.8	60.8	Any Illicit Drug Other Than Marijuana ²	4.8	5.2	4.3	4.6
16-17	72.4	71.0	Cigarettes	15.8	15.3	9.5	9.1
GENDER			Alcohol	18.5 ^a	19.9	12.9	13.4
Male	63.1	62.3	"Binge" Alcohol ³	12.2	12.7	7.8	7.4
Female	61.5	60.2	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	20.7 ^b	23.3	15.4 ^a	17.2
Not Hispanic	62.2 ^a	60.9	Marijuana	15.9 ^b	18.1	9.4 ^a	10.6
White Only	62.5 ^b	60.8	Any Illicit Drug Other Than Marijuana ²	11.6 ^a	12.6	10.7	11.3
Black Only	64.1	61.7	Cigarettes	23.5	22.9	16.5	15.5
American Indian or Alaska Native Only	*	61.4	Alcohol	36.4	37.8	28.0	28.2
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	50.3 ^b	61.0	LIFETIME				
More Than One Race	62.4	59.2	Any Illicit Drug ²	29.4 ^b	31.4	23.0	23.8
Hispanic	62.7	63.2	Marijuana	22.1 ^a	23.7	12.4	13.5
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	18.5	19.7	17.5	17.4
Large Metro	62.6	61.8	Cigarettes	38.5	37.7	28.5	27.0
Small Metro	62.1	60.5	Alcohol	45.4 ^b	47.5	36.2	36.1
Nonmetro	61.9	61.2	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.8A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Heroin Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Heroin Once or Twice a Week: 2000 and 2001

(I) Demographic Characteristic	Use Heroin Once or Twice a Week ¹		(II) Drug Use	Use Heroin Once or Twice a Week ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	19,291	19,231	PAST MONTH				
AGE			Any Illicit Drug ²	1,912 ^b	2,165	321	347
12-13	5,833	5,683	Marijuana	1,482 ^a	1,659	178	194
14-15	6,696	6,694	Any Illicit Drug Other Than Marijuana ²	835	919	220	220
16-17	6,762	6,854	Cigarettes	2,740	2,632	340	357
GENDER			Alcohol	3,327 ^a	3,572	440	450
Male	9,884	9,874	"Binge" Alcohol ³	2,133	2,188	279	271
Female	9,407	9,356	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	3,684 ^b	4,134	611	701
Not Hispanic	16,697	16,568	Marijuana	2,770 ^b	3,132	323	384
White Only	13,103	12,959	Any Illicit Drug Other Than Marijuana ²	2,132 ^a	2,300	460	497
Black Only	2,544	2,446	Cigarettes	4,205	4,033	579	598
American Indian or Alaska Native Only	110	130	Alcohol	6,723	6,944	896	941
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	598	661	LIFETIME				
More Than One Race	295	332	Any Illicit Drug ²	5,293 ^a	5,604	905	980
Hispanic	2,594	2,662	Marijuana	3,805 ^a	4,072	421 ^a	498
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	3,430	3,576	734	764
Large Metro	9,409	9,179	Cigarettes	6,963	6,720	992	1,048
Small Metro	5,913	5,981	Alcohol	8,417	8,696	1,200	1,272
Nonmetro	3,968	4,070	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.8B Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Heroin Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Heroin Once or Twice a Week: 2000 and 2001

(I) Demographic Characteristic	Use Heroin Once or Twice a Week ¹		(II) Drug Use	Use Heroin Once or Twice a Week ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	84.1 ^a	83.1	PAST MONTH				
AGE			Any Illicit Drug ²	9.9 ^b	11.3	8.8	8.9
12-13	77.2	75.7	Marijuana	7.7 ^b	8.6	4.9	5.0
14-15	84.5	83.4	Any Illicit Drug Other Than Marijuana ²	4.3	4.8	6.0	5.6
16-17	90.5	90.0	Cigarettes	14.2	13.7	9.3	9.1
GENDER			Alcohol	17.2 ^b	18.6	12.0	11.5
Male	84.4	83.6	"Binge" Alcohol ³	11.1	11.4	7.6	6.9
Female	83.7 ^a	82.5	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	19.1 ^b	21.5	16.7	17.9
Not Hispanic	84.7 ^a	83.7	Marijuana	14.4 ^b	16.3	8.8	9.8
White Only	86.9 ^a	85.9	Any Illicit Drug Other Than Marijuana ²	11.1 ^a	12.0	12.6	12.7
Black Only	78.0 ^a	74.2	Cigarettes	21.8	21.0	15.8	15.3
American Indian or Alaska Native Only	76.6	76.3	Alcohol	34.9	36.1	24.5	24.0
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	74.4 ^a	81.7	LIFETIME				
More Than One Race	83.3	86.9	Any Illicit Drug ²	27.4 ^b	29.1	24.7	25.0
Hispanic	79.9	79.6	Marijuana	19.7 ^b	21.2	11.5	12.7
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	17.8	18.6	20.1	19.5
Large Metro	84.2	83.4	Cigarettes	36.1	34.9	27.1	26.8
Small Metro	83.7	83.0	Alcohol	43.6 ^a	45.2	32.8	32.5
Nonmetro	84.2	82.6	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.9A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying LSD Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying LSD Once or Twice: 2000 and 2001

(I) Demographic Characteristic	Try LSD Once or Twice ¹		(II) Drug Use	Try LSD Once or Twice ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	12,934	12,755	PAST MONTH				
AGE			Any Illicit Drug ²	1,070 ^b	1,240	1,139 ^a	1,259
12-13	3,897	3,723	Marijuana	797 ^a	922	852	928
14-15	4,403	4,429	Any Illicit Drug Other Than Marijuana ²	450	518	589	613
16-17	4,634	4,603	Cigarettes	1,704	1,662	1,364	1,312
GENDER			Alcohol	2,045	2,166	1,695	1,805
Male	6,607	6,617	"Binge" Alcohol ³	1,281	1,318	1,115	1,119
Female	6,327	6,138	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	2,182 ^b	2,501	2,066 ^b	2,290
Not Hispanic	11,094	10,827	Marijuana	1,597 ^b	1,847	1,474 ^a	1,646
White Only	8,461	8,125	Any Illicit Drug Other Than Marijuana ²	1,177 ^a	1,322	1,379	1,456
Black Only	1,964	1,967	Cigarettes	2,635	2,544	2,121	2,047
American Indian or Alaska Native Only	68	89	Alcohol	4,270	4,338	3,273	3,458
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	369	401	LIFETIME				
More Than One Race	197	218	Any Illicit Drug ²	3,303	3,484	2,833 ^a	3,040
Hispanic	1,840	1,929	Marijuana	2,332	2,488	1,865 ^a	2,054
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	2,012	2,127	2,099	2,178
Large Metro	6,243	6,031	Cigarettes	4,551	4,346	3,346	3,332
Small Metro	3,965	3,955	Alcohol	5,469	5,569	4,049	4,281
Nonmetro	2,726	2,769	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.9B Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying LSD Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying LSD Once or Twice: 2000 and 2001

(I) Demographic Characteristic	Try LSD Once or Twice ¹		(II) Drug Use	Try LSD Once or Twice ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	57.2 ^a	56.1	PAST MONTH				
AGE			Any Illicit Drug ²	8.3 ^b	9.7	11.8	12.6
12-13	53.1	51.2	Marijuana	6.2 ^a	7.2	8.8	9.3
14-15	56.1	55.9	Any Illicit Drug Other Than Marijuana ²	3.5	4.1	6.1	6.1
16-17	62.5	60.9	Cigarettes	13.2	13.0	14.1	13.1
GENDER			Alcohol	15.8	17.0	17.5	18.1
Male	57.2	57.0	"Binge" Alcohol ³	9.9	10.3	11.5	11.2
Female	57.2 ^b	55.2	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	16.9 ^b	19.6	21.4 ^a	22.9
Not Hispanic	57.2 ^a	55.6	Marijuana	12.3 ^b	14.5	15.2	16.5
White Only	56.9 ^b	54.8	Any Illicit Drug Other Than Marijuana ²	9.1 ^b	10.4	14.3	14.6
Black Only	61.4	60.5	Cigarettes	20.4	19.9	21.9 ^a	20.5
American Indian or Alaska Native Only	48.8	52.9	Alcohol	33.0	34.0	33.9	34.6
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	46.9	51.0	LIFETIME				
More Than One Race	55.5	56.5	Any Illicit Drug ²	25.5 ^a	27.3	29.3	30.4
Hispanic	57.5	58.8	Marijuana	18.0 ^a	19.5	19.3	20.6
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	15.6 ^a	16.7	21.7	21.8
Large Metro	57.0	55.7	Cigarettes	35.2	34.1	34.6	33.4
Small Metro	56.7	55.9	Alcohol	42.3	43.7	41.9	42.9
Nonmetro	58.6	57.2	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.10A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using LSD Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using LSD Once or Twice a Week: 2000 and 2001

(I) Demographic Characteristic	Use LSD Once or Twice a Week ¹		(II) Drug Use	Use LSD Once or Twice a Week ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	17,611	17,655	PAST MONTH				
AGE			Any Illicit Drug ²	1,531 ^b	1,796	679	710
12-13	5,367	5,260	Marijuana	1,168 ^a	1,341	481	509
14-15	6,148	6,166	Any Illicit Drug Other Than Marijuana ²	650 ^a	764	391	375
16-17	6,096	6,229	Cigarettes	2,307	2,227	754	746
GENDER			Alcohol	2,861	3,066	876	919
Male	8,942	8,999	"Binge" Alcohol ³	1,798	1,829	593	611
Female	8,669	8,655	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	3,073 ^b	3,540	1,178	1,264
Not Hispanic	15,277	15,229	Marijuana	2,264 ^b	2,628	808	862
White Only	11,985	11,864	Any Illicit Drug Other Than Marijuana ²	1,737 ^a	1,920	820	871
Black Only	2,338	2,347	Cigarettes	3,598	3,456	1,152	1,139
American Indian or Alaska Native Only	94	120	Alcohol	5,915	6,093	1,635	1,721
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	543	573	LIFETIME				
More Than One Race	271	289	Any Illicit Drug ²	4,557 ^a	4,874	1,580	1,666
Hispanic	2,334	2,426	Marijuana	3,202 ^a	3,463	996	1,076
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	2,893	3,059	1,217	1,264
Large Metro	8,552	8,434	Cigarettes	6,116	5,898	1,772	1,786
Small Metro	5,401	5,491	Alcohol	7,491	7,687	2,039	2,183
Nonmetro	3,659	3,730	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.10B Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using LSD Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using LSD Once or Twice a Week: 2000 and 2001

(I) Demographic Characteristic	Use LSD Once or Twice a Week ¹		(II) Drug Use	Use LSD Once or Twice a Week ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	77.7	77.3	PAST MONTH				
AGE			Any Illicit Drug ²	8.7 ^b	10.2	13.5	13.7
12-13	72.9	71.8	Marijuana	6.6 ^b	7.6	9.5	9.8
14-15	78.2	77.6	Any Illicit Drug Other Than Marijuana ²	3.7 ^a	4.3	7.7	7.2
16-17	82.1	82.3	Cigarettes	13.1	12.6	15.0	14.4
GENDER			Alcohol	16.2 ^a	17.4	17.4	17.7
Male	77.3	77.2	"Binge" Alcohol ³	10.2	10.4	11.8	11.8
Female	78.1	77.4	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	17.4 ^b	20.1	23.3	24.4
Not Hispanic	78.6	78.0	Marijuana	12.9 ^b	14.9	16.0	16.6
White Only	80.4	79.7	Any Illicit Drug Other Than Marijuana ²	9.9 ^a	10.9	16.3	16.8
Black Only	73.0	71.9	Cigarettes	20.4	19.6	22.8	22.0
American Indian or Alaska Native Only	68.1	70.9	Alcohol	33.6	34.5	32.4	33.2
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	69.2	72.3	LIFETIME				
More Than One Race	76.5	75.8	Any Illicit Drug ²	25.9 ^b	27.6	31.3	32.1
Hispanic	72.8	73.5	Marijuana	18.2 ^b	19.6	19.7	20.8
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	16.4	17.3	24.1	24.4
Large Metro	77.8	77.6	Cigarettes	34.7	33.4	35.1	34.5
Small Metro	77.1	77.3	Alcohol	42.5	43.5	40.4	42.1
Nonmetro	78.6	76.7	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.11A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day: 2000 and 2001

(I) Demographic Characteristic	Have 4 or 5 Drinks of Alcoholic Beverage Nearly Every Day ¹		(II) Drug Use	Have 4 or 5 Drinks of Alcoholic Beverage Nearly Every Day ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	14,750	14,783	PAST MONTH				
AGE			Any Illicit Drug ²	991 ^a	1,133	1,256 ^a	1,406
12-13	5,093	5,041	Marijuana	720	793	952 ^a	1,082
14-15	4,916	4,958	Any Illicit Drug Other Than Marijuana ²	449	523	612	629
16-17	4,740	4,785	Cigarettes	1,384	1,330	1,723	1,701
GENDER			Alcohol	1,795	1,861	1,999 ^a	2,194
Male	6,973	6,871	"Binge" Alcohol ³	991	998	1,429	1,481
Female	7,777	7,912	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	2,081 ^b	2,383	2,241 ^b	2,504
Not Hispanic	12,673	12,610	Marijuana	1,474 ^b	1,676	1,644 ^b	1,881
White Only	9,496	9,438	Any Illicit Drug Other Than Marijuana ²	1,192	1,322	1,414	1,503
Black Only	2,215	2,223	Cigarettes	2,344	2,206	2,487	2,487
American Indian or Alaska Native Only	81	92	Alcohol	4,061	4,118	3,613 ^a	3,844
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	595	583	LIFETIME				
More Than One Race	252	237	Any Illicit Drug ²	3,159	3,333	3,080 ^a	3,317
Hispanic	2,076	2,172	Marijuana	2,099	2,211	2,160 ^b	2,405
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	2,031	2,113	2,157	2,270
Large Metro	7,509	7,390	Cigarettes	4,214	4,056	3,821	3,810
Small Metro	4,446	4,534	Alcohol	5,277	5,325	4,408 ^a	4,729
Nonmetro	2,795	2,859	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.11B Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day: 2000 and 2001

(I) Demographic Characteristic	Have 4 or 5 Drinks of Alcoholic Beverage Nearly Every Day ¹		(II) Drug Use	Have 4 or 5 Drinks of Alcoholic Beverage Nearly Every Day ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	63.7	63.2	PAST MONTH				
AGE			Any Illicit Drug ²	6.7 ^a	7.7	15.0 ^a	16.3
12-13	66.8	66.2	Marijuana	4.9	5.4	11.3 ^a	12.6
14-15	61.5	61.3	Any Illicit Drug Other Than Marijuana ²	3.0	3.5	7.3	7.3
16-17	63.1	62.3	Cigarettes	9.4	9.0	20.5	19.8
GENDER			Alcohol	12.2	12.6	23.8	25.5
Male	59.0	57.6	"Binge" Alcohol ³	6.7	6.8	17.0	17.2
Female	68.6	69.1	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	14.1 ^b	16.1	26.7 ^b	29.1
Not Hispanic	63.8	63.1	Marijuana	10.0 ^b	11.3	19.6 ^b	21.9
White Only	62.5	62.0	Any Illicit Drug Other Than Marijuana ²	8.1 ^a	8.9	16.9	17.5
Black Only	67.5	66.9	Cigarettes	15.9	14.9	29.6	28.9
American Indian or Alaska Native Only	56.7	53.3	Alcohol	27.5	27.9	43.1	44.7
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	71.7	70.7	LIFETIME				
More Than One Race	69.7	61.4	Any Illicit Drug ²	21.4	22.5	36.7 ^a	38.6
Hispanic	63.4	64.0	Marijuana	14.2	15.0	25.7 ^a	28.0
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	13.8	14.3	25.7	26.4
Large Metro	66.7	66.4	Cigarettes	28.6	27.4	45.5	44.3
Small Metro	62.3	62.2	Alcohol	35.8	36.0	52.5 ^a	55.0
Nonmetro	58.7	57.5	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.12A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week: 2000 and 2001

(I) Demographic Characteristic	Have 5 or More Drinks of Alcoholic Beverage Once or Twice a Week ¹		(II) Drug Use	Have 5 or More Drinks of Alcoholic Beverage Once or Twice a Week ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	9,997	10,020	PAST MONTH				
AGE			Any Illicit Drug ²	645 ^b	790	1,600 ^a	1,751
12-13	3,532	3,455	Marijuana	438	516	1,232 ^a	1,361
14-15	3,354	3,406	Any Illicit Drug Other Than Marijuana ²	318 ^a	401	744	751
16-17	3,111	3,158	Cigarettes	914	906	2,198	2,125
GENDER			Alcohol	1,036	1,123	2,762	2,934
Male	4,769	4,670	"Binge" Alcohol ³	562	611	1,861	1,870
Female	5,229	5,350	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	1,340 ^b	1,581	2,985 ^b	3,310
Not Hispanic	8,501	8,437	Marijuana	908 ^b	1,068	2,210 ^b	2,491
White Only	6,060	5,956	Any Illicit Drug Other Than Marijuana ²	789 ^a	926	1,818	1,901
Black Only	1,771	1,801	Cigarettes	1,560	1,507	3,273	3,188
American Indian or Alaska Native Only	58	57	Alcohol	2,526	2,620	5,149	5,340
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	425	447	LIFETIME				
More Than One Race	159	150	Any Illicit Drug ²	2,072 ^a	2,290	4,168	4,366
Hispanic	1,497	1,583	Marijuana	1,334 ^a	1,468	2,926 ^a	3,150
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	1,322 ^a	1,486	2,867	2,899
Large Metro	4,968	5,043	Cigarettes	2,787	2,767	5,248	5,105
Small Metro	3,072	2,954	Alcohol	3,361	3,492	6,326	6,566
Nonmetro	1,958	2,024	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.12B Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week: 2000 and 2001

(I) Demographic Characteristic	Have 5 or More Drinks of Alcoholic Beverage Once or Twice a Week ¹		(II) Drug Use	Have 5 or More Drinks of Alcoholic Beverage Once or Twice a Week ¹			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	2000	2001		2000	2001	2000	2001
TOTAL	43.2	42.8	PAST MONTH				
AGE			Any Illicit Drug ²	6.5 ^b	7.9	12.2	13.1
12-13	46.3	45.4	Marijuana	4.4	5.2	9.4	10.2
14-15	42.0	42.1	Any Illicit Drug Other Than Marijuana ²	3.2 ^a	4.0	5.7	5.6
16-17	41.4	41.1	Cigarettes	9.1	9.0	16.7	15.9
GENDER			Alcohol	10.4	11.2	21.0	22.0
Male	40.4	39.1	"Binge" Alcohol ³	5.6	6.1	14.2	14.0
Female	46.2	46.8	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	13.4 ^b	15.8	22.7 ^b	24.8
Not Hispanic	42.8	42.2	Marijuana	9.1 ^b	10.7	16.8 ^b	18.6
White Only	39.9	39.1	Any Illicit Drug Other Than Marijuana ²	7.9 ^b	9.2	13.8	14.2
Black Only	53.9	54.2	Cigarettes	15.6	15.0	24.9	23.9
American Indian or Alaska Native Only	40.5	32.8	Alcohol	25.3	26.1	39.2	40.0
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	51.4	54.3	LIFETIME				
More Than One Race	43.8	38.8	Any Illicit Drug ²	20.7 ^b	22.9	31.7	32.7
Hispanic	45.8	46.8	Marijuana	13.3 ^a	14.6	22.3	23.6
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	13.2 ^a	14.8	21.8	21.7
Large Metro	44.2	45.4	Cigarettes	27.9	27.6	40.0 ^a	38.2
Small Metro	43.1 ^b	40.5	Alcohol	33.6	34.8	48.2	49.1
Nonmetro	41.1	40.6	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.