

**Table 3.20A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Smoking One or More Packs of Cigarettes per Day: 2000 and 2001**

(I) Demographic Characteristic	Parents' Feelings About Youth Smoking Cigarettes <sup>1</sup>		(II) Drug Use	Parents' Feelings About Youth Smoking Cigarettes <sup>1</sup>			
	Strongly Disapprove			Strongly Disapprove		Somewhat Disapprove/Neither Approve Nor Disapprove	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	20,359	20,703	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	1,503 <sup>b</sup>	1,753	737	764
12-13	7,145	7,101	Marijuana	1,050 <sup>b</sup>	1,226	617	633
14-15	7,126	7,262	Any Illicit Drug Other Than Marijuana <sup>2</sup>	716	796	344	342
16-17	6,088	6,341	Cigarettes	1,808	1,866	1,295 <sup>b</sup>	1,140
<b>GENDER</b>			Alcohol	2,776 <sup>b</sup>	3,097	1,015	934
Male	10,335	10,489	"Binge" Alcohol <sup>3</sup>	1,628	1,745	796	710
Female	10,024	10,214	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	3,109 <sup>b</sup>	3,678	1,207	1,170
Not Hispanic	17,471	17,705	Marijuana	2,133 <sup>b</sup>	2,572	979	959
White Only	13,322	13,542	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1,811 <sup>b</sup>	2,062	786	730
Black Only	2,899	2,872	Cigarettes	3,292	3,304	1,532 <sup>b</sup>	1,356
American Indian or Alaska Native Only	114	132	Alcohol	6,052 <sup>b</sup>	6,450	1,621 <sup>a</sup>	1,463
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	757	763	<b>LIFETIME</b>				
More Than One Race	323	345	Any Illicit Drug <sup>2</sup>	4,644 <sup>b</sup>	5,135	1,592	1,476
Hispanic	2,888	2,999	Marijuana	2,962 <sup>b</sup>	3,343	1,289	1,241
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	3,058 <sup>b</sup>	3,359	1,127 <sup>a</sup>	986
Large Metro	10,049	10,016	Cigarettes	6,140	6,135	1,886 <sup>b</sup>	1,696
Small Metro	6,220	6,405	Alcohol	7,757 <sup>b</sup>	8,261	1,920 <sup>a</sup>	1,743
Nonmetro	4,089	4,282	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.20B Percentages of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Smoking One or More Packs of Cigarettes per Day: 2000 and 2001**

(I) Demographic Characteristic	Parents' Feelings About Youth Smoking Cigarettes <sup>1</sup>		(II) Drug Use	Parents' Feelings About Youth Smoking Cigarettes <sup>1</sup>			
	Strongly Disapprove			Strongly Disapprove		Somewhat Disapprove/Neither Approve Nor Disapprove	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	87.8 <sup>b</sup>	88.9	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	7.4 <sup>b</sup>	8.5	26.1 <sup>a</sup>	29.7
12-13	93.2	93.9	Marijuana	5.2 <sup>b</sup>	5.9	21.9	24.6
14-15	89.1	89.9	Any Illicit Drug Other Than Marijuana <sup>2</sup>	3.5	3.8	12.2	13.3
16-17	81.0 <sup>b</sup>	83.0	Cigarettes	8.9	9.0	45.9	44.3
<b>GENDER</b>			Alcohol	13.6 <sup>b</sup>	15.0	36.0	36.3
Male	87.3 <sup>a</sup>	88.3	"Binge" Alcohol <sup>3</sup>	8.0	8.4	28.2	27.6
Female	88.4 <sup>a</sup>	89.6	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	15.3 <sup>b</sup>	17.8	42.8	45.4
Not Hispanic	87.8 <sup>a</sup>	88.8	Marijuana	10.5 <sup>b</sup>	12.4	34.7	37.3
White Only	87.6 <sup>b</sup>	89.1	Any Illicit Drug Other Than Marijuana <sup>2</sup>	8.9 <sup>b</sup>	10.0	27.9	28.3
Black Only	87.6	87.1	Cigarettes	16.2	16.0	54.3	52.7
American Indian or Alaska Native Only	79.8	77.7	Alcohol	29.7 <sup>a</sup>	31.2	57.5	56.9
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	92.0	92.2	<b>LIFETIME</b>				
More Than One Race	89.0	87.8	Any Illicit Drug <sup>2</sup>	22.8 <sup>b</sup>	24.8	56.4	57.3
Hispanic	88.3	90.1	Marijuana	14.5 <sup>b</sup>	16.1	45.7	48.2
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	15.0 <sup>b</sup>	16.2	39.9	38.3
Large Metro	89.1 <sup>a</sup>	90.4	Cigarettes	30.2	29.6	66.8	65.9
Small Metro	87.2	88.4	Alcohol	38.1 <sup>b</sup>	39.9	68.1	67.7
Nonmetro	85.8	86.4	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.21A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Trying Marijuana or Hashish Once or Twice: 2000 and 2001**

(I) Demographic Characteristic	Parents' Feelings About Youth Trying Marijuana/Hashish <sup>1</sup>		(II) Drug Use	Parents' Feelings About Youth Trying Marijuana/Hashish <sup>1</sup>			
	Strongly Disapprove			Strongly Disapprove		Somewhat Disapprove/Neither Approve Nor Disapprove	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	20,788	20,857	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	1,479 <sup>b</sup>	1,722	758	797
12-13	7,247	7,187	Marijuana	1,009 <sup>b</sup>	1,175	654	685
14-15	7,176	7,220	Any Illicit Drug Other Than Marijuana <sup>2</sup>	728	805	333	334
16-17	6,364	6,450	Cigarettes	2,275	2,186	833	821
<b>GENDER</b>			Alcohol	2,878	3,070	912	965
Male	10,531	10,550	"Binge" Alcohol <sup>3</sup>	1,736	1,796	685	664
Female	10,257	10,307	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	3,116 <sup>b</sup>	3,573	1,204	1,264
Not Hispanic	17,812	17,801	Marijuana	2,081 <sup>b</sup>	2,454	1,031	1,071
White Only	13,578	13,559	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1,891 <sup>a</sup>	2,073	709	715
Black Only	2,973	2,933	Cigarettes	3,761	3,571	1,070	1,089
American Indian or Alaska Native Only	109	*	Alcohol	6,191	6,405	1,484	1,512
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	776	794	<b>LIFETIME</b>				
More Than One Race	317	325	Any Illicit Drug <sup>2</sup>	4,767 <sup>a</sup>	5,084	1,474	1,509
Hispanic	2,975	3,056	Marijuana	2,990 <sup>b</sup>	3,271	1,265	1,297
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	3,223	3,382	964	959
Large Metro	10,111	9,979	Cigarettes	6,535	6,327	1,503	1,504
Small Metro	6,379	6,445	Alcohol	7,961	8,271	1,724	1,732
Nonmetro	4,297	4,433	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.21B Percentages of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Trying Marijuana or Hashish Once or Twice: 2000 and 2001**

(I) Demographic Characteristic	Parents' Feelings About Youth Trying Marijuana/Hashish <sup>1</sup>		(II) Drug Use	Parents' Feelings About Youth Trying Marijuana/Hashish <sup>1</sup>			
	Strongly Disapprove			Strongly Disapprove		Somewhat Disapprove/Neither Approve Nor Disapprove	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	89.5	89.5	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	7.1 <sup>b</sup>	8.3	31.2	32.5
12-13	94.3	94.6	Marijuana	4.9 <sup>b</sup>	5.6	26.9	27.9
14-15	89.6	89.5	Any Illicit Drug Other Than Marijuana <sup>2</sup>	3.5	3.9	13.7	13.6
16-17	84.7	84.4	Cigarettes	10.9	10.5	34.3	33.5
<b>GENDER</b>			Alcohol	13.8 <sup>a</sup>	14.7	37.5	39.4
Male	88.8	88.7	"Binge" Alcohol <sup>3</sup>	8.4	8.6	28.2	27.1
Female	90.4	90.3	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	15.0 <sup>b</sup>	17.1	49.6	51.6
Not Hispanic	89.4	89.2	Marijuana	10.0 <sup>b</sup>	11.8	42.5	43.7
White Only	89.1	89.1	Any Illicit Drug Other Than Marijuana <sup>2</sup>	9.1 <sup>a</sup>	9.9	29.2	29.2
Black Only	89.9	88.8	Cigarettes	18.1 <sup>a</sup>	17.1	44.1	44.5
American Indian or Alaska Native Only	76.0	*	Alcohol	29.8	30.7	61.1	61.7
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	94.3	95.8	<b>LIFETIME</b>				
More Than One Race	87.6	83.3	Any Illicit Drug <sup>2</sup>	22.9 <sup>a</sup>	24.4	60.7	61.6
Hispanic	90.6	91.3	Marijuana	14.4 <sup>b</sup>	15.7	52.1	52.9
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	15.5	16.2	39.7	39.1
Large Metro	89.5	89.9	Cigarettes	31.4	30.3	61.9	61.4
Small Metro	89.2	88.9	Alcohol	38.3 <sup>a</sup>	39.7	71.0	70.7
Nonmetro	90.0	89.3	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.22A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day: 2000 and 2001**

(I) Demographic Characteristic	Parents' Feelings About Youth Drinking Alcoholic Beverages <sup>1</sup>		(II) Drug Use	Parents' Feelings About Youth Drinking Alcoholic Beverages <sup>1</sup>			
	Strongly Disapprove			Strongly Disapprove		Somewhat Disapprove/Neither Approve Nor Disapprove	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	20,401	20,749	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	1,537 <sup>b</sup>	1,853	702	665
12-13	7,098	7,023	Marijuana	1,118 <sup>b</sup>	1,332	547	526
14-15	7,068	7,227	Any Illicit Drug Other Than Marijuana <sup>2</sup>	711 <sup>a</sup>	821	348	319
16-17	6,235	6,499	Cigarettes	2,233	2,253	873 <sup>a</sup>	756
<b>GENDER</b>			Alcohol	2,661 <sup>b</sup>	2,999	1,123	1,040
Male	10,225	10,435	"Binge" Alcohol <sup>3</sup>	1,583	1,716	837	748
Female	10,176	10,314	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	3,191 <sup>b</sup>	3,802	1,124	1,043
Not Hispanic	17,570	17,815	Marijuana	2,232 <sup>b</sup>	2,742	877	785
White Only	13,407	13,590	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1,863 <sup>b</sup>	2,131	734	663
Black Only	2,907	2,928	Cigarettes	3,651	3,650	1,173 <sup>b</sup>	1,010
American Indian or Alaska Native Only	121	*	Alcohol	5,946 <sup>b</sup>	6,367	1,720 <sup>a</sup>	1,557
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	759	759	<b>LIFETIME</b>				
More Than One Race	320	347	Any Illicit Drug <sup>2</sup>	4,764 <sup>b</sup>	5,294	1,470 <sup>a</sup>	1,308
Hispanic	2,830	2,933	Marijuana	3,139 <sup>b</sup>	3,588	1,109	989
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	3,102 <sup>b</sup>	3,422	1,084 <sup>b</sup>	921
Large Metro	10,032	10,032	Cigarettes	6,382	6,414	1,648 <sup>b</sup>	1,423
Small Metro	6,258	6,431	Alcohol	7,676 <sup>b</sup>	8,222	1,999 <sup>a</sup>	1,791
Nonmetro	4,111	4,287	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.22B Percentages of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day: 2000 and 2001**

(I) Demographic Characteristic	Parents' Feelings About Youth Drinking Alcoholic Beverages <sup>1</sup>		(II) Drug Use	Parents' Feelings About Youth Drinking Alcoholic Beverages <sup>1</sup>			
	Strongly Disapprove			Strongly Disapprove		Somewhat Disapprove/Neither Approve Nor Disapprove	
	2000	2001		2000	2001	2000	2001
<b>TOTAL</b>	87.9 <sup>b</sup>	88.9	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	7.5 <sup>b</sup>	8.9	25.0	25.8
12-13	92.4	92.4	Marijuana	5.5 <sup>b</sup>	6.4	19.5	20.4
14-15	88.3	89.4	Any Illicit Drug Other Than Marijuana <sup>2</sup>	3.5 <sup>a</sup>	4.0	12.4	12.4
16-17	83.0 <sup>b</sup>	85.0	Cigarettes	10.9	10.9	31.1	29.3
<b>GENDER</b>			Alcohol	13.0 <sup>b</sup>	14.5	40.0	40.3
Male	86.2 <sup>b</sup>	87.7	"Binge" Alcohol <sup>3</sup>	7.8	8.3	29.8	29.0
Female	89.7	90.3	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	15.6 <sup>b</sup>	18.3	40.1	40.4
Not Hispanic	88.2 <sup>a</sup>	89.2	Marijuana	10.9 <sup>b</sup>	13.2	31.3	30.4
White Only	88.1 <sup>a</sup>	89.3	Any Illicit Drug Other Than Marijuana <sup>2</sup>	9.1 <sup>b</sup>	10.3	26.2	25.7
Black Only	87.7	88.4	Cigarettes	17.9	17.6	41.8	39.1
American Indian or Alaska Native Only	84.9	*	Alcohol	29.1 <sup>b</sup>	30.7	61.3	60.4
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	92.2	91.5	<b>LIFETIME</b>				
More Than One Race	88.3	88.3	Any Illicit Drug <sup>2</sup>	23.4 <sup>b</sup>	25.5	52.4	50.7
Hispanic	86.3	87.6	Marijuana	15.4 <sup>b</sup>	17.3	39.5	38.4
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	15.2 <sup>b</sup>	16.5	38.6	35.7
Large Metro	88.9 <sup>b</sup>	90.4	Cigarettes	31.3	30.9	58.7 <sup>a</sup>	55.2
Small Metro	87.5	88.6	Alcohol	37.6 <sup>b</sup>	39.6	71.3	69.4
Nonmetro	86.2	86.2	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 3.62A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Think Their Parents Would Strongly Disapprove of Their Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Their Using Marijuana or Hashish Once a Month or More: 2001**

(I) Demographic Characteristic	Parents' Feelings About Youths Using Marijuana/Hashish <sup>1</sup>	(II) Drug Use	Parents' Feelings About Youths Using Marijuana/Hashish <sup>1</sup>	
	Strongly Disapprove		Strongly Disapprove	Somewhat Disapprove/Neither Approve Nor Disapprove
<b>TOTAL</b>	21,528	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	1,841	675
12-13	7,279	Marijuana	1,273	583
14-15	7,475	Any Illicit Drug Other Than Marijuana <sup>2</sup>	858	282
16-17	6,774	Cigarettes	2,351	658
<b>GENDER</b>		Alcohol	3,297	737
Male	10,877	"Binge" Alcohol <sup>3</sup>	1,926	533
Female	10,652	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	3,863	975
Not Hispanic	18,433	Marijuana	2,698	827
White Only	14,105	Any Illicit Drug Other Than Marijuana <sup>2</sup>	2,204	586
Black Only	2,981	Cigarettes	3,837	823
American Indian or Alaska Native Only	*	Alcohol	6,835	1,082
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol <sup>3</sup>	--	--
Asian Only	801	<b>LIFETIME</b>		
More Than One Race	356	Any Illicit Drug <sup>2</sup>	5,462	1,138
Hispanic	3,095	Marijuana	3,580	992
<b>COUNTY TYPE</b>		Any Illicit Drug Other Than Marijuana <sup>2</sup>	3,586	760
Large Metro	10,326	Cigarettes	6,733	1,098
Small Metro	6,655	Alcohol	8,768	1,236
Nonmetro	4,548	"Binge" Alcohol <sup>3</sup>	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.

**Table 3.62B Percentages of Persons Aged 12 to 17 Reporting (I) That They Think Their Parents Would Strongly Disapprove of Their Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Their Using Marijuana or Hashish Once a Month or More: 2001**

(I) Demographic Characteristic	Parents' Feelings About Youths Using Marijuana/Hashish <sup>1</sup>	(II) Drug Use	Parents' Feelings About Youths Using Marijuana/Hashish <sup>1</sup>	
	Strongly Disapprove		Strongly Disapprove	Somewhat Disapprove/Neither Approve Nor Disapprove
<b>TOTAL</b>	92.3	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	8.6	37.8
12-13	95.8	Marijuana	5.9	32.7
14-15	92.7	Any Illicit Drug Other Than Marijuana <sup>2</sup>	4.0	15.8
16-17	88.5	Cigarettes	10.9	36.9
<b>GENDER</b>		Alcohol	15.3	41.3
Male	91.5	"Binge" Alcohol <sup>3</sup>	8.9	29.9
Female	93.2	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	17.9	54.6
Not Hispanic	92.3	Marijuana	12.5	46.3
White Only	92.7	Any Illicit Drug Other Than Marijuana <sup>2</sup>	10.2	32.8
Black Only	90.1	Cigarettes	17.8	46.1
American Indian or Alaska Native Only	*	Alcohol	31.8	60.6
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol <sup>3</sup>	--	--
Asian Only	96.8	<b>LIFETIME</b>		
More Than One Race	91.1	Any Illicit Drug <sup>2</sup>	25.4	63.8
Hispanic	92.5	Marijuana	16.6	55.6
<b>COUNTY TYPE</b>		Any Illicit Drug Other Than Marijuana <sup>2</sup>	16.7	42.6
Large Metro	93.1	Cigarettes	31.3	61.5
Small Metro	91.8	Alcohol	40.7	69.3
Nonmetro	91.6	"Binge" Alcohol <sup>3</sup>	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.