

30407

Table 2.100A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	20,911	17,492	10,713
GENDER			
Male	10,719	8,847	5,619
Female	10,192	8,645	5,094
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	17,592	14,903	9,217
White	13,861	12,005	7,681
Black or African American	2,563	1,942	1,020
American Indian or Alaska Native	167	134	87
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	619	496	234
Two or More Races	300	259	156
Hispanic or Latino	3,319	2,589	1,496
GENDER/RACE/HISPANIC ORIGIN			
Male - White	6,996	5,973	3,976
Female - White	6,865	6,032	3,704
Male - Black or African American	1,323	967	538
Female - Black or African American	1,240	975	482
Male - Hispanic or Latino	1,814	1,439	853
Female - Hispanic or Latino	1,505	1,150	643

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.100B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Demographic Characteristics: Percentages, 2002

Demographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	56.2	47.0	28.8
GENDER			
Male	56.5	46.6	29.6
Female	56.0	47.5	28.0
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	56.4	47.8	29.5
White	59.1	51.2	32.8
Black or African American	48.4	36.7	19.3
American Indian or Alaska Native	62.3	49.7	32.4
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	41.1	33.0	15.5
Two or More Races	54.0	46.6	28.1
Hispanic or Latino	55.4	43.2	25.0
GENDER/RACE/HISPANIC ORIGIN			
Male - White	58.7	50.1	33.3
Female - White	59.6	52.4	32.2
Male - Black or African American	49.4	36.1	20.1
Female - Black or African American	47.4	37.3	18.4
Male - Hispanic or Latino	57.6	45.7	27.1
Female - Hispanic or Latino	52.9	40.5	22.6

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.101A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	174,541	137,984	109,107
GENDER			
Male	87,419	71,460	59,591
Female	87,122	66,523	49,516
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	155,838	123,138	98,157
White	129,710	103,446	83,362
Black or African American	17,630	12,769	9,687
American Indian or Alaska Native	*	772	573
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	5,166	4,381	3,128
Two or More Races	1,768	1,417	1,096
Hispanic or Latino	18,703	14,846	10,950
GENDER/RACE/HISPANIC ORIGIN			
Male - White	64,181	52,612	44,610
Female - White	65,529	50,834	38,752
Male - Black or African American	8,329	6,288	5,316
Female - Black or African American	9,302	6,481	4,371
Male - Hispanic or Latino	10,444	8,788	6,833
Female - Hispanic or Latino	8,259	6,057	4,117

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.101B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Demographic Characteristics: Percentages, 2002

Demographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	88.2	69.7	55.1
GENDER			
Male	92.4	75.5	63.0
Female	84.3	64.4	47.9
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	89.1	70.4	56.1
White	91.4	72.9	58.7
Black or African American	81.9	59.4	45.0
American Indian or Alaska Native	*	63.8	47.4
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	68.4	58.0	41.4
Two or More Races	90.4	72.4	56.0
Hispanic or Latino	81.0	64.3	47.4
GENDER/RACE/HISPANIC ORIGIN			
Male - White	94.2	77.2	65.5
Female - White	88.8	68.9	52.5
Male - Black or African American	88.9	67.1	56.8
Female - Black or African American	76.6	53.4	36.0
Male - Hispanic or Latino	89.2	75.0	58.3
Female - Hispanic or Latino	72.6	53.3	36.2

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.102A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL	10,713	7,175	2,301
GENDER			
Male	5,619	4,140	1,544
Female	5,094	3,035	756
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	9,217	6,168	2,044
White	7,681	5,326	1,857
Black or African American	1,020	518	103
American Indian or Alaska Native	87	61	8
Native Hawaiian or Other Pacific Islander	*	*	2
Asian	234	129	28
Two or More Races	156	110	45
Hispanic or Latino	1,496	1,006	257
GENDER/RACE/HISPANIC ORIGIN			
Male - White	3,976	3,029	1,231
Female - White	3,704	2,298	626
Male - Black or African American	538	295	73
Female - Black or African American	482	223	31
Male - Hispanic or Latino	853	634	177
Female - Hispanic or Latino	643	373	80

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.102B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Demographic Characteristics: Percentages, 2002

Demographic Characteristic	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL	28.8	19.3	6.2
GENDER			
Male	29.6	21.8	8.1
Female	28.0	16.7	4.2
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	29.5	19.8	6.5
White	32.8	22.7	7.9
Black or African American	19.3	9.8	2.0
American Indian or Alaska Native	32.4	22.6	3.1
Native Hawaiian or Other Pacific Islander	*	*	1.5
Asian	15.5	8.6	1.8
Two or More Races	28.1	19.8	8.2
Hispanic or Latino	25.0	16.8	4.3
GENDER/RACE/HISPANIC ORIGIN			
Male - White	33.3	25.4	10.3
Female - White	32.2	19.9	5.4
Male - Black or African American	20.1	11.0	2.7
Female - Black or African American	18.4	8.5	1.2
Male - Hispanic or Latino	27.1	20.1	5.6
Female - Hispanic or Latino	22.6	13.1	2.8

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.103A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL	109,107	46,613	13,560
GENDER			
Male	59,591	31,316	10,671
Female	49,516	15,296	2,888
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	98,157	40,411	12,091
White	83,362	33,401	10,483
Black or African American	9,687	5,101	1,069
American Indian or Alaska Native	573	352	120
Native Hawaiian or Other Pacific Islander	*	181	65
Asian	3,128	990	210
Two or More Races	1,096	386	144
Hispanic or Latino	10,950	6,202	1,469
GENDER/RACE/HISPANIC ORIGIN			
Male - White	44,610	22,357	8,273
Female - White	38,752	11,044	2,209
Male - Black or African American	5,316	3,309	811
Female - Black or African American	4,371	1,792	258
Male - Hispanic or Latino	6,833	4,384	1,204
Female - Hispanic or Latino	4,117	1,818	266

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.103B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Demographic Characteristics: Percentages, 2002

Demographic Characteristic	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL	55.1	23.5	6.9
GENDER			
Male	63.0	33.1	11.3
Female	47.9	14.8	2.8
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	56.1	23.1	6.9
White	58.7	23.5	7.4
Black or African American	45.0	23.7	5.0
American Indian or Alaska Native	47.4	29.1	9.9
Native Hawaiian or Other Pacific Islander	*	26.8	9.6
Asian	41.4	13.1	2.8
Two or More Races	56.0	19.7	7.4
Hispanic or Latino	47.4	26.9	6.4
GENDER/RACE/HISPANIC ORIGIN			
Male - White	65.5	32.8	12.1
Female - White	52.5	15.0	3.0
Male - Black or African American	56.8	35.3	8.7
Female - Black or African American	36.0	14.8	2.1
Male - Hispanic or Latino	58.3	37.4	10.3
Female - Hispanic or Latino	36.2	16.0	2.3

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.104A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	20,911	17,492	10,713
NOT HISPANIC OR LATINO¹	17,592	14,903	9,217
White	13,861	12,005	7,681
Black or African American	2,563	1,942	1,020
American Indian or Alaska Native	167	134	87
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	90	82	24
Filipino	139	99	62
Japanese	*	*	*
Asian Indian	85	75	40
Korean	73	65	34
Vietnamese	*	*	*
HISPANIC OR LATINO¹	3,319	2,589	1,496
Mexican	2,349	1,809	1,042
Puerto Rican	420	336	180
Central or South American	339	271	154
Cuban	92	77	*

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.104B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Racial/Ethnic Subgroups: Percentages, 2002

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	56.2	47.0	28.8
NOT HISPANIC OR LATINO¹	56.4	47.8	29.5
White	59.1	51.2	32.8
Black or African American	48.4	36.7	19.3
American Indian or Alaska Native	62.3	49.7	32.4
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	30.0	27.4	8.2
Filipino	52.3	37.1	23.4
Japanese	*	*	*
Asian Indian	28.3	25.1	13.5
Korean	40.2	35.8	18.9
Vietnamese	*	*	*
HISPANIC OR LATINO¹	55.4	43.2	25.0
Mexican	55.4	42.7	24.6
Puerto Rican	57.4	45.8	24.6
Central or South American	50.5	40.4	22.9
Cuban	62.3	52.2	*

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.105A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	174,541	137,984	109,107
NOT HISPANIC OR LATINO¹	155,838	123,138	98,157
White	129,710	103,446	83,362
Black or African American	17,630	12,769	9,687
American Indian or Alaska Native	*	772	573
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	1,484	1,255	*
Filipino	904	786	442
Japanese	*	*	*
Asian Indian	945	808	547
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	18,703	14,846	10,950
Mexican	11,923	9,637	7,103
Puerto Rican	2,093	1,616	1,189
Central or South American	2,439	1,821	1,369
Cuban	1,066	755	588

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.105B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Racial/Ethnic Subgroups: Percentages, 2002

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	88.2	69.7	55.1
NOT HISPANIC OR LATINO¹	89.1	70.4	56.1
White	91.4	72.9	58.7
Black or African American	81.9	59.4	45.0
American Indian or Alaska Native	*	63.8	47.4
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	77.8	65.8	*
Filipino	63.5	55.2	31.1
Japanese	*	*	*
Asian Indian	57.1	48.9	33.1
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	81.0	64.3	47.4
Mexican	80.2	64.8	47.8
Puerto Rican	83.0	64.1	47.2
Central or South American	80.1	59.8	44.9
Cuban	88.8	62.9	48.9

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.106A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	10,713	7,175	2,301
NOT HISPANIC OR LATINO¹	9,217	6,168	2,044
White	7,681	5,326	1,857
Black or African American	1,020	518	103
American Indian or Alaska Native	87	61	8
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	24	16	*
Filipino	62	24	4
Japanese	*	*	*
Asian Indian	40	25	4
Korean	34	21	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	1,496	1,006	257
Mexican	1,042	709	194
Puerto Rican	180	119	24
Central or South American	154	96	24
Cuban	*	*	6

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.106B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Racial/Ethnic Subgroups: Percentages, 2002

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	28.8	19.3	6.2
NOT HISPANIC OR LATINO¹	29.5	19.8	6.5
White	32.8	22.7	7.9
Black or African American	19.3	9.8	2.0
American Indian or Alaska Native	32.4	22.6	3.1
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	8.2	5.3	*
Filipino	23.4	9.0	1.4
Japanese	*	*	*
Asian Indian	13.5	8.2	1.5
Korean	18.9	11.4	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	25.0	16.8	4.3
Mexican	24.6	16.7	4.6
Puerto Rican	24.6	16.2	3.3
Central or South American	22.9	14.4	3.5
Cuban	*	*	3.8

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.107A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Racial/Ethnic Subgroups: Numbers in Thousands, 2002

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	109,107	46,613	13,560
NOT HISPANIC OR LATINO¹	98,157	40,411	12,091
White	83,362	33,401	10,483
Black or African American	9,687	5,101	1,069
American Indian or Alaska Native	573	352	120
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	*	155	*
Filipino	442	179	10
Japanese	*	*	24
Asian Indian	547	207	51
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	10,950	6,202	1,469
Mexican	7,103	4,339	968
Puerto Rican	1,189	646	193
Central or South American	1,369	674	116
Cuban	588	*	*

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.107B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Racial/Ethnic Subgroups: Percentages, 2002

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	55.1	23.5	6.9
NOT HISPANIC OR LATINO¹	56.1	23.1	6.9
White	58.7	23.5	7.4
Black or African American	45.0	23.7	5.0
American Indian or Alaska Native	47.4	29.1	9.9
Native Hawaiian	*	*	*
Other Pacific Islander	*	*	*
Chinese	*	8.1	*
Filipino	31.1	12.6	0.7
Japanese	*	*	3.5
Asian Indian	33.1	12.5	3.1
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	47.4	26.9	6.4
Mexican	47.8	29.2	6.5
Puerto Rican	47.2	25.6	7.6
Central or South American	44.9	22.1	3.8
Cuban	48.9	*	*

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.108A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	20,911	17,492	10,713
GEOGRAPHIC DIVISION			
Northeast	3,947	3,409	2,120
New England	1,030	885	574
Middle Atlantic	2,917	2,524	1,546
Midwest	4,972	4,281	2,695
East North Central	3,427	2,965	1,837
West North Central	1,545	1,316	858
South	7,350	6,009	3,659
South Atlantic	3,642	2,998	1,824
East South Central	1,265	997	596
West South Central	2,443	2,014	1,239
West	4,642	3,793	2,239
Mountain	1,439	1,200	751
Pacific	3,203	2,593	1,488
COUNTY TYPE			
Large Metro	9,825	8,219	4,908
Small Metro	6,746	5,690	3,572
250K – 1 Mil. Pop.	4,839	4,061	2,546
<250K Pop.	1,907	1,629	1,026
Nonmetro	4,340	3,583	2,233
Urbanized	1,405	1,185	773
Less Urbanized	2,459	2,013	1,251
Completely Rural	476	385	210

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.108B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 20, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	56.2	47.0	28.8
GEOGRAPHIC DIVISION			
Northeast	59.0	50.9	31.7
New England	60.9	52.3	33.9
Middle Atlantic	58.3	50.5	30.9
Midwest	57.8	49.8	31.3
East North Central	57.3	49.6	30.7
West North Central	58.9	50.2	32.7
South	55.8	45.6	27.8
South Atlantic	55.9	46.0	28.0
East South Central	56.1	44.2	26.4
West South Central	55.4	45.7	28.1
West	53.2	43.5	25.7
Mountain	56.0	46.7	29.2
Pacific	52.0	42.1	24.2
COUNTY TYPE			
Large Metro	54.5	45.6	27.2
Small Metro	58.0	48.9	30.7
250K – 1 Mil. Pop.	57.2	48.0	30.1
<250K Pop.	60.3	51.5	32.4
Nonmetro	57.5	47.5	29.6
Urbanized	57.9	48.9	31.9
Less Urbanized	57.0	46.7	29.0
Completely Rural	59.1	47.8	26.0

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.109A Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	174,541	137,984	109,107
GEOGRAPHIC DIVISION			
Northeast	34,426	28,772	23,464
New England	9,339	7,688	6,177
Middle Atlantic	25,086	21,084	17,287
Midwest	40,673	32,600	25,963
East North Central	28,368	22,401	17,687
West North Central	12,306	10,199	8,276
South	60,569	45,200	34,741
South Atlantic	32,561	24,679	19,278
East South Central	9,683	6,510	4,601
West South Central	18,326	14,011	10,861
West	38,873	31,412	24,939
Mountain	11,216	8,919	7,059
Pacific	27,657	22,493	17,880
COUNTY TYPE			
Large Metro	88,148	72,457	58,427
Small Metro	52,541	41,424	32,758
250K – 1 Mil. Pop.	38,100	29,822	23,689
<250K Pop.	14,442	11,602	9,069
Nonmetro	33,852	24,103	17,922
Urbanized	10,934	8,122	6,310
Less Urbanized	19,105	13,221	9,689
Completely Rural	3,813	2,760	1,923

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.109B Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 21 or Older, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	88.2	69.7	55.1
GEOGRAPHIC DIVISION			
Northeast	89.7	75.0	61.2
New England	92.3	76.0	61.1
Middle Atlantic	88.8	74.6	61.2
Midwest	90.7	72.7	57.9
East North Central	90.2	71.3	56.3
West North Central	91.9	76.2	61.8
South	85.8	64.0	49.2
South Atlantic	87.4	66.3	51.8
East South Central	81.4	54.7	38.7
West South Central	85.5	65.3	50.6
West	88.0	71.1	56.5
Mountain	88.0	70.0	55.4
Pacific	88.1	71.6	56.9
COUNTY TYPE			
Large Metro	88.8	73.0	58.9
Small Metro	88.8	70.0	55.3
250K – 1 Mil. Pop.	88.1	69.0	54.8
<250K Pop.	90.5	72.7	56.8
Nonmetro	85.7	61.0	45.4
Urbanized	88.0	65.3	50.8
Less Urbanized	84.3	58.4	42.8
Completely Rural	86.5	62.6	43.6

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.110A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL	10,713	7,175	2,301
GEOGRAPHIC DIVISION			
Northeast	2,120	1,382	468
New England	574	403	145
Middle Atlantic	1,546	979	323
Midwest	2,695	1,864	656
East North Central	1,837	1,273	457
West North Central	858	592	198
South	3,659	2,434	754
South Atlantic	1,824	1,214	369
East South Central	596	406	117
West South Central	1,239	814	267
West	2,239	1,494	423
Mountain	751	513	140
Pacific	1,488	982	283
COUNTY TYPE			
Large Metro	4,908	3,135	881
Small Metro	3,572	2,417	839
250K – 1 Mil. Pop.	2,546	1,685	574
<250K Pop.	1,026	732	265
Nonmetro	2,233	1,623	581
Urbanized	773	554	207
Less Urbanized	1,251	903	324
Completely Rural	210	165	49

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.110B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 20, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL	28.8	19.3	6.2
GEOGRAPHIC DIVISION			
Northeast	31.7	20.6	7.0
New England	33.9	23.8	8.6
Middle Atlantic	30.9	19.6	6.5
Midwest	31.3	21.7	7.6
East North Central	30.7	21.3	7.7
West North Central	32.7	22.6	7.6
South	27.8	18.5	5.7
South Atlantic	28.0	18.6	5.7
East South Central	26.4	18.0	5.2
West South Central	28.1	18.5	6.1
West	25.7	17.1	4.8
Mountain	29.2	20.0	5.5
Pacific	24.2	15.9	4.6
COUNTY TYPE			
Large Metro	27.2	17.4	4.9
Small Metro	30.7	20.8	7.2
250K – 1 Mil. Pop.	30.1	19.9	6.8
<250K Pop.	32.4	23.1	8.4
Nonmetro	29.6	21.5	7.7
Urbanized	31.9	22.9	8.5
Less Urbanized	29.0	20.9	7.5
Completely Rural	26.0	20.5	6.1

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.111A Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL	109,107	46,613	13,560
GEOGRAPHIC DIVISION			
Northeast	23,464	9,626	2,531
New England	6,177	2,614	650
Middle Atlantic	17,287	7,012	1,880
Midwest	25,963	11,757	3,728
East North Central	17,687	8,092	2,697
West North Central	8,276	3,666	1,031
South	34,741	15,124	4,454
South Atlantic	19,278	7,996	2,196
East South Central	4,601	2,063	666
West South Central	10,861	5,065	1,592
West	24,939	10,105	2,847
Mountain	7,059	3,167	987
Pacific	17,880	6,937	1,860
COUNTY TYPE			
Large Metro	58,427	23,912	6,537
Small Metro	32,758	14,765	4,744
250K – 1 Mil. Pop.	23,689	10,310	3,317
<250K Pop.	9,069	4,456	1,427
Nonmetro	17,922	7,935	2,278
Urbanized	6,310	2,723	815
Less Urbanized	9,689	4,359	1,244
Completely Rural	1,923	853	219

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.111B Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 21 or Older, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL	55.1	23.5	6.9
GEOGRAPHIC DIVISION			
Northeast	61.2	25.1	6.6
New England	61.1	25.8	6.4
Middle Atlantic	61.2	24.8	6.7
Midwest	57.9	26.2	8.3
East North Central	56.3	25.7	8.6
West North Central	61.8	27.4	7.7
South	49.2	21.4	6.3
South Atlantic	51.8	21.5	5.9
East South Central	38.7	17.3	5.6
West South Central	50.6	23.6	7.4
West	56.5	22.9	6.4
Mountain	55.4	24.9	7.7
Pacific	56.9	22.1	5.9
COUNTY TYPE			
Large Metro	58.9	24.1	6.6
Small Metro	55.3	24.9	8.0
250K – 1 Mil. Pop.	54.8	23.9	7.7
<250K Pop.	56.8	27.9	8.9
Nonmetro	45.4	20.1	5.8
Urbanized	50.8	21.9	6.6
Less Urbanized	42.8	19.2	5.5
Completely Rural	43.6	19.4	5.0

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.