

**Table 4.34A Numbers (in Thousands) of Males Who First Used Alcohol During the Years 1965 to 2001, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (Per 1,000 Person-Years of Exposure): Based on 2002 NSDUH**

YEAR	NUMBER OF INITIATES (1,000s)			MEAN AGE	AGE-SPECIFIC RATES <sup>1</sup>	
	All Ages	Under 18	18 or Older		12-17	18-25
<b>1965</b>	1,588	1,066	522	16.4	118.7	238.9
<b>1966</b>	1,688	1,249	439	15.7	131.0	199.5
<b>1967</b>	2,025	1,254	770	16.6	130.5	346.5
<b>1968</b>	1,922	1,403	519	16.1	143.4	222.4
<b>1969</b>	2,167	1,381	786	17.0	138.1	286.2
<b>1970</b>	2,261	1,470	791	16.2	139.4	377.5
<b>1971</b>	2,199	1,583	616	16.0	147.9	284.3
<b>1972</b>	2,303	1,849	453	15.3	185.8	215.2
<b>1973</b>	2,387	1,693	694	15.9	176.4	340.4
<b>1974</b>	2,220	1,637	582	15.7	175.1	297.7
<b>1975</b>	2,103	1,511	592	15.9	163.3	268.6
<b>1976</b>	2,254	1,687	567	15.7	180.7	253.3
<b>1977</b>	2,160	1,617	543	15.6	169.6	275.7
<b>1978</b>	2,164	1,614	550	15.5	180.1	292.6
<b>1979</b>	1,883	1,466	416	15.3	167.0	235.5
<b>1980</b>	1,868	1,385	484	15.7	154.4	242.2
<b>1981</b>	1,707	1,372	334	15.1	145.8	152.8
<b>1982</b>	2,023	1,475	547	15.8	159.9	246.2
<b>1983</b>	1,872	1,223	649	16.0	138.2	306.4
<b>1984</b>	1,837	1,457	381	15.1	157.2	184.7
<b>1985</b>	2,109	1,499	610	16.2	176.0	275.5
<b>1986</b>	1,779	1,469	309	15.2	178.6	139.1
<b>1987</b>	1,680	1,182	498	16.1	145.6	211.9
<b>1988</b>	1,624	1,244	380	15.4	158.8	160.1
<b>1989</b>	1,602	1,192	410	15.7	155.7	176.1
<b>1990</b>	1,511	1,111	400	15.7	137.0	163.3
<b>1991</b>	1,730	1,111	619	16.2	139.5	262.7
<b>1992</b>	1,777	1,184	593	17.2	139.6	209.7
<b>1993</b>	1,649	1,145	504	15.7	132.6	209.0
<b>1994</b>	1,752	1,295	457	15.3	136.6	217.8
<b>1995</b>	1,616	1,172	444	15.8	126.4	194.3
<b>1996</b>	1,884	1,324	560	15.9	140.5	245.2
<b>1997</b>	1,927	1,395	532	15.8	147.0	236.5
<b>1998</b>	2,200	1,522	678	16.1	158.8	295.5
<b>1999</b>	2,246	1,669	577	15.7	177.9	256.7
<b>2000</b>	2,719	2,082	638	15.7	254.2	291.5
<b>2001</b>	--	--	576	--	202.8	295.0

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> The numerator of each rate is the number of persons in the age group who first used the drug in the year, while the denominator is the person-time exposure measured in thousands of years.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 4.35A Numbers (in Thousands) of Males Who First Used Any Cigarettes During the Years 1965 to 2001, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (Per 1,000 Person-Years of Exposure): Based on 2002 NSDUH**

YEAR	NUMBER OF INITIATES (1,000s)			MEAN AGE	AGE-SPECIFIC RATES <sup>1</sup>	
	All Ages	Under 18	18 or Older		12-17	18-25
1965	1,663	1,402	261	14.3	159.4	113.0
1966	1,569	1,219	350	14.7	150.2	141.8
1967	1,818	1,470	349	14.5	168.2	148.6
1968	1,667	1,373	294	14.5	154.0	114.7
1969	1,773	1,409	365	15.0	159.6	139.5
1970	1,824	1,597	227	14.1	166.6	82.8
1971	1,534	1,288	246	14.4	135.8	77.9
1972	1,669	1,413	257	14.2	147.3	81.7
1973	1,633	1,340	293	14.5	136.9	88.7
1974	1,685	1,354	330	14.5	144.5	93.1
1975	1,875	1,565	310	14.9	168.4	69.3
1976	1,825	1,505	320	14.9	172.1	73.4
1977	1,586	1,375	211	14.0	147.0	50.7
1978	1,624	1,359	265	14.5	150.4	61.7
1979	1,410	1,104	306	14.6	110.6	66.8
1980	1,285	990	294	15.2	102.4	58.6
1981	1,423	982	441	15.7	103.2	96.2
1982	1,325	1,100	224	15.3	120.8	45.6
1983	1,469	1,086	382	15.1	116.2	82.0
1984	1,459	1,150	308	15.0	120.2	61.1
1985	1,516	1,238	277	15.1	138.4	57.3
1986	1,399	1,127	272	14.9	114.2	54.4
1987	1,380	1,023	357	15.6	114.9	70.1
1988	1,406	1,028	378	15.5	113.6	74.1
1989	1,541	1,062	479	16.1	125.5	96.3
1990	1,282	1,001	282	15.4	118.2	49.6
1991	1,291	895	396	15.1	96.6	78.9
1992	1,459	958	501	15.6	103.4	92.0
1993	1,613	1,185	428	15.2	131.5	87.6
1994	1,660	1,228	432	15.2	128.3	85.0
1995	1,717	1,318	399	15.3	141.8	78.2
1996	1,820	1,438	382	15.0	152.1	84.5
1997	1,844	1,353	490	15.7	143.7	102.5
1998	1,725	1,332	393	15.5	143.5	89.8
1999	1,695	1,305	391	15.5	148.6	93.9
2000	1,477	1,147	330	15.4	134.6	79.8
2001	--	--	314	--	94.8	73.3

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> The numerator of each rate is the number of persons in the age group who first used the drug in the year, while the denominator is the person-time exposure measured in thousands of years.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 4.36A Numbers (in Thousands) of Males Who Began Daily Cigarette Use During the Years 1965 to 2001, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (Per 1,000 Person-Years of Exposure): Based on 2002 NSDUH**

YEAR	NUMBER OF INITIATES (1,000s)			MEAN AGE	AGE-SPECIFIC RATES <sup>1</sup>	
	All Ages	Under 18	18 or Older		12-17	18-25
<b>1965</b>	728	319	408	18.7	31.9	74.0
<b>1966</b>	1,174	764	410	16.6	74.2	74.8
<b>1967</b>	1,139	596	542	17.6	54.4	98.5
<b>1968</b>	955	517	438	17.1	45.3	76.6
<b>1969</b>	1,108	780	327	16.6	66.4	53.7
<b>1970</b>	971	505	466	17.2	43.0	70.2
<b>1971</b>	1,034	554	479	17.7	46.8	64.9
<b>1972</b>	1,273	705	568	16.9	60.4	75.1
<b>1973</b>	994	590	404	16.5	47.1	51.3
<b>1974</b>	999	598	401	17.1	49.3	46.0
<b>1975</b>	1,236	703	533	17.2	59.7	57.6
<b>1976</b>	1,028	527	501	17.7	42.4	48.1
<b>1977</b>	1,022	579	444	17.5	47.7	44.4
<b>1978</b>	1,020	552	468	17.3	46.1	45.0
<b>1979</b>	810	461	349	17.4	39.9	33.4
<b>1980</b>	894	564	329	16.7	48.5	32.3
<b>1981</b>	812	424	388	17.5	35.5	35.9
<b>1982</b>	828	498	330	17.5	41.8	27.7
<b>1983</b>	836	409	427	18.2	36.1	34.1
<b>1984</b>	791	405	386	18.0	35.1	33.5
<b>1985</b>	821	548	273	17.0	46.9	23.1
<b>1986</b>	708	364	344	18.1	32.2	28.7
<b>1987</b>	793	434	359	17.2	39.7	30.8
<b>1988</b>	762	385	377	17.7	35.8	32.0
<b>1989</b>	678	270	408	18.3	24.0	34.6
<b>1990</b>	920	389	531	19.3	38.3	39.3
<b>1991</b>	825	356	469	18.1	35.1	38.9
<b>1992</b>	851	416	436	18.0	41.2	37.1
<b>1993</b>	755	387	368	17.7	35.3	30.2
<b>1994</b>	893	466	428	18.1	42.1	36.9
<b>1995</b>	790	446	344	17.9	40.1	29.3
<b>1996</b>	1,021	516	505	19.1	43.8	37.8
<b>1997</b>	1,062	563	500	18.1	47.8	44.7
<b>1998</b>	1,086	570	516	18.1	48.8	50.1
<b>1999</b>	926	556	369	16.9	48.9	39.7
<b>2000</b>	966	558	408	18.1	47.7	34.3
<b>2001</b>	726	406	321	18.5	35.0	28.7

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> The numerator of each rate is the number of persons in the age group who first used the drug in the year, while the denominator is the person-time exposure measured in thousands of years.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 4.37A** Numbers (in Thousands) of Males Who First Used Smokeless Tobacco During the Years 1965 to 2001, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (Per 1,000 Person-Years of Exposure): Based on 2002 NSDUH

YEAR	NUMBER OF INITIATES (1,000s)			MEAN AGE	AGE-SPECIFIC RATES <sup>1</sup>	
	All Ages	Under 18	18 or Older		12-17	18-25
<b>1965</b>	701	448	253	18.3	42.4	20.9
<b>1966</b>	257	127	131	18.0	9.3	11.7
<b>1967</b>	530	283	248	18.2	19.6	21.3
<b>1968</b>	433	300	133	16.5	23.3	11.6
<b>1969</b>	579	305	274	18.0	21.6	21.5
<b>1970</b>	610	310	300	17.2	21.7	24.9
<b>1971</b>	605	309	296	18.5	19.3	15.8
<b>1972</b>	631	334	297	18.4	25.1	16.4
<b>1973</b>	820	511	309	17.5	36.1	20.2
<b>1974</b>	827	494	332	16.7	32.8	24.6
<b>1975</b>	766	582	184	15.2	38.6	13.7
<b>1976</b>	904	596	308	17.2	44.1	17.0
<b>1977</b>	1,130	657	473	17.7	46.7	29.8
<b>1978</b>	1,112	675	437	17.3	48.7	24.3
<b>1979</b>	1,341	849	492	18.1	65.3	23.7
<b>1980</b>	1,198	797	401	16.9	62.9	25.1
<b>1981</b>	1,307	791	516	17.7	60.6	29.9
<b>1982</b>	1,307	751	557	18.1	60.8	32.5
<b>1983</b>	1,127	736	390	17.5	63.4	24.4
<b>1984</b>	1,305	882	423	17.7	86.6	25.3
<b>1985</b>	951	690	261	16.2	66.2	18.3
<b>1986</b>	986	671	315	16.7	65.1	23.1
<b>1987</b>	915	538	377	18.3	53.4	27.2
<b>1988</b>	899	561	338	18.6	56.5	25.2
<b>1989</b>	821	531	290	17.1	53.2	21.7
<b>1990</b>	799	548	251	16.9	55.7	19.9
<b>1991</b>	899	528	370	17.9	54.4	31.8
<b>1992</b>	799	489	309	18.8	47.0	25.1
<b>1993</b>	738	514	223	16.1	46.7	22.7
<b>1994</b>	908	583	325	19.5	52.7	22.6
<b>1995</b>	841	584	257	17.5	51.6	20.2
<b>1996</b>	889	580	309	17.2	47.3	29.5
<b>1997</b>	881	587	294	18.4	50.1	26.2
<b>1998</b>	814	503	311	17.8	42.6	26.4
<b>1999</b>	788	509	279	17.8	43.5	25.7
<b>2000</b>	825	495	330	18.4	44.2	28.1
<b>2001</b>	748	469	279	17.6	41.3	24.8

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> The numerator of each rate is the number of persons in the age group who first used the drug in the year, while the denominator is the person-time exposure measured in thousands of years.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 4.38A Numbers (in Thousands) of Males Who First Used Cigars During the Years 1965 to 2001, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (Per 1,000 Person-Years of Exposure): Based on 2002 NSDUH**

YEAR	NUMBER OF INITIATES (1,000s)			MEAN AGE	AGE-SPECIFIC RATES <sup>1</sup>	
	All Ages	Under 18	18 or Older		12-17	18-25
<b>1965</b>	734	267	467	21.0	23.2	55.6
<b>1966</b>	1,195	714	480	17.2	65.5	76.0
<b>1967</b>	1,023	472	551	18.7	41.1	74.4
<b>1968</b>	1,088	350	738	20.0	31.5	94.5
<b>1969</b>	1,319	590	729	18.9	45.9	85.0
<b>1970</b>	880	323	557	19.9	25.3	61.0
<b>1971</b>	1,034	407	627	18.6	32.5	71.8
<b>1972</b>	1,490	526	964	19.5	41.9	101.4
<b>1973</b>	1,177	422	755	18.7	33.9	91.2
<b>1974</b>	1,114	474	640	19.7	33.9	58.7
<b>1975</b>	1,228	527	701	18.3	43.5	69.2
<b>1976</b>	1,320	480	840	19.9	39.0	69.4
<b>1977</b>	1,091	345	746	20.9	27.3	62.9
<b>1978</b>	1,274	473	801	19.2	37.0	69.3
<b>1979</b>	1,042	372	671	19.1	28.3	57.6
<b>1980</b>	1,152	355	796	20.7	28.0	66.0
<b>1981</b>	1,117	324	793	21.1	25.6	56.2
<b>1982</b>	1,434	354	1,080	22.2	28.4	78.4
<b>1983</b>	942	248	693	21.6	21.7	47.7
<b>1984</b>	1,123	311	812	20.4	27.0	67.0
<b>1985</b>	858	343	515	18.9	28.4	40.6
<b>1986</b>	1,054	338	716	20.8	29.0	47.3
<b>1987</b>	1,191	278	913	22.0	24.0	62.0
<b>1988</b>	1,262	329	933	20.7	29.6	68.1
<b>1989</b>	1,520	327	1,193	24.1	29.7	67.6
<b>1990</b>	1,217	258	959	21.7	23.6	68.8
<b>1991</b>	1,193	355	838	20.6	31.9	63.3
<b>1992</b>	1,424	427	997	21.2	38.0	67.2
<b>1993</b>	1,539	465	1,074	22.6	43.7	74.5
<b>1994</b>	1,636	575	1,061	21.7	50.7	67.9
<b>1995</b>	1,867	738	1,129	20.3	64.3	95.3
<b>1996</b>	2,164	798	1,365	21.0	66.4	117.6
<b>1997</b>	2,265	849	1,415	21.8	76.0	112.8
<b>1998</b>	2,135	1,016	1,118	20.1	89.6	103.1
<b>1999</b>	1,998	952	1,047	20.2	88.8	100.3
<b>2000</b>	2,093	999	1,094	20.2	94.3	108.6
<b>2001</b>	1,836	972	864	19.9	94.3	93.4

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> The numerator of each rate is the number of persons in the age group who first used the drug in the year, while the denominator is the person-time exposure measured in thousands of years.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.