

**Table 3.54A All or Most of the Students in Youths' Grade Smoke Cigarettes, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Smoke Cigarettes (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002**

(I) Demographic Characteristic	Students in Youths' Grade Who Smoke Cigarettes <sup>1</sup>	(II) Drug Use	Students in Youths' Grade Who Smoke Cigarettes <sup>1</sup>	
	All/Most of Them		All/Most of Them	Few/None of Them
<b>TOTAL</b>	7,487	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	1,542	1,052
12-13	824	Marijuana	1,174	700
14-15	2,758	Any Illicit Drug Other Than Marijuana <sup>2</sup>	731	519
16-17	3,905	Cigarettes	1,986	909
<b>GENDER</b>		Alcohol	2,330	1,703
Male	3,300	Binge Alcohol <sup>3</sup>	1,505	906
Female	4,187	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	2,776	2,221
Not Hispanic or Latino	6,487	Marijuana	2,210	1,415
White	4,990	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1,677	1,331
Black or African American	1,107	Cigarettes	2,835	1,737
American Indian or Alaska Native	52	Alcohol	4,181	3,726
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	217	Any Illicit Drug <sup>2</sup>	3,635	3,249
Two or More Races	97	Marijuana	2,817	1,888
Hispanic or Latino	1,000	Any Illicit Drug Other Than Marijuana <sup>2</sup>	2,486	2,244
<b>COUNTY TYPE</b>		Cigarettes	4,166	3,306
Large Metro	3,503	Alcohol	4,992	4,830
Small Metro	2,392			
Nonmetro	1,592			

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.54B All or Most of the Students in Youths' Grade Smoke Cigarettes, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Smoke Cigarettes (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002**

(I) Demographic Characteristic	Students in Youths' Grade Who Smoke Cigarettes <sup>1</sup>	(II) Drug Use	Students in Youths' Grade Who Smoke Cigarettes <sup>1</sup>	
	All/Most of Them		All/Most of Them	Few/None of Them
<b>TOTAL</b>	34.3	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	20.6	7.3
12-13	11.9	Marijuana	15.7	4.9
14-15	36.2	Any Illicit Drug Other Than Marijuana <sup>2</sup>	9.8	3.6
16-17	53.7	Cigarettes	26.5	6.3
<b>GENDER</b>		Alcohol	31.1	11.9
Male	29.6	Binge Alcohol <sup>3</sup>	20.1	6.3
Female	39.2	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	37.1	15.5
Not Hispanic or Latino	35.0	Marijuana	29.5	9.9
White	35.1	Any Illicit Drug Other Than Marijuana <sup>2</sup>	22.4	9.3
Black or African American	37.6	Cigarettes	37.9	12.1
American Indian or Alaska Native	34.0	Alcohol	55.8	26.0
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	25.7	Any Illicit Drug <sup>2</sup>	48.6	22.7
Two or More Races	28.3	Marijuana	37.6	13.2
Hispanic or Latino	30.7	Any Illicit Drug Other Than Marijuana <sup>2</sup>	33.2	15.7
<b>COUNTY TYPE</b>		Cigarettes	55.6	23.1
Large Metro	32.1	Alcohol	66.7	33.7
Small Metro	36.7			
Nonmetro	36.4			

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.55A All or Most of the Students in Youths' Grade Use Marijuana or Hashish, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Use Marijuana or Hashish (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002**

(I) Demographic Characteristic	Students in Youths' Grade Who Use Marijuana/Hashish <sup>1</sup>	(II) Drug Use	Students in Youths' Grade Who Use Marijuana/Hashish <sup>1</sup>	
	All/Most of Them		All/Most of Them	Few/None of Them
<b>TOTAL</b>	5,411	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	1,519	1,066
12-13	373	Marijuana	1,255	614
14-15	1,919	Any Illicit Drug Other Than Marijuana <sup>2</sup>	648	597
16-17	3,119	Cigarettes	1,549	1,320
<b>GENDER</b>		Alcohol	2,020	2,000
Male	2,483	Binge Alcohol <sup>3</sup>	1,358	1,045
Female	2,928	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	2,579	2,394
Not Hispanic or Latino	4,546	Marijuana	2,204	1,412
White	3,332	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1,468	1,517
Black or African American	923	Cigarettes	2,180	2,354
American Indian or Alaska Native	46	Alcohol	3,469	4,404
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	132	Any Illicit Drug <sup>2</sup>	3,237	3,607
Two or More Races	96	Marijuana	2,730	1,959
Hispanic or Latino	865	Any Illicit Drug Other Than Marijuana <sup>2</sup>	2,118	2,575
<b>COUNTY TYPE</b>		Cigarettes	3,250	4,146
Large Metro	2,880	Alcohol	4,071	5,695
Small Metro	1,671			
Nonmetro	860			

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.55B All or Most of the Students in Youths' Grade Use Marijuana or Hashish, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Use Marijuana or Hashish (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002**

(I) Demographic Characteristic	Students in Youths' Grade Who Use Marijuana/Hashish <sup>1</sup>	(II) Drug Use	Students in Youths' Grade Who Use Marijuana/Hashish <sup>1</sup>	
	All/Most of Them		All/Most of Them	Few/None of Them
<b>TOTAL</b>	25.2	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	28.1	6.6
12-13	5.5	Marijuana	23.2	3.8
14-15	25.6	Any Illicit Drug Other Than Marijuana <sup>2</sup>	12.0	3.7
16-17	43.2	Cigarettes	28.6	8.2
<b>GENDER</b>		Alcohol	37.3	12.4
Male	22.6	Binge Alcohol <sup>3</sup>	25.1	6.5
Female	27.9	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	47.7	14.9
Not Hispanic or Latino	24.9	Marijuana	40.7	8.8
White	23.8	Any Illicit Drug Other Than Marijuana <sup>2</sup>	27.1	9.4
Black or African American	32.1	Cigarettes	40.3	14.7
American Indian or Alaska Native	29.9	Alcohol	64.1	27.4
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	16.1	Any Illicit Drug <sup>2</sup>	59.8	22.4
Two or More Races	28.1	Marijuana	50.4	12.2
Hispanic or Latino	26.9	Any Illicit Drug Other Than Marijuana <sup>2</sup>	39.2	16.0
<b>COUNTY TYPE</b>		Cigarettes	60.1	25.8
Large Metro	26.7	Alcohol	75.2	35.4
Small Metro	26.1			
Nonmetro	20.0			

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.56A All or Most of the Students in Youths' Grade Drink Alcoholic Beverages, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Drink Alcoholic Beverages (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002**

(I) Demographic Characteristic	Students in Youths' Grade Who Drink Alcoholic Beverages <sup>1</sup>	(II) Drug Use	Students in Youths' Grade Who Drink Alcoholic Beverages <sup>1</sup>	
	All/Most of Them		All/Most of Them	Few/None of Them
<b>TOTAL</b>	9,558	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	1,808	779
12-13	832	Marijuana	1,405	465
14-15	3,477	Any Illicit Drug Other Than Marijuana <sup>2</sup>	815	433
16-17	5,249	Cigarettes	2,037	836
<b>GENDER</b>		Alcohol	3,087	943
Male	4,282	Binge Alcohol <sup>3</sup>	1,953	457
Female	5,276	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	3,335	1,651
Not Hispanic or Latino	8,175	Marijuana	2,620	995
White	6,514	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1,977	1,028
Black or African American	1,162	Cigarettes	3,055	1,493
American Indian or Alaska Native	60	Alcohol	5,510	2,394
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	269	Any Illicit Drug <sup>2</sup>	4,346	2,516
Two or More Races	144	Marijuana	3,315	1,375
Hispanic or Latino	1,383	Any Illicit Drug Other Than Marijuana <sup>2</sup>	2,938	1,777
<b>COUNTY TYPE</b>		Cigarettes	4,744	2,687
Large Metro	4,634	Alcohol	6,490	3,325
Small Metro	2,927			
Nonmetro	1,996			

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.56B All or Most of the Students in Youths' Grade Drink Alcoholic Beverages, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Drink Alcoholic Beverages (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002**

(I) Demographic Characteristic	Students in Youths' Grade Who Drink Alcoholic Beverages <sup>1</sup>	(II) Drug Use	Students in Youths' Grade Who Drink Alcoholic Beverages <sup>1</sup>	
	All/Most of Them		All/Most of Them	Few/None of Them
<b>TOTAL</b>	44.1	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	18.9	6.4
12-13	12.2	Marijuana	14.7	3.8
14-15	46.1	Any Illicit Drug Other Than Marijuana <sup>2</sup>	8.5	3.6
16-17	72.0	Cigarettes	21.3	6.9
<b>GENDER</b>		Alcohol	32.3	7.8
Male	38.7	Binge Alcohol <sup>3</sup>	20.4	3.8
Female	49.8	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	34.9	13.6
Not Hispanic or Latino	44.3	Marijuana	27.4	8.2
White	46.1	Any Illicit Drug Other Than Marijuana <sup>2</sup>	20.7	8.5
Black or African American	39.9	Cigarettes	32.0	12.3
American Indian or Alaska Native	39.6	Alcohol	57.7	19.8
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	32.4	Any Illicit Drug <sup>2</sup>	45.5	20.8
Two or More Races	42.4	Marijuana	34.7	11.4
Hispanic or Latino	42.7	Any Illicit Drug Other Than Marijuana <sup>2</sup>	30.7	14.7
<b>COUNTY TYPE</b>		Cigarettes	49.6	22.2
Large Metro	42.6	Alcohol	67.9	27.5
Small Metro	45.3			
Nonmetro	46.0			

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.57A All or Most of the Students in Youths' Grade Get Drunk at Least Once a Week, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Get Drunk at Least Once a Week (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002**

(I) Demographic Characteristic	Students in Youths' Grade Who Get Drunk at Least Once a Week <sup>1</sup>	(II) Drug Use	Students in Youths' Grade Who Get Drunk at Least Once a Week <sup>1</sup>	
	All/Most of Them		All/Most of Them	Few/None of Them
<b>TOTAL</b>	3,918	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	961	1,607
12-13	197	Marijuana	735	1,122
14-15	1,233	Any Illicit Drug Other Than Marijuana <sup>2</sup>	461	777
16-17	2,488	Cigarettes	1,054	1,805
<b>GENDER</b>		Alcohol	1,477	2,514
Male	1,612	Binge Alcohol <sup>3</sup>	1,040	1,351
Female	2,306	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	1,604	3,330
Not Hispanic or Latino	3,334	Marijuana	1,280	2,308
White	2,521	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1,007	1,963
Black or African American	602	Cigarettes	1,492	3,022
American Indian or Alaska Native	44	Alcohol	2,384	5,440
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	90	Any Illicit Drug <sup>2</sup>	2,101	4,700
Two or More Races	65	Marijuana	1,633	3,022
Hispanic or Latino	584	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1,483	3,191
<b>COUNTY TYPE</b>		Cigarettes	2,202	5,146
Large Metro	1,924	Alcohol	2,773	6,938
Small Metro	1,213			
Nonmetro	780			

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.57B All or Most of the Students in Youths' Grade Get Drunk at Least Once a Week, by Demographic Characteristics (I), and Selected Drug Use, by How Many Students in Youths' Grade Get Drunk at Least Once a Week (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002**

(I) Demographic Characteristic	Students in Youths' Grade Who Get Drunk at Least Once a Week <sup>1</sup>	(II) Drug Use	Students in Youths' Grade Who Get Drunk at Least Once a Week <sup>1</sup>	
	All/Most of Them		All/Most of Them	Few/None of Them
<b>TOTAL</b>	18.3	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	24.5	9.2
12-13	2.9	Marijuana	18.8	6.4
14-15	16.5	Any Illicit Drug Other Than Marijuana <sup>2</sup>	11.8	4.4
16-17	34.5	Cigarettes	26.9	10.3
<b>GENDER</b>		Alcohol	37.7	14.4
Male	14.7	Binge Alcohol <sup>3</sup>	26.6	7.7
Female	22.0	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	41.0	19.0
Not Hispanic or Latino	18.3	Marijuana	32.7	13.2
White	17.9	Any Illicit Drug Other Than Marijuana <sup>2</sup>	25.7	11.2
Black or African American	21.2	Cigarettes	38.1	17.3
American Indian or Alaska Native	29.2	Alcohol	60.8	31.1
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	11.1	Any Illicit Drug <sup>2</sup>	53.6	26.8
Two or More Races	19.2	Marijuana	41.7	17.3
Hispanic or Latino	18.4	Any Illicit Drug Other Than Marijuana <sup>2</sup>	37.8	18.2
<b>COUNTY TYPE</b>		Cigarettes	56.2	29.4
Large Metro	17.9	Alcohol	70.8	39.6
Small Metro	19.0			
Nonmetro	18.1			

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or reported that they were "home-schooled" in the past 12 months were excluded from this analysis.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.