

PROGRAM INTEGRATION AND CONTROL

ADDENDUM 3 – GOVERNMENT FURNISHED IT SYSTEMS

Systems are in bold type with system elements listed below	Bldg. Location	Room	<i>Performance Standards Principle Period Of Performance (PPP)</i>	<u>Performance Standards Minimum Availability (%)</u>	<u>Performance Standards Hardware Maximum Time to Service Time (i.e. 4 hours)</u>	Operations Required, Shifts/Wk	S/W Release Support (Y/N)	User Support (Y/N)	ID/Account Mgmt (Y/N)
JSC-ISS File or Windows institutional servers									
Kibo2	B46	300	<i>24X7</i>	<u>99.0%</u>	<u>4 hrs, 24x7</u>	8am to 5pm	Y	Y	Y
Kibo3	B46	300	<i>24X7</i>	<u>99.0%</u>	<u>4 hrs, 24x7</u>	8am to 5pm	Y	Y	Y
JSC-ISS-06 (Print/App)	B4S	5403A	<i>24X7</i>	<u>99.0%</u>	<u>8 hrs, M-F</u>	8am to 5pm	Y	Y	Y
JSC-ISS-OCE (Print)	B4S	3805	<i>24X7</i>	<u>99.0%</u>	<u>8 hrs, M-F</u>	8am to 5pm	Y	Y	Y
Kibo (File sharing)	B46	300	<i>24X7</i>	<u>99.0%</u>	<u>4 hrs, 24x7</u>	8am to 5pm	Y	Y	Y
Jsc-iss-dc1	B46	300	<i>24X7</i>	<u>99.0%</u>	<u>8 hrs, 24x7</u>	8am to 5pm	Y	Y	Y
Jsc-iss-dc2	B46	300	<i>24X7</i>	<u>99.0%</u>	<u>8 hrs, 24x7</u>	8am to 5pm	Y	Y	Y
Jsc-iss-10	B46	300	<i>N/A</i>	<u>N/A</u>	<u>N/A</u>	N/A	N	N	Y
Jsc-iss-sao	B46	300	<i>N/A</i>	<u>N/A</u>	<u>N/A</u>	N/A	N	N	Y
ISS Production Facility (IPF)									
jsc-ISS Programrd01	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, M-F</u>	8AM-5PM	Y	Y	Y
jsc-isscm01	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, M-F</u>	8AM-5PM	Y	Y	Y

PROGRAM INTEGRATION AND CONTROL

Systems are in bold type with system elements listed below	Bldg. Location	Room	<i>Performance Standards Principle Period Of Performance (PPP)</i>	<u>Performance Standards Minimum Availability (%)</u>	<u>Performance Standards Hardware Maximum Time to Service Time (i.e. 4 hours)</u>	Operations Required, Shifts/Wk	S/W Release Support (Y/N)	User Support (Y/N)	ID/Account Mgmt (Y/N)
iss-cff-p01	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, M-F</u>	8AM-5PM	Y	Y	Y
columbus1	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>8Hr, 24x7</u>	8AM-5PM	Y	Y	Y
quest1	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>8Hr 24x7</u>	8AM-5PM	Y	Y	Y
isrtm01	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, 24x7</u>	8AM-5PM	Y	Y	Y
iss-ftp-p01	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, 24x7</u>	8AM-5PM	Y	Y	Y
liberty1	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, 24x7</u>	8AM-5PM	Y	Y	Y
liberty2	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, 24x7</u>	8AM-5PM	Y	Y	Y
hale1	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, 24x7</u>	8AM-5PM	Y	Y	Y
hale2	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, 24x7</u>	8AM-5PM	Y	Y	Y
iss-pob-p01	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, M-F</u>	8AM-5PM	Y	Y	Y
ISS Programrtp1	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, M-F</u>	8AM-5PM	Y	Y	Y
iss-dir-p01	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, 24x7</u>	8AM-5PM	Y	Y	Y
iss-dir-p03	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, 24x7</u>	8AM-5PM	Y	Y	Y
Kepler2	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, 24x7</u>	8AM-5PM	Y	Y	Y
Kepler1	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, 24x7</u>	8AM-5PM	Y	Y	Y
Iss-aff-p01 (Adlib)	B46	300	<i>24x7</i>	<u>99.0%</u>	<u>4Hr, 24x7</u>	8AM-5PM	Y	Y	Y

PROGRAM INTEGRATION AND CONTROL

Systems are in bold type with system elements listed below	Bldg. Location	Room	<i>Performance Standards</i> Principle Period Of Performance (PPP)	<u>Performance Standards</u> Minimum Availability (%)	<u>Performance Standards</u> Hardware Maximum Time to Service Time (i.e. 4 hours)	Operations Required, Shifts/Wk	S/W Release Support (Y/N)	User Support (Y/N)	ID/Account Mgmt (Y/N)
JSC-ISS File or Windows institutional servers									
Kibo2	B46	300	24X7	99.0%	4 hrs, 24x7	8am to 5pm	Y	Y	Y
Kibo3	B46	300	24X7	99.0%	4 hrs, 24x7	8am to 5pm	Y	Y	Y
JSC-ISS-06 (Print/App)	B4S	5403A	24X7	99.0%	8 hrs, M-F	8am to 5pm	Y	Y	Y
JSC-ISS-OCE (Print)	B4S	3805	24X7	99.0%	8 hrs, M-F	8am to 5pm	Y	Y	Y
Kibo (File sharing)	B46	300	24X7	99.0%	4 hrs, 24x7	8am to 5pm	Y	Y	Y
Jsc-iss-dc1	B46	300	24X7	99.0%	8 hrs, 24x7	8am to 5pm	Y	Y	Y
Jsc-iss-dc2	B46	300	24X7	99.0%	8 hrs, 24x7	8am to 5pm	Y	Y	Y
Jsc-iss-10	B46	300	N/A	N/A	N/A	N/A	N	N	Y
Jsc-iss-sao	B46	300	N/A	N/A	N/A	N/A	N	N	Y
ISS Production Facility (IPF)									
jsc-ISS Programrd01	B46	300	24x7	99.0%	4Hr, M-F	8AM-5PM	Y	Y	Y
jsc-isscm01	B46	300	24x7	99.0%	4Hr, M-F	8AM-5PM	Y	Y	Y
iss-cff-p01	B46	300	24x7	99.0%	4Hr, M-F	8AM-5PM	Y	Y	Y
columbus1	B46	300	24x7	99.0%	8Hr, 24x7	8AM-5PM	Y	Y	Y
quest1	B46	300	24x7	99.0%	8Hr 24x7	8AM-5PM	Y	Y	Y
isrtm01	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	Y
iss-ftp-p01	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	Y
liberty1	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	Y
liberty2	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	Y
hale1	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	Y

PROGRAM INTEGRATION AND CONTROL

Systems are in bold type with system elements listed below	Bldg. Location	Room	<i>Performance Standards Principle Period Of Performance (PPP)</i>	<u>Performance Standards Minimum Availability (%)</u>	<u>Performance Standards Hardware Maximum Time to Service Time (i.e. 4 hours)</u>	Operations Required, Shifts/Wk	S/W Release Support (Y/N)	User Support (Y/N)	ID/Account Mgmt (Y/N)
hale2	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	Y
iss-pob-p01	B46	300	24x7	99.0%	4Hr, M-F	8AM-5PM	Y	Y	Y
ISS Programrtp1	B46	300	24x7	99.0%	4Hr, M-F	8AM-5PM	Y	Y	Y
iss-dir-p01	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	Y
iss-dir-p03	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	Y
Kepler2	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	Y
Kepler1	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	Y
Iss-aff-p01 (Adlib)	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	Y

IPF for development efforts									
oort	B46	300	24x7	99.0%	8Hr, M-F	8AM-5PM	Y	Y	Y
Quest3	B46	300	24x7	99.0%	8Hr, M-F	8AM-5PM	Y	Y	Y
destiny1	B46	300	24x7	99.0%	8Hr, M-F	8AM-5PM	Y	Y	Y
destiny2	B46	300	24x7	99.0%	8Hr, M-F	8AM-5PM	Y	Y	Y
ISS Programrtd1	B46	300	24x7	99.0%	8Hr, M-F	8AM-5PM	Y	Y	Y
jsc-issdev01	B46	300	24x7	99.0%	8Hr, M-F	8AM-5PM	Y	Y	Y
Iss-cff-d01 (CFF App)	B46	300	24x7	99.0%	8Hr, M-F	8AM-5PM	Y	Y	Y
IPF for Integration/Test efforts									
quest2	B46	300	24x7	99.0%	8Hr, M-F	8AM-5PM	Y	Y	Y
Iss-cff-i01 (Adlib & CFF App)	B46	300	24x7	99.0%	8Hr, M-F	8AM-5PM	Y	Y	Y

PROGRAM INTEGRATION AND CONTROL

Systems are in bold type with system elements listed below	Bldg. Location	Room	<i>Performance Standards Principle Period Of Performance (PPP)</i>	<u>Performance Standards Minimum Availability (%)</u>	<u>Performance Standards Hardware Maximum Time to Service Time (i.e. 4 hours)</u>	Operations Required, Shifts/Wk	S/W Release Support (Y/N)	User Support (Y/N)	ID/Account Mgmt (Y/N)
Unity1	B46	300	24x7	99.0%	8Hr, M-F	8AM-5PM	Y	Y	Y
Unity2	B46	300	24x7	99.0%	8Hr, M-F	8AM-5PM	Y	Y	Y
ISS Programrti1	B46	300	24x7	99.0%	8Hr, M-F	8AM-5PM	Y	Y	Y
jsc-iss-int01	B46	300	24x7	99.0%	8Hr, M-F	8AM-5PM	Y	Y	Y
Storage Devices									
Iss-cab03 (Dev) (network attached storage)	B46	300	24x7	99.0%	4Hr, M-F	8AM-5PM	Y	Y	N
iss-cab02 (prd) (network attached storage)	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	N
iss-cab04 (prd) (network attached storage)	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	N
iss-cab01 (int) (network attached storage)	B46	300	24x7	99.0%	4Hr, M-F	8AM-5PM	Y	Y	N
emc-san (storage array network)	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	N
Sun 3960 SAN	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	N
Sun a5000 arrays	B46	300	24x7	99.0%	4Hr, 24x7	8AM-5PM	Y	Y	N
Support to Institutional Systems									
EDMS	N/A	N/A	N/A	N/A	4hr,24x7	8am-5pm	Y	Y	Y
Ads-dds	B46	300	N/A	N/A	N/A	8AM – 5PM	N	N	N

PROGRAM INTEGRATION AND CONTROL

Systems are in bold type with system elements listed below	Bldg. Location	Room	<i>Performance Standards Principle Period Of Performance (PPP)</i>	<u>Performance Standards Minimum Availability (%)</u>	<u>Performance Standards Hardware Maximum Time to Service Time (i.e. 4 hours)</u>	Operations Required, Shifts/Wk	S/W Release Support (Y/N)	User Support (Y/N)	ID/Account Mgmt (Y/N)
nmconversion	B46	300	N/A	N/A	N/A	8AM – 5PM	N	N	N
goldprd	B46	300	N/A	N/A	N/A	8AM – 5PM	N	N	N
goldtst	B46	300	N/A	N/A	N/A	8AM – 5PM	N	N	N
Jsc-iss-ctxa	B46	300	N/A	N/A	N/A	8AM – 5PM	N	N	N
Jsc-iss-ctxb	B46	300	N/A	N/A	N/A	8AM – 5PM	N	N	N
Jsc-iss-ctxc	B46	300	N/A	N/A	N/A	8AM – 5PM	N	N	N
Jsc-iss-ctxd	B46	300	N/A	N/A	N/A	8AM – 5PM	N	N	N
hpsgprd	B46	300	N/A	N/A	N/A	8AM – 5PM	N	N	N
hpsgtst	B46	300	N/A	N/A	N/A	8AM – 5PM	N	N	N
xboard	B46	300	N/A	N/A	N/A	8AM – 5PM	N	N	N
xspace	B46	300	N/A	N/A	N/A	8AM – 5PM	N	N	N
pgnasda	B46	300	N/A	N/A	N/A	8AM – 5PM	N	N	N
boba	B46	300	N/A	N/A	N/A	8AM – 5PM	N	N	N
Network Devices and Security									
Red-dog	B46	300	N/A	N/A	8Hr, M-F	8am-5pm	Y	N	N
Cisco6513 Switch	B46	300	24X7	N/A	4Hr, 24x7	8am-5pm	Y	N	N
Cisco 6506	B46	300	24X7	N/A	4 Hr, 24x7	8am-5pm	Y	N	N
Cisco 3524 (qty 2)	B46	300	24X7	N/A	8Hr, M-F	8am-5pm	Y	N	N
Cisco 3750	B46	300	24X7	N/A	8Hr, M-F	8am-5pm	Y	N	N
Cisco 4912 (qty 3)	B46	300	24X7	N/A	8Hr, M-F	8am-5pm	Y	N	N
Intrusion Detection System	B46	300	24X7	N/A	4Hr, 24x7	8am-5pm	Y	N	N
PIX Firewall	B46	300	N/A	N/A	8Hr, M-F	8am-5pm	Y	N	N

PROGRAM INTEGRATION AND CONTROL

Systems are in bold type with system elements listed below	Bldg. Location	Room	<i>Performance Standards Principle Period Of Performance (PPP)</i>	<u>Performance Standards Minimum Availability (%)</u>	<u>Performance Standards Hardware Maximum Time to Service Time (i.e. 4 hours)</u>	Operations Required, Shifts/Wk	S/W Release Support (Y/N)	User Support (Y/N)	ID/Account Mgmt (Y/N)
Cisco 6513 Router	B46	300	24X7	N/A	4Hr, 24x7	8am-5pm	Y	N	N
Issdirector2	B46	300	N/A	N/A	8Hr, M-F	8am-5pm	Y	N	N
netmgr	B46	300	N/A	N/A	8Hr, M-F	8am-5pm	Y	N	N
Infinistream Forensic Analysis	B46	300	24X7	N/A	8Hr, M-F	8am-5pm	Y	N	N
Network General Sniffer	B46	300	N/A	N/A	8Hr, M-F	8am-5pm	Y	N	N
Cisco 2621	Armand Plaza A		24X7	N/A	4 Hr, 24x7	8am-5pm	Y	N	N
Iss-termsrv1	B46	300	24X7	99.0%	8 hrs, M-F	8am to 5pm	Y	Y	Y
Engineering Servers									
Borg00	B46	300	24X7	N/A	8Hr, M-F	8am-5pm	Y	Y	Y
Nslapp01	B46	300	24X7	N/A	8Hr, M-F	8am-5pm	N	Y	Y
eureka	B46	300	24X7	N/A	8Hr, M-F	8am-5pm	Y	Y	Y
Ditapp02	B46	300	24x7	99.0%	4Hr, 24x7	8am-5pm	Y	Y	Y
UNIX Institutional Servers									
Blade193	B46	300	24X7	N/A	4 hrs, 24X7	8am to 5pm	Y	N	N
SpectraLogic 64K Tape Robot	B46	300	24X7	N/A	Next Day	8am to 5pm	Y	N	N
logmgr	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N
Hale3	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N
Hale4	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N
donatelo	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N
oracon	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N
Sc1-aws	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N

PROGRAM INTEGRATION AND CONTROL

Systems are in bold type with system elements listed below	Bldg. Location	Room	<i>Performance Standards Principle Period Of Performance (PPP)</i>	<u>Performance Standards Minimum Availability (%)</u>	<u>Performance Standards Hardware Maximum Time to Service Time (i.e. 4 hours)</u>	Operations Required, Shifts/Wk	S/W Release Support (Y/N)	User Support (Y/N)	ID/Account Mgmt (Y/N)
Sc2-aws	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N
Sc3-aws	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N
paratroop	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N
Liberty4	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N
Issauth1	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N
Issauth2	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N
Issauthd1	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N
ruthere	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N
pilobolus	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N
neo	B46	300	24X7	N/A	8Hr, M	8am to 5pm	Y	N	N