

**Table 2.25A Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2002**

Demographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL</b>	171,838	84,731	71,499
<b>AGE</b>			
12-17	9,113	5,839	3,767
18-25	23,426	17,028	14,049
26 or Older	139,299	61,864	53,683
<b>GENDER</b>			
Male	90,952	49,558	41,991
Female	80,886	35,173	29,509
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	154,380	75,400	64,163
White	128,948	62,222	52,905
Black or African American	17,354	8,909	7,722
American Indian or Alaska Native	1,260	758	656
Native Hawaiian or Other Pacific Islander	*	*	234
Asian	4,296	2,111	1,689
Two or More Races	1,939	1,084	957
Hispanic or Latino	17,458	9,331	7,336

\*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.25B Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2002**

Demographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL</b>	73.1	36.0	30.4
<b>AGE</b>			
12-17	36.8	23.6	15.2
18-25	75.5	54.9	45.3
26 or Older	77.7	34.5	29.9
<b>GENDER</b>			
Male	80.1	43.6	37.0
Female	66.6	28.9	24.3
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	74.9	36.6	31.1
White	78.0	37.6	32.0
Black or African American	64.7	33.2	28.8
American Indian or Alaska Native	85.2	51.3	44.3
Native Hawaiian or Other Pacific Islander	*	*	28.8
Asian	47.4	23.3	18.6
Two or More Races	77.2	43.2	38.1
Hispanic or Latino	60.0	32.1	25.2

\*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

**Table 2.26A Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2002**

Demographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL</b>	9,113	5,839	3,767
<b>GENDER</b>			
Male	4,855	3,142	2,019
Female	4,258	2,697	1,748
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	7,784	5,030	3,309
White	6,213	4,162	2,824
Black or African American	1,069	571	330
American Indian or Alaska Native	118	84	58
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	205	106	39
Two or More Races	146	85	52
Hispanic or Latino	1,329	809	458
<b>GENDER/RACE/HISPANIC ORIGIN</b>			
Male - White	3,346	2,223	1,492
Female - White	2,867	1,939	1,332
Male - Black or African American	563	332	205
Female - Black or African American	506	240	125
Male - Hispanic or Latino	697	430	248
Female - Hispanic or Latino	632	379	210

\*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

**Table 2.26B Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2002**

Demographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL</b>	36.8	23.6	15.2
<b>GENDER</b>			
Male	38.4	24.8	16.0
Female	35.2	22.3	14.4
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	37.4	24.2	15.9
White	40.0	26.8	18.2
Black or African American	29.6	15.8	9.1
American Indian or Alaska Native	62.6	44.6	30.6
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	20.3	10.5	3.8
Two or More Races	37.3	21.6	13.4
Hispanic or Latino	33.8	20.6	11.6
<b>GENDER/RACE/HISPANIC ORIGIN</b>			
Male - White	42.0	27.9	18.7
Female - White	37.9	25.6	17.6
Male - Black or African American	30.9	18.2	11.2
Female - Black or African American	28.1	13.3	6.9
Male - Hispanic or Latino	34.7	21.4	12.3
Female - Hispanic or Latino	32.9	19.8	10.9

\*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.27A Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2002**

Demographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL</b>	23,426	17,028	14,049
<b>GENDER</b>			
Male	12,462	9,618	8,097
Female	10,964	7,410	5,952
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	19,752	14,683	12,243
White	15,725	12,009	10,064
Black or African American	2,577	1,648	1,359
American Indian or Alaska Native	190	140	117
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	798	526	394
Two or More Races	337	266	226
Hispanic or Latino	3,674	2,345	1,806
<b>EDUCATION</b>			
< High School	5,185	4,068	3,539
High School Graduate	7,976	5,903	4,997
Some College	7,368	5,220	4,174
College Graduate	2,896	1,836	1,340
<b>CURRENT EMPLOYMENT</b>			
Full-Time	11,478	8,358	7,095
Part-Time	5,739	4,060	3,191
Unemployed	1,918	1,563	1,351
Other <sup>1</sup>	4,290	3,046	2,413

\*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.27B Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2002**

Demographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL</b>	75.5	54.9	45.3
<b>GENDER</b>			
Male	80.3	61.9	52.1
Female	70.8	47.8	38.4
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	77.3	57.5	47.9
White	81.4	62.2	52.1
Black or African American	63.3	40.5	33.4
American Indian or Alaska Native	88.5	65.1	54.4
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	58.3	38.4	28.7
Two or More Races	83.6	65.8	55.9
Hispanic or Latino	67.0	42.7	32.9
<b>EDUCATION</b>			
< High School	75.4	59.2	51.5
High School Graduate	75.4	55.8	47.2
Some College	75.4	53.4	42.7
College Graduate	76.4	48.4	35.3
<b>CURRENT EMPLOYMENT</b>			
Full-Time	79.2	57.7	49.0
Part-Time	72.6	51.4	40.4
Unemployed	78.1	63.6	55.0
Other <sup>1</sup>	69.5	49.4	39.1

\*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.28A Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2002**

Demographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL</b>	139,299	61,864	53,683
<b>GENDER</b>			
Male	73,635	36,798	31,874
Female	65,664	25,066	21,809
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	126,845	55,687	48,610
White	107,010	46,051	40,017
Black or African American	13,708	6,689	6,033
American Indian or Alaska Native	*	534	481
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	3,292	1,478	1,256
Two or More Races	1,455	734	679
Hispanic or Latino	12,454	6,177	5,073
<b>EDUCATION</b>			
< High School	21,649	11,877	10,931
High School Graduate	45,040	22,235	19,950
Some College	34,441	15,742	13,714
College Graduate	38,169	12,010	9,088
<b>CURRENT EMPLOYMENT</b>			
Full-Time	82,245	40,144	34,168
Part-Time	15,445	5,834	5,100
Unemployed	4,152	2,931	2,732
Other <sup>1</sup>	37,457	12,955	11,684

\*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.28B Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2002**

Demographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL</b>	77.7	34.5	29.9
<b>GENDER</b>			
Male	86.2	43.1	37.3
Female	69.9	26.7	23.2
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	79.4	34.9	30.4
White	82.0	35.3	30.7
Black or African American	71.7	35.0	31.6
American Indian or Alaska Native	*	49.7	44.7
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	49.3	22.1	18.8
Two or More Races	84.8	42.8	39.5
Hispanic or Latino	63.3	31.4	25.8
<b>EDUCATION</b>			
< High School	71.3	39.1	36.0
High School Graduate	78.5	38.7	34.8
Some College	80.5	36.8	32.0
College Graduate	78.2	24.6	18.6
<b>CURRENT EMPLOYMENT</b>			
Full-Time	80.6	39.4	33.5
Part-Time	79.0	29.9	26.1
Unemployed	81.0	57.1	53.3
Other <sup>1</sup>	71.1	24.6	22.2

\*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.



**Table 2.29A Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2002**

Demographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL</b>	162,725	78,892	67,732
<b>GENDER</b>			
Male	86,097	46,416	39,972
Female	76,628	32,476	27,761
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	146,596	70,371	60,854
White	122,735	58,060	50,081
Black or African American	16,285	8,338	7,392
American Indian or Alaska Native	1,142	674	598
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	4,090	2,005	1,650
Two or More Races	1,792	1,000	905
Hispanic or Latino	16,129	8,522	6,878
<b>EDUCATION</b>			
< High School	26,834	15,946	14,470
High School Graduate	53,017	28,138	24,946
Some College	41,809	20,962	17,888
College Graduate	41,065	13,846	10,428
<b>CURRENT EMPLOYMENT</b>			
Full-Time	93,724	48,503	41,263
Part-Time	21,184	9,894	8,291
Unemployed	6,071	4,494	4,083
Other <sup>1</sup>	41,747	16,002	14,096

\*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 2.29B Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2002**

Demographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
<b>TOTAL</b>	77.3	37.5	32.2
<b>GENDER</b>			
Male	85.3	46.0	39.6
Female	70.0	29.7	25.4
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	79.1	38.0	32.9
White	81.9	38.7	33.4
Black or African American	70.2	36.0	31.9
American Indian or Alaska Native	88.5	52.2	46.3
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	50.8	24.9	20.5
Two or More Races	84.5	47.1	42.7
Hispanic or Latino	64.1	33.9	27.4
<b>EDUCATION</b>			
< High School	72.1	42.8	38.9
High School Graduate	78.0	41.4	36.7
Some College	79.5	39.9	34.0
College Graduate	78.1	26.3	19.8
<b>CURRENT EMPLOYMENT</b>			
Full-Time	80.4	41.6	35.4
Part-Time	77.2	36.1	30.2
Unemployed	80.0	59.2	53.8
Other <sup>1</sup>	70.9	27.2	24.0

\*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.