

Table 4.72B Alcohol Use in Lifetime among Persons Aged 12 to 17 and Persons Aged 18 to 25 During the Years 1965 to 2002, by Gender: Percentages, Based on 2002 NSDUH

YEAR	AGED 12 TO 17			AGED 18 TO 25		
	Total	Male	Female	Total	Male	Female
1965	16.3	22.9	10.1	69.7	79.3	61.0
1966	17.9	25.3	10.9	70.5	79.1	62.9
1967	19.5	26.2	13.0	70.5	80.6	62.0
1968	21.2	27.8	14.5	71.8	81.6	63.6
1969	21.3	27.9	14.6	73.0	82.0	65.3
1970	20.8	27.4	14.2	75.3	83.8	67.5
1971	22.4	28.3	16.7	77.1	86.1	68.5
1972	24.6	30.9	18.4	77.7	86.3	69.4
1973	27.1	34.5	20.0	78.8	87.4	70.8
1974	29.0	36.0	22.5	79.5	87.1	72.2
1975	28.2	36.4	20.4	80.0	86.6	73.5
1976	28.6	35.9	21.9	80.4	87.0	73.8
1977	28.5	36.1	21.2	82.1	89.1	75.0
1978	29.2	36.2	22.7	82.5	89.3	75.8
1979	30.8	36.9	25.0	82.4	89.9	75.3
1980	31.8	38.5	25.3	82.7	88.6	77.1
1981	29.9	36.0	23.9	83.5	88.5	78.8
1982	30.3	35.6	25.1	83.9	87.9	80.0
1983	29.9	34.6	25.2	83.4	88.1	78.8
1984	29.7	34.5	25.0	82.9	88.0	78.2
1985	29.6	35.2	24.0	82.5	87.6	77.6
1986	30.6	36.7	24.5	82.2	87.2	77.6
1987	31.4	37.5	25.6	81.4	86.6	76.4
1988	30.7	36.5	25.0	81.7	86.4	77.1
1989	29.8	35.5	24.5	81.1	86.2	76.1
1990	28.9	34.1	24.0	80.9	85.7	76.3
1991	29.6	33.5	25.9	80.4	85.1	75.7
1992	27.9	31.9	24.1	81.3	85.5	77.1
1993	27.4	31.2	23.7	81.0	85.2	76.9
1994	28.1	30.9	25.2	81.8	86.4	77.2
1995	28.5	31.0	26.0	81.8	85.5	78.3
1996	29.1	31.7	26.4	81.2	84.6	78.1
1997	29.8	31.4	28.1	81.3	84.7	78.0
1998	31.2	33.4	29.0	82.0	85.2	78.9
1999	32.5	34.6	30.4	82.7	85.7	79.8
2000	37.1	38.9	35.2	83.4	85.5	81.4
2001	43.3	44.4	42.1	85.5	87.5	83.4
2002	43.4	43.4	43.4	86.7	88.0	85.4

*Low precision; no estimate reported.

NOTE: Percentages are calculated using a weighted ratio estimate where the numerator is the weighted sum of all lifetime users within each age group for a specific year and the denominator is the weighted sum of all persons within each age group for the same year. Lifetime drug use status and age group, for each specified year, were determined using the age, date of first use, and interview date for each respondent. See Section B.5 of Appendix B of the *Results from the 2002 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 4.73B Any Cigarette Use in Lifetime among Persons Aged 12 to 17 and Persons Aged 18 to 25 During the Years 1965 to 2002, by Gender: Percentages, Based on 2002 NSDUH

YEAR	AGED 12 TO 17			AGED 18 TO 25		
	Total	Male	Female	Total	Male	Female
1965	29.6	37.9	21.7	70.3	78.9	62.6
1966	29.8	38.1	21.8	68.4	76.9	60.7
1967	31.3	40.5	22.3	68.4	78.1	60.3
1968	32.5	40.1	24.8	67.4	78.1	58.4
1969	31.3	39.6	22.9	68.1	78.0	59.8
1970	32.0	38.3	25.7	69.3	79.6	59.9
1971	33.1	39.4	27.0	69.6	79.3	60.3
1972	34.5	40.2	29.0	69.2	77.9	60.8
1973	35.9	40.2	31.6	69.2	77.9	61.0
1974	36.8	41.3	32.6	69.8	77.5	62.5
1975	36.1	39.7	32.7	70.1	76.1	64.2
1976	38.4	42.0	35.0	70.5	75.4	65.5
1977	37.6	41.4	33.9	70.3	75.6	65.0
1978	37.0	39.7	34.4	70.6	74.4	66.8
1979	36.5	39.2	33.9	70.8	74.8	67.1
1980	37.0	37.8	36.2	70.7	74.1	67.4
1981	34.9	35.9	34.0	71.5	74.0	69.1
1982	33.5	33.5	33.5	71.2	74.0	68.6
1983	33.5	33.9	33.1	70.8	73.4	68.4
1984	32.7	33.3	32.2	70.7	73.5	68.2
1985	31.9	33.4	30.4	70.1	72.3	68.0
1986	31.2	33.4	29.0	68.8	70.4	67.3
1987	30.3	32.8	27.9	68.0	70.2	65.8
1988	29.2	32.1	26.4	68.0	70.9	65.1
1989	29.5	32.4	26.8	67.8	71.0	64.6
1990	30.3	33.1	27.7	67.1	70.3	64.1
1991	29.9	32.1	27.8	65.8	68.6	63.1
1992	29.0	29.8	28.1	66.1	69.6	62.6
1993	29.8	30.8	28.9	66.0	69.9	62.1
1994	30.7	31.5	29.8	66.2	70.0	62.5
1995	32.1	33.5	30.7	66.2	70.0	62.5
1996	33.8	35.0	32.6	66.3	69.5	63.2
1997	35.6	36.6	34.7	67.1	70.9	63.5
1998	36.3	37.3	35.3	68.3	72.4	64.3
1999	37.8	38.6	37.0	70.4	73.8	67.2
2000	37.1	38.0	36.1	71.0	73.4	68.6
2001	37.3	37.5	37.2	71.3	74.3	68.4
2002	33.3	33.2	33.4	71.2	73.7	68.7

*Low precision; no estimate reported.

NOTE: Percentages are calculated using a weighted ratio estimate where the numerator is the weighted sum of all lifetime users within each age group for a specific year and the denominator is the weighted sum of all persons within each age group for the same year. Lifetime drug use status and age group, for each specified year, were determined using the age, date of first use, and interview date for each respondent. See Section B.5 of Appendix B of the *Results from the 2002 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 4.74B Daily Cigarette Use in Lifetime among Persons Aged 12 to 17 and Persons Aged 18 to 25 During the Years 1965 to 2002, by Gender: Percentages, Based on 2002 NSDUH

YEAR	AGED 12 TO 17			AGED 18 TO 25		
	Total	Male	Female	Total	Male	Female
1965	7.8	10.0	5.7	42.8	53.1	33.6
1966	8.3	11.7	5.0	41.0	50.0	32.9
1967	8.6	11.8	5.5	41.4	51.4	33.0
1968	8.3	10.8	5.8	40.5	52.3	30.6
1969	8.7	11.9	5.5	39.2	49.5	30.5
1970	8.0	9.1	7.0	39.3	49.9	29.5
1971	8.7	10.1	7.4	38.8	50.2	27.8
1972	9.3	10.8	7.8	38.9	48.6	29.4
1973	10.0	11.8	8.2	38.6	47.8	30.0
1974	10.9	12.8	9.2	37.7	45.9	29.7
1975	10.3	11.6	9.2	37.7	44.4	31.0
1976	11.1	11.8	10.5	38.0	43.9	32.0
1977	11.3	11.1	11.6	37.8	43.9	31.7
1978	10.3	10.0	10.6	38.4	42.9	33.9
1979	9.6	9.8	9.5	38.9	42.7	35.3
1980	9.8	10.5	9.2	38.5	41.6	35.6
1981	9.3	9.6	9.1	38.9	40.6	37.4
1982	9.3	9.1	9.5	38.4	39.2	37.6
1983	9.2	8.5	9.9	37.6	38.6	36.7
1984	8.6	8.1	9.1	37.2	38.1	36.4
1985	8.0	7.9	8.2	36.2	37.0	35.5
1986	8.4	8.8	8.1	34.9	35.0	34.9
1987	8.7	9.1	8.3	32.9	32.8	32.9
1988	8.0	8.8	7.2	32.7	33.4	32.1
1989	7.3	8.6	6.0	32.2	33.1	31.4
1990	7.1	7.5	6.8	31.9	33.3	30.4
1991	8.1	8.0	8.3	30.9	32.5	29.3
1992	8.2	8.5	7.9	31.5	33.1	29.8
1993	8.3	9.0	7.6	31.3	33.2	29.5
1994	8.2	8.6	7.9	31.6	33.9	29.5
1995	9.0	9.2	8.9	32.0	34.4	29.6
1996	9.4	9.2	9.7	32.0	33.7	30.4
1997	9.8	9.4	10.3	32.9	34.6	31.3
1998	10.7	10.4	11.0	34.4	35.7	33.2
1999	10.5	10.6	10.4	36.1	37.0	35.2
2000	10.7	10.7	10.7	36.8	37.6	35.9
2001	10.6	10.3	10.9	37.7	38.8	36.5
2002	8.2	8.0	8.5	37.1	38.1	36.1

*Low precision; no estimate reported.

NOTE: Percentages are calculated using a weighted ratio estimate where the numerator is the weighted sum of all lifetime users within each age group for a specific year and the denominator is the weighted sum of all persons within each age group for the same year. Lifetime drug use status and age group, for each specified year, were determined using the age, date of first use, and interview date for each respondent. See Section B.5 of Appendix B of the *Results from the 2002 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 4.75B Smokeless Tobacco Use in Lifetime among Persons Aged 12 to 17 and Persons Aged 18 to 25 During the Years 1965 to 2002, by Gender: Percentages, Based on 2002 NSDUH

YEAR	AGED 12 TO 17			AGED 18 TO 25		
	Total	Male	Female	Total	Male	Female
1965	3.7	5.9	1.6	10.5	18.7	3.0
1966	4.7	7.6	2.0	10.1	18.6	2.5
1967	4.9	8.2	1.7	9.2	16.8	2.8
1968	4.5	7.4	1.7	9.6	18.0	2.6
1969	4.7	7.6	1.7	9.8	18.3	2.6
1970	3.9	6.4	1.5	10.9	19.7	2.8
1971	4.5	7.2	1.9	10.9	19.8	2.3
1972	4.5	7.5	1.6	11.1	20.1	2.5
1973	5.6	9.1	2.2	11.0	20.2	2.4
1974	5.8	9.7	2.2	11.7	21.1	2.7
1975	6.7	11.4	2.3	12.0	21.5	2.6
1976	7.4	12.7	2.5	12.6	22.0	2.9
1977	7.7	13.2	2.5	13.1	23.1	3.1
1978	8.8	14.8	3.1	13.2	23.2	3.4
1979	9.8	16.7	3.3	14.2	25.4	3.5
1980	10.9	18.6	3.4	14.7	26.3	3.7
1981	12.0	20.3	3.8	16.3	29.0	4.1
1982	12.3	21.1	3.6	17.7	31.3	4.8
1983	12.8	22.2	3.5	19.8	34.8	5.4
1984	13.6	23.1	4.3	20.5	36.1	5.8
1985	14.5	24.7	4.3	21.2	37.1	6.2
1986	14.7	25.5	4.2	22.2	38.3	6.9
1987	14.7	25.4	4.3	23.1	39.3	7.3
1988	13.3	22.7	4.3	24.8	41.8	7.9
1989	12.5	21.2	4.3	25.8	43.3	8.3
1990	11.7	19.8	4.0	26.2	44.2	8.5
1991	11.1	18.6	4.1	26.3	45.0	7.9
1992	10.6	17.7	3.7	26.4	45.2	8.0
1993	9.7	16.3	3.2	26.5	44.7	8.7
1994	9.3	15.0	3.6	26.7	45.0	8.9
1995	9.4	15.0	3.7	26.4	44.7	9.0
1996	9.2	14.8	3.5	25.9	43.4	9.3
1997	9.2	14.6	3.6	25.3	41.8	9.6
1998	9.2	14.8	3.4	24.7	40.3	9.6
1999	9.2	14.9	3.3	24.7	39.5	10.4
2000	8.3	13.7	2.8	24.5	39.2	10.2
2001	8.5	13.4	3.3	24.3	39.1	9.5
2002	8.0	12.5	3.3	23.7	37.9	9.6

*Low precision; no estimate reported.

NOTE: Percentages are calculated using a weighted ratio estimate where the numerator is the weighted sum of all lifetime users within each age group for a specific year and the denominator is the weighted sum of all persons within each age group for the same year. Lifetime drug use status and age group, for each specified year, were determined using the age, date of first use, and interview date for each respondent. See Section B.5 of Appendix B of the *Results from the 2002 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 4.76B Cigar Use in Lifetime among Persons Aged 12 to 17 and Persons Aged 18 to 25 During the Years 1965 to 2002, by Gender: Percentages, Based on 2002 NSDUH

YEAR	AGED 12 TO 17			AGED 18 TO 25		
	Total	Male	Female	Total	Male	Female
1965	5.0	9.0	1.2	22.0	42.0	4.0
1966	5.9	10.7	1.2	20.9	39.9	4.0
1967	6.6	12.1	1.1	21.2	41.2	4.5
1968	6.7	12.0	1.3	21.5	41.6	4.6
1969	6.3	11.4	1.2	21.6	41.5	4.8
1970	5.9	9.9	1.9	22.9	42.4	5.0
1971	5.7	10.0	1.7	23.2	41.4	5.6
1972	5.5	9.0	2.0	24.4	43.9	5.7
1973	5.6	9.0	2.3	25.3	45.2	6.6
1974	5.9	9.7	2.3	25.0	43.5	7.2
1975	5.9	9.8	2.3	24.4	41.4	7.4
1976	6.2	10.0	2.6	24.9	41.8	7.7
1977	5.5	8.6	2.5	25.5	42.7	8.4
1978	5.2	8.1	2.4	24.9	41.1	9.0
1979	5.5	8.5	2.7	24.4	40.9	8.7
1980	5.3	8.7	2.0	24.3	40.3	9.2
1981	5.1	7.8	2.4	24.4	40.2	9.2
1982	4.9	7.7	2.1	24.0	39.7	8.9
1983	5.0	7.7	2.2	23.0	38.8	8.0
1984	4.7	7.1	2.3	22.2	37.6	7.8
1985	4.4	6.7	2.1	21.6	36.1	7.8
1986	4.5	6.8	2.3	21.1	35.1	7.8
1987	4.6	7.5	1.9	20.9	33.6	8.4
1988	3.5	5.7	1.3	21.0	33.9	8.2
1989	3.9	6.5	1.5	21.4	34.0	8.8
1990	4.3	7.0	1.8	21.5	34.1	9.2
1991	3.9	6.0	2.0	22.2	35.8	8.8
1992	4.5	7.0	2.1	22.6	36.8	8.8
1993	4.9	7.9	2.0	23.1	37.3	9.2
1994	5.8	9.2	2.4	24.3	38.7	10.3
1995	6.8	10.5	3.1	25.8	40.8	11.5
1996	8.3	12.3	4.0	27.9	43.3	13.4
1997	10.1	14.4	5.7	31.2	46.6	16.6
1998	11.9	16.5	7.3	34.8	49.8	20.4
1999	14.0	18.6	9.3	38.4	52.6	24.7
2000	14.5	19.4	9.5	41.1	54.4	27.9
2001	16.6	21.5	11.4	44.2	57.9	30.6
2002	16.3	20.7	11.7	45.6	58.5	32.7

*Low precision; no estimate reported.

NOTE: Percentages are calculated using a weighted ratio estimate where the numerator is the weighted sum of all lifetime users within each age group for a specific year and the denominator is the weighted sum of all persons within each age group for the same year. Lifetime drug use status and age group, for each specified year, were determined using the age, date of first use, and interview date for each respondent. See Section B.5 of Appendix B of the *Results from the 2002 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.