

LIST OF TABLES

Table

- 1.1C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 12 or Older: 1999 and 2000
- 1.1D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 12 or Older: 1999 and 2000
- 1.1P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 12 or Older: 2000 Versus 1999
- 1.2C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 12 to 17: 1999 and 2000
- 1.2D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 12 to 17: 1999 and 2000
- 1.2P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 12 to 17: 2000 Versus 1999
- 1.3C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 18 to 25: 1999 and 2000
- 1.3D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 18 to 25: 1999 and 2000
- 1.3P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 18 to 25: 2000 Versus 1999
- 1.4C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 26 or Older: 1999 and 2000
- 1.4D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 26 or Older: 1999 and 2000
- 1.4P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 26 or Older: 2000 Versus 1999
- 1.5C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 12 or 13: 1999 and 2000
- 1.5D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 12 or 13: 1999 and 2000
- 1.5P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 12 or 13: 2000 Versus 1999
- 1.6C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 14 or 15: 1999 and 2000
- 1.6D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 14 or 15: 1999 and 2000
- 1.6P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 14 or 15: 2000 Versus 1999
- 1.7C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 16 or 17: 1999 and 2000
- 1.7D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 16 or 17: 1999 and 2000
- 1.7P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 16 or 17: 2000 Versus 1999
- 1.8C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 18 to 20: 1999 and 2000
- 1.8D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 18 to 20: 1999 and 2000
- 1.8P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 18 to 20: 2000 Versus 1999
- 1.9C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 21 to 25: 1999 and 2000

LIST OF TABLES (Continued)

Table

1.9D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 21 to 25: 1999 and 2000
1.9P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 21 to 25: 2000 Versus 1999
1.10C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 26 to 34: 1999 and 2000
1.10D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 26 to 34: 1999 and 2000
1.10P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 26 to 34: 2000 Versus 1999
1.11C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 35 or Older: 1999 and 2000
1.11D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 35 or Older: 1999 and 2000
1.11P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 35 or Older: 2000 Versus 1999
1.12C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Males: 1999 and 2000
1.12D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Males: 1999 and 2000
1.12P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Males: 2000 Versus 1999
1.13C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Females: 1999 and 2000
1.13D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Females: 1999 and 2000
1.13P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Females: 2000 Versus 1999
1.14C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Males Aged 12 to 17: 1999 and 2000
1.14D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Males Aged 12 to 17: 1999 and 2000
1.14P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Males Aged 12 to 17: 2000 Versus 1999
1.15C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Females Aged 12 to 17: 1999 and 2000
1.15D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Females Aged 12 to 17: 1999 and 2000
1.15P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Females Aged 12 to 17: 2000 Versus 1999
1.16C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Males Aged 18 to 25: 1999 and 2000
1.16D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Males Aged 18 to 25: 1999 and 2000
1.16P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Males Aged 18 to 25: 2000 Versus 1999
1.17C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Females Aged 18 to 25: 1999 and 2000
1.17D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Females Aged 18 to 25: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 1.17P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Females Aged 18 to 25: 2000 Versus 1999
- 1.18C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Illicit Drugs Among Persons Aged 18 or Older: 1999 and 2000
- 1.18D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 18 or Older: 1999 and 2000
- 1.18P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Illicit Drugs Among Persons Aged 18 or Older: 2000 Versus 1999
- 1.19C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug, by Detailed Age Categories: 1999 and 2000
- 1.19D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug, by Detailed Age Categories: 1999 and 2000
- 1.19P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug, by Detailed Age Categories: 2000 Versus 1999
- 1.20C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana, by Detailed Age Categories: 1999 and 2000
- 1.20D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana, by Detailed Age Categories: 1999 and 2000
- 1.20P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana, by Detailed Age Categories: 2000 Versus 1999
- 1.21C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cocaine, by Detailed Age Categories: 1999 and 2000
- 1.21D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine, by Detailed Age Categories: 1999 and 2000
- 1.21P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine, by Detailed Age Categories: 2000 Versus 1999
- 1.22C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens, by Detailed Age Categories: 1999 and 2000
- 1.22D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens, by Detailed Age Categories: 1999 and 2000
- 1.22P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens, by Detailed Age Categories: 2000 Versus 1999
- 1.23C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Inhalants, by Detailed Age Categories: 1999 and 2000
- 1.23D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants, by Detailed Age Categories: 1999 and 2000
- 1.23P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants, by Detailed Age Categories: 2000 Versus 1999
- 1.24C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Nonmedical Users of Any Prescription-Type Psychotherapeutic, by Detailed Age Categories: 1999 and 2000
- 1.24D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic, by Detailed Age Categories: 1999 and 2000
- 1.24P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic, by Detailed Age Categories: 2000 Versus 1999
- 1.25C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Other Than Marijuana, by Detailed Age Categories: 1999 and 2000
- 1.25D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana, by Detailed Age Categories: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 1.25P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana, by Detailed Age Categories: 2000 Versus 1999
- 1.26C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 1.26D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 1.26P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.27C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 1.27D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 1.27P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 Versus 1999
- 1.28C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 1.28D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 1.28P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 Versus 1999
- 1.29C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 1.29D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 1.29P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.30C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 1.30D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 1.30P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.31C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 1.31D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 1.31P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.32C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 1.32D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 1.32P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 Versus 1999
- 1.33C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 1.33D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 1.33P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 Versus 1999
- 1.34C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 1.34D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 1.34P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.35C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 1.35D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 1.35P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.36C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cocaine Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 1.36D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 1.36P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.37C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cocaine Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 1.37D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 1.37P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 Versus 1999
- 1.38C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cocaine Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 1.38D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 1.38P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 Versus 1999
- 1.39C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cocaine Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 1.39D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 1.39P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.40C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cocaine Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 1.40D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 1.40P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.41C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 1.41D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 1.41P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.42C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 1.42D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 1.42P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 Versus 1999
- 1.43C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 1.43D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 1.43P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 Versus 1999
- 1.44C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 1.44D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 1.44P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.45C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 1.45D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 1.45P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.46C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Inhalants Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 1.46D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 1.46P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.47C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Inhalants Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 1.47D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 1.47P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 Versus 1999
- 1.48C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Inhalants Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 1.48D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 1.48P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 Versus 1999
- 1.49C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Inhalants Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 1.49D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 1.49P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.50C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Inhalants Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 1.50D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 1.50P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.51C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Nonmedical Users of Any Prescription-Type Psychotherapeutic Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 1.51D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 1.51P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.52C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Nonmedical Users of Any Prescription-Type Psychotherapeutic Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 1.52D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 1.52P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 Versus 1999
- 1.53C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Nonmedical Users of Any Prescription-Type Psychotherapeutic Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 1.53D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 1.53P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 Versus 1999
- 1.54C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Nonmedical Users of Any Prescription-Type Psychotherapeutic Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 1.54D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 1.54P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.55C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Nonmedical Users of Any Prescription-Type Psychotherapeutic Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 1.55D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 1.55P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.56C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Other Than Marijuana Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 1.56D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 1.56P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.57C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Other Than Marijuana Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 1.57D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 1.57P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 Versus 1999
- 1.58C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Other Than Marijuana Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 1.58D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 1.58P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 Versus 1999
- 1.59C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Other Than Marijuana Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 1.59D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 1.59P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.60C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Other Than Marijuana Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 1.60D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 1.60P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 Versus 1999
- 1.61C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.61D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs

LIST OF TABLES (Continued)

Table

- 1.62C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.62D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.63C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.63D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.64C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.64D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.65C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.65D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.66C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana Among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.66D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.67C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana Among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.67D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.68C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana Among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.68D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.69C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana Among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.69D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.70C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana Among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs

LIST OF TABLES (Continued)

Table

- 1.70D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 1.71C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 1.71D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 1.71P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 12 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.72C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 1.72D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 1.72P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 12 to 17, by Geographic Characteristics: 2000 Versus 1999
- 1.73C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
- 1.73D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
- 1.73P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 18 to 25, by Geographic Characteristics: 2000 Versus 1999
- 1.74C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 1.74D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 1.74P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 26 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.75C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 1.75D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 1.75P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Among Persons Aged 18 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.76C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 1.76D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 1.76P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 12 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.77C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 1.77D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 1.77P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 12 to 17, by Geographic Characteristics: 2000 Versus 1999
- 1.78C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
- 1.78D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
- 1.78P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 18 to 25, by Geographic Characteristics: 2000 Versus 1999

LIST OF TABLES (Continued)

Table

- 1.79C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 1.79D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 1.79P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 26 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.80C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Marijuana Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 1.80D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 1.80P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Marijuana Among Persons Aged 18 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.81C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cocaine Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 1.81D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 1.81P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 12 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.82C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cocaine Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 1.82D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 1.82P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 12 to 17, by Geographic Characteristics: 2000 Versus 1999
- 1.83C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cocaine Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
- 1.83D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
- 1.83P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 18 to 25, by Geographic Characteristics: 2000 Versus 1999
- 1.84C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cocaine Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 1.84D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 1.84P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 26 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.85C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cocaine Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 1.85D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 1.85P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cocaine Among Persons Aged 18 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.86C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 1.86D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 1.86P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 12 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.87C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000

LIST OF TABLES (Continued)

Table

1.87D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
1.87P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 12 to 17, by Geographic Characteristics: 2000 Versus 1999
1.88C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
1.88D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
1.88P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 18 to 25, by Geographic Characteristics: 2000 Versus 1999
1.89C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
1.89D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
1.89P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 26 or Older, by Geographic Characteristics: 2000 Versus 1999
1.90C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Hallucinogens Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
1.90D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
1.90P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Hallucinogens Among Persons Aged 18 or Older, by Geographic Characteristics: 2000 Versus 1999
1.91C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Inhalants Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
1.91D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
1.91P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 12 or Older, by Geographic Characteristics: 2000 Versus 1999
1.92C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Inhalants Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
1.92D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
1.92P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 12 to 17, by Geographic Characteristics: 2000 Versus 1999
1.93C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Inhalants Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
1.93D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
1.93P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 18 to 25, by Geographic Characteristics: 2000 Versus 1999
1.94C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Inhalants Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
1.94D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
1.94P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 26 or Older, by Geographic Characteristics: 2000 Versus 1999
1.95C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Inhalants Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
1.95D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 1.95P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Inhalants Among Persons Aged 18 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.96C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Nonmedical Users of Any Prescription-Type Psychotherapeutic Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 1.96D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 1.96P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 12 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.97C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Nonmedical Users of Any Prescription-Type Psychotherapeutic Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 1.97D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 1.97P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 12 to 17, by Geographic Characteristics: 2000 Versus 1999
- 1.98C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Nonmedical Users of Any Prescription-Type Psychotherapeutic Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
- 1.98D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
- 1.98P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 18 to 25, by Geographic Characteristics: 2000 Versus 1999
- 1.99C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Nonmedical Users of Any Prescription-Type Psychotherapeutic Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 1.99D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 1.99P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 26 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.100C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Nonmedical Users of Any Prescription-Type Psychotherapeutic Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 1.100D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 1.100P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 18 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.101C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Other Than Marijuana Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 1.101D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 1.101P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 12 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.102C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Other Than Marijuana Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 1.102D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 1.102P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 12 to 17, by Geographic Characteristics: 2000 Versus 1999
- 1.103C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Other Than Marijuana Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
- 1.103D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
- 1.103P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 18 to 25, by Geographic Characteristics: 2000 Versus 1999
- 1.104C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Other Than Marijuana Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 1.104D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 1.104P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 26 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.105C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Illicit Drug Other Than Marijuana Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 1.105D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 1.105P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Illicit Drug Other Than Marijuana Among Persons Aged 18 or Older, by Geographic Characteristics: 2000 Versus 1999
- 1.106C Standard Errors of Estimated Numbers (in Thousands) of Lifetime Users of Specific Hallucinogens, Inhalants, Needles, and Heroin, by Age Group: 1999 and 2000
- 1.106D Standard Errors of Percentages Reporting Lifetime Use of Specific Hallucinogens, Inhalants, Needles, and Heroin, by Age Group: 2000 Versus 1999
- 1.106P P-Values from Tests of Differences in Percentages Reporting Lifetime Use of Specific Hallucinogens, Inhalants, Needles, and Heroin, by Age Group: 1999 and 2000
- 1.107C Standard Errors of Estimated Numbers (in Thousands) of Lifetime Users of Specific Pain Relievers, by Age Group: 1999 and 2000
- 1.107D Standard Errors of Percentages Reporting Lifetime Use of Specific Pain Relievers, by Age Group: 1999 and 2000
- 1.107P P-Values from Tests of Differences in Percentages Reporting Lifetime Use of Specific Pain Relievers, by Age Group: 2000 Versus 1999
- 1.108C Standard Errors of Estimated Numbers (in Thousands) of Lifetime Users of Specific Tranquilizers, by Age Group: 1999 and 2000

LIST OF TABLES (Continued)

Table

1.108D	Standard Errors of Percentages Reporting Lifetime Use of Specific Tranquilizers, by Age Group: 1999 and 2000
1.108P	P-Values from Tests of Differences in Percentages Reporting Lifetime Use of Specific Tranquilizers, by Age Group: 2000 Versus 1999
1.109C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime Users of Specific Stimulants, by Age Group: 1999 and 2000
1.109D	Standard Errors of Percentages Reporting Lifetime Use of Specific Stimulants, by Age Group: 1999 and 2000
1.109P	P-Values from Tests of Differences in Percentages Reporting Lifetime Use of Specific Stimulants, by Age Group: 2000 Versus 1999
1.110C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime Users of Specific Sedatives, by Age Group: 1999 and 2000
1.110D	Standard Errors of Percentages Reporting Lifetime Use of Specific Sedatives, by Age Group: 1999 and 2000
1.110P	P-Values from Tests of Differences in Percentages Reporting Lifetime Use of Specific Sedatives, by Age Group: 2000 Versus 1999
2.1C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Persons Aged 12 or Older: 1999 and 2000
2.1D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 12 or Older: 1999 and 2000
2.1P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 12 or Older: 2000 Versus 1999
2.2C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Persons Aged 12 to 17: 1999 and 2000
2.2D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 12 to 17: 1999 and 2000
2.2P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 12 to 17: 2000 Versus 1999
2.3C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Persons Aged 18 to 25: 1999 and 2000
2.3D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 18 to 25: 1999 and 2000
2.3P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 18 to 25: 2000 Versus 1999
2.4C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Persons Aged 26 or Older: 1999 and 2000
2.4D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 26 or Older: 1999 and 2000
2.4P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 26 or Older: 2000 Versus 1999
2.5C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Persons Aged 12 or 13: 1999 and 2000
2.5D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 12 or 13: 1999 and 2000
2.5P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 12 or 13: 2000 Versus 1999
2.6C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Persons Aged 14 or 15: 1999 and 2000
2.6D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 14 or 15: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 2.6P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 14 or 15: 2000 Versus 1999
- 2.7C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Persons Aged 16 or 17: 1999 and 2000
- 2.7D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 16 or 17: 1999 and 2000
- 2.7P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 16 or 17: 2000 Versus 1999
- 2.8C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Persons Aged 18 to 20: 1999 and 2000
- 2.8D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 18 to 20: 1999 and 2000
- 2.8P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 18 to 20: 2000 Versus 1999
- 2.9C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Persons Aged 21 to 25: 1999 and 2000
- 2.9D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 21 to 25: 1999 and 2000
- 2.9P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 21 to 25: 2000 Versus 1999
- 2.10C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Persons Aged 26 to 34: 1999 and 2000
- 2.10D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 26 to 34: 1999 and 2000
- 2.10P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 26 to 34: 2000 Versus 1999
- 2.11C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Persons Aged 35 or Older: 1999 and 2000
- 2.11D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 35 or Older: 1999 and 2000
- 2.11P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 35 or Older: 2000 Versus 1999
- 2.12C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Males: 1999 and 2000
- 2.12D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Males: 1999 and 2000
- 2.12P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Males: 2000 Versus 1999
- 2.13C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Females: 1999 and 2000
- 2.13D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Females: 1999 and 2000
- 2.13P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Females: 2000 Versus 1999
- 2.14C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Males Aged 12 to 17: 1999 and 2000
- 2.14D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Males Aged 12 to 17: 1999 and 2000
- 2.14P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Males Aged 12 to 17: 2000 Versus 1999

LIST OF TABLES (Continued)

Table

- 2.15C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Females Aged 12 to 17: 1999 and 2000
- 2.15D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Females Aged 12 to 17: 1999 and 2000
- 2.15P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Females Aged 12 to 17: 2000 Versus 1999
- 2.16C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Males Aged 18 to 25: 1999 and 2000
- 2.16D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Males Aged 18 to 25: 1999 and 2000
- 2.16P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Males Aged 18 to 25: 2000 Versus 1999
- 2.17C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Females Aged 18 to 25: 1999 and 2000
- 2.17D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Females Aged 18 to 25: 1999 and 2000
- 2.17P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Females Aged 18 to 25: 2000 Versus 1999
- 2.18C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Tobacco and Alcohol Among Persons Aged 18 or Older: 1999 and 2000
- 2.18D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 18 or Older: 1999 and 2000
- 2.18P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Tobacco and Alcohol Among Persons Aged 18 or Older: 2000 Versus 1999
- 2.19C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product, by Detailed Age Categories: 1999 and 2000
- 2.19D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product, by Detailed Age Categories: 1999 and 2000
- 2.19P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product, by Detailed Age Categories: 2000 Versus 1999
- 2.20C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes, by Detailed Age Categories: 1999 and 2000
- 2.20D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes, by Detailed Age Categories: 1999 and 2000
- 2.20P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes, by Detailed Age Categories: 2000 Versus 1999
- 2.21C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Smokeless Tobacco, by Detailed Age Categories: 1999 and 2000
- 2.21D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco, by Detailed Age Categories: 1999 and 2000
- 2.21P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco, by Detailed Age Categories: 2000 Versus 1999
- 2.22C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigars, by Detailed Age Categories: 1999 and 2000
- 2.22D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars, by Detailed Age Categories: 1999 and 2000
- 2.22P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars, by Detailed Age Categories: 2000 Versus 1999
- 2.23C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol, by Detailed Age Categories: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 2.23D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol, by Detailed Age Categories: 1999 and 2000
- 2.23P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol, by Detailed Age Categories: 2000 Versus 1999
- 2.24C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users, by Detailed Age Categories: 1999 and 2000
- 2.24D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use, by Detailed Age Categories: 1999 and 2000
- 2.24P P-Values from Tests of Differences in Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use, by Detailed Age Categories: 2000 Versus 1999
- 2.25C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 2.25D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 2.25P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 Versus 1999
- 2.26C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 2.26D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 2.26P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 Versus 1999
- 2.27C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 2.27D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 2.27P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 Versus 1999
- 2.28C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 2.28D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 2.28P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 Versus 1999
- 2.29C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 2.29D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 2.29P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 Versus 1999
- 2.30C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000

LIST OF TABLES (Continued)

Table

2.30D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
2.30P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 Versus 1999
2.31C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
2.31D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
2.31P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 Versus 1999
2.32C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
2.32D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
2.32P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 Versus 1999
2.33C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
2.33D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
2.33P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 Versus 1999
2.34C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
2.34D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
2.34P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 Versus 1999
2.35C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Smokeless Tobacco Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
2.35D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
2.35P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 Versus 1999
2.36C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Smokeless Tobacco Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
2.36D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
2.36P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 Versus 1999
2.37C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Smokeless Tobacco Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
2.37D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
2.37P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 Versus 1999
2.38C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Smokeless Tobacco Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000

LIST OF TABLES (Continued)

Table

2.38D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
2.38P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 Versus 1999
2.39C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Smokeless Tobacco Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
2.39D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
2.39P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 Versus 1999
2.40C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigars Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
2.40D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
2.40P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 Versus 1999
2.41C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigars Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
2.41D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
2.41P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 Versus 1999
2.42C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigars Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
2.42D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
2.42P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 Versus 1999
2.43C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigars Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
2.43D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
2.43P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 Versus 1999
2.44C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigars Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
2.44D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
2.44P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 Versus 1999
2.45C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
2.45D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
2.45P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 Versus 1999
2.46C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 2.46D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 2.46P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 Versus 1999
- 2.47C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 2.47D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 2.47P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 Versus 1999
- 2.48C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 2.48D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 2.48P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 Versus 1999
- 2.49C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 2.49D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 2.49P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 Versus 1999
- 2.50C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 2.50D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 2.50P P-Values from Tests of Differences in Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 Versus 1999
- 2.51C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 2.51D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 12 to 17, by Demographic Characteristics: 1999 and 2000
- 2.51P P-Values from Tests of Differences in Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 12 to 17, by Demographic Characteristics: 2000 Versus 1999
- 2.52C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 2.52D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 18 to 25, by Demographic Characteristics: 1999 and 2000
- 2.52P P-Values from Tests of Differences in Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 18 to 25, by Demographic Characteristics: 2000 Versus 1999
- 2.53C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 2.53D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 26 or Older, by Demographic Characteristics: 1999 and 2000
- 2.53P P-Values from Tests of Differences in Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 26 or Older, by Demographic Characteristics: 2000 Versus 1999
- 2.54C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 2.54D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 2.54P P-Values from Tests of Differences in Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 Versus 1999
- 2.55C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes Among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.55D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.56C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes Among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.56D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.57C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes Among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.57D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.58C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes Among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.58D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.59C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes Among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.59D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.60C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.60D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs

LIST OF TABLES (Continued)

Table

- 2.61C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.61D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.62C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.62D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.63C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.63D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.64C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.64D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.65C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.65D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.66C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.66D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.67C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.67D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.68C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.68D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.69C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs

LIST OF TABLES (Continued)

Table

- 2.69D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.70C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 2.70D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 2.70P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 12 or Older, by Geographic Characteristics: 2000 Versus 1999
- 2.71C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 2.71D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 2.71P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 12 to 17, by Geographic Characteristics: 2000 Versus 1999
- 2.72C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
- 2.72D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
- 2.72P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 18 to 25, by Geographic Characteristics: 2000 Versus 1999
- 2.73C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 2.73D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 2.73P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 26 or Older, by Geographic Characteristics: 2000 Versus 1999
- 2.74C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Any Tobacco Product Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 2.74D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 2.74P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Any Tobacco Product Among Persons Aged 18 or Older, by Geographic Characteristics: 2000 Versus 1999
- 2.75C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 2.75D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 2.75P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 12 or Older, by Geographic Characteristics: 2000 Versus 1999
- 2.76C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 2.76D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 2.76P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 12 to 17, by Geographic Characteristics: 2000 Versus 1999

LIST OF TABLES (Continued)

Table

2.77C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
2.77D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
2.77P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 18 to 25, by Geographic Characteristics: 2000 Versus 1999
2.78C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
2.78D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
2.78P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 26 or Older, by Geographic Characteristics: 2000 Versus 1999
2.79C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigarettes Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
2.79D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
2.79P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigarettes Among Persons Aged 18 or Older, by Geographic Characteristics: 2000 Versus 1999
2.80C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Smokeless Tobacco Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
2.80D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
2.80P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 12 or Older, by Geographic Characteristics: 2000 Versus 1999
2.81C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Smokeless Tobacco Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
2.81D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
2.81P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 12 to 17, by Geographic Characteristics: 2000 Versus 1999
2.82C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Smokeless Tobacco Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
2.82D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
2.82P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 18 to 25, by Geographic Characteristics: 2000 Versus 1999
2.83C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Smokeless Tobacco Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
2.83D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
2.83P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 26 or Older, by Geographic Characteristics: 2000 Versus 1999
2.84C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Smokeless Tobacco Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
2.84D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000

LIST OF TABLES (Continued)

Table

2.84P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Smokeless Tobacco Among Persons Aged 18 or Older, by Geographic Characteristics: 2000 Versus 1999
2.85C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigars Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
2.85D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
2.85P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 12 or Older, by Geographic Characteristics: 2000 Versus 1999
2.86C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigars Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
2.86D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
2.86P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 12 to 17, by Geographic Characteristics: 2000 Versus 1999
2.87C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigars Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
2.87D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
2.87P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 18 to 25, by Geographic Characteristics: 2000 Versus 1999
2.88C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigars Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
2.88D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
2.88P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 26 or Older, by Geographic Characteristics: 2000 Versus 1999
2.89C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Cigars Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
2.89D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
2.89P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Cigars Among Persons Aged 18 or Older, by Geographic Characteristics: 2000 Versus 1999
2.90C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
2.90D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
2.90P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 12 or Older, by Geographic Characteristics: 2000 Versus 1999
2.91C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
2.91D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
2.91P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 12 to 17, by Geographic Characteristics: 2000 Versus 1999
2.92C	Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
2.92D	Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
2.92P	P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 18 to 25, by Geographic Characteristics: 2000 Versus 1999

LIST OF TABLES (Continued)

Table

- 2.93C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 2.93D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 2.93P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 26 or Older, by Geographic Characteristics: 2000 Versus 1999
- 2.94C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 2.94D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 2.94P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 18 or Older, by Geographic Characteristics: 2000 Versus 1999
- 2.95C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 2.95D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 12 or Older, by Geographic Characteristics: 1999 and 2000
- 2.95P P-Values from Tests of Differences in Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 12 or Older, by Geographic Characteristics: 2000 Versus 1999
- 2.96C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 2.96D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 12 to 17, by Geographic Characteristics: 1999 and 2000
- 2.96P P-Values from Tests of Differences in Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 12 to 17, by Geographic Characteristics: 2000 Versus 1999
- 2.97C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
- 2.97D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 18 to 25, by Geographic Characteristics: 1999 and 2000
- 2.97P P-Values from Tests of Differences in Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 18 to 25, by Geographic Characteristics: 2000 Versus 1999
- 2.98C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 2.98D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 26 or Older, by Geographic Characteristics: 1999 and 2000
- 2.98P P-Values from Tests of Differences in Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 26 or Older, by Geographic Characteristics: 2000 Versus 1999
- 2.99C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 2.99D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 2.99P P-Values from Tests of Differences in Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 18 or Older, by Geographic Characteristics: 2000 Versus 1999
- 2.100C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 12 to 20, by Demographic Characteristics: 1999 and 2000
- 2.100D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 12 to 20, by Demographic Characteristics: 1999 and 2000
- 2.100P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 12 to 20, by Demographic Characteristics: 2000 Versus 1999
- 2.101C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 21 or Older, by Demographic Characteristics: 1999 and 2000
- 2.101D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 21 or Older, by Demographic Characteristics: 1999 and 2000
- 2.101P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 21 or Older, by Demographic Characteristics: 2000 Versus 1999
- 2.102C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 12 to 20, by Demographic Characteristics: 1999 and 2000
- 2.102D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 12 to 20, by Demographic Characteristics: 1999 and 2000
- 2.102P P-Values from Tests of Differences in Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 12 to 20, by Demographic Characteristics: 2000 Versus 1999
- 2.103C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 21 or Older, by Demographic Characteristics: 1999 and 2000
- 2.103D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 21 or Older, by Demographic Characteristics: 1999 and 2000
- 2.103P P-Values from Tests of Differences in Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 21 or Older, by Demographic Characteristics: 2000 Versus 1999
- 2.104C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 12 to 20, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.104D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 12 to 20, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.105C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 21 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.105D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 21 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.106C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 12 to 20, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs

LIST OF TABLES (Continued)

Table

- 2.106D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 12 to 20, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.107C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 21 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.107D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 21 or Older, by Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 NHSDAs
- 2.108C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 12 to 20, by Geographic Characteristics: 1999 and 2000
- 2.108D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 12 to 20, by Geographic Characteristics: 1999 and 2000
- 2.108P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 12 to 20, by Geographic Characteristics: 2000 Versus 1999
- 2.109C Standard Errors of Estimated Numbers (in Thousands) of Lifetime, Past Year, and Past Month Users of Alcohol Among Persons Aged 21 or Older, by Geographic Characteristics: 1999 and 2000
- 2.109D Standard Errors of Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 21 or Older, by Geographic Characteristics: 1999 and 2000
- 2.109P P-Values from Tests of Differences in Percentages Reporting Lifetime, Past Year, and Past Month Use of Alcohol Among Persons Aged 21 or Older, by Geographic Characteristics: 2000 Versus 1999
- 2.110C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 12 to 20, by Geographic Characteristics: 1999 and 2000
- 2.110D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 12 to 20, by Geographic Characteristics: 1999 and 2000
- 2.110P P-Values from Tests of Differences in Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 12 to 20, by Geographic Characteristics: 2000 Versus 1999
- 2.111C Standard Errors of Estimated Numbers (in Thousands) of Past Month Alcohol Users, Past Month "Binge" Alcohol Users, and Past Month Heavy Alcohol Users Among Persons Aged 21 or Older, by Geographic Characteristics: 1999 and 2000
- 2.111D Standard Errors of Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 21 or Older, by Geographic Characteristics: 1999 and 2000
- 2.111P P-Values from Tests of Differences in Percentages Reporting Past Month Alcohol Use, Past Month "Binge" Alcohol Use, and Past Month Heavy Alcohol Use Among Persons Aged 21 or Older, by Geographic Characteristics: 2000 Versus 1999
- 3.1C Standard Errors of Estimated Numbers (in Thousands) Reporting About Risk and Availability of Drugs, by Age Group: 1999 and 2000
- 3.1D Standard Errors of Percentages Reporting About Risk and Availability of Drugs, by Age Group: 1999 and 2000
- 3.1P P-Values from Tests of Differences in Percentages Reporting About Risk and Availability of Drugs, by Age Group: 2000 Versus 1999
- 3.2C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Cigarette Smoking: 1999 and 2000
- 3.2D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Cigarette Smoking: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 3.2P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Cigarette Smoking: 2000 Versus 1999
- 3.3C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once a Month: 1999 and 2000
- 3.3D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once a Month: 1999 and 2000
- 3.3P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once a Month: 2000 Versus 1999
- 3.4C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once or Twice a Week: 1999 and 2000
- 3.4D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once or Twice a Week: 1999 and 2000
- 3.4P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once or Twice a Week: 2000 Versus 1999
- 3.5C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine Once a Month: 1999 and 2000
- 3.5D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine Once a Month: 1999 and 2000
- 3.5P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine Once a Month: 2000 Versus 1999
- 3.6C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine Once or Twice a Week: 1999 and 2000
- 3.6D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine Once or Twice a Week: 1999 and 2000
- 3.6P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine Once or Twice a Week: 2000 Versus 1999
- 3.7C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying Heroin Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying Heroin Once or Twice: 1999 and 2000
- 3.7D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying Heroin Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying Heroin Once or Twice: 1999 and 2000
- 3.7P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying Heroin Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying Heroin Once or Twice: 2000 Versus 1999
- 3.8C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Heroin Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Heroin Once or Twice a Week: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 3.8D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Heroin Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Heroin Once or Twice a Week: 1999 and 2000
- 3.8P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Heroin Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Heroin Once or Twice a Week: 2000 Versus 1999
- 3.9C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying LSD Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying LSD Once or Twice: 1999 and 2000
- 3.9D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying LSD Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying LSD Once or Twice: 1999 and 2000
- 3.9P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying LSD Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying LSD Once or Twice: 2000 Versus 1999
- 3.10C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using LSD Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using LSD Once or Twice a Week: 1999 and 2000
- 3.10D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using LSD Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using LSD Once or Twice a Week: 1999 and 2000
- 3.10P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using LSD Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using LSD Once or Twice a Week: 2000 Versus 1999
- 3.11C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day: 1999 and 2000
- 3.11D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day: 1999 and 2000
- 3.11P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day: 2000 Versus 1999
- 3.12C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week: 1999 and 2000
- 3.12D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week: 1999 and 2000
- 3.12P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week: 2000 Versus 1999
- 3.13C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Marijuana Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Marijuana: 1999 and 2000
- 3.13D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That Marijuana Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Marijuana: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 3.13P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That Marijuana Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Marijuana: 2000 Versus 1999
- 3.14C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Cocaine Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Cocaine: 1999 and 2000
- 3.14D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That Cocaine Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Cocaine: 1999 and 2000
- 3.14P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That Cocaine Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Cocaine: 2000 Versus 1999
- 3.15C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Crack Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Crack: 1999 and 2000
- 3.15D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That Crack Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Crack: 1999 and 2000
- 3.15P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That Crack Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Crack: 2000 Versus 1999
- 3.16C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Heroin Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Heroin: 1999 and 2000
- 3.16D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That Heroin Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Heroin: 1999 and 2000
- 3.16P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That Heroin Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Heroin: 2000 Versus 1999
- 3.17C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That LSD Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining LSD: 1999 and 2000
- 3.17D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That LSD Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining LSD: 1999 and 2000
- 3.17P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That LSD Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining LSD: 2000 Versus 1999
- 3.18C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Been Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Have Been Approached by Someone Selling Drugs: 1999 and 2000
- 3.18D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Been Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Have Been Approached by Someone Selling Drugs: 1999 and 2000
- 3.18P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Been Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Have Been Approached by Someone Selling Drugs: 2000 Versus 1999
- 3.19C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Having Moved Two or More Times in the Past Five Years, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times Moved in the Past Five Years: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 3.19D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Having Moved Two or More Times in the Past Five Years, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times Moved in the Past Five Years: 1999 and 2000
- 3.19P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Having Moved Two or More Times in the Past Five Years, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times Moved in the Past Five Years: 2000 Versus 1999
- 3.20C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Is a Lot of Crime in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There is a Lot of Crime in Neighborhood: 1999 and 2000
- 3.20D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Is a Lot of Crime in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There is a Lot of Crime in Neighborhood: 1999 and 2000
- 3.20P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Is a Lot of Crime in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There is a Lot of Crime in Neighborhood: 2000 Versus 1999
- 3.21C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That a Lot of Drug Selling Goes On in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That a Lot of Drug Selling Goes On in Neighborhood: 1999 and 2000
- 3.21D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That a Lot of Drug Selling Goes On in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That a Lot of Drug Selling Goes On in Neighborhood: 1999 and 2000
- 3.21P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That a Lot of Drug Selling Goes On in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That a Lot of Drug Selling Goes On in Neighborhood: 2000 Versus 1999
- 3.22C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People in Their Neighborhood Often Help Each Other, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People in Neighborhood Often Help Each Other: 1999 and 2000
- 3.22D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People in Their Neighborhood Often Help Each Other, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People in Neighborhood Often Help Each Other: 1999 and 2000
- 3.22P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People in Their Neighborhood Often Help Each Other, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People in Neighborhood Often Help Each Other: 2000 Versus 1999
- 3.23C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Are a Lot of Street Fights in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Are a Lot of Street Fights in Neighborhood: 1999 and 2000
- 3.23D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Are a Lot of Street Fights in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Are a Lot of Street Fights in Neighborhood: 1999 and 2000
- 3.23P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Are a Lot of Street Fights in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Are a Lot of Street Fights in Neighborhood: 2000 Versus 1999

LIST OF TABLES (Continued)

Table

- 3.24C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Are Many Empty or Abandoned Buildings in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Are Many Empty or Abandoned Buildings in Neighborhood: 1999 and 2000
- 3.24D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Are Many Empty or Abandoned Buildings in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Are Many Empty or Abandoned Buildings in Neighborhood: 1999 and 2000
- 3.24P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Are Many Empty or Abandoned Buildings in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Are Many Empty or Abandoned Buildings in Neighborhood: 2000 Versus 1999
- 3.25C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People in Their Neighborhood Often Visit in Each Other's Homes, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People in Their Neighborhood Often Visit in Each Other's Homes: 1999 and 2000
- 3.25D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People in Their Neighborhood Often Visit in Each Other's Homes, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People in Their Neighborhood Often Visit in Each Other's Homes: 1999 and 2000
- 3.25P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People in Their Neighborhood Often Visit in Each Other's Homes, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People in Their Neighborhood Often Visit in Each Other's Homes: 2000 Versus 1999
- 3.26C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Is a Lot of Graffiti in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Is a Lot of Graffiti in Neighborhood: 1999 and 2000
- 3.26D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Is a Lot of Graffiti in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Is a Lot of Graffiti in Neighborhood: 1999 and 2000
- 3.26P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Is a Lot of Graffiti in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Is a Lot of Graffiti in Neighborhood: 2000 Versus 1999
- 3.27C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People Move In and Out of Their Neighborhood Often, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People Move In and Out of Their Neighborhood Often: 1999 and 2000
- 3.27D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People Move In and Out of Their Neighborhood Often, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People Move In and Out of Their Neighborhood Often: 1999 and 2000
- 3.27P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People Move In and Out of Their Neighborhood Often, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People Move In and Out of Their Neighborhood Often: 2000 Versus 1999
- 3.28C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Smoking One or More Packs of Cigarettes per Day: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 3.28D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Smoking One or More Packs of Cigarettes per Day: 1999 and 2000
- 3.28P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Smoking One or More Packs of Cigarettes per Day: 2000 Versus 1999
- 3.29C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Trying Marijuana or Hashish Once or Twice: 1999 and 2000
- 3.29D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Trying Marijuana or Hashish Once or Twice: 1999 and 2000
- 3.29P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Trying Marijuana or Hashish Once or Twice: 2000 Versus 1999
- 3.30C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day: 1999 and 2000
- 3.30D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day: 1999 and 2000
- 3.30P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day: 2000 Versus 1999
- 3.31C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Gotten into a Serious Fight at School or Work One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times Gotten into Serious Fight at School or Work: 1999 and 2000
- 3.31D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Gotten into a Serious Fight at School or Work One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times Gotten into Serious Fight at School or Work: 1999 and 2000
- 3.31P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Gotten into a Serious Fight at School or Work One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times Gotten into Serious Fight at School or Work: 2000 Versus 1999
- 3.32C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Taken Part in a Group-Against-Group Fight One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Got in a Group-Against-Group Fight: 1999 and 2000
- 3.32D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Taken Part in a Group-Against-Group Fight One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Got in a Group-Against-Group Fight: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 3.32P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Taken Part in a Group-Against-Group Fight One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Got in a Group-Against-Group Fight: 2000 Versus 1999
- 3.33C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Carried a Handgun One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Carried a Handgun: 1999 and 2000
- 3.33D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Carried a Handgun One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Carried a Handgun: 1999 and 2000
- 3.33P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Carried a Handgun One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Carried a Handgun: 2000 Versus 1999
- 3.34C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Sold Illegal Drugs One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Sold Illegal Drugs: 1999 and 2000
- 3.34D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Sold Illegal Drugs One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Sold Illegal Drugs: 1999 and 2000
- 3.34P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Sold Illegal Drugs One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Sold Illegal Drugs: 2000 Versus 1999
- 3.35C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Stolen or Tried to Steal Anything Worth More Than \$50 One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Stole or Tried to Steal Anything Worth More Than \$50: 1999 and 2000
- 3.35D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Stolen or Tried to Steal Anything Worth More Than \$50 One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Stole or Tried to Steal Anything Worth More Than \$50: 1999 and 2000
- 3.35P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Stolen or Tried to Steal Anything Worth More Than \$50 One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Stole or Tried to Steal Anything Worth More Than \$50: 2000 Versus 1999
- 3.36C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Attacked Someone with the Intent to Seriously Hurt Them One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Attacked Someone with the Intent to Seriously Hurt Them: 1999 and 2000
- 3.36D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Attacked Someone with the Intent to Seriously Hurt Them One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Attacked Someone with the Intent to Seriously Hurt Them: 1999 and 2000
- 3.36P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Attacked Someone with the Intent to Seriously Hurt Them One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Attacked Someone with the Intent to Seriously Hurt Them: 2000 Versus 1999
- 3.37C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Smoking Cigarettes: 1999 and 2000
- 3.37D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Smoking Cigarettes: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 3.37P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Smoking Cigarettes: 2000 Versus 1999
- 3.38C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Trying Marijuana or Hashish: 1999 and 2000
- 3.38D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Trying Marijuana or Hashish: 1999 and 2000
- 3.38P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Trying Marijuana or Hashish: 2000 Versus 1999
- 3.39C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Drinking Alcoholic Beverage: 1999 and 2000
- 3.39D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Drinking Alcoholic Beverage: 1999 and 2000
- 3.39P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Drinking Alcoholic Beverage: 2000 Versus 1999
- 3.40C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) Their Participation in One or Fewer Youth Activities in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Youth Activities Participated In: 1999 and 2000
- 3.40D Standard Errors of Percentages of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) Their Participation in One or Fewer Youth Activities in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Youth Activities Participated In: 1999 and 2000
- 3.40P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) Their Participation in One or Fewer Youth Activities in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Youth Activities Participated In: 2000 Versus 1999
- 3.41C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group: 1999 and 2000
- 3.41D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group: 1999 and 2000
- 3.41P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group: 2000 Versus 1999

LIST OF TABLES (Continued)

Table

- 3.42C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Violence Prevention Program: 1999 and 2000
- 3.42D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Violence Prevention Program: 1999 and 2000
- 3.42P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Violence Prevention Program: 2000 Versus 1999
- 3.43C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Participated in an Alcohol, Tobacco, or Drug Prevention Program Outside of School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Drug Prevention Program Outside School: 1999 and 2000
- 3.43D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in an Alcohol, Tobacco, or Drug Prevention Program Outside of School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Drug Prevention Program Outside School: 1999 and 2000
- 3.43P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in an Alcohol, Tobacco, or Drug Prevention Program Outside of School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Drug Prevention Program Outside School: 2000 Versus 1999
- 3.44C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Participated in a Program in the Past Year for Dealing with Alcohol or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Program for Dealing with Alcohol or Drug Use: 1999 and 2000
- 3.44D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Program in the Past Year for Dealing with Alcohol or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Program for Dealing with Alcohol or Drug Use: 1999 and 2000
- 3.44P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Program in the Past Year for Dealing with Alcohol or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Program for Dealing with Alcohol or Drug Use: 2000 Versus 1999
- 3.45C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Pregnancy or Sexually Transmitted Disease Prevention Program: 1999 and 2000
- 3.45D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Pregnancy or Sexually Transmitted Disease Prevention Program: 1999 and 2000
- 3.45P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Pregnancy or Sexually Transmitted Disease Prevention Program: 2000 Versus 1999
- 3.46C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Talked with at Least One of Their Parents in the Past Year About the Dangers of Tobacco, Alcohol, or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Talked with Their Parents About the Dangers of Drug Use: 1999 and 2000
- 3.46D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Talked with at Least One of Their Parents in the Past Year About the Dangers of Tobacco, Alcohol, or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Talked with Their Parents About the Dangers of Drug Use: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 3.46P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Talked with at Least One of Their Parents in the Past Year About the Dangers of Tobacco, Alcohol, or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Talked with Their Parents About the Dangers of Drug Use: 2000 Versus 1999
- 3.47C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages at School: 1999 and 2000
- 3.47D Standard Errors of Percentages of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages at School: 1999 and 2000
- 3.47P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages at School: 2000 Versus 1999
- 3.48C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages From Sources Outside School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages From Sources Outside School: 1999 and 2000
- 3.48D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages From Sources Outside School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages From Sources Outside School: 1999 and 2000
- 3.48P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages From Sources Outside School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages From Sources Outside School: 2000 Versus 1999
- 4.1C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used Marijuana During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 4.2C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used Cocaine During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 4.3C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used Crack During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 4.4C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used Heroin During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 4.5C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used Hallucinogens During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 4.6C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used LSD During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 2000 NHSDA
- 4.7C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used PCP During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 2000 NHSDA

LIST OF TABLES (Continued)

Table

- 4.8C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used Inhalants During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 4.9C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used Pain Relievers During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 4.10C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used Tranquilizers During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 4.11C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used Stimulants During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 4.12C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used Methamphetamines During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 4.13C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used Sedatives During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 4.14C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used Alcohol During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 4.15C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used Any Cigarettes During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 4.16C Standard Errors of Estimated Numbers (in Thousands) of Persons Who Began Daily Cigarette Use During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 4.17C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used Smokeless Tobacco During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 4.18C Standard Errors of Estimated Numbers (in Thousands) of Persons Who First Used Cigars During the Years 1965 to 1999, Their Mean Age at First Use, and Annual Age-Specific Rates of First Use (per 1,000 Person-Years of Exposure): Based on 1999 and 2000 NHSDAs
- 5.1C Standard Errors of Estimated Numbers (in Thousands) of Persons Reporting Past Year Substance Dependence, by Age Group: 2000
- 5.1D Standard Errors of Percentages Reporting Past Year Substance Dependence, by Age Group: 2000
- 5.2C Standard Errors of Estimated Numbers (in Thousands) of Persons Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Detailed Age Categories: 2000
- 5.2D Standard Errors of Percentages Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Detailed Age Categories: 2000
- 5.3C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Demographic Characteristics: 2000
- 5.3D Standard Errors of Percentages of Persons Aged 12 or Older Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Demographic Characteristics: 2000

LIST OF TABLES (Continued)

Table

5.4C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Demographic Characteristics: 2000
5.4D	Standard Errors of Percentages of Persons Aged 12 to 17 Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Demographic Characteristics: 2000
5.5C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 to 25 Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Demographic Characteristics: 2000
5.5D	Standard Errors of Percentages of Persons Aged 18 to 25 Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Demographic Characteristics: 2000
5.6C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 26 or Older Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Demographic Characteristics: 2000
5.6D	Standard Errors of Percentages of Persons Aged 26 or Older Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Demographic Characteristics: 2000
5.7C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Demographic Characteristics: 2000
5.7D	Standard Errors of Percentages of Persons Aged 18 or Older Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Demographic Characteristics: 2000
5.8C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Geographic Characteristics: 2000
5.8D	Standard Errors of Percentages of Persons Aged 12 or Older Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Geographic Characteristics: 2000
5.9C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Geographic Characteristics: 2000
5.9D	Standard Errors of Percentages of Persons Aged 12 to 17 Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Geographic Characteristics: 2000
5.10C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 to 25 Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Geographic Characteristics: 2000
5.10D	Standard Errors of Percentages of Persons Aged 18 to 25 Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Geographic Characteristics: 2000
5.11C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 26 or Older Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Geographic Characteristics: 2000
5.11D	Standard Errors of Percentages of Persons Aged 26 or Older Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Geographic Characteristics: 2000
5.12C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Geographic Characteristics: 2000
5.12D	Standard Errors of Percentages of Persons Aged 18 or Older Reporting Past Year Any Illicit Drug or Alcohol Dependence, by Geographic Characteristics: 2000
5.13C	Standard Errors of Estimated Numbers (in Thousands) of Persons Reporting Past Year Substance Abuse, by Age Group: 2000
5.13D	Standard Errors of Percentages Reporting Past Year Substance Abuse, by Age Group: 2000
5.14C	Standard Errors of Estimated Numbers (in Thousands) of Persons Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Detailed Age Categories: 2000
5.14D	Standard Errors of Percentages Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Detailed Age Categories: 2000
5.15C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Demographic Characteristics: 2000
5.15D	Standard Errors of Percentages of Persons Aged 12 or Older Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Demographic Characteristics: 2000

LIST OF TABLES (Continued)

Table

5.16C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Demographic Characteristics: 2000
5.16D	Standard Errors of Percentages of Persons Aged 12 to 17 Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Demographic Characteristics: 2000
5.17C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 to 25 Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Demographic Characteristics: 2000
5.17D	Standard Errors of Percentages of Persons Aged 18 to 25 Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Demographic Characteristics: 2000
5.18C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 26 or Older Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Demographic Characteristics: 2000
5.18D	Standard Errors of Percentages of Persons Aged 26 or Older Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Demographic Characteristics: 2000
5.19C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Demographic Characteristics: 2000
5.19D	Standard Errors of Percentages of Persons Aged 18 or Older Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Demographic Characteristics: 2000
5.20C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Geographic Characteristics: 2000
5.20D	Standard Errors of Percentages of Persons Aged 12 or Older Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Geographic Characteristics: 2000
5.21C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Geographic Characteristics: 2000
5.21D	Standard Errors of Percentages of Persons Aged 12 to 17 Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Geographic Characteristics: 2000
5.22C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 to 25 Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Geographic Characteristics: 2000
5.22D	Standard Errors of Percentages of Persons Aged 18 to 25 Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Geographic Characteristics: 2000
5.23C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 26 or Older Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Geographic Characteristics: 2000
5.23D	Standard Errors of Percentages of Persons Aged 26 or Older Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Geographic Characteristics: 2000
5.24C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Geographic Characteristics: 2000
5.24D	Standard Errors of Percentages of Persons Aged 18 or Older Reporting Past Year Any Illicit Drug or Alcohol Abuse, by Geographic Characteristics: 2000
5.25C	Standard Errors of Estimated Numbers (in Thousands) of Persons Reporting Past Year Substance Dependence or Abuse, by Age Group: 2000
5.25D	Standard Errors of Percentages Reporting Past Year Substance Dependence or Abuse, by Age Group: 2000
5.26C	Standard Errors of Estimated Numbers (in Thousands) of Persons Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Detailed Age Categories: 2000
5.26D	Standard Errors of Percentages Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Detailed Age Categories: 2000
5.27C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Demographic Characteristics: 2000
5.27D	Standard Errors of Percentages of Persons Aged 12 or Older Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Demographic Characteristics: 2000

LIST OF TABLES (Continued)

Table

5.28C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Demographic Characteristics: 2000
5.28D	Standard Errors of Percentages of Persons Aged 12 to 17 Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Demographic Characteristics: 2000
5.29C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 to 25 Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Demographic Characteristics: 2000
5.29D	Standard Errors of Percentages of Persons Aged 18 to 25 Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Demographic Characteristics: 2000
5.30C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 26 or Older Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Demographic Characteristics: 2000
5.30D	Standard Errors of Percentages of Persons Aged 26 or Older Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Demographic Characteristics: 2000
5.31C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Demographic Characteristics: 2000
5.31D	Standard Errors of Percentages of Persons Aged 18 or Older Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Demographic Characteristics: 2000
5.32C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Geographic Characteristics: 2000
5.32D	Standard Errors of Percentages of Persons Aged 12 or Older Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Geographic Characteristics: 2000
5.33C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Geographic Characteristics: 2000
5.33D	Standard Errors of Percentages of Persons Aged 12 to 17 Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Geographic Characteristics: 2000
5.34C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 to 25 Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Geographic Characteristics: 2000
5.34D	Standard Errors of Percentages of Persons Aged 18 to 25 Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Geographic Characteristics: 2000
5.35C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 26 or Older Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Geographic Characteristics: 2000
5.35D	Standard Errors of Percentages of Persons Aged 26 or Older Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Geographic Characteristics: 2000
5.36C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Geographic Characteristics: 2000
5.36D	Standard Errors of Percentages of Persons Aged 18 or Older Reporting Past Year Dependence or Abuse for Any Illicit Drug or Alcohol, by Geographic Characteristics: 2000
5.37C	Standard Errors of Estimated Numbers (in Thousands) of Persons Who Received Substance Abuse Treatment in the Past Year, by Detailed Age Categories: 2000
5.37D	Standard Errors of Percentages of Persons Who Received Substance Abuse Treatment in the Past Year, by Detailed Age Categories: 2000
5.38C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older Who Received Substance Abuse Treatment in the Past Year, by Demographic Characteristics: 2000
5.38D	Standard Errors of Percentages of Persons Aged 12 or Older Who Received Substance Abuse Treatment in the Past Year, by Demographic Characteristics: 2000
5.39C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Who Received Substance Abuse Treatment in the Past Year, by Demographic Characteristics: 2000
5.39D	Standard Errors of Percentages of Persons Aged 12 to 17 Who Received Substance Abuse Treatment in the Past Year, by Demographic Characteristics: 2000

LIST OF TABLES (Continued)

Table

5.40C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 to 25 Who Received Substance Abuse Treatment in the Past Year, by Demographic Characteristics: 2000
5.40D	Standard Errors of Percentages of Persons Aged 18 to 25 Who Received Substance Abuse Treatment in the Past Year, by Demographic Characteristics: 2000
5.41C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 26 or Older Who Received Substance Abuse Treatment in the Past Year, by Demographic Characteristics: 2000
5.41D	Standard Errors of Percentages of Persons Aged 26 or Older Who Received Substance Abuse Treatment in the Past Year, by Demographic Characteristics: 2000
5.42C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Who Received Substance Abuse Treatment in the Past Year, by Demographic Characteristics: 2000
5.42D	Standard Errors of Percentages of Persons Aged 18 or Older Who Received Substance Abuse Treatment in the Past Year, by Demographic Characteristics: 2000
5.43C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older Who Received Substance Abuse Treatment in the Past Year, by Geographic Characteristics: 2000
5.43D	Standard Errors of Percentages of Persons Aged 12 or Older Who Received Substance Abuse Treatment in the Past Year, by Geographic Characteristics: 2000
5.44C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Who Received Substance Abuse Treatment in the Past Year, by Geographic Characteristics: 2000
5.44D	Standard Errors of Percentages of Persons Aged 12 to 17 Who Received Substance Abuse Treatment in the Past Year, by Geographic Characteristics: 2000
5.45C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 to 25 Who Received Substance Abuse Treatment in the Past Year, by Geographic Characteristics: 2000
5.45D	Standard Errors of Percentages of Persons Aged 18 to 25 Who Received Substance Abuse Treatment in the Past Year, by Geographic Characteristics: 2000
5.46C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 26 or Older Who Received Substance Abuse Treatment in the Past Year, by Geographic Characteristics: 2000
5.46D	Standard Errors of Percentages of Persons Aged 26 or Older Who Received Substance Abuse Treatment in the Past Year, by Geographic Characteristics: 2000
5.47C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Who Received Substance Abuse Treatment in the Past Year, by Geographic Characteristics: 2000
5.47D	Standard Errors of Percentages of Persons Aged 18 or Older Who Received Substance Abuse Treatment in the Past Year, by Geographic Characteristics: 2000
5.48C	Standard Errors of Estimated Numbers (in Thousands) of Persons Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Categories: 2000
5.48D	Standard Errors of Percentages of Persons Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Categories: 2000
5.49C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Demographic Characteristics: 2000
5.49D	Standard Errors of Percentages of Persons Aged 12 or Older Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Demographic Characteristics: 2000
5.50C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Demographic Characteristics: 2000
5.50D	Standard Errors of Percentages of Persons Aged 12 to 17 Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Demographic Characteristics: 2000
5.51C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 to 25 Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Demographic Characteristics: 2000
5.51D	Standard Errors of Percentages of Persons Aged 18 to 25 Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Demographic Characteristics: 2000

LIST OF TABLES (Continued)

Table

5.52C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 26 or Older Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Demographic Characteristics: 2000
5.52D	Standard Errors of Percentages of Persons Aged 26 or Older Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Demographic Characteristics: 2000
5.53C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Demographic Characteristics: 2000
5.53D	Standard Errors of Percentages of Persons Aged 18 or Older Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Demographic Characteristics: 2000
5.54C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Geographic Characteristics: 2000
5.54D	Standard Errors of Percentages of Persons Aged 12 or Older Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Geographic Characteristics: 2000
5.55C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Geographic Characteristics: 2000
5.55D	Standard Errors of Percentages of Persons Aged 12 to 17 Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Geographic Characteristics: 2000
5.56C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 to 25 Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Geographic Characteristics: 2000
5.56D	Standard Errors of Percentages of Persons Aged 18 to 25 Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Geographic Characteristics: 2000
5.57C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 26 or Older Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Geographic Characteristics: 2000
5.57D	Standard Errors of Percentages of Persons Aged 26 or Older Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Geographic Characteristics: 2000
5.58C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Geographic Characteristics: 2000
5.58D	Standard Errors of Percentages of Persons Aged 18 or Older Who Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Geographic Characteristics: 2000
5.59C	Standard Errors of Estimated Numbers (in Thousands) of Persons Who Reported the Specific Substances for Which They Received Their Last or Current Treatment Among Persons Who Received Treatment in the Past Year, by Age Group: 2000
5.59D	Standard Errors of Percentages of Persons Who Reported the Specific Substances for Which They Received Their Last or Current Treatment Among Persons Who Received Treatment in the Past Year, by Age Group: 2000
5.60C	Standard Errors of Estimated Numbers (in Thousands) of Persons Who Reported Source of Payment for Last or Current Any Illicit Drug Treatment Among Persons Who Received Any Illicit Drug Treatment in the Past Year, by Age Group: 2000
5.60D	Standard Errors of Percentages of Persons Who Reported Source of Payment for Last or Current Any Illicit Drug Treatment Among Persons Who Received Any Illicit Drug Treatment in the Past Year, by Age Group: 2000
5.61C	Standard Errors of Estimated Numbers (in Thousands) of Persons Who Reported Source of Payment for Last or Current Alcohol Treatment Among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: 2000
5.61D	Standard Errors of Percentages of Persons Who Reported Source of Payment for Last or Current Alcohol Treatment Among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: 2000
5.62C	Standard Errors of Estimated Numbers (in Thousands) of Persons Who Reported Source of Payment for Last or Current Any Illicit Drug or Alcohol Treatment Among Persons Who Received Any Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: 2000

LIST OF TABLES (Continued)

Table

- 5.62D Standard Errors of Percentages of Persons Who Reported Source of Payment for Last or Current Any Illicit Drug or Alcohol Treatment Among Persons Who Received Any Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: 2000
- 5.63C Standard Errors of Estimated Numbers (in Thousands) of Persons Who Reported Specific Locations Where They Received Any Illicit Drug Treatment in the Past Year Among Persons Who Received Any Illicit Drug Treatment in the Past Year, by Age Group: 2000
- 5.63D Standard Errors of Percentages of Persons Who Reported Specific Locations Where They Received Any Illicit Drug Treatment in the Past Year Among Persons Who Received Any Illicit Drug Treatment in the Past Year, by Age Group: 2000
- 5.64C Standard Errors of Estimated Numbers (in Thousands) of Persons Who Reported Specific Locations Where They Received Alcohol Treatment in the Past Year Among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: 2000
- 5.64D Standard Errors of Percentages of Persons Who Reported Specific Locations Where They Received Alcohol Treatment in the Past Year Among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: 2000
- 5.65C Standard Errors of Estimated Numbers (in Thousands) of Persons Who Reported Specific Locations Where They Received Any Illicit Drug or Alcohol Treatment in the Past Year Among Persons Who Received Any Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: 2000
- 5.65D Standard Errors of Percentages of Persons Who Reported Specific Locations Where They Received Any Illicit Drug or Alcohol Treatment in the Past Year Among Persons Who Received Any Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: 2000
- 5.66C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older Reporting Past Year Any Illicit Drug and/or Alcohol Dependence and/or Abuse: 2000
- 5.66D Standard Errors of Percentages of Persons Aged 12 or Older Reporting Past Year Any Illicit Drug and/or Alcohol Dependence and/or Abuse: 2000
- 6.1C Standard Errors of Estimated Numbers (in Thousands) of the Number of Days Used Marijuana in the Past Year Among Past Year Users and the Number of Days Used Marijuana in the Past Month Among Past Month Users, by Age Group: 1999 and 2000
- 6.1D Standard Errors of Percentages Reporting the Number of Days Used Marijuana in the Past Year Among Past Year Users and the Number of Days Used Marijuana in the Past Month Among Past Month Users, by Age Group: 1999 and 2000
- 6.1P P-Values from Tests of Differences in Percentages Reporting the Number of Days Used Marijuana in the Past Year Among Past Year Users and the Number of Days Used Marijuana in the Past Month Among Past Month Users, by Age Group: 2000 Versus 1999
- 6.2C Standard Errors of Estimated Numbers (in Thousands) of the Number of Days Used Cocaine in the Past Year Among Past Year Users and the Number of Days Used Cocaine in the Past Month Among Past Month Users, by Age Group: 1999 and 2000
- 6.2D Standard Errors of Percentages Reporting the Number of Days Used Cocaine in the Past Year Among Past Year Users and the Number of Days Used Cocaine in the Past Month Among Past Month Users, by Age Group: 1999 and 2000
- 6.2P P-Values from Tests of Differences in Percentages Reporting the Number of Days Used Cocaine in the Past Year Among Past Year Users and the Number of Days Used Cocaine in the Past Month Among Past Month Users, by Age Group: 2000 Versus 1999
- 6.3C Standard Errors of Estimated Numbers (in Thousands) of the Number of Days Used Hallucinogens in the Past Year Among Past Year Users and the Number of Days Used Hallucinogens in the Past Month Among Past Month Users, by Age Group: 1999 and 2000
- 6.3D Standard Errors of Percentages Reporting the Number of Days Used Hallucinogens in the Past Year Among Past Year Users and the Number of Days Used Hallucinogens in the Past Month Among Past Month Users, by Age Group: 1999 and 2000
- 6.3P P-Values from Tests of Differences in Percentages Reporting the Number of Days Used Hallucinogens in the Past Year Among Past Year Users and the Number of Days Used Hallucinogens in the Past Month Among Past Month Users, by Age Group: 2000 Versus 1999

LIST OF TABLES (Continued)

Table

- 6.4C Standard Errors of Estimated Numbers (in Thousands) of the Number of Days Used Inhalants in the Past Year Among Past Year Users and the Number of Days Used Inhalants in the Past Month Among Past Month Users, by Age Group: 1999 and 2000
- 6.4D Standard Errors of Percentages Reporting the Number of Days Used Inhalants in the Past Year Among Past Year Users and the Number of Days Used Inhalants in the Past Month Among Past Month Users, by Age Group: 1999 and 2000
- 6.4P P-Values from Tests of Differences in Percentages Reporting the Number of Days Used Inhalants in the Past Year Among Past Year Users and the Number of Days Used Inhalants in the Past Month Among Past Month Users, by Age Group: 2000 Versus 1999
- 6.5C Standard Errors of Estimated Numbers (in Thousands) of the Number of Days Used Cigarettes in the Past Month Among Past Month Users and the Number of Cigarettes Smoked Per Day Among Daily Smokers, by Age Group: 1999 and 2000
- 6.5D Standard Errors of Percentages Reporting the Number of Days Used Cigarettes in the Past Month Among Past Month Users and the Number of Cigarettes Smoked Per Day Among Daily Smokers, by Age Group: 1999 and 2000
- 6.5P P-Values from Tests of Differences in Percentages Reporting the Number of Days Used Cigarettes in the Past Month Among Past Month Users and the Number of Cigarettes Smoked Per Day Among Daily Smokers, by Age Group: 2000 Versus 1999
- 6.6C Standard Errors of Estimated Numbers (in Thousands) of the Number of Days Used Alcohol in the Past Year Among Past Year Users and the Number of Days Used Alcohol in the Past Month Among Past Month Users, by Age Group: 1999 and 2000
- 6.6D Standard Errors of Percentages Reporting the Number of Days Used Alcohol in the Past Year Among Past Year Users and the Number of Days Used Alcohol in the Past Month Among Past Month Users, by Age Group: 1999 and 2000
- 6.6P P-Values from Tests of Differences in Percentages Reporting the Number of Days Used Alcohol in the Past Year Among Past Year Users and the Number of Days Used Alcohol in the Past Month Among Past Month Users, by Age Group: 2000 Versus 1999
- 6.7C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Persons Aged 12 or Older, by Past Month Cigarette Use: 1999 and 2000
- 6.7D Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 12 or Older, by Past Month Cigarette Use: 1999 and 2000
- 6.7P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 12 or Older, by Past Month Cigarette Use: 2000 Versus 1999
- 6.8C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Persons Aged 12 to 17, by Past Month Cigarette Use: 1999 and 2000
- 6.8D Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 12 to 17, by Past Month Cigarette Use: 1999 and 2000
- 6.8P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 12 to 17, by Past Month Cigarette Use: 2000 Versus 1999
- 6.9C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Persons Aged 18 to 25, by Past Month Cigarette Use: 1999 and 2000
- 6.9D Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 18 to 25, by Past Month Cigarette Use: 1999 and 2000
- 6.9P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 18 to 25, by Past Month Cigarette Use: 2000 Versus 1999
- 6.10C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Persons Aged 26 or Older, by Past Month Cigarette Use: 1999 and 2000
- 6.10D Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 26 or Older, by Past Month Cigarette Use: 1999 and 2000
- 6.10P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 26 or Older, by Past Month Cigarette Use: 2000 Versus 1999

LIST OF TABLES (Continued)

Table

- 6.11C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Persons Aged 12 or Older, by Levels of Past Month Alcohol Use: 1999 and 2000
- 6.11D Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 12 or Older, by Levels of Past Month Alcohol Use: 1999 and 2000
- 6.11P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 12 or Older, by Levels of Past Month Alcohol Use: 2000 Versus 1999
- 6.12C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Persons Aged 12 to 17, by Levels of Past Month Alcohol Use: 1999 and 2000
- 6.12D Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 12 to 17, by Levels of Past Month Alcohol Use: 1999 and 2000
- 6.12P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 12 to 17, by Levels of Past Month Alcohol Use: 2000 Versus 1999
- 6.13C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Persons Aged 18 to 25, by Levels of Past Month Alcohol Use: 1999 and 2000
- 6.13D Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 18 to 25, by Levels of Past Month Alcohol Use: 1999 and 2000
- 6.13P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 18 to 25, by Levels of Past Month Alcohol Use: 2000 Versus 1999
- 6.14C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Persons Aged 26 or Older, by Levels of Past Month Alcohol Use: 1999 and 2000
- 6.14D Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 26 or Older, by Levels of Past Month Alcohol Use: 1999 and 2000
- 6.14P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 26 or Older, by Levels of Past Month Alcohol Use: 2000 Versus 1999
- 6.15C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Tobacco or Alcohol Among Persons Aged 12 or Older, by Past Month Cigarette Use: 1999 and 2000
- 6.15D Standard Errors of Percentages Reporting Past Month Use of Tobacco or Alcohol Among Persons Aged 12 or Older, by Past Month Cigarette Use: 1999 and 2000
- 6.15P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Tobacco or Alcohol Among Persons Aged 12 or Older, by Past Month Cigarette Use: 2000 Versus 1999
- 6.16C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Tobacco or Alcohol Among Persons Aged 12 to 17, by Past Month Cigarette Use: 1999 and 2000
- 6.16D Standard Errors of Percentages Reporting Past Month Use of Tobacco or Alcohol Among Persons Aged 12 to 17, by Past Month Cigarette Use: 1999 and 2000
- 6.16P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Tobacco or Alcohol Among Persons Aged 12 to 17, by Past Month Cigarette Use: 2000 Versus 1999
- 6.17C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Tobacco or Alcohol Among Persons Aged 18 to 25, by Past Month Cigarette Use: 1999 and 2000
- 6.17D Standard Errors of Percentages Reporting Past Month Use of Tobacco or Alcohol Among Persons Aged 18 to 25, by Past Month Cigarette Use: 1999 and 2000
- 6.17P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Tobacco or Alcohol Among Persons Aged 18 to 25, by Past Month Cigarette Use: 2000 Versus 1999
- 6.18C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Tobacco or Alcohol Among Persons Aged 26 or Older, by Past Month Cigarette Use: 1999 and 2000
- 6.18D Standard Errors of Percentages Reporting Past Month Use of Tobacco or Alcohol Among Persons Aged 26 or Older, by Past Month Cigarette Use: 1999 and 2000
- 6.18P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Tobacco or Alcohol Among Persons Aged 26 or Older, by Past Month Cigarette Use: 2000 Versus 1999
- 6.19C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Tobacco Among Persons Aged 12 or Older, by Levels of Past Month Alcohol Use: 1999 and 2000

LIST OF TABLES (Continued)

Table

6.19D	Standard Errors of Percentages Reporting Past Month Use of Tobacco Among Persons Aged 12 or Older, by Levels of Past Month Alcohol Use: 1999 and 2000
6.19P	P-Values from Tests of Differences in Percentages Reporting Past Month Use of Tobacco Among Persons Aged 12 or Older, by Levels of Past Month Alcohol Use: 2000 Versus 1999
6.20C	Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Tobacco Among Persons Aged 12 to 17, by Levels of Past Month Alcohol Use: 1999 and 2000
6.20D	Standard Errors of Percentages Reporting Past Month Use of Tobacco Among Persons Aged 12 to 17, by Levels of Past Month Alcohol Use: 1999 and 2000
6.20P	P-Values from Tests of Differences in Percentages Reporting Past Month Use of Tobacco Among Persons Aged 12 to 17, by Levels of Past Month Alcohol Use: 2000 Versus 1999
6.21C	Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Tobacco Among Persons Aged 18 to 25, by Levels of Past Month Alcohol Use: 1999 and 2000
6.21D	Standard Errors of Percentages Reporting Past Month Use of Tobacco Among Persons Aged 18 to 25, by Levels of Past Month Alcohol Use: 1999 and 2000
6.21P	P-Values from Tests of Differences in Percentages Reporting Past Month Use of Tobacco Among Persons Aged 18 to 25, by Levels of Past Month Alcohol Use: 2000 Versus 1999
6.22C	Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Tobacco Among Persons Aged 26 or Older, by Levels of Past Month Alcohol Use: 1999 and 2000
6.22D	Standard Errors of Percentages Reporting Past Month Use of Tobacco Among Persons Aged 26 or Older, by Levels of Past Month Alcohol Use: 1999 and 2000
6.22P	P-Values from Tests of Differences in Percentages Reporting Past Month Use of Tobacco Among Persons Aged 26 or Older, by Levels of Past Month Alcohol Use: 2000 Versus 1999
6.23C	Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Females Aged 15 to 44, by Pregnancy Status: Annual Averages Based on 1999 and 2000 Samples
6.23D	Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Females Aged 15 to 44, by Pregnancy Status: Annual Averages Based on 1999 and 2000 Samples
6.24C	Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Any Illicit Drug Among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Annual Averages Based on 1999 and 2000 Samples
6.24D	Standard Errors of Percentages Reporting Past Month Use of Any Illicit Drug Among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Annual Averages Based on 1999 and 2000 Samples
6.25C	Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Marijuana Among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Annual Averages Based on 1999 and 2000 Samples
6.25D	Standard Errors of Percentages Reporting Past Month Use of Marijuana Among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Annual Averages Based on 1999 and 2000 Samples
6.26C	Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Tobacco and Alcohol Among Females Aged 15 to 44, by Pregnancy Status: Annual Averages Based on 1999 and 2000 Samples
6.26D	Standard Errors of Percentages Reporting Past Month Use of Tobacco and Alcohol Among Females Aged 15 to 44, by Pregnancy Status: Annual Averages Based on 1999 and 2000 Samples
6.27C	Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Cigarettes Among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Annual Averages Based on 1999 and 2000 Samples
6.27D	Standard Errors of Percentages Reporting Past Month Use of Cigarettes Among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Annual Averages Based on 1999 and 2000 Samples

LIST OF TABLES (Continued)

Table

- 6.28C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Alcohol Among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Annual Averages Based on 1999 and 2000 Samples
- 6.28D Standard Errors of Percentages Reporting Past Month Use of Alcohol Among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Annual Averages Based on 1999 and 2000 Samples
- 6.29C Standard Errors of Estimated Numbers (in Thousands) of Past Month "Binge" Alcohol Users Among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Annual Averages Based on 1999 and 2000 Samples
- 6.29D Standard Errors of Percentages Reporting Past Month "Binge" Alcohol Use Among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Annual Averages Based on 1999 and 2000 Samples
- 6.30C Standard Errors of Estimated Numbers (in Thousands) of Past Month Heavy Alcohol Users Among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Annual Averages Based on 1999 and 2000 Samples
- 6.30D Standard Errors of Percentages Reporting Past Month Heavy Alcohol Use Among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Annual Averages Based on 1999 and 2000 Samples
- 6.31C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Persons Aged 18 to 22, by College Enrollment Status: 1999 and 2000
- 6.31D Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 18 to 22, by College Enrollment Status: 1999 and 2000
- 6.31P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 18 to 22, by College Enrollment Status: 2000 Versus 1999
- 6.32C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Males Aged 18 to 22, by College Enrollment Status: 1999 and 2000
- 6.32D Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Males Aged 18 to 22, by College Enrollment Status: 1999 and 2000
- 6.32P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Illicit Drugs Among Males Aged 18 to 22, by College Enrollment Status: 2000 Versus 1999
- 6.33C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Females Aged 18 to 22, by College Enrollment Status: 1999 and 2000
- 6.33D Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Females Aged 18 to 22, by College Enrollment Status: 1999 and 2000
- 6.33P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Illicit Drugs Among Females Aged 18 to 22, by College Enrollment Status: 2000 Versus 1999
- 6.34C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Any Illicit Drug Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 1999 and 2000
- 6.34D Standard Errors of Percentages Reporting Past Month Use of Any Illicit Drug Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 1999 and 2000
- 6.34P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Any Illicit Drug Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 2000 Versus 1999
- 6.35C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Marijuana Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 1999 and 2000
- 6.35D Standard Errors of Percentages Reporting Past Month Use of Marijuana Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 1999 and 2000
- 6.35P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Marijuana Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 2000 Versus 1999
- 6.36C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Tobacco and Alcohol Among Persons Aged 18 to 22, by College Enrollment Status: 1999 and 2000

LIST OF TABLES (Continued)

Table

6.36D	Standard Errors of Percentages Reporting Past Month Use of Tobacco and Alcohol Among Persons Aged 18 to 22, by College Enrollment Status: 1999 and 2000
6.36P	P-Values from Tests of Differences in Percentages Reporting Past Month Use of Tobacco and Alcohol Among Persons Aged 18 to 22, by College Enrollment Status: 2000 Versus 1999
6.37C	Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Tobacco and Alcohol Among Males Aged 18 to 22, by College Enrollment Status: 1999 and 2000
6.37D	Standard Errors of Percentages Reporting Past Month Use of Tobacco and Alcohol Among Males Aged 18 to 22, by College Enrollment Status: 1999 and 2000
6.37P	P-Values from Tests of Differences in Percentages Reporting Past Month Use of Tobacco and Alcohol Among Males Aged 18 to 22, by College Enrollment Status: 2000 Versus 1999
6.38C	Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Tobacco and Alcohol Among Females Aged 18 to 22, by College Enrollment Status: 1999 and 2000
6.38D	Standard Errors of Percentages Reporting Past Month Use of Tobacco and Alcohol Among Females Aged 18 to 22, by College Enrollment Status: 1999 and 2000
6.38P	P-Values from Tests of Differences in Percentages Reporting Past Month Use of Tobacco and Alcohol Among Females Aged 18 to 22, by College Enrollment Status: 2000 Versus 1999
6.39C	Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Cigarettes Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 1999 and 2000
6.39D	Standard Errors of Percentages Reporting Past Month Use of Cigarettes Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 1999 and 2000
6.39P	P-Values from Tests of Differences in Percentages Reporting Past Month Use of Cigarettes Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 2000 Versus 1999
6.40C	Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Alcohol Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 1999 and 2000
6.40D	Standard Errors of Percentages Reporting Past Month Use of Alcohol Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 1999 and 2000
6.40P	P-Values from Tests of Differences in Percentages Reporting Past Month Use of Alcohol Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 2000 Versus 1999
6.41C	Standard Errors of Estimated Numbers (in Thousands) of Past Month "Binge" Alcohol Users Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 1999 and 2000
6.41D	Standard Errors of Percentages Reporting Past Month "Binge" Alcohol Use Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 1999 and 2000
6.41P	P-Values from Tests of Differences in Percentages Reporting Past Month "Binge" Alcohol Use Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 2000 Versus 1999
6.42C	Standard Errors of Estimated Numbers (in Thousands) of Past Month Heavy Alcohol Users Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 1999 and 2000
6.42D	Standard Errors of Percentages Reporting Past Month Heavy Alcohol Use Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 1999 and 2000
6.42P	P-Values from Tests of Differences in Percentages Reporting Past Month Heavy Alcohol Use Among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 2000 Versus 1999
6.43C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Reporting Past Year Any Illicit Drug Dependence, by Age First Used Marijuana and Demographic Characteristics: 2000
6.43D	Standard Errors of Percentages of Persons Aged 18 or Older Reporting Past Year Any Illicit Drug Dependence, by Age First Used Marijuana and Demographic Characteristics: 2000
6.44C	Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Reporting Past Year Alcohol Dependence, by Age First Used Alcohol and Demographic Characteristics: 2000
6.44D	Standard Errors of Percentages of Persons Aged 18 or Older Reporting Past Year Alcohol Dependence, by Age First Used Alcohol and Demographic Characteristics: 2000

LIST OF TABLES (Continued)

Table

- 6.45C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Reporting Past Year Any Illicit Drug Abuse, by Age First Used Marijuana and Demographic Characteristics: 2000
- 6.45D Standard Errors of Percentages of Persons Aged 18 or Older Reporting Past Year Any Illicit Drug Abuse, by Age First Used Marijuana and Demographic Characteristics: 2000
- 6.46C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Reporting Past Year Alcohol Abuse, by Age First Used Alcohol and Demographic Characteristics: 2000
- 6.46D Standard Errors of Percentages of Persons Aged 18 or Older Reporting Past Year Alcohol Abuse, by Age First Used Alcohol and Demographic Characteristics: 2000
- 6.47C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Reporting Past Year Dependence or Abuse for Any Illicit Drug, by Age First Used Marijuana and Demographic Characteristics: 2000
- 6.47D Standard Errors of Percentages of Persons Aged 18 or Older Reporting Past Year Dependence or Abuse for Any Illicit Drug, by Age First Used Marijuana and Demographic Characteristics: 2000
- 6.48C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Reporting Past Year Dependence or Abuse for Alcohol, by Age First Used Alcohol and Demographic Characteristics: 2000
- 6.48D Standard Errors of Percentages of Persons Aged 18 or Older Reporting Past Year Dependence or Abuse for Alcohol, by Age First Used Alcohol and Demographic Characteristics: 2000
- 6.49C Standard Errors of Estimated Numbers (in Thousands) of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month, by Age Group: 1999 and 2000
- 6.49D Standard Errors of Percentages of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month, by Age Group: 1999 and 2000
- 6.49P P-Values from Tests of Differences in Percentages of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month, by Age Group: 2000 Versus 1999
- 6.50C Standard Errors of Estimated Numbers (in Thousands) of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month, by Gender and Age Group: 1999 and 2000
- 6.50D Standard Errors of Percentages of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month, by Gender and Age Group: 1999 and 2000
- 6.50P P-Values from Tests of Differences in Percentages of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month, by Gender and Age Group: 2000 Versus 1999
- 6.51C Standard Errors of Estimated Numbers (in Thousands) of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month, by Race/Ethnicity and Age Group: 1999 and 2000
- 6.51D Standard Errors of Percentages of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month, by Race/Ethnicity and Age Group: 1999 and 2000
- 6.51P P-Values from Tests of Differences in Percentages of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month, by Race/Ethnicity and Age Group: 2000 Versus 1999
- 6.52C Standard Errors of Estimated Numbers (in Thousands) of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month Among Whites, by Gender and Age Group: 1999 and 2000
- 6.52D Standard Errors of Percentages of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month Among Whites, by Gender and Age Group: 1999 and 2000
- 6.52P P-Values from Tests of Differences in Percentages of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month Among Whites, by Gender and Age Group: 2000 Versus 1999
- 6.53C Standard Errors of Estimated Numbers (in Thousands) of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month Among Blacks, by Gender and Age Group: 1999 and 2000
- 6.53D Standard Errors of Percentages of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month Among Blacks, by Gender and Age Group: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 6.53P P-Values from Tests of Differences in Percentages of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month Among Blacks, by Gender and Age Group: 2000 Versus 1999
- 6.54C Standard Errors of Estimated Numbers (in Thousands) of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month Among Hispanics, by Gender and Age Group: 1999 and 2000
- 6.54D Standard Errors of Percentages of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month Among Hispanics, by Gender and Age Group: 1999 and 2000
- 6.54P P-Values from Tests of Differences in Percentages of Past Month Cigarette Smokers Reporting Cigarette Brands Used Most Often During the Past Month Among Hispanics, by Gender and Age Group: 2000 Versus 1999
- 6.55C Standard Errors of Estimated Numbers (in Thousands) of Past Month Cigar Smokers Reporting Cigar Brands Used Most Often During the Past Month, by Age Group: 1999 and 2000
- 6.55D Standard Errors of Percentages of Past Month Cigar Smokers Reporting Cigar Brands Used Most Often During the Past Month, by Age Group: 1999 and 2000
- 6.55P P-Values from Tests of Differences in Percentages of Past Month Cigar Smokers Reporting Cigar Brands Used Most Often During the Past Month, by Age Group: 2000 Versus 1999
- 6.56C Standard Errors of Estimated Numbers (in Thousands) of Past Month Cigar Smokers Reporting Cigar Brands Used Most Often During the Past Month, by Gender and Age Group: 1999 and 2000
- 6.56D Standard Errors of Percentages of Past Month Cigar Smokers Reporting Cigar Brands Used Most Often During the Past Month, by Gender and Age Group: 1999 and 2000
- 6.56P P-Values from Tests of Differences in Percentages of Past Month Cigar Smokers Reporting Cigar Brands Used Most Often During the Past Month, by Gender and Age Group: 2000 Versus 1999
- 6.57C Standard Errors of Estimated Numbers (in Thousands) of Past Month Cigar Smokers Reporting Cigar Brands Used Most Often During the Past Month, by Race/Ethnicity and Age Group: 1999 and 2000
- 6.57D Standard Errors of Percentages of Past Month Cigar Smokers Reporting Cigar Brands Used Most Often During the Past Month, by Race/Ethnicity and Age Group: 1999 and 2000
- 6.57P P-Values from Tests of Differences in Percentages of Past Month Cigar Smokers Reporting Cigar Brands Used Most Often During the Past Month, by Race/Ethnicity and Age Group: 2000 Versus 1999
- 6.58C Standard Errors of Estimated Numbers (in Thousands) of Past Month Smokeless Tobacco Users Reporting Smokeless Tobacco Brands Used Most Often During the Past Month, by Age Group: 1999 and 2000
- 6.58D Standard Errors of Percentages of Past Month Smokeless Tobacco Users Reporting Smokeless Tobacco Brands Used Most Often During the Past Month, by Age Group: 1999 and 2000
- 6.58P P-Values from Tests of Differences in Percentages of Past Month Smokeless Tobacco Users Reporting Smokeless Tobacco Brands Used Most Often During the Past Month, by Age Group: 2000 Versus 1999
- 6.59C Standard Errors of Estimated Numbers (in Thousands) of Past Month Cigarette Smokers Aged 12 to 17 Reporting Source of Their Cigarettes in the Past Month, by Age Group: 2000
- 6.59D Standard Errors of Percentages of Past Month Cigarette Smokers Aged 12 to 17 Reporting Source of Their Cigarettes in the Past Month, by Age Group: 2000
- 6.60C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Any Illicit Drug Among Persons Aged 18 or Older, by Receipt of and Perceived Need for Mental Health Treatment/Counseling and Demographic Characteristics: 2000
- 6.60D Standard Errors of Percentages Reporting Past Month Use of Any Illicit Drug Among Persons Aged 18 or Older, by Receipt of and Perceived Need for Mental Health Treatment/Counseling and Demographic Characteristics: 2000
- 6.61C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Marijuana Among Persons Aged 18 or Older, by Receipt of and Perceived Need for Mental Health Treatment/Counseling and Demographic Characteristics: 2000

LIST OF TABLES (Continued)

Table

- 6.61D Standard Errors of Percentages Reporting Past Month Use of Marijuana Among Persons Aged 18 or Older, by Receipt of and Perceived Need for Mental Health Treatment/Counseling and Demographic Characteristics: 2000
- 6.62C Standard Errors of Estimated Numbers (in Thousands) of Past Month Nonmedical Users of Any Prescription-Type Psychotherapeutic Among Persons Aged 18 or Older, by Receipt of and Perceived Need for Mental Health Treatment/Counseling and Demographic Characteristics: 2000
- 6.62D Standard Errors of Percentages Reporting Past Month Nonmedical Use of Any Prescription-Type Psychotherapeutic Among Persons Aged 18 or Older, by Receipt of and Perceived Need for Mental Health Treatment/Counseling and Demographic Characteristics: 2000
- 6.63C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Cigarettes Among Persons Aged 18 or Older, by Receipt of and Perceived Need for Mental Health Treatment/Counseling and Demographic Characteristics: 2000
- 6.63D Standard Errors of Percentages Reporting Past Month Use of Cigarettes Among Persons Aged 18 or Older, by Receipt of and Perceived Need for Mental Health Treatment/Counseling and Demographic Characteristics: 2000
- 6.64C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Alcohol Among Persons Aged 18 or Older, by Receipt of and Perceived Need for Mental Health Treatment/Counseling and Demographic Characteristics: 2000
- 6.64D Standard Errors of Percentages Reporting Past Month Use of Alcohol Among Persons Aged 18 or Older, by Receipt of and Perceived Need for Mental Health Treatment/Counseling and Demographic Characteristics: 2000
- 6.65C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older Who Reported Receiving Mental Health Services in the Past Year, by Demographic Characteristics: 2000
- 6.65D Standard Errors of Percentages of Persons Aged 18 or Older Who Reported Receiving Mental Health Services in the Past Year, by Demographic Characteristics: 2000
- 6.66C Standard Errors of Estimated Numbers (in Thousands) Reporting Driving Under the Influence of Any Illicit Drug or Alcohol in the Past Year, by Detailed Age Categories: 1999 and 2000
- 6.66D Standard Errors of Percentages Reporting Driving Under the Influence of Any Illicit Drug or Alcohol in the Past Year, by Detailed Age Categories: 1999 and 2000
- 6.66P P-Values from Tests of Differences in Percentages Reporting Driving Under the Influence of Any Illicit Drug or Alcohol in the Past Year, by Detailed Age Categories: 2000 Versus 1999
- 6.67C Standard Errors of Estimated Numbers (in Thousands) Reporting Driving Under the Influence of Any Illicit Drug or Alcohol in the Past Year Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 6.67D Standard Errors of Percentages Reporting Driving Under the Influence of Any Illicit Drug or Alcohol in the Past Year Among Persons Aged 12 or Older, by Demographic Characteristics: 1999 and 2000
- 6.67P P-Values from Tests of Differences in Percentages Reporting Driving Under the Influence of Any Illicit Drug or Alcohol in the Past Year Among Persons Aged 12 or Older, by Demographic Characteristics: 2000 Versus 1999
- 6.68C Standard Errors of Estimated Numbers (in Thousands) Reporting Driving Under the Influence of Any Illicit Drug or Alcohol in the Past Year Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 6.68D Standard Errors of Percentages Reporting Driving Under the Influence of Any Illicit Drug or Alcohol in the Past Year Among Persons Aged 18 or Older, by Demographic Characteristics: 1999 and 2000
- 6.68P P-Values from Tests of Differences in Percentages Reporting Driving Under the Influence of Any Illicit Drug or Alcohol in the Past Year Among Persons Aged 18 or Older, by Demographic Characteristics: 2000 Versus 1999
- 6.69C Standard Errors of Estimated Numbers (in Thousands) Reporting Driving Under the Influence of Any Illicit Drug or Alcohol in the Past Year Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 6.69D Standard Errors of Percentages Reporting Driving Under the Influence of Any Illicit Drug or Alcohol in the Past Year Among Persons Aged 18 or Older, by Geographic Characteristics: 1999 and 2000
- 6.69P P-Values from Tests of Differences in Percentages Reporting Driving Under the Influence of Any Illicit Drug or Alcohol in the Past Year Among Persons Aged 18 or Older, by Geographic Characteristics: 2000 Versus 1999
- 6.70C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Persons Aged 18 or Older, by Probation Status: 1999 and 2000
- 6.70D Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 18 or Older, by Probation Status: 1999 and 2000
- 6.70P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 18 or Older, by Probation Status: 2000 Versus 1999
- 6.71C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Persons Aged 18 to 49, by Probation Status: 1999 and 2000
- 6.71D Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 18 to 49, by Probation Status: 1999 and 2000
- 6.71P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 18 to 49, by Probation Status: 2000 Versus 1999
- 6.72C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Any Illicit Drug Among Persons Aged 18 or Older, by Probation Status by Demographic Characteristics: 1999 and 2000
- 6.72D Standard Errors of Percentages Reporting Past Month Use of Any Illicit Drug Among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: 1999 and 2000
- 6.72P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Any Illicit Drug Among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: 2000 Versus 1999
- 6.73C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Persons Aged 18 or Older, by Parole/Supervised Release Status: 2000
- 6.73D Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 18 or Older, by Parole/Supervised Release Status: 2000
- 6.74C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Persons Aged 18 to 49, by Parole/Supervised Release Status: 2000
- 6.74D Standard Errors of Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 18 to 49, by Parole/Supervised Release Status: 2000
- 6.75C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Any Illicit Drug Among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: 2000
- 6.75D Standard Errors of Percentages Reporting Past Month Use of Any Illicit Drug Among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: 2000
- 6.76C Standard Errors of Estimated Numbers (in Thousands) of Past Year Users of Any Illicit Drug, Marijuana, and Any Illicit Drug Other Than Marijuana, by Household Participation in One or More Government Assistance Programs and Age Group: 1999 and 2000
- 6.76D Standard Errors of Percentages Reporting Past Year Use of Any Illicit Drug, Marijuana, and Any Illicit Drug Other Than Marijuana, by Household Participation in One or More Government Assistance Programs and Age Group: 1999 and 2000
- 6.76P P-Values from Tests of Differences in Percentages Reporting Past Year Use of Any Illicit Drug, Marijuana, and Any Illicit Drug Other Than Marijuana, by Household Participation in One or More Government Assistance Programs and Age Group: 2000 Versus 1999
- 6.77C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Alcohol, "Binge" Alcohol, and Cigarettes, by Household Participation in One or More Government Assistance Programs and Age Group: 1999 and 2000
- 6.77D Standard Errors of Percentages Reporting Past Month Use of Alcohol, "Binge" Alcohol, and Cigarettes, by Household Participation in One or More Government Assistance Programs and Age Group: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 6.77P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Alcohol, "Binge" Alcohol, and Cigarettes, by Household Participation in One or More Government Assistance Programs and Age Group: 2000 Versus 1999
- 6.78C Standard Errors of Estimated Numbers (in Thousands) of Past Year Users of Any Illicit Drug, Marijuana, and Any Illicit Drug Other Than Marijuana, by Household Receipt of Supplemental Security Income (SSI) and Age Group: 1999 and 2000
- 6.78D Standard Errors of Percentages Reporting Past Year Use of Any Illicit Drug, Marijuana, and Any Illicit Drug Other Than Marijuana, by Household Receipt of Supplemental Security Income (SSI) and Age Group: 1999 and 2000
- 6.78P P-Values from Tests of Differences in Percentages Reporting Past Year Use of Any Illicit Drug, Marijuana, and Any Illicit Drug Other Than Marijuana, by Household Receipt of Supplemental Security Income (SSI) and Age Group: 2000 Versus 1999
- 6.79C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Alcohol, "Binge" Alcohol, and Cigarettes, by Household Receipt of Supplemental Security Income (SSI) and Age Group: 1999 and 2000
- 6.79D Standard Errors of Percentages Reporting Past Month Use of Alcohol, "Binge" Alcohol, and Cigarettes, by Household Receipt of Supplemental Security Income (SSI) and Age Group: 1999 and 2000
- 6.79P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Alcohol, "Binge" Alcohol, and Cigarettes, by Household Receipt of Supplemental Security Income (SSI) and Age Group: 2000 Versus 1999
- 6.80C Standard Errors of Estimated Numbers (in Thousands) of Past Year Users of Any Illicit Drug, Marijuana, and Any Illicit Drug Other Than Marijuana, by Household Receipt of Food Stamps and Age Group: 1999 and 2000
- 6.80D Standard Errors of Percentages Reporting Past Year Use of Any Illicit Drug, Marijuana, and Any Illicit Drug Other Than Marijuana, by Household Receipt of Food Stamps and Age Group: 1999 and 2000
- 6.80P P-Values from Tests of Differences in Percentages Reporting Past Year Use of Any Illicit Drug, Marijuana, and Any Illicit Drug Other Than Marijuana, by Household Receipt of Food Stamps and Age Group: 2000 Versus 1999
- 6.81C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Alcohol, "Binge" Alcohol, and Cigarettes, by Household Receipt of Food Stamps and Age Group: 1999 and 2000
- 6.81D Standard Errors of Percentages Reporting Past Month Use of Alcohol, "Binge" Alcohol, and Cigarettes, by Household Receipt of Food Stamps and Age Group: 1999 and 2000
- 6.81P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Alcohol, "Binge" Alcohol, and Cigarettes, by Household Receipt of Food Stamps and Age Group: 2000 Versus 1999
- 6.82C Standard Errors of Estimated Numbers (in Thousands) of Past Year Users of Any Illicit Drug, Marijuana, and Any Illicit Drug Other Than Marijuana, by Household Receipt of Cash Assistance and Age Group: 1999 and 2000
- 6.82D Standard Errors of Percentages Reporting Past Year Use of Any Illicit Drug, Marijuana, and Any Illicit Drug Other Than Marijuana, by Household Receipt of Cash Assistance and Age Group: 1999 and 2000
- 6.82P P-Values from Tests of Differences in Percentages Reporting Past Year Use of Any Illicit Drug, Marijuana, and Any Illicit Drug Other Than Marijuana, by Household Receipt of Cash Assistance and Age Group: 2000 Versus 1999
- 6.83C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Alcohol, "Binge" Alcohol, and Cigarettes, by Household Receipt of Cash Assistance and Age Group: 1999 and 2000
- 6.83D Standard Errors of Percentages Reporting Past Month Use of Alcohol, "Binge" Alcohol, and Cigarettes, by Household Receipt of Cash Assistance and Age Group: 1999 and 2000
- 6.83P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Alcohol, "Binge" Alcohol, and Cigarettes, by Household Receipt of Cash Assistance and Age Group: 2000 Versus 1999
- 6.84C Standard Errors of Estimated Numbers (in Thousands) of Past Year Users of Any Illicit Drug, Marijuana, and Any Illicit Drug Other Than Marijuana, by Household Receipt of Non-Cash Assistance and Age Group: 1999 and 2000

LIST OF TABLES (Continued)

Table

- 6.84D Standard Errors of Percentages Reporting Past Year Use of Any Illicit Drug, Marijuana, and Any Illicit Drug Other Than Marijuana, by Household Receipt of Non-Cash Assistance and Age Group: 1999 and 2000
- 6.84P P-Values from Tests of Differences in Percentages Reporting Past Year Use of Any Illicit Drug, Marijuana, and Any Illicit Drug Other Than Marijuana, by Household Receipt of Non-Cash Assistance and Age Group: 2000 Versus 1999
- 6.85C Standard Errors of Estimated Numbers (in Thousands) of Past Month Users of Alcohol, "Binge" Alcohol, and Cigarettes, by Age Group and Household Receipt of Non-Cash Assistance: 1999 and 2000
- 6.85D Standard Errors of Percentages Reporting Past Month Use of Alcohol, "Binge" Alcohol, and Cigarettes, by Age Group and Household Receipt of Non-Cash Assistance: 1999 and 2000
- 6.85P P-Values from Tests of Differences in Percentages Reporting Past Month Use of Alcohol, "Binge" Alcohol, and Cigarettes, by Age Group and Household Receipt of Non-Cash Assistance: 2000 Versus 1999
- 7.1C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older, by Gender and Detailed Age Categories: 1999 and 2000
- 7.2C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older, by Age Groups and Demographic Characteristics: 1999 and 2000
- 7.3C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older, by Youth and Adult Age Groups and Demographic Characteristics: 1999 and 2000
- 7.4C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older, by Underage and Legal Drinking Age Groups and Demographic Characteristics: 1999 and 2000
- 7.5C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older, by Age Groups and Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 Samples
- 7.6C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older, by Youth and Adult Age Groups and Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 Sample
- 7.7C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older, by Underage and Legal Drinking Age Groups and Racial/Ethnic Subgroups: Annual Averages Based on 1999 and 2000 Samples
- 7.8C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older, by Age Groups and Geographic Characteristics: 1999 and 2000
- 7.9C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older, by Youth and Adult Age Groups and Geographic Characteristics: 1999 and 2000
- 7.10C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older, by Underage and Legal Drinking Age Groups and Geographic Characteristics: 1999 and 2000
- 7.11C Standard Errors of Estimated Numbers (in Thousands) of Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Annual Averages Based on 1999 and 2000 Samples
- 7.12C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: 1999 and 2000
- 7.13C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older, by Receipt of and Perceived Need of Mental Health Treatment/Counseling and Demographic Characteristics: 2000
- 7.14C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: 2000

LIST OF TABLES (Continued)

Table

- 7.15C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: 2000
- 7.16C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 or Older, by Household Participation in Selected Government Assistance Programs and Age Groups: 1999 and 2000