

May 11, 2000

Mr. Oliver D. Kingsley
President, Nuclear Generation Group
Commonwealth Edison Company
ATTN: Regulatory Services
Executive Towers West III
1400 Opus Place, Suite 500
Downers Grove, IL 60515

SUBJECT: ASSESSMENT FOLLOWUP - DRESDEN

Dear Mr. Kingsley:

Our review of Dresden Nuclear Power Plant performance indicators identified that you have crossed the threshold for the Protected Area Equipment performance indicator in the Physical Protection Cornerstone. Therefore, we plan to conduct an additional (supplemental) inspection to better understand the causes contributing to your decline in performance.

This letter is to inform you that we are planning that supplemental inspection at your facility during the month of June 2000. This inspection will immediately follow our inspection of access security scheduled for June 5 through 9, 2000. One inspector will use Inspection Procedure 95001 to review your performance in the area covered by the Protected Area Equipment performance indicator and your corrective actions for the decline indicated.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter will be placed in the NRC Public Electronic Reading Room (PERR) link at the NRC homepage, <http://www.nrc.gov/NRC/ADAMS/index.html>.

Please contact Jim Creed at 630/829-9857 with any questions you may have regarding this letter.

Sincerely,

/s/S. A. Reynolds

John A. Grobe, Director
Division of Reactor Safety

Docket Nos. 50-237; 50-249
License Nos. DPR-19; DPR-25

See Attached Distribution

DOCUMENT NAME: G:\DRES\Assess followup.wpd

To receive a copy of this document, indicate in the box: "C" = Copy without enclosure "E"= Copy with enclosure "N"= No copy

OFFICE	RIII	E	RIII	E	RIII			
NAME	Lerch		Ring		Grobe			
DATE	05/ 11/00		05/ 11/00		05/ 11/00			

OFFICIAL RECORD COPY

cc: D. Helwig, Senior Vice President, Nuclear Services
C. Crane, Senior Vice President, Nuclear Operations
H. Stanley, Vice President, Nuclear Operations
R. Krich, Vice President, Regulatory Services
DCD - Licensing
P. Swafford, Site Vice President
Robert Fisher, Station Manager
D. Ambler, Regulatory Assurance Manager
M. Aguilar, Assistant Attorney General
State Liaison Officer
Chairman, Illinois Commerce Commission

ADAMS Distribution:

AJM
WES
LWR (Project Mgr.)
J. Caldwell, RIII w/encl
B. Clayton, RIII w/encl
SRI Dresden w/encl
DRP w/encl
DRS w/encl
RIII PRR w/encl
PUBLIC IE-01 w/encl
Docket File w/encl
GREENS
RIII_IRTS
DOCDESK
JRK1
BAH3