

Table 1 Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	7.46		14.69		3.08	
Alabama	5.97	(4.71 - 7.55)	11.18	(9.32 - 13.36)	2.12	(1.48 - 3.01)
Region 1	5.98	(4.12 - 8.61)	11.64	(8.65 - 15.48)	2.31	(1.43 - 3.71)
Region 2	6.08	(4.21 - 8.70)	10.92	(8.13 - 14.53)	1.94	(1.20 - 3.12)
Region 3	5.36	(3.60 - 7.90)	11.54	(8.41 - 15.63)	2.26	(1.36 - 3.75)
Region 4	6.33	(4.37 - 9.09)	10.67	(7.69 - 14.62)	2.02	(1.20 - 3.39)
Alaska	10.01	(8.34 - 11.97)	19.49	(16.78 - 22.52)	4.59	(3.43 - 6.13)
Gulf Coast	9.69	(6.69 - 13.84)	*	(* - *)	4.56	(2.76 - 7.45)
Rural	9.71	(6.59 - 14.09)	13.32	(9.34 - 18.64)	4.99	(2.96 - 8.30)
Southeast	11.63	(8.02 - 16.59)	*	(* - *)	4.99	(3.08 - 7.99)
Urban	9.85	(7.86 - 12.27)	20.04	(16.81 - 23.70)	4.46	(3.17 - 6.23)
Arizona	7.79	(6.32 - 9.57)	11.85	(9.82 - 14.23)	3.00	(2.13 - 4.19)
Maricopa	7.27	(5.52 - 9.53)	11.85	(9.42 - 14.80)	3.01	(2.03 - 4.45)
Pima	9.74	(6.89 - 13.59)	13.85	(10.07 - 18.76)	3.50	(2.15 - 5.65)
Rural North	8.33	(5.43 - 12.57)	9.69	(6.55 - 14.12)	2.46	(1.37 - 4.38)
Rural South	7.09	(4.75 - 10.46)	10.79	(7.21 - 15.85)	2.75	(1.54 - 4.85)
Arkansas	7.54	(6.16 - 9.20)	12.91	(10.91 - 15.22)	2.41	(1.70 - 3.40)
Areas 1 and 5	8.63	(6.17 - 11.95)	14.59	(10.88 - 19.29)	2.92	(1.78 - 4.73)
Areas 2 and 3	7.28	(4.78 - 10.92)	10.32	(7.07 - 14.83)	1.84	(1.05 - 3.20)
Areas 4 and 7	6.46	(4.42 - 9.34)	11.98	(8.56 - 16.52)	2.41	(1.45 - 3.99)
Area 6	8.22	(5.55 - 12.03)	13.91	(10.48 - 18.24)	2.63	(1.52 - 4.52)
Areas 8 and 12	7.16	(4.80 - 10.55)	11.38	(8.03 - 15.90)	2.13	(1.21 - 3.74)
Area 9	7.78	(5.45 - 10.99)	14.49	(10.57 - 19.54)	2.29	(1.40 - 3.75)
Areas 10, 11, and 13	6.75	(4.55 - 9.89)	11.34	(7.78 - 16.23)	2.40	(1.38 - 4.13)
California	7.87	(7.15 - 8.65)	14.98	(13.72 - 16.32)	4.36	(3.68 - 5.14)
Region 1	12.82	(9.56 - 16.97)	*	(* - *)	5.81	(3.68 - 9.06)
Region 2	12.31	(9.78 - 15.38)	21.10	(17.05 - 25.81)	6.32	(4.37 - 9.05)
Region 3	9.68	(7.25 - 12.82)	16.04	(12.09 - 20.96)	4.79	(3.11 - 7.32)
Region 4	8.66	(6.10 - 12.15)	*	(* - *)	7.45	(5.21 - 10.55)
Region 5	9.37	(7.13 - 12.22)	18.81	(14.94 - 23.41)	5.26	(3.66 - 7.50)
Region 6 (Santa Clara)	7.19	(5.16 - 9.93)	11.71	(8.55 - 15.82)	3.79	(2.49 - 5.73)
Region 7	9.49	(6.82 - 13.05)	*	(* - *)	4.53	(2.87 - 7.09)
Region 8	8.57	(6.45 - 11.29)	14.75	(11.27 - 19.09)	4.70	(3.09 - 7.10)
Region 9	7.49	(5.30 - 10.48)	14.97	(11.28 - 19.59)	3.65	(2.36 - 5.60)
Region 10	8.31	(5.94 - 11.49)	16.24	(11.82 - 21.91)	4.02	(2.56 - 6.26)
Region 11 (Los Angeles)	5.37	(4.32 - 6.65)	12.14	(10.35 - 14.19)	3.38	(2.47 - 4.60)
Region 12	8.48	(6.35 - 11.23)	13.48	(10.26 - 17.50)	3.52	(2.32 - 5.31)
Region 13 (Riverside)	7.77	(5.73 - 10.45)	12.63	(9.09 - 17.30)	3.39	(2.13 - 5.36)
Region 14 (Orange)	7.06	(5.23 - 9.48)	11.41	(8.66 - 14.88)	3.35	(2.24 - 4.98)
Region 15	7.22	(5.46 - 9.50)	15.26	(12.08 - 19.10)	4.25	(2.93 - 6.13)

See notes at end of table.

(continued)

Table 1 Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	11.07	(9.22 - 13.25)	21.72	(18.93 - 24.81)	4.89	(3.70 - 6.43)
Regions 1 and 4	10.60	(7.58 - 14.62)	18.15	(13.77 - 23.54)	3.16	(1.91 - 5.18)
Region 2	10.58	(8.17 - 13.61)	21.14	(17.44 - 25.37)	5.41	(3.87 - 7.52)
Region 3	12.26	(8.63 - 17.14)	*	(* - *)	4.72	(2.87 - 7.69)
Regions 5 and 6	12.42	(8.88 - 17.10)	*	(* - *)	4.82	(2.97 - 7.73)
Region 7 (Boulder)	11.23	(7.80 - 15.91)	*	(* - *)	6.14	(3.90 - 9.52)
Connecticut	9.50	(7.78 - 11.55)	19.72	(16.70 - 23.14)	3.17	(2.28 - 4.39)
Eastern	11.09	(7.73 - 15.65)	*	(* - *)	3.02	(1.81 - 4.98)
North Central	11.43	(8.45 - 15.28)	18.76	(14.53 - 23.88)	3.19	(2.01 - 5.01)
Northwestern	7.98	(5.50 - 11.42)	*	(* - *)	2.91	(1.71 - 4.90)
South Central	8.39	(5.93 - 11.74)	21.06	(16.01 - 27.17)	3.52	(2.23 - 5.51)
Southwest	8.26	(5.62 - 11.97)	*	(* - *)	3.06	(1.85 - 5.01)
Delaware	11.22	(9.32 - 13.44)	20.27	(17.58 - 23.26)	3.59	(2.56 - 5.01)
Kent	10.57	(7.45 - 14.78)	14.59	(10.70 - 19.59)	3.04	(1.80 - 5.09)
New Castle	11.61	(9.26 - 14.47)	23.26	(19.79 - 27.13)	4.12	(2.81 - 6.01)
Sussex	10.46	(7.54 - 14.33)	13.40	(9.50 - 18.58)	2.40	(1.41 - 4.07)
District of Columbia	7.64	(6.02 - 9.65)	13.97	(11.70 - 16.60)	4.04	(3.02 - 5.40)
Ward 1	6.87	(4.36 - 10.68)	*	(* - *)	4.79	(2.92 - 7.75)
Ward 2	*	(* - *)	15.35	(11.57 - 20.10)	6.07	(3.88 - 9.38)
Ward 3	8.00	(5.22 - 12.06)	14.62	(10.44 - 20.09)	3.94	(2.39 - 6.44)
Ward 4	7.55	(5.04 - 11.18)	*	(* - *)	2.74	(1.63 - 4.56)
Ward 5	6.99	(4.64 - 10.42)	14.13	(10.22 - 19.22)	3.09	(1.82 - 5.20)
Ward 6	6.76	(4.28 - 10.53)	*	(* - *)	4.44	(2.76 - 7.05)
Ward 7	8.29	(5.61 - 12.10)	13.36	(9.59 - 18.31)	3.55	(2.22 - 5.65)
Ward 8	8.14	(5.47 - 11.96)	*	(* - *)	4.03	(2.40 - 6.68)
Florida	6.67	(5.86 - 7.57)	13.68	(12.37 - 15.10)	3.36	(2.79 - 4.04)
District 1	7.68	(5.39 - 10.84)	14.94	(11.06 - 19.86)	3.78	(2.40 - 5.91)
District 2	6.59	(4.58 - 9.40)	15.78	(11.76 - 20.85)	3.83	(2.45 - 5.94)
District 3	8.11	(5.58 - 11.64)	13.39	(9.63 - 18.31)	3.94	(2.46 - 6.27)
District 4	7.45	(5.39 - 10.22)	15.12	(11.55 - 19.55)	3.96	(2.69 - 5.79)
District 7	5.83	(4.25 - 7.95)	14.47	(11.66 - 17.82)	3.28	(2.25 - 4.78)
District 8	6.93	(4.90 - 9.73)	12.03	(8.95 - 15.97)	2.57	(1.64 - 4.01)
District 9 (Palm Beach)	5.92	(4.23 - 8.22)	15.79	(12.29 - 20.07)	3.27	(2.17 - 4.90)
District 10 (Broward)	7.85	(5.67 - 10.78)	12.87	(9.43 - 17.33)	3.59	(2.41 - 5.32)
District 11	4.91	(3.62 - 6.62)	11.89	(9.47 - 14.83)	3.10	(2.16 - 4.42)
District 12	6.59	(4.46 - 9.63)	12.32	(8.77 - 17.02)	2.34	(1.44 - 3.79)
District 13	7.66	(5.36 - 10.84)	11.99	(8.55 - 16.56)	2.51	(1.56 - 4.03)
District 14	6.61	(4.61 - 9.39)	10.54	(7.73 - 14.21)	2.93	(1.86 - 4.57)
District 15	7.82	(5.39 - 11.21)	13.91	(9.99 - 19.04)	2.97	(1.86 - 4.70)
Suncoast	7.11	(5.48 - 9.20)	14.51	(11.88 - 17.60)	3.84	(2.81 - 5.23)

See notes at end of table.

(continued)

Table 1 Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	5.49	(4.44 - 6.77)	12.56	(10.45 - 15.01)	3.42	(2.46 - 4.74)
Central	4.97	(3.23 - 7.58)	9.67	(6.39 - 14.39)	2.43	(1.37 - 4.27)
East Central	5.31	(3.47 - 8.02)	13.01	(9.33 - 17.86)	3.35	(1.95 - 5.68)
Metro	5.43	(3.84 - 7.64)	14.06	(10.67 - 18.31)	4.45	(2.91 - 6.76)
North	5.83	(4.09 - 8.24)	12.67	(9.25 - 17.11)	3.21	(1.98 - 5.17)
Southeast	5.12	(3.39 - 7.68)	10.77	(7.23 - 15.74)	2.68	(1.52 - 4.71)
Southwest	5.10	(3.40 - 7.58)	11.48	(7.91 - 16.36)	2.84	(1.61 - 4.95)
West Central	6.01	(4.06 - 8.79)	12.07	(8.34 - 17.15)	2.91	(1.69 - 4.97)
Hawaii	8.45	(6.79 - 10.47)	17.97	(14.96 - 21.43)	5.40	(3.95 - 7.33)
Hawaii Island	10.62	(7.11 - 15.55)	*	(* - *)	*	(* - *)
Honolulu	8.01	(6.18 - 10.31)	17.61	(14.23 - 21.60)	4.83	(3.37 - 6.88)
Kalawao, Kauai, and Maui	8.50	(5.75 - 12.39)	*	(* - *)	6.53	(4.09 - 10.27)
Idaho	5.88	(4.68 - 7.36)	11.45	(9.56 - 13.67)	2.21	(1.52 - 3.21)
Region 1	8.52	(5.71 - 12.52)	16.56	(12.12 - 22.21)	2.66	(1.55 - 4.52)
Region 2	5.44	(3.55 - 8.24)	*	(* - *)	2.37	(1.33 - 4.20)
Region 3	5.38	(3.53 - 8.12)	9.89	(6.85 - 14.08)	2.17	(1.28 - 3.65)
Region 4	6.73	(4.61 - 9.73)	11.83	(8.73 - 15.83)	2.36	(1.41 - 3.93)
Region 5	5.14	(3.36 - 7.78)	11.58	(8.14 - 16.21)	2.04	(1.14 - 3.65)
Region 6	5.36	(3.56 - 8.00)	11.62	(8.29 - 16.05)	2.34	(1.30 - 4.17)
Region 7	4.15	(2.65 - 6.45)	8.01	(5.34 - 11.87)	1.31	(0.71 - 2.39)
Illinois	8.44	(7.55 - 9.42)	16.22	(14.92 - 17.61)	3.05	(2.50 - 3.72)
Region I (Cook)	9.07	(7.67 - 10.70)	16.94	(15.00 - 19.08)	4.21	(3.27 - 5.41)
Region II	8.07	(6.64 - 9.76)	15.08	(12.85 - 17.61)	2.02	(1.42 - 2.86)
Region III	7.39	(5.54 - 9.80)	15.78	(12.60 - 19.59)	2.39	(1.57 - 3.64)
Region IV	8.41	(6.29 - 11.17)	15.29	(12.01 - 19.28)	2.21	(1.47 - 3.32)
Region V	8.16	(6.18 - 10.69)	17.26	(14.19 - 20.83)	2.32	(1.56 - 3.43)
Indiana	7.35	(6.05 - 8.90)	12.01	(10.08 - 14.26)	2.30	(1.59 - 3.31)
Central	6.30	(4.35 - 9.04)	11.55	(8.30 - 15.85)	2.73	(1.64 - 4.53)
East	7.30	(5.02 - 10.51)	13.02	(9.20 - 18.13)	2.33	(1.35 - 3.98)
North Central	7.18	(4.98 - 10.24)	11.06	(7.75 - 15.54)	1.99	(1.13 - 3.45)
Northeast	8.11	(5.52 - 11.76)	12.04	(8.24 - 17.27)	2.44	(1.39 - 4.24)
Northwest	7.94	(5.39 - 11.55)	11.95	(8.25 - 17.02)	1.95	(1.08 - 3.49)
Southeast and Southwest	8.24	(5.87 - 11.45)	10.53	(7.41 - 14.76)	2.01	(1.16 - 3.45)
West	7.00	(4.71 - 10.28)	14.54	(10.92 - 19.09)	2.50	(1.45 - 4.27)
Iowa	4.87	(3.83 - 6.16)	10.84	(8.99 - 13.03)	1.49	(0.98 - 2.24)
Central	3.87	(2.53 - 5.88)	8.65	(5.79 - 12.72)	1.43	(0.79 - 2.59)
North Central	4.55	(2.95 - 6.97)	9.76	(6.94 - 13.56)	1.19	(0.65 - 2.14)
Northeast	4.29	(2.87 - 6.37)	8.34	(5.83 - 11.81)	1.22	(0.70 - 2.12)
Northwest	4.24	(2.80 - 6.37)	7.90	(5.32 - 11.58)	1.11	(0.60 - 2.06)
Southeast and Southwest	6.32	(4.45 - 8.89)	15.91	(12.33 - 20.30)	2.05	(1.20 - 3.47)

See notes at end of table.

(continued)

Table 1 Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	7.43	(6.00 - 9.18)	13.58	(11.43 - 16.07)	2.06	(1.44 - 2.95)
Region 1	8.16	(5.83 - 11.31)	14.55	(10.92 - 19.13)	2.48	(1.51 - 4.04)
Region 2	6.78	(4.42 - 10.25)	11.45	(7.80 - 16.50)	1.54	(0.88 - 2.68)
Region 3	6.26	(4.23 - 9.17)	9.37	(6.28 - 13.76)	1.28	(0.71 - 2.29)
Region 4	7.58	(5.40 - 10.54)	15.33	(11.74 - 19.76)	2.24	(1.38 - 3.61)
Region 5	8.15	(5.51 - 11.88)	14.34	(10.59 - 19.13)	2.52	(1.48 - 4.28)
Kentucky	7.91	(6.47 - 9.64)	13.54	(11.56 - 15.79)	2.49	(1.76 - 3.51)
Adanta, Cumberland River, and Lifeskills	7.22	(5.00 - 10.30)	10.53	(7.67 - 14.29)	2.12	(1.27 - 3.53)
Bluegrass, Comprehend, and North Key	8.17	(5.86 - 11.28)	13.40	(10.05 - 17.66)	2.57	(1.57 - 4.18)
Communicare and River Valley	7.84	(5.38 - 11.28)	13.58	(9.59 - 18.89)	2.40	(1.38 - 4.16)
Four Rivers and Pennyroyal	7.40	(5.08 - 10.66)	12.89	(9.36 - 17.49)	2.21	(1.31 - 3.73)
Kentucky River, Mountain, and Pathways	6.60	(4.52 - 9.53)	10.72	(7.60 - 14.91)	2.21	(1.29 - 3.75)
Seven Counties	9.22	(6.62 - 12.71)	18.41	(14.45 - 23.16)	3.02	(1.91 - 4.76)
Louisiana	6.50	(5.24 - 8.04)	10.64	(8.80 - 12.80)	1.94	(1.33 - 2.84)
Region 1	6.45	(4.24 - 9.68)	13.57	(9.80 - 18.50)	2.62	(1.53 - 4.44)
Regions 2 and 9	6.61	(4.62 - 9.36)	10.87	(7.95 - 14.69)	1.83	(1.09 - 3.08)
Region 3	7.62	(5.12 - 11.20)	8.34	(5.55 - 12.36)	1.90	(1.03 - 3.47)
Region 4	5.85	(4.01 - 8.47)	9.14	(6.37 - 12.95)	1.73	(1.00 - 2.99)
Regions 5 and 6	6.01	(3.95 - 9.03)	8.59	(5.86 - 12.44)	1.63	(0.91 - 2.91)
Regions 7 and 8	6.56	(4.56 - 9.34)	10.14	(7.13 - 14.22)	1.72	(1.00 - 2.93)
Region 10 (Jefferson)	6.62	(4.33 - 9.99)	13.51	(9.48 - 18.89)	2.42	(1.37 - 4.23)
Maine	10.10	(8.38 - 12.13)	23.10	(20.26 - 26.20)	3.98	(2.99 - 5.28)
Region 1	11.37	(8.63 - 14.84)	27.68	(23.28 - 32.56)	4.48	(3.05 - 6.54)
Region 2	9.69	(7.46 - 12.50)	23.03	(18.69 - 28.03)	4.23	(2.90 - 6.13)
Region 3	9.03	(6.41 - 12.59)	17.41	(13.25 - 22.54)	2.87	(1.76 - 4.65)
Maryland	8.11	(6.56 - 9.99)	14.40	(12.11 - 17.04)	2.45	(1.71 - 3.50)
Central and Eastern Shore	9.09	(6.81 - 12.04)	16.00	(12.55 - 20.18)	2.85	(1.82 - 4.44)
Southern	7.95	(5.79 - 10.83)	14.57	(11.38 - 18.48)	2.42	(1.53 - 3.81)
Western	6.71	(4.65 - 9.61)	11.41	(8.34 - 15.42)	1.86	(1.10 - 3.14)
Massachusetts	12.37	(10.42 - 14.62)	26.41	(23.34 - 29.71)	5.99	(4.54 - 7.88)
Boston	11.66	(8.05 - 16.60)	*	(* - *)	8.41	(5.43 - 12.80)
Central	12.72	(9.05 - 17.58)	*	(* - *)	5.82	(3.64 - 9.18)
Metrowest	11.30	(8.21 - 15.35)	27.32	(21.98 - 33.40)	5.52	(3.59 - 8.41)
Northeast	12.48	(9.04 - 16.98)	*	(* - *)	5.22	(3.35 - 8.06)
Southeast	13.75	(10.33 - 18.07)	*	(* - *)	6.62	(4.37 - 9.91)
Western	12.10	(8.53 - 16.88)	*	(* - *)	5.14	(3.21 - 8.14)

See notes at end of table.

(continued)

Table 1 Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Michigan	8.69	(7.80 - 9.67)	17.24	(15.87 - 18.70)	3.34	(2.81 - 3.96)
Bay and Saginaw	8.61	(6.29 - 11.68)	14.71	(11.21 - 19.08)	2.90	(1.89 - 4.44)
Detroit City	7.45	(5.50 - 10.02)	19.50	(15.88 - 23.72)	5.04	(3.47 - 7.27)
Genesee	8.63	(6.10 - 12.09)	19.90	(15.12 - 25.72)	3.51	(2.26 - 5.41)
Kalamazoo	8.52	(6.16 - 11.68)	15.79	(11.78 - 20.84)	3.11	(2.02 - 4.75)
Kent	10.48	(7.75 - 14.02)	15.34	(11.53 - 20.13)	3.46	(2.23 - 5.32)
Lakeshore	7.52	(5.57 - 10.10)	17.11	(13.17 - 21.91)	2.47	(1.63 - 3.72)
Macomb	8.24	(6.05 - 11.14)	14.73	(11.27 - 19.02)	3.58	(2.48 - 5.14)
Mid South	9.22	(7.21 - 11.72)	19.49	(16.15 - 23.34)	3.20	(2.27 - 4.51)
Northern	8.48	(6.40 - 11.15)	14.90	(11.63 - 18.89)	2.44	(1.62 - 3.67)
Oakland	7.96	(6.16 - 10.22)	16.59	(13.33 - 20.46)	2.84	(1.92 - 4.18)
Pathways and Western	11.73	(8.46 - 16.04)	17.48	(13.01 - 23.09)	3.39	(2.16 - 5.27)
Southeast	9.71	(7.69 - 12.19)	17.59	(14.39 - 21.32)	3.97	(2.84 - 5.52)
St. Clair	10.32	(7.40 - 14.22)	*	(* - *)	2.72	(1.70 - 4.33)
Washtenaw	7.33	(5.17 - 10.30)	17.72	(13.74 - 22.54)	3.36	(2.25 - 4.97)
Minnesota	9.13	(7.54 - 11.03)	16.91	(14.59 - 19.52)	2.63	(1.87 - 3.68)
Regions 1 and 2	11.08	(7.82 - 15.47)	16.07	(11.86 - 21.40)	2.17	(1.28 - 3.64)
Regions 3 and 4	8.57	(5.92 - 12.25)	13.91	(9.82 - 19.33)	1.70	(0.97 - 2.96)
Regions 5 and 6	8.17	(5.83 - 11.34)	15.04	(11.30 - 19.74)	1.91	(1.12 - 3.23)
Region 7A (Hennepin)	9.59	(7.04 - 12.94)	18.64	(14.61 - 23.49)	3.70	(2.33 - 5.84)
Region 7B (Ramsey)	8.83	(5.96 - 12.88)	*	(* - *)	3.47	(2.06 - 5.78)
Region 7C	9.29	(6.74 - 12.67)	19.40	(14.98 - 24.75)	2.63	(1.62 - 4.24)
Mississippi	6.10	(4.89 - 7.57)	11.50	(9.54 - 13.81)	1.88	(1.28 - 2.74)
Regions 1 and 2	6.34	(4.12 - 9.64)	13.35	(9.64 - 18.19)	2.24	(1.27 - 3.91)
Regions 3, 4, 7, and 10	5.65	(3.90 - 8.10)	8.79	(6.06 - 12.57)	1.63	(0.96 - 2.77)
Regions 5, 6, 11, and 15	6.30	(4.33 - 9.09)	10.94	(7.81 - 15.12)	1.93	(1.09 - 3.39)
Regions 8 and 9	5.61	(3.87 - 8.07)	14.26	(10.61 - 18.92)	1.95	(1.16 - 3.23)
Region 12	5.57	(3.68 - 8.36)	8.87	(6.02 - 12.88)	1.56	(0.86 - 2.83)
Regions 13 and 14	7.28	(4.96 - 10.56)	14.10	(10.08 - 19.37)	2.08	(1.20 - 3.59)
Missouri	7.09	(5.70 - 8.77)	14.22	(12.06 - 16.70)	2.80	(2.03 - 3.85)
Central	7.16	(4.79 - 10.57)	13.42	(9.79 - 18.12)	2.70	(1.61 - 4.52)
Eastern	7.46	(5.35 - 10.31)	17.41	(13.53 - 22.12)	3.48	(2.29 - 5.26)
Northwest	6.46	(4.43 - 9.33)	13.78	(10.34 - 18.15)	2.47	(1.51 - 4.02)
Southeast	6.67	(4.52 - 9.74)	9.68	(6.61 - 13.95)	2.09	(1.20 - 3.62)
Southwest	7.48	(5.12 - 10.79)	12.12	(8.68 - 16.67)	2.37	(1.45 - 3.87)
Montana	10.45	(8.74 - 12.46)	17.17	(14.91 - 19.70)	2.62	(1.89 - 3.62)
Regions 1 and 3	9.93	(7.42 - 13.17)	12.25	(9.45 - 15.72)	1.98	(1.22 - 3.21)
Region 2	12.64	(9.23 - 17.08)	15.06	(11.17 - 19.99)	3.08	(1.85 - 5.09)
Region 4	10.09	(7.48 - 13.47)	17.21	(13.43 - 21.79)	2.38	(1.52 - 3.71)
Region 5	10.03	(7.39 - 13.49)	22.38	(18.42 - 26.90)	3.23	(2.11 - 4.93)

See notes at end of table.

(continued)

Table 1 Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nebraska	6.12	(4.82 - 7.75)	11.55	(9.48 - 14.00)	1.71	(1.15 - 2.55)
Regions 1 and 2	6.13	(4.02 - 9.24)	10.00	(6.68 - 14.72)	1.39	(0.76 - 2.52)
Region 3	5.11	(3.36 - 7.71)	9.47	(6.43 - 13.75)	1.43	(0.79 - 2.58)
Region 4	5.23	(3.43 - 7.89)	8.82	(5.72 - 13.36)	1.23	(0.65 - 2.29)
Region 5	5.78	(3.97 - 8.34)	10.91	(7.84 - 14.98)	1.79	(1.04 - 3.06)
Region 6	7.00	(4.97 - 9.79)	13.83	(10.71 - 17.68)	2.02	(1.23 - 3.30)
Nevada	9.82	(7.97 - 12.05)	13.68	(11.29 - 16.48)	3.34	(2.38 - 4.67)
Clark	9.99	(7.71 - 12.85)	13.08	(10.38 - 16.36)	3.49	(2.36 - 5.12)
Rural	9.09	(6.32 - 12.91)	*	(* - *)	2.50	(1.45 - 4.28)
Washoe	9.83	(6.84 - 13.92)	*	(* - *)	3.47	(2.11 - 5.64)
New Hampshire	10.86	(9.08 - 12.94)	22.38	(19.32 - 25.76)	3.34	(2.42 - 4.59)
Central	9.69	(7.07 - 13.13)	19.62	(15.03 - 25.19)	2.95	(1.85 - 4.66)
Northern	11.34	(8.18 - 15.51)	*	(* - *)	3.25	(1.93 - 5.42)
Southern	11.32	(9.02 - 14.12)	23.03	(19.21 - 27.34)	3.55	(2.45 - 5.10)
New Jersey	5.66	(4.61 - 6.94)	16.24	(13.85 - 18.96)	2.83	(2.04 - 3.92)
RHPA I	5.28	(3.63 - 7.62)	*	(* - *)	2.45	(1.46 - 4.07)
RHPA IIa (Bergen)	5.13	(3.39 - 7.68)	*	(* - *)	2.22	(1.25 - 3.92)
RHPA IIb (Hudson)	4.89	(3.10 - 7.62)	11.34	(7.75 - 16.30)	3.66	(2.15 - 6.19)
RHPA III	5.30	(3.56 - 7.81)	15.28	(11.21 - 20.49)	2.92	(1.75 - 4.85)
RHPA IVa	4.99	(3.31 - 7.47)	*	(* - *)	2.61	(1.55 - 4.37)
RHPA IVb (Middlesex)	6.22	(4.07 - 9.40)	*	(* - *)	3.16	(1.79 - 5.49)
RHPA V	6.26	(4.32 - 9.00)	*	(* - *)	3.41	(2.07 - 5.57)
RHPA VIa	5.78	(3.90 - 8.48)	*	(* - *)	2.24	(1.30 - 3.82)
RHPA VIb (Monmouth)	7.10	(4.75 - 10.49)	*	(* - *)	2.95	(1.75 - 4.91)
New Mexico	11.64	(9.72 - 13.88)	14.81	(12.44 - 17.53)	3.54	(2.58 - 4.85)
Region 1	*	(* - *)	12.43	(8.79 - 17.30)	4.05	(2.30 - 7.04)
Region 2	11.43	(8.60 - 15.05)	15.48	(11.62 - 20.33)	3.14	(1.99 - 4.92)
Region 3	10.38	(7.33 - 14.50)	12.04	(8.61 - 16.60)	2.68	(1.59 - 4.50)
Region 4	9.73	(6.87 - 13.61)	13.08	(9.18 - 18.31)	2.74	(1.64 - 4.53)
Region 5 (Bernalillo)	12.16	(8.93 - 16.34)	18.09	(14.10 - 22.91)	4.61	(3.05 - 6.92)
New York	6.87	(6.02 - 7.83)	17.49	(16.07 - 19.01)	2.86	(2.31 - 3.53)
New York City	5.60	(4.46 - 7.01)	12.88	(11.13 - 14.87)	3.56	(2.70 - 4.70)
Remainder of the State	7.72	(6.62 - 8.99)	21.41	(19.39 - 23.57)	2.35	(1.78 - 3.10)
North Carolina	6.65	(5.40 - 8.15)	15.42	(13.20 - 17.95)	3.87	(2.88 - 5.18)
Eastern	6.35	(4.52 - 8.84)	13.14	(9.74 - 17.49)	2.93	(1.84 - 4.63)
North Central	6.96	(4.96 - 9.69)	18.45	(14.05 - 23.84)	4.49	(2.90 - 6.90)
South Central	7.47	(5.34 - 10.36)	14.74	(11.31 - 18.97)	4.05	(2.65 - 6.13)
Western	5.97	(4.25 - 8.33)	15.24	(11.89 - 19.33)	3.86	(2.56 - 5.76)

See notes at end of table.

(continued)

Table 1 Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Dakota	7.57	(6.16 - 9.27)	10.65	(8.88 - 12.72)	1.37	(0.89 - 2.11)
Badlands and West Central Lake Region and South Central	7.32	(5.33 - 9.98)	9.24	(6.67 - 12.65)	1.11	(0.63 - 1.96)
North Central and Northwest	7.41	(5.10 - 10.64)	8.33	(5.67 - 12.08)	1.11	(0.59 - 2.07)
Northeast	7.49	(5.27 - 10.56)	9.86	(6.85 - 14.00)	1.41	(0.76 - 2.57)
Southeast	6.99	(4.74 - 10.20)	11.84	(8.60 - 16.10)	1.51	(0.84 - 2.69)
	8.38	(5.86 - 11.86)	12.21	(9.39 - 15.74)	1.73	(1.02 - 2.92)
Ohio	6.59	(5.84 - 7.43)	14.32	(13.13 - 15.60)	2.46	(2.02 - 2.98)
Boards 2, 46, 55, and 68	8.20	(5.81 - 11.45)	13.37	(9.91 - 17.81)	2.17	(1.38 - 3.38)
Boards 3, 52, and 85	5.48	(3.67 - 8.12)	11.51	(8.31 - 15.73)	1.80	(1.10 - 2.93)
Boards 4 and 78	6.69	(4.57 - 9.70)	13.38	(9.53 - 18.46)	2.14	(1.34 - 3.41)
Boards 5 and 60	7.08	(4.87 - 10.18)	13.55	(9.93 - 18.23)	2.35	(1.47 - 3.73)
Boards 7, 15, 41, 79, and 84	5.86	(3.95 - 8.60)	11.76	(8.61 - 15.87)	1.79	(1.09 - 2.94)
Boards 8, 13, and 83	6.50	(4.47 - 9.35)	12.27	(8.85 - 16.76)	1.94	(1.17 - 3.19)
Board 9 (Butler)	5.98	(4.01 - 8.82)	15.57	(11.27 - 21.13)	2.36	(1.48 - 3.75)
Board 12	7.57	(5.28 - 10.76)	16.55	(12.34 - 21.84)	2.42	(1.48 - 3.96)
Boards 18 and 47	5.73	(4.27 - 7.66)	14.94	(12.14 - 18.24)	2.57	(1.78 - 3.69)
Boards 20, 32, 54, and 69	6.91	(4.84 - 9.76)	12.73	(9.06 - 17.60)	1.88	(1.16 - 3.04)
Boards 21, 39, 51, 70, and 80	6.51	(4.59 - 9.16)	13.27	(9.55 - 18.14)	2.14	(1.36 - 3.36)
Boards 22, 74, and 87	5.44	(3.68 - 7.99)	10.50	(7.26 - 14.97)	1.36	(0.81 - 2.30)
Boards 23 and 45	8.35	(5.81 - 11.86)	13.21	(9.24 - 18.55)	2.04	(1.24 - 3.33)
Board 25 (Franklin)	7.06	(5.23 - 9.48)	18.54	(15.63 - 21.86)	4.43	(3.18 - 6.14)
Boards 27, 71, and 73	6.86	(4.73 - 9.85)	9.67	(6.87 - 13.46)	1.78	(1.06 - 2.97)
Boards 28, 43, and 67	7.35	(5.14 - 10.40)	13.23	(9.68 - 17.83)	1.85	(1.12 - 3.03)
Board 31 (Hamilton)	5.71	(4.10 - 7.90)	14.39	(11.27 - 18.19)	3.02	(2.03 - 4.46)
Board 48 (Lucas)	6.35	(4.42 - 9.04)	14.23	(10.43 - 19.11)	2.35	(1.44 - 3.83)
Board 50 (Mahoning)	6.36	(4.30 - 9.31)	15.08	(11.00 - 20.32)	2.22	(1.36 - 3.60)
Board 57 (Montgomery)	6.80	(4.74 - 9.67)	13.67	(10.37 - 17.82)	2.20	(1.36 - 3.52)
Board 76 (Stark)	7.26	(5.03 - 10.36)	*	(* - *)	2.38	(1.50 - 3.77)
Board 77 (Summit)	7.33	(5.24 - 10.16)	15.99	(11.83 - 21.27)	2.85	(1.88 - 4.29)
Oklahoma	6.59	(5.24 - 8.26)	9.18	(7.45 - 11.27)	2.00	(1.33 - 3.00)
Central	6.34	(4.17 - 9.53)	10.72	(7.34 - 15.38)	1.89	(1.05 - 3.39)
East Central	6.57	(4.32 - 9.86)	8.11	(5.33 - 12.14)	2.21	(1.20 - 4.04)
Northeast	6.14	(4.01 - 9.28)	8.08	(5.40 - 11.93)	1.65	(0.91 - 2.98)
Northwest and Southwest	5.78	(3.81 - 8.67)	8.50	(5.82 - 12.26)	1.70	(0.96 - 2.98)
Oklahoma City Metro	7.19	(4.92 - 10.38)	11.59	(8.34 - 15.89)	2.42	(1.41 - 4.12)
Southeast	6.31	(4.20 - 9.37)	5.86	(3.86 - 8.80)	1.78	(0.96 - 3.29)
Tulsa Metro	7.42	(4.93 - 11.00)	9.04	(6.11 - 13.17)	2.09	(1.14 - 3.79)

See notes at end of table.

(continued)

Table 1 Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	8.72	(7.19 - 10.54)	19.29	(16.77 - 22.08)	4.66	(3.49 - 6.21)
Region 1 (Multnomah)	9.94	(7.06 - 13.81)	22.10	(17.39 - 27.65)	7.14	(4.82 - 10.44)
Region 2	8.30	(5.96 - 11.44)	18.49	(14.13 - 23.81)	4.12	(2.62 - 6.42)
Region 3	9.25	(6.87 - 12.34)	19.15	(15.54 - 23.37)	4.57	(3.07 - 6.73)
Region 4	7.46	(5.06 - 10.87)	*	(* - *)	3.13	(1.85 - 5.24)
Region 5	7.91	(5.35 - 11.55)	*	(* - *)	3.78	(2.27 - 6.24)
Pennsylvania	6.81	(6.04 - 7.67)	14.74	(13.54 - 16.03)	2.66	(2.19 - 3.24)
Regions 1, 27, and 47	6.79	(5.04 - 9.07)	20.67	(17.26 - 24.55)	3.30	(2.30 - 4.71)
Regions 2, 3, 8, and 9	5.21	(3.60 - 7.47)	13.19	(10.12 - 17.01)	1.72	(1.10 - 2.69)
Regions 4 and 42	5.79	(4.06 - 8.21)	11.27	(8.15 - 15.39)	1.99	(1.23 - 3.20)
Regions 5 and 28	6.43	(4.36 - 9.40)	10.08	(6.95 - 14.42)	1.93	(1.14 - 3.26)
Regions 6, 16, and 39	6.14	(4.20 - 8.90)	10.12	(6.87 - 14.67)	1.69	(0.98 - 2.89)
Region 7 (Bucks)	6.52	(4.58 - 9.20)	17.11	(12.92 - 22.31)	2.40	(1.52 - 3.79)
Regions 10, 15, and 25	6.54	(4.47 - 9.47)	9.94	(6.88 - 14.16)	1.93	(1.16 - 3.20)
Regions 11, 29, 44, and 48	7.84	(5.50 - 11.06)	12.06	(8.57 - 16.72)	1.82	(1.10 - 3.00)
Regions 12, 35, 41, and 45	7.29	(5.13 - 10.27)	16.12	(12.33 - 20.80)	2.41	(1.54 - 3.73)
Region 13 (Chester)	6.57	(4.44 - 9.61)	*	(* - *)	2.54	(1.64 - 3.92)
Regions 14, 31, 36, and 46	7.45	(5.16 - 10.65)	13.87	(9.98 - 18.97)	2.14	(1.31 - 3.48)
Regions 17, 24, and 43	6.45	(4.67 - 8.86)	10.97	(8.06 - 14.77)	1.93	(1.23 - 3.02)
Region 18 (Philadelphia)	8.15	(6.10 - 10.80)	17.15	(13.99 - 20.85)	5.11	(3.60 - 7.21)
Regions 19 and 23	7.92	(5.37 - 11.52)	12.09	(8.23 - 17.42)	2.19	(1.31 - 3.63)
Regions 20, 26, and 40	5.46	(3.74 - 7.90)	10.50	(7.55 - 14.44)	1.89	(1.17 - 3.04)
Regions 21 and 32	5.84	(4.05 - 8.36)	10.96	(7.76 - 15.26)	2.32	(1.43 - 3.74)
Region 22 (Delaware)	7.88	(5.54 - 11.09)	16.04	(12.25 - 20.74)	2.92	(1.89 - 4.51)
Region 30 (Lancaster)	6.35	(4.36 - 9.16)	12.78	(9.54 - 16.92)	2.28	(1.42 - 3.64)
Region 33 (Lehigh)	5.54	(3.67 - 8.28)	10.71	(7.64 - 14.82)	1.88	(1.13 - 3.13)
Region 34	6.82	(4.70 - 9.78)	13.03	(9.30 - 17.96)	1.89	(1.13 - 3.13)
Region 37 (Montgomery)	7.44	(5.35 - 10.25)	15.42	(11.62 - 20.17)	2.83	(1.83 - 4.35)
Region 38 (Northampton)	6.21	(4.15 - 9.20)	16.62	(12.17 - 22.29)	2.06	(1.26 - 3.33)
Region 49	5.95	(4.14 - 8.47)	13.51	(9.85 - 18.25)	2.30	(1.44 - 3.67)
Rhode Island	9.92	(8.05 - 12.18)	22.51	(19.62 - 25.69)	4.25	(3.13 - 5.75)
Bristol and Newport	8.89	(6.09 - 12.80)	*	(* - *)	3.14	(1.86 - 5.27)
Kent	11.13	(7.91 - 15.42)	*	(* - *)	3.68	(2.27 - 5.91)
Providence	9.75	(7.40 - 12.74)	20.37	(17.02 - 24.17)	4.70	(3.28 - 6.68)
Washington	10.39	(7.08 - 14.99)	*	(* - *)	4.15	(2.54 - 6.70)
South Carolina	7.09	(5.74 - 8.74)	12.16	(10.18 - 14.46)	2.20	(1.52 - 3.18)
Region 1	8.48	(6.06 - 11.75)	13.12	(9.58 - 17.73)	2.46	(1.48 - 4.07)
Region 2	6.23	(4.45 - 8.67)	11.13	(8.37 - 14.67)	2.04	(1.24 - 3.33)
Region 3	6.50	(4.46 - 9.39)	9.61	(6.67 - 13.65)	1.87	(1.05 - 3.30)
Region 4	7.15	(5.09 - 9.97)	13.97	(10.69 - 18.04)	2.33	(1.42 - 3.80)

See notes at end of table.

(continued)

Table 1 Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	7.50	(6.18 - 9.07)	10.60	(8.81 - 12.70)	1.83	(1.27 - 2.64)
Region 1 (Pennington)	8.03	(5.49 - 11.60)	11.91	(8.25 - 16.89)	2.44	(1.41 - 4.16)
Region 2	8.12	(5.74 - 11.38)	11.50	(8.32 - 15.70)	1.99	(1.15 - 3.43)
Region 3 (Minnehaha)	7.96	(5.59 - 11.20)	11.53	(8.28 - 15.82)	2.15	(1.26 - 3.62)
Region 4	6.72	(4.56 - 9.79)	9.50	(6.49 - 13.70)	1.49	(0.85 - 2.61)
Region 5	7.21	(4.82 - 10.65)	8.16	(5.49 - 11.96)	*	(* - *)
Region 6	6.87	(4.63 - 10.09)	9.34	(6.33 - 13.59)	1.60	(0.91 - 2.82)
Region 7	7.02	(4.83 - 10.09)	10.75	(7.49 - 15.18)	1.76	(1.01 - 3.03)
Tennessee	6.72	(5.45 - 8.26)	12.35	(10.22 - 14.86)	2.76	(2.03 - 3.75)
Region 1	8.19	(5.58 - 11.87)	10.39	(6.94 - 15.29)	2.60	(1.54 - 4.37)
Region 2	7.12	(4.99 - 10.05)	13.24	(9.64 - 17.92)	3.05	(1.92 - 4.81)
Region 3	6.57	(4.46 - 9.57)	10.86	(7.67 - 15.14)	2.21	(1.34 - 3.62)
Region 4 (Davidson)	7.02	(4.60 - 10.55)	12.61	(8.73 - 17.89)	4.18	(2.55 - 6.80)
Region 5	7.26	(5.12 - 10.20)	12.38	(8.83 - 17.09)	2.48	(1.54 - 3.98)
Region 6	6.57	(4.34 - 9.84)	11.02	(7.56 - 15.80)	2.45	(1.41 - 4.22)
Region 7 (Shelby)	5.07	(3.27 - 7.77)	*	(* - *)	2.77	(1.64 - 4.64)
Texas	6.31	(5.58 - 7.12)	10.72	(9.68 - 11.86)	1.91	(1.51 - 2.41)
Region 1	9.57	(6.76 - 13.38)	12.86	(9.24 - 17.63)	2.03	(1.21 - 3.38)
Regions 2 and 9	8.01	(5.69 - 11.16)	11.23	(8.09 - 15.39)	1.68	(1.02 - 2.74)
Region 3	6.14	(4.91 - 7.66)	9.46	(7.75 - 11.49)	1.80	(1.24 - 2.60)
Region 4	6.16	(4.24 - 8.87)	9.58	(6.71 - 13.51)	1.71	(1.01 - 2.89)
Region 5	7.14	(4.91 - 10.28)	12.14	(8.67 - 16.74)	2.10	(1.29 - 3.41)
Region 6	5.42	(4.30 - 6.82)	10.80	(8.92 - 13.01)	2.19	(1.54 - 3.12)
Region 7	7.77	(5.79 - 10.34)	14.90	(12.29 - 17.95)	2.89	(1.98 - 4.21)
Region 8	6.19	(4.66 - 8.17)	10.39	(7.90 - 13.55)	1.41	(0.89 - 2.22)
Region 10	7.35	(5.16 - 10.37)	8.76	(5.97 - 12.68)	1.21	(0.70 - 2.07)
Region 11	4.43	(3.16 - 6.17)	7.49	(5.40 - 10.30)	1.11	(0.67 - 1.83)
Utah	5.17	(4.03 - 6.60)	8.27	(6.76 - 10.08)	1.72	(1.11 - 2.65)
Bear River, Northeastern, Summit, Tooele, and Wasatch	4.99	(3.11 - 7.93)	8.18	(5.60 - 11.81)	1.57	(0.84 - 2.90)
Central, Four Corners, San Juan, and Southwest	5.83	(3.73 - 8.98)	8.78	(5.92 - 12.84)	1.61	(0.88 - 2.94)
Davis County	3.80	(2.47 - 5.79)	10.05	(6.90 - 14.41)	1.49	(0.79 - 2.79)
Salt Lake County	5.93	(4.24 - 8.24)	8.46	(6.25 - 11.36)	1.97	(1.15 - 3.35)
Utah County	3.84	(2.48 - 5.90)	6.59	(4.64 - 9.29)	1.23	(0.66 - 2.25)
Weber, Morgan	5.75	(3.65 - 8.93)	9.38	(6.16 - 14.02)	1.91	(1.06 - 3.42)
Vermont	11.92	(10.08 - 14.04)	26.32	(23.46 - 29.39)	4.24	(3.17 - 5.66)
Champlain Valley	13.04	(10.17 - 16.58)	28.96	(25.00 - 33.27)	4.92	(3.37 - 7.12)
Rural Northeast	9.70	(7.09 - 13.14)	23.02	(17.98 - 28.98)	4.05	(2.64 - 6.15)
Rural Southeast	12.48	(9.32 - 16.50)	23.01	(18.04 - 28.88)	3.64	(2.36 - 5.58)
Rural Southwest	11.70	(8.50 - 15.89)	*	(* - *)	3.84	(2.42 - 6.05)

See notes at end of table.

(continued)

Table 1 Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Virginia	5.61	(4.54 - 6.90)	12.90	(10.74 - 15.43)	2.32	(1.67 - 3.21)
Region 1	6.45	(4.32 - 9.53)	14.82	(10.59 - 20.36)	2.42	(1.46 - 3.97)
Region 2	4.43	(3.03 - 6.46)	11.00	(7.80 - 15.31)	2.36	(1.45 - 3.84)
Region 3	5.75	(4.04 - 8.13)	10.85	(7.71 - 15.05)	2.17	(1.30 - 3.61)
Region 4	6.11	(4.12 - 8.98)	13.71	(9.72 - 18.98)	2.24	(1.33 - 3.73)
Region 5	5.73	(4.13 - 7.89)	14.44	(10.90 - 18.88)	2.39	(1.51 - 3.78)
Washington	9.50	(7.98 - 11.27)	16.76	(14.49 - 19.31)	4.01	(2.95 - 5.42)
Region 1	10.77	(7.53 - 15.16)	15.31	(11.07 - 20.80)	3.68	(2.18 - 6.15)
Region 2	11.00	(7.71 - 15.46)	*	(* - *)	3.65	(2.12 - 6.21)
Region 3	9.24	(6.55 - 12.89)	20.46	(15.86 - 25.99)	4.20	(2.63 - 6.65)
Region 4 (King)	7.09	(5.10 - 9.77)	14.40	(11.15 - 18.39)	3.70	(2.40 - 5.68)
Region 5	9.50	(6.78 - 13.15)	17.72	(13.19 - 23.38)	4.15	(2.56 - 6.68)
Region 6	11.38	(8.24 - 15.50)	19.96	(15.06 - 25.97)	4.69	(2.93 - 7.41)
West Virginia	7.45	(6.06 - 9.12)	11.77	(9.71 - 14.19)	1.72	(1.13 - 2.60)
Eastern Highland	7.63	(5.42 - 10.64)	11.20	(8.01 - 15.46)	1.71	(0.99 - 2.93)
Northern	6.62	(4.65 - 9.34)	12.90	(9.46 - 17.36)	1.72	(0.99 - 2.95)
South Central I	6.40	(4.29 - 9.44)	11.18	(7.77 - 15.82)	1.48	(0.81 - 2.70)
South Central II	6.65	(4.55 - 9.61)	11.93	(8.37 - 16.72)	1.71	(0.94 - 3.07)
South Central III	9.79	(6.69 - 14.10)	12.71	(8.87 - 17.89)	1.97	(1.08 - 3.59)
Southern	8.04	(5.48 - 11.65)	10.18	(7.09 - 14.40)	1.69	(0.94 - 3.02)
Wisconsin	7.95	(6.63 - 9.50)	15.83	(13.69 - 18.23)	2.62	(1.92 - 3.59)
Milwaukee	9.72	(6.96 - 13.41)	19.24	(14.80 - 24.64)	4.19	(2.69 - 6.46)
Northeastern	7.99	(5.82 - 10.87)	14.34	(10.68 - 18.97)	2.33	(1.46 - 3.70)
Northern and Western	7.10	(5.04 - 9.92)	13.05	(9.72 - 17.31)	1.89	(1.14 - 3.14)
Southeastern	5.97	(4.21 - 8.42)	14.49	(10.61 - 19.49)	1.78	(1.06 - 2.98)
Southern	9.55	(6.87 - 13.12)	18.51	(14.47 - 23.38)	3.37	(2.14 - 5.27)
Wyoming	7.94	(6.50 - 9.66)	14.28	(12.11 - 16.78)	2.35	(1.61 - 3.42)
Frontier 1	6.66	(4.54 - 9.66)	12.52	(8.72 - 17.66)	1.49	(0.82 - 2.71)
Frontier 2	7.40	(4.92 - 10.97)	11.72	(8.01 - 16.82)	1.56	(0.84 - 2.88)
Rural 1	9.31	(6.69 - 12.81)	15.94	(12.12 - 20.67)	3.48	(2.10 - 5.72)
Rural 2	7.67	(5.42 - 10.75)	14.47	(11.05 - 18.73)	2.35	(1.40 - 3.91)
Rural 3 (Laramie)	7.76	(5.43 - 10.99)	15.22	(11.08 - 20.54)	2.43	(1.43 - 4.12)
Rural 4	8.16	(5.50 - 11.94)	12.72	(9.10 - 17.50)	1.76	(0.97 - 3.16)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 1999-2001 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 1999, 2000, and 2001.

Table 2 First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate Region: Average Annual Rates Based on 1999, 2000, and 2001 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	6.19		5.65		0.12	
Alabama	4.98	(4.15 - 5.96)	5.51	(4.44 - 6.81)	0.10	(0.06 - 0.17)
Region 1	4.37	(3.07 - 6.19)	5.98	(4.10 - 8.65)	*	(* - *)
Region 2	4.74	(3.45 - 6.47)	4.33	(2.96 - 6.29)	*	(* - *)
Region 3	5.18	(3.69 - 7.22)	6.58	(4.67 - 9.20)	*	(* - *)
Region 4	5.87	(4.32 - 7.93)	5.74	(3.98 - 8.22)	*	(* - *)
Alaska	7.12	(6.05 - 8.35)	6.29	(4.96 - 7.94)	0.14	(0.08 - 0.24)
Gulf Coast	5.66	(3.86 - 8.22)	5.97	(3.75 - 9.36)	*	(* - *)
Rural	9.65	(6.42 - 14.25)	6.48	(3.83 - 10.77)	*	(* - *)
Southeast	7.86	(5.52 - 11.07)	6.86	(4.37 - 10.62)	*	(* - *)
Urban	6.78	(5.52 - 8.30)	6.22	(4.60 - 8.35)	0.14	(0.08 - 0.26)
Arizona	7.58	(6.47 - 8.87)	4.38	(3.38 - 5.67)	0.13	(0.08 - 0.22)
Maricopa	6.09	(4.86 - 7.61)	3.96	(2.80 - 5.58)	0.13	(0.07 - 0.25)
Pima	11.21	(8.44 - 14.75)	5.72	(3.70 - 8.73)	*	(* - *)
Rural North	*	(* - *)	5.17	(3.35 - 7.92)	*	(* - *)
Rural South	8.01	(5.76 - 11.03)	4.21	(2.67 - 6.59)	*	(* - *)
Arkansas	5.84	(4.98 - 6.83)	5.03	(4.09 - 6.17)	0.12	(0.08 - 0.18)
Areas 1 and 5	5.04	(3.59 - 7.05)	4.48	(3.03 - 6.56)	*	(* - *)
Areas 2 and 3	5.37	(3.62 - 7.91)	4.54	(2.94 - 6.95)	*	(* - *)
Areas 4 and 7	6.26	(4.59 - 8.48)	5.89	(4.00 - 8.60)	*	(* - *)
Area 6	7.79	(5.31 - 11.29)	7.57	(5.25 - 10.80)	*	(* - *)
Areas 8 and 12	4.81	(3.22 - 7.13)	3.92	(2.60 - 5.87)	*	(* - *)
Area 9	7.12	(5.22 - 9.63)	5.59	(3.72 - 8.30)	*	(* - *)
Areas 10, 11, and 13	5.04	(3.46 - 7.29)	4.08	(2.59 - 6.36)	*	(* - *)
California	6.05	(5.60 - 6.54)	4.59	(3.96 - 5.32)	0.13	(0.08 - 0.20)
Region 1	8.51	(6.25 - 11.48)	6.77	(4.33 - 10.44)	*	(* - *)
Region 2	8.98	(7.38 - 10.88)	6.78	(4.90 - 9.29)	0.15	(0.08 - 0.28)
Region 3	6.53	(5.01 - 8.47)	4.29	(2.92 - 6.28)	*	(* - *)
Region 4	6.75	(4.78 - 9.43)	6.70	(4.46 - 9.96)	*	(* - *)
Region 5	5.87	(4.51 - 7.60)	5.26	(3.71 - 7.41)	*	(* - *)
Region 6 (Santa Clara)	6.23	(4.69 - 8.23)	4.04	(2.78 - 5.83)	*	(* - *)
Region 7	6.84	(4.91 - 9.46)	5.17	(3.42 - 7.73)	*	(* - *)
Region 8	6.43	(5.02 - 8.20)	3.99	(2.78 - 5.69)	*	(* - *)
Region 9	5.84	(4.30 - 7.90)	4.34	(2.95 - 6.32)	*	(* - *)
Region 10	6.66	(4.95 - 8.90)	5.76	(3.86 - 8.51)	*	(* - *)
Region 11 (Los Angeles)	4.99	(4.29 - 5.80)	3.78	(2.97 - 4.80)	0.12	(0.07 - 0.22)
Region 12	6.76	(5.34 - 8.53)	4.81	(3.36 - 6.85)	*	(* - *)
Region 13 (Riverside)	6.52	(5.04 - 8.39)	4.79	(3.31 - 6.87)	*	(* - *)
Region 14 (Orange)	5.04	(3.87 - 6.54)	3.97	(2.77 - 5.66)	*	(* - *)
Region 15	5.20	(4.04 - 6.68)	4.76	(3.35 - 6.74)	*	(* - *)

See notes at end of table.

(continued)

Table 2 *First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate Region: Average Annual Rates Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	7.16	(6.03 - 8.48)	6.02	(4.63 - 7.79)	0.16	(0.10 - 0.27)
Regions 1 and 4	7.67	(5.60 - 10.43)	5.66	(3.71 - 8.56)	*	(* - *)
Region 2	6.93	(5.42 - 8.82)	5.78	(3.91 - 8.46)	0.18	(0.10 - 0.33)
Region 3	5.75	(3.88 - 8.45)	5.52	(3.48 - 8.67)	*	(* - *)
Regions 5 and 6	7.65	(5.37 - 10.78)	6.99	(4.51 - 10.69)	*	(* - *)
Region 7 (Boulder)	9.80	(6.78 - 13.98)	8.23	(5.18 - 12.83)	*	(* - *)
Connecticut	7.37	(6.24 - 8.68)	6.83	(5.36 - 8.67)	0.12	(0.07 - 0.19)
Eastern	8.50	(6.03 - 11.85)	7.38	(4.77 - 11.26)	*	(* - *)
North Central	8.21	(6.32 - 10.61)	7.64	(5.29 - 10.92)	*	(* - *)
Northwestern	5.14	(3.52 - 7.46)	6.17	(3.88 - 9.69)	*	(* - *)
South Central	6.45	(4.60 - 8.96)	6.16	(3.98 - 9.41)	*	(* - *)
Southwest	8.74	(6.29 - 12.01)	6.71	(4.35 - 10.23)	*	(* - *)
Delaware	9.11	(7.84 - 10.55)	7.57	(6.04 - 9.44)	0.12	(0.07 - 0.21)
Kent	9.40	(6.96 - 12.57)	6.54	(4.49 - 9.41)	*	(* - *)
New Castle	9.52	(7.98 - 11.31)	8.33	(6.36 - 10.83)	0.13	(0.07 - 0.24)
Sussex	7.40	(5.44 - 9.99)	5.87	(3.87 - 8.81)	*	(* - *)
District of Columbia	5.77	(4.73 - 7.01)	5.97	(4.83 - 7.35)	0.22	(0.13 - 0.37)
Ward 1	5.85	(3.75 - 9.01)	5.01	(3.26 - 7.64)	*	(* - *)
Ward 2	*	(* - *)	8.33	(5.83 - 11.76)	*	(* - *)
Ward 3	5.72	(3.73 - 8.69)	6.01	(3.85 - 9.27)	*	(* - *)
Ward 4	5.99	(4.15 - 8.58)	5.09	(3.20 - 8.02)	*	(* - *)
Ward 5	4.78	(3.16 - 7.18)	5.37	(3.50 - 8.15)	*	(* - *)
Ward 6	5.74	(3.73 - 8.74)	5.30	(3.31 - 8.39)	*	(* - *)
Ward 7	5.08	(3.47 - 7.37)	4.35	(2.81 - 6.70)	*	(* - *)
Ward 8	6.91	(4.65 - 10.14)	6.16	(3.91 - 9.59)	*	(* - *)
Florida	5.75	(5.18 - 6.37)	4.64	(3.99 - 5.38)	0.11	(0.07 - 0.16)
District 1	7.21	(5.30 - 9.74)	5.40	(3.63 - 7.96)	*	(* - *)
District 2	4.76	(3.30 - 6.82)	4.50	(3.01 - 6.67)	*	(* - *)
District 3	6.76	(4.68 - 9.68)	4.46	(2.96 - 6.67)	*	(* - *)
District 4	5.51	(4.15 - 7.28)	5.18	(3.65 - 7.32)	*	(* - *)
District 7	4.81	(3.69 - 6.23)	5.11	(3.78 - 6.86)	0.11	(0.06 - 0.19)
District 8	6.06	(4.49 - 8.13)	4.37	(3.03 - 6.26)	*	(* - *)
District 9 (Palm Beach)	5.50	(4.07 - 7.39)	5.71	(4.07 - 7.95)	*	(* - *)
District 10 (Broward)	6.98	(5.36 - 9.04)	4.88	(3.30 - 7.16)	0.11	(0.06 - 0.20)
District 11	4.17	(3.22 - 5.39)	3.10	(2.24 - 4.27)	0.11	(0.06 - 0.22)
District 12	5.94	(4.16 - 8.40)	5.52	(3.73 - 8.10)	*	(* - *)
District 13	7.27	(5.11 - 10.25)	5.64	(3.71 - 8.47)	*	(* - *)
District 14	5.95	(4.37 - 8.07)	4.53	(3.19 - 6.41)	*	(* - *)
District 15	9.68	(6.78 - 13.65)	5.32	(3.25 - 8.61)	*	(* - *)
Suncoast	6.05	(4.92 - 7.42)	4.89	(3.62 - 6.58)	0.11	(0.06 - 0.18)

See notes at end of table.

(continued)

Table 2 *First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate Region: Average Annual Rates Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	5.37	(4.60 - 6.25)	5.34	(4.27 - 6.65)	0.13	(0.09 - 0.20)
Central	3.44	(2.18 - 5.38)	3.97	(2.48 - 6.30)	*	(* - *)
East Central	4.30	(2.81 - 6.55)	4.84	(3.13 - 7.40)	*	(* - *)
Metro	5.89	(4.51 - 7.65)	6.27	(4.40 - 8.86)	0.16	(0.09 - 0.29)
North	6.52	(4.95 - 8.54)	5.48	(3.66 - 8.13)	*	(* - *)
Southeast	4.92	(3.34 - 7.21)	4.49	(2.87 - 6.95)	*	(* - *)
Southwest	5.45	(3.83 - 7.71)	5.60	(3.72 - 8.34)	*	(* - *)
West Central	4.58	(3.20 - 6.51)	4.89	(3.22 - 7.36)	*	(* - *)
Hawaii	7.73	(6.47 - 9.21)	6.16	(4.57 - 8.25)	0.12	(0.05 - 0.28)
Hawaii Island	10.83	(7.51 - 15.38)	6.31	(3.69 - 10.58)	*	(* - *)
Honolulu	6.95	(5.63 - 8.56)	6.13	(4.42 - 8.43)	0.11	(0.04 - 0.27)
Kalawao, Kauai, and Maui	8.66	(6.24 - 11.90)	6.25	(3.87 - 9.94)	*	(* - *)
Idaho	4.88	(4.05 - 5.87)	5.12	(4.11 - 6.37)	0.13	(0.08 - 0.21)
Region 1	6.78	(4.76 - 9.56)	7.39	(4.86 - 11.06)	*	(* - *)
Region 2	5.96	(4.15 - 8.48)	6.22	(4.01 - 9.52)	*	(* - *)
Region 3	4.87	(3.35 - 7.04)	4.94	(3.21 - 7.53)	*	(* - *)
Region 4	5.94	(4.25 - 8.24)	5.21	(3.60 - 7.49)	*	(* - *)
Region 5	4.30	(2.91 - 6.32)	4.32	(2.82 - 6.57)	*	(* - *)
Region 6	3.43	(2.24 - 5.22)	4.92	(3.18 - 7.54)	*	(* - *)
Region 7	3.19	(2.03 - 4.99)	4.21	(2.68 - 6.55)	*	(* - *)
Illinois	6.78	(6.21 - 7.41)	5.92	(5.16 - 6.79)	0.14	(0.10 - 0.21)
Region I (Cook)	7.21	(6.28 - 8.27)	5.37	(4.36 - 6.60)	0.18	(0.11 - 0.29)
Region II	6.47	(5.57 - 7.51)	6.81	(5.44 - 8.50)	0.12	(0.07 - 0.21)
Region III	6.07	(4.77 - 7.70)	6.11	(4.55 - 8.16)	0.10	(0.06 - 0.18)
Region IV	6.82	(5.37 - 8.63)	6.69	(4.96 - 8.97)	0.11	(0.06 - 0.19)
Region V	6.74	(5.39 - 8.40)	5.35	(4.00 - 7.12)	0.10	(0.06 - 0.17)
Indiana	6.23	(5.37 - 7.23)	5.35	(4.31 - 6.62)	0.12	(0.08 - 0.18)
Central	5.60	(4.06 - 7.68)	5.04	(3.41 - 7.40)	*	(* - *)
East	5.42	(3.79 - 7.72)	5.10	(3.30 - 7.79)	*	(* - *)
North Central	5.70	(4.15 - 7.77)	5.31	(3.57 - 7.82)	*	(* - *)
Northeast	9.13	(6.55 - 12.58)	4.84	(2.99 - 7.74)	*	(* - *)
Northwest	5.65	(3.87 - 8.19)	5.27	(3.40 - 8.09)	*	(* - *)
Southeast and Southwest	6.89	(5.23 - 9.02)	5.81	(3.84 - 8.69)	*	(* - *)
West	5.86	(4.11 - 8.29)	5.91	(4.10 - 8.45)	*	(* - *)
Iowa	5.30	(4.47 - 6.28)	5.32	(4.28 - 6.58)	0.10	(0.06 - 0.18)
Central	4.19	(2.88 - 6.07)	5.39	(3.59 - 8.03)	*	(* - *)
North Central	4.59	(3.22 - 6.52)	5.30	(3.71 - 7.52)	*	(* - *)
Northeast	4.70	(3.36 - 6.55)	5.20	(3.66 - 7.34)	*	(* - *)
Northwest	4.89	(3.51 - 6.76)	4.22	(2.79 - 6.32)	*	(* - *)
Southeast and Southwest	6.91	(5.33 - 8.92)	6.05	(4.31 - 8.44)	*	(* - *)

See notes at end of table.

(continued)

Table 2 *First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate Region: Average Annual Rates Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	6.45	(5.45 - 7.61)	6.27	(5.13 - 7.64)	0.13	(0.08 - 0.21)
Region 1	5.93	(4.33 - 8.08)	6.61	(4.70 - 9.21)	*	(* - *)
Region 2	5.47	(3.76 - 7.89)	6.16	(4.15 - 9.05)	*	(* - *)
Region 3	5.72	(4.15 - 7.83)	4.88	(3.28 - 7.22)	*	(* - *)
Region 4	7.72	(5.96 - 9.95)	6.72	(4.74 - 9.46)	0.15	(0.08 - 0.28)
Region 5	6.36	(4.32 - 9.27)	6.47	(4.48 - 9.26)	*	(* - *)
Kentucky	7.78	(6.70 - 9.02)	6.41	(5.25 - 7.81)	0.14	(0.09 - 0.22)
Adanta, Cumberland River, and Lifeskills	5.02	(3.52 - 7.13)	4.66	(3.03 - 7.10)	*	(* - *)
Bluegrass, Comprehend, and North Key	8.91	(6.83 - 11.54)	7.05	(5.07 - 9.72)	*	(* - *)
Communicare and River Valley	10.19	(7.37 - 13.93)	7.86	(5.14 - 11.83)	*	(* - *)
Four Rivers and Pennyroyal	7.25	(5.14 - 10.11)	6.81	(4.68 - 9.83)	*	(* - *)
Kentucky River, Mountain, and Pathways	5.51	(3.86 - 7.79)	5.35	(3.55 - 7.97)	*	(* - *)
Seven Counties	9.11	(6.89 - 11.96)	6.98	(4.90 - 9.86)	*	(* - *)
Louisiana	5.80	(4.94 - 6.80)	4.94	(3.98 - 6.10)	0.11	(0.07 - 0.18)
Region 1	5.88	(4.04 - 8.47)	4.65	(3.03 - 7.07)	*	(* - *)
Regions 2 and 9	5.81	(4.25 - 7.91)	4.79	(3.23 - 7.06)	*	(* - *)
Region 3	6.94	(4.88 - 9.78)	4.94	(3.21 - 7.52)	*	(* - *)
Region 4	6.15	(4.47 - 8.42)	4.96	(3.28 - 7.43)	*	(* - *)
Regions 5 and 6	4.79	(3.24 - 7.01)	3.76	(2.38 - 5.87)	*	(* - *)
Regions 7 and 8	5.35	(3.88 - 7.34)	5.48	(3.76 - 7.92)	*	(* - *)
Region 10 (Jefferson)	6.49	(4.43 - 9.42)	6.46	(4.26 - 9.67)	*	(* - *)
Maine	6.44	(5.46 - 7.59)	9.29	(7.52 - 11.43)	0.13	(0.08 - 0.21)
Region 1	6.49	(4.92 - 8.52)	13.06	(9.69 - 17.37)	0.14	(0.08 - 0.26)
Region 2	7.03	(5.61 - 8.77)	7.28	(5.12 - 10.25)	0.13	(0.07 - 0.23)
Region 3	5.48	(3.97 - 7.51)	8.02	(5.68 - 11.22)	*	(* - *)
Maryland	6.17	(5.18 - 7.35)	5.80	(4.70 - 7.14)	0.11	(0.07 - 0.19)
Central and Eastern Shore	7.24	(5.66 - 9.23)	6.30	(4.61 - 8.55)	0.11	(0.06 - 0.21)
Southern	5.34	(4.00 - 7.11)	5.22	(3.75 - 7.20)	0.12	(0.07 - 0.22)
Western	5.48	(4.06 - 7.36)	5.77	(4.18 - 7.91)	*	(* - *)
Massachusetts	8.77	(7.55 - 10.17)	8.50	(6.78 - 10.59)	0.14	(0.09 - 0.23)
Boston	8.01	(5.48 - 11.55)	6.66	(4.33 - 10.11)	*	(* - *)
Central	10.49	(7.72 - 14.10)	9.61	(6.17 - 14.68)	*	(* - *)
Metrowest	9.70	(7.47 - 12.52)	8.39	(5.54 - 12.49)	*	(* - *)
Northeast	8.15	(5.97 - 11.02)	8.56	(5.82 - 12.43)	*	(* - *)
Southeast	8.78	(6.74 - 11.36)	9.63	(6.37 - 14.31)	*	(* - *)
Western	7.30	(5.20 - 10.15)	8.85	(5.72 - 13.45)	*	(* - *)

See notes at end of table.

(continued)

Table 2 *First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate Region: Average Annual Rates Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Michigan	6.84	(6.28 - 7.44)	7.15	(6.32 - 8.08)	0.14	(0.10 - 0.20)
Bay and Saginaw	7.75	(5.97 - 10.01)	5.95	(4.20 - 8.36)	*	(* - *)
Detroit City	5.68	(4.37 - 7.36)	7.09	(5.20 - 9.61)	0.21	(0.11 - 0.40)
Genesee	6.98	(5.02 - 9.63)	8.52	(5.68 - 12.59)	*	(* - *)
Kalamazoo	6.08	(4.55 - 8.09)	6.60	(4.62 - 9.35)	*	(* - *)
Kent	10.09	(7.92 - 12.78)	6.16	(4.19 - 8.97)	*	(* - *)
Lakeshore	5.66	(4.32 - 7.38)	5.98	(4.26 - 8.33)	*	(* - *)
Macomb	6.18	(4.80 - 7.92)	6.74	(4.81 - 9.39)	0.13	(0.07 - 0.23)
Mid South	6.15	(4.84 - 7.80)	8.74	(6.73 - 11.29)	0.14	(0.08 - 0.24)
Northern	6.96	(5.46 - 8.83)	6.73	(4.94 - 9.11)	*	(* - *)
Oakland	7.43	(6.01 - 9.14)	7.76	(5.71 - 10.47)	0.14	(0.08 - 0.23)
Pathways and Western	8.78	(6.51 - 11.74)	8.51	(5.81 - 12.31)	*	(* - *)
Southeast	7.17	(5.83 - 8.79)	7.06	(5.30 - 9.36)	0.13	(0.08 - 0.21)
St. Clair	6.64	(4.84 - 9.05)	5.54	(3.60 - 8.43)	*	(* - *)
Washtenaw	6.14	(4.45 - 8.41)	8.01	(5.80 - 10.95)	*	(* - *)
Minnesota	7.11	(6.07 - 8.31)	7.81	(6.44 - 9.45)	0.12	(0.08 - 0.19)
Regions 1 and 2	7.59	(5.49 - 10.41)	7.41	(5.11 - 10.64)	*	(* - *)
Regions 3 and 4	6.61	(4.76 - 9.12)	6.87	(4.70 - 9.93)	*	(* - *)
Regions 5 and 6	6.32	(4.67 - 8.50)	8.81	(6.27 - 12.25)	*	(* - *)
Region 7A (Hennepin)	6.35	(4.65 - 8.63)	7.78	(5.51 - 10.89)	*	(* - *)
Region 7B (Ramsey)	7.60	(5.32 - 10.74)	6.95	(4.64 - 10.30)	*	(* - *)
Region 7C	8.62	(6.60 - 11.19)	8.44	(5.96 - 11.83)	*	(* - *)
Mississippi	5.85	(4.94 - 6.91)	5.62	(4.57 - 6.89)	0.12	(0.08 - 0.19)
Regions 1 and 2	5.71	(3.85 - 8.40)	7.03	(4.77 - 10.23)	*	(* - *)
Regions 3, 4, 7, and 10	5.45	(3.96 - 7.46)	4.99	(3.44 - 7.17)	*	(* - *)
Regions 5, 6, 11, and 15	6.26	(4.54 - 8.56)	5.17	(3.57 - 7.44)	*	(* - *)
Regions 8 and 9	5.79	(4.25 - 7.84)	6.25	(4.44 - 8.73)	*	(* - *)
Region 12	6.34	(4.28 - 9.30)	4.73	(3.08 - 7.18)	*	(* - *)
Regions 13 and 14	5.83	(4.12 - 8.20)	6.27	(4.24 - 9.18)	*	(* - *)
Missouri	6.37	(5.39 - 7.52)	6.25	(5.04 - 7.72)	0.13	(0.08 - 0.19)
Central	5.07	(3.45 - 7.39)	5.49	(3.69 - 8.10)	*	(* - *)
Eastern	7.36	(5.77 - 9.34)	6.69	(4.57 - 9.68)	0.14	(0.08 - 0.25)
Northwest	6.86	(5.08 - 9.21)	7.03	(4.96 - 9.89)	*	(* - *)
Southeast	4.87	(3.37 - 6.99)	5.20	(3.41 - 7.84)	*	(* - *)
Southwest	5.71	(4.03 - 8.01)	5.89	(3.95 - 8.68)	*	(* - *)
Montana	7.53	(6.43 - 8.81)	7.70	(6.29 - 9.39)	0.13	(0.08 - 0.22)
Regions 1 and 3	6.09	(4.52 - 8.15)	7.47	(5.40 - 10.25)	*	(* - *)
Region 2	7.82	(5.85 - 10.37)	6.63	(4.54 - 9.59)	*	(* - *)
Region 4	8.06	(6.16 - 10.48)	8.77	(6.28 - 12.12)	*	(* - *)
Region 5	8.46	(6.42 - 11.06)	7.58	(5.42 - 10.49)	*	(* - *)

See notes at end of table.

(continued)

Table 2 *First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate Region: Average Annual Rates Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nebraska	5.78	(4.82 - 6.91)	6.45	(5.23 - 7.93)	0.11	(0.07 - 0.19)
Regions 1 and 2	4.94	(3.24 - 7.48)	5.43	(3.46 - 8.42)	*	(* - *)
Region 3	4.86	(3.35 - 6.98)	6.73	(4.55 - 9.85)	*	(* - *)
Region 4	4.99	(3.43 - 7.20)	5.30	(3.49 - 7.98)	*	(* - *)
Region 5	5.35	(3.90 - 7.31)	6.35	(4.59 - 8.74)	*	(* - *)
Region 6	6.94	(5.21 - 9.19)	7.18	(5.20 - 9.84)	0.13	(0.07 - 0.25)
Nevada	8.27	(6.98 - 9.77)	5.37	(4.06 - 7.06)	0.16	(0.10 - 0.26)
Clark	8.17	(6.60 - 10.07)	4.90	(3.49 - 6.83)	0.15	(0.09 - 0.27)
Rural	8.20	(5.93 - 11.24)	5.58	(3.51 - 8.76)	*	(* - *)
Washoe	8.71	(6.34 - 11.86)	7.44	(4.73 - 11.52)	*	(* - *)
New Hampshire	7.32	(6.25 - 8.56)	8.05	(6.41 - 10.08)	0.14	(0.08 - 0.23)
Central	8.22	(6.40 - 10.51)	8.27	(5.80 - 11.67)	*	(* - *)
Northern	7.71	(5.69 - 10.36)	7.94	(5.20 - 11.95)	*	(* - *)
Southern	6.82	(5.46 - 8.48)	7.96	(5.91 - 10.65)	0.15	(0.08 - 0.26)
New Jersey	5.55	(4.79 - 6.43)	6.38	(5.19 - 7.82)	0.11	(0.07 - 0.17)
RHPA I	5.09	(3.72 - 6.94)	6.50	(4.39 - 9.53)	*	(* - *)
RHPA IIa (Bergen)	4.77	(3.29 - 6.86)	6.15	(3.92 - 9.50)	*	(* - *)
RHPA IIb (Hudson)	5.65	(3.79 - 8.36)	4.66	(3.02 - 7.13)	*	(* - *)
RHPA III	4.09	(2.78 - 5.96)	5.30	(3.49 - 7.98)	*	(* - *)
RHPA IVa	4.41	(3.01 - 6.41)	7.29	(4.78 - 10.98)	*	(* - *)
RHPA IVb (Middlesex)	7.38	(5.04 - 10.68)	7.37	(4.89 - 10.96)	*	(* - *)
RHPA V	6.03	(4.46 - 8.11)	6.15	(4.07 - 9.20)	*	(* - *)
RHPA VIa	6.73	(4.81 - 9.35)	8.01	(5.09 - 12.40)	*	(* - *)
RHPA VIb (Monmouth)	7.28	(5.14 - 10.22)	8.75	(5.59 - 13.45)	*	(* - *)
New Mexico	8.50	(7.27 - 9.90)	6.28	(4.91 - 8.00)	0.17	(0.09 - 0.33)
Region 1	11.06	(7.86 - 15.36)	5.45	(3.29 - 8.91)	*	(* - *)
Region 2	9.55	(7.39 - 12.27)	6.20	(4.05 - 9.38)	*	(* - *)
Region 3	7.70	(5.52 - 10.65)	4.88	(3.28 - 7.21)	*	(* - *)
Region 4	8.72	(6.54 - 11.54)	6.25	(4.08 - 9.47)	*	(* - *)
Region 5 (Bernalillo)	6.94	(5.12 - 9.35)	7.88	(5.45 - 11.26)	0.21	(0.10 - 0.45)
New York	5.62	(5.07 - 6.22)	6.17	(5.38 - 7.06)	0.12	(0.08 - 0.18)
New York City	4.23	(3.47 - 5.15)	3.78	(2.97 - 4.80)	0.12	(0.06 - 0.22)
Remainder of the State	6.60	(5.87 - 7.41)	8.88	(7.56 - 10.41)	0.12	(0.07 - 0.20)
North Carolina	6.25	(5.37 - 7.26)	6.14	(4.97 - 7.57)	0.12	(0.08 - 0.18)
Eastern	5.59	(4.25 - 7.32)	7.03	(4.99 - 9.83)	*	(* - *)
North Central	6.17	(4.65 - 8.16)	7.28	(4.96 - 10.56)	*	(* - *)
South Central	6.75	(5.18 - 8.77)	5.43	(3.87 - 7.58)	*	(* - *)
Western	6.34	(4.87 - 8.23)	5.38	(3.83 - 7.51)	*	(* - *)

See notes at end of table.

(continued)

Table 2 *First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate Region: Average Annual Rates Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Dakota	7.63	(6.52 - 8.92)	7.34	(6.01 - 8.93)	0.10	(0.06 - 0.18)
Badlands and West Central	8.91	(6.98 - 11.32)	6.27	(4.36 - 8.95)	*	(* - *)
Lake Region and South Central	6.52	(4.63 - 9.11)	7.47	(5.08 - 10.86)	*	(* - *)
North Central and Northwest	7.09	(5.31 - 9.39)	6.14	(4.21 - 8.87)	*	(* - *)
Northeast	6.78	(4.73 - 9.64)	9.28	(6.47 - 13.15)	*	(* - *)
Southeast	7.96	(5.94 - 10.59)	7.71	(5.67 - 10.40)	*	(* - *)
Ohio	6.09	(5.57 - 6.66)	6.19	(5.45 - 7.01)	0.11	(0.07 - 0.15)
Boards 2, 46, 55, and 68	7.06	(5.26 - 9.41)	6.74	(4.67 - 9.64)	*	(* - *)
Boards 3, 52, and 85	4.94	(3.44 - 7.05)	6.11	(4.13 - 8.95)	*	(* - *)
Boards 4 and 78	5.89	(4.09 - 8.41)	5.34	(3.59 - 7.86)	*	(* - *)
Boards 5 and 60	5.77	(4.12 - 8.03)	7.02	(4.86 - 10.04)	*	(* - *)
Boards 7, 15, 41, 79, and 84	4.77	(3.31 - 6.82)	5.27	(3.62 - 7.61)	*	(* - *)
Boards 8, 13, and 83	6.56	(4.81 - 8.89)	5.27	(3.50 - 7.85)	*	(* - *)
Board 9 (Butler)	6.97	(4.84 - 9.94)	6.80	(4.49 - 10.16)	*	(* - *)
Board 12	7.53	(5.39 - 10.41)	7.96	(5.37 - 11.65)	*	(* - *)
Boards 18 and 47	5.58	(4.43 - 7.01)	5.99	(4.43 - 8.04)	0.10	(0.06 - 0.17)
Boards 20, 32, 54, and 69	5.43	(3.90 - 7.50)	5.20	(3.53 - 7.58)	*	(* - *)
Boards 21, 39, 51, 70, and 80	5.51	(4.07 - 7.42)	5.56	(3.75 - 8.15)	*	(* - *)
Boards 22, 74, and 87	4.99	(3.54 - 7.00)	4.76	(3.08 - 7.29)	*	(* - *)
Boards 23 and 45	7.67	(5.49 - 10.61)	5.94	(3.80 - 9.18)	*	(* - *)
Board 25 (Franklin)	7.02	(5.56 - 8.82)	7.80	(6.09 - 9.93)	0.13	(0.07 - 0.23)
Boards 27, 71, and 73	5.23	(3.66 - 7.42)	5.84	(3.99 - 8.49)	*	(* - *)
Boards 28, 43, and 67	6.60	(4.95 - 8.76)	7.10	(4.95 - 10.09)	*	(* - *)
Board 31 (Hamilton)	5.22	(3.93 - 6.91)	4.94	(3.47 - 6.98)	*	(* - *)
Board 48 (Lucas)	6.22	(4.53 - 8.47)	6.40	(4.36 - 9.30)	*	(* - *)
Board 50 (Mahoning)	5.20	(3.50 - 7.67)	5.90	(3.88 - 8.87)	*	(* - *)
Board 57 (Montgomery)	5.86	(4.23 - 8.05)	5.98	(4.13 - 8.59)	*	(* - *)
Board 76 (Stark)	5.80	(4.10 - 8.15)	7.48	(5.01 - 11.02)	*	(* - *)
Board 77 (Summit)	9.06	(6.72 - 12.12)	5.98	(3.80 - 9.27)	*	(* - *)
Oklahoma	6.72	(5.69 - 7.92)	4.89	(3.93 - 6.07)	0.12	(0.07 - 0.19)
Central	7.43	(5.32 - 10.28)	5.99	(4.07 - 8.72)	*	(* - *)
East Central	7.57	(5.31 - 10.69)	5.23	(3.32 - 8.14)	*	(* - *)
Northeast	4.78	(3.12 - 7.26)	4.76	(3.09 - 7.27)	*	(* - *)
Northwest and Southwest	5.81	(4.10 - 8.16)	4.24	(2.82 - 6.33)	*	(* - *)
Oklahoma City Metro	6.67	(4.78 - 9.24)	4.79	(3.27 - 6.97)	*	(* - *)
Southeast	5.42	(3.81 - 7.66)	4.29	(2.83 - 6.44)	*	(* - *)
Tulsa Metro	9.51	(6.72 - 13.31)	5.30	(3.35 - 8.27)	*	(* - *)

See notes at end of table.

(continued)

Table 2 *First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate Region: Average Annual Rates Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	6.62	(5.60 - 7.80)	6.66	(5.43 - 8.14)	0.13	(0.09 - 0.21)
Region 1 (Multnomah)	7.49	(5.46 - 10.19)	7.40	(5.02 - 10.78)	*	(* - *)
Region 2	7.64	(5.77 - 10.06)	6.91	(4.78 - 9.88)	*	(* - *)
Region 3	6.54	(4.88 - 8.71)	6.75	(4.91 - 9.20)	*	(* - *)
Region 4	4.87	(3.33 - 7.06)	5.55	(3.53 - 8.61)	*	(* - *)
Region 5	5.97	(4.23 - 8.37)	5.99	(3.94 - 9.01)	*	(* - *)
Pennsylvania	5.47	(4.99 - 6.00)	6.12	(5.40 - 6.93)	0.10	(0.07 - 0.15)
Regions 1, 27, and 47	5.24	(4.08 - 6.70)	8.10	(6.19 - 10.53)	0.10	(0.06 - 0.17)
Regions 2, 3, 8, and 9	5.33	(3.97 - 7.12)	6.66	(4.82 - 9.12)	*	(* - *)
Regions 4 and 42	3.97	(2.70 - 5.81)	4.45	(2.98 - 6.61)	*	(* - *)
Regions 5 and 28	4.10	(2.77 - 6.02)	4.73	(3.12 - 7.11)	*	(* - *)
Regions 6, 16, and 39	5.10	(3.60 - 7.18)	4.51	(2.99 - 6.75)	*	(* - *)
Region 7 (Bucks)	5.10	(3.67 - 7.06)	6.85	(4.76 - 9.77)	*	(* - *)
Regions 10, 15, and 25	5.46	(3.83 - 7.72)	6.30	(4.19 - 9.36)	*	(* - *)
Regions 11, 29, 44, and 48	6.17	(4.49 - 8.44)	6.47	(4.37 - 9.48)	*	(* - *)
Regions 12, 35, 41, and 45	5.83	(4.09 - 8.24)	7.15	(5.10 - 9.95)	*	(* - *)
Region 13 (Chester)	5.21	(3.62 - 7.43)	7.71	(5.11 - 11.47)	*	(* - *)
Regions 14, 31, 36, and 46	4.77	(3.34 - 6.77)	5.50	(3.70 - 8.10)	*	(* - *)
Regions 17, 24, and 43	5.79	(4.35 - 7.67)	4.58	(3.14 - 6.65)	*	(* - *)
Region 18 (Philadelphia)	6.16	(4.82 - 7.85)	6.13	(4.56 - 8.19)	0.12	(0.06 - 0.23)
Regions 19 and 23	5.84	(4.07 - 8.31)	5.38	(3.55 - 8.08)	*	(* - *)
Regions 20, 26, and 40	3.71	(2.53 - 5.42)	4.85	(3.29 - 7.10)	*	(* - *)
Regions 21 and 32	4.39	(3.07 - 6.23)	4.81	(3.19 - 7.20)	*	(* - *)
Region 22 (Delaware)	7.86	(5.75 - 10.65)	7.29	(5.15 - 10.24)	*	(* - *)
Region 30 (Lancaster)	5.58	(3.97 - 7.80)	5.85	(4.13 - 8.23)	*	(* - *)
Region 33 (Lehigh)	5.23	(3.60 - 7.55)	5.77	(4.06 - 8.15)	*	(* - *)
Region 34	4.16	(2.83 - 6.07)	5.00	(3.28 - 7.55)	*	(* - *)
Region 37 (Montgomery)	6.61	(4.99 - 8.70)	6.85	(4.73 - 9.82)	*	(* - *)
Region 38 (Northampton)	4.51	(3.04 - 6.63)	6.04	(3.98 - 9.06)	*	(* - *)
Region 49	5.95	(4.45 - 7.92)	4.73	(3.18 - 6.99)	*	(* - *)
Rhode Island	7.04	(5.92 - 8.34)	6.58	(5.19 - 8.31)	0.13	(0.08 - 0.20)
Bristol and Newport	8.43	(6.03 - 11.68)	8.60	(5.54 - 13.12)	*	(* - *)
Kent	7.54	(5.58 - 10.11)	8.30	(5.57 - 12.19)	*	(* - *)
Providence	6.25	(4.86 - 8.01)	5.42	(3.90 - 7.48)	0.12	(0.07 - 0.22)
Washington	8.99	(6.50 - 12.30)	10.49	(6.86 - 15.72)	*	(* - *)
South Carolina	6.77	(5.78 - 7.91)	5.71	(4.64 - 7.02)	0.12	(0.08 - 0.19)
Region 1	7.95	(6.05 - 10.37)	6.23	(4.32 - 8.90)	*	(* - *)
Region 2	6.40	(4.86 - 8.39)	5.62	(4.11 - 7.63)	*	(* - *)
Region 3	6.90	(5.02 - 9.42)	4.66	(3.15 - 6.83)	*	(* - *)
Region 4	6.04	(4.56 - 7.95)	6.05	(4.31 - 8.43)	*	(* - *)

See notes at end of table.

(continued)

Table 2 *First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate Region: Average Annual Rates Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	5.88	(4.98 - 6.93)	5.59	(4.50 - 6.93)	0.11	(0.06 - 0.19)
Region 1 (Pennington)	7.72	(5.51 - 10.70)	6.45	(4.14 - 9.92)	*	(* - *)
Region 2	6.26	(4.57 - 8.53)	5.76	(3.92 - 8.40)	*	(* - *)
Region 3 (Minnehaha)	6.18	(4.53 - 8.39)	5.62	(3.85 - 8.14)	*	(* - *)
Region 4	6.94	(4.86 - 9.83)	6.32	(4.23 - 9.32)	*	(* - *)
Region 5	4.06	(2.56 - 6.38)	4.12	(2.53 - 6.63)	*	(* - *)
Region 6	4.03	(2.56 - 6.30)	4.57	(2.81 - 7.34)	*	(* - *)
Region 7	5.60	(3.92 - 7.95)	5.96	(4.10 - 8.60)	*	(* - *)
Tennessee	6.16	(5.28 - 7.19)	5.87	(4.69 - 7.31)	0.13	(0.08 - 0.19)
Region 1	7.18	(5.18 - 9.87)	5.59	(3.52 - 8.75)	*	(* - *)
Region 2	5.66	(4.17 - 7.64)	5.49	(3.79 - 7.91)	*	(* - *)
Region 3	6.43	(4.65 - 8.82)	6.08	(4.10 - 8.92)	*	(* - *)
Region 4 (Davidson)	6.80	(4.52 - 10.13)	5.37	(3.41 - 8.36)	*	(* - *)
Region 5	6.48	(4.85 - 8.61)	6.83	(4.66 - 9.91)	*	(* - *)
Region 6	6.26	(4.39 - 8.86)	5.25	(3.45 - 7.91)	*	(* - *)
Region 7 (Shelby)	5.26	(3.57 - 7.67)	5.82	(3.72 - 8.99)	*	(* - *)
Texas	5.51	(5.02 - 6.04)	4.72	(4.12 - 5.40)	0.12	(0.08 - 0.17)
Region 1	8.07	(5.93 - 10.89)	6.33	(4.32 - 9.19)	*	(* - *)
Regions 2 and 9	5.86	(4.32 - 7.90)	5.21	(3.58 - 7.52)	*	(* - *)
Region 3	4.75	(3.93 - 5.73)	4.51	(3.56 - 5.70)	0.11	(0.07 - 0.19)
Region 4	4.60	(3.26 - 6.45)	4.57	(3.03 - 6.85)	*	(* - *)
Region 5	5.73	(4.08 - 8.00)	5.55	(3.76 - 8.11)	*	(* - *)
Region 6	5.15	(4.31 - 6.14)	4.50	(3.54 - 5.71)	0.12	(0.07 - 0.20)
Region 7	5.92	(4.56 - 7.65)	5.42	(4.10 - 7.14)	0.14	(0.08 - 0.23)
Region 8	5.72	(4.51 - 7.24)	4.76	(3.49 - 6.48)	0.14	(0.08 - 0.25)
Region 10	8.79	(6.50 - 11.78)	4.54	(2.93 - 6.97)	*	(* - *)
Region 11	5.66	(4.50 - 7.10)	3.76	(2.69 - 5.24)	0.11	(0.06 - 0.22)
Utah	4.31	(3.51 - 5.29)	3.90	(3.09 - 4.91)	0.12	(0.07 - 0.20)
Bear River, Northeastern, Summit, Tooele, and Wasatch	4.36	(2.91 - 6.47)	4.29	(2.90 - 6.30)	*	(* - *)
Central, Four Corners, San Juan, and Southwest	4.95	(3.29 - 7.39)	3.77	(2.40 - 5.88)	*	(* - *)
Davis County	3.36	(2.24 - 5.01)	4.11	(2.65 - 6.33)	*	(* - *)
Salt Lake County	4.91	(3.65 - 6.57)	4.33	(3.11 - 5.99)	0.12	(0.06 - 0.22)
Utah County	2.88	(1.80 - 4.57)	2.86	(1.85 - 4.42)	*	(* - *)
Weber, Morgan	5.29	(3.58 - 7.77)	4.67	(2.96 - 7.30)	*	(* - *)
Vermont	9.03	(7.84 - 10.39)	9.88	(7.95 - 12.21)	0.17	(0.10 - 0.30)
Champlain Valley	9.28	(7.44 - 11.52)	9.96	(7.38 - 13.31)	0.20	(0.10 - 0.41)
Rural Northeast	7.26	(5.42 - 9.67)	8.69	(5.89 - 12.62)	*	(* - *)
Rural Southeast	9.51	(7.29 - 12.32)	9.91	(6.82 - 14.20)	*	(* - *)
Rural Southwest	10.54	(8.02 - 13.73)	11.63	(7.54 - 17.51)	*	(* - *)

See notes at end of table.

(continued)

Table 2 First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate Region: Average Annual Rates Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Virginia	5.07	(4.27 - 6.01)	5.86	(4.71 - 7.26)	0.13	(0.08 - 0.20)
Region 1	6.18	(4.40 - 8.63)	6.79	(4.55 - 10.00)	*	(* - *)
Region 2	4.39	(3.19 - 6.02)	5.47	(3.71 - 8.00)	0.14	(0.08 - 0.27)
Region 3	5.93	(4.39 - 7.96)	5.55	(3.77 - 8.08)	*	(* - *)
Region 4	5.10	(3.60 - 7.19)	5.42	(3.52 - 8.26)	*	(* - *)
Region 5	4.43	(3.27 - 5.97)	6.21	(4.42 - 8.67)	*	(* - *)
Washington	6.84	(5.92 - 7.88)	5.82	(4.70 - 7.20)	0.13	(0.08 - 0.20)
Region 1	8.91	(6.31 - 12.44)	6.71	(4.41 - 10.08)	*	(* - *)
Region 2	8.39	(5.94 - 11.73)	5.43	(3.51 - 8.33)	*	(* - *)
Region 3	6.38	(4.65 - 8.70)	7.20	(4.98 - 10.30)	*	(* - *)
Region 4 (King)	4.65	(3.31 - 6.49)	4.49	(3.00 - 6.67)	*	(* - *)
Region 5	6.78	(4.99 - 9.15)	6.00	(4.06 - 8.77)	*	(* - *)
Region 6	8.28	(6.30 - 10.81)	6.73	(4.50 - 9.93)	*	(* - *)
West Virginia	6.31	(5.37 - 7.41)	5.29	(4.26 - 6.56)	0.11	(0.07 - 0.17)
Eastern Highland	5.78	(4.27 - 7.80)	5.55	(3.80 - 8.03)	*	(* - *)
Northern	5.86	(4.38 - 7.79)	5.99	(4.24 - 8.39)	*	(* - *)
South Central I	5.20	(3.60 - 7.47)	4.13	(2.67 - 6.34)	*	(* - *)
South Central II	5.37	(3.78 - 7.57)	4.93	(3.27 - 7.35)	*	(* - *)
South Central III	9.49	(6.77 - 13.14)	5.84	(3.78 - 8.94)	*	(* - *)
Southern	6.99	(4.95 - 9.80)	4.54	(2.97 - 6.87)	*	(* - *)
Wisconsin	6.99	(6.08 - 8.03)	6.28	(5.13 - 7.67)	0.14	(0.09 - 0.21)
Milwaukee	6.67	(4.96 - 8.93)	6.19	(4.21 - 9.02)	*	(* - *)
Northeastern	7.24	(5.61 - 9.29)	6.10	(4.22 - 8.75)	0.15	(0.08 - 0.27)
Northern and Western	6.33	(4.75 - 8.38)	5.66	(3.90 - 8.14)	*	(* - *)
Southeastern	7.14	(5.53 - 9.18)	6.88	(4.77 - 9.82)	*	(* - *)
Southern	7.74	(5.83 - 10.20)	6.89	(4.92 - 9.56)	*	(* - *)
Wyoming	7.20	(6.15 - 8.42)	6.81	(5.58 - 8.28)	0.13	(0.08 - 0.21)
Frontier 1	5.99	(4.36 - 8.18)	6.13	(4.11 - 9.05)	*	(* - *)
Frontier 2	4.12	(2.50 - 6.72)	4.86	(2.99 - 7.82)	*	(* - *)
Rural 1	9.20	(6.87 - 12.22)	7.35	(5.09 - 10.50)	*	(* - *)
Rural 2	7.67	(5.66 - 10.32)	6.96	(5.02 - 9.56)	*	(* - *)
Rural 3 (Laramie)	6.53	(4.83 - 8.77)	6.87	(4.67 - 9.99)	*	(* - *)
Rural 4	7.90	(5.58 - 11.07)	7.68	(5.15 - 11.29)	*	(* - *)

*Low precision; no estimate reported.

NOTE: Average Annual Rate = {(Number of Marijuana Initiates in past 24 months)/[(Number of Marijuana Initiates in past 24 months * 0.5) + Number of persons who never used marijuana]}/2. Both the computation components, Number of Marijuana Initiates in past 24 months and Number of persons who never used marijuana, are based on a survey-weighted hierarchical Bayes estimation approach. Note that the age group is based on a respondent's age at the time of the interview, not his or her age at first use. The prediction intervals for Average Annual Rate of First Use of Marijuana use a simultaneous solution for First Use of Marijuana and Never Used Marijuana outcomes, which had random effects that were allowed to be correlated across the two outcomes. The associated Markov Chain Monte Carlo chains were used to calculate the posterior variance.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 1999-2001 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 1999, 2000, and 2001.

Table 3 Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	36.81		28.40		46.96	
Alabama	43.45	(40.28 - 46.67)	34.52	(31.33 - 37.84)	54.45	(50.77 - 58.09)
Region 1	45.15	(40.17 - 50.24)	33.72	(28.66 - 39.18)	53.56	(47.85 - 59.17)
Region 2	41.27	(36.50 - 46.22)	33.68	(28.96 - 38.75)	55.04	(49.88 - 60.10)
Region 3	41.82	(36.50 - 47.35)	33.14	(28.06 - 38.64)	55.36	(49.43 - 61.15)
Region 4	45.85	(40.64 - 51.15)	38.19	(32.50 - 44.23)	54.05	(47.99 - 60.00)
Alaska	31.10	(28.24 - 34.12)	20.35	(17.60 - 23.40)	37.14	(33.87 - 40.54)
Gulf Coast	31.68	(26.33 - 37.58)	19.70	(15.05 - 25.35)	38.81	(33.14 - 44.80)
Rural	32.77	(27.02 - 39.09)	30.85	(25.03 - 37.34)	47.92	(41.49 - 54.41)
Southeast	32.10	(26.64 - 38.10)	18.79	(14.14 - 24.53)	39.40	(33.58 - 45.54)
Urban	30.46	(27.21 - 33.93)	18.91	(15.91 - 22.31)	34.69	(30.94 - 38.65)
Arizona	33.66	(30.69 - 36.76)	30.68	(27.61 - 33.94)	47.66	(43.99 - 51.35)
Maricopa	34.78	(31.12 - 38.63)	31.95	(28.20 - 35.95)	45.75	(41.39 - 50.17)
Pima	28.61	(23.96 - 33.76)	26.50	(21.58 - 32.08)	46.45	(40.63 - 52.37)
Rural North	33.60	(27.98 - 39.73)	28.83	(23.42 - 34.92)	52.41	(45.93 - 58.82)
Rural South	35.04	(29.67 - 40.83)	*	(* - *)	54.00	(47.55 - 60.33)
Arkansas	41.23	(38.02 - 44.51)	31.76	(28.59 - 35.11)	52.44	(49.22 - 55.65)
Areas 1 and 5	43.28	(37.82 - 48.91)	31.50	(26.22 - 37.31)	51.82	(46.27 - 57.32)
Areas 2 and 3	43.24	(37.16 - 49.53)	34.83	(28.74 - 41.46)	57.60	(51.43 - 63.54)
Areas 4 and 7	43.07	(37.82 - 48.47)	33.59	(27.95 - 39.74)	54.89	(49.20 - 60.45)
Area 6	39.78	(33.99 - 45.87)	28.03	(23.25 - 33.37)	48.02	(41.85 - 54.24)
Areas 8 and 12	40.46	(34.70 - 46.49)	32.10	(26.38 - 38.40)	56.07	(50.19 - 61.78)
Area 9	35.41	(30.49 - 40.65)	28.17	(23.01 - 33.97)	44.62	(39.42 - 49.95)
Areas 10, 11, and 13	43.54	(37.51 - 49.77)	35.39	(29.15 - 42.17)	56.66	(50.69 - 62.45)
California	34.56	(33.24 - 35.91)	31.09	(29.17 - 33.07)	42.79	(40.78 - 44.83)
Region 1	29.57	(25.04 - 34.54)	22.85	(18.12 - 28.39)	39.51	(33.91 - 45.39)
Region 2	29.59	(26.32 - 33.08)	25.44	(21.52 - 29.80)	37.32	(32.91 - 41.95)
Region 3	35.47	(31.24 - 39.94)	35.03	(29.52 - 40.98)	47.79	(42.44 - 53.19)
Region 4	30.52	(25.79 - 35.70)	22.27	(17.84 - 27.42)	35.38	(30.48 - 40.61)
Region 5	30.22	(26.46 - 34.25)	23.52	(19.44 - 28.15)	37.89	(33.46 - 42.53)
Region 6 (Santa Clara)	31.84	(27.67 - 36.32)	31.71	(26.69 - 37.20)	38.94	(34.28 - 43.81)
Region 7	31.42	(26.74 - 36.50)	32.53	(27.04 - 38.55)	43.30	(37.89 - 48.87)
Region 8	35.98	(31.93 - 40.23)	34.21	(29.44 - 39.32)	51.10	(45.99 - 56.18)
Region 9	34.12	(29.72 - 38.82)	30.08	(25.24 - 35.42)	46.03	(40.76 - 51.40)
Region 10	31.37	(27.06 - 36.03)	26.17	(21.31 - 31.70)	39.66	(34.52 - 45.04)
Region 11 (Los Angeles)	38.39	(35.99 - 40.84)	36.17	(33.25 - 39.20)	46.55	(43.40 - 49.72)
Region 12	33.13	(29.43 - 37.04)	33.66	(28.99 - 38.68)	47.16	(42.56 - 51.80)
Region 13 (Riverside)	35.62	(31.31 - 40.18)	34.20	(28.81 - 40.03)	45.51	(40.24 - 50.89)
Region 14 (Orange)	36.50	(32.50 - 40.69)	31.95	(27.54 - 36.72)	40.36	(35.94 - 44.94)
Region 15	34.72	(30.96 - 38.68)	26.67	(22.64 - 31.13)	42.16	(37.56 - 46.91)

See notes at end of table.

(continued)

Table 3 *Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	27.94	(25.05 - 31.02)	20.01	(17.23 - 23.12)	36.67	(33.29 - 40.18)
Regions 1 and 4	27.74	(23.19 - 32.80)	20.34	(15.98 - 25.53)	39.67	(34.09 - 45.54)
Region 2	28.35	(24.51 - 32.53)	20.46	(16.88 - 24.58)	35.92	(31.62 - 40.46)
Region 3	29.32	(24.19 - 35.02)	22.07	(16.98 - 28.17)	38.55	(32.86 - 44.58)
Regions 5 and 6	27.29	(22.41 - 32.78)	18.92	(14.73 - 23.97)	37.43	(31.64 - 43.61)
Region 7 (Boulder)	23.60	(19.02 - 28.88)	14.54	(10.78 - 19.33)	28.83	(23.70 - 34.56)
Connecticut	28.48	(25.47 - 31.70)	22.90	(19.77 - 26.37)	42.21	(38.86 - 45.63)
Eastern	26.34	(21.68 - 31.61)	16.87	(12.72 - 22.03)	39.93	(33.91 - 46.28)
North Central	26.22	(22.16 - 30.72)	23.59	(19.16 - 28.69)	42.10	(37.23 - 47.13)
Northwestern	30.69	(25.74 - 36.13)	24.67	(19.47 - 30.73)	44.24	(38.39 - 50.25)
South Central	32.16	(27.34 - 37.40)	24.23	(19.50 - 29.70)	42.59	(37.19 - 48.16)
Southwest	26.74	(21.87 - 32.25)	23.42	(18.42 - 29.29)	41.44	(35.92 - 47.19)
Delaware	31.27	(28.36 - 34.33)	25.51	(22.62 - 28.63)	41.41	(37.98 - 44.93)
Kent	33.01	(27.89 - 38.56)	29.32	(24.33 - 34.86)	44.89	(39.18 - 50.73)
New Castle	29.55	(26.23 - 33.10)	22.83	(19.60 - 26.43)	38.53	(34.53 - 42.70)
Sussex	35.72	(30.57 - 41.22)	33.06	(27.26 - 39.43)	47.32	(41.82 - 52.89)
District of Columbia	33.90	(29.95 - 38.08)	24.09	(21.32 - 27.10)	42.76	(39.27 - 46.33)
Ward 1	*	(* - *)	23.74	(18.98 - 29.25)	41.65	(35.84 - 47.70)
Ward 2	*	(* - *)	18.32	(14.71 - 22.58)	35.32	(30.03 - 40.99)
Ward 3	30.12	(24.34 - 36.62)	16.37	(12.58 - 21.02)	31.42	(26.02 - 37.38)
Ward 4	35.37	(29.66 - 41.54)	*	(* - *)	48.31	(42.15 - 54.51)
Ward 5	36.75	(30.78 - 43.14)	27.94	(22.65 - 33.91)	48.66	(42.57 - 54.79)
Ward 6	*	(* - *)	23.83	(18.71 - 29.83)	36.91	(31.62 - 42.53)
Ward 7	35.27	(29.43 - 41.58)	32.86	(26.98 - 39.33)	52.70	(46.76 - 58.56)
Ward 8	32.84	(26.88 - 39.42)	30.27	(24.33 - 36.95)	50.18	(43.67 - 56.68)
Florida	42.23	(40.41 - 44.07)	34.47	(32.43 - 36.57)	49.87	(47.88 - 51.85)
District 1	40.29	(35.15 - 45.65)	30.37	(25.35 - 35.92)	45.47	(40.14 - 50.90)
District 2	43.56	(38.02 - 49.28)	33.68	(28.27 - 39.56)	48.65	(43.06 - 54.28)
District 3	40.66	(35.27 - 46.28)	28.98	(23.87 - 34.68)	50.55	(44.71 - 56.37)
District 4	40.21	(35.70 - 44.88)	31.41	(26.69 - 36.55)	44.85	(40.15 - 49.65)
District 7	41.65	(37.56 - 45.86)	30.97	(27.23 - 34.99)	45.67	(41.40 - 50.01)
District 8	43.60	(38.67 - 48.67)	38.18	(32.73 - 43.94)	50.66	(45.19 - 56.10)
District 9 (Palm Beach)	43.35	(38.47 - 48.37)	33.72	(28.83 - 38.98)	46.85	(41.80 - 51.96)
District 10 (Broward)	39.87	(35.42 - 44.50)	35.27	(30.22 - 40.66)	46.93	(42.40 - 51.52)
District 11	44.30	(40.45 - 48.23)	41.53	(37.52 - 45.66)	62.60	(58.84 - 66.20)
District 12	41.43	(35.69 - 47.41)	29.98	(24.87 - 35.64)	48.52	(42.64 - 54.45)
District 13	46.43	(40.77 - 52.18)	35.76	(29.71 - 42.31)	53.81	(47.77 - 59.74)
District 14	47.14	(41.82 - 52.52)	39.55	(34.10 - 45.28)	55.04	(49.81 - 60.15)
District 15	41.00	(35.14 - 47.12)	33.18	(27.23 - 39.71)	46.39	(40.51 - 52.37)
Suncoast	40.89	(37.31 - 44.58)	33.30	(29.65 - 37.16)	46.86	(43.05 - 50.71)

See notes at end of table.

(continued)

Table 3 *Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	37.06	(34.35 - 39.86)	30.31	(27.15 - 33.66)	51.49	(47.92 - 55.05)
Central	40.19	(34.63 - 46.03)	35.46	(29.29 - 42.15)	58.42	(51.86 - 64.70)
East Central	37.96	(32.23 - 44.05)	28.96	(23.33 - 35.32)	55.26	(48.50 - 61.84)
Metro	33.27	(29.12 - 37.70)	29.59	(24.83 - 34.85)	45.86	(40.79 - 51.02)
North	37.64	(33.11 - 42.40)	27.65	(22.77 - 33.12)	50.53	(45.36 - 55.68)
Southeast	40.33	(34.87 - 46.05)	32.89	(26.79 - 39.64)	57.07	(50.88 - 63.04)
Southwest	39.15	(33.72 - 44.87)	36.00	(29.82 - 42.69)	58.00	(51.84 - 63.92)
West Central	37.94	(32.97 - 43.18)	29.33	(23.78 - 35.58)	51.99	(45.62 - 58.30)
Hawaii	31.41	(28.14 - 34.88)	26.21	(22.83 - 29.89)	43.01	(39.48 - 46.62)
Hawaii Island	27.57	(22.33 - 33.52)	23.23	(17.96 - 29.49)	41.94	(35.78 - 48.38)
Honolulu	32.32	(28.57 - 36.32)	26.91	(23.12 - 31.06)	43.69	(39.71 - 47.77)
Kalawao, Kauai, and Maui	30.76	(25.58 - 36.48)	24.55	(19.20 - 30.82)	40.70	(35.28 - 46.36)
Idaho	40.69	(37.57 - 43.89)	29.51	(26.54 - 32.68)	46.29	(42.99 - 49.62)
Region 1	37.41	(32.15 - 42.98)	23.94	(19.12 - 29.54)	44.04	(38.20 - 50.04)
Region 2	37.34	(31.81 - 43.21)	22.25	(17.45 - 27.93)	39.43	(33.42 - 45.77)
Region 3	42.74	(36.97 - 48.71)	32.92	(27.07 - 39.36)	53.02	(47.31 - 58.66)
Region 4	38.78	(33.46 - 44.37)	29.48	(24.53 - 34.96)	40.59	(35.26 - 46.14)
Region 5	44.17	(38.71 - 49.78)	32.79	(27.23 - 38.87)	51.05	(44.99 - 57.08)
Region 6	41.68	(36.27 - 47.29)	29.88	(24.59 - 35.77)	49.78	(43.89 - 55.69)
Region 7	42.27	(36.53 - 48.22)	32.06	(26.58 - 38.08)	50.51	(44.84 - 56.16)
Illinois	37.41	(35.77 - 39.08)	28.82	(26.83 - 30.90)	46.00	(43.98 - 48.03)
Region I (Cook)	36.44	(33.92 - 39.03)	31.11	(28.35 - 34.02)	45.59	(42.57 - 48.64)
Region II	35.74	(33.20 - 38.36)	26.48	(23.59 - 29.59)	41.40	(38.34 - 44.54)
Region III	38.78	(34.65 - 43.07)	26.66	(22.86 - 30.83)	50.62	(46.02 - 55.22)
Region IV	40.21	(35.99 - 44.59)	27.22	(23.11 - 31.77)	50.82	(46.04 - 55.60)
Region V	43.04	(39.09 - 47.08)	28.65	(24.88 - 32.74)	51.92	(47.41 - 56.41)
Indiana	41.00	(37.95 - 44.13)	28.58	(25.59 - 31.77)	48.50	(45.14 - 51.87)
Central	41.86	(36.69 - 47.21)	30.72	(25.45 - 36.54)	44.93	(39.64 - 50.34)
East	39.31	(33.72 - 45.19)	27.91	(22.43 - 34.15)	52.67	(46.44 - 58.81)
North Central	41.64	(36.42 - 47.06)	29.51	(24.23 - 35.39)	50.45	(44.60 - 56.28)
Northeast	41.02	(35.41 - 46.87)	26.67	(21.37 - 32.73)	49.14	(43.16 - 55.15)
Northwest	39.47	(33.78 - 45.47)	31.36	(25.54 - 37.83)	50.56	(44.38 - 56.73)
Southeast and Southwest	41.79	(36.85 - 46.89)	29.48	(24.20 - 35.36)	49.03	(43.51 - 54.57)
West	40.10	(34.23 - 46.26)	23.44	(19.20 - 28.29)	46.34	(40.39 - 52.39)
Iowa	43.20	(40.15 - 46.31)	29.95	(26.80 - 33.29)	48.31	(44.98 - 51.64)
Central	41.84	(36.22 - 47.67)	31.06	(25.38 - 37.38)	44.47	(38.82 - 50.26)
North Central	44.26	(38.61 - 50.06)	25.97	(21.61 - 30.86)	47.93	(41.69 - 54.24)
Northeast	41.61	(36.47 - 46.94)	30.36	(25.42 - 35.79)	47.75	(42.68 - 52.87)
Northwest	45.39	(40.12 - 50.77)	34.27	(28.43 - 40.62)	51.81	(46.02 - 57.55)
Southeast and Southwest	43.52	(38.84 - 48.32)	28.70	(24.24 - 33.61)	49.00	(44.26 - 53.76)

See notes at end of table.

(continued)

Table 3 *Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	37.50	(34.31 - 40.79)	25.98	(23.04 - 29.16)	45.61	(42.18 - 49.08)
Region 1	38.82	(33.63 - 44.28)	28.63	(23.68 - 34.14)	47.80	(42.20 - 53.45)
Region 2	38.38	(32.64 - 44.46)	29.50	(23.87 - 35.84)	49.99	(43.98 - 55.99)
Region 3	40.71	(35.39 - 46.25)	33.06	(27.36 - 39.30)	52.44	(46.65 - 58.16)
Region 4	34.98	(30.35 - 39.92)	21.00	(17.05 - 25.58)	39.68	(34.98 - 44.59)
Region 5	36.04	(30.59 - 41.88)	23.14	(18.71 - 28.25)	42.73	(36.63 - 49.06)
Kentucky	39.71	(36.60 - 42.92)	29.55	(26.65 - 32.62)	53.85	(50.22 - 57.44)
Adanta, Cumberland River, and Lifeskills	43.29	(37.89 - 48.85)	34.87	(29.65 - 40.49)	61.24	(55.70 - 66.50)
Bluegrass, Comprehend, and North Key	38.12	(33.16 - 43.34)	26.11	(21.82 - 30.90)	49.47	(43.96 - 54.99)
Communicare and River Valley	38.51	(32.90 - 44.45)	29.76	(24.04 - 36.20)	53.43	(47.05 - 59.69)
Four Rivers and Pennyroyal	43.03	(37.28 - 48.97)	30.36	(24.74 - 36.62)	55.43	(49.20 - 61.50)
Kentucky River, Mountain, and Pathways	40.53	(35.09 - 46.21)	34.21	(28.86 - 39.99)	60.01	(54.09 - 65.65)
Seven Counties	37.50	(32.49 - 42.80)	26.87	(22.36 - 31.92)	49.60	(43.99 - 55.23)
Louisiana	39.67	(36.74 - 42.68)	29.58	(26.68 - 32.67)	56.18	(52.58 - 59.71)
Region 1	37.52	(31.92 - 43.48)	30.20	(24.61 - 36.43)	56.28	(50.12 - 62.26)
Regions 2 and 9	38.36	(33.52 - 43.45)	25.46	(21.28 - 30.15)	55.33	(49.81 - 60.72)
Region 3	41.56	(35.70 - 47.68)	34.13	(28.04 - 40.79)	56.40	(49.90 - 62.69)
Region 4	43.89	(38.71 - 49.21)	31.37	(26.15 - 37.10)	57.85	(52.10 - 63.40)
Regions 5 and 6	41.30	(35.89 - 46.93)	32.47	(26.75 - 38.76)	56.18	(49.95 - 62.21)
Regions 7 and 8	39.77	(34.75 - 45.02)	29.81	(24.98 - 35.14)	57.80	(52.14 - 63.25)
Region 10 (Jefferson)	35.79	(30.22 - 41.77)	28.97	(23.59 - 35.01)	52.82	(46.47 - 59.08)
Maine	32.01	(29.16 - 35.01)	17.36	(14.86 - 20.19)	40.46	(37.40 - 43.60)
Region 1	29.81	(25.74 - 34.22)	14.48	(11.53 - 18.02)	36.83	(32.50 - 41.37)
Region 2	33.07	(29.31 - 37.07)	19.58	(15.99 - 23.75)	42.60	(38.27 - 47.04)
Region 3	33.31	(28.63 - 38.33)	17.91	(14.16 - 22.41)	42.25	(37.27 - 47.38)
Maryland	34.51	(31.62 - 37.51)	26.50	(23.52 - 29.70)	43.56	(40.07 - 47.12)
Central and Eastern Shore	34.36	(30.16 - 38.83)	24.78	(20.86 - 29.18)	43.86	(39.07 - 48.77)
Southern	35.65	(31.41 - 40.12)	29.82	(25.36 - 34.69)	44.44	(39.55 - 49.44)
Western	33.41	(28.81 - 38.36)	25.26	(20.73 - 30.41)	42.19	(36.96 - 47.60)
Massachusetts	27.70	(24.74 - 30.86)	16.79	(14.09 - 19.90)	37.25	(33.77 - 40.86)
Boston	28.18	(22.71 - 34.38)	18.02	(13.77 - 23.23)	38.92	(33.47 - 44.67)
Central	27.84	(22.97 - 33.29)	16.63	(12.53 - 21.73)	39.86	(34.11 - 45.90)
Metrowest	27.82	(23.37 - 32.76)	16.55	(12.73 - 21.22)	33.92	(28.52 - 39.77)
Northeast	27.49	(22.97 - 32.52)	17.05	(13.09 - 21.89)	36.98	(31.67 - 42.61)
Southeast	27.74	(23.47 - 32.45)	16.26	(12.36 - 21.11)	37.28	(32.09 - 42.78)
Western	27.25	(22.52 - 32.55)	16.07	(12.10 - 21.04)	39.91	(33.69 - 46.48)

See notes at end of table.

(continued)

Table 3 *Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Michigan	35.79	(34.21 - 37.39)	25.14	(23.26 - 27.11)	44.66	(42.77 - 46.57)
Bay and Saginaw	35.89	(31.61 - 40.42)	27.13	(22.79 - 31.96)	49.75	(44.76 - 54.75)
Detroit City	36.76	(32.68 - 41.05)	31.05	(26.72 - 35.75)	54.12	(49.37 - 58.79)
Genesee	35.59	(30.74 - 40.76)	24.46	(19.59 - 30.08)	48.12	(42.92 - 53.35)
Kalamazoo	36.70	(32.08 - 41.58)	27.87	(23.05 - 33.26)	42.96	(37.96 - 48.11)
Kent	35.49	(31.05 - 40.21)	28.33	(23.61 - 33.58)	44.68	(39.65 - 49.81)
Lakeshore	41.15	(36.64 - 45.82)	28.42	(23.91 - 33.41)	49.39	(44.48 - 54.30)
Macomb	35.21	(31.02 - 39.64)	24.92	(20.83 - 29.51)	41.73	(37.22 - 46.39)
Mid South	34.55	(30.72 - 38.58)	22.16	(18.88 - 25.83)	44.19	(39.98 - 48.50)
Northern	33.50	(29.45 - 37.81)	23.97	(20.01 - 28.43)	42.97	(38.32 - 47.75)
Oakland	34.20	(30.56 - 38.03)	20.99	(17.54 - 24.93)	38.70	(34.67 - 42.90)
Pathways and Western	35.05	(30.29 - 40.12)	24.84	(20.19 - 30.16)	42.60	(37.17 - 48.22)
Southeast	36.64	(32.90 - 40.55)	24.84	(21.19 - 28.89)	45.21	(41.04 - 49.44)
St. Clair	38.57	(33.41 - 44.00)	28.22	(23.01 - 34.10)	49.94	(44.31 - 55.59)
Washtenaw	32.31	(27.57 - 37.43)	18.52	(14.96 - 22.72)	33.70	(29.23 - 38.48)
Minnesota	35.79	(32.93 - 38.74)	23.10	(20.41 - 26.04)	41.61	(38.34 - 44.96)
Regions 1 and 2	37.23	(31.74 - 43.07)	24.66	(19.73 - 30.36)	45.88	(39.74 - 52.15)
Regions 3 and 4	38.95	(33.57 - 44.61)	25.72	(20.51 - 31.71)	47.89	(42.00 - 53.84)
Regions 5 and 6	35.25	(30.39 - 40.44)	21.71	(17.49 - 26.63)	44.20	(38.66 - 49.88)
Region 7A (Hennepin)	34.12	(29.29 - 39.31)	22.94	(18.87 - 27.58)	36.29	(31.47 - 41.40)
Region 7B (Ramsey)	34.58	(28.98 - 40.64)	21.68	(16.81 - 27.50)	38.13	(32.47 - 44.12)
Region 7C	35.08	(30.50 - 39.95)	22.54	(18.13 - 27.66)	39.78	(34.54 - 45.25)
Mississippi	46.77	(43.54 - 50.03)	37.55	(34.28 - 40.95)	58.03	(54.47 - 61.52)
Regions 1 and 2	43.24	(36.95 - 49.75)	31.60	(26.03 - 37.74)	55.71	(49.31 - 61.93)
Regions 3, 4, 7, and 10	52.19	(46.74 - 57.60)	38.90	(33.45 - 44.65)	60.16	(54.96 - 65.14)
Regions 5, 6, 11, and 15	46.05	(40.69 - 51.51)	42.16	(36.24 - 48.32)	63.04	(57.24 - 68.50)
Regions 8 and 9	42.73	(37.51 - 48.11)	35.77	(30.50 - 41.41)	53.31	(47.59 - 58.94)
Region 12	46.36	(40.10 - 52.75)	38.19	(32.04 - 44.74)	58.03	(52.21 - 63.63)
Regions 13 and 14	46.42	(40.62 - 52.32)	35.82	(30.02 - 42.07)	55.41	(49.45 - 61.21)
Missouri	39.93	(36.80 - 43.16)	26.36	(23.34 - 29.61)	48.34	(44.85 - 51.84)
Central	38.41	(32.63 - 44.53)	24.84	(20.10 - 30.27)	49.14	(42.70 - 55.61)
Eastern	37.54	(33.07 - 42.25)	23.64	(19.45 - 28.41)	43.49	(38.51 - 48.62)
Northwest	43.39	(38.22 - 48.71)	28.57	(23.73 - 33.96)	50.14	(44.77 - 55.52)
Southeast	41.81	(36.30 - 47.52)	31.40	(25.69 - 37.74)	56.50	(50.54 - 62.28)
Southwest	40.03	(34.69 - 45.62)	26.57	(21.53 - 32.32)	49.69	(43.76 - 55.63)
Montana	33.39	(30.41 - 36.51)	22.59	(19.97 - 25.44)	44.31	(41.10 - 47.57)
Regions 1 and 3	35.31	(30.74 - 40.18)	28.34	(23.80 - 33.37)	47.11	(42.16 - 52.11)
Region 2	35.64	(30.59 - 41.04)	28.50	(23.51 - 34.08)	45.27	(39.74 - 50.92)
Region 4	31.83	(27.37 - 36.65)	17.26	(13.83 - 21.34)	42.55	(37.56 - 47.70)
Region 5	31.43	(26.95 - 36.29)	19.68	(16.18 - 23.72)	42.47	(37.56 - 47.52)

See notes at end of table.

(continued)

Table 3 *Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nebraska	39.54	(36.36 - 42.80)	26.05	(23.08 - 29.26)	45.06	(41.81 - 48.35)
Regions 1 and 2	42.30	(36.49 - 48.33)	31.46	(25.59 - 38.00)	53.33	(47.05 - 59.49)
Region 3	41.91	(36.19 - 47.85)	28.92	(23.51 - 35.02)	49.73	(43.68 - 55.78)
Region 4	43.25	(37.38 - 49.32)	*	(* - *)	50.39	(44.14 - 56.62)
Region 5	39.07	(34.22 - 44.14)	23.71	(19.46 - 28.56)	40.67	(35.74 - 45.80)
Region 6	36.83	(32.32 - 41.57)	23.38	(19.43 - 27.85)	41.92	(37.51 - 46.45)
Nevada	30.03	(27.04 - 33.20)	29.03	(25.50 - 32.82)	42.79	(39.15 - 46.51)
Clark	30.77	(27.22 - 34.57)	30.88	(26.80 - 35.27)	44.08	(39.83 - 48.42)
Rural	29.43	(24.58 - 34.80)	*	(* - *)	42.30	(36.57 - 48.24)
Washoe	27.72	(23.03 - 32.95)	22.89	(18.00 - 28.64)	38.00	(32.55 - 43.76)
New Hampshire	27.63	(24.86 - 30.58)	17.96	(15.30 - 20.97)	36.47	(33.41 - 39.64)
Central	27.54	(23.32 - 32.21)	16.71	(13.11 - 21.06)	38.82	(34.02 - 43.84)
Northern	29.17	(24.41 - 34.43)	17.42	(13.22 - 22.60)	38.43	(32.53 - 44.69)
Southern	27.33	(24.01 - 30.93)	18.77	(15.52 - 22.52)	34.92	(31.31 - 38.72)
New Jersey	35.50	(32.89 - 38.21)	27.14	(23.90 - 30.65)	47.06	(43.66 - 50.49)
RHPA I	36.70	(31.83 - 41.85)	28.33	(22.83 - 34.57)	48.56	(43.14 - 54.02)
RHPA IIa (Bergen)	34.28	(29.33 - 39.60)	*	(* - *)	44.36	(38.36 - 50.54)
RHPA IIb (Hudson)	37.37	(31.54 - 43.60)	*	(* - *)	55.44	(49.29 - 61.43)
RHPA III	36.65	(31.57 - 42.04)	30.01	(24.53 - 36.12)	50.20	(44.36 - 56.04)
RHPA IVa	34.51	(29.34 - 40.08)	23.52	(18.53 - 29.38)	42.33	(36.43 - 48.47)
RHPA IVb (Middlesex)	30.77	(25.51 - 36.59)	25.37	(20.15 - 31.41)	43.48	(37.39 - 49.77)
RHPA V	35.00	(30.29 - 40.03)	24.31	(19.50 - 29.86)	45.93	(40.08 - 51.88)
RHPA VIa	38.77	(33.43 - 44.39)	*	(* - *)	49.33	(43.18 - 55.51)
RHPA VIb (Monmouth)	34.30	(29.12 - 39.89)	22.47	(17.48 - 28.39)	42.94	(37.03 - 49.05)
New Mexico	30.53	(27.58 - 33.64)	27.28	(24.15 - 30.64)	44.86	(41.60 - 48.16)
Region 1	32.96	(27.51 - 38.92)	31.60	(25.75 - 38.10)	49.37	(43.16 - 55.61)
Region 2	29.16	(25.03 - 33.67)	25.50	(20.84 - 30.79)	41.52	(36.61 - 46.61)
Region 3	32.44	(27.48 - 37.82)	33.24	(27.75 - 39.23)	52.72	(47.16 - 58.22)
Region 4	34.22	(29.17 - 39.65)	30.74	(25.13 - 36.99)	49.09	(43.59 - 54.61)
Region 5 (Bernalillo)	26.15	(21.81 - 31.01)	20.83	(16.93 - 25.34)	38.59	(33.98 - 43.42)
New York	34.64	(32.91 - 36.41)	26.10	(24.08 - 28.22)	48.91	(46.88 - 50.95)
New York City	35.34	(32.57 - 38.22)	30.83	(28.03 - 33.78)	53.70	(50.65 - 56.72)
Remainder of the State	34.17	(32.16 - 36.23)	22.07	(19.75 - 24.59)	45.46	(42.94 - 48.01)
North Carolina	38.09	(35.31 - 40.96)	25.69	(22.70 - 28.93)	48.17	(44.77 - 51.58)
Eastern	38.52	(34.22 - 43.01)	27.27	(22.63 - 32.45)	52.31	(47.18 - 57.40)
North Central	36.48	(31.81 - 41.43)	23.18	(18.71 - 28.35)	50.23	(44.68 - 55.77)
South Central	38.71	(34.35 - 43.26)	26.23	(21.73 - 31.29)	47.37	(42.23 - 52.56)
Western	38.50	(33.99 - 43.21)	26.10	(21.65 - 31.09)	44.92	(39.69 - 50.25)

See notes at end of table.

(continued)

Table 3 *Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Dakota	38.91	(35.92 - 41.99)	25.96	(23.12 - 29.02)	47.99	(44.64 - 51.37)
Badlands and West Central Lake Region and South Central	36.77	(32.46 - 41.30)	28.10	(23.36 - 33.38)	49.76	(44.79 - 54.74)
North Central and Northwest	42.66	(36.98 - 48.55)	31.25	(25.73 - 37.36)	51.27	(45.36 - 57.13)
Northeast	39.89	(34.62 - 45.40)	29.83	(24.44 - 35.83)	50.99	(45.05 - 56.89)
Southeast	38.21	(32.75 - 43.99)	22.12	(17.64 - 27.37)	45.79	(40.21 - 51.48)
	38.36	(33.18 - 43.82)	22.71	(18.80 - 27.17)	42.70	(37.34 - 48.23)
Ohio	37.52	(35.95 - 39.13)	25.85	(23.98 - 27.80)	46.05	(44.13 - 47.99)
Boards 2, 46, 55, and 68	38.12	(33.41 - 43.06)	29.16	(24.23 - 34.63)	50.77	(45.35 - 56.17)
Boards 3, 52, and 85	40.17	(34.71 - 45.89)	26.67	(21.70 - 32.31)	46.63	(41.03 - 52.31)
Boards 4 and 78	36.90	(31.82 - 42.28)	27.78	(22.61 - 33.62)	48.38	(42.67 - 54.12)
Boards 5 and 60	41.11	(35.97 - 46.45)	24.54	(20.04 - 29.67)	50.99	(45.46 - 56.51)
Boards 7, 15, 41, 79, and 84	41.64	(36.34 - 47.13)	29.81	(24.76 - 35.41)	51.57	(46.24 - 56.86)
Boards 8, 13, and 83	37.17	(32.28 - 42.34)	26.78	(21.81 - 32.43)	44.31	(38.69 - 50.08)
Board 9 (Butler)	36.36	(30.98 - 42.11)	24.89	(20.23 - 30.22)	46.47	(40.64 - 52.40)
Board 12	33.68	(28.71 - 39.05)	21.76	(17.39 - 26.86)	43.91	(38.25 - 49.73)
Boards 18 and 47	37.29	(33.64 - 41.11)	25.41	(21.72 - 29.50)	45.95	(41.95 - 50.00)
Boards 20, 32, 54, and 69	41.17	(36.16 - 46.36)	31.27	(25.98 - 37.10)	50.05	(44.53 - 55.56)
Boards 21, 39, 51, 70, and 80	38.82	(33.93 - 43.95)	30.37	(25.16 - 36.14)	46.88	(41.77 - 52.05)
Boards 22, 74, and 87	39.61	(34.72 - 44.72)	24.86	(20.24 - 30.13)	51.17	(45.63 - 56.69)
Boards 23 and 45	35.88	(31.04 - 41.03)	21.97	(17.45 - 27.26)	43.11	(37.43 - 48.99)
Board 25 (Franklin)	36.95	(32.88 - 41.22)	23.15	(20.03 - 26.59)	40.10	(36.08 - 44.24)
Boards 27, 71, and 73	43.38	(38.18 - 48.72)	33.74	(28.49 - 39.43)	54.23	(48.89 - 59.47)
Boards 28, 43, and 67	35.05	(30.40 - 40.00)	23.42	(19.03 - 28.47)	43.90	(38.69 - 49.24)
Board 31 (Hamilton)	35.36	(31.24 - 39.70)	27.09	(23.01 - 31.60)	41.09	(36.62 - 45.72)
Board 48 (Lucas)	37.41	(32.60 - 42.50)	27.64	(22.83 - 33.04)	48.12	(42.73 - 53.56)
Board 50 (Mahoning)	35.52	(30.40 - 41.01)	26.94	(21.87 - 32.71)	48.76	(42.84 - 54.71)
Board 57 (Montgomery)	33.50	(28.95 - 38.39)	23.67	(19.64 - 28.23)	45.12	(39.89 - 50.46)
Board 76 (Stark)	36.49	(31.41 - 41.89)	22.78	(18.20 - 28.11)	45.94	(40.39 - 51.59)
Board 77 (Summit)	36.72	(32.01 - 41.70)	20.91	(16.79 - 25.73)	41.10	(36.20 - 46.18)
Oklahoma	40.40	(37.14 - 43.75)	35.37	(32.00 - 38.88)	51.00	(47.24 - 54.75)
Central	36.92	(31.65 - 42.52)	27.35	(22.03 - 33.40)	45.84	(39.73 - 52.08)
East Central	42.95	(36.82 - 49.30)	*	(* - *)	56.73	(50.15 - 63.09)
Northeast	42.11	(36.06 - 48.40)	34.94	(29.15 - 41.20)	53.45	(47.24 - 59.57)
Northwest and Southwest	44.07	(38.52 - 49.77)	38.28	(32.44 - 44.48)	53.59	(47.65 - 59.43)
Oklahoma City Metro	36.30	(30.84 - 42.15)	34.55	(29.41 - 40.09)	46.36	(40.54 - 52.29)
Southeast	45.72	(40.01 - 51.54)	42.66	(36.36 - 49.21)	57.11	(50.94 - 63.07)
Tulsa Metro	37.41	(31.75 - 43.43)	32.02	(26.36 - 38.25)	47.63	(41.48 - 53.85)

See notes at end of table.

(continued)

Table 3 *Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs*
(continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	30.96	(28.00 - 34.09)	20.14	(17.50 - 23.07)	36.49	(32.86 - 40.28)
Region 1 (Multnomah)	28.48	(24.04 - 33.38)	17.14	(13.37 - 21.71)	32.30	(27.20 - 37.87)
Region 2	30.03	(25.59 - 34.89)	20.96	(16.77 - 25.87)	33.85	(28.58 - 39.55)
Region 3	30.27	(25.85 - 35.08)	18.99	(15.56 - 22.96)	35.73	(30.66 - 41.15)
Region 4	35.07	(29.74 - 40.79)	23.58	(18.49 - 29.55)	43.10	(36.85 - 49.58)
Region 5	33.07	(27.91 - 38.68)	24.42	(19.25 - 30.45)	42.04	(35.79 - 48.55)
Pennsylvania	37.62	(36.04 - 39.22)	25.63	(23.76 - 27.60)	49.52	(47.57 - 51.47)
Regions 1, 27, and 47	37.32	(33.51 - 41.30)	21.21	(17.90 - 24.95)	47.01	(42.97 - 51.09)
Regions 2, 3, 8, and 9	41.43	(36.78 - 46.25)	27.12	(23.09 - 31.56)	55.26	(50.34 - 60.08)
Regions 4 and 42	39.37	(34.73 - 44.21)	30.33	(25.22 - 35.97)	53.02	(47.91 - 58.06)
Regions 5 and 28	42.54	(37.02 - 48.25)	27.75	(22.73 - 33.41)	54.84	(49.08 - 60.47)
Regions 6, 16, and 39	39.03	(34.22 - 44.06)	28.43	(23.36 - 34.12)	54.21	(48.47 - 59.85)
Region 7 (Bucks)	33.52	(28.85 - 38.53)	21.76	(17.43 - 26.81)	39.44	(34.35 - 44.76)
Regions 10, 15, and 25	38.03	(32.85 - 43.49)	26.41	(21.26 - 32.30)	53.90	(48.01 - 59.67)
Regions 11, 29, 44, and 48	37.02	(32.12 - 42.20)	27.89	(22.82 - 33.60)	53.12	(47.70 - 58.47)
Regions 12, 35, 41, and 45	37.32	(32.02 - 42.94)	19.96	(16.21 - 24.33)	49.12	(43.43 - 54.82)
Region 13 (Chester)	35.92	(30.85 - 41.33)	22.61	(17.89 - 28.16)	42.67	(37.12 - 48.40)
Regions 14, 31, 36, and 46	39.57	(34.41 - 44.98)	28.15	(22.85 - 34.15)	54.69	(48.53 - 60.71)
Regions 17, 24, and 43	41.26	(36.70 - 45.99)	34.17	(28.85 - 39.91)	54.30	(48.93 - 59.56)
Region 18 (Philadelphia)	35.37	(31.49 - 39.45)	26.91	(23.15 - 31.03)	52.08	(47.46 - 56.66)
Regions 19 and 23	36.53	(31.32 - 42.07)	25.16	(20.14 - 30.93)	50.44	(44.92 - 55.94)
Regions 20, 26, and 40	38.98	(34.14 - 44.04)	27.57	(23.10 - 32.54)	50.59	(45.13 - 56.03)
Regions 21 and 32	36.59	(31.66 - 41.81)	28.41	(23.36 - 34.06)	50.90	(45.68 - 56.10)
Region 22 (Delaware)	37.01	(32.34 - 41.93)	25.53	(21.13 - 30.49)	44.80	(39.37 - 50.35)
Region 30 (Lancaster)	42.79	(37.49 - 48.27)	27.48	(22.66 - 32.89)	49.41	(43.94 - 54.89)
Region 33 (Lehigh)	36.66	(31.29 - 42.38)	27.55	(22.65 - 33.07)	48.52	(42.67 - 54.41)
Region 34	40.83	(35.82 - 46.03)	25.93	(21.01 - 31.53)	53.39	(47.65 - 59.05)
Region 37 (Montgomery)	34.31	(29.95 - 38.95)	21.62	(17.38 - 26.55)	41.90	(37.00 - 46.96)
Region 38 (Northampton)	37.48	(32.02 - 43.28)	23.35	(18.59 - 28.89)	47.84	(41.96 - 53.78)
Region 49	36.42	(31.76 - 41.36)	24.22	(19.66 - 29.45)	48.17	(42.96 - 53.42)
Rhode Island	31.86	(28.56 - 35.36)	17.80	(15.07 - 20.90)	42.73	(39.02 - 46.52)
Bristol and Newport	31.83	(26.51 - 37.66)	16.66	(12.49 - 21.88)	40.59	(34.54 - 46.93)
Kent	32.86	(27.66 - 38.51)	19.00	(14.68 - 24.23)	41.08	(35.44 - 46.97)
Providence	32.16	(28.04 - 36.57)	18.46	(15.19 - 22.24)	45.02	(40.44 - 49.69)
Washington	29.32	(24.16 - 35.08)	14.16	(10.50 - 18.82)	36.19	(30.54 - 42.25)
South Carolina	39.30	(36.29 - 42.40)	34.22	(31.00 - 37.59)	51.02	(47.54 - 54.49)
Region 1	37.25	(32.42 - 42.35)	31.00	(25.95 - 36.54)	50.17	(44.86 - 55.48)
Region 2	43.57	(38.77 - 48.50)	35.78	(30.93 - 40.94)	52.50	(47.41 - 57.54)
Region 3	36.17	(31.15 - 41.51)	35.29	(29.88 - 41.09)	51.39	(45.69 - 57.04)
Region 4	38.53	(33.77 - 43.52)	34.90	(29.94 - 40.21)	49.96	(44.58 - 55.35)

See notes at end of table.

(continued)

Table 3 *Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	37.96	(34.88 - 41.15)	27.24	(24.33 - 30.36)	45.57	(42.36 - 48.82)
Region 1 (Pennington)	34.99	(29.58 - 40.81)	24.32	(19.24 - 30.24)	42.36	(36.65 - 48.28)
Region 2	38.18	(33.12 - 43.51)	30.84	(25.83 - 36.35)	47.34	(41.54 - 53.21)
Region 3 (Minnehaha)	35.26	(30.31 - 40.55)	26.24	(21.51 - 31.58)	41.46	(36.38 - 46.74)
Region 4	38.22	(32.51 - 44.28)	24.38	(19.56 - 29.94)	43.73	(37.72 - 49.93)
Region 5	41.09	(35.10 - 47.36)	*	(* - *)	49.99	(43.72 - 56.26)
Region 6	40.55	(34.77 - 46.60)	29.12	(23.64 - 35.27)	49.31	(43.48 - 55.16)
Region 7	38.59	(33.06 - 44.42)	25.37	(20.72 - 30.66)	46.70	(41.13 - 52.36)
Tennessee	38.34	(35.20 - 41.58)	28.86	(25.63 - 32.33)	51.14	(47.56 - 54.71)
Region 1	43.03	(37.01 - 49.26)	*	(* - *)	53.80	(47.31 - 60.16)
Region 2	40.94	(35.68 - 46.42)	31.14	(26.09 - 36.68)	54.35	(48.28 - 60.29)
Region 3	37.38	(32.10 - 42.98)	27.36	(22.16 - 33.27)	53.44	(47.68 - 59.11)
Region 4 (Davidson)	35.32	(29.60 - 41.49)	27.66	(22.03 - 34.10)	42.80	(36.83 - 48.99)
Region 5	39.27	(34.15 - 44.64)	28.15	(22.97 - 33.98)	48.90	(43.28 - 54.54)
Region 6	38.27	(32.51 - 44.38)	29.78	(24.13 - 36.12)	55.92	(49.68 - 61.97)
Region 7 (Shelby)	34.98	(29.16 - 41.29)	*	(* - *)	48.25	(41.98 - 54.57)
Texas	40.30	(38.71 - 41.91)	34.53	(32.56 - 36.54)	54.23	(52.28 - 56.18)
Region 1	39.22	(34.27 - 44.41)	32.62	(27.65 - 38.02)	59.37	(54.26 - 64.29)
Regions 2 and 9	37.84	(32.82 - 43.14)	32.10	(27.02 - 37.65)	57.93	(52.63 - 63.05)
Region 3	42.24	(39.33 - 45.21)	35.35	(32.24 - 38.58)	49.34	(46.24 - 52.44)
Region 4	45.14	(39.82 - 50.57)	34.35	(28.96 - 40.18)	56.39	(50.85 - 61.78)
Region 5	39.99	(34.63 - 45.59)	31.10	(25.65 - 37.13)	55.45	(49.48 - 61.27)
Region 6	42.05	(39.22 - 44.94)	35.88	(32.55 - 39.35)	52.43	(48.94 - 55.90)
Region 7	37.74	(33.56 - 42.12)	26.26	(22.74 - 30.12)	46.58	(42.11 - 51.10)
Region 8	34.60	(30.93 - 38.47)	32.45	(28.24 - 36.97)	58.30	(54.15 - 62.33)
Region 10	38.28	(33.23 - 43.61)	43.09	(36.96 - 49.45)	68.38	(63.32 - 73.03)
Region 11	40.46	(36.45 - 44.59)	44.32	(39.51 - 49.24)	69.22	(65.10 - 73.05)
Utah	42.76	(39.51 - 46.07)	35.76	(32.79 - 38.83)	48.30	(44.95 - 51.66)
Bear River, Northeastern, Summit, Tooele, and Wasatch	41.11	(35.12 - 47.37)	32.82	(27.39 - 38.76)	48.98	(43.17 - 54.82)
Central, Four Corners, San Juan, and Southwest	40.93	(34.94 - 47.21)	32.54	(26.66 - 39.02)	50.76	(44.64 - 56.87)
Davis County	45.13	(39.63 - 50.75)	35.32	(29.14 - 42.03)	47.39	(41.66 - 53.19)
Salt Lake County	42.50	(38.09 - 47.04)	34.42	(30.22 - 38.87)	45.61	(41.09 - 50.20)
Utah County	45.75	(40.05 - 51.56)	42.35	(37.38 - 47.48)	53.37	(47.39 - 59.27)
Weber, Morgan	39.52	(33.66 - 45.70)	*	(* - *)	49.98	(44.27 - 55.70)
Vermont	24.18	(21.49 - 27.09)	15.23	(12.74 - 18.09)	32.55	(29.40 - 35.86)
Champlain Valley	22.63	(19.31 - 26.33)	13.00	(10.28 - 16.31)	30.37	(26.18 - 34.92)
Rural Northeast	25.30	(21.07 - 30.06)	17.95	(13.95 - 22.80)	34.05	(29.10 - 39.36)
Rural Southeast	24.18	(20.10 - 28.79)	15.74	(11.93 - 20.48)	32.12	(27.46 - 37.16)
Rural Southwest	26.37	(21.83 - 31.48)	17.40	(13.10 - 22.73)	35.73	(30.40 - 41.43)

See notes at end of table.

(continued)

Table 3 Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Virginia	37.78	(34.98 - 40.67)	26.80	(23.83 - 30.00)	46.35	(42.87 - 49.85)
Region 1	38.71	(33.25 - 44.47)	26.65	(21.45 - 32.59)	48.73	(42.52 - 54.98)
Region 2	37.71	(32.91 - 42.77)	27.95	(22.76 - 33.81)	38.76	(33.95 - 43.80)
Region 3	38.64	(33.98 - 43.52)	29.02	(24.03 - 34.58)	54.02	(48.34 - 59.59)
Region 4	36.59	(31.45 - 42.04)	25.92	(21.00 - 31.54)	46.58	(40.74 - 52.51)
Region 5	37.50	(33.21 - 42.01)	24.87	(20.68 - 29.59)	46.81	(41.63 - 52.06)
Washington	32.15	(29.40 - 35.03)	23.59	(20.76 - 26.67)	39.48	(36.10 - 42.96)
Region 1	33.24	(27.91 - 39.03)	24.05	(19.13 - 29.77)	42.94	(36.84 - 49.26)
Region 2	35.37	(30.09 - 41.03)	*	(* - *)	48.35	(42.01 - 54.75)
Region 3	29.71	(25.22 - 34.63)	20.60	(16.58 - 25.31)	37.76	(32.44 - 43.39)
Region 4 (King)	31.88	(27.77 - 36.29)	22.70	(18.80 - 27.14)	36.27	(31.70 - 41.10)
Region 5	32.83	(27.96 - 38.09)	22.95	(18.22 - 28.48)	40.30	(34.56 - 46.32)
Region 6	31.35	(26.77 - 36.32)	23.06	(18.30 - 28.62)	39.18	(33.62 - 45.04)
West Virginia	39.84	(36.78 - 42.97)	28.81	(25.85 - 31.96)	53.13	(49.82 - 56.41)
Eastern Highland	39.04	(34.12 - 44.19)	30.20	(25.10 - 35.84)	53.97	(48.64 - 59.21)
Northern	41.28	(36.20 - 46.56)	27.95	(23.41 - 32.99)	53.64	(48.16 - 59.03)
South Central I	39.34	(33.86 - 45.11)	29.82	(24.56 - 35.68)	54.34	(48.62 - 59.95)
South Central II	41.18	(35.90 - 46.67)	28.17	(23.05 - 33.93)	52.13	(46.42 - 57.77)
South Central III	37.27	(31.76 - 43.13)	27.85	(22.58 - 33.82)	48.90	(42.79 - 55.03)
Southern	39.87	(34.18 - 45.85)	29.23	(23.78 - 35.35)	54.44	(48.93 - 59.84)
Wisconsin	34.14	(31.44 - 36.95)	22.35	(19.57 - 25.41)	41.08	(37.70 - 44.54)
Milwaukee	36.08	(31.12 - 41.37)	24.53	(19.85 - 29.91)	45.79	(40.07 - 51.62)
Northeastern	33.95	(29.41 - 38.80)	21.69	(17.33 - 26.80)	39.40	(34.39 - 44.65)
Northern and Western	35.05	(30.55 - 39.83)	24.07	(19.56 - 29.24)	42.96	(37.31 - 48.80)
Southeastern	35.96	(31.50 - 40.67)	22.95	(18.65 - 27.89)	39.67	(34.33 - 45.26)
Southern	29.24	(24.71 - 34.23)	18.45	(14.63 - 23.01)	37.85	(32.42 - 43.61)
Wyoming	35.86	(32.88 - 38.95)	24.78	(21.83 - 28.00)	45.26	(41.91 - 48.65)
Frontier 1	37.57	(32.49 - 42.94)	25.64	(20.44 - 31.65)	49.36	(43.56 - 55.17)
Frontier 2	39.10	(33.12 - 45.43)	*	(* - *)	51.06	(44.73 - 57.36)
Rural 1	35.25	(30.40 - 40.43)	26.16	(21.50 - 31.42)	43.23	(38.10 - 48.49)
Rural 2	36.68	(31.79 - 41.86)	23.40	(19.25 - 28.14)	45.45	(40.02 - 50.99)
Rural 3 (Laramie)	34.29	(29.44 - 39.48)	24.35	(19.45 - 30.03)	41.79	(36.36 - 47.44)
Rural 4	32.69	(27.17 - 38.75)	21.40	(16.57 - 27.17)	43.44	(37.36 - 49.73)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 1999-2001 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 1999, 2000, and 2001.

Table 4 Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	10.08		17.09		4.38	
Alabama	9.03	(7.49 - 10.84)	14.25	(12.03 - 16.79)	3.39	(2.47 - 4.63)
Region 1	8.47	(6.26 - 11.38)	12.99	(9.73 - 17.13)	3.61	(2.32 - 5.59)
Region 2	9.22	(6.90 - 12.22)	14.45	(11.19 - 18.46)	3.17	(2.03 - 4.91)
Region 3	8.31	(5.98 - 11.45)	14.19	(10.75 - 18.49)	3.28	(2.02 - 5.26)
Region 4	10.02	(7.46 - 13.34)	15.53	(11.60 - 20.47)	3.50	(2.14 - 5.67)
Alaska	12.37	(10.50 - 14.52)	21.09	(18.40 - 24.04)	6.14	(4.76 - 7.90)
Gulf Coast	11.53	(8.34 - 15.73)	*	(* - *)	6.14	(3.86 - 9.65)
Rural	12.30	(8.77 - 17.00)	*	(* - *)	6.00	(3.64 - 9.74)
Southeast	14.58	(10.71 - 19.53)	*	(* - *)	6.57	(4.09 - 10.38)
Urban	12.16	(9.96 - 14.77)	21.52	(18.31 - 25.13)	6.09	(4.50 - 8.18)
Arizona	10.93	(9.21 - 12.93)	14.46	(12.13 - 17.15)	4.82	(3.62 - 6.39)
Maricopa	10.41	(8.33 - 12.94)	14.61	(11.80 - 17.96)	4.93	(3.51 - 6.89)
Pima	13.19	(9.86 - 17.42)	16.56	(12.30 - 21.93)	5.11	(3.25 - 7.96)
Rural North	11.04	(7.83 - 15.36)	12.61	(8.76 - 17.83)	4.19	(2.53 - 6.87)
Rural South	10.30	(7.29 - 14.35)	*	(* - *)	4.46	(2.63 - 7.45)
Arkansas	10.63	(9.03 - 12.47)	15.87	(13.47 - 18.60)	3.75	(2.79 - 5.03)
Areas 1 and 5	11.04	(8.23 - 14.67)	16.89	(12.77 - 22.02)	4.60	(2.89 - 7.24)
Areas 2 and 3	10.22	(7.42 - 13.91)	13.36	(9.33 - 18.78)	2.94	(1.73 - 4.96)
Areas 4 and 7	10.70	(8.01 - 14.16)	15.53	(11.55 - 20.56)	3.22	(2.01 - 5.12)
Area 6	11.51	(8.32 - 15.72)	18.01	(13.95 - 22.95)	4.25	(2.63 - 6.79)
Areas 8 and 12	10.10	(7.20 - 13.98)	13.70	(9.92 - 18.61)	3.18	(1.88 - 5.33)
Area 9	10.77	(7.98 - 14.40)	17.13	(12.70 - 22.70)	4.12	(2.60 - 6.49)
Areas 10, 11, and 13	9.85	(7.07 - 13.57)	*	(* - *)	3.42	(2.10 - 5.54)
California	10.75	(9.94 - 11.62)	17.38	(15.88 - 18.98)	6.28	(5.44 - 7.24)
Region 1	15.45	(11.83 - 19.92)	23.91	(18.54 - 30.26)	8.62	(5.59 - 13.06)
Region 2	14.58	(11.97 - 17.65)	22.73	(18.57 - 27.52)	8.73	(6.36 - 11.88)
Region 3	14.28	(11.23 - 17.99)	18.81	(14.35 - 24.26)	7.94	(5.24 - 11.84)
Region 4	12.96	(9.54 - 17.37)	*	(* - *)	8.66	(6.02 - 12.31)
Region 5	11.76	(9.34 - 14.71)	21.58	(17.58 - 26.20)	7.64	(5.36 - 10.77)
Region 6 (Santa Clara)	10.17	(7.70 - 13.33)	16.00	(12.06 - 20.93)	5.93	(4.00 - 8.72)
Region 7	13.88	(10.53 - 18.08)	*	(* - *)	6.53	(4.17 - 10.09)
Region 8	11.57	(9.11 - 14.59)	16.66	(12.88 - 21.28)	7.88	(5.41 - 11.32)
Region 9	10.31	(7.73 - 13.62)	17.19	(13.19 - 22.11)	5.89	(3.81 - 9.00)
Region 10	12.38	(9.47 - 16.03)	18.65	(13.99 - 24.42)	6.89	(4.56 - 10.29)
Region 11 (Los Angeles)	7.72	(6.48 - 9.18)	14.64	(12.51 - 17.05)	4.58	(3.47 - 6.04)
Region 12	11.73	(9.23 - 14.79)	14.82	(11.33 - 19.16)	5.34	(3.59 - 7.86)
Region 13 (Riverside)	10.76	(8.43 - 13.65)	14.76	(11.15 - 19.28)	6.04	(4.02 - 8.99)
Region 14 (Orange)	9.69	(7.53 - 12.39)	14.15	(10.95 - 18.11)	4.49	(3.06 - 6.55)
Region 15	10.38	(8.23 - 13.02)	16.78	(13.43 - 20.78)	6.51	(4.60 - 9.12)

See notes at end of table.

(continued)

Table 4 Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	13.56	(11.42 - 16.03)	24.19	(21.17 - 27.49)	6.22	(4.80 - 8.02)
Regions 1 and 4	13.84	(10.30 - 18.36)	20.07	(15.32 - 25.84)	4.75	(3.03 - 7.37)
Region 2	12.95	(10.23 - 16.26)	23.95	(20.00 - 28.40)	6.53	(4.72 - 8.95)
Region 3	14.61	(10.57 - 19.85)	*	(* - *)	6.47	(4.16 - 9.94)
Regions 5 and 6	14.55	(10.70 - 19.47)	*	(* - *)	6.58	(4.20 - 10.16)
Region 7 (Boulder)	13.07	(9.53 - 17.67)	*	(* - *)	6.78	(4.40 - 10.29)
Connecticut	12.36	(10.51 - 14.49)	21.80	(18.71 - 25.24)	4.41	(3.32 - 5.84)
Eastern	13.17	(9.62 - 17.77)	*	(* - *)	4.02	(2.45 - 6.51)
North Central	14.30	(11.05 - 18.30)	21.75	(17.06 - 27.31)	4.92	(3.25 - 7.39)
Northwestern	10.87	(7.85 - 14.85)	*	(* - *)	4.14	(2.53 - 6.72)
South Central	10.88	(8.16 - 14.37)	21.98	(16.89 - 28.08)	4.34	(2.80 - 6.65)
Southwest	12.11	(8.81 - 16.42)	*	(* - *)	4.22	(2.60 - 6.79)
Delaware	14.02	(11.93 - 16.40)	23.02	(20.09 - 26.22)	4.68	(3.46 - 6.29)
Kent	13.23	(9.84 - 17.55)	16.95	(12.82 - 22.06)	4.14	(2.53 - 6.70)
New Castle	14.52	(11.97 - 17.50)	25.90	(22.32 - 29.84)	5.04	(3.54 - 7.13)
Sussex	13.00	(9.77 - 17.09)	16.99	(12.50 - 22.69)	4.00	(2.48 - 6.38)
District of Columbia	10.83	(8.86 - 13.17)	17.65	(15.11 - 20.53)	5.09	(3.86 - 6.69)
Ward 1	11.22	(7.74 - 15.98)	*	(* - *)	6.54	(4.15 - 10.18)
Ward 2	*	(* - *)	18.79	(14.51 - 23.97)	6.62	(4.34 - 9.99)
Ward 3	10.00	(6.83 - 14.41)	17.55	(12.88 - 23.45)	4.29	(2.64 - 6.90)
Ward 4	11.80	(8.48 - 16.19)	*	(* - *)	3.79	(2.33 - 6.13)
Ward 5	9.60	(6.74 - 13.50)	16.55	(12.34 - 21.83)	4.09	(2.50 - 6.61)
Ward 6	10.15	(7.06 - 14.38)	*	(* - *)	4.96	(3.17 - 7.69)
Ward 7	11.81	(8.50 - 16.18)	17.19	(12.75 - 22.76)	5.18	(3.24 - 8.20)
Ward 8	10.96	(7.72 - 15.33)	14.46	(10.20 - 20.10)	5.88	(3.57 - 9.54)
Florida	9.08	(8.13 - 10.12)	16.01	(14.50 - 17.64)	4.35	(3.69 - 5.13)
District 1	9.12	(6.70 - 12.31)	16.85	(12.53 - 22.28)	4.78	(3.04 - 7.44)
District 2	8.99	(6.54 - 12.24)	18.31	(13.80 - 23.88)	4.77	(3.14 - 7.17)
District 3	10.79	(7.75 - 14.83)	16.01	(11.82 - 21.33)	4.89	(3.03 - 7.80)
District 4	9.86	(7.46 - 12.94)	17.44	(13.61 - 22.08)	5.31	(3.71 - 7.52)
District 7	7.95	(6.06 - 10.36)	16.68	(13.75 - 20.10)	4.11	(2.87 - 5.85)
District 8	10.08	(7.48 - 13.44)	14.31	(10.67 - 18.92)	3.99	(2.63 - 6.02)
District 9 (Palm Beach)	9.29	(6.96 - 12.28)	18.37	(14.60 - 22.86)	4.29	(2.91 - 6.29)
District 10 (Broward)	10.10	(7.62 - 13.27)	15.61	(11.74 - 20.46)	3.88	(2.56 - 5.82)
District 11	7.67	(6.02 - 9.73)	13.96	(11.23 - 17.22)	4.06	(2.91 - 5.64)
District 12	8.89	(6.40 - 12.24)	13.90	(10.17 - 18.70)	3.50	(2.20 - 5.54)
District 13	10.48	(7.70 - 14.09)	14.25	(10.23 - 19.50)	3.93	(2.45 - 6.24)
District 14	8.75	(6.33 - 11.96)	12.42	(9.03 - 16.86)	4.23	(2.76 - 6.44)
District 15	10.89	(7.93 - 14.76)	16.22	(11.82 - 21.87)	4.50	(2.87 - 6.98)
Suncoast	9.03	(7.23 - 11.23)	17.11	(14.18 - 20.49)	4.80	(3.54 - 6.47)

See notes at end of table.

(continued)

Table 4 Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	8.30	(6.95 - 9.88)	15.70	(13.35 - 18.38)	4.53	(3.39 - 6.01)
Central	7.26	(4.97 - 10.48)	11.88	(8.25 - 16.81)	3.10	(1.79 - 5.30)
East Central	7.75	(5.28 - 11.23)	17.20	(12.71 - 22.85)	4.45	(2.69 - 7.25)
Metro	7.94	(5.95 - 10.51)	17.51	(13.53 - 22.37)	5.68	(3.73 - 8.55)
North	9.12	(6.87 - 12.02)	15.67	(11.81 - 20.50)	4.36	(2.84 - 6.64)
Southeast	8.48	(5.93 - 12.00)	13.99	(9.88 - 19.45)	3.77	(2.26 - 6.24)
Southwest	7.83	(5.47 - 11.09)	13.73	(9.86 - 18.80)	3.66	(2.20 - 6.04)
West Central	8.84	(6.45 - 12.00)	14.75	(10.63 - 20.11)	4.05	(2.46 - 6.60)
Hawaii	11.23	(9.36 - 13.42)	20.45	(17.40 - 23.88)	6.46	(4.87 - 8.52)
Hawaii Island	13.56	(9.69 - 18.66)	*	(* - *)	*	(* - *)
Honolulu	10.60	(8.53 - 13.10)	19.74	(16.41 - 23.56)	5.75	(4.14 - 7.94)
Kalawao, Kauai, and Maui	11.95	(8.79 - 16.05)	*	(* - *)	8.43	(5.37 - 12.99)
Idaho	7.87	(6.51 - 9.49)	13.12	(11.06 - 15.50)	3.49	(2.60 - 4.65)
Region 1	10.86	(7.79 - 14.95)	*	(* - *)	4.11	(2.53 - 6.59)
Region 2	7.64	(5.33 - 10.83)	*	(* - *)	3.10	(1.88 - 5.06)
Region 3	7.06	(4.91 - 10.05)	11.28	(8.05 - 15.60)	3.80	(2.36 - 6.09)
Region 4	8.16	(5.86 - 11.25)	13.46	(10.15 - 17.65)	3.63	(2.29 - 5.70)
Region 5	7.37	(5.18 - 10.40)	11.96	(8.43 - 16.71)	3.21	(1.95 - 5.25)
Region 6	7.57	(5.39 - 10.52)	13.21	(9.56 - 17.98)	3.56	(2.16 - 5.81)
Region 7	6.50	(4.51 - 9.30)	10.67	(7.46 - 15.05)	2.44	(1.45 - 4.09)
Illinois	10.95	(9.98 - 12.00)	18.22	(16.67 - 19.89)	4.80	(4.07 - 5.66)
Region I (Cook)	11.76	(10.16 - 13.58)	19.64	(17.37 - 22.14)	6.72	(5.40 - 8.34)
Region II	10.47	(8.91 - 12.27)	16.55	(14.17 - 19.25)	3.09	(2.25 - 4.23)
Region III	9.88	(7.70 - 12.59)	17.88	(14.58 - 21.74)	3.90	(2.71 - 5.59)
Region IV	10.99	(8.62 - 13.91)	17.21	(13.72 - 21.37)	3.40	(2.35 - 4.89)
Region V	10.15	(8.05 - 12.73)	17.34	(14.42 - 20.69)	3.36	(2.36 - 4.76)
Indiana	9.58	(8.08 - 11.32)	14.65	(12.46 - 17.14)	3.54	(2.61 - 4.78)
Central	9.31	(6.84 - 12.54)	15.52	(11.75 - 20.21)	4.57	(2.89 - 7.17)
East	9.64	(6.85 - 13.40)	15.64	(11.19 - 21.45)	3.49	(2.15 - 5.63)
North Central	9.20	(6.65 - 12.60)	13.32	(9.55 - 18.27)	3.18	(1.92 - 5.22)
Northeast	9.80	(7.00 - 13.55)	13.46	(9.46 - 18.80)	3.43	(2.08 - 5.62)
Northwest	9.93	(7.17 - 13.60)	14.85	(10.70 - 20.25)	3.38	(1.97 - 5.75)
Southeast and Southwest	10.22	(7.64 - 13.54)	12.52	(9.00 - 17.17)	2.82	(1.75 - 4.51)
West	9.00	(6.41 - 12.50)	16.88	(13.04 - 21.58)	3.28	(2.02 - 5.30)
Iowa	7.44	(6.11 - 9.04)	13.29	(11.16 - 15.77)	2.38	(1.69 - 3.36)
Central	6.40	(4.44 - 9.13)	10.88	(7.48 - 15.57)	2.26	(1.28 - 3.95)
North Central	8.29	(5.81 - 11.69)	11.49	(8.39 - 15.53)	2.18	(1.25 - 3.76)
Northeast	6.78	(4.82 - 9.46)	11.11	(8.05 - 15.16)	2.21	(1.35 - 3.60)
Northwest	6.48	(4.56 - 9.14)	9.77	(6.68 - 14.07)	1.85	(1.05 - 3.23)
Southeast and Southwest	8.73	(6.52 - 11.59)	18.83	(14.87 - 23.55)	2.96	(1.86 - 4.69)

See notes at end of table.

(continued)

Table 4 Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	10.15	(8.51 - 12.07)	15.93	(13.57 - 18.62)	3.60	(2.67 - 4.84)
Region 1	11.19	(8.35 - 14.83)	16.27	(12.38 - 21.08)	4.07	(2.64 - 6.22)
Region 2	9.78	(7.04 - 13.43)	13.79	(9.90 - 18.89)	3.33	(2.04 - 5.40)
Region 3	9.46	(6.87 - 12.88)	11.66	(8.31 - 16.11)	2.53	(1.52 - 4.16)
Region 4	9.99	(7.53 - 13.14)	18.30	(14.40 - 22.98)	3.79	(2.47 - 5.79)
Region 5	10.03	(7.25 - 13.72)	16.26	(12.20 - 21.35)	4.00	(2.48 - 6.39)
Kentucky	11.09	(9.41 - 13.02)	16.13	(13.92 - 18.62)	3.58	(2.68 - 4.75)
Adanta, Cumberland River, and Lifeskills	9.88	(7.20 - 13.41)	13.03	(9.72 - 17.25)	3.04	(1.88 - 4.87)
Bluegrass, Comprehend, and North Key	11.95	(9.06 - 15.60)	16.86	(13.03 - 21.53)	3.75	(2.41 - 5.80)
Communicare and River Valley	11.00	(8.11 - 14.75)	15.59	(11.26 - 21.18)	3.30	(2.03 - 5.34)
Four Rivers and Pennyroyal	10.40	(7.53 - 14.20)	13.93	(10.29 - 18.60)	3.48	(2.14 - 5.61)
Kentucky River, Mountain, and Pathways	9.90	(7.18 - 13.51)	14.92	(11.12 - 19.73)	3.41	(2.13 - 5.42)
Seven Counties	12.03	(9.11 - 15.71)	19.90	(15.79 - 24.76)	4.05	(2.63 - 6.19)
Louisiana	10.54	(8.90 - 12.43)	15.29	(13.12 - 17.74)	3.52	(2.62 - 4.71)
Region 1	10.88	(7.76 - 15.06)	19.35	(14.59 - 25.21)	4.52	(2.74 - 7.37)
Regions 2 and 9	10.90	(8.19 - 14.39)	15.55	(11.99 - 19.94)	3.57	(2.30 - 5.49)
Region 3	10.70	(7.73 - 14.62)	13.54	(9.59 - 18.77)	3.44	(2.08 - 5.65)
Region 4	9.24	(6.70 - 12.62)	13.03	(9.52 - 17.59)	3.08	(1.90 - 4.96)
Regions 5 and 6	9.51	(6.72 - 13.29)	11.79	(8.26 - 16.55)	2.98	(1.72 - 5.10)
Regions 7 and 8	10.66	(8.02 - 14.03)	14.37	(10.75 - 18.95)	3.00	(1.90 - 4.70)
Region 10 (Jefferson)	11.88	(8.56 - 16.26)	*	(* - *)	4.36	(2.65 - 7.10)
Maine	12.74	(10.88 - 14.88)	26.01	(23.05 - 29.20)	4.60	(3.57 - 5.90)
Region 1	14.47	(11.45 - 18.12)	30.87	(26.21 - 35.96)	5.18	(3.61 - 7.38)
Region 2	11.93	(9.47 - 14.93)	25.63	(21.14 - 30.71)	4.79	(3.38 - 6.74)
Region 3	11.71	(8.78 - 15.46)	20.39	(15.93 - 25.71)	3.47	(2.23 - 5.37)
Maryland	10.44	(8.69 - 12.50)	16.69	(14.27 - 19.42)	3.36	(2.44 - 4.61)
Central and Eastern Shore	10.94	(8.42 - 14.10)	18.03	(14.54 - 22.15)	3.84	(2.53 - 5.79)
Southern	10.35	(7.91 - 13.43)	15.89	(12.59 - 19.86)	3.37	(2.23 - 5.05)
Western	9.76	(7.28 - 12.95)	15.36	(11.74 - 19.84)	2.62	(1.64 - 4.17)
Massachusetts	14.57	(12.43 - 17.01)	28.06	(24.71 - 31.68)	8.25	(6.46 - 10.49)
Boston	14.46	(10.37 - 19.81)	*	(* - *)	9.77	(6.53 - 14.38)
Central	14.94	(11.22 - 19.62)	*	(* - *)	8.38	(5.41 - 12.77)
Metrowest	14.31	(10.97 - 18.45)	30.17	(24.41 - 36.62)	7.52	(5.05 - 11.06)
Northeast	14.77	(11.17 - 19.27)	*	(* - *)	7.25	(4.77 - 10.86)
Southeast	14.67	(11.37 - 18.74)	27.37	(21.74 - 33.84)	9.15	(6.21 - 13.29)
Western	14.32	(10.61 - 19.05)	*	(* - *)	8.31	(5.39 - 12.59)

See notes at end of table.

(continued)

Table 4 Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Michigan	11.34	(10.35 - 12.41)	19.07	(17.57 - 20.67)	4.59	(3.92 - 5.36)
Bay and Saginaw	11.84	(9.00 - 15.43)	17.10	(13.33 - 21.67)	4.96	(3.35 - 7.28)
Detroit City	12.01	(9.42 - 15.20)	20.98	(17.29 - 25.22)	6.83	(4.83 - 9.56)
Genesee	10.95	(8.01 - 14.81)	20.74	(15.72 - 26.85)	4.85	(3.14 - 7.42)
Kalamazoo	9.92	(7.44 - 13.11)	16.79	(12.93 - 21.51)	3.99	(2.64 - 5.97)
Kent	13.74	(10.54 - 17.72)	19.13	(14.90 - 24.22)	5.20	(3.47 - 7.72)
Lakeshore	9.99	(7.59 - 13.06)	19.08	(15.15 - 23.75)	3.99	(2.70 - 5.86)
Macomb	10.56	(8.17 - 13.55)	16.37	(12.94 - 20.49)	4.99	(3.50 - 7.09)
Mid South	11.00	(8.71 - 13.82)	19.95	(16.64 - 23.74)	3.93	(2.78 - 5.54)
Northern	10.58	(8.22 - 13.52)	16.52	(13.03 - 20.71)	3.40	(2.30 - 5.00)
Oakland	10.84	(8.71 - 13.41)	20.35	(16.71 - 24.54)	3.65	(2.58 - 5.14)
Pathways and Western	13.71	(10.36 - 17.93)	20.19	(15.32 - 26.14)	3.98	(2.57 - 6.12)
Southeast	12.24	(9.88 - 15.07)	19.05	(15.88 - 22.69)	5.52	(4.06 - 7.46)
St. Clair	13.10	(9.88 - 17.17)	19.47	(14.73 - 25.28)	3.98	(2.51 - 6.24)
Washtenaw	9.86	(7.28 - 13.21)	20.30	(16.16 - 25.19)	4.13	(2.85 - 5.95)
Minnesota	11.75	(9.95 - 13.82)	19.11	(16.65 - 21.82)	3.51	(2.59 - 4.74)
Regions 1 and 2	12.52	(9.15 - 16.92)	17.70	(13.32 - 23.14)	3.10	(1.84 - 5.17)
Regions 3 and 4	11.67	(8.53 - 15.76)	15.30	(11.01 - 20.88)	2.54	(1.52 - 4.23)
Regions 5 and 6	11.44	(8.60 - 15.06)	16.36	(12.60 - 20.96)	2.73	(1.70 - 4.35)
Region 7A (Hennepin)	12.15	(9.19 - 15.89)	22.21	(17.92 - 27.19)	4.34	(2.78 - 6.71)
Region 7B (Ramsey)	10.50	(7.43 - 14.65)	*	(* - *)	3.90	(2.34 - 6.42)
Region 7C	11.93	(9.08 - 15.53)	21.03	(16.46 - 26.46)	4.10	(2.63 - 6.35)
Mississippi	9.12	(7.64 - 10.84)	15.44	(13.11 - 18.09)	2.98	(2.15 - 4.13)
Regions 1 and 2	9.34	(6.61 - 13.04)	16.74	(12.59 - 21.93)	3.35	(2.03 - 5.48)
Regions 3, 4, 7, and 10	8.49	(6.22 - 11.49)	13.50	(10.08 - 17.85)	2.45	(1.51 - 3.94)
Regions 5, 6, 11, and 15	9.25	(6.71 - 12.61)	15.48	(11.41 - 20.67)	3.00	(1.81 - 4.94)
Regions 8 and 9	8.71	(6.41 - 11.74)	17.62	(13.50 - 22.67)	3.21	(2.01 - 5.09)
Region 12	8.77	(6.13 - 12.41)	11.85	(8.40 - 16.46)	2.55	(1.50 - 4.30)
Regions 13 and 14	10.49	(7.62 - 14.27)	*	(* - *)	3.59	(2.16 - 5.90)
Missouri	9.50	(7.92 - 11.35)	16.04	(13.62 - 18.79)	3.77	(2.82 - 5.01)
Central	9.66	(6.80 - 13.55)	15.21	(11.26 - 20.23)	3.39	(2.08 - 5.46)
Eastern	10.03	(7.64 - 13.06)	19.40	(15.20 - 24.43)	4.61	(3.13 - 6.74)
Northwest	8.83	(6.41 - 12.06)	15.59	(11.82 - 20.29)	3.46	(2.15 - 5.52)
Southeast	8.90	(6.31 - 12.41)	11.54	(8.27 - 15.88)	2.77	(1.71 - 4.46)
Southwest	9.61	(7.03 - 13.01)	13.56	(9.79 - 18.47)	3.39	(2.07 - 5.50)
Montana	13.37	(11.34 - 15.71)	19.46	(16.99 - 22.19)	3.51	(2.61 - 4.70)
Regions 1 and 3	12.73	(9.74 - 16.46)	14.61	(11.23 - 18.78)	2.62	(1.63 - 4.19)
Region 2	15.00	(11.36 - 19.56)	17.69	(13.38 - 23.02)	3.92	(2.45 - 6.22)
Region 4	13.37	(10.24 - 17.26)	18.93	(14.81 - 23.88)	3.15	(2.02 - 4.87)
Region 5	13.09	(10.11 - 16.77)	24.95	(20.71 - 29.73)	4.50	(3.00 - 6.69)

See notes at end of table.

(continued)

Table 4 Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nebraska	8.53	(7.02 - 10.34)	13.30	(11.06 - 15.91)	2.41	(1.69 - 3.41)
Regions 1 and 2	9.03	(6.40 - 12.59)	12.05	(8.50 - 16.82)	2.13	(1.21 - 3.73)
Region 3	7.61	(5.29 - 10.84)	11.93	(8.37 - 16.71)	2.31	(1.38 - 3.86)
Region 4	7.54	(5.29 - 10.65)	10.65	(7.26 - 15.37)	2.01	(1.16 - 3.47)
Region 5	7.45	(5.42 - 10.15)	12.15	(9.06 - 16.12)	2.32	(1.40 - 3.83)
Region 6	9.74	(7.30 - 12.87)	15.62	(12.17 - 19.81)	2.71	(1.70 - 4.29)
Nevada	12.77	(10.70 - 15.18)	16.09	(13.35 - 19.28)	5.58	(4.24 - 7.31)
Clark	13.12	(10.58 - 16.16)	16.00	(12.85 - 19.74)	5.84	(4.25 - 7.98)
Rural	10.95	(7.96 - 14.88)	*	(* - *)	4.31	(2.66 - 6.90)
Washoe	13.08	(9.64 - 17.51)	17.72	(13.03 - 23.63)	5.61	(3.56 - 8.73)
New Hampshire	12.88	(10.97 - 15.07)	24.41	(21.30 - 27.81)	4.14	(3.10 - 5.51)
Central	12.86	(9.87 - 16.59)	22.18	(17.32 - 27.95)	4.00	(2.59 - 6.13)
Northern	13.59	(10.14 - 17.98)	*	(* - *)	3.65	(2.22 - 5.93)
Southern	12.73	(10.39 - 15.51)	25.09	(21.21 - 29.40)	4.31	(3.07 - 6.03)
New Jersey	8.74	(7.40 - 10.29)	19.29	(16.59 - 22.32)	3.66	(2.76 - 4.83)
RHPA I	8.81	(6.46 - 11.89)	*	(* - *)	3.30	(2.06 - 5.24)
RHPA IIa (Bergen)	7.80	(5.54 - 10.87)	*	(* - *)	2.47	(1.45 - 4.19)
RHPA IIb (Hudson)	7.84	(5.46 - 11.12)	15.53	(11.09 - 21.31)	4.29	(2.59 - 7.04)
RHPA III	9.48	(6.89 - 12.91)	18.81	(14.03 - 24.76)	3.78	(2.31 - 6.11)
RHPA IVa	7.81	(5.49 - 11.00)	*	(* - *)	3.42	(2.09 - 5.55)
RHPA IVb (Middlesex)	9.42	(6.67 - 13.14)	*	(* - *)	3.60	(2.12 - 6.03)
RHPA V	8.58	(6.21 - 11.73)	*	(* - *)	4.84	(3.04 - 7.63)
RHPA VIa	9.02	(6.55 - 12.30)	*	(* - *)	3.22	(1.95 - 5.28)
RHPA VIb (Monmouth)	9.41	(6.73 - 12.99)	*	(* - *)	3.60	(2.19 - 5.88)
New Mexico	13.29	(11.32 - 15.54)	16.91	(14.41 - 19.74)	4.91	(3.77 - 6.38)
Region 1	15.49	(11.52 - 20.51)	14.59	(10.56 - 19.81)	5.27	(3.20 - 8.56)
Region 2	14.12	(11.08 - 17.83)	18.75	(14.34 - 24.13)	4.45	(2.94 - 6.68)
Region 3	12.11	(8.97 - 16.15)	14.04	(10.25 - 18.94)	4.14	(2.55 - 6.64)
Region 4	11.24	(8.29 - 15.05)	13.86	(10.03 - 18.86)	4.33	(2.68 - 6.92)
Region 5 (Bernalillo)	13.91	(10.52 - 18.18)	20.39	(16.21 - 25.32)	5.89	(4.04 - 8.51)
New York	8.91	(7.97 - 9.96)	19.45	(17.81 - 21.21)	4.06	(3.38 - 4.86)
New York City	7.69	(6.31 - 9.33)	15.48	(13.44 - 17.76)	5.23	(4.07 - 6.71)
Remainder of the State	9.74	(8.52 - 11.11)	22.83	(20.64 - 25.18)	3.21	(2.51 - 4.10)
North Carolina	9.67	(8.15 - 11.43)	17.35	(14.94 - 20.07)	5.37	(4.13 - 6.97)
Eastern	10.18	(7.73 - 13.28)	15.28	(11.66 - 19.77)	4.43	(2.88 - 6.75)
North Central	9.21	(6.89 - 12.22)	20.22	(15.77 - 25.53)	5.86	(3.80 - 8.93)
South Central	10.49	(7.99 - 13.64)	17.10	(13.19 - 21.86)	5.72	(3.91 - 8.29)
Western	9.03	(6.75 - 11.97)	16.80	(13.19 - 21.17)	5.35	(3.67 - 7.73)

See notes at end of table.

(continued)

Table 4 Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Dakota	9.55	(8.00 - 11.36)	12.40	(10.41 - 14.70)	1.91	(1.29 - 2.83)
Badlands and West Central Lake Region and South Central	8.75	(6.63 - 11.48)	12.28	(9.12 - 16.33)	1.68	(0.96 - 2.90)
North Central and Northwest	9.91	(7.18 - 13.53)	10.19	(7.17 - 14.30)	1.43	(0.80 - 2.57)
Northeast	9.41	(6.96 - 12.62)	10.73	(7.69 - 14.79)	1.88	(1.05 - 3.33)
Southeast	9.03	(6.47 - 12.47)	13.49	(9.88 - 18.15)	2.26	(1.30 - 3.91)
Southeast	10.61	(7.74 - 14.37)	13.55	(10.56 - 17.22)	2.35	(1.41 - 3.90)
Ohio	9.19	(8.31 - 10.15)	16.92	(15.48 - 18.46)	3.47	(2.94 - 4.09)
Boards 2, 46, 55, and 68	10.88	(8.12 - 14.42)	15.62	(11.87 - 20.28)	3.22	(2.09 - 4.92)
Boards 3, 52, and 85	7.53	(5.31 - 10.59)	13.84	(10.10 - 18.67)	2.48	(1.52 - 4.02)
Boards 4 and 78	9.09	(6.58 - 12.43)	16.04	(11.80 - 21.43)	2.81	(1.76 - 4.44)
Boards 5 and 60	10.21	(7.55 - 13.68)	15.63	(11.72 - 20.52)	3.37	(2.13 - 5.30)
Boards 7, 15, 41, 79, and 84	9.01	(6.55 - 12.28)	15.08	(11.41 - 19.67)	2.62	(1.68 - 4.05)
Boards 8, 13, and 83	9.05	(6.64 - 12.22)	16.06	(11.97 - 21.21)	2.90	(1.86 - 4.51)
Board 9 (Butler)	8.74	(6.31 - 12.00)	18.45	(13.83 - 24.19)	3.78	(2.39 - 5.92)
Board 12	9.65	(6.98 - 13.21)	19.07	(14.39 - 24.82)	3.59	(2.25 - 5.68)
Boards 18 and 47	8.16	(6.42 - 10.32)	16.75	(13.67 - 20.36)	3.60	(2.55 - 5.06)
Boards 20, 32, 54, and 69	8.81	(6.48 - 11.87)	15.14	(11.22 - 20.12)	2.55	(1.60 - 4.05)
Boards 21, 39, 51, 70, and 80	8.72	(6.44 - 11.72)	15.75	(11.60 - 21.05)	2.97	(1.92 - 4.58)
Boards 22, 74, and 87	7.24	(5.21 - 9.98)	12.20	(8.53 - 17.15)	1.90	(1.11 - 3.22)
Boards 23 and 45	11.22	(8.17 - 15.22)	15.24	(11.01 - 20.72)	2.94	(1.83 - 4.69)
Board 25 (Franklin)	9.87	(7.71 - 12.55)	21.78	(18.50 - 25.46)	6.02	(4.35 - 8.27)
Boards 27, 71, and 73	9.55	(7.03 - 12.83)	11.16	(8.10 - 15.19)	2.43	(1.52 - 3.86)
Boards 28, 43, and 67	10.11	(7.51 - 13.49)	15.91	(11.99 - 20.80)	2.75	(1.74 - 4.33)
Board 31 (Hamilton)	7.62	(5.82 - 9.93)	17.23	(13.77 - 21.35)	3.75	(2.54 - 5.51)
Board 48 (Lucas)	9.27	(6.75 - 12.61)	16.52	(12.59 - 21.39)	3.66	(2.26 - 5.86)
Board 50 (Mahoning)	9.72	(6.99 - 13.38)	18.43	(13.75 - 24.25)	2.83	(1.74 - 4.56)
Board 57 (Montgomery)	9.67	(7.22 - 12.84)	16.69	(12.97 - 21.22)	3.52	(2.32 - 5.32)
Board 76 (Stark)	10.93	(8.07 - 14.66)	*	(* - *)	3.77	(2.36 - 5.98)
Board 77 (Summit)	10.47	(7.73 - 14.02)	19.03	(14.46 - 24.64)	4.04	(2.64 - 6.12)
Oklahoma	8.90	(7.39 - 10.69)	12.33	(10.31 - 14.68)	3.58	(2.62 - 4.89)
Central	9.35	(6.73 - 12.85)	14.54	(10.53 - 19.75)	3.50	(2.16 - 5.64)
East Central	8.55	(5.98 - 12.09)	10.71	(7.33 - 15.39)	3.60	(2.08 - 6.15)
Northeast	8.31	(5.81 - 11.76)	10.99	(7.72 - 15.43)	2.92	(1.70 - 4.97)
Northwest and Southwest	7.95	(5.66 - 11.06)	10.47	(7.40 - 14.63)	3.18	(1.92 - 5.21)
Oklahoma City Metro	9.23	(6.67 - 12.64)	14.37	(10.84 - 18.80)	3.97	(2.46 - 6.35)
Southeast	8.63	(6.13 - 12.01)	8.36	(5.65 - 12.21)	3.14	(1.85 - 5.28)
Tulsa Metro	10.05	(7.16 - 13.94)	14.28	(10.51 - 19.11)	4.36	(2.62 - 7.17)

See notes at end of table.

(continued)

Table 4 Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	11.07	(9.39 - 13.00)	21.72	(19.08 - 24.61)	5.90	(4.52 - 7.66)
Region 1 (Multnomah)	12.87	(9.59 - 17.07)	25.39	(20.31 - 31.24)	7.91	(5.39 - 11.45)
Region 2	10.95	(8.25 - 14.39)	21.03	(16.62 - 26.25)	5.15	(3.34 - 7.86)
Region 3	11.31	(8.73 - 14.51)	21.60	(17.86 - 25.88)	5.91	(4.03 - 8.59)
Region 4	9.30	(6.64 - 12.87)	*	(* - *)	4.61	(2.82 - 7.44)
Region 5	10.27	(7.46 - 13.98)	*	(* - *)	5.60	(3.43 - 9.02)
Pennsylvania	9.13	(8.24 - 10.11)	16.50	(15.06 - 18.05)	3.76	(3.14 - 4.50)
Regions 1, 27, and 47	10.12	(8.00 - 12.73)	23.53	(19.80 - 27.73)	5.09	(3.62 - 7.13)
Regions 2, 3, 8, and 9	7.47	(5.56 - 9.97)	14.27	(10.92 - 18.44)	2.28	(1.42 - 3.64)
Regions 4 and 42	8.12	(6.01 - 10.88)	12.91	(9.47 - 17.36)	3.55	(2.28 - 5.48)
Regions 5 and 28	8.23	(5.86 - 11.44)	11.61	(8.15 - 16.28)	2.56	(1.53 - 4.27)
Regions 6, 16, and 39	7.77	(5.64 - 10.63)	11.17	(7.78 - 15.78)	2.28	(1.38 - 3.74)
Region 7 (Bucks)	9.62	(7.12 - 12.88)	17.97	(13.53 - 23.47)	3.19	(2.05 - 4.94)
Regions 10, 15, and 25	8.38	(6.04 - 11.52)	12.57	(8.98 - 17.34)	2.46	(1.49 - 4.03)
Regions 11, 29, 44, and 48	10.20	(7.57 - 13.60)	14.59	(10.65 - 19.67)	2.64	(1.61 - 4.30)
Regions 12, 35, 41, and 45	9.22	(6.59 - 12.76)	16.84	(12.92 - 21.65)	3.35	(2.13 - 5.22)
Region 13 (Chester)	8.59	(6.22 - 11.76)	*	(* - *)	3.71	(2.37 - 5.77)
Regions 14, 31, 36, and 46	9.11	(6.56 - 12.52)	15.54	(11.43 - 20.77)	2.73	(1.72 - 4.31)
Regions 17, 24, and 43	8.22	(6.13 - 10.96)	13.94	(10.51 - 18.26)	2.82	(1.83 - 4.33)
Region 18 (Philadelphia)	10.72	(8.43 - 13.54)	19.04	(15.65 - 22.96)	7.23	(5.02 - 10.30)
Regions 19 and 23	9.27	(6.71 - 12.67)	13.15	(9.19 - 18.47)	3.02	(1.86 - 4.88)
Regions 20, 26, and 40	7.05	(5.06 - 9.73)	11.80	(8.64 - 15.93)	2.49	(1.56 - 3.95)
Regions 21 and 32	7.10	(5.05 - 9.89)	12.46	(8.97 - 17.06)	2.97	(1.78 - 4.91)
Region 22 (Delaware)	9.69	(7.11 - 13.08)	17.38	(13.27 - 22.44)	3.86	(2.49 - 5.94)
Region 30 (Lancaster)	8.38	(6.12 - 11.38)	14.42	(10.98 - 18.71)	3.12	(1.93 - 5.00)
Region 33 (Lehigh)	8.26	(5.82 - 11.58)	12.60	(9.28 - 16.89)	2.86	(1.72 - 4.73)
Region 34	9.31	(6.79 - 12.63)	15.52	(11.32 - 20.90)	2.46	(1.50 - 4.00)
Region 37 (Montgomery)	10.20	(7.69 - 13.41)	16.28	(12.40 - 21.08)	3.56	(2.36 - 5.34)
Region 38 (Northampton)	8.93	(6.40 - 12.32)	*	(* - *)	3.27	(1.98 - 5.36)
Region 49	8.21	(6.03 - 11.08)	14.97	(11.16 - 19.78)	3.10	(1.96 - 4.89)
Rhode Island	12.87	(10.77 - 15.31)	24.48	(21.38 - 27.87)	5.00	(3.75 - 6.64)
Bristol and Newport	11.01	(7.86 - 15.20)	*	(* - *)	4.04	(2.49 - 6.50)
Kent	14.66	(10.94 - 19.38)	*	(* - *)	5.21	(3.31 - 8.10)
Providence	12.94	(10.31 - 16.12)	22.40	(18.70 - 26.60)	5.08	(3.56 - 7.18)
Washington	12.29	(8.81 - 16.90)	*	(* - *)	5.45	(3.39 - 8.63)
South Carolina	9.71	(8.11 - 11.59)	14.59	(12.38 - 17.12)	3.20	(2.31 - 4.42)
Region 1	11.84	(8.98 - 15.45)	16.33	(12.30 - 21.36)	3.53	(2.24 - 5.52)
Region 2	8.73	(6.50 - 11.62)	13.49	(10.43 - 17.28)	3.09	(1.96 - 4.85)
Region 3	9.08	(6.56 - 12.43)	12.75	(9.29 - 17.27)	2.81	(1.68 - 4.67)
Region 4	9.24	(6.91 - 12.27)	15.30	(11.85 - 19.54)	3.25	(2.00 - 5.23)

See notes at end of table.

(continued)

Table 4 Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	9.12	(7.62 - 10.89)	12.65	(10.53 - 15.13)	2.36	(1.68 - 3.31)
Region 1 (Pennington)	9.27	(6.63 - 12.82)	*	(* - *)	3.16	(1.86 - 5.32)
Region 2	10.41	(7.74 - 13.86)	11.96	(8.78 - 16.07)	2.43	(1.43 - 4.09)
Region 3 (Minnehaha)	8.96	(6.56 - 12.14)	13.94	(10.32 - 18.57)	2.69	(1.61 - 4.46)
Region 4	8.17	(5.72 - 11.54)	11.46	(7.97 - 16.20)	1.99	(1.14 - 3.43)
Region 5	8.86	(6.21 - 12.49)	10.39	(7.07 - 15.02)	1.64	(0.92 - 2.90)
Region 6	8.25	(5.77 - 11.67)	11.50	(7.92 - 16.40)	1.95	(1.10 - 3.44)
Region 7	9.14	(6.53 - 12.66)	13.19	(9.51 - 18.01)	2.53	(1.47 - 4.34)
Tennessee	9.55	(7.98 - 11.39)	14.73	(12.41 - 17.39)	4.04	(3.11 - 5.23)
Region 1	11.66	(8.42 - 15.91)	*	(* - *)	4.08	(2.50 - 6.59)
Region 2	9.42	(6.93 - 12.69)	15.12	(11.35 - 19.86)	4.11	(2.70 - 6.19)
Region 3	9.61	(6.92 - 13.19)	13.22	(9.63 - 17.89)	3.27	(2.04 - 5.19)
Region 4 (Davidson)	9.96	(6.84 - 14.29)	*	(* - *)	6.38	(3.96 - 10.10)
Region 5	9.69	(7.13 - 13.03)	14.46	(10.54 - 19.52)	3.77	(2.44 - 5.78)
Region 6	10.14	(7.17 - 14.16)	13.49	(9.47 - 18.86)	3.24	(2.02 - 5.15)
Region 7 (Shelby)	7.96	(5.48 - 11.41)	*	(* - *)	4.13	(2.49 - 6.79)
Texas	9.17	(8.31 - 10.12)	13.60	(12.29 - 15.02)	3.17	(2.63 - 3.81)
Region 1	12.36	(9.31 - 16.22)	14.87	(11.06 - 19.69)	3.40	(2.14 - 5.35)
Regions 2 and 9	9.89	(7.34 - 13.20)	12.78	(9.48 - 17.01)	2.50	(1.59 - 3.91)
Region 3	8.84	(7.35 - 10.59)	12.81	(10.77 - 15.16)	3.01	(2.17 - 4.16)
Region 4	8.89	(6.56 - 11.93)	11.30	(8.22 - 15.34)	3.24	(2.05 - 5.07)
Region 5	10.09	(7.39 - 13.62)	14.00	(10.11 - 19.09)	3.32	(2.09 - 5.22)
Region 6	8.44	(7.02 - 10.13)	14.33	(12.02 - 17.00)	3.48	(2.60 - 4.64)
Region 7	10.45	(8.09 - 13.40)	16.69	(13.88 - 19.95)	4.23	(2.99 - 5.97)
Region 8	9.58	(7.58 - 12.03)	13.13	(10.26 - 16.66)	2.71	(1.83 - 3.98)
Region 10	10.09	(7.37 - 13.66)	11.28	(8.04 - 15.59)	3.00	(1.83 - 4.86)
Region 11	7.68	(5.89 - 9.96)	11.39	(8.77 - 14.68)	2.18	(1.42 - 3.34)
Utah	6.98	(5.65 - 8.59)	10.54	(8.73 - 12.68)	3.49	(2.51 - 4.83)
Bear River, Northeastern, Summit, Tooele, and Wasatch	6.09	(4.10 - 8.94)	10.14	(7.12 - 14.26)	2.91	(1.68 - 4.99)
Central, Four Corners, San Juan, and Southwest	7.09	(4.90 - 10.15)	10.82	(7.54 - 15.28)	3.22	(1.89 - 5.43)
Davis County	5.89	(4.12 - 8.36)	12.47	(8.85 - 17.29)	3.44	(2.05 - 5.72)
Salt Lake County	8.23	(6.17 - 10.90)	11.24	(8.57 - 14.61)	3.85	(2.54 - 5.79)
Utah County	5.18	(3.52 - 7.55)	8.26	(5.92 - 11.41)	2.68	(1.53 - 4.66)
Weber, Morgan	7.87	(5.47 - 11.20)	11.63	(8.00 - 16.60)	4.13	(2.47 - 6.83)
Vermont	14.13	(12.20 - 16.31)	29.52	(26.56 - 32.66)	5.20	(4.02 - 6.68)
Champlain Valley	15.04	(12.10 - 18.55)	32.72	(28.69 - 37.02)	5.92	(4.19 - 8.30)
Rural Northeast	11.61	(8.83 - 15.12)	25.20	(20.00 - 31.23)	4.95	(3.29 - 7.39)
Rural Southeast	15.52	(12.02 - 19.80)	26.73	(21.28 - 32.99)	4.93	(3.23 - 7.44)
Rural Southwest	13.80	(10.49 - 17.95)	*	(* - *)	4.32	(2.79 - 6.64)

See notes at end of table.

(continued)

Table 4 Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Virginia	8.03	(6.67 - 9.64)	14.78	(12.43 - 17.50)	3.14	(2.33 - 4.21)
Region 1	9.39	(6.78 - 12.87)	18.45	(13.74 - 24.31)	3.38	(2.11 - 5.38)
Region 2	6.59	(4.69 - 9.18)	14.23	(10.32 - 19.32)	2.89	(1.84 - 4.49)
Region 3	8.16	(5.99 - 11.04)	12.70	(9.29 - 17.12)	3.06	(1.93 - 4.82)
Region 4	9.02	(6.53 - 12.34)	15.67	(11.41 - 21.15)	3.16	(1.93 - 5.16)
Region 5	7.78	(5.82 - 10.33)	14.10	(10.68 - 18.40)	3.33	(2.15 - 5.11)
Washington	11.72	(10.07 - 13.59)	18.85	(16.42 - 21.55)	5.32	(4.11 - 6.86)
Region 1	12.25	(9.01 - 16.46)	16.91	(12.52 - 22.45)	5.02	(3.05 - 8.16)
Region 2	13.45	(9.95 - 17.93)	*	(* - *)	5.68	(3.44 - 9.24)
Region 3	11.42	(8.39 - 15.34)	21.47	(16.86 - 26.94)	5.50	(3.62 - 8.29)
Region 4 (King)	9.85	(7.54 - 12.78)	18.98	(15.21 - 23.42)	4.86	(3.33 - 7.05)
Region 5	11.58	(8.62 - 15.40)	17.40	(13.10 - 22.73)	5.27	(3.40 - 8.07)
Region 6	13.42	(10.32 - 17.26)	20.78	(15.85 - 26.76)	6.10	(3.93 - 9.35)
West Virginia	10.49	(8.80 - 12.46)	15.14	(12.78 - 17.84)	2.64	(1.91 - 3.64)
Eastern Highland	10.33	(7.74 - 13.65)	14.98	(11.10 - 19.90)	2.62	(1.60 - 4.25)
Northern	9.43	(6.92 - 12.74)	15.21	(11.40 - 20.00)	2.27	(1.42 - 3.64)
South Central I	9.74	(6.95 - 13.49)	13.58	(9.91 - 18.35)	2.37	(1.44 - 3.89)
South Central II	9.92	(7.26 - 13.41)	14.49	(10.65 - 19.40)	2.71	(1.66 - 4.40)
South Central III	13.34	(9.60 - 18.24)	*	(* - *)	3.31	(1.92 - 5.65)
Southern	11.14	(8.07 - 15.17)	14.48	(10.67 - 19.35)	2.77	(1.66 - 4.58)
Wisconsin	10.22	(8.71 - 11.96)	17.69	(15.34 - 20.31)	3.55	(2.69 - 4.66)
Milwaukee	12.23	(9.21 - 16.07)	20.19	(15.55 - 25.79)	5.08	(3.32 - 7.71)
Northeastern	10.17	(7.70 - 13.31)	17.33	(13.33 - 22.22)	3.63	(2.38 - 5.50)
Northern and Western	8.84	(6.54 - 11.85)	14.76	(11.06 - 19.42)	2.39	(1.49 - 3.83)
Southeastern	8.73	(6.54 - 11.55)	16.32	(12.29 - 21.35)	2.95	(1.80 - 4.77)
Southern	11.88	(8.93 - 15.62)	20.29	(15.99 - 25.40)	4.12	(2.65 - 6.37)
Wyoming	10.50	(8.82 - 12.45)	16.47	(14.11 - 19.13)	3.49	(2.57 - 4.73)
Frontier 1	8.80	(6.28 - 12.19)	14.31	(10.13 - 19.83)	2.16	(1.28 - 3.63)
Frontier 2	10.17	(7.19 - 14.21)	13.90	(9.73 - 19.46)	2.25	(1.30 - 3.88)
Rural 1	11.89	(8.86 - 15.77)	19.27	(15.01 - 24.39)	5.07	(3.21 - 7.93)
Rural 2	10.24	(7.52 - 13.81)	16.30	(12.76 - 20.59)	3.40	(2.09 - 5.49)
Rural 3 (Laramie)	9.84	(7.25 - 13.22)	15.98	(11.86 - 21.20)	3.67	(2.27 - 5.88)
Rural 4	11.57	(8.40 - 15.72)	15.87	(11.61 - 21.33)	3.01	(1.78 - 5.06)

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 1999-2001 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 1999, 2000, and 2001.

Table 5 Any Illicit Drug Use Other than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	4.65		6.63		1.93	
Alabama	4.96	(3.90 - 6.28)	6.90	(5.49 - 8.64)	1.57	(1.08 - 2.27)
Region 1	4.73	(3.26 - 6.82)	7.22	(5.01 - 10.30)	1.77	(1.06 - 2.95)
Region 2	5.27	(3.70 - 7.46)	6.59	(4.67 - 9.22)	1.45	(0.87 - 2.39)
Region 3	4.54	(3.11 - 6.58)	6.00	(4.03 - 8.84)	1.47	(0.88 - 2.45)
Region 4	5.14	(3.57 - 7.36)	7.90	(5.42 - 11.39)	1.54	(0.93 - 2.54)
Alaska	3.78	(2.65 - 5.35)	6.46	(5.02 - 8.27)	2.14	(1.47 - 3.09)
Gulf Coast	3.82	(2.28 - 6.34)	9.00	(5.82 - 13.66)	2.25	(1.27 - 3.94)
Rural	3.28	(1.95 - 5.48)	4.13	(2.51 - 6.74)	1.59	(0.87 - 2.90)
Southeast	4.03	(2.44 - 6.58)	7.38	(4.74 - 11.32)	2.43	(1.37 - 4.27)
Urban	3.83	(2.61 - 5.58)	6.35	(4.73 - 8.48)	2.15	(1.39 - 3.29)
Arizona	5.58	(4.46 - 6.97)	6.85	(5.35 - 8.73)	2.35	(1.67 - 3.31)
Maricopa	5.71	(4.32 - 7.51)	6.95	(5.13 - 9.34)	2.39	(1.60 - 3.57)
Pima	5.98	(4.15 - 8.55)	7.29	(4.84 - 10.84)	2.42	(1.46 - 3.99)
Rural North	4.96	(3.34 - 7.30)	6.26	(3.96 - 9.77)	2.06	(1.15 - 3.65)
Rural South	5.11	(3.50 - 7.42)	6.19	(3.96 - 9.56)	2.36	(1.39 - 3.98)
Arkansas	5.52	(4.43 - 6.86)	7.66	(6.13 - 9.53)	1.78	(1.24 - 2.54)
Areas 1 and 5	5.70	(3.94 - 8.17)	7.56	(5.09 - 11.09)	2.29	(1.31 - 3.97)
Areas 2 and 3	5.64	(3.82 - 8.24)	7.57	(4.97 - 11.37)	1.40	(0.79 - 2.47)
Areas 4 and 7	5.91	(4.12 - 8.39)	8.66	(5.85 - 12.65)	1.56	(0.89 - 2.73)
Area 6	6.30	(4.24 - 9.26)	9.71	(6.88 - 13.54)	*	(* - *)
Areas 8 and 12	5.14	(3.45 - 7.60)	6.41	(4.22 - 9.64)	1.54	(0.89 - 2.62)
Area 9	5.28	(3.69 - 7.50)	7.19	(4.77 - 10.68)	1.77	(1.09 - 2.87)
Areas 10, 11, and 13	4.79	(3.24 - 7.04)	6.87	(4.51 - 10.33)	1.84	(1.10 - 3.08)
California	4.79	(4.24 - 5.39)	6.87	(5.98 - 7.87)	2.77	(2.24 - 3.43)
Region 1	5.86	(4.23 - 8.06)	10.28	(7.09 - 14.66)	3.10	(1.84 - 5.15)
Region 2	5.21	(3.96 - 6.82)	8.45	(6.21 - 11.41)	2.79	(1.81 - 4.29)
Region 3	7.00	(5.08 - 9.58)	8.45	(5.78 - 12.18)	3.45	(2.04 - 5.77)
Region 4	5.37	(3.74 - 7.65)	8.26	(5.60 - 12.01)	3.50	(2.19 - 5.53)
Region 5	4.39	(3.18 - 6.03)	6.58	(4.57 - 9.40)	3.45	(2.23 - 5.30)
Region 6 (Santa Clara)	4.27	(3.06 - 5.92)	7.08	(4.95 - 10.03)	2.70	(1.72 - 4.22)
Region 7	5.59	(3.96 - 7.83)	7.37	(4.92 - 10.90)	2.76	(1.69 - 4.48)
Region 8	4.89	(3.61 - 6.60)	6.73	(4.70 - 9.55)	3.29	(2.06 - 5.23)
Region 9	5.50	(4.00 - 7.51)	8.21	(5.72 - 11.65)	2.47	(1.55 - 3.92)
Region 10	5.47	(3.91 - 7.61)	7.58	(5.19 - 10.94)	2.88	(1.74 - 4.73)
Region 11 (Los Angeles)	3.97	(3.18 - 4.94)	5.26	(4.11 - 6.72)	2.32	(1.59 - 3.36)
Region 12	5.03	(3.72 - 6.78)	6.72	(4.79 - 9.37)	2.40	(1.54 - 3.73)
Region 13 (Riverside)	4.86	(3.52 - 6.67)	7.35	(5.03 - 10.61)	2.67	(1.67 - 4.24)
Region 14 (Orange)	4.45	(3.26 - 6.04)	6.70	(4.76 - 9.36)	2.31	(1.45 - 3.65)
Region 15	5.11	(3.86 - 6.73)	7.55	(5.55 - 10.20)	3.26	(2.09 - 5.04)

See notes at end of table.

(continued)

Table 5 *Any Illicit Drug Use Other than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	5.54	(4.38 - 6.99)	8.74	(6.92 - 10.98)	1.99	(1.38 - 2.88)
Regions 1 and 4	5.90	(4.06 - 8.50)	8.41	(5.75 - 12.15)	1.77	(1.03 - 3.01)
Region 2	5.29	(3.82 - 7.29)	7.85	(5.63 - 10.84)	1.96	(1.22 - 3.14)
Region 3	5.69	(3.83 - 8.37)	9.62	(6.38 - 14.27)	2.44	(1.48 - 3.98)
Regions 5 and 6	5.64	(3.89 - 8.12)	10.13	(6.86 - 14.71)	1.85	(1.06 - 3.19)
Region 7 (Boulder)	5.70	(3.84 - 8.39)	11.16	(7.59 - 16.12)	2.14	(1.22 - 3.73)
Connecticut	5.40	(4.23 - 6.88)	7.10	(5.45 - 9.20)	2.02	(1.40 - 2.93)
Eastern	5.94	(3.96 - 8.83)	6.86	(4.25 - 10.87)	1.93	(1.07 - 3.45)
North Central	5.94	(4.21 - 8.33)	7.56	(5.23 - 10.81)	2.16	(1.28 - 3.61)
Northwestern	5.08	(3.48 - 7.36)	7.17	(4.57 - 11.08)	1.81	(1.06 - 3.07)
South Central	5.02	(3.44 - 7.27)	7.04	(4.65 - 10.51)	1.94	(1.16 - 3.20)
Southwest	4.98	(3.37 - 7.31)	6.62	(4.26 - 10.14)	2.18	(1.27 - 3.72)
Delaware	5.10	(3.99 - 6.51)	8.15	(6.51 - 10.15)	1.94	(1.35 - 2.79)
Kent	4.95	(3.38 - 7.18)	7.50	(5.12 - 10.86)	2.07	(1.25 - 3.43)
New Castle	5.19	(3.86 - 6.95)	8.52	(6.52 - 11.06)	2.00	(1.30 - 3.08)
Sussex	4.93	(3.38 - 7.14)	7.22	(4.80 - 10.72)	1.66	(0.99 - 2.76)
District of Columbia	3.87	(2.46 - 6.04)	6.38	(4.97 - 8.15)	2.57	(1.82 - 3.62)
Ward 1	3.89	(2.21 - 6.77)	6.60	(4.29 - 10.03)	3.63	(2.16 - 6.04)
Ward 2	*	(* - *)	7.73	(5.38 - 10.98)	2.92	(1.78 - 4.76)
Ward 3	4.47	(2.56 - 7.71)	7.79	(5.06 - 11.80)	2.41	(1.43 - 4.04)
Ward 4	3.93	(2.31 - 6.61)	5.49	(3.37 - 8.82)	2.51	(1.43 - 4.38)
Ward 5	3.43	(1.98 - 5.87)	5.00	(3.16 - 7.80)	2.24	(1.29 - 3.87)
Ward 6	3.71	(2.07 - 6.56)	7.88	(5.10 - 11.98)	2.59	(1.57 - 4.25)
Ward 7	3.33	(1.87 - 5.88)	4.03	(2.51 - 6.42)	2.12	(1.22 - 3.66)
Ward 8	3.88	(2.17 - 6.86)	4.29	(2.62 - 6.95)	*	(* - *)
Florida	4.29	(3.67 - 5.01)	7.36	(6.37 - 8.48)	1.41	(1.08 - 1.84)
District 1	4.25	(2.90 - 6.18)	9.46	(6.55 - 13.48)	1.81	(1.10 - 2.96)
District 2	4.41	(3.04 - 6.35)	7.02	(4.73 - 10.30)	1.56	(0.97 - 2.51)
District 3	5.06	(3.47 - 7.34)	8.11	(5.47 - 11.87)	1.51	(0.91 - 2.49)
District 4	4.57	(3.24 - 6.40)	7.83	(5.62 - 10.81)	1.72	(1.08 - 2.72)
District 7	4.00	(2.90 - 5.50)	7.55	(5.63 - 10.05)	1.66	(1.07 - 2.58)
District 8	4.15	(2.92 - 5.87)	6.82	(4.76 - 9.69)	1.19	(0.71 - 1.98)
District 9 (Palm Beach)	4.77	(3.35 - 6.75)	10.06	(7.20 - 13.87)	1.35	(0.79 - 2.29)
District 10 (Broward)	4.08	(2.93 - 5.64)	6.60	(4.49 - 9.60)	1.42	(0.88 - 2.26)
District 11	3.61	(2.62 - 4.95)	5.59	(4.07 - 7.63)	1.22	(0.78 - 1.90)
District 12	4.72	(3.23 - 6.85)	6.69	(4.47 - 9.89)	1.23	(0.73 - 2.08)
District 13	4.92	(3.42 - 7.03)	7.87	(5.27 - 11.58)	1.23	(0.74 - 2.04)
District 14	3.86	(2.65 - 5.61)	6.17	(4.13 - 9.10)	1.56	(0.96 - 2.54)
District 15	4.62	(3.18 - 6.67)	7.52	(5.00 - 11.18)	1.26	(0.76 - 2.10)
Suncoast	4.64	(3.50 - 6.13)	7.91	(6.06 - 10.27)	1.33	(0.86 - 2.04)

See notes at end of table.

(continued)

Table 5 *Any Illicit Drug Use Other than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	4.27	(3.43 - 5.31)	6.84	(5.42 - 8.60)	1.90	(1.35 - 2.68)
Central	3.82	(2.53 - 5.73)	5.02	(3.09 - 8.04)	*	(* - *)
East Central	4.08	(2.71 - 6.09)	7.66	(5.19 - 11.16)	*	(* - *)
Metro	3.77	(2.66 - 5.32)	6.05	(4.12 - 8.80)	2.20	(1.36 - 3.54)
North	4.95	(3.50 - 6.96)	7.47	(5.09 - 10.83)	1.84	(1.14 - 2.98)
Southeast	4.42	(3.00 - 6.47)	7.61	(4.94 - 11.54)	1.79	(1.07 - 2.97)
Southwest	3.99	(2.74 - 5.77)	6.25	(4.07 - 9.47)	1.70	(1.01 - 2.85)
West Central	4.68	(3.20 - 6.80)	7.79	(5.08 - 11.75)	1.67	(0.99 - 2.79)
Hawaii	4.46	(3.43 - 5.77)	7.02	(5.29 - 9.26)	1.82	(1.19 - 2.78)
Hawaii Island	5.32	(3.54 - 7.91)	6.26	(3.86 - 9.98)	2.24	(1.18 - 4.21)
Honolulu	4.31	(3.16 - 5.85)	7.13	(5.18 - 9.74)	1.66	(1.02 - 2.70)
Kalawao, Kauai, and Maui	4.37	(2.91 - 6.52)	6.98	(4.43 - 10.85)	2.25	(1.23 - 4.07)
Idaho	3.96	(3.09 - 5.06)	5.28	(4.03 - 6.90)	1.46	(0.97 - 2.18)
Region 1	4.84	(3.23 - 7.21)	5.62	(3.63 - 8.59)	1.32	(0.72 - 2.40)
Region 2	4.07	(2.68 - 6.15)	6.18	(3.87 - 9.74)	1.68	(0.91 - 3.08)
Region 3	3.59	(2.34 - 5.45)	4.97	(3.14 - 7.78)	1.55	(0.87 - 2.77)
Region 4	3.76	(2.54 - 5.55)	5.38	(3.59 - 7.98)	1.51	(0.89 - 2.55)
Region 5	4.03	(2.73 - 5.92)	4.75	(2.94 - 7.59)	1.31	(0.73 - 2.35)
Region 6	3.94	(2.61 - 5.90)	4.89	(3.10 - 7.62)	1.71	(0.95 - 3.09)
Region 7	3.80	(2.57 - 5.59)	5.36	(3.45 - 8.24)	1.16	(0.66 - 2.02)
Illinois	4.18	(3.59 - 4.86)	5.69	(4.89 - 6.60)	2.35	(1.88 - 2.94)
Region I (Cook)	4.28	(3.40 - 5.38)	5.87	(4.70 - 7.32)	3.22	(2.38 - 4.34)
Region II	4.11	(3.24 - 5.19)	5.10	(3.91 - 6.61)	1.71	(1.18 - 2.47)
Region III	4.10	(3.01 - 5.58)	6.00	(4.39 - 8.17)	1.91	(1.25 - 2.91)
Region IV	4.70	(3.40 - 6.47)	6.69	(4.77 - 9.30)	1.59	(0.99 - 2.54)
Region V	3.64	(2.64 - 5.01)	5.26	(3.83 - 7.18)	1.49	(0.95 - 2.33)
Indiana	4.62	(3.72 - 5.72)	6.59	(5.23 - 8.26)	1.68	(1.17 - 2.41)
Central	4.64	(3.21 - 6.67)	7.19	(4.88 - 10.49)	1.92	(1.13 - 3.26)
East	5.07	(3.45 - 7.40)	7.12	(4.56 - 10.96)	1.60	(0.91 - 2.79)
North Central	4.52	(3.10 - 6.55)	5.50	(3.53 - 8.46)	1.83	(1.07 - 3.13)
Northeast	4.03	(2.68 - 6.00)	5.91	(3.78 - 9.13)	1.53	(0.89 - 2.63)
Northwest	4.25	(2.90 - 6.17)	6.40	(4.11 - 9.83)	1.65	(0.96 - 2.84)
Southeast and Southwest	5.01	(3.52 - 7.09)	5.97	(3.91 - 9.01)	1.34	(0.78 - 2.31)
West	4.65	(3.20 - 6.72)	7.60	(5.31 - 10.79)	1.78	(1.02 - 3.07)
Iowa	4.14	(3.24 - 5.28)	5.09	(3.88 - 6.64)	1.44	(0.97 - 2.13)
Central	4.05	(2.73 - 5.96)	4.65	(2.90 - 7.35)	1.48	(0.85 - 2.59)
North Central	4.92	(3.27 - 7.33)	4.50	(2.82 - 7.11)	1.69	(0.91 - 3.11)
Northeast	3.89	(2.62 - 5.75)	4.83	(3.18 - 7.26)	1.28	(0.75 - 2.17)
Northwest	4.07	(2.76 - 5.98)	4.69	(3.00 - 7.27)	1.46	(0.80 - 2.63)
Southeast and Southwest	4.13	(2.90 - 5.85)	5.98	(4.06 - 8.71)	1.44	(0.87 - 2.39)

See notes at end of table.

(continued)

Table 5 *Any Illicit Drug Use Other than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	4.49	(3.53 - 5.70)	6.01	(4.65 - 7.73)	2.12	(1.52 - 2.97)
Region 1	4.92	(3.39 - 7.09)	6.59	(4.43 - 9.70)	2.29	(1.42 - 3.66)
Region 2	4.86	(3.29 - 7.11)	6.18	(3.91 - 9.62)	2.31	(1.36 - 3.88)
Region 3	4.39	(3.04 - 6.31)	5.24	(3.37 - 8.07)	1.75	(1.03 - 2.96)
Region 4	4.15	(2.89 - 5.92)	6.25	(4.28 - 9.03)	2.06	(1.29 - 3.26)
Region 5	4.28	(2.86 - 6.36)	5.21	(3.32 - 8.09)	2.28	(1.34 - 3.84)
Kentucky	5.04	(4.04 - 6.28)	6.52	(5.20 - 8.14)	1.65	(1.18 - 2.30)
Adanta, Cumberland River, and Lifeskills	4.88	(3.30 - 7.16)	5.24	(3.45 - 7.86)	1.48	(0.90 - 2.43)
Bluegrass, Comprehend, and North Key	5.33	(3.76 - 7.50)	6.60	(4.56 - 9.44)	1.77	(1.11 - 2.81)
Communicare and River Valley	5.20	(3.54 - 7.57)	6.09	(3.92 - 9.34)	1.67	(1.01 - 2.77)
Four Rivers and Pennyroyal	4.58	(3.08 - 6.75)	6.16	(4.04 - 9.30)	1.79	(1.07 - 2.98)
Kentucky River, Mountain, and Pathways	5.14	(3.57 - 7.34)	7.39	(4.95 - 10.91)	1.54	(0.91 - 2.58)
Seven Counties	4.87	(3.43 - 6.87)	7.40	(5.24 - 10.35)	1.59	(0.99 - 2.56)
Louisiana	6.21	(5.04 - 7.62)	7.18	(5.75 - 8.93)	1.79	(1.27 - 2.52)
Region 1	5.80	(3.95 - 8.45)	6.42	(4.30 - 9.49)	2.14	(1.26 - 3.61)
Regions 2 and 9	6.52	(4.68 - 9.02)	7.39	(5.24 - 10.33)	1.69	(1.04 - 2.71)
Region 3	6.18	(4.29 - 8.83)	7.76	(5.19 - 11.45)	1.99	(1.19 - 3.28)
Region 4	5.53	(3.81 - 7.97)	6.44	(4.31 - 9.50)	1.72	(1.05 - 2.79)
Regions 5 and 6	5.93	(4.09 - 8.51)	7.08	(4.66 - 10.61)	1.70	(1.01 - 2.87)
Regions 7 and 8	6.27	(4.40 - 8.87)	6.65	(4.45 - 9.82)	1.65	(1.00 - 2.69)
Region 10 (Jefferson)	7.16	(4.85 - 10.45)	9.53	(6.28 - 14.21)	1.87	(1.12 - 3.11)
Maine	5.86	(4.69 - 7.30)	9.08	(7.33 - 11.18)	1.41	(0.97 - 2.06)
Region 1	6.42	(4.69 - 8.73)	10.17	(7.59 - 13.50)	1.47	(0.89 - 2.43)
Region 2	5.55	(4.07 - 7.53)	8.44	(6.11 - 11.56)	1.33	(0.82 - 2.16)
Region 3	5.59	(3.94 - 7.88)	8.58	(5.91 - 12.30)	1.45	(0.85 - 2.46)
Maryland	4.03	(3.10 - 5.21)	5.96	(4.67 - 7.59)	1.63	(1.11 - 2.41)
Central and Eastern Shore	3.89	(2.70 - 5.57)	5.42	(3.76 - 7.75)	1.63	(0.98 - 2.70)
Southern	3.75	(2.62 - 5.33)	5.64	(3.97 - 7.96)	1.57	(0.97 - 2.55)
Western	4.58	(3.14 - 6.63)	7.32	(5.06 - 10.49)	1.70	(0.99 - 2.90)
Massachusetts	4.83	(3.85 - 6.04)	7.43	(5.81 - 9.45)	2.95	(2.06 - 4.21)
Boston	4.93	(3.31 - 7.29)	6.56	(4.25 - 9.98)	3.62	(2.12 - 6.11)
Central	4.51	(3.01 - 6.71)	7.51	(4.89 - 11.34)	2.68	(1.56 - 4.54)
Metrowest	4.90	(3.42 - 6.97)	8.74	(6.03 - 12.50)	3.38	(2.01 - 5.63)
Northeast	5.83	(4.02 - 8.39)	7.92	(5.25 - 11.79)	2.95	(1.74 - 4.96)
Southeast	4.34	(3.01 - 6.21)	7.18	(4.71 - 10.80)	2.57	(1.55 - 4.23)
Western	4.27	(2.84 - 6.39)	6.14	(3.85 - 9.66)	2.41	(1.36 - 4.23)

See notes at end of table.

(continued)

Table 5 *Any Illicit Drug Use Other than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Michigan	4.91	(4.28 - 5.63)	6.80	(5.94 - 7.78)	1.67	(1.33 - 2.10)
Bay and Saginaw	5.59	(3.97 - 7.81)	6.51	(4.55 - 9.24)	1.65	(1.02 - 2.66)
Detroit City	4.71	(3.39 - 6.50)	3.55	(2.39 - 5.23)	2.07	(1.30 - 3.28)
Genesee	5.20	(3.65 - 7.35)	6.67	(4.53 - 9.70)	1.71	(1.08 - 2.72)
Kalamazoo	4.20	(2.92 - 6.01)	7.09	(4.84 - 10.27)	1.58	(0.97 - 2.56)
Kent	5.08	(3.66 - 7.00)	8.17	(5.70 - 11.58)	2.02	(1.28 - 3.18)
Lakeshore	4.97	(3.59 - 6.84)	8.96	(6.49 - 12.25)	1.71	(1.06 - 2.73)
Macomb	4.61	(3.34 - 6.35)	6.24	(4.35 - 8.88)	1.50	(0.97 - 2.33)
Mid South	4.67	(3.46 - 6.28)	6.64	(4.93 - 8.90)	1.41	(0.89 - 2.23)
Northern	4.55	(3.26 - 6.33)	6.10	(4.25 - 8.69)	1.24	(0.76 - 2.01)
Oakland	4.98	(3.74 - 6.60)	7.38	(5.44 - 9.93)	1.82	(1.20 - 2.75)
Pathways and Western	5.75	(4.08 - 8.03)	9.10	(6.28 - 13.00)	1.69	(1.00 - 2.82)
Southeast	5.15	(3.82 - 6.90)	7.22	(5.41 - 9.58)	1.75	(1.18 - 2.59)
St. Clair	5.58	(3.84 - 8.05)	7.04	(4.69 - 10.45)	1.43	(0.86 - 2.36)
Washtenaw	4.67	(3.24 - 6.69)	7.04	(4.94 - 9.94)	1.80	(1.15 - 2.81)
Minnesota	4.61	(3.70 - 5.74)	7.14	(5.72 - 8.88)	1.76	(1.23 - 2.50)
Regions 1 and 2	4.48	(2.96 - 6.72)	7.26	(4.81 - 10.82)	1.71	(0.94 - 3.08)
Regions 3 and 4	5.09	(3.53 - 7.27)	6.68	(4.42 - 9.99)	1.31	(0.75 - 2.30)
Regions 5 and 6	4.67	(3.26 - 6.66)	5.97	(4.02 - 8.79)	1.43	(0.82 - 2.49)
Region 7A (Hennepin)	4.59	(3.16 - 6.62)	7.51	(5.19 - 10.74)	2.06	(1.23 - 3.41)
Region 7B (Ramsey)	4.16	(2.83 - 6.08)	7.54	(4.98 - 11.25)	2.26	(1.27 - 3.97)
Region 7C	4.45	(3.14 - 6.27)	8.06	(5.51 - 11.63)	1.85	(1.09 - 3.14)
Mississippi	4.43	(3.48 - 5.61)	6.46	(5.06 - 8.22)	1.53	(1.07 - 2.18)
Regions 1 and 2	4.38	(2.93 - 6.49)	7.02	(4.73 - 10.31)	1.60	(0.96 - 2.65)
Regions 3, 4, 7, and 10	4.27	(2.92 - 6.18)	6.34	(4.30 - 9.26)	1.50	(0.93 - 2.43)
Regions 5, 6, 11, and 15	3.80	(2.54 - 5.66)	5.45	(3.56 - 8.27)	1.46	(0.87 - 2.43)
Regions 8 and 9	4.33	(2.97 - 6.28)	6.12	(4.03 - 9.18)	1.45	(0.87 - 2.40)
Region 12	4.63	(3.03 - 7.02)	5.49	(3.51 - 8.49)	1.52	(0.91 - 2.53)
Regions 13 and 14	5.57	(3.83 - 8.03)	8.66	(5.86 - 12.64)	1.69	(1.01 - 2.82)
Missouri	4.25	(3.32 - 5.42)	5.41	(4.14 - 7.03)	1.46	(1.00 - 2.13)
Central	4.53	(3.00 - 6.79)	5.04	(3.24 - 7.76)	1.40	(0.80 - 2.43)
Eastern	4.12	(2.90 - 5.82)	5.65	(3.81 - 8.30)	1.54	(0.95 - 2.49)
Northwest	4.24	(2.90 - 6.18)	5.08	(3.32 - 7.70)	1.51	(0.89 - 2.57)
Southeast	4.18	(2.85 - 6.09)	5.58	(3.54 - 8.70)	1.26	(0.74 - 2.15)
Southwest	4.35	(2.94 - 6.41)	5.63	(3.66 - 8.59)	1.41	(0.81 - 2.45)
Montana	6.12	(4.86 - 7.68)	7.06	(5.65 - 8.80)	1.45	(0.95 - 2.21)
Regions 1 and 3	5.78	(4.10 - 8.11)	6.03	(4.18 - 8.63)	1.34	(0.77 - 2.33)
Region 2	6.59	(4.57 - 9.41)	6.56	(4.45 - 9.57)	1.84	(1.02 - 3.31)
Region 4	6.29	(4.48 - 8.76)	7.43	(5.21 - 10.51)	1.27	(0.72 - 2.23)
Region 5	6.06	(4.32 - 8.43)	7.84	(5.65 - 10.79)	1.52	(0.88 - 2.61)

See notes at end of table.

(continued)

Table 5 Any Illicit Drug Use Other than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nebraska	3.88	(2.97 - 5.06)	4.78	(3.58 - 6.34)	1.33	(0.87 - 2.03)
Regions 1 and 2	4.27	(2.82 - 6.41)	5.29	(3.30 - 8.37)	1.35	(0.72 - 2.55)
Region 3	3.75	(2.45 - 5.68)	4.79	(3.03 - 7.52)	1.18	(0.64 - 2.18)
Region 4	3.74	(2.48 - 5.61)	4.36	(2.67 - 7.04)	1.38	(0.76 - 2.49)
Region 5	3.49	(2.36 - 5.14)	4.05	(2.63 - 6.19)	1.35	(0.76 - 2.38)
Region 6	4.10	(2.82 - 5.92)	5.29	(3.60 - 7.70)	1.35	(0.79 - 2.28)
Nevada	5.83	(4.52 - 7.50)	7.16	(5.42 - 9.41)	2.74	(1.89 - 3.97)
Clark	6.03	(4.45 - 8.14)	6.73	(4.82 - 9.31)	2.74	(1.77 - 4.21)
Rural	4.98	(3.31 - 7.43)	7.32	(4.55 - 11.59)	2.27	(1.28 - 3.99)
Washoe	5.82	(4.01 - 8.37)	8.79	(5.78 - 13.15)	3.16	(1.84 - 5.37)
New Hampshire	5.80	(4.62 - 7.25)	7.83	(6.17 - 9.89)	1.48	(1.01 - 2.16)
Central	6.15	(4.42 - 8.48)	7.86	(5.39 - 11.32)	1.54	(0.92 - 2.58)
Northern	5.42	(3.71 - 7.86)	9.06	(5.98 - 13.51)	1.44	(0.82 - 2.50)
Southern	5.71	(4.30 - 7.55)	7.51	(5.49 - 10.18)	1.46	(0.92 - 2.30)
New Jersey	4.40	(3.57 - 5.42)	6.24	(4.84 - 8.00)	1.78	(1.25 - 2.51)
RHPA I	4.46	(3.11 - 6.37)	6.52	(4.20 - 10.00)	1.66	(1.01 - 2.73)
RHPA IIa (Bergen)	4.09	(2.78 - 5.96)	6.44	(3.99 - 10.22)	1.68	(0.92 - 3.03)
RHPA IIb (Hudson)	4.16	(2.81 - 6.11)	5.58	(3.56 - 8.64)	2.23	(1.32 - 3.76)
RHPA III	4.88	(3.36 - 7.04)	4.81	(3.00 - 7.62)	1.90	(1.10 - 3.29)
RHPA IVa	4.00	(2.69 - 5.91)	6.22	(3.99 - 9.58)	1.93	(1.12 - 3.30)
RHPA IVb (Middlesex)	4.34	(2.94 - 6.36)	6.65	(4.27 - 10.20)	1.84	(1.06 - 3.16)
RHPA V	4.29	(2.93 - 6.26)	6.23	(4.12 - 9.32)	1.87	(1.11 - 3.13)
RHPA VIa	4.74	(3.22 - 6.91)	7.37	(4.67 - 11.44)	1.32	(0.76 - 2.31)
RHPA VIb (Monmouth)	4.26	(2.89 - 6.24)	7.85	(4.94 - 12.26)	1.64	(0.95 - 2.83)
New Mexico	5.03	(3.95 - 6.38)	6.30	(4.86 - 8.12)	2.02	(1.43 - 2.85)
Region 1	4.25	(2.78 - 6.46)	5.03	(3.17 - 7.88)	1.88	(1.05 - 3.35)
Region 2	5.63	(4.01 - 7.85)	6.35	(4.21 - 9.45)	2.35	(1.40 - 3.90)
Region 3	5.21	(3.54 - 7.61)	5.78	(3.77 - 8.75)	1.66	(1.00 - 2.75)
Region 4	4.34	(2.93 - 6.38)	5.54	(3.42 - 8.86)	1.78	(1.06 - 2.98)
Region 5 (Bernalillo)	5.38	(3.76 - 7.64)	7.52	(5.20 - 10.75)	2.21	(1.37 - 3.56)
New York	3.39	(2.83 - 4.06)	6.25	(5.36 - 7.28)	2.03	(1.57 - 2.63)
New York City	3.21	(2.41 - 4.27)	5.51	(4.36 - 6.95)	2.82	(2.04 - 3.90)
Remainder of the State	3.51	(2.84 - 4.33)	6.88	(5.69 - 8.31)	1.46	(1.04 - 2.06)
North Carolina	5.19	(4.17 - 6.45)	5.97	(4.64 - 7.66)	1.91	(1.39 - 2.61)
Eastern	5.64	(4.09 - 7.74)	5.65	(3.83 - 8.26)	1.71	(1.08 - 2.68)
North Central	4.51	(3.11 - 6.48)	5.70	(3.79 - 8.49)	1.82	(1.16 - 2.83)
South Central	5.45	(3.90 - 7.56)	6.23	(4.20 - 9.13)	2.34	(1.48 - 3.70)
Western	5.19	(3.71 - 7.22)	6.19	(4.26 - 8.92)	1.80	(1.15 - 2.79)

See notes at end of table.

(continued)

Table 5 Any Illicit Drug Use Other than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Dakota	4.43	(3.39 - 5.77)	4.69	(3.52 - 6.23)	1.21	(0.75 - 1.95)
Badlands and West Central Lake Region and South Central	4.50	(3.12 - 6.45)	5.00	(3.25 - 7.60)	1.10	(0.60 - 2.01)
North Central and Northwest	4.46	(2.93 - 6.72)	4.19	(2.61 - 6.66)	1.16	(0.60 - 2.26)
Northeast	4.20	(2.86 - 6.12)	4.23	(2.60 - 6.80)	1.25	(0.68 - 2.30)
Southeast	4.40	(2.93 - 6.54)	5.09	(3.27 - 7.85)	1.47	(0.80 - 2.69)
	4.53	(3.03 - 6.72)	4.67	(3.14 - 6.91)	1.18	(0.64 - 2.18)
Ohio	4.61	(4.02 - 5.28)	6.36	(5.58 - 7.24)	1.54	(1.22 - 1.94)
Boards 2, 46, 55, and 68	4.53	(3.23 - 6.32)	6.56	(4.49 - 9.49)	1.43	(0.89 - 2.30)
Boards 3, 52, and 85	4.06	(2.78 - 5.89)	5.78	(3.83 - 8.61)	1.31	(0.81 - 2.13)
Boards 4 and 78	4.51	(3.14 - 6.43)	6.35	(4.23 - 9.43)	1.47	(0.90 - 2.39)
Boards 5 and 60	5.48	(3.79 - 7.88)	5.66	(3.82 - 8.32)	1.51	(0.93 - 2.45)
Boards 7, 15, 41, 79, and 84	4.70	(3.29 - 6.66)	6.00	(4.16 - 8.57)	1.36	(0.85 - 2.18)
Boards 8, 13, and 83	4.85	(3.42 - 6.84)	7.62	(5.20 - 11.04)	1.29	(0.80 - 2.05)
Board 9 (Butler)	4.68	(3.22 - 6.77)	7.18	(4.80 - 10.60)	1.44	(0.91 - 2.28)
Board 12	4.59	(3.18 - 6.58)	6.65	(4.55 - 9.62)	*	(* - *)
Boards 18 and 47	3.95	(2.92 - 5.32)	5.58	(4.06 - 7.63)	1.58	(1.02 - 2.42)
Boards 20, 32, 54, and 69	4.32	(3.00 - 6.20)	6.43	(4.24 - 9.64)	1.35	(0.80 - 2.26)
Boards 21, 39, 51, 70, and 80	4.15	(2.88 - 5.95)	6.01	(4.04 - 8.86)	1.36	(0.84 - 2.20)
Boards 22, 74, and 87	4.05	(2.77 - 5.87)	5.24	(3.44 - 7.90)	1.33	(0.79 - 2.24)
Boards 23 and 45	5.23	(3.66 - 7.43)	6.85	(4.57 - 10.16)	1.38	(0.86 - 2.21)
Board 25 (Franklin)	4.96	(3.63 - 6.76)	7.60	(5.86 - 9.81)	2.10	(1.38 - 3.18)
Boards 27, 71, and 73	5.09	(3.59 - 7.16)	5.65	(3.84 - 8.24)	1.34	(0.83 - 2.15)
Boards 28, 43, and 67	4.74	(3.37 - 6.64)	6.03	(4.08 - 8.81)	1.27	(0.77 - 2.07)
Board 31 (Hamilton)	3.92	(2.78 - 5.50)	5.82	(4.12 - 8.17)	1.55	(1.01 - 2.36)
Board 48 (Lucas)	4.60	(3.17 - 6.63)	5.57	(3.74 - 8.23)	1.82	(1.13 - 2.93)
Board 50 (Mahoning)	4.83	(3.33 - 6.95)	6.07	(3.98 - 9.15)	1.51	(0.90 - 2.51)
Board 57 (Montgomery)	5.14	(3.60 - 7.27)	6.91	(4.89 - 9.68)	1.50	(0.94 - 2.37)
Board 76 (Stark)	5.69	(3.98 - 8.08)	7.36	(4.92 - 10.88)	1.64	(0.99 - 2.69)
Board 77 (Summit)	5.47	(3.87 - 7.69)	7.02	(4.85 - 10.07)	1.68	(1.05 - 2.69)
Oklahoma	4.76	(3.73 - 6.05)	6.80	(5.43 - 8.48)	2.46	(1.72 - 3.52)
Central	5.00	(3.41 - 7.27)	8.41	(5.71 - 12.21)	2.24	(1.29 - 3.88)
East Central	4.44	(2.89 - 6.75)	5.65	(3.57 - 8.83)	2.42	(1.38 - 4.22)
Northeast	4.60	(3.04 - 6.92)	6.62	(4.31 - 10.04)	2.54	(1.44 - 4.44)
Northwest and Southwest	4.47	(3.06 - 6.50)	5.96	(3.92 - 8.97)	2.36	(1.37 - 4.02)
Oklahoma City Metro	4.74	(3.25 - 6.85)	6.97	(4.86 - 9.91)	2.48	(1.49 - 4.12)
Southeast	4.85	(3.27 - 7.13)	5.42	(3.48 - 8.33)	2.52	(1.43 - 4.39)
Tulsa Metro	5.21	(3.53 - 7.62)	7.93	(5.33 - 11.65)	2.59	(1.50 - 4.44)

See notes at end of table.

(continued)

Table 5 Any Illicit Drug Use Other than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	5.05	(4.03 - 6.32)	7.74	(6.25 - 9.55)	2.10	(1.46 - 3.02)
Region 1 (Multnomah)	5.28	(3.64 - 7.59)	7.11	(4.83 - 10.35)	2.52	(1.53 - 4.14)
Region 2	5.56	(3.90 - 7.85)	7.28	(4.98 - 10.53)	1.87	(1.06 - 3.28)
Region 3	5.00	(3.50 - 7.09)	8.93	(6.57 - 12.04)	2.13	(1.26 - 3.55)
Region 4	4.63	(3.12 - 6.81)	6.82	(4.43 - 10.37)	1.94	(1.09 - 3.43)
Region 5	4.47	(3.04 - 6.53)	7.00	(4.53 - 10.67)	1.98	(1.10 - 3.54)
Pennsylvania	4.64	(4.06 - 5.30)	6.50	(5.66 - 7.46)	1.78	(1.40 - 2.28)
Regions 1, 27, and 47	5.18	(3.80 - 7.01)	9.31	(7.00 - 12.27)	1.94	(1.26 - 2.99)
Regions 2, 3, 8, and 9	4.25	(3.05 - 5.90)	6.68	(4.70 - 9.42)	1.20	(0.73 - 1.96)
Regions 4 and 42	4.81	(3.41 - 6.76)	5.84	(3.96 - 8.52)	1.73	(1.07 - 2.79)
Regions 5 and 28	4.55	(3.14 - 6.55)	5.46	(3.59 - 8.23)	1.44	(0.85 - 2.42)
Regions 6, 16, and 39	4.04	(2.80 - 5.82)	5.09	(3.26 - 7.84)	1.33	(0.78 - 2.24)
Region 7 (Bucks)	4.87	(3.48 - 6.78)	7.09	(4.83 - 10.29)	1.39	(0.83 - 2.32)
Regions 10, 15, and 25	4.34	(3.02 - 6.19)	6.33	(4.17 - 9.50)	1.27	(0.75 - 2.15)
Regions 11, 29, 44, and 48	4.97	(3.51 - 6.99)	6.69	(4.55 - 9.72)	1.36	(0.83 - 2.24)
Regions 12, 35, 41, and 45	4.31	(3.03 - 6.11)	6.20	(4.23 - 9.01)	1.63	(1.00 - 2.66)
Region 13 (Chester)	4.30	(2.99 - 6.14)	7.62	(5.11 - 11.23)	1.70	(1.04 - 2.78)
Regions 14, 31, 36, and 46	4.51	(3.17 - 6.39)	6.40	(4.23 - 9.57)	1.43	(0.87 - 2.35)
Regions 17, 24, and 43	3.90	(2.76 - 5.48)	5.96	(4.01 - 8.76)	1.43	(0.87 - 2.36)
Region 18 (Philadelphia)	5.05	(3.73 - 6.81)	5.73	(4.14 - 7.87)	3.29	(2.04 - 5.27)
Regions 19 and 23	4.25	(2.92 - 6.16)	5.69	(3.70 - 8.64)	1.54	(0.93 - 2.53)
Regions 20, 26, and 40	3.94	(2.74 - 5.64)	5.33	(3.63 - 7.76)	1.31	(0.80 - 2.14)
Regions 21 and 32	3.79	(2.60 - 5.49)	4.91	(3.14 - 7.59)	1.50	(0.88 - 2.53)
Region 22 (Delaware)	4.77	(3.40 - 6.65)	6.22	(4.19 - 9.12)	1.76	(1.07 - 2.88)
Region 30 (Lancaster)	4.31	(3.00 - 6.15)	5.89	(3.97 - 8.64)	1.56	(0.94 - 2.56)
Region 33 (Lehigh)	4.54	(3.13 - 6.53)	5.62	(3.73 - 8.39)	1.80	(1.07 - 3.02)
Region 34	5.11	(3.63 - 7.15)	7.22	(4.83 - 10.67)	1.33	(0.79 - 2.23)
Region 37 (Montgomery)	5.04	(3.62 - 6.97)	6.53	(4.42 - 9.55)	2.03	(1.25 - 3.28)
Region 38 (Northampton)	4.79	(3.30 - 6.91)	6.83	(4.53 - 10.19)	1.59	(0.97 - 2.61)
Region 49	4.40	(3.14 - 6.14)	6.00	(4.04 - 8.82)	1.45	(0.87 - 2.41)
Rhode Island	5.21	(4.05 - 6.67)	8.29	(6.56 - 10.43)	1.91	(1.25 - 2.89)
Bristol and Newport	4.37	(2.90 - 6.54)	9.02	(5.99 - 13.38)	1.43	(0.80 - 2.53)
Kent	6.02	(4.16 - 8.64)	7.88	(5.19 - 11.80)	1.44	(0.83 - 2.49)
Providence	5.21	(3.79 - 7.11)	7.61	(5.61 - 10.23)	2.23	(1.36 - 3.63)
Washington	5.09	(3.40 - 7.56)	*	(* - *)	1.52	(0.87 - 2.67)
South Carolina	4.51	(3.57 - 5.68)	6.24	(4.89 - 7.94)	1.48	(1.03 - 2.14)
Region 1	5.51	(3.92 - 7.70)	7.31	(4.99 - 10.59)	1.57	(0.96 - 2.56)
Region 2	4.11	(2.87 - 5.86)	5.18	(3.50 - 7.62)	1.52	(0.92 - 2.50)
Region 3	4.35	(2.98 - 6.30)	5.77	(3.79 - 8.69)	1.39	(0.82 - 2.34)
Region 4	4.12	(2.89 - 5.86)	6.70	(4.64 - 9.57)	1.42	(0.85 - 2.39)

See notes at end of table.

(continued)

Table 5 *Any Illicit Drug Use Other than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	4.21	(3.25 - 5.42)	5.27	(3.98 - 6.95)	1.22	(0.75 - 1.97)
Region 1 (Pennington)	4.43	(2.89 - 6.74)	6.60	(4.15 - 10.35)	1.48	(0.75 - 2.88)
Region 2	4.38	(2.97 - 6.42)	4.14	(2.66 - 6.39)	1.23	(0.62 - 2.43)
Region 3 (Minnehaha)	3.81	(2.55 - 5.64)	5.48	(3.54 - 8.39)	1.23	(0.69 - 2.21)
Region 4	3.94	(2.58 - 5.97)	5.18	(3.29 - 8.06)	1.11	(0.58 - 2.09)
Region 5	4.59	(3.08 - 6.81)	4.90	(3.07 - 7.74)	*	(* - *)
Region 6	3.84	(2.49 - 5.87)	4.74	(2.94 - 7.56)	1.22	(0.62 - 2.39)
Region 7	4.55	(3.05 - 6.75)	5.89	(3.72 - 9.22)	1.26	(0.68 - 2.33)
Tennessee	5.53	(4.43 - 6.89)	6.25	(4.86 - 7.99)	1.68	(1.20 - 2.34)
Region 1	6.34	(4.38 - 9.10)	6.82	(4.27 - 10.72)	1.66	(0.98 - 2.79)
Region 2	5.88	(4.19 - 8.19)	6.73	(4.63 - 9.69)	1.57	(0.96 - 2.53)
Region 3	6.39	(4.44 - 9.11)	6.73	(4.37 - 10.24)	1.52	(0.90 - 2.55)
Region 4 (Davidson)	5.92	(3.87 - 8.96)	5.99	(3.72 - 9.50)	2.41	(1.45 - 3.96)
Region 5	5.03	(3.51 - 7.18)	6.62	(4.33 - 10.00)	1.66	(1.01 - 2.71)
Region 6	5.80	(3.95 - 8.46)	5.55	(3.53 - 8.63)	1.54	(0.92 - 2.58)
Region 7 (Shelby)	4.32	(2.88 - 6.44)	5.14	(3.27 - 8.00)	1.62	(0.95 - 2.75)
Texas	5.01	(4.39 - 5.72)	6.87	(6.05 - 7.80)	1.66	(1.29 - 2.14)
Region 1	5.81	(4.10 - 8.18)	6.83	(4.60 - 10.04)	1.55	(0.96 - 2.51)
Regions 2 and 9	4.92	(3.50 - 6.89)	7.12	(4.91 - 10.22)	1.40	(0.85 - 2.28)
Region 3	4.71	(3.74 - 5.92)	6.97	(5.54 - 8.74)	1.72	(1.18 - 2.50)
Region 4	5.46	(3.89 - 7.61)	6.17	(4.13 - 9.14)	1.70	(1.05 - 2.75)
Region 5	5.53	(3.89 - 7.81)	7.17	(4.83 - 10.51)	1.68	(1.05 - 2.69)
Region 6	4.78	(3.78 - 6.02)	7.24	(5.74 - 9.10)	1.88	(1.29 - 2.73)
Region 7	5.33	(3.90 - 7.24)	6.78	(5.12 - 8.92)	1.66	(1.07 - 2.57)
Region 8	5.30	(3.96 - 7.04)	6.56	(4.74 - 9.02)	1.60	(1.02 - 2.50)
Region 10	5.75	(4.08 - 8.05)	6.39	(4.32 - 9.35)	1.40	(0.84 - 2.30)
Region 11	4.74	(3.48 - 6.42)	6.38	(4.54 - 8.89)	1.20	(0.72 - 1.98)
Utah	3.76	(2.89 - 4.87)	5.37	(4.21 - 6.82)	1.89	(1.30 - 2.76)
Bear River, Northeastern, Summit, Tooele, and Wasatch	3.55	(2.33 - 5.37)	5.24	(3.41 - 7.98)	1.66	(0.95 - 2.90)
Central, Four Corners, San Juan, and Southwest	3.84	(2.52 - 5.81)	5.98	(3.80 - 9.29)	1.59	(0.89 - 2.82)
Davis County	3.36	(2.24 - 5.01)	6.08	(4.00 - 9.15)	1.70	(0.99 - 2.90)
Salt Lake County	4.14	(2.89 - 5.88)	5.28	(3.67 - 7.54)	2.19	(1.37 - 3.51)
Utah County	3.25	(2.15 - 4.89)	4.66	(3.18 - 6.79)	1.58	(0.92 - 2.71)
Weber, Morgan	3.89	(2.53 - 5.93)	6.32	(3.95 - 9.97)	1.88	(1.09 - 3.24)
Vermont	5.51	(4.41 - 6.86)	9.80	(8.02 - 11.92)	1.71	(1.17 - 2.49)
Champlain Valley	6.03	(4.41 - 8.19)	10.97	(8.46 - 14.11)	1.81	(1.11 - 2.94)
Rural Northeast	4.93	(3.42 - 7.05)	8.93	(6.09 - 12.92)	1.70	(0.99 - 2.91)
Rural Southeast	5.46	(3.87 - 7.64)	9.13	(6.34 - 12.98)	1.77	(1.02 - 3.08)
Rural Southwest	5.15	(3.50 - 7.52)	8.26	(5.52 - 12.18)	1.41	(0.81 - 2.45)

See notes at end of table.

(continued)

Table 5 Any Illicit Drug Use Other than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Virginia	3.86	(3.07 - 4.83)	5.83	(4.43 - 7.64)	1.52	(1.05 - 2.18)
Region 1	4.64	(3.09 - 6.91)	*	(* - *)	1.42	(0.82 - 2.46)
Region 2	3.41	(2.32 - 4.99)	5.46	(3.46 - 8.51)	1.77	(1.04 - 2.99)
Region 3	4.09	(2.85 - 5.83)	5.65	(3.65 - 8.65)	1.27	(0.78 - 2.07)
Region 4	3.99	(2.73 - 5.81)	5.53	(3.61 - 8.38)	1.44	(0.86 - 2.41)
Region 5	3.54	(2.52 - 4.97)	4.91	(3.21 - 7.46)	1.55	(0.95 - 2.50)
Washington	4.98	(3.99 - 6.21)	7.68	(6.20 - 9.47)	2.02	(1.41 - 2.90)
Region 1	5.20	(3.47 - 7.71)	7.04	(4.63 - 10.56)	1.88	(1.04 - 3.37)
Region 2	4.97	(3.37 - 7.26)	6.73	(4.28 - 10.43)	2.03	(1.17 - 3.50)
Region 3	4.91	(3.33 - 7.19)	9.52	(6.74 - 13.30)	2.02	(1.18 - 3.44)
Region 4 (King)	4.87	(3.51 - 6.74)	7.85	(5.65 - 10.80)	2.17	(1.34 - 3.50)
Region 5	4.64	(3.20 - 6.69)	6.64	(4.39 - 9.91)	1.93	(1.14 - 3.27)
Region 6	5.39	(3.78 - 7.63)	7.69	(5.16 - 11.30)	1.95	(1.13 - 3.35)
West Virginia	5.67	(4.56 - 7.04)	6.79	(5.37 - 8.55)	1.46	(1.03 - 2.06)
Eastern Highland	5.57	(3.95 - 7.80)	6.44	(4.27 - 9.61)	1.38	(0.85 - 2.23)
Northern	5.33	(3.77 - 7.49)	6.46	(4.41 - 9.37)	1.45	(0.88 - 2.38)
South Central I	5.76	(4.00 - 8.22)	6.84	(4.60 - 10.06)	1.34	(0.80 - 2.22)
South Central II	5.84	(4.10 - 8.25)	6.42	(4.23 - 9.63)	1.41	(0.85 - 2.33)
South Central III	6.63	(4.52 - 9.61)	6.93	(4.54 - 10.42)	1.53	(0.91 - 2.56)
Southern	5.48	(3.68 - 8.08)	7.80	(5.20 - 11.55)	1.61	(0.97 - 2.65)
Wisconsin	4.29	(3.45 - 5.32)	5.79	(4.51 - 7.40)	1.74	(1.22 - 2.47)
Milwaukee	4.34	(2.99 - 6.26)	4.69	(3.00 - 7.27)	2.32	(1.41 - 3.80)
Northeastern	4.46	(3.10 - 6.37)	7.12	(4.78 - 10.50)	1.91	(1.14 - 3.19)
Northern and Western	3.87	(2.68 - 5.56)	5.48	(3.60 - 8.26)	1.33	(0.77 - 2.26)
Southeastern	4.49	(3.17 - 6.32)	6.23	(4.11 - 9.32)	1.49	(0.90 - 2.45)
Southern	4.37	(3.03 - 6.28)	5.43	(3.63 - 8.06)	1.78	(1.07 - 2.93)
Wyoming	4.99	(3.98 - 6.24)	6.70	(5.34 - 8.38)	1.46	(1.01 - 2.12)
Frontier 1	4.10	(2.77 - 6.05)	5.80	(3.73 - 8.91)	1.08	(0.60 - 1.91)
Frontier 2	5.59	(3.72 - 8.31)	6.19	(3.89 - 9.74)	1.22	(0.68 - 2.21)
Rural 1	5.25	(3.70 - 7.42)	6.72	(4.62 - 9.66)	1.57	(0.93 - 2.62)
Rural 2	5.02	(3.49 - 7.17)	6.82	(4.78 - 9.63)	1.65	(0.97 - 2.81)
Rural 3 (Laramie)	4.76	(3.27 - 6.87)	7.09	(4.69 - 10.58)	1.82	(1.08 - 3.04)
Rural 4	5.37	(3.62 - 7.90)	7.11	(4.74 - 10.53)	1.18	(0.67 - 2.07)

*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 1999-2001 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 1999, 2000, and 2001.

Table 6 Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	1.58		5.17		1.14	
Alabama	1.43	(0.95 - 2.14)	4.27	(3.21 - 5.64)	1.11	(0.70 - 1.76)
Region 1	1.60	(0.92 - 2.78)	4.93	(3.27 - 7.38)	0.94	(0.54 - 1.64)
Region 2	1.68	(0.97 - 2.92)	3.98	(2.57 - 6.10)	1.37	(0.72 - 2.58)
Region 3	1.06	(0.59 - 1.88)	4.19	(2.73 - 6.38)	1.15	(0.62 - 2.11)
Region 4	1.20	(0.65 - 2.22)	3.98	(2.50 - 6.28)	0.93	(0.51 - 1.67)
Alaska	1.59	(1.08 - 2.33)	5.17	(3.92 - 6.78)	1.50	(0.94 - 2.40)
Gulf Coast	1.85	(1.02 - 3.33)	6.01	(3.76 - 9.49)	1.44	(0.75 - 2.74)
Rural	1.52	(0.81 - 2.84)	3.22	(1.93 - 5.34)	*	(* - *)
Southeast	1.98	(1.10 - 3.54)	5.40	(3.37 - 8.54)	1.22	(0.65 - 2.29)
Urban	1.48	(0.93 - 2.36)	5.34	(3.87 - 7.33)	1.65	(0.98 - 2.79)
Arizona	2.82	(2.03 - 3.91)	6.52	(5.15 - 8.23)	1.54	(0.98 - 2.41)
Maricopa	2.87	(1.90 - 4.33)	6.79	(5.11 - 8.98)	1.67	(1.00 - 2.78)
Pima	3.01	(1.78 - 5.04)	6.34	(4.20 - 9.46)	1.69	(0.93 - 3.08)
Rural North	2.51	(1.44 - 4.34)	5.14	(3.25 - 8.04)	0.96	(0.51 - 1.81)
Rural South	2.63	(1.57 - 4.37)	6.66	(4.32 - 10.13)	1.28	(0.69 - 2.37)
Arkansas	1.46	(0.99 - 2.13)	4.25	(3.21 - 5.62)	0.83	(0.53 - 1.29)
Areas 1 and 5	2.11	(1.21 - 3.66)	4.36	(2.71 - 6.92)	0.68	(0.37 - 1.25)
Areas 2 and 3	1.53	(0.84 - 2.78)	5.06	(3.22 - 7.85)	*	(* - *)
Areas 4 and 7	1.12	(0.63 - 1.99)	4.06	(2.55 - 6.40)	0.79	(0.43 - 1.44)
Area 6	1.61	(0.87 - 2.98)	5.55	(3.61 - 8.44)	*	(* - *)
Areas 8 and 12	1.16	(0.65 - 2.07)	3.36	(2.11 - 5.31)	0.84	(0.43 - 1.62)
Area 9	1.22	(0.68 - 2.17)	4.03	(2.50 - 6.44)	1.14	(0.62 - 2.08)
Areas 10, 11, and 13	1.15	(0.63 - 2.08)	3.72	(2.29 - 6.00)	*	(* - *)
California	1.97	(1.64 - 2.36)	5.56	(4.82 - 6.39)	1.42	(1.09 - 1.85)
Region 1	2.53	(1.57 - 4.06)	6.77	(4.50 - 10.06)	1.42	(0.81 - 2.49)
Region 2	1.88	(1.24 - 2.84)	5.83	(4.14 - 8.15)	1.40	(0.86 - 2.26)
Region 3	2.38	(1.52 - 3.70)	6.03	(4.05 - 8.88)	1.27	(0.74 - 2.16)
Region 4	1.63	(0.98 - 2.72)	6.47	(4.35 - 9.51)	1.52	(0.88 - 2.59)
Region 5	1.93	(1.21 - 3.07)	5.89	(4.06 - 8.46)	2.00	(1.17 - 3.42)
Region 6 (Santa Clara)	1.80	(1.11 - 2.90)	4.77	(3.22 - 7.04)	1.12	(0.67 - 1.86)
Region 7	2.68	(1.65 - 4.32)	6.09	(3.98 - 9.22)	1.57	(0.92 - 2.67)
Region 8	2.42	(1.57 - 3.73)	6.13	(4.26 - 8.76)	1.75	(1.05 - 2.90)
Region 9	2.08	(1.31 - 3.29)	6.20	(4.30 - 8.86)	1.41	(0.83 - 2.39)
Region 10	2.42	(1.53 - 3.80)	6.45	(4.33 - 9.49)	1.61	(0.93 - 2.76)
Region 11 (Los Angeles)	1.74	(1.28 - 2.37)	4.68	(3.69 - 5.92)	1.38	(0.92 - 2.07)
Region 12	1.79	(1.10 - 2.88)	5.23	(3.60 - 7.54)	1.26	(0.74 - 2.15)
Region 13 (Riverside)	1.82	(1.13 - 2.92)	5.20	(3.39 - 7.90)	1.33	(0.80 - 2.22)
Region 14 (Orange)	2.16	(1.38 - 3.36)	5.73	(3.99 - 8.15)	1.27	(0.77 - 2.09)
Region 15	2.03	(1.33 - 3.07)	6.50	(4.76 - 8.81)	1.30	(0.83 - 2.03)

See notes at end of table.

(continued)

Table 6 Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	2.47	(1.71 - 3.55)	9.58	(7.69 - 11.88)	1.84	(1.19 - 2.82)
Regions 1 and 4	2.58	(1.50 - 4.39)	9.61	(6.65 - 13.69)	1.36	(0.74 - 2.47)
Region 2	2.40	(1.51 - 3.80)	9.38	(7.02 - 12.44)	2.07	(1.25 - 3.42)
Region 3	2.21	(1.25 - 3.88)	9.41	(6.34 - 13.75)	1.91	(1.08 - 3.38)
Regions 5 and 6	2.79	(1.61 - 4.79)	9.70	(6.52 - 14.21)	1.53	(0.83 - 2.81)
Region 7 (Boulder)	2.63	(1.49 - 4.60)	10.75	(7.34 - 15.47)	1.75	(0.96 - 3.17)
Connecticut	1.47	(1.01 - 2.14)	4.76	(3.54 - 6.36)	1.43	(0.92 - 2.21)
Eastern	1.92	(1.10 - 3.34)	4.94	(3.06 - 7.88)	1.35	(0.73 - 2.49)
North Central	1.62	(0.95 - 2.75)	4.83	(3.18 - 7.27)	1.54	(0.81 - 2.90)
Northwestern	1.34	(0.72 - 2.47)	5.24	(3.23 - 8.38)	1.36	(0.74 - 2.50)
South Central	1.35	(0.78 - 2.33)	4.34	(2.74 - 6.80)	1.45	(0.81 - 2.57)
Southwest	1.19	(0.64 - 2.20)	4.66	(2.94 - 7.32)	1.34	(0.73 - 2.45)
Delaware	1.29	(0.83 - 1.99)	6.17	(4.77 - 7.93)	1.88	(1.21 - 2.92)
Kent	1.25	(0.67 - 2.33)	5.31	(3.47 - 8.04)	2.28	(1.21 - 4.26)
New Castle	1.23	(0.73 - 2.07)	6.14	(4.55 - 8.24)	1.74	(1.06 - 2.85)
Sussex	1.52	(0.84 - 2.76)	7.21	(4.66 - 10.99)	1.99	(1.04 - 3.78)
District of Columbia	0.79	(0.50 - 1.25)	4.59	(3.43 - 6.12)	2.70	(1.83 - 3.96)
Ward 1	*	(* - *)	5.00	(3.09 - 7.98)	2.37	(1.33 - 4.19)
Ward 2	*	(* - *)	5.90	(3.93 - 8.76)	2.47	(1.39 - 4.33)
Ward 3	*	(* - *)	6.37	(4.06 - 9.85)	1.91	(1.03 - 3.49)
Ward 4	0.76	(0.40 - 1.44)	3.90	(2.37 - 6.35)	2.95	(1.52 - 5.66)
Ward 5	0.54	(0.29 - 1.02)	3.59	(2.22 - 5.76)	3.61	(1.93 - 6.65)
Ward 6	*	(* - *)	5.02	(3.11 - 8.01)	2.64	(1.46 - 4.72)
Ward 7	*	(* - *)	2.02	(1.19 - 3.41)	2.96	(1.60 - 5.41)
Ward 8	*	(* - *)	2.41	(1.40 - 4.10)	*	(* - *)
Florida	1.38	(1.08 - 1.76)	5.49	(4.70 - 6.41)	1.05	(0.79 - 1.38)
District 1	1.39	(0.82 - 2.35)	5.31	(3.55 - 7.88)	1.10	(0.66 - 1.83)
District 2	1.18	(0.69 - 2.02)	4.99	(3.27 - 7.54)	1.04	(0.62 - 1.77)
District 3	1.29	(0.75 - 2.21)	6.39	(4.25 - 9.51)	*	(* - *)
District 4	1.39	(0.85 - 2.25)	5.03	(3.43 - 7.33)	1.16	(0.70 - 1.91)
District 7	1.39	(0.88 - 2.19)	5.55	(4.05 - 7.56)	1.03	(0.64 - 1.67)
District 8	1.63	(0.98 - 2.69)	6.37	(4.37 - 9.18)	0.90	(0.55 - 1.49)
District 9 (Palm Beach)	1.33	(0.78 - 2.27)	6.98	(4.88 - 9.90)	1.07	(0.62 - 1.85)
District 10 (Broward)	1.21	(0.73 - 2.00)	4.73	(3.11 - 7.13)	1.05	(0.64 - 1.73)
District 11	1.33	(0.86 - 2.05)	4.88	(3.51 - 6.75)	1.03	(0.66 - 1.62)
District 12	1.56	(0.91 - 2.66)	6.08	(4.11 - 8.90)	1.19	(0.66 - 2.12)
District 13	1.57	(0.93 - 2.64)	5.95	(3.95 - 8.87)	0.76	(0.43 - 1.34)
District 14	1.26	(0.73 - 2.15)	4.56	(3.06 - 6.74)	0.94	(0.54 - 1.62)
District 15	1.67	(0.96 - 2.89)	7.41	(4.85 - 11.14)	0.82	(0.46 - 1.44)
Suncoast	1.42	(0.92 - 2.20)	5.61	(4.16 - 7.53)	1.17	(0.72 - 1.91)

See notes at end of table.

(continued)

Table 6 Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	1.33	(0.93 - 1.90)	5.42	(4.19 - 6.98)	1.28	(0.83 - 1.96)
Central	1.14	(0.62 - 2.09)	3.78	(2.33 - 6.07)	*	(* - *)
East Central	1.35	(0.74 - 2.44)	6.64	(4.36 - 9.99)	*	(* - *)
Metro	0.99	(0.58 - 1.70)	5.04	(3.37 - 7.49)	1.48	(0.84 - 2.57)
North	1.92	(1.15 - 3.19)	6.20	(4.15 - 9.17)	1.14	(0.64 - 2.02)
Southeast	1.27	(0.71 - 2.26)	4.92	(3.11 - 7.70)	*	(* - *)
Southwest	1.16	(0.65 - 2.07)	5.28	(3.41 - 8.09)	1.27	(0.69 - 2.34)
West Central	1.30	(0.74 - 2.28)	5.33	(3.39 - 8.28)	1.16	(0.63 - 2.12)
Hawaii	1.25	(0.81 - 1.93)	4.83	(3.50 - 6.63)	1.08	(0.64 - 1.82)
Hawaii Island	1.75	(0.94 - 3.25)	4.54	(2.77 - 7.37)	1.58	(0.76 - 3.27)
Honolulu	1.14	(0.68 - 1.88)	4.91	(3.43 - 6.99)	1.05	(0.58 - 1.88)
Kalawao, Kauai, and Maui	1.33	(0.74 - 2.38)	4.60	(2.84 - 7.35)	0.84	(0.43 - 1.60)
Idaho	1.78	(1.22 - 2.61)	3.75	(2.75 - 5.09)	0.60	(0.35 - 1.04)
Region 1	2.22	(1.26 - 3.88)	3.58	(2.19 - 5.79)	0.58	(0.29 - 1.17)
Region 2	1.77	(0.98 - 3.18)	3.75	(2.23 - 6.24)	*	(* - *)
Region 3	1.72	(0.97 - 3.03)	4.01	(2.49 - 6.40)	0.58	(0.29 - 1.15)
Region 4	1.84	(1.04 - 3.22)	3.93	(2.51 - 6.11)	0.69	(0.35 - 1.34)
Region 5	1.81	(1.03 - 3.17)	3.84	(2.34 - 6.26)	*	(* - *)
Region 6	1.74	(0.98 - 3.10)	3.51	(2.18 - 5.62)	*	(* - *)
Region 7	1.43	(0.78 - 2.59)	3.45	(2.15 - 5.48)	*	(* - *)
Illinois	0.96	(0.73 - 1.26)	4.87	(4.13 - 5.74)	1.22	(0.90 - 1.63)
Region I (Cook)	0.81	(0.53 - 1.24)	5.24	(4.17 - 6.57)	1.65	(1.13 - 2.40)
Region II	1.04	(0.71 - 1.54)	4.51	(3.40 - 5.96)	0.79	(0.51 - 1.22)
Region III	1.04	(0.63 - 1.69)	4.63	(3.26 - 6.54)	0.89	(0.54 - 1.46)
Region IV	1.11	(0.67 - 1.84)	4.89	(3.39 - 7.00)	0.96	(0.59 - 1.57)
Region V	1.10	(0.65 - 1.85)	4.46	(3.17 - 6.25)	1.10	(0.66 - 1.85)
Indiana	1.49	(1.02 - 2.16)	4.65	(3.61 - 5.96)	0.82	(0.50 - 1.34)
Central	1.24	(0.70 - 2.20)	4.26	(2.80 - 6.43)	1.05	(0.55 - 1.99)
East	1.48	(0.81 - 2.67)	4.43	(2.78 - 6.99)	*	(* - *)
North Central	1.28	(0.72 - 2.27)	4.81	(3.08 - 7.44)	0.74	(0.39 - 1.41)
Northeast	1.41	(0.79 - 2.50)	4.75	(2.98 - 7.48)	*	(* - *)
Northwest	1.33	(0.74 - 2.39)	4.31	(2.75 - 6.67)	0.94	(0.47 - 1.87)
Southeast and Southwest	2.01	(1.15 - 3.47)	4.36	(2.76 - 6.81)	0.64	(0.33 - 1.23)
West	1.65	(0.92 - 2.95)	5.66	(3.86 - 8.21)	*	(* - *)
Iowa	1.36	(0.93 - 2.00)	4.46	(3.38 - 5.85)	0.70	(0.44 - 1.11)
Central	1.18	(0.65 - 2.15)	4.71	(3.01 - 7.30)	0.72	(0.39 - 1.32)
North Central	1.37	(0.78 - 2.42)	3.95	(2.57 - 6.03)	*	(* - *)
Northeast	1.30	(0.74 - 2.28)	3.88	(2.49 - 6.01)	0.67	(0.36 - 1.23)
Northwest	1.46	(0.86 - 2.45)	4.27	(2.69 - 6.69)	0.56	(0.30 - 1.04)
Southeast and Southwest	1.44	(0.84 - 2.47)	5.11	(3.45 - 7.50)	0.81	(0.45 - 1.45)

See notes at end of table.

(continued)

Table 6 Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	1.28	(0.85 - 1.91)	4.73	(3.58 - 6.23)	0.78	(0.48 - 1.26)
Region 1	1.27	(0.69 - 2.32)	5.71	(3.77 - 8.57)	0.96	(0.51 - 1.81)
Region 2	1.39	(0.79 - 2.45)	4.62	(2.89 - 7.29)	0.64	(0.34 - 1.20)
Region 3	1.37	(0.77 - 2.41)	4.08	(2.54 - 6.50)	0.59	(0.31 - 1.12)
Region 4	1.20	(0.68 - 2.11)	4.44	(2.94 - 6.67)	0.79	(0.43 - 1.45)
Region 5	1.22	(0.67 - 2.22)	4.69	(3.02 - 7.22)	*	(* - *)
Kentucky	1.45	(0.99 - 2.13)	5.44	(4.23 - 6.97)	1.10	(0.72 - 1.66)
Adanta, Cumberland River, and Lifeskills	1.31	(0.74 - 2.32)	4.84	(3.15 - 7.36)	1.05	(0.59 - 1.86)
Bluegrass, Comprehend, and North Key	1.55	(0.86 - 2.77)	6.12	(4.20 - 8.85)	1.06	(0.61 - 1.83)
Communicare and River Valley	1.60	(0.91 - 2.78)	5.10	(3.25 - 7.92)	*	(* - *)
Four Rivers and Pennyroyal	1.52	(0.86 - 2.69)	5.05	(3.25 - 7.77)	1.06	(0.59 - 1.92)
Kentucky River, Mountain, and Pathways	1.29	(0.73 - 2.24)	4.85	(3.17 - 7.36)	0.94	(0.53 - 1.66)
Seven Counties	1.43	(0.81 - 2.52)	5.64	(3.83 - 8.24)	1.36	(0.76 - 2.43)
Louisiana	1.19	(0.82 - 1.70)	3.82	(2.90 - 5.02)	1.19	(0.77 - 1.84)
Region 1	*	(* - *)	3.60	(2.23 - 5.77)	2.17	(1.11 - 4.20)
Regions 2 and 9	1.23	(0.71 - 2.11)	3.44	(2.20 - 5.34)	0.99	(0.56 - 1.75)
Region 3	1.44	(0.80 - 2.56)	4.02	(2.52 - 6.35)	*	(* - *)
Region 4	1.11	(0.62 - 1.97)	4.33	(2.76 - 6.72)	0.88	(0.49 - 1.59)
Regions 5 and 6	1.29	(0.74 - 2.24)	3.84	(2.38 - 6.12)	1.05	(0.56 - 1.97)
Regions 7 and 8	1.27	(0.72 - 2.22)	3.58	(2.30 - 5.53)	1.07	(0.57 - 1.98)
Region 10 (Jefferson)	1.15	(0.63 - 2.08)	4.83	(3.07 - 7.51)	1.28	(0.71 - 2.29)
Maine	2.09	(1.46 - 2.98)	4.52	(3.38 - 6.01)	0.85	(0.53 - 1.37)
Region 1	2.03	(1.24 - 3.30)	5.64	(3.86 - 8.16)	0.91	(0.49 - 1.70)
Region 2	2.21	(1.38 - 3.52)	3.60	(2.36 - 5.46)	0.81	(0.46 - 1.45)
Region 3	1.99	(1.17 - 3.37)	4.37	(2.87 - 6.61)	0.82	(0.44 - 1.50)
Maryland	1.28	(0.85 - 1.92)	3.82	(2.84 - 5.12)	1.26	(0.79 - 2.02)
Central and Eastern Shore	1.05	(0.60 - 1.83)	3.84	(2.55 - 5.75)	1.54	(0.87 - 2.72)
Southern	1.05	(0.61 - 1.83)	3.57	(2.35 - 5.38)	1.21	(0.66 - 2.21)
Western	1.90	(1.11 - 3.24)	4.11	(2.65 - 6.32)	0.89	(0.47 - 1.68)
Massachusetts	1.43	(0.98 - 2.08)	5.95	(4.56 - 7.71)	1.73	(1.14 - 2.63)
Boston	1.10	(0.60 - 2.00)	6.97	(4.66 - 10.31)	2.35	(1.32 - 4.17)
Central	1.37	(0.75 - 2.49)	6.61	(4.35 - 9.94)	2.06	(1.10 - 3.82)
Metrowest	1.31	(0.76 - 2.27)	6.27	(4.12 - 9.43)	1.25	(0.70 - 2.20)
Northeast	1.54	(0.86 - 2.73)	5.21	(3.34 - 8.05)	1.53	(0.83 - 2.80)
Southeast	1.68	(0.99 - 2.85)	4.99	(3.12 - 7.89)	1.93	(1.08 - 3.42)
Western	1.43	(0.80 - 2.52)	5.65	(3.56 - 8.87)	1.79	(0.94 - 3.40)

See notes at end of table.

(continued)

Table 6 Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Michigan	1.29	(1.01 - 1.66)	4.85	(4.14 - 5.66)	0.91	(0.66 - 1.24)
Bay and Saginaw	1.44	(0.89 - 2.33)	5.15	(3.57 - 7.37)	0.72	(0.42 - 1.21)
Detroit City	0.38	(0.21 - 0.67)	2.03	(1.33 - 3.09)	1.60	(0.90 - 2.82)
Genesee	1.19	(0.69 - 2.04)	5.05	(3.27 - 7.71)	1.20	(0.66 - 2.15)
Kalamazoo	1.55	(0.93 - 2.56)	5.86	(3.97 - 8.55)	0.82	(0.48 - 1.39)
Kent	1.48	(0.88 - 2.46)	4.96	(3.35 - 7.27)	1.09	(0.62 - 1.93)
Lakeshore	1.30	(0.78 - 2.18)	5.74	(3.92 - 8.35)	0.68	(0.40 - 1.15)
Macomb	1.33	(0.78 - 2.25)	4.09	(2.65 - 6.25)	0.80	(0.45 - 1.40)
Mid South	1.59	(1.01 - 2.50)	6.41	(4.73 - 8.63)	0.79	(0.47 - 1.30)
Northern	1.34	(0.80 - 2.24)	4.63	(3.17 - 6.72)	0.60	(0.35 - 1.03)
Oakland	1.21	(0.76 - 1.91)	4.45	(3.13 - 6.31)	0.93	(0.54 - 1.60)
Pathways and Western	1.72	(1.01 - 2.91)	4.89	(3.30 - 7.20)	0.63	(0.38 - 1.06)
Southeast	1.30	(0.83 - 2.06)	5.31	(3.83 - 7.32)	1.06	(0.64 - 1.75)
St. Clair	1.97	(1.18 - 3.26)	5.16	(3.41 - 7.74)	*	(* - *)
Washtenaw	1.33	(0.81 - 2.20)	4.69	(3.21 - 6.81)	0.62	(0.36 - 1.06)
Minnesota	2.05	(1.49 - 2.82)	6.60	(5.21 - 8.33)	1.04	(0.68 - 1.60)
Regions 1 and 2	2.04	(1.20 - 3.44)	5.88	(3.82 - 8.96)	*	(* - *)
Regions 3 and 4	2.30	(1.37 - 3.84)	6.05	(4.00 - 9.05)	0.82	(0.46 - 1.48)
Regions 5 and 6	1.96	(1.14 - 3.37)	6.30	(4.27 - 9.21)	0.77	(0.43 - 1.38)
Region 7A (Hennepin)	2.03	(1.25 - 3.28)	7.09	(4.88 - 10.20)	1.25	(0.71 - 2.19)
Region 7B (Ramsey)	1.63	(0.94 - 2.79)	7.35	(4.75 - 11.19)	1.61	(0.88 - 2.91)
Region 7C	2.16	(1.31 - 3.54)	6.70	(4.52 - 9.83)	1.06	(0.59 - 1.89)
Mississippi	1.13	(0.75 - 1.69)	3.67	(2.73 - 4.92)	0.76	(0.46 - 1.26)
Regions 1 and 2	1.29	(0.71 - 2.33)	4.11	(2.62 - 6.38)	*	(* - *)
Regions 3, 4, 7, and 10	1.28	(0.71 - 2.29)	4.00	(2.60 - 6.12)	0.67	(0.35 - 1.25)
Regions 5, 6, 11, and 15	0.76	(0.41 - 1.39)	2.59	(1.58 - 4.22)	0.75	(0.38 - 1.47)
Regions 8 and 9	0.89	(0.49 - 1.59)	3.02	(1.90 - 4.78)	0.86	(0.44 - 1.66)
Region 12	1.33	(0.73 - 2.42)	3.50	(2.15 - 5.66)	*	(* - *)
Regions 13 and 14	1.38	(0.77 - 2.48)	5.07	(3.28 - 7.78)	0.82	(0.43 - 1.59)
Missouri	1.35	(0.90 - 2.01)	4.12	(3.10 - 5.45)	0.80	(0.51 - 1.28)
Central	1.49	(0.81 - 2.72)	4.53	(2.91 - 6.98)	*	(* - *)
Eastern	1.21	(0.69 - 2.12)	3.78	(2.45 - 5.79)	0.78	(0.44 - 1.38)
Northwest	1.41	(0.80 - 2.47)	4.30	(2.77 - 6.63)	0.90	(0.49 - 1.65)
Southeast	1.25	(0.71 - 2.21)	3.74	(2.32 - 5.98)	0.73	(0.39 - 1.36)
Southwest	1.53	(0.86 - 2.70)	4.43	(2.81 - 6.92)	0.77	(0.42 - 1.41)
Montana	2.14	(1.49 - 3.07)	6.06	(4.79 - 7.64)	0.81	(0.51 - 1.28)
Regions 1 and 3	1.79	(1.06 - 3.03)	5.09	(3.46 - 7.43)	0.74	(0.40 - 1.36)
Region 2	2.26	(1.32 - 3.86)	5.80	(3.81 - 8.75)	0.98	(0.52 - 1.83)
Region 4	2.18	(1.32 - 3.58)	6.38	(4.46 - 9.05)	0.79	(0.44 - 1.41)
Region 5	2.40	(1.46 - 3.91)	6.72	(4.74 - 9.45)	0.81	(0.45 - 1.46)

See notes at end of table.

(continued)

Table 6 Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nebraska	1.36	(0.90 - 2.07)	4.01	(2.96 - 5.40)	0.60	(0.35 - 1.04)
Regions 1 and 2	1.45	(0.78 - 2.68)	4.25	(2.58 - 6.90)	*	(* - *)
Region 3	1.29	(0.69 - 2.41)	3.84	(2.39 - 6.12)	*	(* - *)
Region 4	1.39	(0.77 - 2.50)	3.76	(2.24 - 6.23)	*	(* - *)
Region 5	1.39	(0.79 - 2.43)	4.00	(2.59 - 6.12)	0.58	(0.30 - 1.10)
Region 6	1.34	(0.76 - 2.36)	4.07	(2.70 - 6.10)	0.70	(0.36 - 1.35)
Nevada	2.18	(1.49 - 3.18)	6.32	(4.77 - 8.32)	1.56	(1.02 - 2.37)
Clark	2.11	(1.33 - 3.34)	6.13	(4.40 - 8.48)	1.65	(1.02 - 2.65)
Rural	2.51	(1.47 - 4.27)	6.01	(3.75 - 9.51)	1.06	(0.60 - 1.85)
Washoe	2.17	(1.24 - 3.76)	7.27	(4.63 - 11.23)	1.62	(0.89 - 2.94)
New Hampshire	1.86	(1.29 - 2.67)	5.35	(3.99 - 7.12)	0.84	(0.53 - 1.33)
Central	1.93	(1.15 - 3.23)	5.32	(3.50 - 8.00)	0.88	(0.49 - 1.58)
Northern	1.78	(1.03 - 3.06)	5.36	(3.30 - 8.60)	0.81	(0.44 - 1.48)
Southern	1.84	(1.18 - 2.86)	5.36	(3.73 - 7.64)	0.83	(0.49 - 1.40)
New Jersey	1.09	(0.75 - 1.56)	4.62	(3.54 - 6.01)	0.99	(0.62 - 1.57)
RHPA I	1.12	(0.64 - 1.96)	4.69	(2.94 - 7.41)	0.78	(0.42 - 1.45)
RHPA IIa (Bergen)	1.12	(0.62 - 2.02)	5.20	(3.21 - 8.30)	*	(* - *)
RHPA IIb (Hudson)	1.00	(0.53 - 1.88)	4.35	(2.68 - 6.98)	1.49	(0.75 - 2.93)
RHPA III	0.81	(0.45 - 1.45)	3.74	(2.36 - 5.87)	1.46	(0.74 - 2.87)
RHPA IVa	1.00	(0.56 - 1.77)	4.42	(2.79 - 6.93)	*	(* - *)
RHPA IVb (Middlesex)	1.20	(0.66 - 2.18)	5.21	(3.34 - 8.04)	*	(* - *)
RHPA V	1.14	(0.63 - 2.04)	4.85	(3.13 - 7.44)	0.91	(0.48 - 1.72)
RHPA VIa	1.26	(0.71 - 2.21)	4.96	(3.11 - 7.82)	0.86	(0.44 - 1.67)
RHPA VIb (Monmouth)	1.25	(0.71 - 2.18)	4.66	(2.94 - 7.31)	1.09	(0.55 - 2.15)
New Mexico	3.40	(2.42 - 4.77)	8.47	(6.68 - 10.69)	1.93	(1.25 - 2.98)
Region 1	2.68	(1.47 - 4.85)	5.79	(3.67 - 8.99)	*	(* - *)
Region 2	3.10	(1.93 - 4.97)	8.34	(5.77 - 11.90)	1.52	(0.84 - 2.75)
Region 3	3.27	(1.91 - 5.53)	7.23	(4.86 - 10.62)	1.20	(0.63 - 2.26)
Region 4	2.68	(1.55 - 4.58)	8.10	(5.34 - 12.11)	1.15	(0.63 - 2.09)
Region 5 (Bernalillo)	4.60	(2.77 - 7.54)	10.56	(7.50 - 14.67)	3.35	(1.92 - 5.79)
New York	1.13	(0.85 - 1.51)	4.67	(3.92 - 5.55)	1.24	(0.91 - 1.70)
New York City	0.88	(0.55 - 1.41)	3.38	(2.52 - 4.52)	1.61	(1.07 - 2.41)
Remainder of the State	1.30	(0.94 - 1.81)	5.77	(4.69 - 7.07)	0.98	(0.67 - 1.42)
North Carolina	1.43	(1.00 - 2.05)	4.61	(3.51 - 6.03)	1.13	(0.75 - 1.71)
Eastern	1.46	(0.86 - 2.46)	4.37	(2.89 - 6.56)	1.17	(0.65 - 2.10)
North Central	1.29	(0.74 - 2.23)	4.70	(3.03 - 7.24)	1.20	(0.70 - 2.04)
South Central	1.49	(0.90 - 2.46)	4.69	(3.10 - 7.03)	1.17	(0.68 - 2.00)
Western	1.48	(0.85 - 2.56)	4.63	(3.11 - 6.84)	1.04	(0.59 - 1.84)

See notes at end of table.

(continued)

Table 6 Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Dakota	1.73	(1.19 - 2.49)	4.55	(3.51 - 5.89)	0.60	(0.37 - 0.97)
Badlands and West Central Lake Region and South Central	1.99	(1.19 - 3.29)	4.75	(3.10 - 7.21)	0.59	(0.32 - 1.10)
North Central and Northwest	1.40	(0.78 - 2.50)	3.89	(2.43 - 6.16)	0.63	(0.32 - 1.23)
Northeast	1.29	(0.72 - 2.28)	3.97	(2.51 - 6.23)	0.50	(0.26 - 0.97)
Southeast	2.12	(1.20 - 3.75)	4.56	(2.94 - 7.00)	0.63	(0.33 - 1.18)
Southeast	1.75	(0.99 - 3.07)	4.97	(3.45 - 7.11)	0.64	(0.35 - 1.18)
Ohio	1.03	(0.78 - 1.36)	4.69	(4.03 - 5.45)	0.87	(0.64 - 1.18)
Boards 2, 46, 55, and 68	1.08	(0.64 - 1.83)	4.63	(3.14 - 6.76)	0.74	(0.43 - 1.28)
Boards 3, 52, and 85	1.10	(0.64 - 1.90)	4.45	(2.95 - 6.68)	*	(* - *)
Boards 4 and 78	1.12	(0.64 - 1.95)	4.65	(3.09 - 6.94)	*	(* - *)
Boards 5 and 60	1.13	(0.64 - 1.97)	4.00	(2.54 - 6.24)	0.73	(0.42 - 1.26)
Boards 7, 15, 41, 79, and 84	1.02	(0.59 - 1.75)	3.97	(2.60 - 6.03)	0.71	(0.41 - 1.21)
Boards 8, 13, and 83	1.59	(0.92 - 2.74)	5.27	(3.50 - 7.86)	*	(* - *)
Board 9 (Butler)	1.28	(0.75 - 2.18)	5.68	(3.71 - 8.61)	*	(* - *)
Board 12	1.21	(0.69 - 2.11)	5.10	(3.36 - 7.67)	*	(* - *)
Boards 18 and 47	0.85	(0.52 - 1.40)	4.00	(2.83 - 5.63)	1.06	(0.62 - 1.81)
Boards 20, 32, 54, and 69	1.18	(0.69 - 2.03)	4.96	(3.25 - 7.52)	*	(* - *)
Boards 21, 39, 51, 70, and 80	1.03	(0.60 - 1.78)	4.70	(3.09 - 7.08)	0.85	(0.49 - 1.45)
Boards 22, 74, and 87	1.13	(0.65 - 1.94)	4.83	(3.09 - 7.49)	0.65	(0.38 - 1.12)
Boards 23 and 45	1.11	(0.64 - 1.92)	4.86	(3.18 - 7.35)	0.74	(0.43 - 1.27)
Board 25 (Franklin)	0.82	(0.48 - 1.40)	6.09	(4.58 - 8.06)	1.16	(0.70 - 1.90)
Boards 27, 71, and 73	1.11	(0.65 - 1.90)	3.75	(2.41 - 5.81)	0.86	(0.49 - 1.51)
Boards 28, 43, and 67	1.27	(0.74 - 2.17)	4.36	(2.92 - 6.46)	0.62	(0.37 - 1.04)
Board 31 (Hamilton)	0.75	(0.44 - 1.27)	4.59	(3.21 - 6.52)	1.02	(0.60 - 1.73)
Board 48 (Lucas)	0.91	(0.52 - 1.59)	4.36	(2.81 - 6.69)	0.80	(0.45 - 1.40)
Board 50 (Mahoning)	*	(* - *)	4.09	(2.64 - 6.26)	*	(* - *)
Board 57 (Montgomery)	0.88	(0.52 - 1.51)	4.74	(3.25 - 6.87)	1.07	(0.61 - 1.88)
Board 76 (Stark)	1.24	(0.72 - 2.15)	4.39	(2.81 - 6.80)	*	(* - *)
Board 77 (Summit)	1.01	(0.59 - 1.73)	4.62	(3.08 - 6.85)	0.88	(0.51 - 1.50)
Oklahoma	1.32	(0.87 - 1.99)	3.75	(2.80 - 4.99)	0.66	(0.39 - 1.12)
Central	1.43	(0.76 - 2.67)	4.66	(2.94 - 7.31)	*	(* - *)
East Central	1.23	(0.65 - 2.33)	3.27	(1.96 - 5.40)	*	(* - *)
Northeast	1.31	(0.71 - 2.42)	3.48	(2.14 - 5.60)	0.59	(0.29 - 1.21)
Northwest and Southwest	1.22	(0.68 - 2.18)	3.79	(2.41 - 5.92)	0.59	(0.30 - 1.16)
Oklahoma City Metro	1.23	(0.67 - 2.27)	3.94	(2.51 - 6.13)	0.79	(0.41 - 1.52)
Southeast	1.41	(0.76 - 2.58)	3.25	(2.02 - 5.17)	0.59	(0.30 - 1.17)
Tulsa Metro	1.44	(0.78 - 2.66)	3.58	(2.17 - 5.84)	0.70	(0.35 - 1.38)

See notes at end of table.

(continued)

Table 6 Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	1.53	(1.06 - 2.21)	5.00	(3.83 - 6.50)	0.94	(0.58 - 1.52)
Region 1 (Multnomah)	1.52	(0.87 - 2.65)	5.16	(3.38 - 7.81)	1.45	(0.76 - 2.75)
Region 2	1.56	(0.90 - 2.71)	4.44	(2.95 - 6.62)	0.66	(0.36 - 1.21)
Region 3	1.50	(0.90 - 2.49)	5.55	(3.85 - 7.94)	0.97	(0.53 - 1.78)
Region 4	1.51	(0.82 - 2.75)	4.72	(3.01 - 7.34)	0.76	(0.40 - 1.47)
Region 5	1.61	(0.90 - 2.86)	4.35	(2.68 - 7.00)	*	(* - *)
Pennsylvania	1.37	(1.08 - 1.74)	4.88	(4.18 - 5.68)	1.03	(0.77 - 1.39)
Regions 1, 27, and 47	1.20	(0.73 - 1.95)	5.83	(4.23 - 7.98)	1.30	(0.78 - 2.16)
Regions 2, 3, 8, and 9	1.67	(1.03 - 2.71)	5.23	(3.62 - 7.51)	0.79	(0.46 - 1.36)
Regions 4 and 42	1.32	(0.79 - 2.21)	4.78	(3.20 - 7.06)	0.95	(0.56 - 1.59)
Regions 5 and 28	1.41	(0.83 - 2.38)	4.24	(2.72 - 6.55)	*	(* - *)
Regions 6, 16, and 39	1.39	(0.84 - 2.31)	4.58	(3.02 - 6.88)	*	(* - *)
Region 7 (Bucks)	1.34	(0.80 - 2.25)	4.79	(3.15 - 7.21)	0.66	(0.39 - 1.11)
Regions 10, 15, and 25	1.66	(0.99 - 2.77)	4.98	(3.25 - 7.56)	*	(* - *)
Regions 11, 29, 44, and 48	1.55	(0.90 - 2.64)	4.93	(3.26 - 7.39)	0.77	(0.44 - 1.34)
Regions 12, 35, 41, and 45	1.62	(0.97 - 2.70)	5.15	(3.48 - 7.57)	0.91	(0.54 - 1.54)
Region 13 (Chester)	1.79	(1.06 - 3.01)	6.03	(3.97 - 9.05)	1.05	(0.57 - 1.92)
Regions 14, 31, 36, and 46	1.43	(0.83 - 2.44)	4.64	(3.00 - 7.11)	*	(* - *)
Regions 17, 24, and 43	1.42	(0.87 - 2.33)	4.54	(2.98 - 6.87)	0.80	(0.47 - 1.36)
Region 18 (Philadelphia)	0.74	(0.44 - 1.24)	4.34	(3.09 - 6.08)	1.95	(1.14 - 3.31)
Regions 19 and 23	1.57	(0.94 - 2.61)	4.37	(2.76 - 6.85)	0.89	(0.51 - 1.54)
Regions 20, 26, and 40	1.51	(0.89 - 2.55)	4.17	(2.75 - 6.27)	0.69	(0.39 - 1.19)
Regions 21 and 32	1.17	(0.68 - 2.00)	4.35	(2.81 - 6.69)	1.10	(0.61 - 1.95)
Region 22 (Delaware)	1.40	(0.84 - 2.33)	4.17	(2.80 - 6.15)	0.77	(0.45 - 1.30)
Region 30 (Lancaster)	1.37	(0.81 - 2.29)	5.35	(3.60 - 7.88)	0.68	(0.40 - 1.16)
Region 33 (Lehigh)	1.74	(1.03 - 2.92)	5.03	(3.33 - 7.53)	*	(* - *)
Region 34	1.53	(0.91 - 2.55)	5.19	(3.40 - 7.85)	0.90	(0.50 - 1.60)
Region 37 (Montgomery)	1.70	(1.04 - 2.76)	4.64	(3.11 - 6.88)	0.94	(0.55 - 1.61)
Region 38 (Northampton)	1.63	(0.98 - 2.70)	5.69	(3.70 - 8.66)	*	(* - *)
Region 49	1.39	(0.83 - 2.32)	4.74	(3.04 - 7.34)	0.81	(0.46 - 1.43)
Rhode Island	1.13	(0.72 - 1.76)	5.66	(4.35 - 7.35)	1.11	(0.68 - 1.81)
Bristol and Newport	1.19	(0.65 - 2.16)	6.16	(3.92 - 9.55)	0.98	(0.52 - 1.86)
Kent	1.31	(0.73 - 2.33)	5.06	(3.13 - 8.08)	0.79	(0.43 - 1.47)
Providence	1.05	(0.60 - 1.82)	5.46	(3.96 - 7.47)	1.30	(0.73 - 2.30)
Washington	1.25	(0.68 - 2.29)	6.91	(4.55 - 10.37)	0.75	(0.40 - 1.38)
South Carolina	1.24	(0.83 - 1.84)	4.43	(3.35 - 5.83)	1.01	(0.63 - 1.61)
Region 1	1.65	(0.95 - 2.85)	4.50	(2.85 - 7.02)	1.08	(0.58 - 2.00)
Region 2	1.19	(0.68 - 2.06)	4.15	(2.80 - 6.11)	1.04	(0.57 - 1.89)
Region 3	1.00	(0.55 - 1.80)	3.99	(2.54 - 6.22)	0.88	(0.47 - 1.65)
Region 4	1.06	(0.60 - 1.87)	4.94	(3.29 - 7.37)	0.98	(0.53 - 1.82)

See notes at end of table.

(continued)

Table 6 Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	2.07	(1.47 - 2.91)	4.79	(3.69 - 6.20)	0.64	(0.39 - 1.02)
Region 1 (Pennington)	1.63	(0.92 - 2.87)	4.81	(3.08 - 7.45)	0.78	(0.42 - 1.46)
Region 2	1.98	(1.16 - 3.38)	3.79	(2.41 - 5.92)	0.57	(0.30 - 1.07)
Region 3 (Minnehaha)	2.24	(1.33 - 3.75)	5.53	(3.68 - 8.25)	0.75	(0.40 - 1.42)
Region 4	2.23	(1.29 - 3.83)	4.15	(2.55 - 6.70)	*	(* - *)
Region 5	1.96	(1.12 - 3.41)	4.43	(2.80 - 6.96)	*	(* - *)
Region 6	1.95	(1.12 - 3.39)	4.69	(2.92 - 7.44)	*	(* - *)
Region 7	2.37	(1.34 - 4.13)	5.80	(3.72 - 8.93)	*	(* - *)
Tennessee	1.61	(1.13 - 2.27)	4.38	(3.25 - 5.88)	1.38	(0.91 - 2.08)
Region 1	1.86	(1.08 - 3.18)	4.65	(2.80 - 7.63)	1.10	(0.61 - 1.96)
Region 2	1.83	(1.06 - 3.12)	4.86	(3.12 - 7.49)	1.60	(0.91 - 2.77)
Region 3	2.23	(1.30 - 3.80)	4.49	(2.80 - 7.12)	1.08	(0.59 - 1.98)
Region 4 (Davidson)	1.64	(0.92 - 2.90)	4.69	(2.79 - 7.76)	2.07	(1.12 - 3.79)
Region 5	1.59	(0.92 - 2.74)	4.44	(2.80 - 6.99)	1.08	(0.61 - 1.89)
Region 6	1.47	(0.84 - 2.56)	4.05	(2.52 - 6.47)	1.10	(0.62 - 1.96)
Region 7 (Shelby)	0.80	(0.44 - 1.42)	3.53	(2.14 - 5.77)	1.74	(0.89 - 3.34)
Texas	2.39	(1.96 - 2.92)	6.46	(5.64 - 7.40)	1.15	(0.87 - 1.53)
Region 1	3.46	(2.16 - 5.51)	8.01	(5.52 - 11.47)	1.01	(0.58 - 1.75)
Regions 2 and 9	2.79	(1.76 - 4.39)	7.32	(5.12 - 10.36)	0.91	(0.55 - 1.50)
Region 3	2.13	(1.49 - 3.03)	6.18	(4.90 - 7.76)	1.10	(0.71 - 1.70)
Region 4	1.78	(1.06 - 2.98)	5.11	(3.33 - 7.77)	1.10	(0.63 - 1.91)
Region 5	1.85	(1.11 - 3.09)	5.55	(3.66 - 8.34)	1.11	(0.65 - 1.88)
Region 6	2.02	(1.45 - 2.82)	6.40	(5.02 - 8.12)	1.36	(0.91 - 2.04)
Region 7	2.50	(1.61 - 3.84)	6.81	(5.17 - 8.93)	1.31	(0.83 - 2.06)
Region 8	2.61	(1.77 - 3.85)	6.14	(4.38 - 8.53)	1.11	(0.69 - 1.77)
Region 10	3.44	(2.13 - 5.52)	8.18	(5.44 - 12.12)	1.01	(0.58 - 1.75)
Region 11	3.06	(2.05 - 4.55)	6.41	(4.62 - 8.81)	0.89	(0.54 - 1.47)
Utah	1.39	(0.93 - 2.07)	3.67	(2.71 - 4.95)	0.77	(0.44 - 1.33)
Bear River, Northeastern, Summit, Tooele, and Wasatch	1.49	(0.81 - 2.72)	3.68	(2.27 - 5.93)	*	(* - *)
Central, Four Corners, San Juan, and Southwest	1.60	(0.89 - 2.88)	3.82	(2.37 - 6.09)	*	(* - *)
Davis County	1.12	(0.61 - 2.05)	3.41	(2.07 - 5.57)	*	(* - *)
Salt Lake County	1.46	(0.86 - 2.45)	3.88	(2.59 - 5.79)	0.90	(0.47 - 1.71)
Utah County	1.12	(0.60 - 2.11)	3.20	(2.01 - 5.05)	0.68	(0.34 - 1.39)
Weber, Morgan	1.49	(0.81 - 2.74)	4.14	(2.51 - 6.76)	0.82	(0.42 - 1.63)
Vermont	1.88	(1.31 - 2.69)	7.17	(5.68 - 9.01)	1.27	(0.82 - 1.97)
Champlain Valley	2.01	(1.24 - 3.24)	8.11	(6.03 - 10.83)	1.45	(0.83 - 2.52)
Rural Northeast	1.65	(0.95 - 2.85)	5.68	(3.69 - 8.64)	1.07	(0.60 - 1.92)
Rural Southeast	1.78	(1.06 - 2.99)	6.75	(4.49 - 10.02)	1.20	(0.67 - 2.14)
Rural Southwest	2.01	(1.18 - 3.42)	6.98	(4.55 - 10.56)	1.26	(0.69 - 2.29)

See notes at end of table.

(continued)

Table 6 Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Virginia	1.17	(0.80 - 1.71)	4.61	(3.48 - 6.08)	0.93	(0.60 - 1.43)
Region 1	1.32	(0.73 - 2.38)	5.15	(3.31 - 7.94)	0.78	(0.43 - 1.41)
Region 2	1.23	(0.71 - 2.14)	4.97	(3.19 - 7.64)	0.80	(0.45 - 1.42)
Region 3	1.30	(0.74 - 2.28)	4.65	(3.00 - 7.14)	0.87	(0.50 - 1.54)
Region 4	0.98	(0.55 - 1.75)	4.51	(2.85 - 7.07)	1.13	(0.60 - 2.12)
Region 5	1.06	(0.62 - 1.81)	4.01	(2.63 - 6.09)	1.06	(0.61 - 1.85)
Washington	1.93	(1.39 - 2.67)	5.06	(3.92 - 6.51)	1.04	(0.67 - 1.60)
Region 1	2.14	(1.24 - 3.66)	5.81	(3.70 - 9.01)	*	(* - *)
Region 2	2.35	(1.35 - 4.06)	5.09	(3.17 - 8.09)	*	(* - *)
Region 3	1.88	(1.09 - 3.23)	5.41	(3.68 - 7.90)	0.90	(0.51 - 1.59)
Region 4 (King)	1.71	(1.03 - 2.80)	4.70	(3.20 - 6.86)	1.25	(0.69 - 2.27)
Region 5	1.89	(1.11 - 3.19)	4.34	(2.71 - 6.89)	0.94	(0.51 - 1.73)
Region 6	1.89	(1.13 - 3.15)	5.43	(3.48 - 8.38)	0.97	(0.53 - 1.76)
West Virginia	1.53	(1.06 - 2.21)	4.13	(3.08 - 5.52)	0.71	(0.45 - 1.14)
Eastern Highland	1.73	(1.00 - 2.97)	4.40	(2.82 - 6.80)	0.73	(0.39 - 1.36)
Northern	1.41	(0.80 - 2.48)	3.76	(2.35 - 5.95)	0.65	(0.35 - 1.20)
South Central I	1.44	(0.81 - 2.56)	4.04	(2.59 - 6.24)	0.69	(0.37 - 1.31)
South Central II	1.62	(0.92 - 2.83)	4.73	(2.94 - 7.53)	0.73	(0.39 - 1.33)
South Central III	1.39	(0.77 - 2.48)	4.11	(2.57 - 6.51)	*	(* - *)
Southern	1.56	(0.88 - 2.72)	4.08	(2.60 - 6.36)	0.80	(0.43 - 1.49)
Wisconsin	1.66	(1.17 - 2.35)	5.27	(4.08 - 6.78)	0.98	(0.66 - 1.47)
Milwaukee	1.19	(0.68 - 2.08)	4.84	(3.16 - 7.36)	1.64	(0.94 - 2.85)
Northeastern	2.15	(1.29 - 3.58)	6.08	(4.02 - 9.09)	0.85	(0.48 - 1.52)
Northern and Western	1.62	(0.95 - 2.76)	4.95	(3.27 - 7.42)	0.72	(0.40 - 1.30)
Southeastern	1.76	(1.03 - 2.97)	4.67	(3.02 - 7.16)	0.78	(0.43 - 1.41)
Southern	1.47	(0.87 - 2.49)	5.75	(3.92 - 8.36)	1.09	(0.63 - 1.87)
Wyoming	1.81	(1.28 - 2.56)	5.44	(4.20 - 7.01)	0.82	(0.52 - 1.29)
Frontier 1	1.70	(0.99 - 2.91)	4.66	(2.93 - 7.33)	0.59	(0.32 - 1.11)
Frontier 2	1.92	(1.11 - 3.32)	5.16	(3.27 - 8.04)	*	(* - *)
Rural 1	1.70	(0.99 - 2.89)	5.81	(3.85 - 8.69)	0.93	(0.51 - 1.70)
Rural 2	1.94	(1.14 - 3.27)	5.23	(3.52 - 7.70)	0.78	(0.42 - 1.44)
Rural 3 (Laramie)	1.68	(0.98 - 2.87)	6.10	(3.98 - 9.24)	0.98	(0.53 - 1.83)
Rural 4	1.98	(1.13 - 3.44)	5.28	(3.33 - 8.26)	*	(* - *)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 1999-2001 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 1999, 2000, and 2001.

Table 7 Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	16.72		57.64		49.65	
Alabama	14.86	(12.84 - 17.14)	50.58	(46.96 - 54.19)	36.21	(32.69 - 39.88)
Region 1	13.25	(10.21 - 17.01)	43.69	(37.66 - 49.91)	31.75	(26.30 - 37.74)
Region 2	14.79	(11.81 - 18.36)	50.11	(44.74 - 55.47)	38.61	(33.61 - 43.85)
Region 3	17.30	(13.47 - 21.94)	58.05	(51.86 - 63.99)	38.96	(32.76 - 45.55)
Region 4	14.75	(11.49 - 18.74)	52.13	(45.39 - 58.80)	36.30	(30.26 - 42.80)
Alaska	16.23	(14.13 - 18.58)	57.67	(53.98 - 61.27)	55.66	(52.37 - 58.90)
Gulf Coast	15.36	(11.57 - 20.10)	*	(* - *)	*	(* - *)
Rural	13.89	(10.28 - 18.51)	*	(* - *)	*	(* - *)
Southeast	15.98	(12.06 - 20.86)	*	(* - *)	56.18	(49.38 - 62.76)
Urban	16.94	(14.34 - 19.90)	60.66	(56.34 - 64.81)	58.76	(54.73 - 62.68)
Arizona	17.16	(14.90 - 19.69)	53.45	(49.72 - 57.15)	52.79	(49.17 - 56.38)
Maricopa	16.81	(14.07 - 19.97)	53.81	(49.35 - 58.21)	56.56	(51.82 - 61.18)
Pima	18.95	(14.73 - 24.03)	*	(* - *)	51.42	(44.95 - 57.84)
Rural North	16.29	(12.04 - 21.66)	*	(* - *)	*	(* - *)
Rural South	17.39	(13.42 - 22.25)	*	(* - *)	*	(* - *)
Arkansas	16.60	(14.45 - 19.01)	48.69	(45.17 - 52.23)	37.50	(34.38 - 40.72)
Areas 1 and 5	18.35	(14.50 - 22.94)	54.07	(47.43 - 60.57)	42.59	(36.59 - 48.83)
Areas 2 and 3	13.66	(9.86 - 18.63)	*	(* - *)	*	(* - *)
Areas 4 and 7	16.77	(13.00 - 21.36)	49.80	(43.13 - 56.48)	36.10	(30.19 - 42.46)
Area 6	19.26	(14.55 - 25.05)	57.37	(50.77 - 63.72)	*	(* - *)
Areas 8 and 12	13.16	(9.64 - 17.70)	*	(* - *)	*	(* - *)
Area 9	18.03	(14.14 - 22.70)	*	(* - *)	44.41	(38.51 - 50.47)
Areas 10, 11, and 13	15.23	(11.54 - 19.83)	*	(* - *)	30.88	(25.14 - 37.28)
California	15.23	(14.25 - 16.26)	53.41	(51.16 - 55.66)	51.10	(49.16 - 53.03)
Region 1	22.61	(18.04 - 27.95)	*	(* - *)	*	(* - *)
Region 2	18.99	(16.01 - 22.37)	56.91	(51.61 - 62.06)	56.02	(50.59 - 61.32)
Region 3	17.27	(13.99 - 21.14)	51.76	(45.10 - 58.36)	42.93	(36.93 - 49.14)
Region 4	15.88	(12.13 - 20.54)	65.41	(58.77 - 71.50)	61.44	(55.43 - 67.12)
Region 5	13.33	(10.61 - 16.61)	52.74	(46.95 - 58.45)	53.33	(48.01 - 58.58)
Region 6 (Santa Clara)	14.37	(11.39 - 17.97)	54.02	(47.61 - 60.30)	53.04	(47.12 - 58.87)
Region 7	15.52	(12.02 - 19.81)	*	(* - *)	56.37	(49.90 - 62.62)
Region 8	15.62	(12.74 - 19.01)	50.77	(44.96 - 56.57)	42.71	(36.82 - 48.83)
Region 9	17.77	(14.15 - 22.09)	59.01	(52.40 - 65.32)	51.10	(44.29 - 57.88)
Region 10	16.33	(12.88 - 20.49)	56.26	(49.30 - 62.98)	56.88	(50.48 - 63.05)
Region 11 (Los Angeles)	12.65	(11.11 - 14.37)	48.12	(44.92 - 51.34)	46.08	(42.81 - 49.38)
Region 12	16.35	(13.52 - 19.65)	50.81	(45.12 - 56.48)	46.51	(41.06 - 52.04)
Region 13 (Riverside)	15.27	(12.14 - 19.04)	54.49	(47.84 - 60.97)	52.55	(46.13 - 58.88)
Region 14 (Orange)	14.13	(11.48 - 17.28)	51.28	(45.81 - 56.73)	51.65	(46.47 - 56.79)
Region 15	16.42	(13.63 - 19.66)	61.34	(56.13 - 66.31)	56.70	(51.45 - 61.80)

See notes at end of table.

(continued)

Table 7 Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	20.21	(17.78 - 22.89)	66.78	(63.05 - 70.32)	62.36	(58.81 - 65.79)
Regions 1 and 4	21.27	(16.79 - 26.56)	65.40	(58.96 - 71.31)	*	(* - *)
Region 2	19.92	(16.68 - 23.60)	66.85	(61.83 - 71.51)	67.23	(62.70 - 71.47)
Region 3	19.36	(14.73 - 25.01)	*	(* - *)	*	(* - *)
Regions 5 and 6	19.93	(15.41 - 25.38)	*	(* - *)	*	(* - *)
Region 7 (Boulder)	21.40	(16.40 - 27.41)	*	(* - *)	*	(* - *)
Connecticut	20.35	(17.81 - 23.15)	66.15	(62.13 - 69.95)	59.71	(56.14 - 63.19)
Eastern	21.84	(17.06 - 27.51)	*	(* - *)	*	(* - *)
North Central	23.41	(19.31 - 28.07)	67.29	(61.18 - 72.86)	59.97	(54.39 - 65.30)
Northwestern	18.76	(14.62 - 23.75)	*	(* - *)	*	(* - *)
South Central	16.65	(12.87 - 21.28)	64.87	(58.03 - 71.14)	58.89	(52.89 - 64.63)
Southwest	20.73	(16.13 - 26.24)	*	(* - *)	60.38	(53.98 - 66.44)
Delaware	18.84	(16.47 - 21.45)	62.45	(58.86 - 65.91)	55.57	(51.98 - 59.11)
Kent	18.00	(13.81 - 23.12)	55.19	(48.69 - 61.51)	*	(* - *)
New Castle	19.06	(16.31 - 22.14)	66.37	(62.15 - 70.34)	59.27	(54.91 - 63.49)
Sussex	18.89	(14.87 - 23.69)	*	(* - *)	48.03	(41.67 - 54.45)
District of Columbia	13.54	(11.18 - 16.31)	60.56	(56.84 - 64.17)	51.22	(47.70 - 54.72)
Ward 1	15.02	(10.77 - 20.55)	*	(* - *)	*	(* - *)
Ward 2	*	(* - *)	70.31	(64.37 - 75.63)	58.31	(51.78 - 64.56)
Ward 3	*	(* - *)	80.53	(74.44 - 85.45)	*	(* - *)
Ward 4	12.27	(8.99 - 16.53)	*	(* - *)	*	(* - *)
Ward 5	10.91	(7.86 - 14.96)	*	(* - *)	*	(* - *)
Ward 6	11.50	(8.17 - 15.97)	*	(* - *)	*	(* - *)
Ward 7	11.29	(8.24 - 15.29)	*	(* - *)	*	(* - *)
Ward 8	11.41	(8.15 - 15.74)	*	(* - *)	*	(* - *)
Florida	15.14	(13.91 - 16.46)	54.27	(51.91 - 56.62)	50.71	(48.72 - 52.69)
District 1	16.31	(12.70 - 20.71)	60.08	(53.21 - 66.58)	50.08	(43.70 - 56.47)
District 2	13.73	(10.35 - 17.99)	50.59	(43.82 - 57.33)	40.83	(34.66 - 47.31)
District 3	16.15	(12.27 - 20.97)	*	(* - *)	*	(* - *)
District 4	14.97	(11.89 - 18.69)	50.05	(44.18 - 55.92)	51.25	(45.94 - 56.53)
District 7	12.96	(10.44 - 15.97)	56.76	(52.06 - 61.33)	51.28	(46.45 - 56.09)
District 8	14.80	(11.54 - 18.77)	52.62	(46.33 - 58.82)	51.60	(45.43 - 57.73)
District 9 (Palm Beach)	17.08	(13.60 - 21.24)	61.97	(56.13 - 67.48)	59.31	(53.15 - 65.19)
District 10 (Broward)	15.59	(12.60 - 19.13)	52.86	(46.46 - 59.17)	55.57	(50.26 - 60.76)
District 11	13.52	(11.18 - 16.25)	49.69	(45.18 - 54.21)	43.99	(39.73 - 48.35)
District 12	17.85	(13.64 - 23.02)	63.83	(57.25 - 69.93)	*	(* - *)
District 13	17.41	(13.48 - 22.19)	*	(* - *)	42.43	(35.90 - 49.24)
District 14	14.70	(11.44 - 18.70)	50.82	(44.60 - 57.02)	40.78	(34.90 - 46.93)
District 15	20.49	(15.63 - 26.40)	*	(* - *)	*	(* - *)
Suncoast	15.56	(13.05 - 18.44)	55.45	(51.04 - 59.78)	55.00	(50.94 - 58.99)

See notes at end of table.

(continued)

Table 7 Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	15.24	(13.46 - 17.20)	52.48	(48.80 - 56.13)	45.41	(41.92 - 48.93)
Central	14.39	(11.02 - 18.58)	*	(* - *)	*	(* - *)
East Central	14.98	(11.14 - 19.84)	*	(* - *)	*	(* - *)
Metro	14.34	(11.57 - 17.63)	54.73	(48.93 - 60.40)	54.03	(48.30 - 59.65)
North	17.98	(14.54 - 22.04)	53.43	(46.91 - 59.84)	47.07	(41.49 - 52.73)
Southeast	14.28	(10.92 - 18.46)	*	(* - *)	*	(* - *)
Southwest	14.48	(10.96 - 18.89)	*	(* - *)	*	(* - *)
West Central	14.17	(10.94 - 18.17)	*	(* - *)	*	(* - *)
Hawaii	16.39	(14.19 - 18.84)	58.44	(54.38 - 62.39)	47.38	(43.93 - 50.86)
Hawaii Island	19.64	(15.02 - 25.25)	*	(* - *)	*	(* - *)
Honolulu	15.64	(13.14 - 18.50)	58.27	(53.68 - 62.72)	46.59	(42.58 - 50.64)
Kalawao, Kauai, and Maui	16.84	(13.10 - 21.38)	*	(* - *)	48.85	(42.82 - 54.91)
Idaho	14.11	(12.11 - 16.38)	49.67	(46.19 - 53.15)	46.12	(42.80 - 49.47)
Region 1	18.73	(14.38 - 24.03)	*	(* - *)	*	(* - *)
Region 2	17.66	(13.45 - 22.84)	*	(* - *)	*	(* - *)
Region 3	14.97	(11.18 - 19.75)	*	(* - *)	40.86	(34.67 - 47.36)
Region 4	14.47	(11.03 - 18.75)	52.34	(46.33 - 58.28)	54.67	(48.52 - 60.68)
Region 5	13.90	(10.55 - 18.10)	*	(* - *)	41.40	(34.89 - 48.22)
Region 6	11.91	(8.77 - 15.98)	*	(* - *)	*	(* - *)
Region 7	9.36	(6.57 - 13.17)	*	(* - *)	*	(* - *)
Illinois	18.85	(17.55 - 20.21)	60.46	(58.17 - 62.71)	53.79	(51.80 - 55.76)
Region I (Cook)	18.44	(16.45 - 20.62)	58.78	(55.70 - 61.79)	55.42	(52.38 - 58.42)
Region II	19.32	(17.21 - 21.63)	62.69	(59.26 - 66.00)	58.90	(55.64 - 62.08)
Region III	20.01	(16.73 - 23.74)	64.62	(59.84 - 69.12)	50.96	(46.04 - 55.87)
Region IV	18.94	(15.55 - 22.86)	60.23	(54.80 - 65.43)	44.93	(39.95 - 50.03)
Region V	17.64	(14.79 - 20.90)	56.62	(51.99 - 61.14)	42.00	(37.51 - 46.61)
Indiana	14.03	(12.20 - 16.08)	54.60	(51.00 - 58.15)	46.29	(42.89 - 49.72)
Central	13.53	(10.46 - 17.33)	55.27	(48.70 - 61.66)	53.44	(47.61 - 59.18)
East	13.42	(9.98 - 17.82)	*	(* - *)	*	(* - *)
North Central	12.73	(9.68 - 16.56)	*	(* - *)	42.61	(36.23 - 49.25)
Northeast	13.72	(10.21 - 18.20)	*	(* - *)	*	(* - *)
Northwest	15.67	(11.90 - 20.36)	*	(* - *)	*	(* - *)
Southeast and Southwest	15.09	(11.83 - 19.05)	*	(* - *)	41.61	(35.63 - 47.85)
West	14.10	(10.67 - 18.40)	62.03	(55.86 - 67.83)	*	(* - *)
Iowa	17.95	(15.74 - 20.39)	68.59	(65.24 - 71.76)	54.28	(50.91 - 57.61)
Central	14.74	(11.16 - 19.22)	*	(* - *)	55.72	(49.25 - 62.00)
North Central	17.52	(13.59 - 22.30)	70.47	(64.64 - 75.69)	*	(* - *)
Northeast	19.35	(15.53 - 23.85)	67.92	(62.10 - 73.24)	57.97	(51.91 - 63.80)
Northwest	19.61	(15.69 - 24.23)	67.49	(60.69 - 73.62)	54.75	(48.05 - 61.29)
Southeast and Southwest	17.65	(14.26 - 21.65)	71.43	(66.19 - 76.15)	49.72	(44.28 - 55.17)

See notes at end of table.

(continued)

Table 7 Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	17.25	(15.04 - 19.72)	60.37	(56.65 - 63.98)	49.96	(46.48 - 53.45)
Region 1	16.78	(13.08 - 21.26)	55.94	(49.51 - 62.19)	47.08	(40.94 - 53.32)
Region 2	16.74	(12.68 - 21.77)	*	(* - *)	38.33	(31.97 - 45.12)
Region 3	16.17	(12.69 - 20.37)	*	(* - *)	42.77	(36.54 - 49.22)
Region 4	18.15	(14.53 - 22.43)	61.67	(55.76 - 67.25)	60.26	(54.61 - 65.66)
Region 5	17.93	(13.59 - 23.28)	*	(* - *)	*	(* - *)
Kentucky	15.99	(13.87 - 18.36)	51.93	(48.56 - 55.28)	35.68	(32.35 - 39.17)
Adanta, Cumberland River, and Lifeskills	13.73	(10.49 - 17.77)	43.09	(36.88 - 49.53)	24.72	(19.85 - 30.32)
Bluegrass, Comprehend, and North Key	16.95	(13.34 - 21.30)	59.19	(53.10 - 65.01)	41.05	(35.16 - 47.21)
Communicare and River Valley	16.57	(12.74 - 21.27)	*	(* - *)	*	(* - *)
Four Rivers and Pennyroyal	14.54	(11.00 - 18.97)	46.71	(40.15 - 53.38)	29.37	(23.55 - 35.95)
Kentucky River, Mountain, and Pathways	14.41	(11.01 - 18.63)	38.86	(32.47 - 45.67)	22.25	(17.19 - 28.28)
Seven Counties	17.89	(14.19 - 22.30)	57.95	(52.21 - 63.48)	48.39	(42.33 - 54.50)
Louisiana	19.65	(17.31 - 22.22)	58.41	(54.93 - 61.80)	44.86	(41.42 - 48.35)
Region 1	17.60	(13.30 - 22.92)	*	(* - *)	*	(* - *)
Regions 2 and 9	19.11	(15.27 - 23.66)	59.22	(53.33 - 64.85)	44.30	(38.65 - 50.10)
Region 3	24.35	(19.21 - 30.34)	*	(* - *)	*	(* - *)
Region 4	19.07	(15.06 - 23.85)	59.22	(52.44 - 65.66)	45.84	(39.43 - 52.39)
Regions 5 and 6	19.20	(14.96 - 24.30)	*	(* - *)	*	(* - *)
Regions 7 and 8	17.75	(14.04 - 22.18)	57.95	(51.75 - 63.91)	39.90	(34.08 - 46.01)
Region 10 (Jefferson)	*	(* - *)	*	(* - *)	*	(* - *)
Maine	18.50	(16.22 - 21.02)	67.20	(63.56 - 70.64)	54.16	(51.05 - 57.24)
Region 1	20.55	(16.95 - 24.69)	71.57	(66.57 - 76.09)	63.05	(58.22 - 67.63)
Region 2	18.92	(15.70 - 22.63)	63.80	(58.37 - 68.90)	50.50	(45.93 - 55.05)
Region 3	15.10	(11.70 - 19.27)	66.41	(60.26 - 72.05)	47.36	(42.04 - 52.74)
Maryland	16.91	(14.66 - 19.43)	58.69	(55.16 - 62.13)	49.20	(45.39 - 53.01)
Central and Eastern Shore	17.16	(14.00 - 20.85)	62.15	(57.09 - 66.96)	48.61	(43.22 - 54.04)
Southern	16.37	(13.23 - 20.09)	55.79	(50.41 - 61.03)	49.79	(44.25 - 55.33)
Western	17.14	(13.59 - 21.39)	56.34	(50.51 - 62.00)	49.49	(43.51 - 55.49)
Massachusetts	22.65	(20.16 - 25.36)	73.35	(69.80 - 76.62)	62.52	(58.86 - 66.04)
Boston	18.09	(13.60 - 23.65)	*	(* - *)	*	(* - *)
Central	20.64	(15.97 - 26.25)	*	(* - *)	*	(* - *)
Metrowest	24.86	(20.27 - 30.10)	77.35	(71.45 - 82.34)	67.87	(61.35 - 73.75)
Northeast	23.25	(18.54 - 28.74)	*	(* - *)	62.22	(55.76 - 68.27)
Southeast	24.40	(19.85 - 29.61)	73.96	(67.82 - 79.29)	62.12	(55.90 - 67.96)
Western	21.64	(16.93 - 27.23)	*	(* - *)	*	(* - *)

See notes at end of table.

(continued)

Table 7 Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Michigan	16.96	(15.80 - 18.20)	62.82	(60.54 - 65.03)	51.19	(49.32 - 53.06)
Bay and Saginaw	21.42	(17.51 - 25.91)	63.70	(58.07 - 68.97)	52.07	(46.24 - 57.84)
Detroit City	11.38	(9.02 - 14.27)	50.19	(44.90 - 55.48)	41.07	(35.87 - 46.47)
Genesee	16.28	(12.67 - 20.66)	58.46	(51.59 - 65.02)	43.86	(37.98 - 49.91)
Kalamazoo	15.99	(12.73 - 19.89)	63.29	(57.01 - 69.15)	48.49	(42.78 - 54.25)
Kent	18.31	(14.94 - 22.23)	60.46	(54.31 - 66.29)	57.47	(51.48 - 63.24)
Lakeshore	16.52	(13.40 - 20.18)	59.33	(53.52 - 64.89)	48.07	(42.63 - 53.55)
Macomb	18.60	(15.21 - 22.55)	63.81	(57.95 - 69.28)	54.95	(49.75 - 60.04)
Mid South	17.03	(14.12 - 20.41)	66.28	(61.80 - 70.48)	48.49	(43.78 - 53.22)
Northern	19.19	(15.81 - 23.10)	63.30	(57.82 - 68.45)	50.35	(45.02 - 55.67)
Oakland	16.00	(13.41 - 18.98)	64.73	(59.88 - 69.30)	57.65	(53.29 - 61.90)
Pathways and Western	19.27	(15.23 - 24.08)	*	(* - *)	*	(* - *)
Southeast	16.46	(13.74 - 19.59)	64.83	(60.39 - 69.03)	50.45	(46.19 - 54.69)
St. Clair	21.46	(17.08 - 26.61)	*	(* - *)	52.34	(45.93 - 58.67)
Washtenaw	16.89	(13.21 - 21.34)	72.67	(67.33 - 77.43)	61.65	(55.88 - 67.11)
Minnesota	20.16	(17.88 - 22.64)	70.54	(67.19 - 73.68)	61.37	(57.96 - 64.68)
Regions 1 and 2	21.19	(16.70 - 26.52)	70.25	(63.70 - 76.06)	*	(* - *)
Regions 3 and 4	21.70	(17.30 - 26.86)	72.40	(65.78 - 78.16)	*	(* - *)
Regions 5 and 6	22.92	(18.63 - 27.86)	72.18	(66.26 - 77.42)	58.44	(52.10 - 64.52)
Region 7A (Hennepin)	15.88	(12.32 - 20.23)	68.56	(63.06 - 73.58)	67.39	(61.75 - 72.57)
Region 7B (Ramsey)	18.14	(13.86 - 23.37)	*	(* - *)	*	(* - *)
Region 7C	20.57	(16.53 - 25.29)	70.06	(63.77 - 75.67)	63.97	(58.19 - 69.38)
Mississippi	13.48	(11.54 - 15.68)	47.74	(44.18 - 51.32)	33.17	(29.86 - 36.65)
Regions 1 and 2	14.65	(10.88 - 19.43)	54.38	(47.50 - 61.11)	*	(* - *)
Regions 3, 4, 7, and 10	13.06	(10.06 - 16.78)	45.78	(39.64 - 52.05)	28.52	(23.53 - 34.11)
Regions 5, 6, 11, and 15	13.39	(10.28 - 17.26)	46.40	(40.01 - 52.91)	32.25	(26.50 - 38.60)
Regions 8 and 9	11.89	(9.12 - 15.38)	48.41	(42.21 - 54.67)	36.71	(31.06 - 42.74)
Region 12	14.93	(11.09 - 19.80)	46.26	(39.47 - 53.19)	*	(* - *)
Regions 13 and 14	14.26	(10.86 - 18.50)	*	(* - *)	36.23	(30.22 - 42.70)
Missouri	17.34	(15.13 - 19.80)	60.80	(57.17 - 64.32)	48.86	(45.50 - 52.23)
Central	16.50	(12.43 - 21.57)	58.99	(52.22 - 65.43)	*	(* - *)
Eastern	17.96	(14.58 - 21.93)	63.29	(57.59 - 68.63)	56.87	(51.47 - 62.11)
Northwest	16.79	(13.20 - 21.11)	63.50	(57.08 - 69.48)	52.74	(46.76 - 58.65)
Southeast	18.47	(14.39 - 23.40)	*	(* - *)	38.32	(32.07 - 44.97)
Southwest	16.54	(12.66 - 21.33)	55.66	(48.85 - 62.26)	36.44	(30.39 - 42.95)
Montana	20.84	(18.39 - 23.52)	64.75	(61.32 - 68.04)	57.58	(54.33 - 60.76)
Regions 1 and 3	19.73	(16.06 - 24.00)	62.21	(56.66 - 67.46)	55.31	(50.00 - 60.50)
Region 2	20.05	(15.99 - 24.84)	56.80	(50.20 - 63.17)	52.47	(45.93 - 58.92)
Region 4	21.43	(17.59 - 25.86)	67.33	(61.70 - 72.50)	60.41	(54.99 - 65.59)
Region 5	21.91	(17.99 - 26.42)	68.48	(63.06 - 73.45)	60.15	(54.76 - 65.32)

See notes at end of table.

(continued)

Table 7 Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nebraska	20.11	(17.69 - 22.77)	69.59	(66.10 - 72.87)	56.87	(53.46 - 60.22)
Regions 1 and 2	20.35	(15.53 - 26.20)	*	(* - *)	*	(* - *)
Region 3	19.11	(14.86 - 24.23)	65.45	(58.56 - 71.74)	*	(* - *)
Region 4	21.02	(16.40 - 26.51)	*	(* - *)	*	(* - *)
Region 5	19.63	(15.73 - 24.21)	74.37	(69.08 - 79.02)	61.57	(55.92 - 66.93)
Region 6	20.36	(16.69 - 24.59)	68.51	(63.43 - 73.18)	59.89	(54.97 - 64.62)
Nevada	19.29	(16.73 - 22.14)	56.82	(52.58 - 60.97)	56.40	(52.83 - 59.90)
Clark	18.56	(15.57 - 21.98)	55.56	(50.74 - 60.28)	54.82	(50.47 - 59.10)
Rural	21.32	(16.75 - 26.73)	*	(* - *)	56.84	(50.32 - 63.13)
Washoe	20.25	(15.70 - 25.72)	*	(* - *)	62.39	(55.70 - 68.64)
New Hampshire	21.07	(18.63 - 23.72)	68.87	(65.08 - 72.42)	63.55	(60.12 - 66.84)
Central	22.80	(18.70 - 27.50)	72.86	(66.93 - 78.08)	62.95	(57.40 - 68.17)
Northern	21.36	(16.93 - 26.59)	*	(* - *)	*	(* - *)
Southern	20.17	(17.15 - 23.58)	67.11	(62.42 - 71.49)	65.07	(60.75 - 69.15)
New Jersey	17.58	(15.66 - 19.69)	60.16	(56.33 - 63.87)	55.61	(52.27 - 58.89)
RHPA I	17.39	(13.82 - 21.66)	*	(* - *)	57.36	(51.04 - 63.45)
RHPA IIa (Bergen)	19.81	(15.47 - 25.02)	*	(* - *)	*	(* - *)
RHPA IIb (Hudson)	16.21	(12.05 - 21.44)	*	(* - *)	*	(* - *)
RHPA III	14.53	(11.26 - 18.57)	*	(* - *)	49.72	(43.21 - 56.23)
RHPA IVa	16.78	(12.91 - 21.52)	*	(* - *)	*	(* - *)
RHPA IVb (Middlesex)	17.90	(13.68 - 23.08)	*	(* - *)	*	(* - *)
RHPA V	17.53	(14.01 - 21.71)	59.53	(52.59 - 66.10)	53.93	(47.23 - 60.49)
RHPA VIa	21.20	(16.81 - 26.38)	*	(* - *)	*	(* - *)
RHPA VIb (Monmouth)	18.77	(14.63 - 23.75)	*	(* - *)	*	(* - *)
New Mexico	18.37	(16.03 - 20.96)	57.43	(53.58 - 61.20)	52.12	(48.91 - 55.31)
Region 1	17.39	(13.26 - 22.48)	*	(* - *)	*	(* - *)
Region 2	19.23	(15.55 - 23.54)	58.78	(52.28 - 64.99)	56.58	(51.45 - 61.58)
Region 3	18.32	(14.18 - 23.34)	56.87	(49.93 - 63.55)	47.03	(40.66 - 53.50)
Region 4	18.17	(14.19 - 22.96)	*	(* - *)	45.94	(39.64 - 52.36)
Region 5 (Bernalillo)	18.46	(14.73 - 22.89)	64.11	(58.31 - 69.54)	59.04	(53.75 - 64.13)
New York	17.55	(16.21 - 18.97)	61.21	(58.84 - 63.53)	50.52	(48.56 - 52.47)
New York City	14.08	(12.19 - 16.21)	53.46	(50.19 - 56.69)	42.27	(39.23 - 45.36)
Remainder of the State	19.88	(18.18 - 21.70)	67.81	(65.00 - 70.49)	56.45	(53.98 - 58.89)
North Carolina	13.23	(11.48 - 15.19)	51.56	(47.95 - 55.15)	39.37	(36.07 - 42.77)
Eastern	13.52	(10.65 - 17.02)	50.33	(44.29 - 56.36)	36.66	(31.35 - 42.32)
North Central	12.87	(10.11 - 16.23)	55.96	(49.41 - 62.31)	40.26	(34.71 - 46.08)
South Central	13.96	(11.09 - 17.43)	54.71	(48.71 - 60.59)	40.84	(35.91 - 45.98)
Western	12.73	(9.92 - 16.19)	46.45	(40.99 - 51.99)	39.31	(33.96 - 44.92)

See notes at end of table.

(continued)

Table 7 Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Dakota	24.98	(22.38 - 27.77)	75.13	(71.82 - 78.16)	58.10	(54.54 - 61.57)
Badlands and West Central Lake Region and South Central	24.82	(20.85 - 29.27)	73.16	(67.62 - 78.06)	56.47	(51.02 - 61.77)
North Central and Northwest	25.36	(20.38 - 31.07)	67.62	(61.11 - 73.51)	52.64	(46.15 - 59.05)
Northeast	23.37	(19.04 - 28.34)	69.51	(62.81 - 75.47)	54.46	(48.10 - 60.68)
Southeast	27.08	(21.64 - 33.29)	79.02	(73.14 - 83.89)	*	(* - *)
Southeast	24.82	(20.27 - 30.02)	80.00	(75.17 - 84.09)	64.82	(58.58 - 70.60)
Ohio	15.98	(14.78 - 17.25)	60.15	(57.91 - 62.35)	48.34	(46.48 - 50.20)
Boards 2, 46, 55, and 68	17.68	(14.18 - 21.83)	60.80	(54.57 - 66.70)	46.04	(39.80 - 52.42)
Boards 3, 52, and 85	16.45	(12.76 - 20.95)	*	(* - *)	48.36	(41.83 - 54.94)
Boards 4 and 78	16.32	(12.47 - 21.07)	*	(* - *)	*	(* - *)
Boards 5 and 60	17.39	(13.62 - 21.95)	57.82	(51.31 - 64.06)	39.94	(34.05 - 46.14)
Boards 7, 15, 41, 79, and 84	17.97	(14.00 - 22.76)	61.15	(54.70 - 67.23)	41.03	(35.07 - 47.27)
Boards 8, 13, and 83	15.88	(12.39 - 20.12)	*	(* - *)	46.25	(39.69 - 52.95)
Board 9 (Butler)	15.92	(12.12 - 20.63)	59.01	(52.09 - 65.60)	*	(* - *)
Board 12	16.56	(12.82 - 21.12)	64.82	(57.94 - 71.14)	*	(* - *)
Boards 18 and 47	14.49	(12.00 - 17.40)	56.04	(51.44 - 60.53)	47.26	(42.72 - 51.84)
Boards 20, 32, 54, and 69	18.58	(14.67 - 23.26)	*	(* - *)	51.77	(45.11 - 58.37)
Boards 21, 39, 51, 70, and 80	15.83	(12.45 - 19.93)	*	(* - *)	45.14	(39.23 - 51.20)
Boards 22, 74, and 87	17.32	(13.72 - 21.62)	66.71	(59.91 - 72.88)	49.73	(43.52 - 55.94)
Boards 23 and 45	19.53	(15.33 - 24.55)	*	(* - *)	51.07	(44.31 - 57.78)
Board 25 (Franklin)	15.53	(12.68 - 18.90)	68.08	(63.84 - 72.05)	56.48	(51.84 - 61.01)
Boards 27, 71, and 73	14.43	(11.15 - 18.48)	47.49	(41.07 - 54.00)	31.36	(26.12 - 37.13)
Boards 28, 43, and 67	18.83	(15.06 - 23.29)	64.68	(58.43 - 70.47)	53.60	(47.17 - 59.91)
Board 31 (Hamilton)	13.69	(10.97 - 16.96)	58.26	(52.98 - 63.36)	55.53	(50.39 - 60.56)
Board 48 (Lucas)	14.91	(11.56 - 19.02)	60.99	(54.34 - 67.25)	49.24	(42.77 - 55.73)
Board 50 (Mahoning)	14.47	(11.01 - 18.80)	*	(* - *)	*	(* - *)
Board 57 (Montgomery)	12.62	(9.59 - 16.43)	55.09	(49.39 - 60.67)	43.74	(37.54 - 50.13)
Board 76 (Stark)	17.03	(13.17 - 21.73)	*	(* - *)	46.96	(40.61 - 53.40)
Board 77 (Summit)	17.93	(14.28 - 22.27)	66.29	(59.76 - 72.26)	53.95	(48.01 - 59.77)
Oklahoma	16.02	(13.88 - 18.42)	52.41	(48.84 - 55.96)	38.22	(34.69 - 41.88)
Central	16.47	(12.65 - 21.17)	*	(* - *)	*	(* - *)
East Central	17.97	(13.55 - 23.45)	*	(* - *)	*	(* - *)
Northeast	15.87	(12.06 - 20.61)	*	(* - *)	34.53	(28.52 - 41.07)
Northwest and Southwest	14.78	(11.24 - 19.19)	51.07	(44.13 - 57.97)	33.42	(27.64 - 39.73)
Oklahoma City Metro	15.74	(12.00 - 20.37)	53.18	(47.10 - 59.16)	43.49	(37.26 - 49.93)
Southeast	15.30	(11.67 - 19.82)	*	(* - *)	*	(* - *)
Tulsa Metro	16.62	(12.61 - 21.58)	*	(* - *)	*	(* - *)

See notes at end of table.

(continued)

Table 7 Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	14.90	(12.91 - 17.14)	59.92	(56.41 - 63.34)	52.01	(48.37 - 55.62)
Region 1 (Multnomah)	13.38	(10.28 - 17.24)	60.31	(53.88 - 66.40)	56.30	(50.01 - 62.40)
Region 2	16.72	(13.34 - 20.76)	64.11	(57.82 - 69.95)	57.50	(50.71 - 64.03)
Region 3	14.68	(11.71 - 18.24)	60.57	(55.35 - 65.57)	50.60	(44.83 - 56.35)
Region 4	14.53	(10.89 - 19.14)	*	(* - *)	*	(* - *)
Region 5	14.64	(11.09 - 19.10)	*	(* - *)	*	(* - *)
Pennsylvania	16.70	(15.48 - 18.00)	61.14	(58.84 - 63.40)	50.97	(49.10 - 52.84)
Regions 1, 27, and 47	16.45	(13.62 - 19.73)	65.92	(61.19 - 70.34)	54.66	(50.11 - 59.14)
Regions 2, 3, 8, and 9	18.22	(14.62 - 22.46)	65.54	(60.21 - 70.51)	47.93	(42.41 - 53.49)
Regions 4 and 42	15.78	(12.41 - 19.86)	56.43	(49.66 - 62.96)	49.46	(43.18 - 55.76)
Regions 5 and 28	15.59	(11.89 - 20.17)	*	(* - *)	*	(* - *)
Regions 6, 16, and 39	15.62	(12.17 - 19.82)	*	(* - *)	*	(* - *)
Region 7 (Bucks)	17.28	(13.71 - 21.54)	65.04	(58.60 - 70.97)	63.36	(57.28 - 69.05)
Regions 10, 15, and 25	19.53	(15.38 - 24.48)	*	(* - *)	46.74	(40.05 - 53.54)
Regions 11, 29, 44, and 48	18.82	(15.13 - 23.16)	*	(* - *)	53.04	(46.43 - 59.53)
Regions 12, 35, 41, and 45	17.61	(13.85 - 22.12)	68.07	(62.41 - 73.24)	49.96	(43.39 - 56.53)
Region 13 (Chester)	17.91	(13.89 - 22.78)	*	(* - *)	*	(* - *)
Regions 14, 31, 36, and 46	16.81	(12.94 - 21.56)	*	(* - *)	*	(* - *)
Regions 17, 24, and 43	16.89	(13.62 - 20.74)	58.29	(52.03 - 64.29)	46.52	(40.69 - 52.44)
Region 18 (Philadelphia)	15.21	(12.54 - 18.33)	56.96	(52.10 - 61.69)	42.25	(37.33 - 47.32)
Regions 19 and 23	17.57	(13.68 - 22.28)	*	(* - *)	47.76	(41.10 - 54.50)
Regions 20, 26, and 40	14.51	(11.25 - 18.53)	57.47	(50.95 - 63.74)	43.43	(37.40 - 49.67)
Regions 21 and 32	13.81	(10.70 - 17.65)	*	(* - *)	48.15	(41.85 - 54.50)
Region 22 (Delaware)	19.19	(15.31 - 23.77)	63.32	(57.02 - 69.19)	60.51	(54.22 - 66.47)
Region 30 (Lancaster)	17.01	(13.19 - 21.67)	60.00	(53.71 - 65.97)	49.92	(43.39 - 56.46)
Region 33 (Lehigh)	16.68	(12.71 - 21.58)	*	(* - *)	*	(* - *)
Region 34	18.64	(14.77 - 23.26)	*	(* - *)	*	(* - *)
Region 37 (Montgomery)	16.75	(13.45 - 20.68)	64.85	(58.37 - 70.82)	59.84	(54.04 - 65.38)
Region 38 (Northampton)	16.44	(12.54 - 21.25)	*	(* - *)	*	(* - *)
Region 49	14.57	(11.38 - 18.48)	53.95	(47.11 - 60.65)	46.93	(40.99 - 52.96)
Rhode Island	17.85	(15.42 - 20.56)	65.48	(61.81 - 68.97)	58.11	(54.52 - 61.61)
Bristol and Newport	20.45	(15.79 - 26.07)	*	(* - *)	*	(* - *)
Kent	19.86	(15.67 - 24.84)	*	(* - *)	63.84	(57.44 - 69.79)
Providence	16.67	(13.67 - 20.19)	63.14	(58.57 - 67.48)	52.76	(48.02 - 57.45)
Washington	18.57	(14.32 - 23.74)	*	(* - *)	67.05	(60.53 - 72.98)
South Carolina	14.83	(12.83 - 17.09)	51.50	(47.96 - 55.03)	40.43	(37.04 - 43.92)
Region 1	15.68	(12.35 - 19.71)	47.79	(41.63 - 54.02)	37.43	(31.64 - 43.60)
Region 2	15.24	(12.09 - 19.04)	54.45	(48.99 - 59.81)	41.34	(36.21 - 46.65)
Region 3	15.10	(11.69 - 19.28)	49.00	(42.21 - 55.82)	39.35	(33.44 - 45.60)
Region 4	13.44	(10.56 - 16.96)	53.37	(47.72 - 58.93)	43.28	(37.59 - 49.16)

See notes at end of table.

(continued)

Table 7 Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	19.85	(17.60 - 22.31)	68.21	(64.83 - 71.42)	54.62	(51.35 - 57.85)
Region 1 (Pennington)	18.44	(14.22 - 23.58)	*	(* - *)	54.50	(48.10 - 60.76)
Region 2	23.04	(18.63 - 28.14)	61.46	(55.10 - 67.46)	51.78	(45.44 - 58.06)
Region 3 (Minnehaha)	17.77	(13.83 - 22.54)	69.63	(63.36 - 75.24)	59.85	(53.99 - 65.45)
Region 4	20.08	(15.77 - 25.22)	69.15	(62.62 - 75.00)	55.07	(48.30 - 61.66)
Region 5	19.23	(14.80 - 24.61)	*	(* - *)	*	(* - *)
Region 6	18.64	(14.30 - 23.91)	*	(* - *)	55.51	(48.66 - 62.15)
Region 7	20.22	(15.77 - 25.56)	72.81	(66.70 - 78.17)	54.56	(47.83 - 61.13)
Tennessee	13.33	(11.48 - 15.43)	46.60	(42.88 - 50.37)	35.96	(32.57 - 39.50)
Region 1	13.59	(10.17 - 17.91)	*	(* - *)	*	(* - *)
Region 2	13.54	(10.43 - 17.39)	47.03	(40.50 - 53.66)	34.60	(28.83 - 40.87)
Region 3	13.85	(10.56 - 17.96)	46.69	(39.87 - 53.63)	32.28	(26.65 - 38.48)
Region 4 (Davidson)	12.74	(9.35 - 17.13)	*	(* - *)	*	(* - *)
Region 5	15.80	(12.47 - 19.81)	49.54	(42.70 - 56.39)	38.87	(33.13 - 44.93)
Region 6	13.23	(9.78 - 17.67)	*	(* - *)	*	(* - *)
Region 7 (Shelby)	9.76	(6.97 - 13.51)	*	(* - *)	*	(* - *)
Texas	17.84	(16.64 - 19.09)	55.88	(53.62 - 58.11)	45.54	(43.57 - 47.52)
Region 1	21.50	(17.21 - 26.52)	59.43	(52.62 - 65.89)	38.88	(32.90 - 45.20)
Regions 2 and 9	18.89	(15.14 - 23.31)	56.01	(49.53 - 62.29)	36.29	(30.44 - 42.57)
Region 3	16.48	(14.42 - 18.77)	53.90	(50.39 - 57.38)	45.91	(42.56 - 49.30)
Region 4	19.14	(15.53 - 23.36)	49.67	(42.92 - 56.44)	39.10	(32.87 - 45.70)
Region 5	20.72	(16.43 - 25.78)	*	(* - *)	39.65	(33.22 - 46.46)
Region 6	16.30	(14.32 - 18.50)	53.98	(50.29 - 57.62)	51.13	(47.44 - 54.81)
Region 7	19.91	(16.68 - 23.60)	65.00	(60.83 - 68.94)	49.75	(45.02 - 54.49)
Region 8	17.39	(14.46 - 20.76)	56.79	(51.56 - 61.87)	49.97	(45.10 - 54.84)
Region 10	23.53	(18.91 - 28.89)	*	(* - *)	37.77	(31.64 - 44.32)
Region 11	17.29	(14.38 - 20.64)	50.17	(44.93 - 55.40)	35.45	(30.85 - 40.33)
Utah	9.77	(8.06 - 11.79)	33.53	(30.29 - 36.92)	31.49	(28.24 - 34.94)
Bear River, Northeastern, Summit, Tooele, and Wasatch	10.02	(7.08 - 13.99)	37.37	(30.90 - 44.32)	*	(* - *)
Central, Four Corners, San Juan, and Southwest	10.22	(7.37 - 14.01)	*	(* - *)	*	(* - *)
Davis County	8.66	(6.26 - 11.87)	*	(* - *)	32.84	(26.83 - 39.48)
Salt Lake County	11.33	(8.80 - 14.47)	39.21	(34.30 - 44.36)	36.33	(31.65 - 41.28)
Utah County	6.12	(4.01 - 9.22)	21.56	(17.02 - 26.91)	*	(* - *)
Weber, Morgan	11.06	(7.85 - 15.37)	*	(* - *)	*	(* - *)
Vermont	20.07	(17.83 - 22.51)	70.16	(66.63 - 73.46)	62.27	(59.05 - 65.39)
Champlain Valley	21.47	(18.07 - 25.30)	74.57	(70.16 - 78.53)	65.29	(60.15 - 70.10)
Rural Northeast	18.62	(14.98 - 22.91)	64.84	(58.22 - 70.93)	60.84	(55.04 - 66.35)
Rural Southeast	19.53	(15.74 - 23.97)	66.57	(60.19 - 72.39)	60.02	(54.50 - 65.30)
Rural Southwest	19.46	(15.22 - 24.54)	*	(* - *)	60.68	(54.21 - 66.80)

See notes at end of table.

(continued)

Table 7 Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Virginia	12.87	(11.12 - 14.86)	58.77	(54.93 - 62.49)	47.88	(44.47 - 51.30)
Region 1	15.12	(11.44 - 19.72)	*	(* - *)	*	(* - *)
Region 2	12.41	(9.59 - 15.90)	59.28	(52.33 - 65.89)	59.38	(53.63 - 64.87)
Region 3	12.84	(10.06 - 16.25)	51.19	(44.72 - 57.62)	37.85	(31.99 - 44.09)
Region 4	12.08	(9.09 - 15.89)	*	(* - *)	43.88	(37.53 - 50.43)
Region 5	12.49	(9.91 - 15.63)	62.79	(57.06 - 68.18)	46.64	(41.25 - 52.11)
Washington	15.79	(13.86 - 17.92)	55.09	(51.52 - 58.60)	52.90	(49.24 - 56.53)
Region 1	17.06	(12.98 - 22.11)	*	(* - *)	*	(* - *)
Region 2	17.37	(13.31 - 22.34)	*	(* - *)	*	(* - *)
Region 3	17.28	(13.62 - 21.68)	61.72	(55.49 - 67.58)	56.12	(49.43 - 62.60)
Region 4 (King)	12.71	(10.05 - 15.95)	55.31	(49.80 - 60.70)	55.93	(50.42 - 61.31)
Region 5	15.32	(12.01 - 19.36)	*	(* - *)	*	(* - *)
Region 6	17.34	(13.74 - 21.64)	53.32	(46.37 - 60.15)	49.38	(42.78 - 56.00)
West Virginia	17.00	(14.81 - 19.44)	51.07	(47.48 - 54.66)	35.33	(32.23 - 38.56)
Eastern Highland	19.09	(15.28 - 23.58)	52.92	(46.15 - 59.59)	37.86	(32.25 - 43.82)
Northern	17.28	(13.73 - 21.51)	57.01	(51.11 - 62.71)	38.38	(32.92 - 44.15)
South Central I	15.93	(12.18 - 20.55)	48.46	(41.56 - 55.42)	34.69	(28.89 - 40.98)
South Central II	14.51	(11.12 - 18.71)	50.03	(43.12 - 56.94)	32.71	(26.93 - 39.07)
South Central III	18.28	(13.98 - 23.55)	*	(* - *)	39.50	(33.06 - 46.32)
Southern	15.66	(11.83 - 20.44)	*	(* - *)	27.68	(22.45 - 33.60)
Wisconsin	21.49	(19.26 - 23.91)	69.12	(65.81 - 72.24)	64.25	(60.77 - 67.59)
Milwaukee	16.81	(13.27 - 21.08)	60.53	(54.03 - 66.67)	58.43	(51.81 - 64.75)
Northeastern	24.79	(20.61 - 29.50)	74.19	(68.29 - 79.33)	68.95	(63.07 - 74.28)
Northern and Western	22.09	(18.12 - 26.65)	70.83	(65.11 - 75.96)	61.96	(55.94 - 67.64)
Southeastern	19.15	(15.59 - 23.31)	65.47	(59.08 - 71.34)	65.08	(58.70 - 70.96)
Southern	23.81	(19.38 - 28.89)	73.25	(67.78 - 78.10)	66.01	(59.66 - 71.84)
Wyoming	21.46	(19.08 - 24.04)	67.09	(63.46 - 70.53)	54.41	(50.99 - 57.80)
Frontier 1	21.23	(16.92 - 26.30)	*	(* - *)	46.21	(39.62 - 52.93)
Frontier 2	21.38	(16.48 - 27.26)	*	(* - *)	*	(* - *)
Rural 1	22.57	(18.39 - 27.39)	70.35	(64.36 - 75.71)	59.08	(53.21 - 64.70)
Rural 2	20.29	(16.08 - 25.27)	64.76	(58.97 - 70.14)	53.90	(47.54 - 60.15)
Rural 3 (Laramie)	20.12	(16.03 - 24.94)	69.62	(63.19 - 75.37)	55.80	(49.59 - 61.84)
Rural 4	23.42	(18.52 - 29.16)	*	(* - *)	*	(* - *)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 1999-2001 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 1999, 2000, and 2001.

Table 8 *Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	10.35		38.26		19.05	
Alabama	10.01	(8.32 - 12.00)	31.56	(28.43 - 34.86)	16.21	(13.94 - 18.76)
Region 1	9.03	(6.64 - 12.17)	30.46	(25.44 - 35.99)	14.72	(11.70 - 18.36)
Region 2	10.74	(8.17 - 14.00)	30.55	(25.87 - 35.68)	17.62	(14.20 - 21.66)
Region 3	10.70	(7.80 - 14.52)	35.08	(29.84 - 40.71)	16.49	(12.83 - 20.93)
Region 4	9.56	(6.99 - 12.93)	30.90	(25.43 - 36.96)	15.84	(12.49 - 19.89)
Alaska	10.17	(8.55 - 12.06)	37.66	(34.30 - 41.15)	19.69	(17.32 - 22.29)
Gulf Coast	10.43	(7.44 - 14.45)	*	(* - *)	18.81	(14.59 - 23.90)
Rural	9.00	(6.20 - 12.88)	*	(* - *)	19.60	(15.01 - 25.18)
Southeast	10.69	(7.61 - 14.83)	*	(* - *)	18.43	(14.59 - 23.00)
Urban	10.28	(8.31 - 12.66)	38.41	(34.49 - 42.49)	20.11	(17.27 - 23.28)
Arizona	11.33	(9.57 - 13.38)	35.30	(31.96 - 38.79)	20.44	(17.94 - 23.20)
Maricopa	10.72	(8.61 - 13.28)	34.85	(30.79 - 39.14)	21.34	(18.14 - 24.94)
Pima	13.23	(9.90 - 17.46)	39.75	(33.37 - 46.51)	19.71	(15.80 - 24.30)
Rural North	11.20	(7.90 - 15.64)	*	(* - *)	18.73	(14.46 - 23.90)
Rural South	11.86	(8.51 - 16.30)	*	(* - *)	18.76	(14.64 - 23.72)
Arkansas	10.69	(9.11 - 12.50)	34.20	(30.91 - 37.64)	17.68	(15.60 - 19.99)
Areas 1 and 5	11.37	(8.44 - 15.16)	37.97	(31.99 - 44.34)	19.47	(15.76 - 23.82)
Areas 2 and 3	9.88	(6.99 - 13.79)	*	(* - *)	13.63	(10.35 - 17.73)
Areas 4 and 7	10.73	(8.10 - 14.09)	33.67	(27.70 - 40.20)	19.46	(15.54 - 24.09)
Area 6	13.81	(10.11 - 18.57)	40.93	(35.02 - 47.11)	19.94	(15.71 - 24.98)
Areas 8 and 12	9.14	(6.42 - 12.85)	27.07	(21.56 - 33.39)	15.44	(12.00 - 19.66)
Area 9	10.99	(8.24 - 14.50)	36.97	(30.68 - 43.73)	18.14	(14.62 - 22.27)
Areas 10, 11, and 13	9.03	(6.44 - 12.53)	*	(* - *)	16.78	(13.12 - 21.20)
California	9.28	(8.49 - 10.13)	33.07	(31.05 - 35.17)	18.16	(16.84 - 19.57)
Region 1	16.09	(12.27 - 20.82)	*	(* - *)	18.62	(14.55 - 23.52)
Region 2	12.21	(9.85 - 15.03)	33.86	(29.20 - 38.85)	18.37	(15.22 - 22.01)
Region 3	10.55	(8.16 - 13.54)	32.87	(27.35 - 38.91)	17.68	(14.17 - 21.85)
Region 4	8.77	(6.41 - 11.88)	35.08	(29.20 - 41.46)	17.55	(14.23 - 21.45)
Region 5	8.32	(6.41 - 10.73)	30.68	(25.85 - 35.98)	16.84	(13.85 - 20.32)
Region 6 (Santa Clara)	8.57	(6.38 - 11.43)	31.28	(26.00 - 37.10)	17.47	(14.32 - 21.14)
Region 7	10.29	(7.65 - 13.69)	*	(* - *)	18.50	(14.80 - 22.87)
Region 8	9.85	(7.65 - 12.58)	33.81	(28.60 - 39.44)	19.94	(16.42 - 24.00)
Region 9	11.68	(8.92 - 15.16)	39.33	(33.34 - 45.65)	20.53	(16.58 - 25.14)
Region 10	10.88	(8.29 - 14.15)	36.46	(30.24 - 43.16)	18.35	(14.75 - 22.60)
Region 11 (Los Angeles)	7.41	(6.21 - 8.82)	30.28	(27.35 - 33.39)	17.89	(15.77 - 20.23)
Region 12	10.40	(8.15 - 13.18)	36.24	(31.20 - 41.61)	18.60	(15.33 - 22.37)
Region 13 (Riverside)	9.14	(7.01 - 11.84)	34.95	(29.18 - 41.20)	20.49	(16.45 - 25.23)
Region 14 (Orange)	8.01	(6.16 - 10.36)	30.29	(25.59 - 35.43)	17.72	(14.69 - 21.21)
Region 15	9.15	(7.17 - 11.60)	36.38	(31.71 - 41.33)	18.19	(15.13 - 21.72)

See notes at end of table.

(continued)

Table 8 Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	12.97	(10.94 - 15.30)	45.16	(41.49 - 48.89)	20.37	(17.97 - 23.00)
Regions 1 and 4	13.53	(10.07 - 17.94)	44.85	(38.21 - 51.68)	18.24	(14.48 - 22.72)
Region 2	12.47	(9.84 - 15.67)	43.96	(39.17 - 48.87)	21.63	(18.36 - 25.30)
Region 3	13.29	(9.69 - 17.97)	*	(* - *)	19.15	(15.11 - 23.96)
Regions 5 and 6	13.99	(10.29 - 18.73)	*	(* - *)	19.71	(15.65 - 24.52)
Region 7 (Boulder)	12.44	(8.97 - 17.00)	*	(* - *)	20.48	(16.27 - 25.45)
Connecticut	13.21	(11.18 - 15.54)	44.43	(40.52 - 48.41)	19.10	(16.57 - 21.91)
Eastern	15.03	(11.10 - 20.04)	*	(* - *)	20.63	(16.21 - 25.87)
North Central	14.72	(11.42 - 18.76)	45.00	(39.01 - 51.14)	19.38	(15.61 - 23.80)
Northwestern	11.72	(8.70 - 15.60)	*	(* - *)	17.85	(13.92 - 22.60)
South Central	11.21	(8.30 - 14.96)	42.33	(36.03 - 48.88)	19.48	(15.60 - 24.04)
Southwest	13.53	(9.87 - 18.27)	*	(* - *)	18.45	(14.54 - 23.13)
Delaware	10.88	(9.14 - 12.92)	42.24	(38.70 - 45.86)	20.31	(17.87 - 22.98)
Kent	9.52	(6.93 - 12.93)	34.57	(29.01 - 40.59)	17.53	(13.87 - 21.92)
New Castle	11.15	(9.02 - 13.71)	45.14	(40.92 - 49.42)	21.23	(18.21 - 24.60)
Sussex	11.28	(8.38 - 15.02)	37.89	(31.68 - 44.53)	19.61	(15.77 - 24.11)
District of Columbia	7.61	(6.09 - 9.48)	35.59	(32.28 - 39.05)	20.61	(18.21 - 23.24)
Ward 1	8.73	(5.90 - 12.72)	*	(* - *)	25.67	(20.87 - 31.14)
Ward 2	*	(* - *)	44.90	(39.03 - 50.91)	23.69	(19.42 - 28.57)
Ward 3	10.66	(7.46 - 15.02)	*	(* - *)	20.49	(16.46 - 25.22)
Ward 4	7.07	(4.88 - 10.13)	*	(* - *)	17.38	(13.47 - 22.14)
Ward 5	6.37	(4.42 - 9.09)	31.00	(25.13 - 37.54)	17.95	(13.84 - 22.96)
Ward 6	6.54	(4.33 - 9.78)	*	(* - *)	21.24	(17.14 - 26.01)
Ward 7	6.70	(4.69 - 9.49)	26.12	(20.52 - 32.62)	19.62	(15.46 - 24.59)
Ward 8	6.48	(4.35 - 9.57)	*	(* - *)	19.46	(15.08 - 24.75)
Florida	8.36	(7.43 - 9.39)	33.53	(31.44 - 35.69)	18.41	(16.97 - 19.93)
District 1	10.30	(7.56 - 13.89)	42.05	(35.45 - 48.95)	21.40	(17.26 - 26.21)
District 2	8.07	(5.88 - 10.99)	32.15	(26.43 - 38.46)	16.89	(13.34 - 21.15)
District 3	8.47	(6.10 - 11.66)	36.24	(30.03 - 42.94)	17.90	(14.27 - 22.20)
District 4	7.64	(5.69 - 10.19)	30.89	(26.12 - 36.10)	17.55	(14.47 - 21.12)
District 7	7.19	(5.45 - 9.44)	33.80	(29.74 - 38.10)	18.05	(15.15 - 21.37)
District 8	8.80	(6.50 - 11.81)	36.25	(30.77 - 42.12)	18.76	(15.09 - 23.08)
District 9 (Palm Beach)	9.63	(7.32 - 12.59)	39.96	(34.65 - 45.53)	20.27	(16.33 - 24.88)
District 10 (Broward)	8.49	(6.38 - 11.22)	28.63	(23.53 - 34.33)	17.52	(14.46 - 21.08)
District 11	6.32	(4.89 - 8.14)	27.60	(23.98 - 31.54)	16.99	(14.44 - 19.88)
District 12	9.33	(6.67 - 12.89)	37.87	(32.00 - 44.12)	17.88	(14.20 - 22.26)
District 13	9.24	(6.69 - 12.64)	32.19	(26.14 - 38.90)	17.07	(13.42 - 21.47)
District 14	8.53	(6.26 - 11.52)	30.36	(25.12 - 36.16)	17.02	(13.63 - 21.04)
District 15	11.39	(8.24 - 15.55)	35.32	(29.00 - 42.21)	18.13	(14.33 - 22.67)
Suncoast	9.45	(7.55 - 11.77)	37.53	(33.59 - 41.63)	20.19	(17.35 - 23.35)

See notes at end of table.

(continued)

Table 8 *Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	8.77	(7.41 - 10.35)	33.79	(30.69 - 37.04)	19.14	(16.82 - 21.69)
Central	7.57	(5.19 - 10.89)	*	(* - *)	16.47	(12.63 - 21.19)
East Central	8.53	(5.99 - 12.00)	39.66	(33.13 - 46.58)	19.03	(14.93 - 23.94)
Metro	7.62	(5.76 - 10.00)	33.40	(28.26 - 38.98)	19.10	(15.78 - 22.92)
North	11.30	(8.60 - 14.73)	37.14	(31.35 - 43.31)	21.45	(17.63 - 25.83)
Southeast	8.27	(5.89 - 11.48)	*	(* - *)	17.84	(13.84 - 22.68)
Southwest	8.82	(6.31 - 12.20)	32.70	(26.63 - 39.40)	18.45	(14.43 - 23.30)
West Central	8.03	(5.80 - 11.03)	28.84	(23.00 - 35.49)	17.61	(13.64 - 22.43)
Hawaii	10.79	(8.92 - 12.99)	37.72	(34.00 - 41.59)	19.60	(17.13 - 22.34)
Hawaii Island	11.60	(8.08 - 16.38)	*	(* - *)	20.64	(16.18 - 25.93)
Honolulu	10.49	(8.42 - 13.00)	37.17	(32.96 - 41.59)	19.22	(16.40 - 22.40)
Kalawao, Kauai, and Maui	11.38	(8.24 - 15.52)	*	(* - *)	20.56	(16.35 - 25.52)
Idaho	10.56	(8.94 - 12.43)	33.60	(30.55 - 36.79)	17.98	(15.74 - 20.46)
Region 1	14.80	(11.01 - 19.60)	*	(* - *)	20.05	(15.81 - 25.10)
Region 2	12.82	(9.31 - 17.40)	*	(* - *)	20.23	(15.95 - 25.31)
Region 3	10.46	(7.48 - 14.44)	*	(* - *)	19.04	(15.17 - 23.61)
Region 4	10.60	(7.85 - 14.17)	32.98	(27.82 - 38.59)	17.80	(14.26 - 22.00)
Region 5	10.49	(7.73 - 14.08)	30.83	(25.13 - 37.18)	17.02	(13.34 - 21.46)
Region 6	9.01	(6.50 - 12.35)	28.51	(23.02 - 34.71)	16.82	(13.07 - 21.38)
Region 7	7.43	(5.17 - 10.58)	26.45	(20.85 - 32.94)	14.93	(11.55 - 19.08)
Illinois	11.62	(10.58 - 12.76)	41.73	(39.61 - 43.89)	22.06	(20.62 - 23.58)
Region I (Cook)	11.35	(9.73 - 13.21)	39.71	(36.85 - 42.64)	23.98	(21.64 - 26.48)
Region II	11.87	(10.21 - 13.77)	40.04	(36.64 - 43.53)	20.51	(18.29 - 22.93)
Region III	12.83	(10.29 - 15.89)	48.59	(44.11 - 53.09)	21.21	(17.95 - 24.89)
Region IV	12.43	(9.84 - 15.60)	47.39	(42.35 - 52.49)	21.80	(18.28 - 25.78)
Region V	9.94	(7.78 - 12.63)	42.55	(38.16 - 47.06)	19.32	(16.30 - 22.73)
Indiana	8.81	(7.39 - 10.47)	36.00	(32.74 - 39.39)	17.38	(15.18 - 19.83)
Central	8.65	(6.28 - 11.78)	35.61	(29.94 - 41.70)	18.99	(15.40 - 23.18)
East	8.98	(6.34 - 12.57)	*	(* - *)	16.25	(12.58 - 20.73)
North Central	7.83	(5.60 - 10.85)	32.09	(26.13 - 38.69)	15.80	(12.44 - 19.85)
Northeast	9.28	(6.57 - 12.94)	35.11	(28.79 - 42.00)	17.40	(13.64 - 21.93)
Northwest	8.60	(6.19 - 11.82)	*	(* - *)	17.50	(13.56 - 22.29)
Southeast and Southwest	9.78	(7.35 - 12.90)	37.76	(31.44 - 44.53)	17.22	(13.69 - 21.44)
West	8.54	(6.12 - 11.79)	41.19	(35.60 - 47.01)	17.10	(13.29 - 21.74)
Iowa	11.60	(9.90 - 13.54)	49.04	(45.61 - 52.48)	20.16	(17.90 - 22.62)
Central	9.49	(6.94 - 12.85)	43.61	(37.05 - 50.40)	20.20	(16.43 - 24.58)
North Central	10.86	(7.97 - 14.64)	48.60	(42.86 - 54.38)	18.79	(14.89 - 23.43)
Northeast	12.11	(9.20 - 15.78)	48.39	(42.48 - 54.35)	20.26	(16.67 - 24.41)
Northwest	12.78	(9.64 - 16.76)	46.90	(40.38 - 53.53)	20.73	(16.67 - 25.48)
Southeast and Southwest	11.86	(9.20 - 15.16)	53.63	(48.08 - 59.09)	20.23	(16.94 - 23.98)

See notes at end of table.

(continued)

Table 8 Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	9.90	(8.30 - 11.75)	41.72	(38.32 - 45.20)	17.64	(15.48 - 20.03)
Region 1	9.13	(6.76 - 12.22)	35.60	(29.98 - 41.65)	16.12	(12.90 - 19.96)
Region 2	9.65	(6.91 - 13.31)	*	(* - *)	15.26	(11.89 - 19.37)
Region 3	10.83	(8.02 - 14.48)	41.16	(34.91 - 47.70)	17.26	(13.85 - 21.31)
Region 4	9.65	(7.26 - 12.71)	42.00	(36.63 - 47.57)	19.08	(15.81 - 22.84)
Region 5	11.04	(7.96 - 15.12)	51.70	(44.82 - 58.52)	20.18	(15.76 - 25.47)
Kentucky	10.99	(9.22 - 13.04)	36.80	(33.81 - 39.90)	16.45	(14.34 - 18.81)
Adanta, Cumberland River, and Lifeskills	10.17	(7.42 - 13.77)	31.81	(26.41 - 37.75)	14.14	(11.05 - 17.92)
Bluegrass, Comprehend, and North Key	11.55	(8.59 - 15.35)	39.01	(33.72 - 44.57)	17.25	(13.97 - 21.11)
Communicare and River Valley	11.66	(8.57 - 15.67)	*	(* - *)	17.45	(13.50 - 22.27)
Four Rivers and Pennyroyal	10.26	(7.42 - 14.01)	33.70	(28.00 - 39.92)	14.55	(11.28 - 18.56)
Kentucky River, Mountain, and Pathways	10.80	(7.96 - 14.51)	32.46	(26.77 - 38.72)	13.94	(10.82 - 17.78)
Seven Counties	10.97	(8.16 - 14.61)	41.18	(35.93 - 46.65)	19.06	(15.52 - 23.19)
Louisiana	11.89	(10.12 - 13.92)	38.38	(35.19 - 41.68)	20.98	(18.55 - 23.63)
Region 1	8.65	(6.10 - 12.12)	33.33	(27.19 - 40.09)	22.01	(17.39 - 27.46)
Regions 2 and 9	12.06	(9.07 - 15.87)	39.43	(34.16 - 44.96)	20.14	(16.43 - 24.43)
Region 3	15.40	(11.43 - 20.42)	*	(* - *)	24.70	(19.68 - 30.53)
Region 4	12.56	(9.55 - 16.35)	38.57	(32.67 - 44.83)	21.86	(17.73 - 26.63)
Regions 5 and 6	11.21	(7.99 - 15.50)	*	(* - *)	18.60	(14.65 - 23.33)
Regions 7 and 8	11.64	(8.82 - 15.22)	39.79	(33.98 - 45.89)	19.59	(15.85 - 23.96)
Region 10 (Jefferson)	12.97	(9.37 - 17.69)	*	(* - *)	23.01	(18.35 - 28.45)
Maine	11.97	(10.13 - 14.09)	44.44	(40.82 - 48.11)	19.21	(17.02 - 21.60)
Region 1	13.34	(10.45 - 16.87)	49.31	(44.03 - 54.60)	21.43	(18.04 - 25.27)
Region 2	11.95	(9.47 - 14.97)	43.18	(38.00 - 48.51)	17.79	(14.94 - 21.05)
Region 3	10.19	(7.45 - 13.79)	40.04	(34.36 - 46.00)	18.27	(14.96 - 22.13)
Maryland	9.26	(7.66 - 11.15)	35.64	(32.48 - 38.94)	16.72	(14.46 - 19.26)
Central and Eastern Shore	9.94	(7.67 - 12.79)	39.69	(35.04 - 44.54)	18.28	(14.96 - 22.14)
Southern	7.96	(5.89 - 10.67)	30.56	(26.24 - 35.25)	15.67	(12.64 - 19.27)
Western	9.67	(7.16 - 12.92)	35.06	(29.90 - 40.58)	15.40	(12.36 - 19.03)
Massachusetts	13.41	(11.51 - 15.57)	51.98	(48.38 - 55.57)	22.88	(20.28 - 25.71)
Boston	11.86	(8.40 - 16.48)	*	(* - *)	25.60	(20.96 - 30.87)
Central	12.70	(9.44 - 16.87)	*	(* - *)	22.17	(17.68 - 27.41)
Metrowest	14.74	(11.53 - 18.66)	54.05	(47.64 - 60.33)	22.47	(18.19 - 27.42)
Northeast	12.41	(9.31 - 16.35)	47.83	(41.19 - 54.55)	21.05	(16.99 - 25.78)
Southeast	15.09	(11.69 - 19.27)	53.45	(46.82 - 59.96)	24.48	(20.32 - 29.18)
Western	12.40	(9.20 - 16.52)	*	(* - *)	22.33	(17.71 - 27.74)

See notes at end of table.

(continued)

Table 8 Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Michigan	11.09	(10.09 - 12.19)	42.56	(40.38 - 44.76)	19.82	(18.48 - 21.24)
Bay and Saginaw	14.68	(11.47 - 18.59)	44.03	(38.41 - 49.80)	21.08	(17.45 - 25.23)
Detroit City	6.99	(5.25 - 9.26)	30.25	(25.69 - 35.23)	21.41	(17.96 - 25.33)
Genesee	10.68	(7.88 - 14.33)	41.18	(34.64 - 48.04)	18.68	(15.25 - 22.66)
Kalamazoo	9.77	(7.32 - 12.91)	42.59	(36.66 - 48.75)	17.84	(14.62 - 21.59)
Kent	11.72	(9.04 - 15.05)	41.49	(35.79 - 47.43)	21.31	(17.60 - 25.58)
Lakeshore	11.27	(8.77 - 14.38)	41.06	(35.93 - 46.38)	19.81	(16.44 - 23.69)
Macomb	11.59	(9.06 - 14.70)	41.68	(36.29 - 47.28)	19.52	(16.55 - 22.89)
Mid South	9.82	(7.67 - 12.50)	45.26	(40.87 - 49.71)	18.26	(15.46 - 21.42)
Northern	12.30	(9.73 - 15.45)	44.96	(39.59 - 50.46)	19.64	(16.25 - 23.54)
Oakland	10.96	(8.77 - 13.62)	44.33	(39.55 - 49.22)	19.11	(16.26 - 22.32)
Pathways and Western	13.79	(10.33 - 18.16)	49.37	(42.62 - 56.14)	20.66	(16.72 - 25.24)
Southeast	11.78	(9.48 - 14.55)	43.49	(39.07 - 48.02)	20.37	(17.54 - 23.54)
St. Clair	14.52	(10.96 - 18.99)	*	(* - *)	20.03	(16.24 - 24.45)
Washtenaw	11.01	(8.23 - 14.58)	47.67	(41.89 - 53.52)	20.57	(17.10 - 24.53)
Minnesota	12.91	(11.12 - 14.94)	48.88	(45.52 - 52.24)	20.93	(18.55 - 23.52)
Regions 1 and 2	14.79	(11.15 - 19.35)	51.56	(45.09 - 57.99)	22.43	(17.75 - 27.92)
Regions 3 and 4	13.24	(9.94 - 17.42)	*	(* - *)	20.52	(16.41 - 25.35)
Regions 5 and 6	15.27	(11.80 - 19.53)	50.96	(44.85 - 57.04)	20.22	(16.34 - 24.74)
Region 7A (Hennepin)	9.32	(6.86 - 12.54)	43.57	(38.12 - 49.18)	20.10	(16.58 - 24.14)
Region 7B (Ramsey)	11.71	(8.50 - 15.92)	*	(* - *)	21.43	(17.21 - 26.37)
Region 7C	13.28	(10.15 - 17.18)	50.51	(44.02 - 56.98)	21.86	(18.06 - 26.19)
Mississippi	8.54	(7.06 - 10.30)	32.58	(29.48 - 35.83)	17.54	(15.27 - 20.08)
Regions 1 and 2	9.81	(6.95 - 13.68)	38.78	(32.62 - 45.32)	20.91	(16.27 - 26.45)
Regions 3, 4, 7, and 10	8.89	(6.54 - 11.97)	31.13	(25.95 - 36.82)	16.09	(12.72 - 20.16)
Regions 5, 6, 11, and 15	7.48	(5.39 - 10.28)	31.32	(25.95 - 37.24)	18.15	(14.27 - 22.81)
Regions 8 and 9	6.94	(4.94 - 9.65)	30.81	(25.67 - 36.48)	17.24	(13.80 - 21.33)
Region 12	9.42	(6.65 - 13.18)	33.11	(27.04 - 39.80)	17.12	(13.34 - 21.69)
Regions 13 and 14	9.71	(7.00 - 13.31)	33.23	(27.16 - 39.92)	17.37	(13.75 - 21.70)
Missouri	11.52	(9.75 - 13.56)	40.76	(37.32 - 44.29)	18.97	(16.67 - 21.50)
Central	10.28	(7.37 - 14.17)	38.63	(32.59 - 45.05)	16.80	(13.10 - 21.27)
Eastern	11.40	(8.91 - 14.48)	42.83	(37.21 - 48.63)	20.49	(16.91 - 24.60)
Northwest	11.66	(8.85 - 15.21)	41.73	(35.99 - 47.70)	20.40	(16.62 - 24.78)
Southeast	13.01	(9.78 - 17.12)	39.34	(32.85 - 46.22)	17.06	(13.40 - 21.48)
Southwest	11.49	(8.36 - 15.59)	37.88	(31.61 - 44.60)	16.42	(12.83 - 20.76)
Montana	13.87	(11.89 - 16.12)	47.12	(43.89 - 50.38)	20.65	(18.35 - 23.17)
Regions 1 and 3	13.22	(10.27 - 16.84)	43.75	(38.53 - 49.10)	19.11	(15.62 - 23.15)
Region 2	14.33	(10.89 - 18.63)	42.41	(36.44 - 48.61)	20.96	(16.88 - 25.73)
Region 4	13.49	(10.47 - 17.21)	48.18	(42.54 - 53.88)	20.80	(17.40 - 24.66)
Region 5	14.58	(11.30 - 18.61)	51.36	(46.15 - 56.54)	21.94	(18.33 - 26.03)

See notes at end of table.

(continued)

Table 8 Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nebraska	12.43	(10.53 - 14.62)	48.71	(45.30 - 52.13)	21.31	(18.88 - 23.96)
Regions 1 and 2	13.26	(9.72 - 17.84)	*	(* - *)	18.92	(14.85 - 23.80)
Region 3	12.01	(8.85 - 16.11)	46.98	(40.48 - 53.59)	18.82	(14.98 - 23.38)
Region 4	13.34	(9.83 - 17.86)	*	(* - *)	22.00	(17.50 - 27.27)
Region 5	12.81	(9.83 - 16.53)	53.58	(48.01 - 59.05)	21.40	(17.66 - 25.68)
Region 6	11.76	(9.07 - 15.12)	46.01	(40.89 - 51.22)	22.61	(19.10 - 26.56)
Nevada	13.13	(10.96 - 15.65)	38.46	(34.67 - 42.40)	22.48	(19.74 - 25.47)
Clark	12.20	(9.75 - 15.15)	37.11	(32.69 - 41.75)	22.36	(19.16 - 25.91)
Rural	14.66	(10.85 - 19.51)	*	(* - *)	21.98	(17.59 - 27.10)
Washoe	15.30	(11.34 - 20.33)	*	(* - *)	23.40	(18.80 - 28.72)
New Hampshire	12.27	(10.44 - 14.36)	46.33	(42.55 - 50.15)	18.32	(16.05 - 20.84)
Central	14.14	(10.99 - 18.02)	50.99	(44.89 - 57.07)	19.55	(16.18 - 23.44)
Northern	13.04	(9.66 - 17.37)	*	(* - *)	15.46	(11.81 - 19.99)
Southern	11.20	(9.07 - 13.75)	44.43	(39.83 - 49.13)	18.38	(15.61 - 21.51)
New Jersey	10.51	(9.03 - 12.19)	38.03	(34.63 - 41.54)	19.67	(17.34 - 22.22)
RHPA I	9.05	(6.68 - 12.16)	*	(* - *)	18.23	(14.48 - 22.70)
RHPA IIa (Bergen)	12.34	(9.03 - 16.65)	*	(* - *)	17.62	(13.63 - 22.49)
RHPA IIb (Hudson)	9.69	(6.85 - 13.54)	*	(* - *)	21.87	(17.39 - 27.13)
RHPA III	8.79	(6.44 - 11.90)	34.69	(28.65 - 41.26)	20.02	(15.95 - 24.81)
RHPA IVa	9.59	(6.86 - 13.26)	*	(* - *)	20.37	(16.02 - 25.54)
RHPA IVb (Middlesex)	10.77	(7.75 - 14.77)	*	(* - *)	19.93	(15.61 - 25.08)
RHPA V	10.69	(8.01 - 14.12)	38.81	(32.54 - 45.47)	19.95	(15.91 - 24.72)
RHPA VIa	13.88	(10.47 - 18.19)	*	(* - *)	20.90	(16.45 - 26.17)
RHPA VIb (Monmouth)	11.32	(8.34 - 15.17)	*	(* - *)	19.03	(14.76 - 24.18)
New Mexico	12.64	(10.73 - 14.84)	40.87	(37.22 - 44.63)	21.02	(18.57 - 23.70)
Region 1	12.06	(8.69 - 16.52)	*	(* - *)	20.00	(15.51 - 25.39)
Region 2	13.53	(10.53 - 17.22)	40.43	(34.24 - 46.94)	19.30	(15.73 - 23.45)
Region 3	13.50	(10.01 - 17.96)	43.92	(37.41 - 50.65)	21.50	(17.31 - 26.37)
Region 4	13.17	(9.86 - 17.38)	38.73	(32.34 - 45.53)	20.15	(16.23 - 24.75)
Region 5 (Bernalillo)	11.34	(8.55 - 14.90)	42.80	(37.29 - 48.48)	22.76	(19.05 - 26.96)
New York	9.97	(8.95 - 11.08)	40.16	(37.93 - 42.42)	18.36	(16.95 - 19.87)
New York City	7.32	(5.96 - 8.96)	32.17	(29.36 - 35.12)	17.39	(15.32 - 19.68)
Remainder of the State	11.75	(10.44 - 13.20)	46.95	(44.12 - 49.80)	19.06	(17.31 - 20.94)
North Carolina	8.41	(7.05 - 10.01)	33.38	(30.15 - 36.78)	15.74	(13.66 - 18.07)
Eastern	8.96	(6.83 - 11.67)	34.97	(29.71 - 40.62)	16.71	(13.56 - 20.43)
North Central	8.40	(6.21 - 11.29)	36.07	(30.08 - 42.51)	16.31	(12.98 - 20.30)
South Central	8.12	(6.13 - 10.70)	32.96	(27.75 - 38.62)	14.34	(11.40 - 17.87)
Western	8.29	(6.13 - 11.11)	30.54	(25.88 - 35.65)	15.74	(12.66 - 19.40)

See notes at end of table.

(continued)

Table 8 *Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Dakota	17.76	(15.43 - 20.35)	58.17	(54.85 - 61.41)	25.23	(22.45 - 28.23)
Badlands and West Central Lake Region and South Central	18.81	(15.31 - 22.88)	57.18	(51.30 - 62.86)	23.53	(19.67 - 27.88)
North Central and Northwest	17.81	(13.67 - 22.88)	51.94	(45.24 - 58.57)	25.43	(20.51 - 31.07)
Northeast	16.78	(13.06 - 21.30)	51.71	(45.10 - 58.26)	24.74	(20.29 - 29.82)
Southeast	17.61	(13.21 - 23.08)	63.47	(57.12 - 69.39)	26.33	(21.61 - 31.67)
	17.37	(13.39 - 22.23)	61.47	(56.31 - 66.38)	26.75	(22.09 - 32.00)
Ohio	10.33	(9.35 - 11.40)	42.10	(40.03 - 44.20)	19.62	(18.29 - 21.03)
Boards 2, 46, 55, and 68	12.33	(9.33 - 16.14)	44.61	(38.64 - 50.74)	19.51	(15.89 - 23.73)
Boards 3, 52, and 85	10.54	(7.73 - 14.21)	40.97	(34.52 - 47.75)	17.98	(14.53 - 22.05)
Boards 4 and 78	11.16	(8.24 - 14.95)	43.82	(37.13 - 50.75)	20.66	(16.72 - 25.24)
Boards 5 and 60	11.90	(8.86 - 15.81)	42.00	(35.69 - 48.58)	20.09	(16.30 - 24.50)
Boards 7, 15, 41, 79, and 84	11.59	(8.74 - 15.22)	42.50	(36.21 - 49.05)	19.03	(15.45 - 23.21)
Boards 8, 13, and 83	11.15	(8.26 - 14.90)	37.04	(30.78 - 43.77)	19.23	(15.57 - 23.50)
Board 9 (Butler)	11.29	(8.20 - 15.35)	44.08	(37.34 - 51.04)	19.99	(15.92 - 24.80)
Board 12	10.77	(7.92 - 14.48)	46.89	(40.32 - 53.57)	20.08	(15.92 - 25.01)
Boards 18 and 47	8.20	(6.46 - 10.36)	35.56	(31.30 - 40.07)	17.61	(14.90 - 20.69)
Boards 20, 32, 54, and 69	12.45	(9.27 - 16.51)	*	(* - *)	23.85	(19.10 - 29.35)
Boards 21, 39, 51, 70, and 80	10.64	(7.93 - 14.13)	38.39	(31.93 - 45.28)	18.21	(14.88 - 22.10)
Boards 22, 74, and 87	10.97	(8.27 - 14.40)	49.24	(42.59 - 55.92)	20.08	(16.28 - 24.51)
Boards 23 and 45	13.95	(10.46 - 18.38)	*	(* - *)	19.97	(16.01 - 24.64)
Board 25 (Franklin)	10.21	(8.03 - 12.90)	47.55	(43.32 - 51.81)	21.79	(18.71 - 25.22)
Boards 27, 71, and 73	10.68	(7.87 - 14.33)	34.45	(28.82 - 40.54)	17.85	(14.46 - 21.83)
Boards 28, 43, and 67	12.50	(9.47 - 16.32)	46.74	(40.80 - 52.77)	18.95	(15.44 - 23.05)
Board 31 (Hamilton)	7.85	(5.92 - 10.34)	39.79	(35.04 - 44.73)	21.41	(17.96 - 25.31)
Board 48 (Lucas)	9.86	(7.39 - 13.05)	42.37	(36.16 - 48.84)	21.50	(17.43 - 26.22)
Board 50 (Mahoning)	9.39	(6.69 - 13.03)	45.22	(38.47 - 52.16)	19.65	(15.66 - 24.36)
Board 57 (Montgomery)	8.53	(6.26 - 11.51)	39.47	(34.03 - 45.19)	17.53	(14.07 - 21.62)
Board 76 (Stark)	11.07	(8.28 - 14.65)	42.23	(35.68 - 49.06)	18.26	(14.78 - 22.34)
Board 77 (Summit)	9.82	(7.31 - 13.07)	44.91	(38.68 - 51.31)	21.48	(17.63 - 25.92)
Oklahoma	10.59	(8.88 - 12.59)	36.08	(32.82 - 39.48)	16.69	(14.52 - 19.11)
Central	10.22	(7.35 - 14.05)	39.66	(33.14 - 46.58)	16.32	(12.74 - 20.66)
East Central	12.47	(9.01 - 17.01)	*	(* - *)	16.93	(12.99 - 21.76)
Northeast	10.26	(7.30 - 14.22)	35.52	(29.42 - 42.12)	14.49	(11.21 - 18.53)
Northwest and Southwest	9.59	(6.94 - 13.11)	35.82	(30.02 - 42.07)	16.52	(13.01 - 20.76)
Oklahoma City Metro	10.23	(7.38 - 14.00)	36.26	(30.83 - 42.05)	17.78	(14.40 - 21.75)
Southeast	11.29	(8.29 - 15.19)	34.97	(28.71 - 41.80)	16.78	(13.04 - 21.34)
Tulsa Metro	10.80	(7.78 - 14.80)	35.09	(28.85 - 41.88)	17.14	(13.40 - 21.66)

See notes at end of table.

(continued)

Table 8 Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	9.45	(7.89 - 11.29)	37.71	(34.46 - 41.07)	16.54	(14.46 - 18.86)
Region 1 (Multnomah)	8.87	(6.45 - 12.07)	39.88	(34.02 - 46.05)	18.69	(15.26 - 22.68)
Region 2	9.67	(7.23 - 12.82)	37.94	(32.31 - 43.91)	17.31	(13.85 - 21.41)
Region 3	10.03	(7.63 - 13.09)	38.39	(33.67 - 43.33)	15.77	(12.88 - 19.17)
Region 4	9.24	(6.66 - 12.66)	*	(* - *)	14.89	(11.50 - 19.07)
Region 5	8.51	(6.04 - 11.87)	*	(* - *)	15.65	(12.16 - 19.92)
Pennsylvania	10.47	(9.51 - 11.52)	42.87	(40.76 - 45.00)	20.33	(19.00 - 21.72)
Regions 1, 27, and 47	10.53	(8.29 - 13.29)	49.76	(45.30 - 54.21)	21.93	(18.96 - 25.23)
Regions 2, 3, 8, and 9	11.85	(9.08 - 15.32)	48.14	(42.73 - 53.60)	18.98	(15.81 - 22.62)
Regions 4 and 42	9.97	(7.49 - 13.16)	40.82	(35.04 - 46.87)	20.91	(17.16 - 25.23)
Regions 5 and 28	10.59	(7.77 - 14.28)	36.65	(30.26 - 43.54)	18.63	(14.79 - 23.20)
Regions 6, 16, and 39	10.81	(8.06 - 14.34)	39.99	(33.75 - 46.57)	18.16	(14.52 - 22.48)
Region 7 (Bucks)	10.99	(8.28 - 14.45)	44.95	(38.71 - 51.37)	21.06	(17.28 - 25.42)
Regions 10, 15, and 25	13.05	(9.83 - 17.14)	*	(* - *)	21.78	(17.55 - 26.71)
Regions 11, 29, 44, and 48	12.50	(9.55 - 16.20)	45.00	(38.40 - 51.78)	22.17	(18.13 - 26.80)
Regions 12, 35, 41, and 45	12.51	(9.34 - 16.57)	50.24	(44.19 - 56.28)	21.07	(17.05 - 25.74)
Region 13 (Chester)	11.67	(8.59 - 15.66)	*	(* - *)	21.06	(16.93 - 25.89)
Regions 14, 31, 36, and 46	10.75	(8.03 - 14.26)	43.65	(36.96 - 50.58)	18.70	(14.98 - 23.10)
Regions 17, 24, and 43	10.06	(7.67 - 13.09)	43.30	(37.23 - 49.58)	20.44	(16.77 - 24.66)
Region 18 (Philadelphia)	8.63	(6.71 - 11.04)	36.05	(31.78 - 40.55)	20.19	(16.95 - 23.87)
Regions 19 and 23	11.41	(8.50 - 15.14)	*	(* - *)	20.45	(16.57 - 24.96)
Regions 20, 26, and 40	8.85	(6.46 - 12.02)	37.62	(31.93 - 43.67)	16.35	(13.21 - 20.05)
Regions 21 and 32	7.20	(5.17 - 9.95)	33.62	(27.53 - 40.32)	17.58	(14.02 - 21.82)
Region 22 (Delaware)	11.27	(8.42 - 14.93)	41.85	(35.82 - 48.14)	21.02	(16.98 - 25.71)
Region 30 (Lancaster)	10.12	(7.40 - 13.70)	42.85	(37.02 - 48.89)	19.38	(15.78 - 23.57)
Region 33 (Lehigh)	9.84	(7.16 - 13.36)	42.21	(35.98 - 48.71)	20.18	(16.18 - 24.86)
Region 34	11.47	(8.51 - 15.29)	*	(* - *)	22.17	(18.05 - 26.92)
Region 37 (Montgomery)	10.96	(8.40 - 14.17)	43.93	(38.02 - 50.02)	21.34	(17.72 - 25.48)
Region 38 (Northampton)	10.57	(7.59 - 14.54)	*	(* - *)	20.86	(16.60 - 25.88)
Region 49	9.33	(6.99 - 12.34)	35.12	(29.14 - 41.62)	17.67	(14.27 - 21.68)
Rhode Island	10.95	(9.13 - 13.09)	45.37	(41.62 - 49.17)	20.53	(18.06 - 23.24)
Bristol and Newport	12.28	(8.89 - 16.74)	*	(* - *)	19.74	(15.52 - 24.76)
Kent	13.25	(9.89 - 17.53)	44.61	(37.91 - 51.52)	20.88	(16.91 - 25.50)
Providence	9.88	(7.70 - 12.58)	43.72	(39.16 - 48.39)	20.39	(17.31 - 23.87)
Washington	12.14	(8.86 - 16.41)	*	(* - *)	21.62	(17.27 - 26.70)
South Carolina	9.31	(7.75 - 11.15)	34.99	(31.82 - 38.31)	17.59	(15.24 - 20.20)
Region 1	10.94	(8.27 - 14.35)	33.84	(28.29 - 39.89)	17.13	(13.69 - 21.21)
Region 2	9.19	(6.92 - 12.09)	35.66	(30.89 - 40.72)	17.89	(14.45 - 21.94)
Region 3	8.54	(6.19 - 11.68)	31.60	(26.03 - 37.75)	17.30	(13.69 - 21.62)
Region 4	8.44	(6.20 - 11.40)	37.48	(32.41 - 42.84)	17.92	(14.48 - 21.96)

See notes at end of table.

(continued)

Table 8 Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	13.54	(11.69 - 15.63)	48.49	(45.04 - 51.95)	22.31	(19.96 - 24.84)
Region 1 (Pennington)	12.75	(9.45 - 16.99)	48.87	(42.08 - 55.71)	21.52	(17.44 - 26.25)
Region 2	15.49	(11.89 - 19.94)	44.77	(38.78 - 50.92)	23.37	(18.85 - 28.60)
Region 3 (Minnehaha)	12.05	(9.08 - 15.82)	46.00	(39.73 - 52.41)	22.25	(18.41 - 26.63)
Region 4	13.62	(10.18 - 17.98)	50.82	(43.98 - 57.63)	22.79	(18.34 - 27.95)
Region 5	14.28	(10.58 - 19.00)	*	(* - *)	22.21	(17.78 - 27.37)
Region 6	12.32	(9.09 - 16.49)	*	(* - *)	20.51	(16.48 - 25.23)
Region 7	13.46	(9.97 - 17.94)	52.79	(46.20 - 59.28)	23.08	(18.67 - 28.17)
Tennessee	7.95	(6.52 - 9.66)	31.02	(27.69 - 34.56)	14.94	(12.85 - 17.31)
Region 1	9.36	(6.63 - 13.04)	*	(* - *)	13.76	(10.59 - 17.68)
Region 2	8.27	(6.03 - 11.25)	31.47	(25.92 - 37.61)	14.10	(11.08 - 17.77)
Region 3	8.92	(6.43 - 12.24)	32.03	(26.27 - 38.39)	13.59	(10.52 - 17.37)
Region 4 (Davidson)	7.46	(5.10 - 10.80)	*	(* - *)	16.82	(13.19 - 21.21)
Region 5	8.96	(6.52 - 12.20)	31.86	(26.00 - 38.35)	15.65	(12.31 - 19.68)
Region 6	8.96	(6.25 - 12.70)	*	(* - *)	16.75	(12.95 - 21.39)
Region 7 (Shelby)	4.48	(2.98 - 6.68)	*	(* - *)	14.68	(11.15 - 19.10)
Texas	11.07	(10.12 - 12.10)	37.16	(35.09 - 39.27)	20.87	(19.42 - 22.41)
Region 1	13.33	(10.11 - 17.36)	41.13	(34.74 - 47.83)	18.28	(14.67 - 22.55)
Regions 2 and 9	12.84	(9.74 - 16.74)	40.60	(35.07 - 46.37)	18.37	(14.74 - 22.66)
Region 3	10.05	(8.45 - 11.90)	34.15	(31.02 - 37.41)	19.62	(17.29 - 22.19)
Region 4	11.38	(8.65 - 14.84)	31.74	(26.12 - 37.94)	19.14	(15.31 - 23.65)
Region 5	12.16	(8.95 - 16.32)	40.38	(34.01 - 47.09)	19.27	(15.32 - 23.96)
Region 6	10.10	(8.52 - 11.92)	33.56	(30.27 - 37.01)	21.83	(19.18 - 24.74)
Region 7	13.39	(10.60 - 16.77)	45.91	(41.89 - 49.99)	22.98	(19.65 - 26.69)
Region 8	10.51	(8.41 - 13.06)	37.89	(33.35 - 42.64)	21.92	(18.72 - 25.49)
Region 10	14.75	(11.25 - 19.10)	41.06	(34.43 - 48.03)	23.14	(18.75 - 28.21)
Region 11	10.23	(8.07 - 12.88)	36.81	(31.96 - 41.94)	21.93	(18.39 - 25.94)
Utah	7.17	(5.75 - 8.92)	24.80	(21.98 - 27.85)	13.78	(11.64 - 16.24)
Bear River, Northeastern, Summit, Tooele, and Wasatch	7.08	(4.81 - 10.31)	26.18	(21.03 - 32.09)	13.44	(10.33 - 17.30)
Central, Four Corners, San Juan, and Southwest	7.51	(5.17 - 10.80)	25.18	(19.60 - 31.72)	13.34	(10.02 - 17.54)
Davis County	5.88	(4.05 - 8.47)	21.68	(16.86 - 27.43)	12.30	(9.33 - 16.04)
Salt Lake County	8.54	(6.39 - 11.33)	29.93	(25.49 - 34.79)	15.20	(12.19 - 18.78)
Utah County	4.67	(3.05 - 7.11)	15.86	(12.33 - 20.17)	11.47	(8.66 - 15.02)
Weber, Morgan	7.78	(5.34 - 11.20)	*	(* - *)	13.41	(10.25 - 17.36)
Vermont	12.63	(10.84 - 14.67)	47.54	(44.01 - 51.09)	19.06	(16.85 - 21.49)
Champlain Valley	12.93	(10.37 - 16.01)	50.65	(45.95 - 55.35)	19.17	(16.02 - 22.78)
Rural Northeast	11.70	(8.80 - 15.41)	42.72	(36.64 - 49.03)	17.95	(14.68 - 21.75)
Rural Southeast	12.44	(9.53 - 16.07)	44.63	(38.36 - 51.08)	19.65	(16.10 - 23.75)
Rural Southwest	13.51	(10.20 - 17.67)	*	(* - *)	19.61	(15.74 - 24.16)

See notes at end of table.

(continued)

Table 8 Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Virginia	7.20	(5.93 - 8.73)	36.64	(33.26 - 40.15)	16.37	(14.24 - 18.75)
Region 1	8.31	(5.90 - 11.60)	*	(* - *)	16.30	(12.76 - 20.60)
Region 2	6.48	(4.73 - 8.82)	35.73	(29.70 - 42.25)	16.33	(13.28 - 19.91)
Region 3	8.44	(6.19 - 11.40)	33.80	(27.90 - 40.25)	15.08	(11.79 - 19.09)
Region 4	7.11	(4.98 - 10.05)	36.23	(30.03 - 42.92)	17.33	(13.58 - 21.84)
Region 5	6.42	(4.71 - 8.69)	38.10	(32.57 - 43.94)	16.82	(13.63 - 20.57)
Washington	9.96	(8.41 - 11.76)	35.91	(32.68 - 39.26)	16.69	(14.51 - 19.12)
Region 1	11.81	(8.42 - 16.32)	36.13	(29.80 - 42.97)	16.99	(13.23 - 21.54)
Region 2	11.82	(8.58 - 16.06)	*	(* - *)	18.22	(14.05 - 23.29)
Region 3	9.97	(7.31 - 13.45)	39.43	(33.84 - 45.32)	17.95	(14.23 - 22.39)
Region 4 (King)	7.84	(5.84 - 10.45)	34.68	(29.77 - 39.94)	15.46	(12.46 - 19.02)
Region 5	9.41	(6.95 - 12.62)	33.81	(27.73 - 40.49)	16.98	(13.38 - 21.31)
Region 6	10.99	(8.19 - 14.59)	36.16	(30.09 - 42.71)	16.48	(13.05 - 20.61)
West Virginia	12.45	(10.55 - 14.63)	37.73	(34.38 - 41.19)	16.35	(14.32 - 18.61)
Eastern Highland	13.65	(10.46 - 17.63)	38.30	(32.34 - 44.64)	17.65	(14.33 - 21.56)
Northern	11.75	(8.87 - 15.41)	42.13	(36.43 - 48.05)	16.74	(13.61 - 20.42)
South Central I	10.99	(8.01 - 14.89)	34.81	(28.89 - 41.25)	15.31	(12.06 - 19.24)
South Central II	10.91	(7.97 - 14.75)	35.86	(29.71 - 42.51)	14.65	(11.54 - 18.42)
South Central III	14.85	(11.09 - 19.59)	*	(* - *)	17.85	(13.95 - 22.54)
Southern	12.40	(8.96 - 16.90)	31.86	(26.01 - 38.34)	15.05	(11.87 - 18.90)
Wisconsin	13.38	(11.55 - 15.46)	49.12	(45.76 - 52.49)	26.21	(23.52 - 29.09)
Milwaukee	10.24	(7.70 - 13.49)	40.94	(34.96 - 47.20)	26.83	(22.08 - 32.18)
Northeastern	15.87	(12.41 - 20.07)	56.31	(50.13 - 62.29)	30.96	(25.98 - 36.43)
Northern and Western	13.29	(10.22 - 17.11)	48.34	(42.22 - 54.51)	24.13	(20.10 - 28.67)
Southeastern	12.89	(9.98 - 16.51)	48.14	(42.05 - 54.29)	23.36	(19.17 - 28.15)
Southern	14.06	(10.78 - 18.14)	51.28	(45.39 - 57.14)	25.68	(21.22 - 30.72)
Wyoming	15.15	(13.01 - 17.56)	49.93	(46.42 - 53.44)	21.54	(19.06 - 24.26)
Frontier 1	14.09	(10.79 - 18.20)	*	(* - *)	18.45	(14.69 - 22.91)
Frontier 2	15.56	(11.43 - 20.85)	*	(* - *)	20.34	(15.97 - 25.54)
Rural 1	16.92	(13.20 - 21.42)	53.74	(47.83 - 59.54)	23.32	(19.36 - 27.80)
Rural 2	14.99	(11.35 - 19.55)	47.01	(41.30 - 52.79)	22.46	(18.37 - 27.15)
Rural 3 (Laramie)	13.07	(9.86 - 17.14)	51.53	(44.72 - 58.29)	21.52	(17.55 - 26.11)
Rural 4	15.62	(11.53 - 20.81)	*	(* - *)	21.65	(17.20 - 26.88)

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 1999-2001 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 1999, 2000, and 2001.

Table 9 Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	42.75		36.74		48.07	
Alabama	46.28	(43.07 - 49.53)	40.27	(37.16 - 43.45)	49.46	(45.87 - 53.05)
Region 1	46.36	(41.21 - 51.58)	37.09	(32.03 - 42.44)	48.51	(42.91 - 54.15)
Region 2	45.55	(40.69 - 50.49)	42.12	(37.27 - 47.13)	50.16	(45.13 - 55.18)
Region 3	46.28	(40.98 - 51.66)	39.16	(34.13 - 44.43)	46.90	(40.87 - 53.02)
Region 4	47.22	(42.14 - 52.36)	42.36	(37.04 - 47.87)	51.64	(45.61 - 57.63)
Alaska	39.68	(36.73 - 42.70)	35.19	(32.08 - 38.44)	47.46	(44.24 - 50.70)
Gulf Coast	38.62	(33.14 - 44.39)	31.31	(25.68 - 37.55)	44.78	(38.56 - 51.18)
Rural	41.96	(36.00 - 48.16)	39.58	(33.25 - 46.28)	*	(* - *)
Southeast	40.85	(35.25 - 46.70)	35.56	(29.74 - 41.84)	45.71	(39.67 - 51.87)
Urban	39.19	(35.76 - 42.73)	34.95	(31.35 - 38.73)	48.11	(44.22 - 52.02)
Arizona	41.95	(38.80 - 45.16)	38.44	(35.28 - 41.70)	47.50	(44.09 - 50.93)
Maricopa	41.76	(37.97 - 45.66)	39.60	(35.68 - 43.65)	46.76	(42.61 - 50.96)
Pima	41.27	(36.08 - 46.66)	34.82	(29.51 - 40.53)	47.43	(41.63 - 53.29)
Rural North	42.78	(36.96 - 48.82)	36.89	(31.10 - 43.09)	49.66	(43.02 - 56.31)
Rural South	42.87	(37.47 - 48.45)	39.11	(33.13 - 45.44)	49.08	(42.68 - 55.52)
Arkansas	43.57	(40.55 - 46.64)	36.46	(33.36 - 39.68)	50.94	(47.85 - 54.02)
Areas 1 and 5	43.43	(38.45 - 48.54)	34.46	(29.36 - 39.95)	52.36	(46.84 - 57.83)
Areas 2 and 3	41.79	(36.19 - 47.62)	35.64	(29.80 - 41.94)	49.48	(43.36 - 55.61)
Areas 4 and 7	45.14	(40.00 - 50.38)	38.60	(33.33 - 44.16)	50.79	(45.14 - 56.43)
Area 6	41.41	(35.87 - 47.19)	33.55	(28.58 - 38.92)	46.70	(40.36 - 53.14)
Areas 8 and 12	44.13	(38.79 - 49.61)	38.38	(33.02 - 44.05)	51.39	(45.48 - 57.26)
Area 9	44.80	(39.76 - 49.95)	37.49	(32.15 - 43.16)	53.44	(47.97 - 58.83)
Areas 10, 11, and 13	42.68	(37.36 - 48.16)	37.23	(31.41 - 43.44)	48.48	(42.23 - 54.78)
California	44.43	(42.98 - 45.88)	42.26	(40.51 - 44.04)	52.10	(50.12 - 54.07)
Region 1	38.19	(33.50 - 43.12)	32.64	(27.60 - 38.11)	45.00	(38.85 - 51.31)
Region 2	40.12	(36.48 - 43.87)	38.42	(34.05 - 42.97)	46.86	(41.96 - 51.82)
Region 3	41.66	(37.41 - 46.03)	41.80	(36.59 - 47.20)	51.78	(46.20 - 57.32)
Region 4	44.02	(39.04 - 49.12)	38.60	(33.10 - 44.40)	51.95	(46.69 - 57.17)
Region 5	44.21	(39.92 - 48.59)	37.26	(32.82 - 41.93)	50.85	(45.83 - 55.85)
Region 6 (Santa Clara)	44.97	(40.38 - 49.66)	40.83	(35.67 - 46.20)	50.35	(44.98 - 55.71)
Region 7	43.98	(38.90 - 49.20)	40.07	(34.33 - 46.09)	50.24	(44.72 - 55.75)
Region 8	43.33	(39.28 - 47.47)	41.06	(36.42 - 45.85)	53.76	(48.47 - 58.97)
Region 9	40.67	(36.10 - 45.41)	37.24	(32.31 - 42.45)	49.52	(43.65 - 55.41)
Region 10	43.50	(38.82 - 48.30)	39.63	(34.20 - 45.33)	50.35	(44.41 - 56.29)
Region 11 (Los Angeles)	47.74	(45.20 - 50.29)	48.94	(45.99 - 51.90)	57.36	(53.99 - 60.67)
Region 12	42.46	(38.45 - 46.58)	41.56	(36.88 - 46.40)	51.56	(46.57 - 56.52)
Region 13 (Riverside)	45.81	(41.36 - 50.33)	40.94	(35.80 - 46.28)	49.67	(44.04 - 55.31)
Region 14 (Orange)	46.63	(42.60 - 50.71)	42.58	(37.89 - 47.41)	51.38	(46.42 - 56.32)
Region 15	42.60	(38.63 - 46.67)	38.04	(33.86 - 42.40)	48.89	(43.87 - 53.94)

See notes at end of table.

(continued)

Table 9 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	40.09	(36.75 - 43.53)	28.70	(25.62 - 31.99)	45.76	(42.33 - 49.24)
Regions 1 and 4	38.67	(33.46 - 44.14)	28.71	(23.84 - 34.12)	47.40	(41.41 - 53.48)
Region 2	42.51	(38.16 - 46.97)	29.17	(25.15 - 33.55)	46.06	(41.44 - 50.75)
Region 3	38.36	(32.86 - 44.18)	30.76	(25.05 - 37.13)	46.38	(40.17 - 52.72)
Regions 5 and 6	37.10	(31.65 - 42.90)	26.79	(21.92 - 32.29)	41.62	(35.45 - 48.07)
Region 7 (Boulder)	36.02	(30.41 - 42.05)	24.93	(20.17 - 30.37)	44.57	(38.51 - 50.80)
Connecticut	40.74	(37.66 - 43.89)	34.11	(30.95 - 37.42)	45.55	(42.16 - 48.99)
Eastern	37.14	(31.98 - 42.61)	29.13	(24.01 - 34.84)	43.35	(37.20 - 49.71)
North Central	42.38	(37.77 - 47.13)	35.61	(30.82 - 40.71)	47.40	(42.28 - 52.57)
Northwestern	40.87	(35.70 - 46.25)	33.87	(28.26 - 39.98)	44.89	(38.80 - 51.15)
South Central	40.08	(35.21 - 45.16)	33.30	(28.27 - 38.74)	44.16	(38.79 - 49.66)
Southwest	41.41	(36.02 - 47.00)	37.21	(31.52 - 43.28)	46.43	(40.57 - 52.40)
Delaware	40.83	(37.65 - 44.09)	34.49	(31.38 - 37.74)	46.26	(42.79 - 49.76)
Kent	42.35	(36.86 - 48.04)	38.12	(32.93 - 43.59)	44.83	(38.94 - 50.86)
New Castle	40.72	(37.01 - 44.54)	34.05	(30.39 - 37.92)	46.54	(42.37 - 50.76)
Sussex	39.69	(34.49 - 45.14)	32.50	(27.15 - 38.35)	46.45	(40.80 - 52.18)
District of Columbia	52.13	(48.36 - 55.88)	42.84	(39.64 - 46.10)	54.80	(51.40 - 58.16)
Ward 1	52.35	(45.82 - 58.81)	44.65	(38.71 - 50.74)	53.61	(47.45 - 59.67)
Ward 2	*	(* - *)	33.52	(28.76 - 38.63)	47.82	(42.22 - 53.48)
Ward 3	42.26	(36.19 - 48.58)	29.43	(24.36 - 35.06)	48.67	(42.29 - 55.10)
Ward 4	51.77	(46.18 - 57.32)	49.25	(42.49 - 56.04)	58.21	(52.31 - 63.89)
Ward 5	53.93	(47.90 - 59.85)	47.61	(41.53 - 53.76)	58.51	(52.17 - 64.58)
Ward 6	54.94	(48.54 - 61.19)	46.06	(39.74 - 52.51)	53.99	(48.01 - 59.86)
Ward 7	55.52	(49.59 - 61.29)	55.18	(48.99 - 61.21)	60.61	(54.44 - 66.47)
Ward 8	55.04	(48.79 - 61.12)	53.17	(46.79 - 59.45)	58.31	(51.82 - 64.53)
Florida	46.85	(45.00 - 48.71)	42.43	(40.43 - 44.44)	50.36	(48.38 - 52.34)
District 1	44.44	(39.39 - 49.61)	38.69	(33.31 - 44.37)	47.15	(41.51 - 52.86)
District 2	49.85	(44.63 - 55.07)	41.53	(36.19 - 47.08)	49.56	(43.85 - 55.28)
District 3	47.18	(41.92 - 52.51)	40.35	(34.79 - 46.18)	49.81	(43.75 - 55.88)
District 4	44.72	(40.16 - 49.37)	42.33	(37.51 - 47.29)	47.78	(42.75 - 52.86)
District 7	50.70	(46.70 - 54.69)	41.41	(37.50 - 45.44)	50.14	(45.71 - 54.57)
District 8	43.57	(38.90 - 48.36)	36.68	(31.95 - 41.68)	46.98	(41.30 - 52.73)
District 9 (Palm Beach)	45.67	(41.09 - 50.32)	39.75	(34.98 - 44.73)	48.91	(43.29 - 54.56)
District 10 (Broward)	47.54	(42.94 - 52.19)	45.13	(40.05 - 50.31)	51.35	(46.67 - 56.01)
District 11	51.95	(48.23 - 55.65)	50.57	(46.53 - 54.60)	62.21	(58.01 - 66.24)
District 12	42.99	(37.82 - 48.32)	36.67	(31.58 - 42.07)	45.43	(39.57 - 51.42)
District 13	42.59	(37.38 - 47.97)	41.21	(35.41 - 47.25)	50.05	(44.08 - 56.01)
District 14	46.06	(41.30 - 50.89)	42.01	(36.85 - 47.36)	49.10	(43.56 - 54.66)
District 15	42.71	(37.49 - 48.09)	41.16	(35.45 - 47.12)	45.96	(40.09 - 51.95)
Suncoast	43.38	(39.88 - 46.94)	39.72	(36.08 - 43.48)	46.42	(42.49 - 50.40)

See notes at end of table.

(continued)

Table 9 Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	47.40	(44.58 - 50.24)	39.86	(36.65 - 43.15)	50.56	(47.08 - 54.03)
Central	49.03	(43.47 - 54.62)	44.79	(38.44 - 51.31)	52.96	(46.36 - 59.46)
East Central	45.03	(39.21 - 50.98)	36.82	(31.31 - 42.70)	*	(* - *)
Metro	49.13	(44.86 - 53.41)	39.45	(34.54 - 44.59)	53.14	(47.90 - 58.32)
North	44.95	(40.13 - 49.88)	36.24	(31.11 - 41.70)	46.80	(41.28 - 52.39)
Southeast	48.50	(42.96 - 54.08)	43.60	(37.39 - 50.02)	51.66	(45.05 - 58.21)
Southwest	45.88	(40.33 - 51.54)	45.00	(38.80 - 51.36)	52.07	(45.70 - 58.37)
West Central	48.97	(43.82 - 54.14)	40.95	(34.87 - 47.33)	49.04	(42.45 - 55.66)
Hawaii	43.53	(40.16 - 46.95)	32.70	(29.33 - 36.26)	45.92	(42.56 - 49.32)
Hawaii Island	39.32	(33.58 - 45.38)	33.29	(27.64 - 39.47)	42.72	(36.57 - 49.10)
Honolulu	44.30	(40.40 - 48.27)	32.42	(28.64 - 36.44)	46.73	(42.70 - 50.81)
Kalawao, Kauai, and Maui	43.77	(38.29 - 49.41)	33.87	(28.25 - 39.99)	44.70	(39.11 - 50.43)
Idaho	41.57	(38.57 - 44.64)	34.99	(32.05 - 38.06)	45.70	(42.49 - 48.94)
Region 1	37.27	(32.08 - 42.77)	31.17	(26.12 - 36.72)	41.69	(36.12 - 47.48)
Region 2	37.35	(31.98 - 43.05)	26.39	(21.41 - 32.06)	41.25	(34.96 - 47.84)
Region 3	41.18	(35.90 - 46.67)	36.37	(31.07 - 42.02)	47.59	(42.10 - 53.13)
Region 4	41.88	(36.91 - 47.03)	37.49	(32.45 - 42.81)	44.84	(39.38 - 50.42)
Region 5	43.30	(38.04 - 48.71)	37.85	(32.35 - 43.69)	47.79	(41.96 - 53.67)
Region 6	44.80	(39.34 - 50.39)	35.15	(29.84 - 40.86)	48.05	(41.91 - 54.24)
Region 7	42.80	(37.59 - 48.17)	34.96	(29.41 - 40.95)	49.15	(43.13 - 55.20)
Illinois	42.28	(40.58 - 44.00)	35.10	(33.28 - 36.98)	45.94	(43.98 - 47.91)
Region I (Cook)	44.67	(42.05 - 47.33)	40.65	(37.92 - 43.45)	47.23	(44.27 - 50.22)
Region II	41.38	(38.71 - 44.11)	33.06	(30.20 - 36.05)	47.12	(43.97 - 50.29)
Region III	39.12	(35.18 - 43.21)	27.34	(23.76 - 31.24)	40.88	(36.48 - 45.44)
Region IV	38.43	(34.36 - 42.67)	26.48	(22.71 - 30.64)	42.77	(37.80 - 47.90)
Region V	41.38	(37.65 - 45.21)	31.40	(27.84 - 35.18)	45.12	(40.81 - 49.52)
Indiana	40.75	(37.90 - 43.66)	34.95	(32.00 - 38.02)	44.50	(41.35 - 47.70)
Central	44.64	(39.57 - 49.82)	37.72	(32.52 - 43.21)	44.55	(39.23 - 50.01)
East	37.37	(32.07 - 42.99)	33.11	(27.70 - 39.02)	44.64	(38.50 - 50.94)
North Central	39.59	(34.66 - 44.74)	35.51	(30.29 - 41.10)	43.27	(37.62 - 49.11)
Northeast	39.18	(33.87 - 44.76)	32.51	(27.18 - 38.35)	44.10	(37.92 - 50.47)
Northwest	41.91	(36.47 - 47.56)	38.63	(32.95 - 44.63)	45.23	(38.73 - 51.89)
Southeast and Southwest	39.03	(34.30 - 43.96)	32.84	(27.82 - 38.29)	45.31	(39.82 - 50.93)
West	40.02	(34.87 - 45.40)	32.82	(28.29 - 37.71)	44.05	(38.03 - 50.25)
Iowa	39.70	(36.74 - 42.74)	27.17	(24.53 - 29.99)	40.97	(37.83 - 44.19)
Central	41.75	(36.42 - 47.29)	33.17	(27.84 - 38.98)	45.32	(39.52 - 51.25)
North Central	38.37	(33.32 - 43.69)	23.73	(19.75 - 28.24)	40.16	(34.24 - 46.39)
Northeast	40.30	(35.41 - 45.38)	27.47	(23.16 - 32.23)	37.05	(31.95 - 42.45)
Northwest	39.34	(34.46 - 44.43)	28.12	(23.41 - 33.37)	41.74	(36.13 - 47.57)
Southeast and Southwest	38.90	(34.66 - 43.32)	24.88	(21.07 - 29.14)	41.62	(36.74 - 46.68)

See notes at end of table.

(continued)

Table 9 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	40.28	(37.27 - 43.36)	32.26	(29.15 - 35.53)	43.56	(40.22 - 46.96)
Region 1	40.86	(36.01 - 45.89)	34.53	(29.41 - 40.04)	44.02	(38.55 - 49.63)
Region 2	39.77	(34.32 - 45.48)	34.12	(28.85 - 39.80)	43.79	(37.80 - 49.97)
Region 3	39.82	(34.86 - 45.01)	32.13	(26.94 - 37.81)	47.50	(41.73 - 53.33)
Region 4	40.37	(35.90 - 44.99)	31.56	(27.14 - 36.34)	41.84	(36.97 - 46.87)
Region 5	40.21	(34.61 - 46.08)	28.92	(24.25 - 34.08)	41.63	(35.50 - 48.02)
Kentucky	43.11	(39.99 - 46.27)	33.29	(30.54 - 36.16)	50.55	(46.90 - 54.20)
Adanta, Cumberland River, and Lifeskills	44.18	(39.13 - 49.35)	35.76	(30.72 - 41.15)	50.44	(44.87 - 56.01)
Bluegrass, Comprehend, and North Key	41.86	(36.75 - 47.15)	30.59	(26.15 - 35.42)	49.21	(43.34 - 55.09)
Communicare and River Valley	41.61	(36.31 - 47.12)	32.78	(27.53 - 38.50)	49.45	(42.91 - 56.01)
Four Rivers and Pennyroyal	46.69	(41.12 - 52.35)	34.13	(29.02 - 39.64)	53.39	(46.97 - 59.71)
Kentucky River, Mountain, and Pathways	43.88	(38.70 - 49.20)	32.63	(27.69 - 38.00)	51.53	(45.36 - 57.65)
Seven Counties	42.60	(37.52 - 47.83)	35.63	(31.00 - 40.54)	51.01	(45.25 - 56.75)
Louisiana	43.80	(40.81 - 46.85)	39.60	(36.70 - 42.58)	50.58	(47.21 - 53.94)
Region 1	46.54	(40.73 - 52.45)	45.11	(39.45 - 50.91)	53.45	(47.15 - 59.64)
Regions 2 and 9	43.94	(39.06 - 48.94)	39.39	(34.58 - 44.42)	51.73	(46.27 - 57.14)
Region 3	43.40	(37.90 - 49.08)	37.56	(32.01 - 43.46)	47.72	(41.34 - 54.18)
Region 4	43.15	(38.18 - 48.26)	38.40	(33.16 - 43.93)	48.21	(42.38 - 54.09)
Regions 5 and 6	41.26	(36.02 - 46.70)	37.36	(32.04 - 43.00)	50.38	(44.21 - 56.54)
Regions 7 and 8	44.68	(39.82 - 49.65)	39.09	(34.02 - 44.41)	51.68	(46.06 - 57.26)
Region 10 (Jefferson)	42.54	(36.85 - 48.43)	39.60	(33.74 - 45.76)	47.76	(41.04 - 54.57)
Maine	36.41	(33.45 - 39.48)	28.41	(25.62 - 31.38)	45.11	(42.09 - 48.16)
Region 1	34.92	(30.69 - 39.39)	27.13	(23.13 - 31.53)	41.82	(37.24 - 46.56)
Region 2	36.58	(32.65 - 40.70)	30.20	(26.28 - 34.42)	48.44	(44.03 - 52.88)
Region 3	38.15	(33.41 - 43.13)	27.54	(23.14 - 32.42)	44.52	(39.63 - 49.52)
Maryland	44.32	(41.25 - 47.44)	39.75	(36.76 - 42.83)	50.27	(46.64 - 53.89)
Central and Eastern Shore	44.25	(39.92 - 48.67)	39.22	(35.00 - 43.61)	52.31	(46.98 - 57.58)
Southern	46.80	(42.36 - 51.30)	44.33	(39.68 - 49.08)	50.61	(45.61 - 55.59)
Western	41.58	(36.81 - 46.50)	34.87	(30.21 - 39.84)	46.77	(41.39 - 52.23)
Massachusetts	35.44	(32.48 - 38.53)	27.68	(24.63 - 30.95)	42.60	(39.10 - 46.17)
Boston	40.74	(34.60 - 47.18)	28.49	(23.57 - 33.99)	45.03	(38.71 - 51.51)
Central	35.54	(30.65 - 40.75)	27.92	(22.85 - 33.62)	41.76	(35.65 - 48.14)
Metrowest	34.22	(29.76 - 38.97)	27.84	(23.01 - 33.24)	45.19	(39.36 - 51.16)
Northeast	35.20	(30.43 - 40.29)	28.02	(23.11 - 33.52)	43.84	(37.93 - 49.93)
Southeast	33.29	(28.94 - 37.95)	26.13	(21.66 - 31.15)	38.32	(33.15 - 43.77)
Western	36.36	(31.26 - 41.80)	27.63	(22.65 - 33.22)	41.04	(34.94 - 47.44)

See notes at end of table.

(continued)

Table 9 Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Michigan	40.31	(38.64 - 42.01)	34.36	(32.63 - 36.14)	46.09	(44.20 - 47.99)
Bay and Saginaw	38.65	(34.39 - 43.10)	33.84	(29.37 - 38.62)	43.98	(39.03 - 49.04)
Detroit City	48.37	(44.14 - 52.62)	51.05	(46.43 - 55.65)	52.84	(47.91 - 57.71)
Genesee	42.88	(37.94 - 47.96)	36.10	(31.04 - 41.49)	48.04	(42.71 - 53.41)
Kalamazoo	39.72	(35.15 - 44.49)	32.66	(27.91 - 37.79)	46.44	(41.41 - 51.55)
Kent	40.51	(36.12 - 45.06)	34.52	(30.01 - 39.33)	45.63	(40.57 - 50.79)
Lakeshore	38.95	(34.72 - 43.36)	31.62	(27.30 - 36.28)	45.22	(40.24 - 50.30)
Macomb	38.01	(33.91 - 42.29)	31.32	(27.01 - 35.97)	44.88	(40.27 - 49.58)
Mid South	39.04	(35.34 - 42.86)	30.90	(27.31 - 34.74)	44.56	(40.07 - 49.14)
Northern	34.74	(30.77 - 38.93)	27.36	(23.52 - 31.56)	41.96	(37.12 - 46.96)
Oakland	41.79	(38.14 - 45.54)	34.31	(30.35 - 38.49)	48.67	(44.40 - 52.96)
Pathways and Western	34.02	(29.42 - 38.94)	26.93	(22.34 - 32.07)	41.83	(36.33 - 47.55)
Southeast	41.51	(37.77 - 45.35)	36.39	(32.53 - 40.44)	45.94	(41.73 - 50.20)
St. Clair	36.85	(32.39 - 41.55)	32.37	(27.40 - 37.78)	44.04	(38.48 - 49.74)
Washtenaw	41.29	(36.62 - 46.12)	31.70	(27.32 - 36.44)	46.71	(41.74 - 51.75)
Minnesota	39.93	(37.01 - 42.93)	30.47	(27.70 - 33.39)	43.82	(40.57 - 47.12)
Regions 1 and 2	37.93	(32.69 - 43.47)	28.53	(23.78 - 33.80)	44.65	(38.34 - 51.14)
Regions 3 and 4	39.15	(34.13 - 44.40)	28.06	(23.23 - 33.46)	42.03	(36.27 - 48.02)
Regions 5 and 6	37.87	(33.13 - 42.86)	27.24	(22.91 - 32.05)	41.67	(36.05 - 47.50)
Region 7A (Hennepin)	44.57	(39.58 - 49.67)	33.88	(29.10 - 39.00)	43.67	(38.34 - 49.15)
Region 7B (Ramsey)	41.77	(36.11 - 47.65)	32.57	(26.96 - 38.73)	46.98	(40.74 - 53.33)
Region 7C	38.44	(33.89 - 43.21)	31.51	(26.76 - 36.68)	45.47	(39.98 - 51.07)
Mississippi	47.81	(44.69 - 50.94)	44.19	(41.17 - 47.25)	51.19	(47.82 - 54.55)
Regions 1 and 2	45.74	(39.83 - 51.78)	42.26	(36.76 - 47.96)	48.43	(41.78 - 55.14)
Regions 3, 4, 7, and 10	50.23	(44.98 - 55.49)	43.99	(38.83 - 49.28)	54.88	(49.33 - 60.30)
Regions 5, 6, 11, and 15	47.73	(42.42 - 53.09)	47.40	(41.98 - 52.88)	53.82	(47.91 - 59.62)
Regions 8 and 9	49.81	(44.87 - 54.75)	45.39	(40.01 - 50.88)	49.19	(43.60 - 54.81)
Region 12	45.01	(39.44 - 50.71)	42.23	(36.55 - 48.12)	47.06	(40.91 - 53.31)
Regions 13 and 14	44.98	(39.73 - 50.35)	41.94	(36.27 - 47.84)	48.70	(42.66 - 54.79)
Missouri	38.95	(35.96 - 42.02)	30.75	(27.82 - 33.86)	44.41	(41.03 - 47.84)
Central	37.61	(32.22 - 43.33)	27.42	(22.62 - 32.80)	41.76	(35.59 - 48.19)
Eastern	38.16	(33.94 - 42.57)	31.75	(27.29 - 36.58)	45.39	(40.41 - 50.46)
Northwest	42.59	(37.44 - 47.92)	32.03	(27.35 - 37.09)	44.31	(38.90 - 49.85)
Southeast	36.83	(31.77 - 42.19)	30.50	(25.51 - 35.99)	41.75	(35.73 - 48.03)
Southwest	37.92	(32.90 - 43.21)	30.14	(25.31 - 35.45)	46.78	(40.43 - 53.23)
Montana	36.89	(34.10 - 39.77)	27.44	(24.74 - 30.32)	41.86	(38.80 - 44.98)
Regions 1 and 3	35.00	(30.80 - 39.44)	27.16	(23.06 - 31.68)	41.80	(37.01 - 46.76)
Region 2	40.17	(35.25 - 45.30)	30.15	(25.42 - 35.35)	43.09	(37.44 - 48.94)
Region 4	35.22	(30.67 - 40.07)	25.87	(21.85 - 30.33)	42.59	(37.65 - 47.67)
Region 5	38.30	(33.84 - 42.97)	27.79	(23.76 - 32.22)	40.65	(35.76 - 45.73)

See notes at end of table.

(continued)

Table 9 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nebraska	36.92	(33.83 - 40.13)	27.73	(24.91 - 30.74)	41.68	(38.62 - 44.80)
Regions 1 and 2	35.92	(30.79 - 41.40)	29.22	(23.85 - 35.24)	43.85	(37.66 - 50.24)
Region 3	37.54	(32.34 - 43.05)	29.32	(24.30 - 34.89)	44.13	(38.19 - 50.23)
Region 4	35.83	(30.78 - 41.21)	28.73	(23.44 - 34.67)	39.40	(33.48 - 45.66)
Region 5	34.30	(29.83 - 39.07)	24.51	(20.59 - 28.90)	39.37	(34.44 - 44.53)
Region 6	39.04	(34.40 - 43.87)	28.91	(24.92 - 33.25)	42.36	(37.89 - 46.96)
Nevada	40.87	(37.59 - 44.24)	40.50	(36.96 - 44.14)	44.99	(41.52 - 48.51)
Clark	41.79	(37.89 - 45.79)	42.08	(37.89 - 46.40)	45.56	(41.49 - 49.69)
Rural	38.78	(33.52 - 44.32)	37.18	(31.16 - 43.62)	44.46	(38.59 - 50.49)
Washoe	39.24	(33.93 - 44.83)	36.40	(30.81 - 42.39)	43.14	(37.40 - 49.07)
New Hampshire	37.65	(34.63 - 40.77)	26.16	(23.18 - 29.37)	41.60	(38.49 - 44.78)
Central	35.69	(31.09 - 40.56)	24.83	(20.68 - 29.51)	42.81	(37.88 - 47.90)
Northern	34.84	(29.98 - 40.03)	26.10	(21.06 - 31.86)	40.69	(34.50 - 47.19)
Southern	39.21	(35.48 - 43.07)	26.89	(23.21 - 30.93)	41.23	(37.39 - 45.19)
New Jersey	42.67	(40.01 - 45.37)	36.93	(33.78 - 40.20)	48.31	(45.04 - 51.60)
RHPA I	42.06	(37.42 - 46.85)	40.10	(34.17 - 46.34)	49.13	(43.41 - 54.86)
RHPA IIa (Bergen)	41.60	(36.55 - 46.83)	35.39	(29.28 - 42.01)	51.53	(44.87 - 58.14)
RHPA IIb (Hudson)	47.27	(41.60 - 53.02)	40.96	(34.95 - 47.25)	55.61	(49.22 - 61.82)
RHPA III	47.30	(42.15 - 52.52)	43.28	(37.36 - 49.40)	49.12	(42.94 - 55.33)
RHPA IVa	38.74	(33.50 - 44.26)	32.06	(26.49 - 38.18)	43.83	(37.60 - 50.27)
RHPA IVb (Middlesex)	42.04	(36.59 - 47.71)	33.58	(28.19 - 39.44)	49.44	(43.12 - 55.77)
RHPA V	41.68	(36.71 - 46.82)	34.42	(29.23 - 40.00)	46.60	(40.58 - 52.73)
RHPA VIa	42.35	(37.19 - 47.68)	34.09	(28.39 - 40.29)	46.16	(39.90 - 52.53)
RHPA VIb (Monmouth)	39.55	(34.19 - 45.17)	32.46	(26.87 - 38.60)	44.24	(37.89 - 50.77)
New Mexico	40.25	(37.05 - 43.54)	38.55	(35.29 - 41.93)	52.20	(49.02 - 55.35)
Region 1	42.60	(36.79 - 48.62)	37.49	(31.60 - 43.78)	53.04	(46.40 - 59.58)
Region 2	38.50	(33.98 - 43.24)	36.07	(30.81 - 41.68)	53.27	(47.99 - 58.47)
Region 3	37.51	(32.33 - 43.00)	38.30	(32.95 - 43.96)	54.12	(48.42 - 59.70)
Region 4	39.91	(34.84 - 45.21)	38.63	(33.03 - 44.55)	49.10	(43.41 - 54.80)
Region 5 (Bernalillo)	42.45	(37.42 - 47.64)	40.38	(35.44 - 45.52)	51.97	(47.08 - 56.82)
New York	44.25	(42.46 - 46.06)	36.95	(35.05 - 38.88)	49.56	(47.57 - 51.56)
New York City	52.21	(49.27 - 55.13)	44.64	(41.82 - 47.51)	56.51	(53.35 - 59.62)
Remainder of the State	38.90	(36.78 - 41.06)	30.40	(28.13 - 32.78)	44.57	(42.09 - 47.08)
North Carolina	45.67	(42.86 - 48.51)	38.82	(35.78 - 41.94)	48.49	(45.10 - 51.89)
Eastern	45.93	(41.50 - 50.42)	40.49	(35.67 - 45.50)	48.49	(43.28 - 53.73)
North Central	45.35	(40.62 - 50.17)	36.56	(31.40 - 42.06)	50.26	(44.48 - 56.02)
South Central	46.70	(42.27 - 51.18)	37.72	(32.99 - 42.68)	47.34	(42.22 - 52.52)
Western	44.94	(40.41 - 49.55)	40.29	(35.51 - 45.27)	48.06	(42.65 - 53.52)

See notes at end of table.

(continued)

Table 9 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Dakota	36.46	(33.60 - 39.42)	24.51	(21.94 - 27.28)	38.45	(35.22 - 41.79)
Badlands and West Central Lake Region and South Central	36.41	(32.19 - 40.85)	25.54	(21.39 - 30.20)	38.50	(33.64 - 43.60)
North Central and Northwest	38.56	(33.45 - 43.94)	25.18	(20.73 - 30.23)	40.09	(34.59 - 45.86)
Northeast	34.93	(30.30 - 39.87)	25.73	(21.13 - 30.94)	38.04	(32.58 - 43.82)
Southeast	37.02	(31.76 - 42.61)	23.32	(19.13 - 28.13)	38.59	(32.91 - 44.61)
Southeast	35.86	(31.13 - 40.89)	23.62	(20.03 - 27.62)	37.48	(32.05 - 43.25)
Ohio	42.03	(40.36 - 43.72)	32.83	(31.16 - 34.53)	44.08	(42.14 - 46.03)
Boards 2, 46, 55, and 68	40.75	(36.05 - 45.63)	32.16	(27.70 - 36.98)	44.18	(38.74 - 49.76)
Boards 3, 52, and 85	41.45	(36.51 - 46.57)	32.15	(27.22 - 37.51)	44.64	(38.71 - 50.73)
Boards 4 and 78	39.65	(34.74 - 44.78)	33.16	(27.99 - 38.77)	41.57	(35.76 - 47.62)
Boards 5 and 60	41.07	(36.24 - 46.07)	30.10	(25.42 - 35.24)	41.35	(36.01 - 46.90)
Boards 7, 15, 41, 79, and 84	39.26	(34.47 - 44.26)	29.28	(24.73 - 34.29)	41.78	(36.40 - 47.36)
Boards 8, 13, and 83	40.42	(35.68 - 45.34)	31.08	(26.50 - 36.07)	43.04	(37.31 - 48.97)
Board 9 (Butler)	40.37	(35.36 - 45.58)	33.85	(28.63 - 39.49)	41.42	(35.71 - 47.38)
Board 12	41.50	(36.39 - 46.79)	31.15	(26.34 - 36.40)	42.31	(36.24 - 48.61)
Boards 18 and 47	45.01	(41.33 - 48.75)	37.47	(33.50 - 41.61)	48.28	(43.93 - 52.65)
Boards 20, 32, 54, and 69	39.98	(35.29 - 44.87)	29.41	(24.71 - 34.60)	38.82	(33.26 - 44.68)
Boards 21, 39, 51, 70, and 80	39.95	(35.17 - 44.92)	34.40	(29.60 - 39.54)	44.55	(39.17 - 50.05)
Boards 22, 74, and 87	43.30	(38.48 - 48.24)	28.38	(23.73 - 33.54)	43.66	(38.27 - 49.20)
Boards 23 and 45	39.07	(34.15 - 44.21)	29.44	(24.57 - 34.83)	39.59	(34.07 - 45.38)
Board 25 (Franklin)	45.28	(41.13 - 49.50)	32.52	(29.12 - 36.12)	44.60	(40.23 - 49.05)
Boards 27, 71, and 73	42.34	(37.64 - 47.18)	33.72	(28.95 - 38.85)	45.18	(39.73 - 50.75)
Boards 28, 43, and 67	38.08	(33.33 - 43.07)	30.73	(26.27 - 35.59)	43.23	(37.96 - 48.67)
Board 31 (Hamilton)	42.80	(38.64 - 47.07)	33.99	(29.95 - 38.28)	43.40	(38.90 - 48.01)
Board 48 (Lucas)	42.29	(37.58 - 47.14)	33.63	(28.68 - 38.96)	45.84	(40.17 - 51.61)
Board 50 (Mahoning)	39.85	(34.54 - 45.40)	31.10	(26.15 - 36.51)	43.56	(37.60 - 49.71)
Board 57 (Montgomery)	43.42	(38.73 - 48.23)	36.11	(31.60 - 40.88)	46.02	(40.57 - 51.56)
Board 76 (Stark)	41.19	(36.24 - 46.33)	30.73	(25.88 - 36.05)	43.93	(38.30 - 49.72)
Board 77 (Summit)	41.97	(37.26 - 46.82)	30.93	(26.42 - 35.83)	41.62	(36.33 - 47.11)
Oklahoma	41.35	(38.04 - 44.75)	38.69	(35.57 - 41.91)	50.55	(47.03 - 54.06)
Central	38.53	(33.14 - 44.22)	33.40	(28.13 - 39.10)	49.22	(42.86 - 55.61)
East Central	42.62	(36.81 - 48.65)	41.96	(35.59 - 48.61)	49.58	(43.12 - 56.05)
Northeast	42.58	(36.82 - 48.55)	36.47	(31.06 - 42.25)	51.67	(45.70 - 57.60)
Northwest and Southwest	40.28	(35.19 - 45.59)	36.97	(31.65 - 42.61)	51.45	(45.40 - 57.46)
Oklahoma City Metro	43.02	(37.69 - 48.52)	42.28	(37.11 - 47.62)	49.95	(43.94 - 55.96)
Southeast	40.41	(35.03 - 46.03)	38.52	(32.89 - 44.47)	51.05	(44.68 - 57.38)
Tulsa Metro	41.04	(35.66 - 46.65)	39.16	(33.58 - 45.04)	50.71	(44.64 - 56.75)

See notes at end of table.

(continued)

Table 9 Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	40.23	(37.28 - 43.26)	31.47	(28.59 - 34.51)	46.41	(43.06 - 49.78)
Region 1 (Multnomah)	41.74	(36.75 - 46.90)	30.94	(25.99 - 36.36)	47.88	(42.11 - 53.71)
Region 2	38.08	(33.35 - 43.05)	31.70	(26.74 - 37.12)	49.06	(43.28 - 54.86)
Region 3	40.52	(35.99 - 45.23)	29.96	(25.99 - 34.26)	44.24	(39.13 - 49.48)
Region 4	40.62	(35.16 - 46.32)	33.34	(27.74 - 39.45)	44.86	(38.71 - 51.17)
Region 5	40.97	(35.54 - 46.62)	35.04	(29.37 - 41.16)	46.61	(40.27 - 53.06)
Pennsylvania	41.20	(39.47 - 42.94)	30.55	(28.88 - 32.28)	42.39	(40.56 - 44.23)
Regions 1, 27, and 47	37.81	(34.15 - 41.61)	26.12	(22.67 - 29.89)	42.25	(38.24 - 46.36)
Regions 2, 3, 8, and 9	37.68	(33.25 - 42.32)	23.52	(19.86 - 27.61)	39.68	(34.93 - 44.63)
Regions 4 and 42	45.50	(40.46 - 50.63)	32.25	(27.44 - 37.47)	41.60	(35.95 - 47.49)
Regions 5 and 28	40.28	(35.14 - 45.65)	29.86	(25.27 - 34.90)	41.34	(35.73 - 47.18)
Regions 6, 16, and 39	37.15	(32.45 - 42.11)	26.65	(22.19 - 31.64)	41.28	(35.73 - 47.06)
Region 7 (Bucks)	40.11	(35.50 - 44.89)	29.80	(25.45 - 34.56)	40.64	(35.13 - 46.39)
Regions 10, 15, and 25	35.81	(31.10 - 40.81)	25.49	(20.96 - 30.61)	38.29	(32.70 - 44.21)
Regions 11, 29, 44, and 48	40.88	(35.96 - 45.98)	30.70	(25.93 - 35.92)	38.90	(33.52 - 44.57)
Regions 12, 35, 41, and 45	38.35	(33.36 - 43.60)	24.83	(20.85 - 29.28)	40.61	(35.04 - 46.42)
Region 13 (Chester)	41.98	(36.86 - 47.27)	30.42	(25.61 - 35.69)	40.66	(35.04 - 46.53)
Regions 14, 31, 36, and 46	38.98	(34.23 - 43.94)	30.06	(25.36 - 35.22)	43.05	(37.12 - 49.19)
Regions 17, 24, and 43	39.22	(34.86 - 43.76)	31.14	(26.55 - 36.13)	46.12	(40.72 - 51.61)
Region 18 (Philadelphia)	47.10	(43.03 - 51.22)	40.57	(36.51 - 44.76)	47.48	(42.92 - 52.08)
Regions 19 and 23	41.11	(35.96 - 46.45)	30.07	(25.25 - 35.39)	39.66	(34.10 - 45.50)
Regions 20, 26, and 40	42.66	(37.91 - 47.54)	30.79	(26.40 - 35.55)	42.29	(37.15 - 47.61)
Regions 21 and 32	43.45	(38.63 - 48.41)	33.19	(28.24 - 38.54)	44.18	(38.81 - 49.68)
Region 22 (Delaware)	40.15	(35.60 - 44.87)	29.64	(25.34 - 34.34)	40.85	(35.74 - 46.16)
Region 30 (Lancaster)	44.12	(38.97 - 49.40)	29.62	(25.30 - 34.33)	42.98	(37.44 - 48.70)
Region 33 (Lehigh)	40.47	(35.22 - 45.94)	31.37	(26.64 - 36.51)	41.83	(35.66 - 48.27)
Region 34	39.60	(34.86 - 44.53)	28.31	(23.78 - 33.33)	40.47	(35.10 - 46.08)
Region 37 (Montgomery)	41.25	(36.60 - 46.07)	30.04	(25.61 - 34.88)	43.98	(38.95 - 49.14)
Region 38 (Northampton)	40.31	(35.48 - 45.34)	26.92	(22.34 - 32.06)	39.29	(33.39 - 45.51)
Region 49	42.11	(37.56 - 46.79)	31.16	(26.35 - 36.43)	42.51	(37.33 - 47.86)
Rhode Island	43.43	(40.14 - 46.78)	33.86	(30.66 - 37.22)	46.07	(42.69 - 49.48)
Bristol and Newport	41.34	(35.88 - 47.03)	29.88	(24.51 - 35.87)	43.99	(37.87 - 50.30)
Kent	41.48	(36.27 - 46.88)	30.76	(25.51 - 36.57)	43.47	(37.96 - 49.14)
Providence	45.07	(40.91 - 49.29)	36.32	(32.32 - 40.53)	48.16	(43.78 - 52.56)
Washington	39.88	(34.42 - 45.61)	27.76	(22.89 - 33.21)	41.87	(36.15 - 47.83)
South Carolina	46.25	(43.28 - 49.24)	40.47	(37.29 - 43.73)	50.62	(47.29 - 53.94)
Region 1	43.85	(39.09 - 48.72)	36.53	(31.40 - 41.98)	52.06	(46.68 - 57.38)
Region 2	47.05	(42.59 - 51.55)	40.59	(35.99 - 45.36)	50.53	(45.37 - 55.68)
Region 3	46.08	(40.98 - 51.27)	43.35	(37.96 - 48.91)	48.98	(43.32 - 54.66)
Region 4	47.68	(43.06 - 52.33)	42.28	(37.40 - 47.32)	50.36	(44.90 - 55.82)

See notes at end of table.

(continued)

Table 9 *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	34.75	(31.84 - 37.78)	24.63	(21.98 - 27.48)	39.04	(35.90 - 42.27)
Region 1 (Pennington)	35.26	(30.25 - 40.61)	25.76	(21.14 - 30.99)	39.67	(34.08 - 45.55)
Region 2	36.42	(31.76 - 41.35)	27.96	(23.41 - 33.01)	39.21	(33.58 - 45.15)
Region 3 (Minnehaha)	36.73	(31.89 - 41.87)	26.83	(22.34 - 31.85)	41.28	(36.16 - 46.60)
Region 4	30.72	(25.95 - 35.94)	21.87	(17.69 - 26.73)	37.71	(31.98 - 43.80)
Region 5	33.17	(28.11 - 38.65)	22.92	(18.42 - 28.13)	38.26	(32.29 - 44.61)
Region 6	35.62	(30.47 - 41.11)	22.62	(18.17 - 27.78)	37.57	(31.74 - 43.78)
Region 7	33.86	(28.94 - 39.16)	22.00	(17.98 - 26.62)	38.44	(32.97 - 44.21)
Tennessee	45.88	(42.73 - 49.06)	38.92	(35.53 - 42.43)	54.08	(50.57 - 57.55)
Region 1	45.09	(39.42 - 50.89)	38.17	(32.19 - 44.54)	54.43	(48.03 - 60.69)
Region 2	45.45	(40.37 - 50.64)	36.76	(31.53 - 42.31)	53.64	(47.80 - 59.39)
Region 3	42.04	(36.82 - 47.45)	35.10	(29.74 - 40.87)	53.61	(47.78 - 59.34)
Region 4 (Davidson)	47.32	(41.38 - 53.33)	40.89	(34.85 - 47.23)	55.94	(49.60 - 62.10)
Region 5	44.00	(39.17 - 48.94)	38.66	(33.10 - 44.53)	53.17	(47.12 - 59.12)
Region 6	46.27	(40.68 - 51.95)	39.47	(33.47 - 45.80)	53.28	(47.10 - 59.36)
Region 7 (Shelby)	51.51	(45.72 - 57.26)	43.95	(37.54 - 50.57)	55.50	(48.94 - 61.87)
Texas	43.16	(41.51 - 44.82)	40.70	(38.98 - 42.45)	51.60	(49.71 - 53.49)
Region 1	39.40	(34.77 - 44.23)	37.17	(32.09 - 42.56)	52.30	(46.68 - 57.86)
Regions 2 and 9	39.15	(34.57 - 43.93)	37.72	(32.99 - 42.71)	52.22	(46.55 - 57.84)
Region 3	46.26	(43.25 - 49.29)	44.66	(41.60 - 47.76)	52.94	(49.70 - 56.14)
Region 4	40.43	(35.92 - 45.12)	40.15	(34.94 - 45.60)	48.00	(42.38 - 53.67)
Region 5	40.47	(35.60 - 45.53)	36.40	(31.14 - 42.00)	48.64	(42.75 - 54.57)
Region 6	45.23	(42.47 - 48.02)	42.68	(39.49 - 45.93)	50.82	(47.30 - 54.33)
Region 7	41.65	(37.53 - 45.88)	34.37	(30.81 - 38.11)	46.97	(42.49 - 51.49)
Region 8	39.31	(35.65 - 43.10)	37.53	(33.41 - 41.84)	51.78	(47.39 - 56.15)
Region 10	42.21	(37.27 - 47.30)	44.60	(38.96 - 50.38)	59.56	(53.53 - 65.32)
Region 11	42.35	(38.60 - 46.18)	41.13	(36.95 - 45.43)	55.61	(50.71 - 60.40)
Utah	50.26	(47.08 - 53.45)	45.38	(42.32 - 48.47)	52.41	(48.87 - 55.93)
Bear River, Northeastern, Summit, Tooele, and Wasatch	46.86	(41.14 - 52.66)	42.44	(36.75 - 48.34)	52.04	(45.59 - 58.43)
Central, Four Corners, San Juan, and Southwest	47.41	(41.41 - 53.49)	39.39	(33.23 - 45.91)	52.20	(45.67 - 58.64)
Davis County	51.34	(45.98 - 56.67)	45.31	(39.26 - 51.49)	52.62	(46.68 - 58.50)
Salt Lake County	50.77	(46.07 - 55.47)	44.05	(39.17 - 49.05)	49.63	(44.74 - 54.52)
Utah County	54.88	(49.20 - 60.43)	53.50	(48.40 - 58.52)	59.37	(53.11 - 65.34)
Weber, Morgan	46.15	(40.57 - 51.83)	40.78	(34.38 - 47.50)	55.25	(48.87 - 61.47)
Vermont	35.09	(32.24 - 38.04)	26.66	(23.96 - 29.55)	42.21	(39.11 - 45.38)
Champlain Valley	34.83	(30.77 - 39.13)	25.19	(21.77 - 28.96)	41.83	(37.14 - 46.67)
Rural Northeast	35.46	(30.97 - 40.22)	27.19	(22.83 - 32.04)	41.33	(36.27 - 46.59)
Rural Southeast	34.78	(30.23 - 39.62)	28.29	(23.56 - 33.55)	42.38	(37.33 - 47.59)
Rural Southwest	35.55	(30.62 - 40.80)	28.54	(23.57 - 34.10)	44.06	(38.33 - 49.95)

See notes at end of table.

(continued)

Table 9 Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Virginia	45.40	(42.42 - 48.41)	35.44	(32.28 - 38.74)	48.08	(44.89 - 51.29)
Region 1	43.99	(38.49 - 49.64)	33.34	(28.00 - 39.14)	47.67	(41.57 - 53.83)
Region 2	46.09	(41.31 - 50.95)	36.62	(31.26 - 42.34)	49.66	(44.51 - 54.80)
Region 3	44.20	(39.49 - 49.03)	34.35	(29.32 - 39.75)	49.47	(43.62 - 55.33)
Region 4	46.71	(41.23 - 52.28)	35.12	(29.52 - 41.18)	46.80	(40.91 - 52.77)
Region 5	45.55	(41.17 - 50.00)	36.55	(31.77 - 41.61)	46.39	(41.34 - 51.50)
Washington	37.32	(34.42 - 40.32)	33.47	(30.45 - 36.63)	49.73	(46.10 - 53.36)
Region 1	36.12	(30.85 - 41.75)	31.39	(26.07 - 37.24)	47.69	(41.10 - 54.37)
Region 2	38.20	(33.05 - 43.62)	36.77	(30.82 - 43.15)	*	(* - *)
Region 3	36.33	(31.30 - 41.68)	32.98	(28.19 - 38.16)	46.21	(40.30 - 52.22)
Region 4 (King)	36.92	(32.56 - 41.51)	32.27	(27.83 - 37.07)	52.89	(47.63 - 58.10)
Region 5	37.70	(32.84 - 42.82)	35.75	(30.41 - 41.47)	47.83	(41.57 - 54.17)
Region 6	39.01	(34.02 - 44.25)	33.62	(28.34 - 39.34)	49.32	(43.14 - 55.52)
West Virginia	38.95	(35.84 - 42.15)	34.11	(31.08 - 37.27)	47.40	(44.28 - 50.54)
Eastern Highland	37.85	(33.13 - 42.81)	35.28	(29.96 - 40.98)	44.75	(39.28 - 50.35)
Northern	38.16	(33.27 - 43.30)	31.18	(26.71 - 36.03)	45.41	(40.31 - 50.62)
South Central I	38.55	(33.41 - 43.96)	33.54	(28.50 - 38.99)	48.06	(42.25 - 53.91)
South Central II	41.86	(36.54 - 47.38)	34.35	(29.03 - 40.10)	47.06	(41.31 - 52.88)
South Central III	39.29	(33.77 - 45.10)	35.35	(29.92 - 41.20)	50.99	(44.58 - 57.36)
Southern	39.46	(34.25 - 44.92)	36.77	(31.40 - 42.48)	50.08	(44.59 - 55.57)
Wisconsin	36.65	(33.95 - 39.44)	28.77	(25.95 - 31.77)	40.13	(36.90 - 43.44)
Milwaukee	42.70	(37.67 - 47.89)	36.47	(31.41 - 41.84)	45.93	(40.30 - 51.67)
Northeastern	33.55	(29.31 - 38.07)	24.86	(20.63 - 29.62)	37.12	(32.04 - 42.50)
Northern and Western	34.67	(30.37 - 39.24)	27.06	(22.71 - 31.91)	40.14	(34.68 - 45.86)
Southeastern	38.26	(33.94 - 42.76)	30.35	(25.29 - 35.94)	39.75	(34.33 - 45.43)
Southern	35.46	(30.74 - 40.48)	26.10	(21.93 - 30.76)	38.70	(33.21 - 44.48)
Wyoming	36.08	(33.01 - 39.27)	27.39	(24.63 - 30.33)	42.53	(39.23 - 45.91)
Frontier 1	36.00	(31.04 - 41.29)	27.05	(22.15 - 32.59)	44.05	(38.34 - 49.92)
Frontier 2	35.45	(30.14 - 41.14)	29.71	(24.38 - 35.66)	43.77	(37.64 - 50.11)
Rural 1	35.32	(30.48 - 40.48)	26.33	(22.03 - 31.14)	40.91	(35.59 - 46.46)
Rural 2	37.19	(32.36 - 42.28)	27.87	(23.57 - 32.63)	43.17	(37.54 - 48.98)
Rural 3 (Laramie)	36.56	(31.79 - 41.60)	29.33	(24.44 - 34.74)	42.03	(36.64 - 47.61)
Rural 4	35.50	(30.29 - 41.06)	24.34	(19.86 - 29.45)	42.43	(36.37 - 48.71)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 1999-2001 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 1999, 2000, and 2001.

Table 10 Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	13.74		39.05		24.57	
Alabama	14.08	(12.02 - 16.43)	36.08	(32.93 - 39.36)	25.44	(22.48 - 28.65)
Region 1	14.22	(10.90 - 18.35)	38.59	(33.22 - 44.26)	25.77	(21.10 - 31.08)
Region 2	14.40	(11.27 - 18.23)	34.09	(29.36 - 39.16)	26.66	(22.40 - 31.41)
Region 3	12.67	(9.60 - 16.55)	32.85	(27.99 - 38.11)	23.11	(18.39 - 28.62)
Region 4	14.68	(11.32 - 18.84)	39.44	(33.60 - 45.60)	25.06	(20.12 - 30.74)
Alaska	14.91	(12.80 - 17.31)	42.98	(39.60 - 46.43)	24.68	(21.94 - 27.65)
Gulf Coast	14.91	(11.00 - 19.89)	*	(* - *)	26.69	(21.32 - 32.84)
Rural	*	(* - *)	*	(* - *)	*	(* - *)
Southeast	17.23	(12.84 - 22.72)	*	(* - *)	23.01	(18.28 - 28.54)
Urban	13.31	(10.97 - 16.06)	41.06	(37.10 - 45.14)	24.08	(20.81 - 27.69)
Arizona	12.82	(10.85 - 15.09)	37.55	(34.25 - 40.96)	23.53	(20.75 - 26.55)
Maricopa	12.09	(9.79 - 14.85)	38.11	(34.18 - 42.20)	22.92	(19.59 - 26.63)
Pima	13.09	(9.73 - 17.38)	35.89	(29.96 - 42.29)	22.66	(18.12 - 27.94)
Rural North	15.51	(11.20 - 21.08)	36.92	(30.65 - 43.68)	*	(* - *)
Rural South	13.15	(9.73 - 17.54)	*	(* - *)	24.62	(19.48 - 30.59)
Arkansas	15.87	(13.78 - 18.22)	40.49	(37.23 - 43.82)	28.40	(25.52 - 31.46)
Areas 1 and 5	16.00	(12.48 - 20.29)	43.76	(37.61 - 50.10)	29.03	(24.04 - 34.59)
Areas 2 and 3	18.41	(13.83 - 24.07)	*	(* - *)	26.46	(21.32 - 32.34)
Areas 4 and 7	15.54	(12.15 - 19.66)	38.09	(32.28 - 44.26)	30.43	(25.14 - 36.30)
Area 6	18.85	(14.20 - 24.59)	42.72	(37.09 - 48.55)	*	(* - *)
Areas 8 and 12	14.36	(10.60 - 19.17)	35.43	(29.64 - 41.70)	29.65	(24.22 - 35.74)
Area 9	14.48	(11.17 - 18.58)	40.64	(34.40 - 47.19)	24.02	(19.66 - 28.99)
Areas 10, 11, and 13	15.09	(11.45 - 19.63)	38.04	(31.81 - 44.70)	30.46	(24.62 - 37.00)
California	8.58	(7.81 - 9.42)	30.67	(28.96 - 32.44)	21.61	(20.05 - 23.26)
Region 1	13.26	(9.98 - 17.41)	38.34	(32.27 - 44.79)	28.54	(22.88 - 34.97)
Region 2	10.32	(8.27 - 12.82)	34.81	(30.27 - 39.65)	21.54	(17.76 - 25.88)
Region 3	10.36	(7.95 - 13.39)	34.02	(28.62 - 39.87)	27.19	(22.12 - 32.93)
Region 4	8.89	(6.49 - 12.06)	33.74	(28.04 - 39.96)	18.58	(14.84 - 23.01)
Region 5	8.43	(6.50 - 10.87)	31.06	(26.64 - 35.84)	20.25	(16.78 - 24.22)
Region 6 (Santa Clara)	8.63	(6.50 - 11.37)	27.39	(22.60 - 32.77)	16.97	(13.55 - 21.03)
Region 7	8.40	(6.15 - 11.38)	27.87	(22.37 - 34.12)	20.03	(16.03 - 24.74)
Region 8	8.62	(6.66 - 11.09)	31.02	(26.30 - 36.16)	24.90	(20.41 - 30.02)
Region 9	9.19	(6.96 - 12.04)	31.06	(26.00 - 36.62)	30.06	(24.39 - 36.41)
Region 10	8.56	(6.36 - 11.42)	30.89	(25.42 - 36.95)	21.01	(16.63 - 26.18)
Region 11 (Los Angeles)	6.65	(5.54 - 7.96)	27.77	(25.18 - 30.53)	20.18	(17.72 - 22.89)
Region 12	9.13	(7.12 - 11.64)	33.24	(28.58 - 38.26)	24.24	(20.10 - 28.92)
Region 13 (Riverside)	8.81	(6.71 - 11.49)	32.73	(27.53 - 38.40)	24.39	(19.76 - 29.70)
Region 14 (Orange)	9.47	(7.40 - 12.04)	29.40	(24.99 - 34.24)	19.52	(16.12 - 23.43)
Region 15	9.05	(7.07 - 11.51)	31.51	(27.19 - 36.18)	23.45	(19.61 - 27.79)

See notes at end of table.

(continued)

Table 10 Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	15.86	(13.62 - 18.39)	43.28	(39.77 - 46.86)	23.27	(20.54 - 26.25)
Regions 1 and 4	16.93	(13.00 - 21.75)	41.57	(35.59 - 47.81)	25.51	(20.66 - 31.05)
Region 2	14.02	(11.21 - 17.39)	42.13	(37.41 - 47.00)	22.09	(18.71 - 25.88)
Region 3	17.04	(12.80 - 22.33)	*	(* - *)	25.17	(20.24 - 30.84)
Regions 5 and 6	18.51	(14.08 - 23.94)	*	(* - *)	24.07	(19.15 - 29.79)
Region 7 (Boulder)	*	(* - *)	*	(* - *)	20.68	(16.09 - 26.18)
Connecticut	16.98	(14.61 - 19.64)	43.04	(39.19 - 46.97)	22.16	(19.41 - 25.19)
Eastern	18.66	(14.28 - 24.02)	*	(* - *)	23.63	(18.82 - 29.23)
North Central	18.46	(14.61 - 23.06)	44.39	(38.70 - 50.23)	20.80	(16.81 - 25.44)
Northwestern	15.36	(11.70 - 19.91)	*	(* - *)	21.47	(17.03 - 26.69)
South Central	15.34	(11.72 - 19.84)	41.30	(35.18 - 47.69)	25.50	(20.76 - 30.90)
Southwest	17.12	(12.89 - 22.38)	*	(* - *)	19.88	(15.69 - 24.85)
Delaware	17.70	(15.38 - 20.29)	44.24	(40.89 - 47.64)	24.14	(21.32 - 27.21)
Kent	17.05	(12.97 - 22.09)	43.09	(37.54 - 48.82)	26.07	(21.44 - 31.30)
New Castle	18.05	(15.23 - 21.27)	44.92	(40.84 - 49.07)	23.93	(20.52 - 27.72)
Sussex	17.08	(13.20 - 21.82)	42.51	(36.40 - 48.86)	23.37	(18.95 - 28.46)
District of Columbia	10.65	(8.50 - 13.25)	33.69	(30.45 - 37.08)	25.76	(22.91 - 28.84)
Ward 1	11.53	(7.95 - 16.45)	33.10	(27.21 - 39.57)	27.72	(22.35 - 33.82)
Ward 2	*	(* - *)	38.81	(33.17 - 44.77)	26.71	(21.69 - 32.41)
Ward 3	13.21	(9.29 - 18.44)	36.57	(30.47 - 43.14)	19.89	(15.55 - 25.07)
Ward 4	9.45	(6.61 - 13.34)	*	(* - *)	20.29	(15.93 - 25.48)
Ward 5	9.29	(6.49 - 13.13)	30.62	(25.23 - 36.60)	26.99	(21.65 - 33.09)
Ward 6	10.41	(7.12 - 14.97)	*	(* - *)	25.73	(20.82 - 31.33)
Ward 7	8.75	(6.17 - 12.26)	27.01	(21.61 - 33.19)	29.68	(24.31 - 35.67)
Ward 8	9.32	(6.46 - 13.27)	*	(* - *)	*	(* - *)
Florida	10.68	(9.61 - 11.86)	36.01	(34.08 - 37.99)	24.38	(22.74 - 26.09)
District 1	12.67	(9.55 - 16.63)	42.63	(36.63 - 48.85)	28.98	(23.92 - 34.62)
District 2	11.20	(8.38 - 14.80)	35.49	(29.95 - 41.45)	26.26	(21.55 - 31.59)
District 3	11.02	(8.06 - 14.89)	34.66	(28.60 - 41.27)	28.22	(23.08 - 34.00)
District 4	10.24	(7.80 - 13.34)	34.78	(29.77 - 40.14)	28.25	(24.00 - 32.93)
District 7	9.28	(7.21 - 11.88)	35.23	(31.31 - 39.36)	25.87	(21.94 - 30.23)
District 8	12.07	(9.27 - 15.56)	41.58	(36.00 - 47.39)	21.45	(17.46 - 26.07)
District 9 (Palm Beach)	10.48	(8.07 - 13.50)	35.26	(30.55 - 40.27)	21.13	(17.30 - 25.54)
District 10 (Broward)	10.49	(8.08 - 13.51)	34.35	(29.10 - 40.00)	20.92	(17.42 - 24.91)
District 11	7.87	(6.16 - 9.99)	25.33	(21.86 - 29.14)	20.83	(17.77 - 24.26)
District 12	11.31	(8.26 - 15.29)	36.24	(30.46 - 42.44)	25.50	(20.48 - 31.27)
District 13	14.70	(11.14 - 19.14)	43.37	(36.87 - 50.11)	27.80	(22.50 - 33.81)
District 14	10.94	(8.28 - 14.32)	38.51	(33.15 - 44.17)	27.13	(22.40 - 32.46)
District 15	11.94	(8.83 - 15.95)	39.14	(32.80 - 45.87)	24.30	(19.55 - 29.78)
Suncoast	12.31	(10.10 - 14.92)	43.69	(39.53 - 47.94)	25.32	(21.93 - 29.04)

See notes at end of table.

(continued)

Table 10 Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	12.77	(11.03 - 14.75)	36.97	(33.73 - 40.34)	24.91	(22.11 - 27.94)
Central	11.39	(8.35 - 15.36)	34.06	(28.15 - 40.51)	*	(* - *)
East Central	11.50	(8.34 - 15.66)	36.90	(31.08 - 43.13)	*	(* - *)
Metro	11.49	(8.94 - 14.66)	33.91	(28.82 - 39.41)	20.49	(16.64 - 24.97)
North	16.78	(13.36 - 20.86)	43.97	(38.04 - 50.08)	25.74	(21.23 - 30.82)
Southeast	10.94	(7.99 - 14.79)	*	(* - *)	27.11	(21.59 - 33.43)
Southwest	13.98	(10.46 - 18.45)	40.86	(34.39 - 47.66)	*	(* - *)
West Central	10.91	(8.07 - 14.60)	35.76	(29.67 - 42.35)	25.72	(20.41 - 31.87)
Hawaii	11.58	(9.68 - 13.80)	38.65	(34.94 - 42.50)	20.76	(18.05 - 23.75)
Hawaii Island	12.76	(9.21 - 17.41)	*	(* - *)	*	(* - *)
Honolulu	11.25	(9.10 - 13.83)	37.41	(33.23 - 41.80)	19.42	(16.49 - 22.73)
Kalawao, Kauai, and Maui	12.01	(8.86 - 16.09)	*	(* - *)	22.39	(17.83 - 27.71)
Idaho	11.03	(9.24 - 13.11)	36.43	(33.25 - 39.73)	23.91	(21.16 - 26.89)
Region 1	13.61	(10.09 - 18.10)	41.51	(35.07 - 48.26)	25.92	(20.87 - 31.71)
Region 2	11.03	(7.96 - 15.08)	*	(* - *)	22.77	(18.01 - 28.35)
Region 3	12.58	(9.39 - 16.65)	37.78	(31.77 - 44.19)	25.77	(21.04 - 31.14)
Region 4	11.66	(8.68 - 15.50)	37.43	(32.30 - 42.87)	24.00	(19.60 - 29.04)
Region 5	9.80	(7.07 - 13.43)	34.65	(28.88 - 40.92)	23.80	(18.92 - 29.48)
Region 6	10.26	(7.48 - 13.92)	34.71	(29.13 - 40.74)	23.93	(19.17 - 29.44)
Region 7	8.15	(5.69 - 11.55)	31.80	(25.89 - 38.35)	19.55	(15.28 - 24.67)
Illinois	15.38	(14.21 - 16.63)	43.28	(41.35 - 45.23)	25.50	(23.90 - 27.17)
Region I (Cook)	14.03	(12.28 - 15.99)	41.05	(38.30 - 43.85)	26.61	(24.06 - 29.33)
Region II	15.02	(13.15 - 17.10)	44.56	(41.35 - 47.82)	21.34	(18.98 - 23.91)
Region III	18.73	(15.50 - 22.46)	45.55	(41.10 - 50.07)	26.37	(22.49 - 30.65)
Region IV	19.97	(16.40 - 24.09)	50.31	(45.33 - 55.29)	30.20	(25.83 - 34.95)
Region V	14.86	(12.24 - 17.93)	41.98	(37.65 - 46.45)	27.96	(23.95 - 32.35)
Indiana	16.15	(14.16 - 18.35)	40.58	(37.42 - 43.82)	27.12	(24.37 - 30.06)
Central	14.51	(11.19 - 18.60)	38.65	(33.11 - 44.50)	24.79	(20.55 - 29.57)
East	16.71	(12.75 - 21.59)	41.33	(34.75 - 48.23)	28.52	(23.12 - 34.61)
North Central	16.34	(12.67 - 20.82)	40.46	(34.33 - 46.90)	26.20	(21.26 - 31.82)
Northeast	16.13	(12.31 - 20.86)	40.39	(33.97 - 47.15)	26.70	(21.57 - 32.56)
Northwest	15.19	(11.39 - 19.97)	39.38	(32.97 - 46.18)	28.15	(22.57 - 34.50)
Southeast and Southwest	18.82	(15.25 - 23.01)	43.46	(37.22 - 49.91)	30.39	(25.29 - 36.02)
West	15.52	(11.65 - 20.38)	40.83	(35.35 - 46.55)	25.85	(20.69 - 31.77)
Iowa	16.28	(14.13 - 18.68)	43.54	(40.30 - 46.84)	24.02	(21.39 - 26.86)
Central	14.37	(10.87 - 18.76)	41.72	(35.43 - 48.29)	22.75	(18.38 - 27.81)
North Central	15.45	(11.58 - 20.31)	40.10	(34.55 - 45.91)	23.92	(18.79 - 29.94)
Northeast	15.42	(11.88 - 19.79)	39.89	(34.33 - 45.73)	22.15	(18.10 - 26.81)
Northwest	17.82	(13.91 - 22.55)	43.22	(37.03 - 49.64)	24.14	(19.47 - 29.51)
Southeast and Southwest	17.36	(14.02 - 21.31)	49.11	(43.77 - 54.48)	26.15	(21.99 - 30.79)

See notes at end of table.

(continued)

Table 10 Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	13.32	(11.27 - 15.68)	38.80	(35.46 - 42.25)	24.76	(21.96 - 27.79)
Region 1	12.94	(9.75 - 16.97)	36.39	(31.04 - 42.09)	25.14	(20.53 - 30.39)
Region 2	15.25	(11.30 - 20.27)	42.25	(35.66 - 49.12)	26.71	(21.61 - 32.53)
Region 3	13.18	(9.98 - 17.19)	35.71	(29.96 - 41.91)	25.48	(20.79 - 30.81)
Region 4	12.93	(10.00 - 16.56)	41.27	(35.88 - 46.89)	22.63	(18.76 - 27.04)
Region 5	12.90	(9.47 - 17.34)	36.72	(30.98 - 42.87)	26.56	(21.14 - 32.79)
Kentucky	22.24	(19.65 - 25.07)	47.09	(43.84 - 50.36)	32.44	(29.25 - 35.79)
Adanta, Cumberland River, and Lifeskills	20.96	(16.47 - 26.30)	48.62	(42.55 - 54.73)	32.78	(27.49 - 38.54)
Bluegrass, Comprehend, and North Key	24.37	(19.78 - 29.64)	46.42	(40.87 - 52.07)	34.01	(28.52 - 39.96)
Communicare and River Valley	22.95	(18.19 - 28.52)	47.88	(41.26 - 54.58)	33.44	(27.36 - 40.12)
Four Rivers and Pennyroyal	22.21	(17.28 - 28.07)	48.60	(42.43 - 54.82)	33.23	(27.19 - 39.88)
Kentucky River, Mountain, and Pathways	20.77	(16.33 - 26.04)	47.77	(41.70 - 53.91)	35.57	(29.69 - 41.93)
Seven Counties	20.92	(16.87 - 25.65)	45.14	(39.75 - 50.64)	27.54	(22.83 - 32.80)
Louisiana	14.70	(12.78 - 16.86)	41.48	(38.45 - 44.58)	29.51	(26.44 - 32.77)
Region 1	10.13	(7.27 - 13.95)	35.76	(29.98 - 41.97)	27.13	(21.55 - 33.54)
Regions 2 and 9	14.80	(11.46 - 18.89)	40.69	(35.55 - 46.04)	28.02	(23.25 - 33.34)
Region 3	16.76	(12.62 - 21.90)	44.82	(38.42 - 51.40)	*	(* - *)
Region 4	13.60	(10.51 - 17.43)	39.87	(33.92 - 46.13)	33.35	(27.55 - 39.69)
Regions 5 and 6	13.86	(10.41 - 18.22)	39.94	(33.84 - 46.37)	29.62	(24.05 - 35.87)
Regions 7 and 8	17.58	(13.88 - 22.03)	44.50	(38.70 - 50.45)	29.44	(24.26 - 35.20)
Region 10 (Jefferson)	14.97	(11.21 - 19.70)	46.43	(39.87 - 53.11)	28.13	(22.61 - 34.40)
Maine	14.44	(12.41 - 16.73)	46.12	(42.57 - 49.71)	25.21	(22.69 - 27.91)
Region 1	14.49	(11.46 - 18.15)	44.60	(39.54 - 49.77)	22.23	(18.62 - 26.30)
Region 2	14.61	(11.91 - 17.78)	48.29	(43.12 - 53.49)	26.32	(22.72 - 30.27)
Region 3	14.11	(10.93 - 18.02)	45.03	(39.23 - 50.97)	27.68	(23.36 - 32.47)
Maryland	14.25	(12.20 - 16.58)	36.82	(33.60 - 40.16)	22.09	(19.28 - 25.18)
Central and Eastern Shore	16.03	(12.96 - 19.67)	38.64	(33.91 - 43.60)	25.88	(21.61 - 30.67)
Southern	13.03	(10.27 - 16.40)	33.77	(29.27 - 38.59)	21.24	(17.34 - 25.75)
Western	12.82	(9.79 - 16.60)	37.51	(32.15 - 43.20)	17.12	(13.58 - 21.36)
Massachusetts	15.45	(13.28 - 17.89)	41.39	(37.98 - 44.88)	21.11	(18.59 - 23.87)
Boston	14.91	(10.91 - 20.06)	40.37	(34.10 - 46.97)	24.73	(19.93 - 30.25)
Central	16.32	(12.47 - 21.06)	*	(* - *)	21.08	(16.77 - 26.16)
Metrowest	14.23	(11.00 - 18.22)	38.80	(32.95 - 44.99)	16.24	(12.70 - 20.54)
Northeast	17.02	(13.10 - 21.82)	43.31	(37.00 - 49.84)	21.22	(17.01 - 26.14)
Southeast	14.91	(11.44 - 19.20)	44.51	(38.21 - 51.00)	24.04	(19.42 - 29.36)
Western	15.41	(11.64 - 20.12)	38.15	(31.80 - 44.92)	22.45	(17.73 - 27.98)

See notes at end of table.

(continued)

Table 10 Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Michigan	15.32	(14.17 - 16.53)	44.29	(42.36 - 46.23)	26.28	(24.72 - 27.91)
Bay and Saginaw	16.97	(13.67 - 20.87)	46.08	(40.83 - 51.41)	25.87	(21.66 - 30.57)
Detroit City	10.85	(8.53 - 13.72)	37.31	(32.80 - 42.06)	33.46	(28.87 - 38.39)
Genesee	15.19	(11.79 - 19.37)	45.56	(39.53 - 51.72)	27.94	(23.45 - 32.91)
Kalamazoo	16.51	(12.94 - 20.83)	45.52	(39.81 - 51.36)	24.20	(20.12 - 28.80)
Kent	16.54	(13.26 - 20.43)	40.97	(35.85 - 46.30)	26.14	(21.93 - 30.84)
Lakeshore	12.72	(9.95 - 16.13)	42.44	(37.32 - 47.72)	24.08	(20.02 - 28.68)
Macomb	14.73	(11.65 - 18.45)	45.53	(40.21 - 50.96)	27.02	(23.13 - 31.30)
Mid South	15.56	(12.81 - 18.78)	47.40	(42.89 - 51.96)	25.51	(21.92 - 29.45)
Northern	17.50	(14.27 - 21.29)	45.06	(39.90 - 50.33)	30.10	(25.70 - 34.89)
Oakland	14.86	(12.25 - 17.91)	45.88	(41.25 - 50.58)	20.72	(17.68 - 24.12)
Pathways and Western	20.06	(15.75 - 25.19)	48.67	(42.09 - 55.29)	27.28	(22.13 - 33.11)
Southeast	16.06	(13.53 - 18.95)	43.78	(39.36 - 48.29)	27.58	(24.03 - 31.44)
St. Clair	20.31	(15.88 - 25.59)	48.16	(41.61 - 54.78)	26.74	(22.12 - 31.93)
Washtenaw	13.90	(10.64 - 17.95)	43.63	(38.16 - 49.25)	21.06	(17.32 - 25.36)
Minnesota	18.77	(16.49 - 21.29)	46.81	(43.51 - 50.15)	23.90	(21.25 - 26.76)
Regions 1 and 2	21.39	(16.57 - 27.14)	47.92	(41.42 - 54.48)	29.11	(23.47 - 35.47)
Regions 3 and 4	21.04	(16.54 - 26.36)	50.74	(44.20 - 57.26)	24.06	(19.25 - 29.63)
Regions 5 and 6	20.52	(16.43 - 25.31)	47.82	(42.07 - 53.62)	23.68	(19.22 - 28.81)
Region 7A (Hennepin)	16.44	(12.84 - 20.82)	42.59	(37.31 - 48.05)	23.68	(19.44 - 28.51)
Region 7B (Ramsey)	17.06	(12.83 - 22.33)	*	(* - *)	23.57	(18.82 - 29.09)
Region 7C	16.82	(13.29 - 21.06)	48.25	(42.16 - 54.39)	21.59	(17.61 - 26.18)
Mississippi	13.69	(11.73 - 15.93)	37.73	(34.61 - 40.96)	27.05	(23.85 - 30.52)
Regions 1 and 2	14.52	(10.71 - 19.39)	40.67	(34.70 - 46.93)	*	(* - *)
Regions 3, 4, 7, and 10	14.97	(11.60 - 19.10)	39.69	(34.10 - 45.56)	23.84	(19.22 - 29.17)
Regions 5, 6, 11, and 15	11.23	(8.47 - 14.75)	33.99	(28.78 - 39.61)	27.95	(22.49 - 34.14)
Regions 8 and 9	12.24	(9.40 - 15.78)	36.19	(30.85 - 41.89)	24.95	(20.16 - 30.44)
Region 12	15.37	(11.42 - 20.37)	36.44	(30.47 - 42.86)	*	(* - *)
Regions 13 and 14	14.85	(11.21 - 19.42)	39.60	(33.55 - 46.00)	28.78	(23.58 - 34.60)
Missouri	14.75	(12.69 - 17.09)	44.67	(41.21 - 48.17)	27.82	(24.83 - 31.03)
Central	14.47	(10.85 - 19.05)	37.60	(31.59 - 44.01)	28.58	(22.85 - 35.08)
Eastern	14.01	(11.20 - 17.39)	46.36	(40.89 - 51.93)	26.78	(22.45 - 31.60)
Northwest	13.91	(10.61 - 18.03)	45.69	(39.90 - 51.59)	27.21	(22.58 - 32.40)
Southeast	17.03	(12.94 - 22.10)	46.00	(39.55 - 52.60)	30.73	(25.05 - 37.06)
Southwest	16.36	(12.49 - 21.14)	45.56	(38.98 - 52.30)	28.29	(23.16 - 34.05)
Montana	16.62	(14.45 - 19.05)	42.88	(39.70 - 46.12)	22.20	(19.66 - 24.96)
Regions 1 and 3	18.43	(14.76 - 22.78)	46.53	(41.27 - 51.87)	20.62	(16.74 - 25.14)
Region 2	16.13	(12.43 - 20.66)	39.25	(33.39 - 45.44)	23.70	(19.00 - 29.14)
Region 4	15.19	(11.80 - 19.35)	42.52	(37.14 - 48.07)	21.29	(17.50 - 25.65)
Region 5	16.26	(12.86 - 20.36)	41.92	(36.98 - 47.02)	23.77	(19.68 - 28.41)

See notes at end of table.

(continued)

Table 10 Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nebraska	15.02	(12.81 - 17.55)	42.47	(39.12 - 45.89)	22.43	(19.87 - 25.20)
Regions 1 and 2	15.82	(11.92 - 20.69)	*	(* - *)	23.47	(18.60 - 29.17)
Region 3	17.25	(13.00 - 22.53)	47.28	(40.68 - 53.98)	22.11	(17.60 - 27.39)
Region 4	15.29	(11.43 - 20.16)	*	(* - *)	22.38	(17.48 - 28.19)
Region 5	14.65	(11.44 - 18.56)	42.60	(37.31 - 48.06)	22.62	(18.65 - 27.15)
Region 6	14.16	(11.09 - 17.90)	40.19	(35.39 - 45.18)	22.11	(18.58 - 26.10)
Nevada	15.24	(12.94 - 17.87)	40.12	(36.32 - 44.05)	29.21	(26.13 - 32.50)
Clark	14.26	(11.62 - 17.37)	38.44	(34.09 - 42.98)	29.22	(25.56 - 33.18)
Rural	18.09	(13.77 - 23.39)	*	(* - *)	29.69	(24.39 - 35.59)
Washoe	16.44	(12.32 - 21.59)	*	(* - *)	28.75	(23.54 - 34.60)
New Hampshire	16.17	(14.01 - 18.60)	42.76	(38.96 - 46.66)	24.57	(21.92 - 27.42)
Central	15.88	(12.57 - 19.87)	40.67	(35.05 - 46.55)	27.00	(22.71 - 31.76)
Northern	16.76	(12.85 - 21.57)	*	(* - *)	24.16	(19.23 - 29.88)
Southern	16.19	(13.49 - 19.30)	44.31	(39.56 - 49.18)	23.52	(20.21 - 27.18)
New Jersey	12.58	(10.91 - 14.48)	39.95	(36.50 - 43.49)	21.61	(19.06 - 24.40)
RHPA I	11.85	(9.02 - 15.42)	38.82	(32.53 - 45.50)	21.03	(16.98 - 25.75)
RHPA IIa (Bergen)	13.01	(9.63 - 17.36)	*	(* - *)	17.64	(13.70 - 22.42)
RHPA IIb (Hudson)	12.89	(9.44 - 17.36)	*	(* - *)	24.84	(19.88 - 30.55)
RHPA III	9.44	(6.92 - 12.75)	31.83	(25.80 - 38.54)	21.77	(17.33 - 26.97)
RHPA IVa	12.29	(9.11 - 16.38)	*	(* - *)	18.64	(14.68 - 23.36)
RHPA IVb (Middlesex)	13.26	(9.79 - 17.73)	*	(* - *)	19.62	(15.31 - 24.78)
RHPA V	13.50	(10.44 - 17.29)	44.55	(38.29 - 50.99)	23.92	(19.18 - 29.40)
RHPA VIa	14.39	(10.79 - 18.94)	*	(* - *)	25.64	(20.33 - 31.78)
RHPA VIb (Monmouth)	14.80	(11.01 - 19.61)	*	(* - *)	20.40	(15.66 - 26.13)
New Mexico	17.74	(15.37 - 20.38)	41.28	(37.78 - 44.87)	25.30	(22.60 - 28.19)
Region 1	17.98	(13.51 - 23.53)	*	(* - *)	*	(* - *)
Region 2	17.85	(14.22 - 22.15)	40.17	(34.25 - 46.39)	22.11	(18.14 - 26.68)
Region 3	15.04	(11.30 - 19.74)	38.90	(33.03 - 45.10)	24.49	(19.89 - 29.75)
Region 4	20.91	(16.60 - 25.99)	44.49	(37.81 - 51.37)	31.64	(26.08 - 37.78)
Region 5 (Bernalillo)	17.15	(13.51 - 21.52)	41.11	(35.86 - 46.57)	23.40	(19.55 - 27.74)
New York	12.46	(11.34 - 13.68)	37.78	(35.83 - 39.78)	22.88	(21.24 - 24.60)
New York City	9.82	(8.27 - 11.62)	31.10	(28.40 - 33.95)	22.34	(19.79 - 25.13)
Remainder of the State	14.24	(12.78 - 15.84)	43.46	(40.89 - 46.07)	23.26	(21.20 - 25.45)
North Carolina	16.01	(14.01 - 18.24)	43.59	(40.24 - 47.01)	28.01	(25.13 - 31.08)
Eastern	16.85	(13.63 - 20.66)	44.80	(39.33 - 50.39)	27.64	(23.03 - 32.79)
North Central	15.19	(11.98 - 19.08)	45.36	(39.27 - 51.59)	28.76	(23.91 - 34.14)
South Central	15.70	(12.61 - 19.37)	41.26	(35.96 - 46.78)	27.13	(22.62 - 32.16)
Western	16.30	(12.94 - 20.32)	43.28	(38.11 - 48.59)	28.32	(23.81 - 33.32)

See notes at end of table.

(continued)

Table 10 Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Dakota	21.08	(18.55 - 23.85)	45.84	(42.53 - 49.18)	25.66	(22.74 - 28.80)
Badlands and West Central	20.22	(16.44 - 24.61)	44.19	(38.47 - 50.06)	23.00	(18.93 - 27.66)
Lake Region and South Central	24.82	(19.76 - 30.68)	48.93	(42.38 - 55.52)	28.51	(23.15 - 34.56)
North Central and Northwest	20.41	(16.28 - 25.26)	44.12	(38.02 - 50.41)	26.41	(21.49 - 32.00)
Northeast	21.79	(16.91 - 27.61)	45.75	(39.78 - 51.84)	27.99	(22.91 - 33.70)
Southeast	19.47	(15.31 - 24.43)	46.70	(41.56 - 51.91)	24.78	(20.09 - 30.16)
Ohio	15.91	(14.72 - 17.19)	44.82	(42.98 - 46.69)	28.70	(27.03 - 30.43)
Boards 2, 46, 55, and 68	19.51	(15.48 - 24.28)	49.31	(43.47 - 55.16)	30.12	(25.11 - 35.65)
Boards 3, 52, and 85	15.66	(11.96 - 20.23)	45.89	(39.81 - 52.09)	25.37	(20.59 - 30.84)
Boards 4 and 78	16.65	(12.55 - 21.77)	46.37	(40.03 - 52.83)	30.97	(25.42 - 37.12)
Boards 5 and 60	18.57	(14.48 - 23.50)	47.53	(41.68 - 53.45)	35.18	(29.57 - 41.23)
Boards 7, 15, 41, 79, and 84	18.00	(14.06 - 22.75)	45.29	(39.69 - 51.02)	32.46	(27.29 - 38.10)
Boards 8, 13, and 83	16.04	(12.42 - 20.46)	48.68	(42.41 - 54.98)	25.76	(21.18 - 30.94)
Board 9 (Butler)	17.19	(13.12 - 22.21)	44.87	(38.39 - 51.52)	27.51	(22.53 - 33.11)
Board 12	18.07	(14.03 - 22.95)	46.43	(40.32 - 52.66)	30.42	(24.79 - 36.71)
Boards 18 and 47	13.79	(11.27 - 16.76)	43.21	(38.86 - 47.67)	26.76	(23.07 - 30.81)
Boards 20, 32, 54, and 69	17.26	(13.47 - 21.84)	46.81	(40.59 - 53.12)	31.04	(25.61 - 37.06)
Boards 21, 39, 51, 70, and 80	14.63	(11.37 - 18.63)	44.11	(37.81 - 50.61)	25.99	(21.67 - 30.83)
Boards 22, 74, and 87	14.87	(11.44 - 19.12)	45.24	(39.08 - 51.54)	26.28	(21.71 - 31.43)
Boards 23 and 45	17.40	(13.30 - 22.43)	47.95	(41.29 - 54.69)	29.40	(24.24 - 35.16)
Board 25 (Franklin)	16.14	(13.29 - 19.46)	44.42	(40.67 - 48.24)	28.46	(24.66 - 32.59)
Boards 27, 71, and 73	16.08	(12.48 - 20.48)	45.70	(39.82 - 51.70)	34.41	(29.25 - 39.97)
Boards 28, 43, and 67	18.74	(14.70 - 23.59)	47.34	(41.54 - 53.22)	25.10	(20.65 - 30.15)
Board 31 (Hamilton)	11.44	(8.89 - 14.61)	37.57	(32.97 - 42.41)	26.85	(22.96 - 31.12)
Board 48 (Lucas)	15.49	(11.95 - 19.85)	40.99	(35.06 - 47.21)	30.17	(24.93 - 35.98)
Board 50 (Mahoning)	17.82	(13.43 - 23.24)	49.51	(42.81 - 56.23)	28.30	(22.96 - 34.32)
Board 57 (Montgomery)	14.54	(11.28 - 18.55)	43.04	(37.87 - 48.38)	28.33	(23.44 - 33.79)
Board 76 (Stark)	16.95	(13.19 - 21.51)	48.50	(42.23 - 54.81)	29.98	(25.10 - 35.37)
Board 77 (Summit)	16.84	(13.26 - 21.16)	45.63	(39.64 - 51.75)	30.90	(26.11 - 36.14)
Oklahoma	15.90	(13.63 - 18.47)	42.21	(38.94 - 45.55)	28.84	(25.78 - 32.11)
Central	16.21	(12.11 - 21.37)	*	(* - *)	26.72	(21.53 - 32.63)
East Central	17.51	(12.95 - 23.26)	*	(* - *)	*	(* - *)
Northeast	14.33	(10.57 - 19.14)	40.16	(33.70 - 46.98)	24.89	(19.73 - 30.88)
Northwest and Southwest	14.50	(11.00 - 18.87)	38.32	(32.51 - 44.49)	27.72	(22.47 - 33.67)
Oklahoma City Metro	16.15	(12.24 - 21.02)	43.93	(38.28 - 49.74)	32.19	(26.70 - 38.22)
Southeast	17.20	(13.12 - 22.23)	39.43	(33.03 - 46.22)	32.84	(27.01 - 39.25)
Tulsa Metro	15.92	(11.74 - 21.23)	41.25	(34.99 - 47.80)	25.70	(20.60 - 31.55)

See notes at end of table.

(continued)

Table 10 Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	12.80	(10.90 - 14.99)	40.07	(36.84 - 43.40)	22.69	(19.82 - 25.83)
Region 1 (Multnomah)	11.99	(9.02 - 15.78)	36.71	(31.09 - 42.71)	23.45	(18.94 - 28.66)
Region 2	12.45	(9.51 - 16.14)	37.07	(31.42 - 43.10)	19.18	(15.18 - 23.93)
Region 3	13.94	(10.92 - 17.62)	43.14	(38.23 - 48.19)	23.28	(18.99 - 28.20)
Region 4	12.42	(9.16 - 16.64)	*	(* - *)	26.07	(20.64 - 32.35)
Region 5	11.92	(8.65 - 16.20)	41.03	(34.56 - 47.82)	22.09	(17.37 - 27.65)
Pennsylvania	15.71	(14.58 - 16.92)	42.36	(40.45 - 44.30)	25.12	(23.57 - 26.73)
Regions 1, 27, and 47	16.12	(13.36 - 19.33)	44.36	(40.09 - 48.70)	27.00	(23.46 - 30.86)
Regions 2, 3, 8, and 9	14.86	(11.71 - 18.69)	44.25	(39.21 - 49.42)	23.60	(19.74 - 27.97)
Regions 4 and 42	13.57	(10.32 - 17.65)	38.82	(33.06 - 44.91)	23.33	(19.18 - 28.05)
Regions 5 and 28	15.47	(11.84 - 19.96)	44.25	(38.01 - 50.68)	26.24	(21.29 - 31.87)
Regions 6, 16, and 39	17.32	(13.47 - 21.99)	41.62	(35.46 - 48.05)	27.27	(22.19 - 33.03)
Region 7 (Bucks)	13.59	(10.52 - 17.39)	44.45	(38.27 - 50.81)	21.53	(17.56 - 26.11)
Regions 10, 15, and 25	20.75	(16.24 - 26.11)	*	(* - *)	26.92	(21.90 - 32.62)
Regions 11, 29, 44, and 48	18.89	(14.91 - 23.62)	44.33	(38.37 - 50.45)	25.64	(21.22 - 30.63)
Regions 12, 35, 41, and 45	17.19	(13.23 - 22.04)	40.94	(35.35 - 46.78)	26.63	(21.76 - 32.14)
Region 13 (Chester)	14.60	(11.07 - 19.02)	42.89	(36.42 - 49.62)	21.32	(16.97 - 26.42)
Regions 14, 31, 36, and 46	15.87	(12.04 - 20.62)	43.51	(37.18 - 50.07)	26.07	(21.03 - 31.84)
Regions 17, 24, and 43	18.01	(14.57 - 22.04)	47.76	(41.85 - 53.73)	27.66	(23.02 - 32.84)
Region 18 (Philadelphia)	14.21	(11.60 - 17.29)	37.79	(33.73 - 42.02)	29.92	(25.55 - 34.68)
Regions 19 and 23	18.08	(13.89 - 23.21)	43.89	(37.28 - 50.72)	24.46	(19.58 - 30.11)
Regions 20, 26, and 40	14.98	(11.61 - 19.13)	42.85	(37.16 - 48.73)	21.85	(18.03 - 26.21)
Regions 21 and 32	14.40	(11.13 - 18.44)	39.79	(33.80 - 46.10)	24.79	(20.12 - 30.12)
Region 22 (Delaware)	14.68	(11.34 - 18.79)	40.82	(35.04 - 46.88)	23.37	(19.12 - 28.23)
Region 30 (Lancaster)	15.36	(11.66 - 19.97)	41.63	(36.03 - 47.45)	22.13	(18.05 - 26.83)
Region 33 (Lehigh)	15.54	(11.68 - 20.37)	41.10	(35.05 - 47.44)	25.00	(20.21 - 30.50)
Region 34	15.58	(11.99 - 20.00)	42.62	(36.32 - 49.17)	28.99	(23.80 - 34.79)
Region 37 (Montgomery)	15.78	(12.56 - 19.64)	43.98	(38.19 - 49.94)	19.29	(15.79 - 23.35)
Region 38 (Northampton)	14.57	(10.98 - 19.07)	39.44	(33.34 - 45.88)	22.80	(18.38 - 27.92)
Region 49	17.41	(13.78 - 21.76)	42.68	(36.99 - 48.58)	24.32	(20.21 - 28.97)
Rhode Island	13.79	(11.61 - 16.31)	40.06	(36.46 - 43.77)	26.32	(23.33 - 29.55)
Bristol and Newport	15.33	(11.29 - 20.47)	*	(* - *)	23.64	(18.75 - 29.35)
Kent	17.39	(13.31 - 22.40)	44.37	(38.01 - 50.91)	28.33	(23.22 - 34.06)
Providence	12.81	(10.14 - 16.07)	38.00	(33.62 - 42.57)	27.54	(23.69 - 31.77)
Washington	12.79	(9.33 - 17.28)	*	(* - *)	20.47	(16.17 - 25.56)
South Carolina	15.63	(13.47 - 18.06)	37.06	(33.86 - 40.37)	25.19	(22.28 - 28.33)
Region 1	19.39	(15.29 - 24.27)	39.07	(33.82 - 44.58)	26.37	(21.66 - 31.69)
Region 2	14.78	(11.79 - 18.38)	35.86	(31.18 - 40.83)	23.91	(19.83 - 28.52)
Region 3	14.72	(11.19 - 19.13)	35.47	(29.82 - 41.57)	25.56	(20.68 - 31.13)
Region 4	13.70	(10.64 - 17.45)	37.45	(32.50 - 42.67)	25.17	(20.78 - 30.14)

See notes at end of table.

(continued)

Table 10 Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	18.86	(16.43 - 21.54)	43.78	(40.45 - 47.18)	24.56	(21.87 - 27.47)
Region 1 (Pennington)	17.70	(13.52 - 22.82)	*	(* - *)	26.56	(21.65 - 32.12)
Region 2	20.86	(16.64 - 25.81)	41.87	(35.88 - 48.11)	25.66	(20.70 - 31.34)
Region 3 (Minnehaha)	18.51	(14.42 - 23.44)	46.22	(40.22 - 52.32)	23.08	(19.05 - 27.67)
Region 4	19.37	(14.70 - 25.10)	43.92	(37.47 - 50.58)	23.92	(19.15 - 29.46)
Region 5	17.51	(13.07 - 23.07)	41.70	(35.42 - 48.26)	24.02	(18.92 - 29.99)
Region 6	16.07	(11.98 - 21.21)	*	(* - *)	23.15	(18.39 - 28.70)
Region 7	20.28	(15.54 - 26.01)	46.82	(40.42 - 53.33)	26.27	(21.27 - 31.97)
Tennessee	16.42	(14.21 - 18.89)	43.93	(40.35 - 47.57)	28.49	(25.47 - 31.70)
Region 1	18.54	(14.15 - 23.91)	*	(* - *)	32.76	(26.77 - 39.37)
Region 2	16.25	(12.65 - 20.64)	45.90	(39.85 - 52.07)	27.01	(22.09 - 32.58)
Region 3	19.06	(14.66 - 24.41)	43.58	(37.21 - 50.16)	31.84	(26.37 - 37.86)
Region 4 (Davidson)	14.87	(11.03 - 19.75)	*	(* - *)	27.11	(21.82 - 33.13)
Region 5	17.74	(14.09 - 22.08)	48.07	(41.79 - 54.42)	27.65	(22.81 - 33.09)
Region 6	18.47	(14.07 - 23.87)	*	(* - *)	29.76	(24.44 - 35.69)
Region 7 (Shelby)	11.13	(8.18 - 14.96)	*	(* - *)	25.27	(20.14 - 31.20)
Texas	12.90	(11.87 - 14.00)	35.71	(33.95 - 37.50)	24.03	(22.44 - 25.70)
Region 1	17.80	(13.95 - 22.45)	41.99	(36.16 - 48.06)	26.67	(21.99 - 31.95)
Regions 2 and 9	14.78	(11.33 - 19.06)	42.55	(36.73 - 48.58)	25.17	(20.37 - 30.66)
Region 3	12.63	(10.84 - 14.66)	34.10	(31.24 - 37.08)	21.86	(19.33 - 24.63)
Region 4	13.67	(10.69 - 17.31)	40.01	(34.30 - 46.02)	28.55	(23.54 - 34.15)
Region 5	16.09	(12.26 - 20.83)	43.16	(36.96 - 49.58)	29.13	(23.83 - 35.08)
Region 6	13.06	(11.28 - 15.06)	32.55	(29.39 - 35.88)	24.63	(21.63 - 27.89)
Region 7	12.38	(9.87 - 15.42)	37.28	(33.48 - 41.23)	23.48	(19.85 - 27.55)
Region 8	11.13	(9.03 - 13.65)	33.65	(29.61 - 37.94)	23.60	(20.09 - 27.51)
Region 10	14.36	(11.08 - 18.40)	35.95	(30.17 - 42.16)	24.60	(19.65 - 30.32)
Region 11	10.53	(8.27 - 13.32)	36.72	(32.24 - 41.44)	23.21	(19.36 - 27.57)
Utah	8.48	(6.74 - 10.62)	26.65	(23.84 - 29.67)	16.12	(13.52 - 19.10)
Bear River, Northeastern, Summit, Tooele, and Wasatch	8.34	(5.73 - 11.98)	30.00	(24.45 - 36.21)	15.87	(11.99 - 20.70)
Central, Four Corners, San Juan, and Southwest	9.34	(6.41 - 13.43)	26.56	(21.14 - 32.79)	*	(* - *)
Davis County	6.48	(4.50 - 9.24)	25.79	(20.78 - 31.54)	14.29	(10.85 - 18.60)
Salt Lake County	10.19	(7.57 - 13.58)	29.86	(25.64 - 34.45)	15.79	(12.52 - 19.72)
Utah County	5.36	(3.53 - 8.05)	18.44	(14.68 - 22.91)	13.90	(10.25 - 18.59)
Weber, Morgan	9.23	(6.38 - 13.19)	*	(* - *)	17.12	(13.04 - 22.16)
Vermont	15.47	(13.47 - 17.72)	44.80	(41.56 - 48.09)	22.09	(19.52 - 24.90)
Champlain Valley	16.20	(13.19 - 19.73)	46.07	(41.60 - 50.60)	20.73	(17.19 - 24.77)
Rural Northeast	13.51	(10.48 - 17.24)	42.80	(36.55 - 49.29)	25.29	(20.63 - 30.60)
Rural Southeast	15.22	(11.79 - 19.44)	40.58	(34.53 - 46.93)	21.95	(17.86 - 26.67)
Rural Southwest	16.93	(13.03 - 21.70)	48.78	(42.27 - 55.34)	20.78	(16.64 - 25.63)

See notes at end of table.

(continued)

Table 10 Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Virginia	12.49	(10.77 - 14.43)	39.83	(36.39 - 43.36)	22.71	(20.13 - 25.51)
Region 1	14.94	(11.34 - 19.43)	43.54	(36.96 - 50.37)	23.31	(18.53 - 28.88)
Region 2	10.38	(7.90 - 13.53)	36.39	(30.44 - 42.78)	15.59	(12.53 - 19.23)
Region 3	16.19	(12.79 - 20.27)	44.66	(38.78 - 50.69)	27.86	(23.07 - 33.21)
Region 4	11.37	(8.46 - 15.10)	41.66	(35.33 - 48.27)	22.41	(17.88 - 27.71)
Region 5	11.13	(8.71 - 14.12)	36.33	(31.23 - 41.76)	26.22	(21.79 - 31.19)
Washington	13.67	(11.75 - 15.85)	35.88	(32.72 - 39.18)	25.53	(22.50 - 28.81)
Region 1	16.93	(12.64 - 22.30)	*	(* - *)	*	(* - *)
Region 2	13.68	(10.15 - 18.18)	*	(* - *)	*	(* - *)
Region 3	12.86	(9.73 - 16.81)	37.11	(31.91 - 42.62)	23.48	(18.94 - 28.72)
Region 4 (King)	11.06	(8.57 - 14.16)	31.69	(27.13 - 36.64)	22.37	(18.31 - 27.03)
Region 5	14.31	(10.87 - 18.60)	37.18	(31.21 - 43.57)	27.58	(22.16 - 33.76)
Region 6	15.07	(11.58 - 19.38)	38.55	(32.38 - 45.12)	27.90	(22.66 - 33.82)
West Virginia	18.43	(16.09 - 21.03)	45.82	(42.55 - 49.13)	29.14	(26.34 - 32.10)
Eastern Highland	18.93	(14.98 - 23.63)	49.48	(43.25 - 55.73)	25.52	(21.06 - 30.56)
Northern	17.47	(13.72 - 21.97)	45.00	(39.47 - 50.66)	26.14	(21.54 - 31.32)
South Central I	18.31	(14.11 - 23.42)	48.62	(42.21 - 55.07)	29.14	(24.06 - 34.80)
South Central II	18.09	(13.98 - 23.09)	44.86	(38.62 - 51.27)	34.67	(28.92 - 40.89)
South Central III	21.01	(16.13 - 26.89)	44.32	(37.90 - 50.94)	31.27	(25.53 - 37.66)
Southern	17.82	(13.65 - 22.91)	43.38	(37.30 - 49.65)	32.02	(26.71 - 37.83)
Wisconsin	16.52	(14.60 - 18.63)	43.36	(40.17 - 46.62)	22.32	(19.77 - 25.10)
Milwaukee	14.13	(10.92 - 18.08)	38.72	(33.07 - 44.70)	25.36	(20.74 - 30.61)
Northeastern	19.89	(16.13 - 24.28)	50.41	(44.39 - 56.42)	22.11	(18.04 - 26.80)
Northern and Western	16.80	(13.37 - 20.89)	43.75	(38.22 - 49.44)	22.92	(18.65 - 27.82)
Southeastern	15.41	(12.25 - 19.21)	41.82	(36.01 - 47.86)	19.06	(15.31 - 23.47)
Southern	15.58	(12.14 - 19.78)	41.44	(35.96 - 47.14)	22.60	(18.22 - 27.68)
Wyoming	18.06	(15.69 - 20.71)	44.55	(41.16 - 47.99)	25.49	(22.74 - 28.45)
Frontier 1	16.27	(12.57 - 20.81)	*	(* - *)	23.63	(18.94 - 29.06)
Frontier 2	16.46	(12.05 - 22.09)	*	(* - *)	22.81	(17.91 - 28.57)
Rural 1	20.50	(16.23 - 25.56)	46.17	(40.25 - 52.20)	27.07	(22.57 - 32.09)
Rural 2	18.37	(14.25 - 23.34)	40.89	(35.68 - 46.31)	26.16	(21.40 - 31.54)
Rural 3 (Laramie)	14.82	(11.36 - 19.12)	42.84	(36.60 - 49.32)	23.95	(19.56 - 28.96)
Rural 4	20.35	(15.42 - 26.38)	*	(* - *)	28.08	(22.65 - 34.23)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 1999-2001 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 1999, 2000, and 2001.

Table 11 Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	15.96		43.91		29.33	
Alabama	17.09	(14.83 - 19.63)	42.31	(38.97 - 45.73)	32.68	(29.37 - 36.18)
Region 1	17.76	(14.14 - 22.07)	46.10	(40.56 - 51.74)	34.68	(29.17 - 40.63)
Region 2	17.62	(14.21 - 21.64)	39.63	(34.51 - 44.99)	33.29	(28.43 - 38.53)
Region 3	15.20	(11.84 - 19.30)	39.32	(33.64 - 45.30)	28.91	(23.84 - 34.56)
Region 4	17.22	(13.63 - 21.52)	44.94	(38.63 - 51.41)	32.18	(26.79 - 38.09)
Alaska	18.69	(16.40 - 21.21)	49.30	(45.80 - 52.82)	32.00	(28.93 - 35.23)
Gulf Coast	18.86	(14.50 - 24.16)	*	(* - *)	35.02	(29.29 - 41.21)
Rural	*	(* - *)	*	(* - *)	*	(* - *)
Southeast	20.39	(15.69 - 26.06)	*	(* - *)	29.75	(24.30 - 35.84)
Urban	15.89	(13.38 - 18.78)	46.95	(42.80 - 51.14)	30.61	(26.97 - 34.51)
Arizona	14.95	(12.89 - 17.27)	40.99	(37.73 - 44.33)	28.58	(25.61 - 31.74)
Maricopa	13.94	(11.52 - 16.77)	40.97	(36.98 - 45.08)	28.05	(24.34 - 32.08)
Pima	16.05	(12.34 - 20.62)	38.83	(32.51 - 45.55)	26.13	(21.32 - 31.59)
Rural North	18.34	(13.80 - 23.96)	*	(* - *)	32.92	(26.94 - 39.52)
Rural South	14.78	(11.29 - 19.12)	*	(* - *)	30.27	(24.52 - 36.71)
Arkansas	19.67	(17.31 - 22.27)	46.33	(42.86 - 49.84)	34.01	(31.02 - 37.14)
Areas 1 and 5	18.54	(14.89 - 22.84)	50.06	(43.36 - 56.76)	35.88	(30.48 - 41.67)
Areas 2 and 3	21.24	(16.49 - 26.92)	*	(* - *)	32.97	(27.20 - 39.30)
Areas 4 and 7	20.30	(16.43 - 24.81)	43.90	(37.61 - 50.40)	34.72	(29.07 - 40.84)
Area 6	23.53	(18.51 - 29.40)	49.75	(43.91 - 55.58)	37.08	(30.82 - 43.80)
Areas 8 and 12	18.93	(14.65 - 24.12)	43.53	(37.14 - 50.14)	35.31	(29.46 - 41.65)
Area 9	18.56	(14.79 - 23.04)	*	(* - *)	28.70	(24.10 - 33.80)
Areas 10, 11, and 13	19.12	(15.08 - 23.92)	*	(* - *)	36.09	(30.17 - 42.47)
California	9.87	(9.02 - 10.78)	33.93	(32.05 - 35.85)	24.47	(22.82 - 26.20)
Region 1	17.05	(13.27 - 21.63)	43.98	(37.33 - 50.86)	*	(* - *)
Region 2	12.46	(10.20 - 15.15)	39.97	(35.03 - 45.12)	25.96	(21.80 - 30.61)
Region 3	13.01	(10.32 - 16.29)	38.41	(32.61 - 44.55)	29.96	(24.91 - 35.55)
Region 4	10.60	(7.87 - 14.13)	37.59	(31.39 - 44.23)	21.01	(17.10 - 25.53)
Region 5	10.18	(7.94 - 12.97)	33.92	(28.83 - 39.40)	23.56	(19.61 - 28.02)
Region 6 (Santa Clara)	8.40	(6.01 - 11.61)	29.65	(24.34 - 35.57)	20.27	(16.48 - 24.68)
Region 7	11.01	(8.30 - 14.47)	*	(* - *)	22.04	(17.87 - 26.87)
Region 8	11.10	(8.85 - 13.84)	34.50	(29.58 - 39.78)	28.10	(23.40 - 33.33)
Region 9	12.71	(9.87 - 16.22)	35.82	(30.20 - 41.86)	33.13	(27.84 - 38.88)
Region 10	10.93	(8.44 - 14.04)	33.49	(27.55 - 40.00)	23.26	(18.71 - 28.53)
Region 11 (Los Angeles)	6.95	(5.71 - 8.43)	29.65	(26.95 - 32.49)	21.87	(19.32 - 24.66)
Region 12	9.79	(7.71 - 12.34)	36.96	(31.78 - 42.47)	28.37	(23.93 - 33.27)
Region 13 (Riverside)	9.55	(7.38 - 12.27)	35.97	(30.33 - 42.03)	28.88	(24.01 - 34.30)
Region 14 (Orange)	10.50	(8.30 - 13.21)	32.60	(27.74 - 37.86)	21.80	(18.25 - 25.84)
Region 15	10.11	(8.02 - 12.67)	36.45	(31.82 - 41.36)	26.44	(22.26 - 31.09)

See notes at end of table.

(continued)

Table 11 Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	19.59	(17.16 - 22.27)	49.57	(45.94 - 53.21)	28.18	(25.25 - 31.32)
Regions 1 and 4	21.38	(17.04 - 26.47)	47.71	(41.26 - 54.23)	30.49	(25.05 - 36.52)
Region 2	17.31	(14.34 - 20.75)	48.77	(43.78 - 53.78)	26.83	(23.16 - 30.86)
Region 3	19.97	(15.41 - 25.46)	*	(* - *)	29.94	(24.43 - 36.10)
Regions 5 and 6	23.78	(18.80 - 29.58)	*	(* - *)	29.34	(23.66 - 35.73)
Region 7 (Boulder)	22.76	(17.73 - 28.73)	*	(* - *)	26.37	(21.12 - 32.39)
Connecticut	19.12	(16.70 - 21.80)	46.11	(42.18 - 50.08)	25.37	(22.44 - 28.54)
Eastern	21.53	(16.98 - 26.91)	*	(* - *)	28.75	(23.31 - 34.88)
North Central	21.01	(17.05 - 25.59)	47.89	(41.76 - 54.08)	23.38	(19.13 - 28.23)
Northwestern	17.23	(13.36 - 21.95)	*	(* - *)	25.78	(20.45 - 31.93)
South Central	17.48	(13.67 - 22.08)	45.01	(38.63 - 51.55)	28.17	(23.21 - 33.74)
Southwest	18.40	(14.30 - 23.35)	*	(* - *)	22.53	(18.20 - 27.55)
Delaware	19.54	(17.13 - 22.20)	48.87	(45.29 - 52.45)	28.99	(26.04 - 32.12)
Kent	18.01	(14.18 - 22.62)	46.71	(40.77 - 52.75)	32.13	(26.75 - 38.04)
New Castle	20.59	(17.60 - 23.93)	49.68	(45.38 - 53.98)	28.30	(24.73 - 32.18)
Sussex	17.30	(13.75 - 21.53)	47.64	(40.96 - 54.41)	28.72	(23.94 - 34.04)
District of Columbia	13.10	(10.80 - 15.79)	37.44	(33.97 - 41.05)	28.65	(25.69 - 31.80)
Ward 1	13.30	(9.56 - 18.21)	*	(* - *)	30.62	(25.14 - 36.72)
Ward 2	*	(* - *)	42.51	(36.51 - 48.74)	29.04	(24.00 - 34.67)
Ward 3	17.60	(13.05 - 23.31)	*	(* - *)	22.59	(17.92 - 28.06)
Ward 4	11.80	(8.65 - 15.90)	*	(* - *)	22.77	(18.10 - 28.22)
Ward 5	11.11	(8.14 - 14.97)	34.54	(28.26 - 41.41)	31.12	(25.31 - 37.60)
Ward 6	11.71	(8.57 - 15.81)	*	(* - *)	29.69	(24.54 - 35.41)
Ward 7	10.56	(7.81 - 14.14)	31.28	(25.38 - 37.85)	31.09	(25.59 - 37.17)
Ward 8	11.85	(8.55 - 16.20)	*	(* - *)	*	(* - *)
Florida	13.04	(11.86 - 14.32)	40.44	(38.38 - 42.55)	29.10	(27.42 - 30.84)
District 1	16.65	(13.04 - 21.01)	50.01	(43.33 - 56.69)	35.57	(30.05 - 41.51)
District 2	15.41	(11.93 - 19.68)	38.89	(32.97 - 45.16)	32.75	(27.43 - 38.55)
District 3	15.01	(11.48 - 19.39)	*	(* - *)	33.72	(27.99 - 39.96)
District 4	13.45	(10.64 - 16.87)	38.91	(33.43 - 44.69)	34.10	(29.18 - 39.39)
District 7	11.75	(9.41 - 14.58)	38.77	(34.61 - 43.11)	29.67	(25.81 - 33.84)
District 8	15.62	(12.35 - 19.57)	46.60	(40.50 - 52.81)	26.45	(22.09 - 31.33)
District 9 (Palm Beach)	12.83	(10.12 - 16.14)	40.73	(35.45 - 46.23)	26.20	(21.67 - 31.30)
District 10 (Broward)	12.90	(10.27 - 16.09)	37.59	(32.08 - 43.45)	24.61	(20.80 - 28.87)
District 11	7.76	(5.70 - 10.47)	29.75	(25.79 - 34.03)	22.42	(19.27 - 25.91)
District 12	13.98	(10.57 - 18.25)	42.08	(35.84 - 48.58)	30.20	(24.94 - 36.04)
District 13	17.62	(13.75 - 22.29)	*	(* - *)	34.50	(28.58 - 40.94)
District 14	12.90	(9.80 - 16.80)	44.54	(38.53 - 50.72)	34.93	(29.58 - 40.68)
District 15	15.09	(11.63 - 19.35)	*	(* - *)	28.60	(23.58 - 34.21)
Suncoast	14.61	(12.28 - 17.30)	47.58	(43.33 - 51.86)	30.94	(27.48 - 34.63)

See notes at end of table.

(continued)

Table 11 Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	15.53	(13.67 - 17.59)	42.48	(39.07 - 45.96)	32.49	(29.28 - 35.88)
Central	13.81	(10.51 - 17.94)	*	(* - *)	*	(* - *)
East Central	13.99	(10.67 - 18.15)	41.60	(34.98 - 48.54)	*	(* - *)
Metro	13.81	(11.08 - 17.08)	38.72	(33.21 - 44.53)	26.11	(21.77 - 30.96)
North	19.72	(16.23 - 23.74)	50.89	(44.56 - 57.19)	35.27	(29.94 - 40.99)
Southeast	14.32	(10.99 - 18.45)	*	(* - *)	34.12	(28.16 - 40.62)
Southwest	17.34	(13.45 - 22.06)	*	(* - *)	*	(* - *)
West Central	13.87	(10.69 - 17.81)	*	(* - *)	35.18	(29.07 - 41.83)
Hawaii	12.63	(10.64 - 14.93)	42.14	(38.38 - 45.99)	23.21	(20.51 - 26.16)
Hawaii Island	12.30	(9.07 - 16.48)	*	(* - *)	29.18	(23.53 - 35.56)
Honolulu	12.93	(10.62 - 15.65)	41.46	(37.24 - 45.80)	21.85	(18.85 - 25.18)
Kalawao, Kauai, and Maui	11.63	(8.61 - 15.53)	*	(* - *)	24.84	(20.05 - 30.34)
Idaho	13.62	(11.69 - 15.81)	40.52	(37.28 - 43.85)	30.02	(26.99 - 33.23)
Region 1	17.25	(13.30 - 22.07)	46.32	(39.59 - 53.20)	31.48	(25.99 - 37.54)
Region 2	14.56	(10.95 - 19.09)	*	(* - *)	30.39	(24.80 - 36.63)
Region 3	15.02	(11.40 - 19.55)	44.52	(38.00 - 51.23)	33.11	(27.66 - 39.06)
Region 4	14.57	(11.30 - 18.58)	41.53	(35.96 - 47.34)	30.43	(25.39 - 35.99)
Region 5	11.36	(8.53 - 14.97)	38.39	(32.14 - 45.05)	28.60	(23.34 - 34.52)
Region 6	12.73	(9.63 - 16.66)	36.58	(30.61 - 43.00)	29.73	(24.32 - 35.78)
Region 7	10.08	(7.45 - 13.50)	*	(* - *)	24.75	(19.87 - 30.38)
Illinois	17.58	(16.40 - 18.84)	47.38	(45.32 - 49.44)	30.29	(28.64 - 31.99)
Region I (Cook)	16.11	(14.28 - 18.13)	44.76	(41.81 - 47.75)	30.83	(28.15 - 33.66)
Region II	17.09	(15.21 - 19.16)	47.91	(44.63 - 51.20)	26.56	(24.06 - 29.23)
Region III	21.07	(17.74 - 24.84)	51.21	(46.56 - 55.83)	31.70	(27.45 - 36.29)
Region IV	21.99	(18.27 - 26.22)	55.11	(49.90 - 60.20)	35.61	(30.87 - 40.64)
Region V	17.95	(15.03 - 21.30)	47.37	(42.98 - 51.79)	32.91	(28.68 - 37.43)
Indiana	18.37	(16.21 - 20.74)	46.39	(43.05 - 49.77)	33.29	(30.28 - 36.45)
Central	16.75	(13.29 - 20.88)	43.55	(37.42 - 49.89)	30.87	(25.96 - 36.26)
East	18.48	(14.23 - 23.65)	*	(* - *)	35.16	(29.22 - 41.60)
North Central	18.04	(14.19 - 22.66)	46.58	(40.17 - 53.10)	31.87	(26.35 - 37.95)
Northeast	18.57	(14.55 - 23.39)	*	(* - *)	32.80	(27.32 - 38.79)
Northwest	17.20	(13.38 - 21.84)	*	(* - *)	33.29	(27.42 - 39.72)
Southeast and Southwest	21.34	(17.48 - 25.79)	51.88	(44.99 - 58.70)	37.15	(31.44 - 43.23)
West	18.27	(14.08 - 23.37)	46.67	(40.87 - 52.56)	32.66	(26.99 - 38.89)
Iowa	17.62	(15.41 - 20.06)	50.35	(47.00 - 53.69)	29.49	(26.64 - 32.52)
Central	15.47	(11.97 - 19.76)	*	(* - *)	28.52	(23.74 - 33.84)
North Central	16.32	(12.67 - 20.77)	46.22	(40.47 - 52.06)	28.89	(23.48 - 34.97)
Northeast	16.85	(13.28 - 21.14)	47.48	(41.61 - 53.42)	27.74	(23.20 - 32.80)
Northwest	19.00	(15.15 - 23.56)	49.59	(43.11 - 56.08)	29.90	(24.62 - 35.78)
Southeast and Southwest	19.03	(15.65 - 22.95)	56.11	(50.81 - 61.28)	31.40	(27.07 - 36.08)

See notes at end of table.

(continued)

Table 11 Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	16.22	(13.98 - 18.74)	46.63	(42.96 - 50.33)	30.93	(28.06 - 33.96)
Region 1	15.38	(12.03 - 19.44)	42.70	(36.82 - 48.79)	31.41	(26.42 - 36.88)
Region 2	19.40	(14.96 - 24.77)	*	(* - *)	33.36	(27.71 - 39.54)
Region 3	16.22	(12.66 - 20.54)	44.79	(38.17 - 51.59)	30.23	(24.99 - 36.04)
Region 4	15.66	(12.50 - 19.44)	48.47	(42.70 - 54.28)	29.18	(24.98 - 33.78)
Region 5	15.37	(11.64 - 20.02)	45.65	(39.06 - 52.40)	*	(* - *)
Kentucky	26.63	(23.86 - 29.61)	54.74	(51.46 - 57.98)	37.36	(34.02 - 40.82)
Adanta, Cumberland River, and Lifeskills	26.37	(21.68 - 31.67)	55.99	(50.01 - 61.80)	37.44	(31.98 - 43.24)
Bluegrass, Comprehend, and North Key	28.71	(23.84 - 34.13)	54.77	(49.16 - 60.27)	38.67	(32.95 - 44.73)
Communicare and River Valley	26.56	(21.44 - 32.40)	*	(* - *)	*	(* - *)
Four Rivers and Pennyroyal	25.68	(20.74 - 31.34)	54.95	(48.66 - 61.08)	37.83	(31.75 - 44.31)
Kentucky River, Mountain, and Pathways	27.33	(22.35 - 32.96)	58.88	(52.44 - 65.03)	39.94	(33.72 - 46.50)
Seven Counties	24.12	(19.72 - 29.14)	50.36	(44.63 - 56.07)	33.29	(28.12 - 38.89)
Louisiana	17.52	(15.39 - 19.87)	44.99	(41.84 - 48.17)	33.91	(30.80 - 37.16)
Region 1	12.45	(9.29 - 16.49)	37.30	(30.98 - 44.10)	29.35	(23.62 - 35.80)
Regions 2 and 9	18.65	(15.01 - 22.93)	43.99	(38.49 - 49.63)	31.80	(26.86 - 37.19)
Region 3	18.55	(14.46 - 23.48)	*	(* - *)	*	(* - *)
Region 4	16.36	(12.87 - 20.57)	44.31	(38.12 - 50.68)	35.85	(30.26 - 41.86)
Regions 5 and 6	16.03	(12.40 - 20.49)	*	(* - *)	34.54	(28.40 - 41.25)
Regions 7 and 8	20.67	(16.70 - 25.29)	49.97	(43.93 - 56.00)	35.38	(29.97 - 41.19)
Region 10 (Jefferson)	17.16	(13.00 - 22.30)	*	(* - *)	33.60	(27.85 - 39.89)
Maine	16.80	(14.62 - 19.23)	50.02	(46.52 - 53.53)	28.02	(25.33 - 30.87)
Region 1	16.22	(13.19 - 19.79)	48.72	(43.68 - 53.78)	24.23	(20.50 - 28.39)
Region 2	17.10	(14.15 - 20.53)	52.41	(46.97 - 57.79)	29.79	(25.75 - 34.18)
Region 3	17.10	(13.65 - 21.22)	48.36	(42.34 - 54.41)	30.58	(25.99 - 35.59)
Maryland	16.20	(14.06 - 18.60)	39.87	(36.56 - 43.29)	26.45	(23.43 - 29.70)
Central and Eastern Shore	17.66	(14.56 - 21.25)	42.85	(38.08 - 47.76)	29.71	(25.09 - 34.79)
Southern	15.11	(12.22 - 18.52)	36.37	(31.58 - 41.44)	26.86	(22.54 - 31.68)
Western	15.12	(11.89 - 19.04)	39.15	(33.57 - 45.03)	20.99	(16.95 - 25.70)
Massachusetts	17.15	(15.07 - 19.45)	47.18	(43.55 - 50.83)	24.74	(21.92 - 27.80)
Boston	15.42	(11.56 - 20.27)	44.32	(37.68 - 51.17)	25.49	(20.91 - 30.69)
Central	17.47	(13.67 - 22.07)	*	(* - *)	25.09	(20.24 - 30.65)
Metrowest	16.61	(13.20 - 20.69)	44.90	(38.42 - 51.56)	20.72	(16.67 - 25.45)
Northeast	17.70	(13.91 - 22.26)	50.00	(43.40 - 56.61)	24.59	(19.84 - 30.04)
Southeast	18.40	(14.82 - 22.61)	52.56	(45.85 - 59.18)	28.76	(23.83 - 34.25)
Western	16.49	(12.71 - 21.12)	*	(* - *)	25.33	(20.31 - 31.10)

See notes at end of table.

(continued)

Table 11 Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Michigan	17.25	(16.05 - 18.51)	49.34	(47.28 - 51.41)	30.77	(29.12 - 32.46)
Bay and Saginaw	18.91	(15.49 - 22.88)	51.99	(46.56 - 57.37)	31.19	(26.72 - 36.04)
Detroit City	12.22	(9.81 - 15.11)	41.45	(36.61 - 46.46)	35.77	(31.06 - 40.76)
Genesee	17.87	(14.14 - 22.33)	49.92	(43.29 - 56.56)	31.71	(26.83 - 37.03)
Kalamazoo	19.15	(15.48 - 23.44)	50.44	(44.23 - 56.63)	29.61	(24.99 - 34.70)
Kent	17.80	(14.49 - 21.67)	45.41	(39.74 - 51.21)	30.66	(26.12 - 35.61)
Lakeshore	15.37	(12.46 - 18.83)	46.28	(40.71 - 51.93)	28.72	(24.37 - 33.52)
Macomb	16.28	(13.20 - 19.91)	50.83	(45.50 - 56.14)	31.68	(27.63 - 36.02)
Mid South	17.33	(14.48 - 20.62)	52.56	(48.22 - 56.86)	30.62	(26.62 - 34.93)
Northern	19.72	(16.52 - 23.38)	50.82	(45.60 - 56.03)	36.45	(31.66 - 41.53)
Oakland	16.12	(13.58 - 19.02)	49.90	(45.04 - 54.77)	23.26	(19.97 - 26.91)
Pathways and Western	23.55	(19.09 - 28.69)	55.12	(48.46 - 61.61)	34.20	(28.34 - 40.59)
Southeast	17.83	(15.12 - 20.91)	49.68	(45.09 - 54.27)	32.14	(28.31 - 36.22)
St. Clair	22.56	(18.18 - 27.65)	54.87	(48.12 - 61.44)	31.94	(26.69 - 37.69)
Washtenaw	16.31	(12.87 - 20.44)	49.41	(43.83 - 55.01)	25.65	(21.59 - 30.19)
Minnesota	20.71	(18.38 - 23.26)	51.91	(48.64 - 55.17)	30.13	(27.26 - 33.17)
Regions 1 and 2	23.69	(18.84 - 29.35)	53.91	(47.34 - 60.34)	35.86	(29.85 - 42.34)
Regions 3 and 4	23.83	(19.11 - 29.31)	56.90	(49.99 - 63.55)	30.19	(24.80 - 36.19)
Regions 5 and 6	22.94	(18.66 - 27.85)	51.52	(45.50 - 57.49)	28.44	(23.48 - 33.99)
Region 7A (Hennepin)	16.91	(13.49 - 20.99)	47.94	(42.10 - 53.84)	29.43	(24.75 - 34.60)
Region 7B (Ramsey)	16.93	(12.91 - 21.89)	*	(* - *)	28.19	(23.01 - 34.02)
Region 7C	19.76	(15.98 - 24.19)	53.96	(47.59 - 60.20)	30.42	(25.66 - 35.64)
Mississippi	18.26	(15.98 - 20.77)	44.53	(41.24 - 47.86)	34.18	(30.90 - 37.62)
Regions 1 and 2	18.66	(14.31 - 23.94)	48.43	(42.11 - 54.80)	*	(* - *)
Regions 3, 4, 7, and 10	19.00	(15.30 - 23.36)	46.27	(40.45 - 52.19)	31.67	(26.61 - 37.21)
Regions 5, 6, 11, and 15	15.50	(12.08 - 19.67)	40.13	(34.10 - 46.47)	35.57	(29.39 - 42.26)
Regions 8 and 9	17.63	(14.27 - 21.59)	42.74	(36.92 - 48.77)	30.56	(25.45 - 36.19)
Region 12	19.72	(15.29 - 25.06)	42.38	(35.94 - 49.08)	34.22	(28.12 - 40.88)
Regions 13 and 14	20.19	(15.87 - 25.33)	*	(* - *)	36.83	(30.61 - 43.51)
Missouri	18.01	(15.62 - 20.66)	51.16	(47.71 - 54.60)	34.53	(31.38 - 37.82)
Central	17.45	(13.33 - 22.52)	45.53	(38.82 - 52.39)	*	(* - *)
Eastern	17.21	(13.98 - 20.99)	51.53	(45.79 - 57.22)	32.48	(27.96 - 37.35)
Northwest	16.76	(13.22 - 21.03)	50.47	(44.71 - 56.22)	34.26	(29.28 - 39.61)
Southeast	20.96	(16.69 - 25.98)	55.13	(48.40 - 61.69)	39.03	(32.81 - 45.62)
Southwest	20.11	(15.79 - 25.25)	54.27	(47.42 - 60.96)	36.66	(30.72 - 43.04)
Montana	20.45	(18.02 - 23.10)	51.72	(48.38 - 55.05)	30.58	(27.71 - 33.60)
Regions 1 and 3	21.69	(17.71 - 26.28)	55.00	(49.75 - 60.14)	29.54	(25.02 - 34.50)
Region 2	20.25	(16.28 - 24.88)	50.28	(43.94 - 56.62)	32.80	(27.29 - 38.82)
Region 4	20.42	(16.62 - 24.84)	51.82	(46.07 - 57.52)	29.37	(25.13 - 34.00)
Region 5	19.32	(15.72 - 23.52)	49.57	(44.38 - 54.77)	31.48	(26.89 - 36.47)

See notes at end of table.

(continued)

Table 11 Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nebraska	17.30	(15.03 - 19.84)	50.20	(46.68 - 53.72)	30.41	(27.61 - 33.36)
Regions 1 and 2	18.90	(14.72 - 23.93)	*	(* - *)	30.36	(24.66 - 36.74)
Region 3	20.23	(15.87 - 25.41)	*	(* - *)	28.88	(23.64 - 34.74)
Region 4	17.09	(13.09 - 22.01)	*	(* - *)	31.78	(25.95 - 38.23)
Region 5	16.78	(13.49 - 20.69)	49.89	(44.21 - 55.58)	30.47	(25.86 - 35.51)
Region 6	16.21	(13.03 - 19.99)	48.97	(43.72 - 54.25)	30.47	(26.40 - 34.86)
Nevada	17.12	(14.76 - 19.77)	44.54	(40.46 - 48.69)	34.19	(30.79 - 37.75)
Clark	16.00	(13.32 - 19.10)	43.56	(38.84 - 48.40)	34.57	(30.50 - 38.88)
Rural	19.60	(15.44 - 24.56)	*	(* - *)	35.22	(29.68 - 41.19)
Washoe	19.19	(14.97 - 24.25)	*	(* - *)	31.77	(26.58 - 37.45)
New Hampshire	17.60	(15.43 - 20.01)	46.90	(43.15 - 50.69)	28.57	(25.68 - 31.65)
Central	17.37	(13.98 - 21.37)	45.22	(39.26 - 51.32)	30.89	(26.44 - 35.72)
Northern	18.70	(14.73 - 23.44)	*	(* - *)	29.02	(23.68 - 35.02)
Southern	17.47	(14.76 - 20.56)	47.72	(43.06 - 52.42)	27.38	(23.90 - 31.17)
New Jersey	14.61	(12.87 - 16.54)	43.29	(39.77 - 46.87)	25.47	(22.70 - 28.45)
RHPA I	13.42	(10.48 - 17.04)	*	(* - *)	25.45	(20.75 - 30.80)
RHPA IIa (Bergen)	14.31	(10.92 - 18.55)	*	(* - *)	19.79	(15.51 - 24.90)
RHPA IIb (Hudson)	13.80	(10.51 - 17.91)	*	(* - *)	25.54	(20.55 - 31.27)
RHPA III	11.25	(8.51 - 14.74)	33.38	(27.21 - 40.18)	23.97	(19.37 - 29.26)
RHPA IVa	14.83	(11.43 - 19.03)	*	(* - *)	23.97	(19.34 - 29.29)
RHPA IVb (Middlesex)	15.43	(11.82 - 19.89)	*	(* - *)	23.08	(18.31 - 28.65)
RHPA V	16.06	(12.73 - 20.07)	48.30	(41.82 - 54.83)	29.41	(24.01 - 35.46)
RHPA VIa	17.15	(13.33 - 21.79)	*	(* - *)	30.76	(24.96 - 37.24)
RHPA VIb (Monmouth)	17.09	(13.10 - 21.97)	*	(* - *)	25.39	(20.11 - 31.51)
New Mexico	20.06	(17.69 - 22.66)	47.49	(43.90 - 51.11)	29.23	(26.39 - 32.23)
Region 1	22.68	(17.81 - 28.41)	*	(* - *)	*	(* - *)
Region 2	20.23	(16.63 - 24.39)	44.74	(38.55 - 51.10)	26.26	(22.18 - 30.80)
Region 3	16.67	(13.02 - 21.11)	44.36	(37.99 - 50.92)	28.86	(23.84 - 34.47)
Region 4	22.38	(18.15 - 27.27)	*	(* - *)	35.52	(30.05 - 41.40)
Region 5 (Bernalillo)	19.33	(15.57 - 23.74)	47.58	(42.07 - 53.14)	26.21	(22.08 - 30.81)
New York	13.64	(12.46 - 14.91)	40.59	(38.47 - 42.75)	25.54	(23.88 - 27.28)
New York City	10.03	(8.42 - 11.90)	32.43	(29.64 - 35.35)	23.12	(20.61 - 25.84)
Remainder of the State	16.07	(14.59 - 17.66)	47.54	(44.89 - 50.20)	27.28	(25.22 - 29.44)
North Carolina	18.64	(16.56 - 20.92)	49.35	(45.96 - 52.74)	33.54	(30.55 - 36.66)
Eastern	19.26	(15.89 - 23.16)	51.22	(45.42 - 56.98)	32.11	(27.44 - 37.17)
North Central	18.03	(14.63 - 22.03)	51.13	(44.84 - 57.39)	34.20	(28.94 - 39.89)
South Central	17.70	(14.48 - 21.45)	45.51	(39.76 - 51.38)	33.74	(28.93 - 38.92)
Western	19.41	(15.93 - 23.43)	49.77	(44.31 - 55.24)	33.76	(29.09 - 38.76)

See notes at end of table.

(continued)

Table 11 Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Dakota	24.39	(21.79 - 27.20)	52.35	(49.02 - 55.66)	31.47	(28.42 - 34.68)
Badlands and West Central	24.01	(20.05 - 28.48)	49.58	(43.72 - 55.44)	28.81	(24.41 - 33.65)
Lake Region and South Central	27.43	(22.32 - 33.21)	56.71	(49.99 - 63.19)	34.96	(29.06 - 41.35)
North Central and Northwest	23.40	(19.14 - 28.28)	51.87	(45.33 - 58.35)	31.94	(26.64 - 37.75)
Northeast	25.57	(20.42 - 31.51)	52.68	(46.41 - 58.86)	33.47	(27.68 - 39.79)
Southeast	22.70	(18.30 - 27.80)	52.60	(47.43 - 57.72)	30.55	(25.50 - 36.13)
Ohio	18.69	(17.47 - 19.97)	51.41	(49.43 - 53.38)	33.44	(31.71 - 35.21)
Boards 2, 46, 55, and 68	21.84	(17.77 - 26.54)	55.29	(49.25 - 61.18)	34.20	(28.96 - 39.85)
Boards 3, 52, and 85	20.27	(16.05 - 25.27)	52.69	(46.18 - 59.11)	29.67	(24.61 - 35.28)
Boards 4 and 78	21.00	(16.65 - 26.14)	*	(* - *)	35.88	(30.05 - 42.15)
Boards 5 and 60	21.74	(17.69 - 26.42)	54.70	(48.31 - 60.95)	39.41	(33.76 - 45.37)
Boards 7, 15, 41, 79, and 84	21.74	(17.54 - 26.63)	52.97	(46.86 - 59.00)	38.28	(32.71 - 44.16)
Boards 8, 13, and 83	18.78	(14.97 - 23.29)	54.71	(48.43 - 60.83)	31.90	(26.78 - 37.49)
Board 9 (Butler)	20.22	(16.12 - 25.05)	52.08	(45.25 - 58.84)	32.58	(26.96 - 38.74)
Board 12	19.78	(15.77 - 24.50)	54.97	(48.33 - 61.44)	34.51	(28.69 - 40.83)
Boards 18 and 47	15.79	(13.33 - 18.62)	48.79	(44.26 - 53.34)	31.36	(27.52 - 35.47)
Boards 20, 32, 54, and 69	19.83	(15.75 - 24.65)	*	(* - *)	38.02	(31.97 - 44.46)
Boards 21, 39, 51, 70, and 80	17.42	(13.85 - 21.68)	*	(* - *)	30.27	(25.44 - 35.58)
Boards 22, 74, and 87	18.20	(14.61 - 22.44)	52.30	(45.76 - 58.77)	31.67	(26.71 - 37.08)
Boards 23 and 45	21.84	(17.41 - 27.03)	*	(* - *)	34.63	(29.20 - 40.51)
Board 25 (Franklin)	18.02	(15.14 - 21.31)	49.96	(45.88 - 54.04)	32.84	(28.85 - 37.10)
Boards 27, 71, and 73	20.41	(16.51 - 24.96)	57.60	(51.69 - 63.30)	41.67	(35.87 - 47.72)
Boards 28, 43, and 67	21.41	(17.36 - 26.10)	53.25	(47.11 - 59.29)	28.66	(23.99 - 33.84)
Board 31 (Hamilton)	13.52	(10.99 - 16.54)	42.26	(37.49 - 47.17)	31.39	(27.32 - 35.77)
Board 48 (Lucas)	17.88	(14.26 - 22.19)	46.61	(40.04 - 53.30)	33.42	(27.96 - 39.36)
Board 50 (Mahoning)	21.29	(16.72 - 26.70)	58.01	(51.17 - 64.56)	34.15	(28.51 - 40.28)
Board 57 (Montgomery)	16.24	(13.07 - 19.99)	49.52	(43.79 - 55.25)	31.35	(26.09 - 37.13)
Board 76 (Stark)	20.19	(16.20 - 24.87)	*	(* - *)	35.06	(29.62 - 40.91)
Board 77 (Summit)	20.60	(16.64 - 25.21)	53.74	(47.56 - 59.80)	35.54	(30.49 - 40.93)
Oklahoma	19.17	(16.73 - 21.88)	48.84	(45.40 - 52.30)	37.02	(33.67 - 40.51)
Central	19.73	(15.30 - 25.06)	53.55	(46.68 - 60.29)	36.88	(30.66 - 43.57)
East Central	21.62	(16.85 - 27.29)	*	(* - *)	*	(* - *)
Northeast	18.16	(13.79 - 23.53)	*	(* - *)	34.11	(28.18 - 40.58)
Northwest and Southwest	17.43	(13.66 - 21.99)	46.97	(40.71 - 53.33)	35.48	(29.54 - 41.90)
Oklahoma City Metro	18.63	(14.76 - 23.25)	47.64	(41.84 - 53.50)	39.04	(33.09 - 45.33)
Southeast	21.21	(16.86 - 26.33)	*	(* - *)	40.70	(34.27 - 47.47)
Tulsa Metro	18.77	(14.47 - 23.99)	*	(* - *)	33.11	(27.21 - 39.59)

See notes at end of table.

(continued)

Table 11 Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	14.85	(12.82 - 17.14)	46.42	(43.16 - 49.71)	28.06	(25.07 - 31.25)
Region 1 (Multnomah)	12.53	(9.46 - 16.42)	42.28	(36.28 - 48.52)	26.14	(21.55 - 31.33)
Region 2	15.09	(11.89 - 18.97)	44.16	(38.17 - 50.31)	25.36	(20.86 - 30.46)
Region 3	16.20	(13.06 - 19.91)	49.63	(44.75 - 54.53)	28.52	(24.02 - 33.50)
Region 4	14.08	(10.65 - 18.39)	*	(* - *)	32.67	(26.68 - 39.30)
Region 5	14.81	(11.20 - 19.32)	*	(* - *)	29.17	(23.59 - 35.46)
Pennsylvania	18.26	(16.96 - 19.63)	48.94	(46.93 - 50.95)	30.73	(29.09 - 32.41)
Regions 1, 27, and 47	19.34	(16.47 - 22.59)	52.35	(47.82 - 56.84)	32.72	(28.97 - 36.70)
Regions 2, 3, 8, and 9	20.32	(16.76 - 24.41)	54.26	(48.93 - 59.49)	31.89	(27.56 - 36.54)
Regions 4 and 42	16.26	(12.84 - 20.39)	45.96	(39.66 - 52.39)	30.23	(25.44 - 35.49)
Regions 5 and 28	19.73	(15.47 - 24.83)	*	(* - *)	32.35	(27.06 - 38.13)
Regions 6, 16, and 39	20.38	(16.45 - 24.95)	50.31	(43.61 - 57.00)	33.86	(28.40 - 39.79)
Region 7 (Bucks)	15.86	(12.57 - 19.83)	48.07	(41.84 - 54.36)	25.82	(21.44 - 30.74)
Regions 10, 15, and 25	25.03	(20.20 - 30.56)	*	(* - *)	36.80	(30.86 - 43.17)
Regions 11, 29, 44, and 48	20.97	(16.83 - 25.82)	51.64	(44.95 - 58.26)	30.82	(25.99 - 36.12)
Regions 12, 35, 41, and 45	20.88	(16.68 - 25.81)	49.67	(43.97 - 55.37)	31.41	(26.17 - 37.16)
Region 13 (Chester)	17.68	(13.85 - 22.28)	*	(* - *)	27.41	(22.52 - 32.90)
Regions 14, 31, 36, and 46	20.37	(16.25 - 25.22)	*	(* - *)	31.63	(25.87 - 38.02)
Regions 17, 24, and 43	22.93	(18.97 - 27.45)	58.37	(52.61 - 63.91)	34.27	(29.20 - 39.74)
Region 18 (Philadelphia)	15.04	(12.44 - 18.07)	42.10	(37.67 - 46.66)	33.20	(28.70 - 38.04)
Regions 19 and 23	20.06	(15.92 - 24.95)	*	(* - *)	30.51	(25.04 - 36.60)
Regions 20, 26, and 40	17.25	(13.68 - 21.52)	49.38	(43.39 - 55.39)	28.02	(23.53 - 33.00)
Regions 21 and 32	15.57	(12.12 - 19.77)	43.78	(37.34 - 50.44)	30.41	(25.41 - 35.92)
Region 22 (Delaware)	16.68	(13.27 - 20.76)	44.78	(38.94 - 50.76)	27.99	(23.18 - 33.37)
Region 30 (Lancaster)	16.95	(13.25 - 21.42)	48.98	(42.95 - 55.04)	27.26	(22.61 - 32.47)
Region 33 (Lehigh)	16.32	(12.68 - 20.75)	45.67	(39.18 - 52.31)	29.53	(24.32 - 35.33)
Region 34	18.65	(14.84 - 23.17)	*	(* - *)	33.47	(27.94 - 39.49)
Region 37 (Montgomery)	17.30	(13.89 - 21.34)	48.95	(42.65 - 55.28)	24.43	(20.35 - 29.03)
Region 38 (Northampton)	15.43	(11.77 - 19.98)	*	(* - *)	28.86	(23.65 - 34.71)
Region 49	19.35	(15.63 - 23.71)	47.92	(41.45 - 54.47)	31.58	(26.68 - 36.94)
Rhode Island	15.57	(13.32 - 18.12)	44.07	(40.36 - 47.85)	29.73	(26.77 - 32.86)
Bristol and Newport	18.38	(14.08 - 23.63)	*	(* - *)	26.83	(21.57 - 32.85)
Kent	19.54	(15.49 - 24.34)	49.05	(42.27 - 55.86)	34.57	(29.06 - 40.52)
Providence	13.89	(11.21 - 17.09)	41.44	(36.95 - 46.08)	29.65	(25.90 - 33.70)
Washington	16.26	(12.33 - 21.13)	*	(* - *)	26.50	(21.59 - 32.08)
South Carolina	18.25	(15.98 - 20.76)	42.53	(39.24 - 45.88)	31.70	(28.61 - 34.96)
Region 1	21.75	(17.60 - 26.57)	44.95	(38.97 - 51.08)	32.25	(27.19 - 37.77)
Region 2	17.68	(14.31 - 21.65)	41.00	(36.03 - 46.17)	32.35	(27.46 - 37.65)
Region 3	16.89	(13.33 - 21.17)	41.51	(35.42 - 47.86)	32.38	(27.31 - 37.90)
Region 4	16.54	(13.32 - 20.35)	42.54	(37.36 - 47.88)	29.91	(25.18 - 35.11)

See notes at end of table.

(continued)

Table 11 Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	21.91	(19.46 - 24.57)	51.68	(48.36 - 54.97)	30.29	(27.37 - 33.37)
Region 1 (Pennington)	21.05	(16.61 - 26.29)	51.86	(45.07 - 58.58)	31.82	(26.35 - 37.85)
Region 2	26.17	(21.47 - 31.48)	51.83	(45.63 - 57.97)	32.71	(26.84 - 39.17)
Region 3 (Minnehaha)	21.30	(17.16 - 26.13)	54.03	(47.76 - 60.19)	28.56	(24.06 - 33.52)
Region 4	21.89	(17.33 - 27.26)	53.01	(46.45 - 59.46)	30.98	(25.62 - 36.91)
Region 5	18.97	(14.38 - 24.61)	*	(* - *)	28.18	(22.59 - 34.54)
Region 6	18.33	(14.06 - 23.56)	*	(* - *)	28.47	(23.05 - 34.59)
Region 7	22.47	(17.81 - 27.93)	53.43	(46.78 - 59.95)	31.28	(26.10 - 36.96)
Tennessee	19.19	(16.95 - 21.64)	48.17	(44.62 - 51.74)	34.78	(31.65 - 38.04)
Region 1	21.93	(17.30 - 27.38)	*	(* - *)	*	(* - *)
Region 2	20.11	(16.24 - 24.64)	52.21	(46.07 - 58.27)	34.27	(28.79 - 40.20)
Region 3	21.75	(17.29 - 26.99)	49.02	(42.42 - 55.65)	37.79	(32.03 - 43.92)
Region 4 (Davidson)	16.56	(12.58 - 21.47)	*	(* - *)	31.53	(25.89 - 37.77)
Region 5	20.30	(16.39 - 24.85)	52.20	(45.68 - 58.65)	34.43	(29.19 - 40.09)
Region 6	20.91	(16.43 - 26.22)	*	(* - *)	34.33	(28.68 - 40.47)
Region 7 (Shelby)	13.63	(10.17 - 18.02)	*	(* - *)	*	(* - *)
Texas	15.20	(14.09 - 16.39)	40.76	(38.81 - 42.74)	28.64	(26.93 - 30.42)
Region 1	20.97	(16.90 - 25.71)	48.75	(42.35 - 55.18)	31.93	(26.74 - 37.61)
Regions 2 and 9	19.24	(15.49 - 23.65)	49.95	(43.72 - 56.18)	32.04	(26.58 - 38.03)
Region 3	14.98	(13.01 - 17.20)	38.91	(35.75 - 42.16)	26.50	(23.76 - 29.43)
Region 4	18.03	(14.49 - 22.21)	45.93	(39.69 - 52.31)	35.00	(29.56 - 40.86)
Region 5	19.92	(15.89 - 24.67)	48.31	(41.84 - 54.84)	33.93	(28.23 - 40.13)
Region 6	14.89	(13.02 - 16.97)	37.74	(34.41 - 41.18)	28.80	(25.76 - 32.05)
Region 7	16.19	(13.21 - 19.69)	44.08	(40.11 - 48.13)	30.44	(26.19 - 35.05)
Region 8	13.65	(11.29 - 16.41)	36.96	(32.43 - 41.74)	26.87	(23.09 - 31.02)
Region 10	13.82	(10.70 - 17.67)	*	(* - *)	26.50	(21.61 - 32.06)
Region 11	9.91	(7.79 - 12.53)	39.04	(34.34 - 43.96)	25.43	(21.47 - 29.83)
Utah	9.92	(8.07 - 12.14)	29.23	(26.34 - 32.30)	19.14	(16.23 - 22.42)
Bear River, Northeastern, Summit, Tooele, and Wasatch	11.22	(8.05 - 15.43)	32.74	(26.95 - 39.10)	20.07	(15.39 - 25.74)
Central, Four Corners, San Juan, and Southwest	11.40	(8.19 - 15.66)	*	(* - *)	*	(* - *)
Davis County	7.92	(5.62 - 11.06)	27.87	(22.39 - 34.09)	17.81	(13.62 - 22.94)
Salt Lake County	11.19	(8.57 - 14.49)	32.97	(28.52 - 37.75)	18.68	(15.15 - 22.83)
Utah County	5.91	(3.96 - 8.74)	19.58	(15.62 - 24.26)	15.95	(12.12 - 20.72)
Weber, Morgan	11.39	(8.18 - 15.66)	*	(* - *)	19.91	(15.38 - 25.38)
Vermont	18.31	(16.00 - 20.87)	49.70	(46.23 - 53.18)	27.83	(25.11 - 30.72)
Champlain Valley	18.54	(15.33 - 22.26)	50.26	(45.67 - 54.85)	25.96	(22.01 - 30.35)
Rural Northeast	17.33	(13.77 - 21.58)	48.08	(41.59 - 54.63)	30.63	(25.85 - 35.87)
Rural Southeast	18.14	(14.47 - 22.48)	46.99	(40.70 - 53.37)	28.44	(23.71 - 33.69)
Rural Southwest	19.43	(15.45 - 24.14)	*	(* - *)	27.16	(22.58 - 32.29)

See notes at end of table.

(continued)

Table 11 Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Virginia	14.35	(12.52 - 16.40)	44.45	(41.00 - 47.95)	27.20	(24.44 - 30.16)
Region 1	16.82	(13.04 - 21.43)	*	(* - *)	28.89	(23.44 - 35.04)
Region 2	11.72	(9.07 - 15.02)	38.89	(32.70 - 45.46)	19.48	(15.77 - 23.82)
Region 3	18.71	(15.24 - 22.76)	50.21	(44.12 - 56.29)	32.29	(27.01 - 38.06)
Region 4	13.40	(10.26 - 17.32)	*	(* - *)	27.30	(22.15 - 33.15)
Region 5	12.90	(10.36 - 15.95)	43.05	(37.40 - 48.88)	30.48	(25.88 - 35.50)
Washington	15.16	(13.25 - 17.30)	41.16	(37.85 - 44.55)	29.79	(26.65 - 33.12)
Region 1	19.61	(15.07 - 25.11)	*	(* - *)	32.73	(26.80 - 39.28)
Region 2	15.86	(12.08 - 20.53)	*	(* - *)	*	(* - *)
Region 3	15.72	(12.32 - 19.84)	43.13	(37.34 - 49.12)	27.42	(22.41 - 33.07)
Region 4 (King)	11.35	(8.80 - 14.51)	36.16	(31.12 - 41.53)	25.79	(21.52 - 30.58)
Region 5	14.51	(11.28 - 18.46)	43.16	(36.67 - 49.89)	32.19	(26.52 - 38.45)
Region 6	16.85	(13.31 - 21.09)	44.20	(37.76 - 50.84)	32.51	(26.94 - 38.61)
West Virginia	21.91	(19.42 - 24.62)	54.43	(51.00 - 57.82)	36.99	(34.02 - 40.05)
Eastern Highland	22.95	(18.78 - 27.72)	57.47	(51.08 - 63.62)	33.88	(28.92 - 39.22)
Northern	20.54	(16.61 - 25.13)	52.70	(46.83 - 58.50)	33.43	(28.56 - 38.69)
South Central I	21.87	(17.31 - 27.23)	55.74	(49.23 - 62.05)	38.08	(32.54 - 43.94)
South Central II	21.91	(17.54 - 27.01)	54.64	(48.05 - 61.07)	42.51	(36.15 - 49.12)
South Central III	23.50	(18.56 - 29.28)	*	(* - *)	37.14	(30.88 - 43.88)
Southern	21.61	(17.04 - 27.00)	53.78	(47.18 - 60.25)	40.78	(35.06 - 46.77)
Wisconsin	18.58	(16.46 - 20.90)	48.95	(45.65 - 52.26)	28.17	(25.45 - 31.06)
Milwaukee	14.80	(11.57 - 18.73)	43.04	(36.76 - 49.55)	29.86	(24.99 - 35.23)
Northeastern	21.53	(17.65 - 26.00)	56.84	(50.56 - 62.91)	29.51	(24.85 - 34.65)
Northern and Western	18.84	(15.26 - 23.02)	49.22	(43.26 - 55.19)	29.35	(24.78 - 34.38)
Southeastern	18.13	(14.74 - 22.11)	46.62	(40.66 - 52.68)	23.91	(19.67 - 28.73)
Southern	18.76	(14.96 - 23.27)	48.20	(42.48 - 53.97)	28.23	(23.31 - 33.73)
Wyoming	21.98	(19.35 - 24.85)	54.16	(50.76 - 57.52)	32.87	(29.93 - 35.94)
Frontier 1	19.90	(15.74 - 24.84)	*	(* - *)	30.34	(25.21 - 36.01)
Frontier 2	20.14	(15.46 - 25.80)	*	(* - *)	32.79	(27.20 - 38.91)
Rural 1	24.94	(20.25 - 30.31)	54.70	(48.58 - 60.69)	35.02	(30.00 - 40.40)
Rural 2	22.14	(17.77 - 27.23)	50.19	(44.56 - 55.81)	32.08	(26.83 - 37.83)
Rural 3 (Laramie)	19.21	(15.17 - 24.02)	55.48	(48.75 - 62.02)	31.25	(26.24 - 36.73)
Rural 4	23.56	(18.45 - 29.57)	*	(* - *)	35.43	(29.49 - 41.87)

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 1999-2001 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 1999, 2000, and 2001.

Table 12 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	62.79		63.71		70.71	
Alabama	62.39	(59.12 - 65.55)	61.98	(58.88 - 64.97)	69.35	(65.86 - 72.63)
Region 1	62.78	(57.87 - 67.44)	58.90	(53.81 - 63.80)	68.19	(62.28 - 73.56)
Region 2	61.23	(56.46 - 65.79)	62.79	(58.20 - 67.15)	70.17	(65.07 - 74.81)
Region 3	62.45	(57.56 - 67.10)	64.55	(59.54 - 69.26)	71.31	(65.49 - 76.50)
Region 4	63.47	(58.85 - 67.86)	61.84	(56.44 - 66.96)	68.11	(62.13 - 73.56)
Alaska	62.06	(59.03 - 65.00)	62.54	(59.34 - 65.63)	67.97	(64.82 - 70.97)
Gulf Coast	60.72	(55.30 - 65.89)	59.63	(53.53 - 65.45)	69.96	(63.92 - 75.38)
Rural	56.79	(51.13 - 62.28)	53.82	(47.57 - 59.95)	65.94	(59.39 - 71.94)
Southeast	62.49	(57.35 - 67.37)	59.85	(53.52 - 65.87)	69.69	(63.65 - 75.12)
Urban	63.36	(59.78 - 66.80)	64.82	(61.04 - 68.42)	67.59	(63.63 - 71.31)
Arizona	63.50	(60.44 - 66.45)	65.15	(61.99 - 68.17)	73.93	(70.65 - 76.97)
Maricopa	64.16	(60.40 - 67.74)	66.04	(62.17 - 69.71)	74.85	(70.70 - 78.59)
Pima	64.41	(59.49 - 69.05)	67.45	(62.15 - 72.34)	75.43	(70.01 - 80.15)
Rural North	59.25	(53.64 - 64.63)	59.89	(53.91 - 65.58)	68.87	(62.45 - 74.64)
Rural South	63.56	(58.40 - 68.43)	61.54	(55.39 - 67.35)	72.37	(66.21 - 77.78)
Arkansas	61.77	(58.80 - 64.65)	59.99	(56.96 - 62.95)	66.52	(63.35 - 69.55)
Areas 1 and 5	62.05	(57.41 - 66.47)	59.92	(54.58 - 65.04)	67.74	(62.14 - 72.88)
Areas 2 and 3	60.68	(55.43 - 65.69)	57.02	(51.09 - 62.77)	64.71	(58.38 - 70.56)
Areas 4 and 7	60.60	(55.76 - 65.23)	59.93	(54.47 - 65.16)	65.87	(60.05 - 71.25)
Area 6	61.44	(56.06 - 66.55)	59.80	(54.82 - 64.58)	63.88	(57.15 - 70.11)
Areas 8 and 12	61.29	(56.22 - 66.12)	60.56	(55.11 - 65.76)	67.40	(60.95 - 73.26)
Area 9	63.87	(59.19 - 68.30)	62.88	(57.43 - 68.03)	67.96	(62.24 - 73.18)
Areas 10, 11, and 13	61.34	(56.07 - 66.36)	57.93	(52.21 - 63.45)	65.65	(59.32 - 71.46)
California	66.40	(65.03 - 67.75)	71.72	(70.14 - 73.25)	75.04	(73.28 - 76.72)
Region 1	65.62	(61.37 - 69.64)	67.52	(62.29 - 72.35)	72.16	(66.29 - 77.35)
Region 2	66.56	(63.08 - 69.87)	70.22	(66.19 - 73.96)	74.86	(70.42 - 78.83)
Region 3	66.25	(62.38 - 69.91)	68.69	(63.99 - 73.04)	71.35	(65.84 - 76.29)
Region 4	69.88	(65.64 - 73.80)	69.90	(64.97 - 74.41)	74.52	(69.46 - 78.99)
Region 5	69.21	(65.49 - 72.69)	68.28	(63.82 - 72.43)	73.87	(69.20 - 78.05)
Region 6 (Santa Clara)	66.41	(62.30 - 70.29)	71.05	(66.38 - 75.32)	72.84	(67.73 - 77.41)
Region 7	67.78	(63.44 - 71.83)	74.82	(69.82 - 79.23)	77.14	(71.91 - 81.65)
Region 8	65.12	(61.40 - 68.66)	68.89	(64.40 - 73.05)	73.92	(68.85 - 78.43)
Region 9	65.18	(60.96 - 69.17)	68.97	(64.08 - 73.46)	72.00	(66.29 - 77.08)
Region 10	67.10	(62.99 - 70.97)	69.84	(64.64 - 74.57)	74.96	(69.33 - 79.86)
Region 11 (Los Angeles)	65.19	(62.79 - 67.51)	74.66	(72.20 - 76.97)	77.56	(74.67 - 80.21)
Region 12	65.10	(61.36 - 68.67)	71.37	(67.14 - 75.25)	74.84	(70.13 - 79.02)
Region 13 (Riverside)	66.69	(62.76 - 70.40)	68.71	(63.90 - 73.15)	73.38	(67.81 - 78.29)
Region 14 (Orange)	68.73	(64.96 - 72.27)	72.90	(68.77 - 76.67)	74.77	(70.17 - 78.87)
Region 15	66.13	(62.57 - 69.52)	72.55	(68.63 - 76.14)	74.57	(70.01 - 78.64)

See notes at end of table.

(continued)

Table 12 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	61.45	(58.19 - 64.61)	61.78	(58.48 - 64.98)	69.48	(66.18 - 72.60)
Regions 1 and 4	60.97	(55.93 - 65.80)	58.50	(52.83 - 63.95)	64.90	(58.62 - 70.71)
Region 2	62.73	(58.56 - 66.72)	64.12	(59.73 - 68.28)	72.00	(67.62 - 75.99)
Region 3	59.89	(54.39 - 65.15)	60.49	(54.26 - 66.40)	66.58	(60.29 - 72.33)
Regions 5 and 6	58.66	(53.22 - 63.90)	58.83	(52.90 - 64.50)	69.69	(63.18 - 75.49)
Region 7 (Boulder)	61.73	(56.19 - 66.98)	62.73	(56.73 - 68.37)	69.00	(62.71 - 74.66)
Connecticut	62.46	(59.09 - 65.70)	60.18	(56.27 - 63.97)	72.73	(69.59 - 75.66)
Eastern	60.94	(55.51 - 66.11)	57.81	(51.64 - 63.75)	71.30	(65.14 - 76.75)
North Central	62.69	(58.17 - 67.00)	60.74	(55.24 - 65.98)	73.93	(68.97 - 78.34)
Northwestern	63.16	(57.95 - 68.08)	57.32	(50.68 - 63.70)	72.22	(66.15 - 77.57)
South Central	62.34	(57.36 - 67.07)	61.98	(56.16 - 67.47)	71.33	(66.09 - 76.06)
Southwest	62.63	(57.12 - 67.83)	61.25	(55.10 - 67.05)	73.98	(68.56 - 78.76)
Delaware	60.01	(56.83 - 63.11)	63.21	(59.99 - 66.32)	71.68	(68.54 - 74.62)
Kent	62.03	(57.01 - 66.81)	62.94	(57.59 - 68.00)	69.53	(63.75 - 74.75)
New Castle	59.27	(55.49 - 62.93)	63.99	(60.16 - 67.65)	72.65	(68.81 - 76.17)
Sussex	60.67	(55.47 - 65.63)	60.11	(54.33 - 65.63)	70.41	(64.89 - 75.39)
District of Columbia	63.29	(59.53 - 66.90)	74.07	(70.92 - 77.00)	71.26	(68.07 - 74.26)
Ward 1	63.49	(57.77 - 68.84)	74.38	(69.24 - 78.92)	72.78	(66.82 - 78.03)
Ward 2	*	(* - *)	72.05	(67.27 - 76.37)	68.67	(62.76 - 74.03)
Ward 3	66.14	(60.54 - 71.31)	74.88	(69.68 - 79.44)	73.49	(67.69 - 78.58)
Ward 4	66.71	(61.29 - 71.72)	75.82	(70.24 - 80.63)	72.16	(66.15 - 77.47)
Ward 5	64.06	(58.38 - 69.37)	73.37	(68.07 - 78.07)	68.62	(62.01 - 74.56)
Ward 6	64.52	(58.68 - 69.96)	75.56	(70.22 - 80.21)	72.83	(67.10 - 77.89)
Ward 7	61.78	(56.27 - 67.01)	74.25	(68.80 - 79.04)	70.44	(64.25 - 75.96)
Ward 8	59.94	(54.29 - 65.35)	74.24	(68.83 - 79.01)	70.38	(63.88 - 76.15)
Florida	68.11	(66.29 - 69.88)	66.62	(64.83 - 68.36)	72.00	(70.23 - 73.70)
District 1	66.90	(62.40 - 71.11)	65.36	(60.08 - 70.29)	70.61	(64.74 - 75.87)
District 2	67.38	(62.72 - 71.71)	67.14	(62.31 - 71.64)	69.11	(63.42 - 74.28)
District 3	66.41	(61.85 - 70.69)	67.35	(61.85 - 72.42)	69.06	(62.97 - 74.56)
District 4	66.73	(62.50 - 70.70)	63.37	(58.50 - 67.98)	67.96	(63.08 - 72.48)
District 7	67.59	(64.00 - 70.98)	66.98	(63.21 - 70.55)	69.74	(65.38 - 73.77)
District 8	66.18	(61.63 - 70.45)	60.90	(55.80 - 65.77)	70.62	(65.00 - 75.68)
District 9 (Palm Beach)	68.70	(64.63 - 72.51)	67.54	(63.02 - 71.76)	74.55	(69.49 - 79.02)
District 10 (Broward)	70.07	(66.14 - 73.73)	67.60	(62.83 - 72.02)	75.47	(71.15 - 79.33)
District 11	71.46	(68.13 - 74.57)	75.90	(72.40 - 79.09)	79.43	(75.77 - 82.66)
District 12	66.61	(61.98 - 70.94)	61.35	(56.02 - 66.42)	66.12	(59.76 - 71.94)
District 13	63.53	(58.77 - 68.04)	58.21	(52.38 - 63.83)	65.83	(59.54 - 71.61)
District 14	66.92	(62.60 - 70.98)	62.53	(57.73 - 67.09)	71.02	(65.63 - 75.87)
District 15	68.77	(64.01 - 73.16)	63.94	(58.35 - 69.17)	66.92	(60.84 - 72.48)
Suncoast	67.67	(64.25 - 70.91)	63.28	(59.52 - 66.88)	71.84	(68.11 - 75.30)

See notes at end of table.

(continued)

Table 12 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	64.63	(61.94 - 67.23)	65.55	(62.50 - 68.49)	70.97	(67.91 - 73.85)
Central	62.36	(57.38 - 67.10)	63.29	(57.53 - 68.69)	68.67	(62.02 - 74.63)
East Central	64.01	(58.98 - 68.76)	64.75	(59.08 - 70.03)	71.02	(64.60 - 76.70)
Metro	67.71	(63.56 - 71.60)	70.90	(66.38 - 75.03)	74.94	(70.29 - 79.07)
North	63.10	(58.77 - 67.23)	60.03	(54.72 - 65.11)	67.79	(62.47 - 72.68)
Southeast	63.29	(58.34 - 67.98)	67.20	(61.56 - 72.38)	72.24	(66.29 - 77.49)
Southwest	61.82	(56.71 - 66.68)	65.60	(59.90 - 70.88)	69.67	(63.23 - 75.43)
West Central	65.21	(60.53 - 69.61)	62.51	(56.80 - 67.89)	68.80	(62.37 - 74.58)
Hawaii	63.27	(60.00 - 66.42)	65.21	(61.60 - 68.65)	68.98	(65.58 - 72.17)
Hawaii Island	62.30	(56.88 - 67.42)	61.11	(54.63 - 67.22)	66.68	(60.05 - 72.71)
Honolulu	63.42	(59.69 - 66.99)	66.34	(62.33 - 70.13)	69.53	(65.50 - 73.28)
Kalawao, Kauai, and Maui	63.44	(58.35 - 68.25)	61.97	(55.60 - 67.95)	68.21	(62.50 - 73.42)
Idaho	66.95	(63.97 - 69.80)	63.95	(60.97 - 66.82)	69.89	(66.84 - 72.76)
Region 1	65.80	(60.83 - 70.45)	61.43	(55.85 - 66.72)	71.39	(65.76 - 76.43)
Region 2	67.25	(62.22 - 71.92)	63.38	(57.25 - 69.11)	68.23	(61.82 - 74.02)
Region 3	63.53	(58.44 - 68.33)	60.99	(55.08 - 66.60)	66.60	(60.63 - 72.08)
Region 4	69.30	(64.56 - 73.67)	67.40	(62.56 - 71.88)	69.78	(64.30 - 74.74)
Region 5	66.10	(61.28 - 70.60)	62.56	(57.18 - 67.64)	70.88	(65.03 - 76.12)
Region 6	67.53	(62.75 - 71.97)	64.21	(59.04 - 69.07)	69.61	(63.59 - 75.02)
Region 7	67.56	(62.80 - 71.99)	63.54	(58.02 - 68.72)	72.72	(67.16 - 77.65)
Illinois	62.30	(60.62 - 63.95)	62.04	(60.27 - 63.78)	69.41	(67.58 - 71.19)
Region I (Cook)	61.85	(59.30 - 64.34)	65.68	(63.08 - 68.18)	68.99	(66.09 - 71.75)
Region II	63.80	(61.13 - 66.40)	59.65	(56.39 - 62.83)	71.12	(68.21 - 73.87)
Region III	61.12	(57.09 - 65.01)	61.91	(57.80 - 65.86)	69.99	(65.60 - 74.04)
Region IV	60.85	(56.62 - 64.92)	52.03	(47.31 - 56.71)	65.16	(60.24 - 69.78)
Region V	62.10	(58.52 - 65.56)	58.96	(54.93 - 62.87)	68.98	(64.82 - 72.86)
Indiana	61.80	(58.95 - 64.57)	61.24	(58.21 - 64.19)	67.64	(64.43 - 70.68)
Central	64.20	(59.65 - 68.51)	64.20	(59.13 - 68.97)	67.70	(62.20 - 72.76)
East	59.27	(53.95 - 64.38)	58.94	(53.08 - 64.55)	67.49	(61.15 - 73.25)
North Central	62.49	(57.77 - 66.99)	61.08	(55.54 - 66.34)	68.33	(62.45 - 73.67)
Northeast	59.60	(54.50 - 64.49)	59.31	(53.41 - 64.95)	66.38	(59.97 - 72.23)
Northwest	61.89	(56.97 - 66.57)	61.71	(55.90 - 67.19)	68.78	(62.14 - 74.73)
Southeast and Southwest	61.45	(56.94 - 65.76)	57.52	(51.94 - 62.92)	67.80	(62.05 - 73.05)
West	60.50	(55.31 - 65.46)	63.41	(58.21 - 68.31)	66.21	(59.73 - 72.13)
Iowa	61.59	(58.56 - 64.54)	58.74	(55.67 - 61.74)	66.40	(63.31 - 69.35)
Central	61.10	(55.90 - 66.07)	57.35	(51.62 - 62.90)	62.99	(56.79 - 68.80)
North Central	60.07	(55.05 - 64.89)	58.92	(53.91 - 63.75)	65.75	(59.34 - 71.63)
Northeast	63.17	(58.53 - 67.57)	60.59	(55.52 - 65.45)	67.89	(62.78 - 72.61)
Northwest	61.58	(56.67 - 66.26)	56.85	(51.15 - 62.38)	66.01	(59.62 - 71.87)
Southeast and Southwest	61.17	(56.76 - 65.40)	58.81	(54.11 - 63.35)	67.50	(62.67 - 71.98)

See notes at end of table.

(continued)

Table 12 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	57.50	(54.24 - 60.70)	58.74	(55.57 - 61.85)	67.07	(63.74 - 70.23)
Region 1	56.26	(51.19 - 61.19)	57.97	(52.74 - 63.03)	65.57	(59.79 - 70.93)
Region 2	55.83	(50.68 - 60.86)	55.02	(49.30 - 60.61)	66.32	(60.20 - 71.93)
Region 3	57.89	(52.88 - 62.75)	57.52	(51.93 - 62.92)	66.27	(60.28 - 71.79)
Region 4	58.43	(53.83 - 62.89)	59.70	(54.76 - 64.46)	68.84	(63.94 - 73.35)
Region 5	58.92	(53.70 - 63.94)	62.30	(57.07 - 67.27)	67.13	(60.42 - 73.20)
Kentucky	57.74	(54.51 - 60.92)	55.91	(52.78 - 59.00)	64.68	(61.31 - 67.92)
Adanta, Cumberland River, and Lifeskills	57.15	(52.09 - 62.06)	54.02	(48.77 - 59.17)	62.68	(56.78 - 68.22)
Bluegrass, Comprehend, and North Key	58.12	(53.29 - 62.80)	59.03	(53.92 - 63.94)	65.52	(59.64 - 70.96)
Communicare and River Valley	56.46	(51.20 - 61.58)	52.49	(46.52 - 58.39)	*	(* - *)
Four Rivers and Pennyroyal	58.22	(52.93 - 63.32)	53.32	(47.56 - 59.00)	63.61	(56.95 - 69.78)
Kentucky River, Mountain, and Pathways	56.34	(51.31 - 61.24)	50.70	(45.15 - 56.23)	62.40	(56.06 - 68.34)
Seven Counties	59.10	(54.16 - 63.86)	59.16	(54.13 - 64.01)	67.72	(62.34 - 72.67)
Louisiana	60.91	(57.99 - 63.75)	61.00	(58.10 - 63.82)	66.20	(63.00 - 69.25)
Region 1	61.93	(56.59 - 66.99)	67.48	(62.11 - 72.43)	71.50	(65.33 - 76.96)
Regions 2 and 9	61.82	(57.26 - 66.19)	63.49	(58.81 - 67.93)	67.87	(62.19 - 73.06)
Region 3	60.02	(54.78 - 65.05)	58.31	(52.76 - 63.65)	64.00	(57.45 - 70.07)
Region 4	61.13	(56.22 - 65.83)	53.95	(48.37 - 59.43)	63.44	(57.27 - 69.20)
Regions 5 and 6	59.24	(54.17 - 64.13)	57.17	(51.38 - 62.77)	62.80	(56.31 - 68.85)
Regions 7 and 8	60.19	(55.41 - 64.79)	60.22	(55.08 - 65.14)	65.11	(59.48 - 70.35)
Region 10 (Jefferson)	61.58	(56.47 - 66.44)	63.33	(57.65 - 68.66)	67.10	(60.45 - 73.13)
Maine	64.62	(61.70 - 67.43)	62.14	(58.91 - 65.26)	71.40	(68.62 - 74.02)
Region 1	65.16	(61.02 - 69.09)	64.68	(60.09 - 69.01)	72.78	(68.41 - 76.75)
Region 2	65.31	(61.45 - 68.98)	59.67	(55.07 - 64.10)	71.47	(67.41 - 75.21)
Region 3	62.81	(58.06 - 67.33)	62.37	(57.23 - 67.25)	69.34	(64.50 - 73.79)
Maryland	62.93	(59.86 - 65.90)	64.47	(61.33 - 67.49)	70.32	(66.93 - 73.50)
Central and Eastern Shore	62.30	(58.09 - 66.33)	66.04	(61.53 - 70.28)	71.85	(66.77 - 76.43)
Southern	63.05	(58.78 - 67.14)	63.12	(58.61 - 67.41)	68.44	(63.57 - 72.93)
Western	63.80	(59.09 - 68.25)	63.45	(58.43 - 68.20)	69.91	(64.21 - 75.05)
Massachusetts	64.42	(61.29 - 67.42)	65.72	(62.31 - 68.98)	74.29	(71.09 - 77.26)
Boston	63.56	(58.13 - 68.66)	69.12	(63.51 - 74.22)	73.49	(67.81 - 78.49)
Central	61.95	(56.73 - 66.90)	63.61	(57.78 - 69.06)	74.10	(68.10 - 79.31)
Metrowest	67.13	(62.40 - 71.54)	66.97	(61.65 - 71.89)	76.46	(71.18 - 81.03)
Northeast	64.58	(59.77 - 69.10)	65.11	(59.53 - 70.30)	74.10	(68.56 - 78.97)
Southeast	64.63	(59.99 - 69.01)	62.35	(56.52 - 67.84)	73.91	(68.58 - 78.62)
Western	62.94	(57.78 - 67.83)	66.03	(60.25 - 71.37)	71.97	(65.71 - 77.48)

See notes at end of table.

(continued)

Table 12 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Michigan	61.64	(59.99 - 63.26)	59.91	(58.13 - 61.66)	68.75	(67.10 - 70.35)
Bay and Saginaw	58.77	(54.56 - 62.85)	56.05	(51.29 - 60.71)	67.46	(62.22 - 72.31)
Detroit City	62.18	(58.25 - 65.97)	65.21	(60.98 - 69.21)	71.17	(66.47 - 75.46)
Genesee	62.22	(57.62 - 66.61)	59.54	(54.17 - 64.70)	69.73	(64.23 - 74.73)
Kalamazoo	60.63	(56.32 - 64.78)	61.30	(56.19 - 66.18)	69.20	(64.15 - 73.83)
Kent	62.34	(58.28 - 66.24)	60.86	(55.96 - 65.54)	68.81	(63.74 - 73.46)
Lakeshore	61.41	(57.39 - 65.27)	58.54	(53.78 - 63.14)	67.29	(62.66 - 71.61)
Macomb	62.53	(58.32 - 66.57)	58.79	(54.04 - 63.38)	68.61	(64.20 - 72.70)
Mid South	60.32	(56.57 - 63.95)	58.89	(54.92 - 62.74)	67.26	(62.90 - 71.34)
Northern	60.41	(56.42 - 64.26)	57.33	(52.67 - 61.86)	66.23	(61.40 - 70.74)
Oakland	65.28	(61.68 - 68.71)	59.68	(55.46 - 63.75)	72.38	(68.27 - 76.15)
Pathways and Western	57.95	(53.23 - 62.53)	57.36	(51.78 - 62.75)	65.28	(59.28 - 70.84)
Southeast	61.95	(58.37 - 65.40)	57.93	(54.09 - 61.68)	67.91	(63.85 - 71.71)
St. Clair	61.02	(56.36 - 65.48)	58.97	(53.38 - 64.33)	71.63	(66.19 - 76.50)
Washtenaw	61.63	(57.01 - 66.05)	66.30	(61.47 - 70.81)	67.94	(62.58 - 72.87)
Minnesota	60.03	(57.04 - 62.95)	59.44	(56.45 - 62.35)	67.95	(64.80 - 70.94)
Regions 1 and 2	61.09	(55.90 - 66.04)	56.13	(50.70 - 61.43)	66.52	(59.87 - 72.57)
Regions 3 and 4	57.28	(52.22 - 62.20)	58.65	(52.91 - 64.16)	68.16	(62.26 - 73.52)
Regions 5 and 6	57.47	(52.72 - 62.09)	55.02	(49.93 - 60.00)	66.02	(60.25 - 71.35)
Region 7A (Hennepin)	62.80	(58.17 - 67.21)	63.73	(58.77 - 68.42)	69.53	(64.26 - 74.33)
Region 7B (Ramsey)	61.22	(56.10 - 66.11)	64.10	(58.24 - 69.56)	68.99	(62.76 - 74.60)
Region 7C	61.16	(56.44 - 65.68)	58.19	(52.83 - 63.36)	68.10	(62.56 - 73.17)
Mississippi	64.31	(61.30 - 67.21)	64.27	(61.18 - 67.24)	68.80	(65.41 - 71.99)
Regions 1 and 2	62.18	(56.79 - 67.28)	61.59	(55.97 - 66.92)	*	(* - *)
Regions 3, 4, 7, and 10	65.04	(60.48 - 69.35)	63.83	(58.83 - 68.55)	70.14	(64.80 - 74.98)
Regions 5, 6, 11, and 15	64.74	(59.91 - 69.29)	64.41	(59.08 - 69.41)	69.63	(63.46 - 75.17)
Regions 8 and 9	65.28	(60.66 - 69.62)	65.76	(60.70 - 70.49)	67.84	(62.01 - 73.16)
Region 12	63.60	(58.32 - 68.58)	66.43	(61.15 - 71.33)	69.40	(63.16 - 75.00)
Regions 13 and 14	63.51	(58.42 - 68.31)	63.67	(58.20 - 68.81)	68.98	(62.85 - 74.51)
Missouri	61.74	(58.61 - 64.77)	59.63	(56.44 - 62.74)	68.94	(65.76 - 71.95)
Central	61.44	(56.06 - 66.56)	59.38	(53.87 - 64.67)	66.68	(60.08 - 72.68)
Eastern	63.33	(58.97 - 67.48)	60.55	(55.54 - 65.34)	71.12	(66.26 - 75.54)
Northwest	61.24	(56.53 - 65.76)	60.30	(55.21 - 65.17)	66.78	(61.24 - 71.89)
Southeast	59.80	(54.61 - 64.79)	56.88	(51.15 - 62.44)	68.52	(62.33 - 74.12)
Southwest	60.48	(55.29 - 65.45)	58.86	(52.93 - 64.54)	69.53	(63.64 - 74.85)
Montana	65.42	(62.30 - 68.41)	62.39	(59.40 - 65.28)	72.14	(69.19 - 74.91)
Regions 1 and 3	63.74	(59.21 - 68.03)	57.77	(53.05 - 62.36)	69.23	(64.17 - 73.86)
Region 2	65.03	(60.16 - 69.60)	59.07	(53.71 - 64.22)	72.41	(66.66 - 77.50)
Region 4	66.82	(62.33 - 71.02)	65.31	(60.46 - 69.85)	75.15	(70.45 - 79.33)
Region 5	66.17	(61.66 - 70.41)	65.26	(60.89 - 69.39)	72.40	(67.44 - 76.86)

See notes at end of table.

(continued)

Table 12 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nebraska	57.85	(54.67 - 60.96)	58.38	(55.19 - 61.50)	66.31	(63.22 - 69.26)
Regions 1 and 2	58.73	(53.43 - 63.83)	57.77	(51.76 - 63.56)	69.00	(62.65 - 74.70)
Region 3	58.87	(53.42 - 64.11)	59.93	(54.12 - 65.48)	66.10	(59.99 - 71.72)
Region 4	57.50	(52.37 - 62.48)	52.44	(46.14 - 58.66)	61.32	(54.71 - 67.54)
Region 5	55.67	(50.95 - 60.28)	60.10	(55.11 - 64.88)	66.08	(60.61 - 71.16)
Region 6	58.70	(54.16 - 63.10)	58.48	(53.84 - 62.98)	67.35	(62.71 - 71.66)
Nevada	61.42	(58.06 - 64.67)	64.77	(61.07 - 68.29)	69.25	(65.94 - 72.38)
Clark	61.37	(57.43 - 65.17)	65.60	(61.34 - 69.63)	69.41	(65.36 - 73.18)
Rural	61.12	(55.93 - 66.07)	60.75	(54.46 - 66.69)	69.00	(63.32 - 74.16)
Washoe	61.84	(56.66 - 66.77)	64.11	(58.01 - 69.79)	68.84	(63.00 - 74.14)
New Hampshire	62.12	(59.03 - 65.12)	60.60	(57.18 - 63.92)	70.15	(67.01 - 73.11)
Central	63.97	(59.30 - 68.39)	61.55	(56.33 - 66.51)	69.21	(64.44 - 73.60)
Northern	61.70	(56.47 - 66.67)	61.38	(55.49 - 66.95)	69.90	(63.77 - 75.40)
Southern	61.33	(57.64 - 64.89)	59.89	(55.68 - 63.96)	70.64	(66.61 - 74.38)
New Jersey	63.24	(60.41 - 65.98)	64.38	(61.05 - 67.58)	75.47	(72.46 - 78.25)
RHPA I	63.25	(58.61 - 67.66)	65.94	(60.11 - 71.32)	75.78	(70.60 - 80.29)
RHPA IIa (Bergen)	64.70	(59.87 - 69.25)	62.94	(56.67 - 68.80)	76.34	(70.73 - 81.16)
RHPA IIb (Hudson)	63.34	(57.97 - 68.41)	69.74	(64.05 - 74.88)	79.13	(73.96 - 83.51)
RHPA III	62.53	(57.57 - 67.24)	66.66	(60.98 - 71.90)	78.59	(73.26 - 83.11)
RHPA IVa	64.31	(59.44 - 68.91)	64.09	(58.08 - 69.68)	76.28	(70.42 - 81.29)
RHPA IVb (Middlesex)	63.00	(57.79 - 67.93)	65.16	(59.40 - 70.51)	75.60	(69.79 - 80.60)
RHPA V	62.78	(58.13 - 67.20)	61.53	(56.00 - 66.77)	72.31	(66.41 - 77.53)
RHPA VIa	62.91	(57.81 - 67.73)	61.11	(54.78 - 67.08)	73.37	(67.16 - 78.77)
RHPA VIb (Monmouth)	63.32	(58.29 - 68.08)	60.64	(54.26 - 66.69)	72.41	(65.93 - 78.07)
New Mexico	60.63	(57.53 - 63.65)	63.53	(60.29 - 66.66)	71.62	(68.72 - 74.36)
Region 1	57.72	(52.31 - 62.94)	59.67	(53.58 - 65.48)	68.76	(62.21 - 74.64)
Region 2	63.63	(59.31 - 67.73)	62.58	(57.23 - 67.65)	74.91	(70.19 - 79.10)
Region 3	58.48	(53.06 - 63.70)	64.95	(59.60 - 69.94)	71.56	(66.11 - 76.44)
Region 4	59.51	(54.54 - 64.30)	59.72	(53.93 - 65.25)	67.72	(62.05 - 72.91)
Region 5 (Bernalillo)	62.42	(58.05 - 66.60)	66.85	(62.12 - 71.26)	72.76	(68.09 - 76.98)
New York	61.98	(60.23 - 63.70)	65.97	(64.12 - 67.78)	74.16	(72.36 - 75.88)
New York City	62.61	(59.98 - 65.17)	67.48	(64.81 - 70.03)	74.51	(71.57 - 77.25)
Remainder of the State	61.55	(59.43 - 63.63)	64.70	(62.30 - 67.03)	73.91	(71.65 - 76.04)
North Carolina	58.06	(55.20 - 60.87)	58.26	(54.92 - 61.53)	64.57	(61.26 - 67.74)
Eastern	57.59	(53.16 - 61.89)	58.73	(53.57 - 63.70)	68.20	(62.88 - 73.08)
North Central	60.18	(55.85 - 64.36)	61.61	(56.20 - 66.75)	66.53	(60.60 - 71.99)
South Central	56.58	(52.25 - 60.81)	57.87	(52.63 - 62.93)	63.60	(58.15 - 68.73)
Western	57.99	(53.58 - 62.27)	55.66	(50.70 - 60.51)	61.80	(56.18 - 67.12)

See notes at end of table.

(continued)

Table 12 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Dakota	61.34	(58.29 - 64.30)	60.40	(57.45 - 63.27)	68.94	(65.83 - 71.88)
Badlands and West Central Lake Region and South Central	62.41	(58.16 - 66.48)	58.36	(53.22 - 63.31)	69.87	(64.73 - 74.55)
North Central and Northwest	59.96	(54.92 - 64.80)	51.89	(46.08 - 57.64)	67.14	(61.20 - 72.57)
Northeast	59.53	(54.60 - 64.28)	59.51	(53.83 - 64.95)	70.17	(64.49 - 75.30)
Southeast	62.15	(56.94 - 67.09)	62.04	(56.83 - 66.99)	69.07	(63.16 - 74.42)
	61.97	(57.26 - 66.46)	64.60	(60.25 - 68.73)	68.16	(62.59 - 73.25)
Ohio	60.09	(58.47 - 61.68)	57.68	(56.00 - 59.35)	66.33	(64.60 - 68.02)
Boards 2, 46, 55, and 68	57.72	(53.32 - 61.99)	54.28	(49.13 - 59.35)	65.84	(60.35 - 70.93)
Boards 3, 52, and 85	59.69	(54.78 - 64.41)	56.89	(51.61 - 62.01)	65.70	(59.77 - 71.18)
Boards 4 and 78	57.97	(53.08 - 62.70)	55.76	(50.37 - 61.02)	66.61	(60.31 - 72.36)
Boards 5 and 60	59.28	(54.48 - 63.91)	55.90	(50.78 - 60.90)	64.24	(58.25 - 69.82)
Boards 7, 15, 41, 79, and 84	58.10	(53.33 - 62.72)	52.20	(47.08 - 57.26)	62.64	(56.82 - 68.11)
Boards 8, 13, and 83	58.39	(53.73 - 62.91)	52.36	(46.83 - 57.84)	65.14	(59.04 - 70.79)
Board 9 (Butler)	60.57	(55.76 - 65.18)	61.15	(55.96 - 66.10)	66.77	(60.69 - 72.34)
Board 12	60.75	(56.13 - 65.18)	59.24	(53.85 - 64.41)	65.11	(58.54 - 71.15)
Boards 18 and 47	62.13	(58.79 - 65.37)	59.47	(55.52 - 63.31)	68.64	(64.44 - 72.54)
Boards 20, 32, 54, and 69	57.23	(52.49 - 61.84)	54.15	(48.59 - 59.62)	60.88	(54.80 - 66.64)
Boards 21, 39, 51, 70, and 80	60.48	(56.04 - 64.75)	55.81	(50.51 - 60.99)	66.40	(60.95 - 71.44)
Boards 22, 74, and 87	59.54	(55.04 - 63.88)	56.84	(51.56 - 61.97)	67.01	(61.37 - 72.19)
Boards 23 and 45	59.63	(54.93 - 64.15)	56.02	(50.38 - 61.52)	66.32	(60.55 - 71.65)
Board 25 (Franklin)	61.78	(58.05 - 65.36)	62.22	(58.64 - 65.68)	67.78	(63.35 - 71.90)
Boards 27, 71, and 73	59.46	(54.88 - 63.89)	52.13	(46.84 - 57.37)	63.83	(58.04 - 69.25)
Boards 28, 43, and 67	58.22	(53.60 - 62.70)	56.25	(51.05 - 61.32)	63.78	(57.84 - 69.34)
Board 31 (Hamilton)	61.36	(57.50 - 65.09)	59.76	(55.33 - 64.05)	67.49	(62.91 - 71.75)
Board 48 (Lucas)	60.48	(55.95 - 64.83)	59.82	(54.78 - 64.66)	65.91	(60.08 - 71.30)
Board 50 (Mahoning)	59.98	(55.06 - 64.71)	55.23	(49.52 - 60.80)	66.32	(59.82 - 72.26)
Board 57 (Montgomery)	61.44	(56.86 - 65.83)	59.86	(55.14 - 64.40)	69.33	(64.01 - 74.17)
Board 76 (Stark)	57.53	(52.82 - 62.12)	56.62	(50.87 - 62.19)	65.73	(59.89 - 71.14)
Board 77 (Summit)	60.20	(55.82 - 64.42)	57.36	(52.30 - 62.27)	66.23	(60.95 - 71.14)
Oklahoma	60.60	(57.35 - 63.75)	60.37	(57.16 - 63.50)	66.51	(63.01 - 69.82)
Central	60.62	(55.37 - 65.63)	60.89	(55.16 - 66.33)	65.41	(58.93 - 71.36)
East Central	58.59	(53.25 - 63.73)	56.91	(50.40 - 63.19)	63.69	(56.93 - 69.96)
Northeast	59.59	(54.20 - 64.77)	58.12	(52.22 - 63.80)	66.85	(60.73 - 72.44)
Northwest and Southwest	61.39	(56.28 - 66.26)	61.06	(55.74 - 66.13)	66.72	(60.54 - 72.37)
Oklahoma City Metro	60.63	(55.57 - 65.47)	61.69	(56.71 - 66.43)	65.64	(59.63 - 71.18)
Southeast	61.73	(56.38 - 66.81)	58.22	(52.30 - 63.91)	68.53	(62.25 - 74.19)
Tulsa Metro	61.14	(55.89 - 66.14)	62.79	(57.08 - 68.16)	68.18	(61.60 - 74.11)

See notes at end of table.

(continued)

Table 12 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	65.56	(62.42 - 68.57)	64.35	(61.31 - 67.28)	71.60	(68.28 - 74.69)
Region 1 (Multnomah)	65.86	(60.99 - 70.43)	66.14	(60.78 - 71.11)	73.22	(67.79 - 78.03)
Region 2	65.51	(60.89 - 69.86)	64.61	(59.44 - 69.46)	71.63	(65.78 - 76.84)
Region 3	65.96	(61.37 - 70.27)	64.34	(60.04 - 68.41)	72.87	(68.16 - 77.12)
Region 4	63.86	(58.86 - 68.58)	61.85	(55.93 - 67.43)	68.76	(62.19 - 74.66)
Region 5	66.23	(61.35 - 70.79)	63.16	(57.13 - 68.80)	*	(* - *)
Pennsylvania	60.43	(58.80 - 62.03)	59.11	(57.43 - 60.76)	68.41	(66.69 - 70.09)
Regions 1, 27, and 47	58.88	(55.09 - 62.57)	56.79	(52.64 - 60.84)	63.08	(58.86 - 67.12)
Regions 2, 3, 8, and 9	59.82	(55.58 - 63.93)	56.60	(52.04 - 61.05)	67.85	(62.89 - 72.43)
Regions 4 and 42	60.42	(55.97 - 64.70)	56.40	(51.30 - 61.37)	69.21	(63.95 - 74.02)
Regions 5 and 28	58.88	(54.06 - 63.54)	54.53	(48.80 - 60.14)	67.51	(61.35 - 73.12)
Regions 6, 16, and 39	58.88	(54.20 - 63.41)	57.72	(52.44 - 62.82)	69.86	(64.24 - 74.94)
Region 7 (Bucks)	61.42	(57.00 - 65.65)	61.20	(56.00 - 66.15)	68.59	(62.90 - 73.78)
Regions 10, 15, and 25	57.47	(52.78 - 62.03)	51.83	(46.21 - 57.40)	66.84	(60.92 - 72.27)
Regions 11, 29, 44, and 48	60.13	(55.75 - 64.36)	58.01	(52.56 - 63.28)	67.52	(61.65 - 72.89)
Regions 12, 35, 41, and 45	60.06	(55.41 - 64.54)	60.03	(55.19 - 64.69)	68.02	(62.07 - 73.45)
Region 13 (Chester)	62.76	(58.25 - 67.06)	61.02	(55.57 - 66.20)	70.85	(65.10 - 76.01)
Regions 14, 31, 36, and 46	59.60	(54.88 - 64.15)	57.86	(52.17 - 63.35)	67.83	(61.64 - 73.45)
Regions 17, 24, and 43	57.77	(53.62 - 61.81)	53.02	(48.02 - 57.95)	66.55	(61.02 - 71.65)
Region 18 (Philadelphia)	60.75	(57.06 - 64.32)	66.17	(62.38 - 69.77)	71.69	(67.07 - 75.89)
Regions 19 and 23	59.44	(54.83 - 63.89)	57.79	(52.13 - 63.25)	68.66	(62.67 - 74.08)
Regions 20, 26, and 40	60.42	(55.96 - 64.71)	57.72	(52.56 - 62.71)	66.91	(61.30 - 72.07)
Regions 21 and 32	60.26	(55.79 - 64.55)	58.82	(53.51 - 63.94)	69.83	(64.59 - 74.59)
Region 22 (Delaware)	61.59	(57.19 - 65.81)	59.09	(53.87 - 64.12)	69.54	(64.01 - 74.55)
Region 30 (Lancaster)	62.33	(57.83 - 66.63)	58.49	(53.52 - 63.30)	71.75	(66.27 - 76.65)
Region 33 (Lehigh)	61.13	(56.43 - 65.62)	60.28	(54.85 - 65.46)	68.10	(61.96 - 73.67)
Region 34	58.97	(54.21 - 63.56)	54.56	(48.95 - 60.07)	66.63	(60.44 - 72.30)
Region 37 (Montgomery)	64.74	(60.34 - 68.90)	61.88	(56.82 - 66.70)	74.32	(69.24 - 78.82)
Region 38 (Northampton)	60.64	(55.76 - 65.33)	58.07	(52.43 - 63.52)	65.97	(59.32 - 72.04)
Region 49	60.62	(56.27 - 64.81)	58.20	(52.81 - 63.40)	67.45	(61.97 - 72.50)
Rhode Island	62.73	(59.45 - 65.90)	64.40	(61.06 - 67.61)	73.24	(70.12 - 76.14)
Bristol and Newport	64.83	(59.65 - 69.68)	62.52	(56.58 - 68.10)	72.56	(66.49 - 77.89)
Kent	62.35	(57.45 - 67.01)	60.95	(55.07 - 66.53)	70.39	(64.93 - 75.32)
Providence	62.31	(58.18 - 66.27)	64.78	(60.65 - 68.69)	74.54	(70.47 - 78.22)
Washington	63.10	(57.90 - 68.01)	67.68	(62.02 - 72.87)	71.67	(65.76 - 76.92)
South Carolina	62.45	(59.48 - 65.32)	63.23	(60.09 - 66.26)	69.98	(66.74 - 73.03)
Region 1	60.34	(55.73 - 64.78)	60.37	(55.09 - 65.43)	69.38	(64.04 - 74.24)
Region 2	62.88	(58.62 - 66.94)	63.76	(59.29 - 68.01)	68.73	(63.65 - 73.39)
Region 3	63.09	(58.34 - 67.61)	61.52	(56.12 - 66.65)	69.55	(63.67 - 74.85)
Region 4	63.48	(59.01 - 67.73)	66.45	(61.56 - 71.00)	72.35	(67.22 - 76.95)

See notes at end of table.

(continued)

Table 12 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	58.02	(55.00 - 60.98)	55.71	(52.65 - 58.74)	65.14	(61.90 - 68.25)
Region 1 (Pennington)	58.03	(52.83 - 63.05)	57.61	(51.78 - 63.24)	67.95	(61.94 - 73.42)
Region 2	56.81	(52.06 - 61.44)	54.75	(49.49 - 59.90)	66.17	(60.08 - 71.78)
Region 3 (Minnehaha)	58.64	(53.84 - 63.27)	57.39	(52.02 - 62.58)	64.95	(59.41 - 70.11)
Region 4	59.32	(54.05 - 64.39)	53.23	(47.43 - 58.95)	63.72	(57.29 - 69.68)
Region 5	57.65	(52.30 - 62.82)	53.64	(47.87 - 59.31)	64.98	(58.45 - 70.99)
Region 6	57.94	(52.66 - 63.04)	54.06	(48.12 - 59.88)	64.60	(58.12 - 70.59)
Region 7	58.10	(52.90 - 63.13)	57.81	(52.36 - 63.08)	63.69	(57.60 - 69.37)
Tennessee	59.30	(56.16 - 62.36)	60.48	(57.18 - 63.68)	68.66	(65.24 - 71.88)
Region 1	57.40	(51.99 - 62.63)	54.61	(48.25 - 60.82)	*	(* - *)
Region 2	60.07	(55.32 - 64.63)	58.82	(53.61 - 63.84)	66.74	(60.84 - 72.17)
Region 3	59.32	(54.27 - 64.18)	59.14	(53.55 - 64.49)	68.00	(62.08 - 73.39)
Region 4 (Davidson)	61.17	(55.77 - 66.30)	65.78	(59.69 - 71.40)	68.95	(62.61 - 74.66)
Region 5	57.20	(52.39 - 61.88)	60.16	(54.72 - 65.35)	69.62	(64.04 - 74.68)
Region 6	58.38	(53.08 - 63.50)	56.74	(50.77 - 62.52)	70.26	(64.19 - 75.70)
Region 7 (Shelby)	61.61	(56.17 - 66.78)	65.32	(59.40 - 70.80)	*	(* - *)
Texas	61.99	(60.40 - 63.56)	64.42	(62.81 - 66.00)	72.63	(70.85 - 74.34)
Region 1	61.28	(56.70 - 65.68)	62.69	(57.68 - 67.45)	70.15	(64.61 - 75.15)
Regions 2 and 9	60.36	(55.96 - 64.59)	57.85	(52.71 - 62.81)	67.45	(61.80 - 72.65)
Region 3	63.95	(61.17 - 66.64)	66.90	(63.95 - 69.72)	72.83	(69.81 - 75.65)
Region 4	60.47	(55.97 - 64.80)	59.05	(53.74 - 64.16)	65.50	(59.38 - 71.15)
Region 5	59.45	(54.66 - 64.07)	61.20	(55.83 - 66.32)	68.95	(62.82 - 74.48)
Region 6	61.50	(58.78 - 64.15)	62.56	(59.44 - 65.57)	72.92	(69.49 - 76.10)
Region 7	62.62	(58.69 - 66.39)	67.42	(63.97 - 70.70)	71.87	(67.45 - 75.91)
Region 8	61.09	(57.55 - 64.52)	65.19	(61.10 - 69.07)	75.37	(71.40 - 78.95)
Region 10	63.37	(58.79 - 67.71)	67.29	(62.09 - 72.09)	78.03	(72.65 - 82.61)
Region 11	60.63	(56.90 - 64.24)	63.58	(59.21 - 67.74)	77.66	(73.31 - 81.47)
Utah	71.71	(68.69 - 74.54)	74.94	(72.17 - 77.52)	75.72	(72.70 - 78.51)
Bear River, Northeastern, Summit, Tooele, and Wasatch	70.83	(65.70 - 75.48)	70.70	(65.26 - 75.61)	76.96	(71.40 - 81.71)
Central, Four Corners, San Juan, and Southwest	69.17	(63.94 - 73.95)	68.98	(63.33 - 74.12)	71.92	(65.63 - 77.46)
Davis County	74.77	(70.42 - 78.67)	74.86	(69.50 - 79.56)	78.68	(73.57 - 83.03)
Salt Lake County	71.42	(67.39 - 75.13)	76.29	(71.98 - 80.12)	75.30	(70.96 - 79.19)
Utah County	73.98	(69.49 - 78.01)	80.18	(76.05 - 83.75)	78.61	(73.58 - 82.91)
Weber, Morgan	69.08	(63.76 - 73.95)	67.81	(61.57 - 73.47)	73.50	(67.51 - 78.74)
Vermont	61.45	(58.45 - 64.36)	62.62	(59.45 - 65.69)	72.34	(69.27 - 75.22)
Champlain Valley	60.89	(56.74 - 64.88)	65.51	(61.42 - 69.38)	72.58	(67.95 - 76.77)
Rural Northeast	60.97	(56.24 - 65.50)	59.36	(53.93 - 64.57)	69.95	(64.77 - 74.66)
Rural Southeast	64.41	(59.73 - 68.82)	60.67	(55.14 - 65.95)	72.29	(67.18 - 76.88)
Rural Southwest	59.73	(54.70 - 64.56)	60.85	(54.75 - 66.63)	75.26	(69.94 - 79.91)

See notes at end of table.

(continued)

Table 12 *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 1999, 2000, and 2001 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Virginia	61.70	(58.97 - 64.36)	61.98	(58.62 - 65.22)	69.15	(66.06 - 72.08)
Region 1	63.53	(58.31 - 68.45)	61.43	(55.43 - 67.10)	71.75	(65.84 - 76.99)
Region 2	63.66	(59.44 - 67.68)	63.56	(57.97 - 68.81)	70.84	(65.97 - 75.28)
Region 3	60.42	(55.96 - 64.71)	57.76	(52.22 - 63.10)	68.39	(62.68 - 73.59)
Region 4	61.15	(55.98 - 66.08)	60.16	(54.37 - 65.68)	66.11	(59.99 - 71.74)
Region 5	60.09	(56.00 - 64.04)	64.89	(59.90 - 69.57)	68.53	(63.43 - 73.21)
Washington	66.28	(63.53 - 68.92)	65.92	(62.73 - 68.97)	71.79	(68.64 - 74.74)
Region 1	65.71	(60.72 - 70.37)	66.10	(60.22 - 71.52)	72.29	(65.89 - 77.89)
Region 2	64.25	(59.11 - 69.08)	62.35	(56.13 - 68.18)	*	(* - *)
Region 3	66.98	(62.34 - 71.32)	66.49	(61.48 - 71.16)	73.02	(67.37 - 78.02)
Region 4 (King)	68.25	(64.24 - 72.00)	67.79	(63.21 - 72.05)	72.92	(68.13 - 77.24)
Region 5	65.10	(60.42 - 69.50)	65.26	(59.67 - 70.45)	70.74	(64.82 - 76.03)
Region 6	65.54	(61.08 - 69.75)	64.53	(58.94 - 69.74)	70.25	(64.58 - 75.35)
West Virginia	60.69	(57.65 - 63.64)	57.37	(54.20 - 60.49)	66.63	(63.65 - 69.48)
Eastern Highland	59.29	(54.37 - 64.03)	57.34	(51.70 - 62.79)	71.34	(66.23 - 75.95)
Northern	61.57	(56.98 - 65.97)	56.32	(51.28 - 61.23)	64.42	(59.18 - 69.33)
South Central I	59.69	(54.68 - 64.51)	55.22	(49.58 - 60.72)	65.85	(60.11 - 71.17)
South Central II	62.55	(57.67 - 67.18)	60.94	(55.47 - 66.15)	65.62	(59.71 - 71.08)
South Central III	61.55	(56.35 - 66.49)	58.76	(53.10 - 64.21)	67.95	(61.48 - 73.79)
Southern	59.91	(54.67 - 64.92)	56.82	(51.35 - 62.13)	64.63	(59.10 - 69.80)
Wisconsin	60.83	(58.05 - 63.55)	60.34	(57.22 - 63.37)	68.26	(65.14 - 71.23)
Milwaukee	60.45	(55.64 - 65.07)	63.02	(57.77 - 67.99)	69.30	(63.82 - 74.28)
Northeastern	58.97	(54.44 - 63.36)	55.67	(50.12 - 61.09)	66.95	(61.42 - 72.05)
Northern and Western	61.94	(57.51 - 66.18)	59.76	(54.50 - 64.80)	67.44	(62.00 - 72.45)
Southeastern	63.00	(58.60 - 67.20)	62.41	(57.11 - 67.43)	69.85	(64.14 - 75.01)
Southern	59.55	(54.82 - 64.11)	61.42	(56.55 - 66.08)	68.15	(62.57 - 73.26)
Wyoming	57.91	(54.67 - 61.09)	57.78	(54.45 - 61.04)	67.84	(64.73 - 70.79)
Frontier 1	58.94	(53.88 - 63.82)	57.58	(51.38 - 63.55)	69.20	(63.19 - 74.62)
Frontier 2	57.62	(52.08 - 62.98)	54.74	(48.24 - 61.08)	67.22	(60.84 - 73.03)
Rural 1	57.05	(52.10 - 61.87)	57.65	(52.23 - 62.89)	69.33	(64.13 - 74.09)
Rural 2	57.17	(52.09 - 62.10)	60.64	(55.68 - 65.39)	68.77	(63.06 - 73.97)
Rural 3 (Laramie)	59.69	(54.46 - 64.71)	56.14	(50.16 - 61.95)	64.77	(58.99 - 70.14)
Rural 4	57.65	(52.24 - 62.88)	55.32	(49.34 - 61.14)	66.15	(59.61 - 72.13)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 1999-2001 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 1999, 2000, and 2001.