

Table 1.53A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	22,870	22,995	2,084	2,075	635	570
AGE						
12-17	2,605	2,670	1,078	1,119	301	320
18-25	4,867	4,729	685	662	150	134
26 or Older	15,398	15,596	320	295	183	117
GENDER						
Male	15,012	14,875	1,313	1,189	407	331
Female	7,858	8,120	771	886	228	239
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	20,690	21,091	1,821	1,785	542	465
White	18,734	19,050	1,512	1,534	414	368
Black or African American	1,097	1,072	138	110	38	34
American Indian or Alaska Native	183	154	12	9	4	4
Native Hawaiian or Other Pacific Islander	50	29	11	10	3	5
Asian	356	508	113	86	77	40
Two or More Races	270	279	35	37	7	14
Hispanic or Latino	2,181	1,904	263	290	93	105

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.53B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	9.7	9.7	0.9	0.9	0.3	0.2
AGE						
12-17	10.5	10.7	4.4	4.5	1.2	1.3
18-25	15.7	14.9	2.2	2.1	0.5	0.4
26 or Older	8.6	8.6	0.2	0.2	0.1	0.1
GENDER						
Male	13.2	12.9	1.2	1.0	0.4	0.3
Female	6.5	6.6	0.6	0.7	0.2	0.2
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	10.0	10.1	0.9	0.9	0.3	0.2
White	11.3	11.5	0.9	0.9	0.3	0.2
Black or African American	4.1	3.9	0.5	0.4	0.1	0.1
American Indian or Alaska Native	12.4	12.2	0.8	0.7	0.3	0.3
Native Hawaiian or Other Pacific Islander	6.1	6.0	1.3	2.0	0.3	0.9
Asian	3.9	5.2	1.2	0.9	0.8	0.4
Two or More Races	10.8	10.8	1.4	1.4	0.3	0.6
Hispanic or Latino	7.5	6.4	0.9	1.0	0.3	0.4

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.54A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	2,605	2,670	1,078	1,119	301	320
GENDER						
Male	1,426	1,390	586	554	159	139
Female	1,179	1,281	492	565	143	181
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	2,186	2,238	916	947	251	248
White	1,781	1,817	768	795	204	192
Black or African American	255	253	82	87	26	28
American Indian or Alaska Native	24	21	8	6	4	4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	69	91	25	32	8	11
Two or More Races	44	45	24	21	7	9
Hispanic or Latino	420	433	162	172	50	72
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	981	954	409	395	108	89
Female, White, Not Hispanic	800	864	359	400	96	103
Male, Black, Not Hispanic	125	133	42	42	13	10
Female, Black, Not Hispanic	130	120	41	45	13	19
Male, Hispanic	249	216	104	82	28	26
Female, Hispanic	171	217	58	90	22 ^a	46

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.54B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	10.5	10.7	4.4	4.5	1.2	1.3
GENDER						
Male	11.3	10.9	4.6	4.3	1.3	1.1
Female	9.7	10.5	4.1	4.6	1.2	1.5
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	10.5	10.7	4.4	4.5	1.2	1.2
White	11.5	11.7	4.9	5.1	1.3	1.2
Black or African American	7.1	6.8	2.3	2.3	0.7	0.8
American Indian or Alaska Native	12.6	11.8	4.3	3.3	1.9	2.0
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	6.8	9.4	2.5	3.3	0.8	1.1
Two or More Races	11.1	11.1	6.1	5.2	1.8	2.4
Hispanic or Latino	10.7	10.6	4.1	4.2	1.3	1.8
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	12.3	11.9	5.1	4.9	1.4	1.1
Female, White, Not Hispanic	10.6	11.4	4.7	5.3	1.3	1.4
Male, Black, Not Hispanic	6.9	7.1	2.3	2.2	0.7	0.5
Female, Black, Not Hispanic	7.2	6.5	2.3	2.4	0.7	1.0
Male, Hispanic	12.4	10.4	5.2	4.0	1.4	1.2
Female, Hispanic	8.9	10.9	3.0	4.5	1.1	2.3

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.55A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	4,867	4,729	685	662	150	134
GENDER						
Male	2,958	2,892	471	420	104	95
Female	1,909	1,837	215	242	46	39
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	4,286	4,105	613	564	135	101
White	3,896	3,699	561	512	118	88
Black or African American	170	156	23	23	12	5
American Indian or Alaska Native	*	40	4	3	0	1
Native Hawaiian or Other Pacific Islander	6	14	*	2	*	*
Asian	78 ^a	129	16	14	4	1
Two or More Races	83	67	9	10	0	5
Hispanic or Latino	581	624	72	98	16	33
EDUCATION						
< High School	1,033	1,057	150	159	37	32
High School Graduate	1,553	1,635	230	239	46	45
Some College	1,654	1,494	239	211	49	48
College Graduate	628	543	66	53	19	9
CURRENT EMPLOYMENT						
Full-Time	2,456	2,313	250	289	50	58
Part-Time	1,216	1,170	221	182	49	36
Unemployed	384	437	56	69	17	8
Other ¹	811	808	159	121	34	32

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.55B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	15.7	14.9	2.2	2.1	0.5	0.4
GENDER						
Male	19.0	18.2	3.0	2.6	0.7	0.6
Female	12.3	11.6	1.4	1.5	0.3	0.2
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	16.8	15.7	2.4	2.2	0.5	0.4
White	20.2 ^a	18.8	2.9	2.6	0.6	0.4
Black or African American	4.2	3.6	0.6	0.5	0.3	0.1
American Indian or Alaska Native	*	21.8	1.8	1.5	0.1	0.3
Native Hawaiian or Other Pacific Islander	3.8	8.8	*	1.6	*	*
Asian	5.7	8.9	1.2	0.9	0.3	0.1
Two or More Races	20.5	18.4	2.1	2.8	0.1	1.4
Hispanic or Latino	10.6	11.0	1.3	1.7	0.3	0.6
EDUCATION						
< High School	15.0	15.4	2.2	2.3	0.5	0.5
High School Graduate	14.7	14.9	2.2	2.2	0.4	0.4
Some College	16.9 ^a	15.1	2.4	2.1	0.5	0.5
College Graduate	16.6 ^a	13.7	1.7	1.3	0.5	0.2
CURRENT EMPLOYMENT						
Full-Time	16.9	15.9	1.7	2.0	0.3	0.4
Part-Time	15.4	14.3	2.8	2.2	0.6	0.4
Unemployed	15.6	16.2	2.3	2.6	0.7	0.3
Other ¹	13.1	12.9	2.6	1.9	0.6	0.5

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.56A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	15,398	15,596	320	295	183	117
GENDER						
Male	10,628	10,594	256	215	144	97
Female	4,770	5,003	65	80	39	19
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	14,218	14,749	292	274	156	117
White	13,057	13,534	182	228	92	88
Black or African American	671	662	33	*	*	*
American Indian or Alaska Native	107	93	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	208	288	72	41	64	28
Two or More Races	144	167	3	6	*	*
Hispanic or Latino	1,180 ^a	847	28	20	27	*
EDUCATION						
< High School	1,720	1,736	72	21	34	*
High School Graduate	4,334	4,112	71	57	41	15
Some College	4,337	4,297	81	93	38	44
College Graduate	5,007	5,451	96	123	70	57
CURRENT EMPLOYMENT						
Full-Time	11,062	11,255	218	200	124	73
Part-Time	1,583	1,775	34	23	14	11
Unemployed	758	660	39	25	28	3
Other ¹	1,994	1,907	30	47	18	30

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.56B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	8.6	8.6	0.2	0.2	0.1	0.1
GENDER						
Male	12.4	12.3	0.3	0.2	0.2	0.1
Female	5.1	5.3	0.1	0.1	0.0	0.0
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	8.9	9.2	0.2	0.2	0.1	0.1
White	10.0	10.3	0.1	0.2	0.1	0.1
Black or African American	3.5	3.4	0.2	*	*	*
American Indian or Alaska Native	9.9	10.4	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3.1	3.9	1.1	0.6	1.0	0.4
Two or More Races	8.4	9.2	0.2	0.3	*	*
Hispanic or Latino	6.0 ^a	4.2	0.1	0.1	0.1	*
EDUCATION						
< High School	5.7	5.6	0.2	0.1	0.1	*
High School Graduate	7.5	7.3	0.1	0.1	0.1	0.0
Some College	10.1	10.1	0.2	0.2	0.1	0.1
College Graduate	10.3	10.7	0.2	0.2	0.1	0.1
CURRENT EMPLOYMENT						
Full-Time	10.8	11.0	0.2	0.2	0.1	0.1
Part-Time	8.1	8.7	0.2	0.1	0.1	0.1
Unemployed	14.8	12.2	0.8	0.5	0.5	0.1
Other ¹	3.8	3.6	0.1	0.1	0.0	0.1

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.57A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	20,265	20,325	1,005	956	334	250
GENDER						
Male	13,586	13,486	726	635	249	193
Female	6,679	6,839	279	321	85	58
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	18,504	18,853	905	838	291	217
White	16,953	17,233	743	740	210	176
Black or African American	841	818	56	23	12	5
American Indian or Alaska Native	159	133	4	3	0	1
Native Hawaiian or Other Pacific Islander	37	19	2	2	*	1
Asian	287	416	88	55	68	29
Two or More Races	227	234	11	16	0	5
Hispanic or Latino	1,761	1,472	101	118	43	33
EDUCATION						
< High School	2,753	2,793	222	180	71	32
High School Graduate	5,887	5,747	301	296	87	60
Some College	5,991	5,791	320	304	86	93
College Graduate	5,635	5,994	162	176	89	66
CURRENT EMPLOYMENT						
Full-Time	13,518	13,568	468	489	174	132
Part-Time	2,800	2,945	255	205	63	47
Unemployed	1,142	1,097	95	94	44	10
Other ¹	2,805	2,715	188	169	52	62

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 1.57B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	9.6	9.6	0.5	0.4	0.2	0.1
GENDER						
Male	13.5	13.2	0.7	0.6	0.2	0.2
Female	6.1	6.2	0.3	0.3	0.1	0.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	10.0	10.1	0.5	0.4	0.2	0.1
White	11.3	11.4	0.5	0.5	0.1	0.1
Black or African American	3.6	3.5	0.2	0.1	0.1	0.0
American Indian or Alaska Native	12.3	12.3	0.3	0.3	0.0	0.1
Native Hawaiian or Other Pacific Islander	5.1	4.6	0.3	0.6	*	0.3
Asian	3.6	4.7	1.1	0.6	0.9	0.3
Two or More Races	10.7	10.8	0.5	0.7	0.0	0.2
Hispanic or Latino	7.0	5.7	0.4	0.5	0.2	0.1
EDUCATION						
< High School	7.4	7.4	0.6	0.5	0.2	0.1
High School Graduate	8.7	8.6	0.4	0.4	0.1	0.1
Some College	11.4	11.0	0.6	0.6	0.2	0.2
College Graduate	10.7	10.9	0.3	0.3	0.2	0.1
CURRENT EMPLOYMENT						
Full-Time	11.6	11.6	0.4	0.4	0.1	0.1
Part-Time	10.2	10.3	0.9	0.7	0.2	0.2
Unemployed	15.1	13.6	1.2	1.2	0.6	0.1
Other ¹	4.8	4.6	0.3	0.3	0.1	0.1

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.