

**Table 1.123C Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	815	756	432	420	276	289
<b>GEOGRAPHIC DIVISION</b>						
Northeast	337	338	167	144	104	91
New England	191	203	101	102	45	50
Middle Atlantic	278	273	131	102	93	76
Midwest	286	277	161	157	103	97
East North Central	218	214	124	139	71	86
West North Central	185	176	102	72	74	47
South	518	431	281	231	185	167
South Atlantic	423	314	233	182	141	127
East South Central	213	146	114	80	79	61
West South Central	223	255	107	118	88	90
West	439	430	231	277	143	194
Mountain	182	175	72	122	50	89
Pacific	399	393	220	249	135	172
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	638	602	324	330	213	230
Small Metro	416	412	237	204	140	136
250K – 1 Mil. Pop.	331	340	186	172	116	108
< 250K Pop.	248	235	144	118	84	82
Nonmetro	298	279	156	152	95	103
Urbanized	183	181	91	94	50	56
Less Urbanized	202	182	103	116	54	89
Completely Rural	105	90	78	26	69	13

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.123D Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.35	0.32	0.18	0.18	0.12	0.12
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.75	0.75	0.37	0.32	0.23	0.20
New England	1.62	1.71	0.85	0.86	0.38	0.42
Middle Atlantic	0.84	0.82	0.39	0.30	0.28	0.23
Midwest	0.54	0.52	0.30	0.29	0.19	0.18
East North Central	0.58	0.57	0.33	0.37	0.19	0.23
West North Central	1.15	1.09	0.64	0.44	0.46	0.29
South	0.62	0.51	0.34	0.27	0.22	0.20
South Atlantic	0.97	0.71	0.53	0.41	0.32	0.28
East South Central	1.50	1.02	0.81	0.56	0.56	0.43
West South Central	0.86	0.98	0.41	0.45	0.34	0.34
West	0.83	0.80	0.44	0.51	0.27	0.36
Mountain	1.19	1.12	0.47	0.78	0.33	0.57
Pacific	1.06	1.03	0.58	0.65	0.36	0.45
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	0.51	0.48	0.26	0.26	0.17	0.18
Small Metro	0.60	0.58	0.34	0.29	0.20	0.19
250K – 1 Mil. Pop.	0.73	0.72	0.41	0.37	0.25	0.23
< 250K Pop.	1.04	0.96	0.61	0.48	0.35	0.34
Nonmetro	0.74	0.69	0.39	0.38	0.24	0.26
Urbanized	1.14	1.01	0.57	0.53	0.31	0.32
Less Urbanized	1.03	1.00	0.52	0.64	0.27	0.49
Completely Rural	2.38	2.20	1.75	0.63	1.56	0.32

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.123P Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.9491		0.5682		0.9537	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.7718		0.6816		0.6137	
New England	0.8937		0.7235		0.8654	
Middle Atlantic	0.6309		0.3625		0.6250	
Midwest	0.3959		0.3713		0.8186	
East North Central	0.1551		0.1745		0.9266	
West North Central	0.7422		0.6783		0.6319	
South	0.3371		0.4111		0.6815	
South Atlantic	0.2323		0.3919		0.7001	
East South Central	0.4005		0.2425		0.0786	
West South Central	0.4629		0.4214		0.2463	
West	0.7648		0.5380		0.5053	
Mountain	0.3653		0.2566		0.8275	
Pacific	0.9306		0.8136		0.5289	
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	0.6896		0.5871		0.6795	
Small Metro	0.7139		0.6805		0.8521	
250K – 1 Mil. Pop.	0.7955		0.6465		0.5312	
< 250K Pop.	0.7788		0.9529		0.2977	
Nonmetro	0.1147		0.8954		0.6481	
Urbanized	0.8745		0.6804		0.4854	
Less Urbanized	0.0392		0.4578		0.1967	
Completely Rural	0.8092		0.0652		0.0478	

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.124C Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	89	97	76	79	52	48
<b>GEOGRAPHIC DIVISION</b>						
Northeast	34	37	30	31	17	18
New England	15	20	14	19	8	9
Middle Atlantic	31	31	27	25	14	16
Midwest	34	35	29	31	17	19
East North Central	26	31	22	28	14	17
West North Central	21	17	18	15	9	10
South	57	58	47	47	33	29
South Atlantic	41	44	36	36	26	20
East South Central	22	23	17	18	11	12
West South Central	32	31	24	25	18	17
West	49	57	44	45	32	28
Mountain	18	25	17	23	13	14
Pacific	45	51	40	38	29	24
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	67	71	55	56	39	34
Small Metro	46	51	43	41	30	24
250K – 1 Mil. Pop.	42	42	38	35	26	20
< 250K Pop.	26	27	23	21	15	13
Nonmetro	34	34	28	30	18	21
Urbanized	19	20	18	18	15	14
Less Urbanized	26	25	21	21	13	14
Completely Rural	13	10	11	9	7	6

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.124D Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.36	0.39	0.31	0.32	0.21	0.19
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.77	0.83	0.68	0.70	0.38	0.40
New England	1.29	1.75	1.21	1.62	0.73	0.76
Middle Atlantic	0.94	0.94	0.81	0.74	0.44	0.47
Midwest	0.59	0.62	0.51	0.55	0.29	0.34
East North Central	0.65	0.78	0.55	0.69	0.35	0.42
West North Central	1.24	0.99	1.07	0.87	0.53	0.57
South	0.65	0.65	0.53	0.53	0.38	0.32
South Atlantic	0.93	0.98	0.82	0.79	0.58	0.43
East South Central	1.58	1.57	1.16	1.23	0.79	0.86
West South Central	1.07	1.04	0.82	0.86	0.63	0.57
West	0.83	0.97	0.75	0.76	0.55	0.48
Mountain	1.08	1.44	0.98	1.35	0.77	0.83
Pacific	1.09	1.23	0.98	0.91	0.71	0.58
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	0.51	0.53	0.42	0.42	0.29	0.25
Small Metro	0.64	0.69	0.60	0.55	0.41	0.32
250K – 1 Mil. Pop.	0.85	0.84	0.77	0.69	0.54	0.40
< 250K Pop.	1.11	1.13	1.00	0.88	0.66	0.55
Nonmetro	0.78	0.79	0.66	0.69	0.42	0.50
Urbanized	1.09	1.08	1.04	0.99	0.84	0.75
Less Urbanized	1.26	1.24	1.02	1.03	0.62	0.73
Completely Rural	2.68	2.37	2.41	1.93	1.54	1.37

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.124P Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.8845		0.8608		0.8018	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.8853		0.9139		0.9442	
New England	0.5703		0.7731		0.0663	
Middle Atlantic	0.8796		0.7608		0.1952	
Midwest	0.0742		0.1690		0.7690	
East North Central	0.3374		0.4328		0.7141	
West North Central	0.0822		0.1922		0.9816	
South	0.9268		0.9563		0.2439	
South Atlantic	0.2272		0.3081		0.0104	
East South Central	0.3707		0.4508		0.7357	
West South Central	0.2787		0.4179		0.3031	
West	0.3802		0.6277		0.4134	
Mountain	0.6651		0.7551		0.3160	
Pacific	0.4443		0.6971		0.6771	
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	0.2875		0.4659		0.5653	
Small Metro	0.1363		0.6594		0.8540	
250K – 1 Mil. Pop.	0.2691		0.9948		0.7654	
< 250K Pop.	0.3279		0.3826		0.4303	
Nonmetro	0.6303		0.8106		0.8589	
Urbanized	0.4938		0.1492		0.5194	
Less Urbanized	0.2850		0.5984		0.6872	
Completely Rural	0.8530		0.3439		0.8817	

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.125C Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	157	151	116	127	75	82
<b>GEOGRAPHIC DIVISION</b>						
Northeast	62	58	45	48	29	29
New England	33	25	23	29	12	14
Middle Atlantic	52	52	39	40	26	26
Midwest	61	60	46	46	31	33
East North Central	49	50	39	38	26	27
West North Central	35	33	23	26	17	18
South	102	94	74	73	49	51
South Atlantic	76	68	56	54	36	41
East South Central	41	33	32	24	19	16
West South Central	54	55	37	43	28	26
West	82	82	61	79	37	46
Mountain	30	36	22	35	18	23
Pacific	76	73	56	70	32	41
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	118	116	87	98	55	62
Small Metro	85	79	60	69	43	45
250K – 1 Mil. Pop.	66	64	46	59	33	36
< 250K Pop.	55	47	38	35	27	26
Nonmetro	50	48	46	42	25	27
Urbanized	37	33	34	27	16	19
Less Urbanized	31	32	25	28	16	18
Completely Rural	16	12	11	8	7	5

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.125D Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.51	0.47	0.37	0.40	0.24	0.26
<b>GEOGRAPHIC DIVISION</b>						
Northeast	1.13	1.03	0.82	0.86	0.52	0.52
New England	2.32	1.68	1.60	1.98	0.85	0.94
Middle Atlantic	1.27	1.24	0.96	0.96	0.64	0.63
Midwest	0.85	0.82	0.64	0.63	0.43	0.44
East North Central	0.99	0.99	0.79	0.75	0.51	0.53
West North Central	1.57	1.45	1.05	1.15	0.76	0.81
South	0.92	0.83	0.67	0.65	0.45	0.45
South Atlantic	1.41	1.22	1.03	0.96	0.67	0.73
East South Central	2.12	1.71	1.65	1.26	0.97	0.85
West South Central	1.45	1.44	1.00	1.13	0.75	0.68
West	1.13	1.11	0.83	1.06	0.50	0.63
Mountain	1.36	1.62	1.02	1.58	0.81	1.01
Pacific	1.49	1.42	1.10	1.36	0.62	0.79
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	0.74	0.70	0.55	0.59	0.35	0.37
Small Metro	0.84	0.77	0.59	0.67	0.42	0.44
250K – 1 Mil. Pop.	1.02	0.97	0.71	0.89	0.52	0.54
< 250K Pop.	1.48	1.33	1.03	0.99	0.73	0.75
Nonmetro	1.01	0.98	0.92	0.84	0.50	0.55
Urbanized	1.63	1.40	1.52	1.15	0.71	0.82
Less Urbanized	1.39	1.46	1.12	1.28	0.72	0.83
Completely Rural	3.36	3.22	2.34	2.25	1.60	1.36

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 1.125P Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.8105		0.3854		0.1587	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.7870		0.5621		0.8492	
New England	0.5915		0.7104		0.6296	
Middle Atlantic	0.9623		0.6649		0.6481	
Midwest	0.8542		0.2007		0.1703	
East North Central	0.5727		0.0193		0.2020	
West North Central	0.2629		0.3443		0.5478	
South	0.7182		0.0582		0.7765	
South Atlantic	0.5584		0.1760		0.5512	
East South Central	0.8956		0.0884		0.2215	
West South Central	0.8081		0.6470		0.6401	
West	0.5980		0.3641		0.0609	
Mountain	0.9873		0.8672		0.7261	
Pacific	0.5789		0.2889		0.0143	
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	0.7683		0.6432		0.4307	
Small Metro	0.8659		0.1359		0.7451	
250K – 1 Mil. Pop.	0.8196		0.5335		0.6633	
< 250K Pop.	0.5646		0.0906		0.9887	
Nonmetro	0.0746		0.4502		0.0811	
Urbanized	0.1802		0.6065		0.0142	
Less Urbanized	0.2611		0.3714		0.5205	
Completely Rural	0.7548		0.1201		0.0230	

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.126C Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	789	728	384	375	259	274
<b>GEOGRAPHIC DIVISION</b>						
Northeast	329	330	153	121	100	78
New England	173	201	96	91	42	49
Middle Atlantic	279	264	119	81	91	62
Midwest	274	269	148	146	99	89
East North Central	206	208	113	125	68	78
West North Central	180	171	96	74	72	43
South	504	411	250	201	171	160
South Atlantic	414	306	200	158	129	122
East South Central	206	128	106	71	76	61
West South Central	216	242	108	103	84	83
West	419	418	197	251	134	187
Mountain	171	168	59	109	50	81
Pacific	382	383	188	226	125	169
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	616	577	296	300	205	222
Small Metro	402	397	205	187	121	125
250K – 1 Mil. Pop.	320	326	158	156	103	95
< 250K Pop.	236	217	124	106	70	79
Nonmetro	278	274	136	127	91	96
Urbanized	169	170	76	78	43	46
Less Urbanized	189	178	89	101	48	85
Completely Rural	92	94	63	25	61	10

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.126D Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.44	0.40	0.21	0.21	0.14	0.15
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.94	0.94	0.44	0.34	0.28	0.22
New England	1.88	2.17	1.04	0.98	0.45	0.53
Middle Atlantic	1.08	1.02	0.46	0.31	0.35	0.24
Midwest	0.67	0.66	0.37	0.36	0.24	0.22
East North Central	0.72	0.73	0.40	0.44	0.24	0.27
West North Central	1.49	1.41	0.79	0.61	0.60	0.36
South	0.79	0.64	0.39	0.31	0.27	0.25
South Atlantic	1.22	0.89	0.59	0.46	0.38	0.36
East South Central	1.90	1.18	0.98	0.66	0.70	0.56
West South Central	1.12	1.25	0.57	0.53	0.44	0.43
West	1.05	1.03	0.50	0.62	0.34	0.46
Mountain	1.49	1.44	0.52	0.94	0.44	0.69
Pacific	1.35	1.33	0.66	0.78	0.44	0.58
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	0.64	0.60	0.31	0.31	0.21	0.23
Small Metro	0.77	0.74	0.39	0.35	0.23	0.23
250K – 1 Mil. Pop.	0.94	0.92	0.46	0.44	0.30	0.27
< 250K Pop.	1.33	1.17	0.70	0.57	0.40	0.43
Nonmetro	0.90	0.88	0.44	0.41	0.30	0.31
Urbanized	1.40	1.25	0.63	0.57	0.35	0.34
Less Urbanized	1.24	1.26	0.58	0.72	0.32	0.61
Completely Rural	2.64	2.85	1.79	0.77	1.75	0.31

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.126P Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.9959		0.6805		0.6475	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.8080		0.4475		0.5022	
New England	0.8704		0.7773		0.7564	
Middle Atlantic	0.6606		0.1744		0.3245	
Midwest	0.3079		0.7147		0.5292	
East North Central	0.0848		0.4973		0.7983	
West North Central	0.6987		0.7619		0.5041	
South	0.3502		0.7227		0.8623	
South Atlantic	0.3391		0.6874		0.8795	
East South Central	0.4337		0.3464		0.1222	
West South Central	0.3068		0.4335		0.2688	
West	0.9303		0.7416		0.9021	
Mountain	0.4004		0.2246		0.9001	
Pacific	0.7561		0.8956		0.9362	
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	0.7712		0.5893		0.5122	
Small Metro	0.6316		0.9432		0.8750	
250K – 1 Mil. Pop.	0.6434		0.7602		0.4564	
< 250K Pop.	0.8630		0.5992		0.2410	
Nonmetro	0.1676		0.9250		0.9968	
Urbanized	0.6500		0.8548		0.9139	
Less Urbanized	0.0484		0.5895		0.2307	
Completely Rural	0.7117		0.1033		0.0656	

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.127C Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	813	748	415	408	270	286
<b>GEOGRAPHIC DIVISION</b>						
Northeast	334	338	159	140	101	91
New England	186	201	99	98	44	51
Middle Atlantic	277	274	123	101	91	75
Midwest	280	275	155	153	101	94
East North Central	214	216	120	135	70	83
West North Central	181	170	98	72	72	44
South	517	425	272	225	182	163
South Atlantic	418	312	221	177	138	123
East South Central	214	139	114	82	77	63
West South Central	228	252	110	112	90	87
West	443	429	220	267	139	194
Mountain	182	172	66	117	49	88
Pacific	404	392	210	240	131	173
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	640	596	314	325	211	229
Small Metro	409	409	228	200	134	133
250K – 1 Mil. Pop.	327	336	176	169	110	105
< 250K Pop.	246	231	143	113	82	79
Nonmetro	293	275	147	143	94	101
Urbanized	182	177	88	90	47	54
Less Urbanized	196	178	92	109	50	86
Completely Rural	98	92	68	25	64	11

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.127D Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.39	0.35	0.20	0.19	0.13	0.13
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.82	0.83	0.39	0.34	0.25	0.22
New England	1.75	1.88	0.93	0.91	0.41	0.48
Middle Atlantic	0.93	0.91	0.41	0.34	0.30	0.25
Midwest	0.59	0.57	0.32	0.32	0.21	0.20
East North Central	0.64	0.64	0.36	0.40	0.21	0.25
West North Central	1.27	1.18	0.69	0.50	0.51	0.31
South	0.69	0.56	0.36	0.30	0.24	0.22
South Atlantic	1.06	0.78	0.56	0.44	0.35	0.31
East South Central	1.68	1.09	0.90	0.64	0.61	0.50
West South Central	1.00	1.09	0.48	0.49	0.39	0.37
West	0.94	0.89	0.47	0.56	0.30	0.40
Mountain	1.34	1.24	0.48	0.84	0.36	0.63
Pacific	1.21	1.15	0.63	0.71	0.39	0.51
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	0.57	0.53	0.28	0.29	0.19	0.20
Small Metro	0.66	0.64	0.37	0.31	0.22	0.21
250K – 1 Mil. Pop.	0.81	0.80	0.43	0.40	0.27	0.25
< 250K Pop.	1.15	1.05	0.67	0.51	0.38	0.36
Nonmetro	0.82	0.77	0.41	0.40	0.26	0.28
Urbanized	1.27	1.10	0.61	0.56	0.33	0.34
Less Urbanized	1.12	1.10	0.52	0.67	0.29	0.53
Completely Rural	2.49	2.51	1.73	0.69	1.61	0.30

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 1.127P Any Illicit Drug Use Other Than Marijuana in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Geographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.9374		0.5770		0.9904	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.7595		0.6465		0.5951	
New England	0.9321		0.6720		0.8418	
Middle Atlantic	0.6451		0.3026		0.4513	
Midwest	0.2847		0.5073		0.8592	
East North Central	0.1195		0.2198		0.8676	
West North Central	0.8844		0.5143		0.6240	
South	0.3363		0.4002		0.8330	
South Atlantic	0.2974		0.4774		0.9442	
East South Central	0.4608		0.2019		0.0669	
West South Central	0.3665		0.5476		0.3297	
West	0.8544		0.5674		0.5928	
Mountain	0.4030		0.2677		0.9843	
Pacific	0.8502		0.8518		0.5675	
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	0.7877		0.6643		0.7458	
Small Metro	0.5775		0.6142		0.8687	
250K – 1 Mil. Pop.	0.6818		0.6434		0.5663	
< 250K Pop.	0.6895		0.8298		0.3475	
Nonmetro	0.0999		0.9203		0.6620	
Urbanized	0.8019		0.8651		0.5525	
Less Urbanized	0.0251		0.3748		0.1641	
Completely Rural	0.7903		0.0576		0.0304	

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.