

Table 2.25A Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	171,838	172,843	84,731	83,415	71,499	70,757
AGE						
12-17	9,113 ^a	8,631	5,839	5,634	3,767	3,610
18-25	23,426	23,723	17,028	17,073	14,049	14,201
26 or Older	139,299	140,489	61,864	60,708	53,683	52,946
GENDER						
Male	90,952	91,731	49,558	48,800	41,991	41,288
Female	80,886	81,112	35,173	34,615	29,509	29,469
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	154,380	154,932	75,400	74,512	64,163	63,671
White	128,948	129,865	62,222	61,538	52,905	52,512
Black or African American	17,354	17,369	8,909	9,335	7,722	8,223
American Indian or Alaska Native	1,260	997	758	608	656	525
Native Hawaiian or Other Pacific Islander	*	297	*	206	234	181
Asian	4,296	4,425	2,111	1,788	1,689	1,344
Two or More Races	1,939	1,979	1,084	1,036	957	886
Hispanic or Latino	17,458	17,911	9,331	8,903	7,336	7,086

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.25B Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	73.1	72.7	36.0	35.1	30.4	29.8
AGE						
12-17	36.8 ^b	34.5	23.6 ^a	22.5	15.2	14.4
18-25	75.5	74.8	54.9	53.8	45.3	44.8
26 or Older	77.7	77.6	34.5	33.5	29.9	29.3
GENDER						
Male	80.1	79.8	43.6	42.4	37.0	35.9
Female	66.6	66.1	28.9	28.2	24.3	24.0
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	74.9	74.6	36.6	35.9	31.1	30.6
White	78.0	78.1	37.6	37.0	32.0	31.6
Black or African American	64.7	63.3	33.2	34.0	28.8	30.0
American Indian or Alaska Native	85.2	79.4	51.3	48.4	44.3	41.8
Native Hawaiian or Other Pacific Islander	*	60.6	*	42.0	28.8	37.0
Asian	47.4	45.3	23.3 ^a	18.3	18.6 ^a	13.8
Two or More Races	77.2	76.8	43.2	40.2	38.1	34.4
Hispanic or Latino	60.0	59.9	32.1	29.8	25.2	23.7

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.26A Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	9,113 ^a	8,631	5,839	5,634	3,767	3,610
GENDER						
Male	4,855	4,609	3,142	3,047	2,019	1,988
Female	4,258	4,022	2,697	2,587	1,748	1,622
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	7,784 ^b	7,287	5,030	4,824	3,309	3,193
White	6,213 ^a	5,838	4,162	4,011	2,824	2,701
Black or African American	1,069	1,010	571	564	330	328
American Indian or Alaska Native	118	89	84	60	58	47
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	205	181	106	81	39	40
Two or More Races	146	147	85	93	52	66
Hispanic or Latino	1,329	1,343	809	810	458	417
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	3,346 ^a	3,131	2,223	2,171	1,492	1,484
Female, White, Not Hispanic	2,867	2,707	1,939	1,841	1,332	1,217
Male, Black, Not Hispanic	563	537	332	308	205	188
Female, Black, Not Hispanic	506	473	240	256	125	141
Male, Hispanic	697	704	430	430	248	230
Female, Hispanic	632	639	379	380	210	187

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.26B Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	36.8 ^b	34.5	23.6 ^a	22.5	15.2	14.4
GENDER						
Male	38.4 ^b	36.1	24.8	23.9	16.0	15.6
Female	35.2 ^b	32.9	22.3	21.2	14.4 ^a	13.3
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	37.4 ^b	34.8	24.2 ^a	23.0	15.9	15.3
White	40.0 ^b	37.5	26.8	25.8	18.2	17.4
Black or African American	29.6	27.0	15.8	15.1	9.1	8.8
American Indian or Alaska Native	62.6 ^a	50.1	44.6	34.0	30.6	26.8
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	20.3	18.6	10.5	8.3	3.8	4.1
Two or More Races	37.3	36.7	21.6	23.1	13.4	16.5
Hispanic or Latino	33.8	33.1	20.6	19.9	11.6	10.3
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	42.0 ^b	39.2	27.9	27.2	18.7	18.6
Female, White, Not Hispanic	37.9 ^a	35.7	25.6	24.3	17.6	16.0
Male, Black, Not Hispanic	30.9	28.5	18.2	16.4	11.2	9.9
Female, Black, Not Hispanic	28.1	25.5	13.3	13.8	6.9	7.6
Male, Hispanic	34.7	33.9	21.4	20.7	12.3	11.1
Female, Hispanic	32.9	32.1	19.8	19.1	10.9	9.4

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.27A Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	23,426	23,723	17,028	17,073	14,049	14,201
GENDER						
Male	12,462	12,662	9,618	9,760	8,097	8,226
Female	10,964	11,061	7,410	7,313	5,952	5,975
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	19,752	19,796	14,683	14,510	12,243	12,146
White	15,725	15,812	12,009	11,839	10,064	9,913
Black or African American	2,577	2,623	1,648	1,714	1,359	1,455
American Indian or Alaska Native	190	160	140	131	117	119
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	798	805	526	530	394	404
Two or More Races	337	288	266	214	226	177
Hispanic or Latino	3,674	3,926	2,345	2,563	1,806 ^a	2,055
EDUCATION						
< High School	5,185	5,189	4,068	4,093	3,539	3,635
High School Graduate	7,976	8,133	5,903	6,036	4,997	5,135
Some College	7,368	7,453	5,220	5,101	4,174	4,085
College Graduate	2,896	2,948	1,836	1,842	1,340	1,345
CURRENT EMPLOYMENT						
Full-Time	11,478	11,571	8,358	8,359	7,095	7,131
Part-Time	5,739	5,892	4,060	4,173	3,191	3,257
Unemployed	1,918	2,049	1,563	1,619	1,351	1,416
Other ¹	4,290	4,211	3,046	2,922	2,413	2,397

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.27B Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	75.5	74.8	54.9	53.8	45.3	44.8
GENDER						
Male	80.3	79.5	61.9	61.3	52.1	51.7
Female	70.8	70.0	47.8	46.3	38.4	37.8
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	77.3 ^a	75.9	57.5 ^b	55.7	47.9	46.6
White	81.4	80.5	62.2 ^a	60.3	52.1 ^a	50.5
Black or African American	63.3	61.3	40.5	40.1	33.4	34.0
American Indian or Alaska Native	88.5	87.6	65.1	71.6	54.4	64.9
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	58.3	55.7	38.4	36.7	28.7	28.0
Two or More Races	83.6	79.4	65.8	58.9	55.9	48.8
Hispanic or Latino	67.0	69.4	42.7	45.3	32.9 ^a	36.3
EDUCATION						
< High School	75.4	75.5	59.2	59.5	51.5	52.9
High School Graduate	75.4	74.0	55.8	55.0	47.2	46.7
Some College	75.4	75.3	53.4	51.6	42.7	41.3
College Graduate	76.4	74.2	48.4	46.4	35.3	33.9
CURRENT EMPLOYMENT						
Full-Time	79.2	79.4	57.7	57.4	49.0	49.0
Part-Time	72.6	72.0	51.4	51.0	40.4	39.8
Unemployed	78.1	76.0	63.6	60.1	55.0	52.5
Other ¹	69.5	67.0	49.4 ^a	46.5	39.1	38.2

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.28A Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	139,299	140,489	61,864	60,708	53,683	52,946
GENDER						
Male	73,635	74,460	36,798	35,994	31,874	31,074
Female	65,664	66,029	25,066	24,714	21,809	21,872
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	126,845	127,848	55,687	55,178	48,610	48,332
White	107,010	108,215	46,051	45,688	40,017	39,898
Black or African American	13,708	13,735	6,689	7,057	6,033	6,440
American Indian or Alaska Native	*	748	534	417	481	359
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3,292	3,439	1,478	1,177	1,256	900
Two or More Races	1,455	1,544	734	730	679	642
Hispanic or Latino	12,454	12,641	6,177	5,530	5,073	4,614
EDUCATION						
< High School	21,649	22,450	11,877	12,429	10,931	11,329
High School Graduate	45,040	43,612	22,235 ^a	20,713	19,950	19,013
Some College	34,441	34,639	15,742	15,262	13,714	13,244
College Graduate	38,169	39,788	12,010	12,303	9,088	9,360
CURRENT EMPLOYMENT						
Full-Time	82,245	82,705	40,144	39,568	34,168	34,309
Part-Time	15,445	15,438	5,834	5,707	5,100	4,765
Unemployed	4,152	4,280	2,931	2,552	2,732	2,322
Other ¹	37,457	38,065	12,955	12,882	11,684	11,549

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.28B Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	77.7	77.6	34.5	33.5	29.9	29.3
GENDER						
Male	86.2	86.3	43.1	41.7	37.3	36.0
Female	69.9	69.8	26.7	26.1	23.2	23.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	79.4	79.5	34.9	34.3	30.4	30.1
White	82.0	82.6	35.3	34.9	30.7	30.4
Black or African American	71.7	70.7	35.0	36.3	31.6	33.1
American Indian or Alaska Native	*	83.4	49.7	46.6	44.7	40.0
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	49.3	46.8	22.1	16.0	18.8 ^a	12.2
Two or More Races	84.8	85.2	42.8	40.3	39.5	35.5
Hispanic or Latino	63.3	62.7	31.4 ^a	27.4	25.8	22.9
EDUCATION						
< High School	71.3	72.4	39.1	40.1	36.0	36.5
High School Graduate	78.5	77.7	38.7	36.9	34.8	33.9
Some College	80.5	81.3	36.8	35.8	32.0	31.1
College Graduate	78.2	77.8	24.6	24.0	18.6	18.3
CURRENT EMPLOYMENT						
Full-Time	80.6	80.8	39.4	38.6	33.5	33.5
Part-Time	79.0 ^a	75.5	29.9	27.9	26.1	23.3
Unemployed	81.0	79.4	57.1 ^b	47.3	53.3 ^b	43.1
Other ¹	71.1	72.2	24.6	24.4	22.2	21.9

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.29A Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	162,725	164,212	78,892	77,781	67,732	67,147
GENDER						
Male	86,097	87,122	46,416	45,753	39,972	39,300
Female	76,628	77,090	32,476	32,027	27,761	27,847
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	146,596	147,644	70,371	69,688	60,854	60,478
White	122,735	124,027	58,060	57,527	50,081	49,811
Black or African American	16,285	16,358	8,338	8,771	7,392	7,895
American Indian or Alaska Native	1,142	908	674	548	598	477
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	4,090	4,244	2,005	1,707	1,650	1,304
Two or More Races	1,792	1,832	1,000	944	905	819
Hispanic or Latino	16,129	16,567	8,522	8,093	6,878	6,669
EDUCATION						
< High School	26,834	27,638	15,946	16,522	14,470	14,964
High School Graduate	53,017	51,745	28,138	26,750	24,946	24,148
Some College	41,809	42,092	20,962	20,364	17,888	17,329
College Graduate	41,065	42,737	13,846	14,145	10,428	10,705
CURRENT EMPLOYMENT						
Full-Time	93,724	94,276	48,503	47,926	41,263	41,440
Part-Time	21,184	21,331	9,894	9,880	8,291	8,022
Unemployed	6,071	6,329	4,494	4,170	4,083	3,738
Other ¹	41,747	42,276	16,002	15,804	14,096	13,946

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.29B Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2002 and 2003

Demographic Characteristic	TIME PERIOD					
	Lifetime		Past Year		Past Month	
	2002	2003	2002	2003	2002	2003
TOTAL	77.3	77.2	37.5	36.6	32.2	31.6
GENDER						
Male	85.3	85.2	46.0	44.8	39.6	38.4
Female	70.0	69.8	29.7	29.0	25.4	25.2
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	79.1	79.0	38.0	37.3	32.9	32.4
White	81.9	82.3	38.7	38.2	33.4	33.1
Black or African American	70.2	69.0	36.0	37.0	31.9	33.3
American Indian or Alaska Native	88.5	84.2	52.2	50.8	46.3	44.2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	50.8	48.2	24.9 ^a	19.4	20.5 ^a	14.8
Two or More Races	84.5	84.2	47.1	43.4	42.7	37.7
Hispanic or Latino	64.1	64.2	33.9	31.3	27.4	25.8
EDUCATION						
< High School	72.1	72.9	42.8	43.6	38.9	39.5
High School Graduate	78.0	77.1	41.4	39.8	36.7	36.0
Some College	79.5	80.2	39.9	38.8	34.0	33.0
College Graduate	78.1	77.5	26.3	25.7	19.8	19.4
CURRENT EMPLOYMENT						
Full-Time	80.4	80.6	41.6	41.0	35.4	35.4
Part-Time	77.2 ^a	74.5	36.1	34.5	30.2	28.0
Unemployed	80.0	78.3	59.2 ^b	51.6	53.8 ^b	46.2
Other ¹	70.9	71.7	27.2	26.8	24.0	23.6

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.