

Table 2.55C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	595	596	563
NOT HISPANIC OR LATINO¹	548	564	534
White	447	509	479
Black or African American	250	189	181
American Indian or Alaska Native	33	35	35
Native Hawaiian or Other Pacific Islander	29	35	27
Chinese	79	36	31
Filipino	75	56	47
Japanese	37	24	23
Asian Indian	69	52	50
Korean	41	33	32
Vietnamese	37	29	28
HISPANIC OR LATINO¹	206	193	185
Mexican	166	141	139
Puerto Rican	57	67	67
Central or South American	91	75	68
Cuban	45	47	39

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.55D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	0.25	0.25	0.24
NOT HISPANIC OR LATINO¹	0.26	0.27	0.26
White	0.27	0.31	0.29
Black or African American	0.92	0.69	0.67
American Indian or Alaska Native	2.38	2.56	2.54
Native Hawaiian or Other Pacific Islander	4.44	5.31	4.09
Chinese	3.75	1.71	1.46
Filipino	3.58	2.67	2.24
Japanese	4.43	2.89	2.67
Asian Indian	3.44	2.60	2.48
Korean	5.23	4.17	4.05
Vietnamese	4.47	3.51	3.41
HISPANIC OR LATINO¹	0.70	0.65	0.63
Mexican	0.85	0.72	0.71
Puerto Rican	1.80	2.12	2.10
Central or South American	2.26	1.86	1.69
Cuban	3.52	3.75	3.05

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.56C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	80	64	54
NOT HISPANIC OR LATINO¹	73	59	50
White	64	53	45
Black or African American	26	19	15
American Indian or Alaska Native	6	6	5
Native Hawaiian or Other Pacific Islander	*	*	2
Chinese	5	4	3
Filipino	6	5	3
Japanese	*	*	*
Asian Indian	6	5	3
Korean	4	*	1
Vietnamese	5	2	1
HISPANIC OR LATINO¹	33	26	19
Mexican	30	22	17
Puerto Rican	9	8	8
Central or South American	10	8	6
Cuban	6	5	5

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.56D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	0.32	0.26	0.22
NOT HISPANIC OR LATINO¹	0.35	0.28	0.24
White	0.41	0.34	0.29
Black or African American	0.72	0.52	0.40
American Indian or Alaska Native	3.43	3.19	2.82
Native Hawaiian or Other Pacific Islander	*	*	2.85
Chinese	2.33	1.94	1.30
Filipino	3.74	2.93	2.04
Japanese	*	*	*
Asian Indian	2.99	2.58	1.66
Korean	4.72	*	0.95
Vietnamese	4.28	2.01	1.00
HISPANIC OR LATINO¹	0.83	0.64	0.48
Mexican	1.04	0.78	0.58
Puerto Rican	1.98	1.77	1.59
Central or South American	2.41	1.93	1.33
Cuban	4.76	4.19	3.95

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

40715

Table 2.57C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	106	110	107
NOT HISPANIC OR LATINO¹	92	92	91
White	71	77	78
Black or African American	38	36	33
American Indian or Alaska Native	5	7	7
Native Hawaiian or Other Pacific Islander	6	8	8
Chinese	12	9	9
Filipino	10	11	11
Japanese	*	*	*
Asian Indian	10	10	9
Korean	10	9	9
Vietnamese	8	8	7
HISPANIC OR LATINO¹	48	51	48
Mexican	41	45	41
Puerto Rican	14	16	15
Central or South American	17	15	15
Cuban	7	7	7

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.57D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	0.34	0.35	0.34
NOT HISPANIC OR LATINO¹	0.36	0.36	0.35
White	0.36	0.39	0.40
Black or African American	0.92	0.86	0.79
American Indian or Alaska Native	2.54	3.49	3.60
Native Hawaiian or Other Pacific Islander	3.93	5.17	4.89
Chinese	4.22	3.25	3.07
Filipino	3.74	3.86	3.95
Japanese	*	*	*
Asian Indian	3.38	3.47	3.06
Korean	5.20	4.96	5.08
Vietnamese	5.39	5.11	4.31
HISPANIC OR LATINO¹	0.85	0.91	0.85
Mexican	1.05	1.13	1.04
Puerto Rican	2.50	2.90	2.66
Central or South American	2.29	2.04	2.06
Cuban	4.58	4.94	4.75

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.58C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	570	549	521
NOT HISPANIC OR LATINO¹	522	521	496
White	429	461	438
Black or African American	240	182	176
American Indian or Alaska Native	30	33	33
Native Hawaiian or Other Pacific Islander	*	*	*
Chinese	76	32	27
Filipino	73	53	45
Japanese	36	24	22
Asian Indian	67	50	48
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	201	181	172
Mexican	163	130	126
Puerto Rican	55	66	65
Central or South American	88	72	67
Cuban	47	50	41

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.58D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	0.32	0.30	0.29
NOT HISPANIC OR LATINO¹	0.33	0.33	0.31
White	0.33	0.35	0.34
Black or African American	1.25	0.95	0.91
American Indian or Alaska Native	3.01	3.39	3.39
Native Hawaiian or Other Pacific Islander	*	*	*
Chinese	4.75	1.99	1.70
Filipino	4.41	3.19	2.69
Japanese	4.95	3.27	3.05
Asian Indian	4.46	3.31	3.20
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	1.01	0.91	0.87
Mexican	1.29	1.02	1.00
Puerto Rican	2.56	3.05	3.02
Central or South American	3.05	2.49	2.31
Cuban	4.66	5.02	4.10

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.59C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	585	583	554
NOT HISPANIC OR LATINO¹	536	552	524
White	440	498	469
Black or African American	247	187	180
American Indian or Alaska Native	30	34	34
Native Hawaiian or Other Pacific Islander	27	33	27
Chinese	79	36	31
Filipino	76	58	48
Japanese	37	24	23
Asian Indian	68	51	49
Korean	*	33	32
Vietnamese	37	29	28
HISPANIC OR LATINO¹	210	193	183
Mexican	169	142	137
Puerto Rican	55	66	66
Central or South American	91	74	68
Cuban	45	48	39

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.59D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	0.28	0.28	0.26
NOT HISPANIC OR LATINO¹	0.29	0.30	0.28
White	0.29	0.33	0.31
Black or African American	1.05	0.80	0.77
American Indian or Alaska Native	2.52	2.90	2.85
Native Hawaiian or Other Pacific Islander	4.66	5.73	4.70
Chinese	4.14	1.88	1.61
Filipino	3.93	2.98	2.50
Japanese	4.64	3.08	2.83
Asian Indian	3.79	2.84	2.73
Korean	*	4.70	4.54
Vietnamese	5.29	4.08	3.90
HISPANIC OR LATINO¹	0.82	0.76	0.72
Mexican	1.01	0.85	0.82
Puerto Rican	2.05	2.45	2.43
Central or South American	2.51	2.06	1.89
Cuban	3.95	4.20	3.41

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.60C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	457	655	688
NOT HISPANIC OR LATINO¹	416	613	651
White	318	526	578
Black or African American	168	214	195
American Indian or Alaska Native	40	42	48
Native Hawaiian or Other Pacific Islander	25	28	28
Chinese	58	74	69
Filipino	66	83	75
Japanese	34	44	45
Asian Indian	63	66	60
Korean	38	40	40
Vietnamese	45	42	36
HISPANIC OR LATINO¹	176	240	233
Mexican	139	187	179
Puerto Rican	57	77	73
Central or South American	70	88	84
Cuban	28	37	43

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.60D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	0.19	0.28	0.29
NOT HISPANIC OR LATINO¹	0.20	0.30	0.31
White	0.19	0.32	0.35
Black or African American	0.62	0.79	0.72
American Indian or Alaska Native	2.93	3.05	3.53
Native Hawaiian or Other Pacific Islander	3.85	4.37	4.26
Chinese	2.76	3.49	3.28
Filipino	3.13	3.96	3.60
Japanese	4.07	5.23	5.35
Asian Indian	3.15	3.31	3.02
Korean	4.82	5.08	5.04
Vietnamese	5.44	5.17	4.39
HISPANIC OR LATINO¹	0.60	0.82	0.79
Mexican	0.71	0.96	0.92
Puerto Rican	1.79	2.42	2.31
Central or South American	1.74	2.17	2.06
Cuban	2.22	2.94	3.36

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.61C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	80	76	60
NOT HISPANIC OR LATINO¹	72	69	54
White	62	57	47
Black or African American	29	26	19
American Indian or Alaska Native	7	6	5
Native Hawaiian or Other Pacific Islander	5	5	3
Chinese	8	7	4
Filipino	5	5	5
Japanese	*	*	2
Asian Indian	7	7	5
Korean	*	*	3
Vietnamese	6	*	3
HISPANIC OR LATINO¹	36	33	25
Mexican	33	29	21
Puerto Rican	11	11	8
Central or South American	11	10	9
Cuban	5	5	5

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.61D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	0.32	0.30	0.24
NOT HISPANIC OR LATINO¹	0.35	0.33	0.26
White	0.40	0.37	0.30
Black or African American	0.80	0.69	0.53
American Indian or Alaska Native	3.85	3.17	2.73
Native Hawaiian or Other Pacific Islander	5.80	5.85	4.09
Chinese	3.72	3.35	2.07
Filipino	3.08	3.08	2.90
Japanese	*	*	3.19
Asian Indian	3.30	3.15	2.22
Korean	*	*	3.27
Vietnamese	5.48	*	2.69
HISPANIC OR LATINO¹	0.91	0.83	0.64
Mexican	1.16	1.02	0.73
Puerto Rican	2.26	2.25	1.69
Central or South American	2.52	2.38	2.13
Cuban	4.45	4.57	4.38

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.62C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	77	99	124
NOT HISPANIC OR LATINO¹	68	84	109
White	53	65	87
Black or African American	28	33	36
American Indian or Alaska Native	4	7	7
Native Hawaiian or Other Pacific Islander	7	8	8
Chinese	9	9	12
Filipino	7	12	10
Japanese	*	*	*
Asian Indian	11	11	11
Korean	8	8	10
Vietnamese	7	8	*
HISPANIC OR LATINO¹	35	45	47
Mexican	31	39	40
Puerto Rican	9	11	14
Central or South American	13	15	17
Cuban	3	4	5

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.62D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	0.25	0.31	0.40
NOT HISPANIC OR LATINO¹	0.26	0.32	0.42
White	0.27	0.33	0.45
Black or African American	0.68	0.80	0.85
American Indian or Alaska Native	2.10	3.66	3.51
Native Hawaiian or Other Pacific Islander	4.20	4.73	4.87
Chinese	3.28	3.12	4.11
Filipino	2.59	4.34	3.80
Japanese	*	*	*
Asian Indian	3.80	3.90	3.89
Korean	4.36	4.55	5.61
Vietnamese	4.20	5.40	*
HISPANIC OR LATINO¹	0.63	0.81	0.84
Mexican	0.78	0.99	1.02
Puerto Rican	1.60	1.94	2.50
Central or South American	1.85	2.10	2.28
Cuban	2.06	2.57	3.49

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.63C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	434	636	661
NOT HISPANIC OR LATINO¹	393	598	627
White	298	518	561
Black or African American	159	207	185
American Indian or Alaska Native	35	37	46
Native Hawaiian or Other Pacific Islander	*	*	*
Chinese	53	70	66
Filipino	64	81	77
Japanese	*	*	*
Asian Indian	59	62	58
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	175	234	228
Mexican	143	183	172
Puerto Rican	54	73	72
Central or South American	69	85	81
Cuban	28	38	42

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.63D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	0.24	0.35	0.37
NOT HISPANIC OR LATINO¹	0.25	0.37	0.39
White	0.23	0.40	0.43
Black or African American	0.83	1.07	0.96
American Indian or Alaska Native	3.57	3.80	4.64
Native Hawaiian or Other Pacific Islander	*	*	*
Chinese	3.33	4.38	4.12
Filipino	3.89	4.85	4.66
Japanese	*	*	*
Asian Indian	3.91	4.11	3.83
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	0.88	1.17	1.15
Mexican	1.12	1.44	1.35
Puerto Rican	2.53	3.38	3.34
Central or South American	2.38	2.94	2.81
Cuban	2.76	3.80	4.20

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.64C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	442	651	679
NOT HISPANIC OR LATINO¹	404	612	643
White	307	525	569
Black or African American	164	214	190
American Indian or Alaska Native	36	40	47
Native Hawaiian or Other Pacific Islander	26	29	28
Chinese	56	73	69
Filipino	64	83	75
Japanese	*	45	46
Asian Indian	61	64	59
Korean	*	*	39
Vietnamese	*	*	38
HISPANIC OR LATINO¹	174	238	231
Mexican	141	186	174
Puerto Rican	56	75	74
Central or South American	69	86	84
Cuban	28	39	43

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.64D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL¹	0.21	0.31	0.32
NOT HISPANIC OR LATINO¹	0.22	0.33	0.35
White	0.20	0.35	0.38
Black or African American	0.70	0.91	0.81
American Indian or Alaska Native	3.07	3.36	3.95
Native Hawaiian or Other Pacific Islander	4.45	5.01	4.84
Chinese	2.95	3.82	3.62
Filipino	3.31	4.30	3.90
Japanese	*	5.62	5.73
Asian Indian	3.39	3.58	3.28
Korean	*	*	5.62
Vietnamese	*	*	5.31
HISPANIC OR LATINO¹	0.68	0.93	0.91
Mexican	0.85	1.12	1.05
Puerto Rican	2.07	2.78	2.74
Central or South American	1.91	2.39	2.33
Cuban	2.45	3.38	3.79

*Low precision; no estimate reported.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.65C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	688	512	286
NOT HISPANIC OR LATINO¹	651	493	265
White	578	430	239
Black or African American	195	161	89
American Indian or Alaska Native	48	31	20
Native Hawaiian or Other Pacific Islander	28	20	10
Chinese	69	37	9
Filipino	75	40	14
Japanese	45	22	5
Asian Indian	60	36	14
Korean	40	28	22
Vietnamese	36	19	11
HISPANIC OR LATINO¹	233	184	94
Mexican	179	153	74
Puerto Rican	73	60	36
Central or South American	84	65	24
Cuban	43	42	35

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.65D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	0.29	0.22	0.12
NOT HISPANIC OR LATINO¹	0.31	0.24	0.13
White	0.35	0.26	0.14
Black or African American	0.72	0.59	0.33
American Indian or Alaska Native	3.53	2.30	1.44
Native Hawaiian or Other Pacific Islander	4.26	3.01	1.53
Chinese	3.28	1.74	0.43
Filipino	3.60	1.89	0.67
Japanese	5.35	2.63	0.57
Asian Indian	3.02	1.82	0.72
Korean	5.04	3.47	2.74
Vietnamese	4.39	2.29	1.38
HISPANIC OR LATINO¹	0.79	0.63	0.32
Mexican	0.92	0.79	0.38
Puerto Rican	2.31	1.90	1.14
Central or South American	2.06	1.59	0.58
Cuban	3.36	3.31	2.80

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.66C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	60	49	23
NOT HISPANIC OR LATINO¹	54	44	21
White	47	40	20
Black or African American	19	14	4
American Indian or Alaska Native	5	5	2
Native Hawaiian or Other Pacific Islander	3	2	*
Chinese	4	3	*
Filipino	5	3	*
Japanese	2	0	0
Asian Indian	5	3	*
Korean	3	2	*
Vietnamese	3	*	*
HISPANIC OR LATINO¹	25	19	8
Mexican	21	16	8
Puerto Rican	8	6	1
Central or South American	9	7	3
Cuban	5	*	1

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.66D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 17, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	0.24	0.20	0.09
NOT HISPANIC OR LATINO¹	0.26	0.21	0.10
White	0.30	0.26	0.13
Black or African American	0.53	0.38	0.11
American Indian or Alaska Native	2.73	2.69	0.84
Native Hawaiian or Other Pacific Islander	4.09	3.12	*
Chinese	2.07	1.19	*
Filipino	2.90	1.88	*
Japanese	3.19	0.93	0.64
Asian Indian	2.22	1.34	*
Korean	3.27	2.46	*
Vietnamese	2.69	*	*
HISPANIC OR LATINO¹	0.64	0.48	0.20
Mexican	0.73	0.55	0.29
Puerto Rican	1.69	1.19	0.27
Central or South American	2.13	1.66	0.63
Cuban	4.38	*	0.97

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.67C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	124	119	84
NOT HISPANIC OR LATINO¹	109	105	75
White	87	86	66
Black or African American	36	31	16
American Indian or Alaska Native	7	7	4
Native Hawaiian or Other Pacific Islander	8	8	6
Chinese	12	9	4
Filipino	10	9	7
Japanese	*	*	3
Asian Indian	11	8	5
Korean	10	10	*
Vietnamese	*	6	4
HISPANIC OR LATINO¹	47	48	29
Mexican	40	40	23
Puerto Rican	14	14	9
Central or South American	17	15	9
Cuban	5	6	4

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.67D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 to 25, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	0.40	0.38	0.27
NOT HISPANIC OR LATINO¹	0.42	0.41	0.29
White	0.45	0.44	0.34
Black or African American	0.85	0.74	0.39
American Indian or Alaska Native	3.51	3.39	1.86
Native Hawaiian or Other Pacific Islander	4.87	4.83	3.89
Chinese	4.11	3.09	1.25
Filipino	3.80	3.42	2.46
Japanese	*	*	3.71
Asian Indian	3.89	2.90	1.59
Korean	5.61	5.15	*
Vietnamese	*	3.87	2.52
HISPANIC OR LATINO¹	0.84	0.86	0.52
Mexican	1.02	1.02	0.59
Puerto Rican	2.50	2.63	1.58
Central or South American	2.28	2.10	1.20
Cuban	3.49	4.36	2.71

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.68C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	661	478	257
NOT HISPANIC OR LATINO¹	627	459	235
White	561	402	213
Black or African American	185	154	86
American Indian or Alaska Native	46	29	19
Native Hawaiian or Other Pacific Islander	*	17	8
Chinese	66	33	*
Filipino	77	39	13
Japanese	*	20	3
Asian Indian	58	37	13
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	228	177	90
Mexican	172	144	72
Puerto Rican	72	58	35
Central or South American	81	62	22
Cuban	42	43	*

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.68D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 26 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	0.37	0.27	0.14
NOT HISPANIC OR LATINO¹	0.39	0.29	0.15
White	0.43	0.31	0.16
Black or African American	0.96	0.80	0.45
American Indian or Alaska Native	4.64	2.91	1.91
Native Hawaiian or Other Pacific Islander	*	4.27	1.88
Chinese	4.12	2.05	*
Filipino	4.66	2.33	0.78
Japanese	*	2.83	0.48
Asian Indian	3.83	2.45	0.89
Korean	*	*	*
Vietnamese	*	*	*
HISPANIC OR LATINO¹	1.15	0.89	0.45
Mexican	1.35	1.13	0.57
Puerto Rican	3.34	2.70	1.63
Central or South American	2.81	2.15	0.76
Cuban	4.20	4.33	*

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.69C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Standard Errors of Numbers in Thousands, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	679	507	285
NOT HISPANIC OR LATINO¹	643	489	262
White	569	427	236
Black or African American	190	158	88
American Indian or Alaska Native	47	30	19
Native Hawaiian or Other Pacific Islander	28	20	10
Chinese	69	37	9
Filipino	75	39	14
Japanese	46	22	5
Asian Indian	59	37	14
Korean	39	27	22
Vietnamese	38	19	11
HISPANIC OR LATINO¹	231	182	94
Mexican	174	151	73
Puerto Rican	74	61	36
Central or South American	84	64	24
Cuban	43	42	*

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 2.69D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 or Older, by Racial/Ethnic Subgroups: Standard Errors of Percentages, Annual Averages Based on 2002 and 2003 NSDUHs

Racial/Ethnic Subgroup	TYPE OF ALCOHOL USE		
	Any Alcohol Use	Binge Alcohol Use	Heavy Alcohol Use
TOTAL¹	0.32	0.24	0.13
NOT HISPANIC OR LATINO¹	0.35	0.26	0.14
White	0.38	0.28	0.16
Black or African American	0.81	0.67	0.38
American Indian or Alaska Native	3.95	2.56	1.64
Native Hawaiian or Other Pacific Islander	4.84	3.55	1.72
Chinese	3.62	1.94	0.49
Filipino	3.90	2.01	0.74
Japanese	5.73	2.82	0.60
Asian Indian	3.28	2.03	0.80
Korean	5.62	3.86	3.08
Vietnamese	5.31	2.70	1.61
HISPANIC OR LATINO¹	0.91	0.71	0.37
Mexican	1.05	0.91	0.44
Puerto Rican	2.74	2.25	1.33
Central or South American	2.33	1.78	0.65
Cuban	3.79	3.69	*

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ Totals include data from respondents reporting racial/ethnic subgroups not shown, as well as respondents reporting more than one subgroup.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.