

**Table 3.58A How Often Parents Checked Whether Youths' Homework Was Done in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Checked Whether Youths' Homework Was Done (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Parents Checked Whether Youths' Homework Was Done <sup>1</sup>			
	Always/Sometimes		Seldom/Never	
	2002	2003	2002	2003
<b>TOTAL</b>	17,553	17,466	4,825	4,902
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	6,376	6,386	792	807
14-15	6,147	5,915	1,658	1,631
16-17	5,030	5,165	2,375	2,464
<b>GENDER</b>				
Male	9,262	9,246	2,171	2,194
Female	8,291	8,220	2,653	2,708
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	14,924	14,920	4,113	4,173
White	11,372	11,247	3,189	3,261
Black or African American	2,415	2,619	602	577
American Indian or Alaska Native	*	107	*	25
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	674	586	197	237
Two or More Races	276	318	84	57
Hispanic or Latino	2,630	2,545	712	729
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	9,364	9,217	2,566	2,677
Small Metro	5,121	5,249	1,439	1,432
Nonmetro	3,069	3,000	820	793
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	1,649	1,585	971	961
Marijuana	1,153	1,107	736	727
Any Illicit Drug Other Than Marijuana <sup>3</sup>	783	752	478	486
Cigarettes	1,818	1,744	1,113	1,006
Alcohol	2,617	2,645	1,457	1,454
Binge Alcohol <sup>4</sup>	1,508	1,545	923	909
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	3,309	3,271	1,749	1,672
Marijuana	2,315	2,188	1,349	1,289
Any Illicit Drug Other Than Marijuana <sup>3</sup>	1,946	1,946	1,098	1,038
Cigarettes	3,007	2,820	1,622	1,459
Alcohol	5,428	5,380	2,580	2,549
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	4,706	4,721	2,261	2,185
Marijuana	3,064	2,944	1,693	1,599
Any Illicit Drug Other Than Marijuana <sup>3</sup>	3,194	3,186	1,593	1,547
Cigarettes	5,174 <sup>b</sup>	4,789	2,396	2,252
Alcohol	6,912	6,830	3,049	3,015

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.58B How Often Parents Checked Whether Youths' Homework Was Done in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Checked Whether Youths' Homework Was Done (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Parents Checked Whether Youths' Homework Was Done <sup>1</sup>			
	Always/Sometimes		Seldom/Never	
	2002	2003	2002	2003
<b>TOTAL</b>	78.4	78.1	21.6	21.9
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	89.0	88.8	11.0	11.2
14-15	78.8	78.4	21.2	21.6
16-17	67.9	67.7	32.1	32.3
<b>GENDER</b>				
Male	81.0	80.8	19.0	19.2
Female	75.8	75.2	24.2	24.8
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	78.4	78.1	21.6	21.9
White	78.1	77.5	21.9	22.5
Black or African American	80.0	81.9	20.0	18.1
American Indian or Alaska Native	*	80.8	*	19.2
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	77.4	71.2	22.6	28.8
Two or More Races	76.8 <sup>a</sup>	84.8	23.2 <sup>a</sup>	15.2
Hispanic or Latino	78.7	77.7	21.3	22.3
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	78.5	77.5	21.5	22.5
Small Metro	78.1	78.6	21.9	21.4
Nonmetro	78.9	79.1	21.1	20.9
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	9.4	9.1	20.1	19.6
Marijuana	6.6	6.3	15.3	14.8
Any Illicit Drug Other Than Marijuana <sup>3</sup>	4.5	4.3	9.9	9.9
Cigarettes	10.4	10.0	23.1 <sup>a</sup>	20.5
Alcohol	14.9	15.1	30.2	29.7
Binge Alcohol <sup>4</sup>	8.6	8.8	19.1	18.5
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	18.9	18.7	36.2	34.1
Marijuana	13.2	12.5	28.0	26.3
Any Illicit Drug Other Than Marijuana <sup>3</sup>	11.1	11.1	22.8	21.2
Cigarettes	17.1	16.1	33.6 <sup>b</sup>	29.8
Alcohol	30.9	30.8	53.5	52.0
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	26.8	27.0	46.9	44.6
Marijuana	17.5	16.9	35.1	32.6
Any Illicit Drug Other Than Marijuana <sup>3</sup>	18.2	18.2	33.0	31.5
Cigarettes	29.5 <sup>b</sup>	27.4	49.7 <sup>b</sup>	45.9
Alcohol	39.4	39.1	63.2	61.5

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.59A How Often Parents Provided Help with Youths' Homework in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Provided Help with Youths' Homework (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Parents Provided Help with Youths' Homework <sup>1</sup>			
	Always/Sometimes		Seldom/Never	
	2002	2003	2002	2003
<b>TOTAL</b>	18,204	18,073	4,147	4,261
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	6,549	6,521	623	676
14-15	6,295	6,071	1,493	1,456
16-17	5,360	5,481	2,032	2,129
<b>GENDER</b>				
Male	9,370	9,339	2,050	2,074
Female	8,834	8,734	2,097	2,187
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	15,738	15,653	3,277	3,411
White	12,229	12,072	2,318	2,411
Black or African American	2,422	2,547	596	648
American Indian or Alaska Native	122	101	35	31
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	633	601	230	220
Two or More Races	287	285	74	88
Hispanic or Latino	2,466	2,420	870	850
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	9,644	9,472	2,264	2,408
Small Metro	5,331	5,451	1,227	1,215
Nonmetro	3,229	3,151	656	639
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	1,802	1,674	814	866
Marijuana	1,259	1,189	628	640
Any Illicit Drug Other Than Marijuana <sup>3</sup>	887	802	373	434
Cigarettes	2,009	1,873	921	870
Alcohol	2,876	2,862	1,195	1,231
Binge Alcohol <sup>4</sup>	1,681	1,649	745	802
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	3,593	3,419	1,458	1,519
Marijuana	2,509 <sup>a</sup>	2,311	1,151	1,163
Any Illicit Drug Other Than Marijuana <sup>3</sup>	2,167	2,084	871	894
Cigarettes	3,289 <sup>b</sup>	2,970	1,335	1,298
Alcohol	5,807	5,717	2,188	2,199
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	5,002	4,902	1,954	1,996
Marijuana	3,298 <sup>a</sup>	3,068	1,451	1,469
Any Illicit Drug Other Than Marijuana <sup>3</sup>	3,412	3,353	1,368	1,374
Cigarettes	5,518 <sup>b</sup>	5,001	2,042	2,023
Alcohol	7,309	7,183	2,638	2,646

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.59B How Often Parents Provided Help with Youths' Homework in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Provided Help with Youths' Homework (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Parents Provided Help with Youths' Homework <sup>1</sup>			
	Always/Sometimes		Seldom/Never	
	2002	2003	2002	2003
<b>TOTAL</b>	81.4	80.9	18.6	19.1
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	91.3	90.6	8.7	9.4
14-15	80.8	80.7	19.2	19.3
16-17	72.5	72.0	27.5	28.0
<b>GENDER</b>				
Male	82.1	81.8	17.9	18.2
Female	80.8	80.0	19.2	20.0
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	82.8	82.1	17.2	17.9
White	84.1	83.4	15.9	16.6
Black or African American	80.2	79.7	19.8	20.3
American Indian or Alaska Native	77.9	76.8	22.1	23.2
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	73.3	73.2	26.7	26.8
Two or More Races	79.6	76.3	20.4	23.7
Hispanic or Latino	73.9	74.0	26.1	26.0
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	81.0	79.7	19.0	20.3
Small Metro	81.3	81.8	18.7	18.2
Nonmetro	83.1	83.1	16.9	16.9
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	9.9	9.3	19.6	20.3
Marijuana	6.9	6.6	15.2	15.0
Any Illicit Drug Other Than Marijuana <sup>3</sup>	4.9	4.4	9.0	10.2
Cigarettes	11.0	10.4	22.2	20.4
Alcohol	15.8	15.8	28.8	28.9
Binge Alcohol <sup>4</sup>	9.2	9.1	18.0	18.8
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	19.7	18.9	35.2	35.7
Marijuana	13.8 <sup>a</sup>	12.8	27.7	27.3
Any Illicit Drug Other Than Marijuana <sup>3</sup>	11.9	11.5	21.0	21.0
Cigarettes	18.1 <sup>b</sup>	16.4	32.2	30.5
Alcohol	31.9	31.6	52.7	51.6
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	27.5	27.1	47.1	46.8
Marijuana	18.1 <sup>a</sup>	17.0	35.0	34.5
Any Illicit Drug Other Than Marijuana <sup>3</sup>	18.7	18.6	33.0	32.3
Cigarettes	30.3 <sup>b</sup>	27.7	49.2	47.5
Alcohol	40.2	39.7	63.6	62.1

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.60A How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Parents Limited Amount of Time Youths Spent Out With Friends on School Nights <sup>1</sup>			
	Always/Sometimes		Seldom/Never	
	2002	2003	2002	2003
<b>TOTAL</b>	15,731	15,652	6,511	6,519
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	5,295	5,219	1,779	1,843
14-15	5,581	5,359	2,189	2,134
16-17	4,855	5,074	2,543	2,542
<b>GENDER</b>				
Male	7,860	7,837	3,490	3,484
Female	7,871	7,814	3,022	3,035
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	13,334	13,285	5,591	5,645
White	10,133	9,966	4,344	4,412
Black or African American	2,163	2,341	838	837
American Indian or Alaska Native	105	83	50	46
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	626	576	241	236
Two or More Races	261	273	98	100
Hispanic or Latino	2,397	2,367	920	873
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	8,406	8,301	3,454	3,494
Small Metro	4,614	4,731	1,908	1,876
Nonmetro	2,711	2,619	1,149	1,149
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	1,647	1,628	976	914
Marijuana	1,163	1,171	730	662
Any Illicit Drug Other Than Marijuana <sup>3</sup>	788	768	474	465
Cigarettes	1,897	1,800	1,034	954
Alcohol	2,560	2,705	1,513	1,387
Binge Alcohol <sup>4</sup>	1,489	1,591	944	856
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	3,320	3,272	1,730	1,650
Marijuana	2,366	2,313	1,296 <sup>a</sup>	1,158
Any Illicit Drug Other Than Marijuana <sup>3</sup>	1,963	1,950	1,077	1,019
Cigarettes	3,045	2,901	1,578 <sup>b</sup>	1,376
Alcohol	5,316	5,374	2,675	2,531
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	4,573	4,591	2,377	2,283
Marijuana	3,088	3,024	1,665 <sup>a</sup>	1,514
Any Illicit Drug Other Than Marijuana <sup>3</sup>	3,081	3,106	1,688	1,603
Cigarettes	5,073 <sup>a</sup>	4,757	2,475 <sup>a</sup>	2,278
Alcohol	6,637	6,667	3,301	3,155

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.60B How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Limited the Amount of Time Youths Spent Out with Friends on School Nights (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Parents Limited Amount of Time Youths Spent Out With Friends on School Nights <sup>1</sup>			
	Always/Sometimes		Seldom/Never	
	2002	2003	2002	2003
<b>TOTAL</b>	70.7	70.6	29.3	29.4
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	74.9	73.9	25.1	26.1
14-15	71.8	71.5	28.2	28.5
16-17	65.6	66.6	34.4	33.4
<b>GENDER</b>				
Male	69.3	69.2	30.7	30.8
Female	72.3	72.0	27.7	28.0
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	70.5	70.2	29.5	29.8
White	70.0	69.3	30.0	30.7
Black or African American	72.1	73.7	27.9	26.3
American Indian or Alaska Native	67.7	64.3	32.3	35.7
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	72.2	70.9	27.8	29.1
Two or More Races	72.7	73.1	27.3	26.9
Hispanic or Latino	72.3	73.0	27.7	27.0
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	70.9	70.4	29.1	29.6
Small Metro	70.7	71.6	29.3	28.4
Nonmetro	70.2	69.5	29.8	30.5
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	10.5	10.4	15.0	14.0
Marijuana	7.4	7.5	11.2	10.2
Any Illicit Drug Other Than Marijuana <sup>3</sup>	5.0	4.9	7.3	7.1
Cigarettes	12.1	11.5	15.9	14.6
Alcohol	16.3	17.3	23.2 <sup>a</sup>	21.3
Binge Alcohol <sup>4</sup>	9.5	10.2	14.5	13.1
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	21.1	20.9	26.6	25.3
Marijuana	15.0	14.8	19.9 <sup>a</sup>	17.8
Any Illicit Drug Other Than Marijuana <sup>3</sup>	12.5	12.5	16.5	15.6
Cigarettes	19.4	18.5	24.2 <sup>b</sup>	21.1
Alcohol	33.8	34.3	41.1 <sup>a</sup>	38.8
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	29.1	29.3	36.5	35.0
Marijuana	19.6	19.3	25.6 <sup>a</sup>	23.2
Any Illicit Drug Other Than Marijuana <sup>3</sup>	19.6	19.8	25.9	24.6
Cigarettes	32.2 <sup>b</sup>	30.4	38.0 <sup>b</sup>	34.9
Alcohol	42.2	42.6	50.7	48.4

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.61A How Often Parents Made Youths Do Chores Around the House in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Made Youths Do Chores Around the House (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Parents Made Youths Do Chores Around the House <sup>1</sup>			
	Always/Sometimes		Seldom/Never	
	2002	2003	2002	2003
<b>TOTAL</b>	21,561	21,768	3,118	3,129
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	7,316	7,397	940	1,022
14-15	7,465	7,351	978	873
16-17	6,780	7,020	1,200	1,233
<b>GENDER</b>				
Male	10,999	11,074	1,607	1,629
Female	10,562	10,694	1,511	1,500
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	18,259	18,327	2,505	2,536
White	13,572	13,516	1,920	2,013
Black or African American	3,287	3,463	317	256
American Indian or Alaska Native	160	161	28	15
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	820	779	189	184
Two or More Races	345	339	46	61
Hispanic or Latino	3,302	3,441	613	593
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	11,421	11,545	1,744	1,702
Small Metro	6,336	6,465	886	924
Nonmetro	3,803	3,758	489	503
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	2,418	2,344	450	454
Marijuana	1,697	1,614	321	352
Any Illicit Drug Other Than Marijuana <sup>3</sup>	1,187	1,198	228	210
Cigarettes	2,694 <sup>a</sup>	2,482	509	548
Alcohol	3,668	3,710	682	705
Binge Alcohol <sup>4</sup>	2,174	2,200	463	451
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	4,683	4,593	796	834
Marijuana	3,313	3,112	584	615
Any Illicit Drug Other Than Marijuana <sup>3</sup>	2,815	2,832	511	503
Cigarettes	4,265 <sup>a</sup>	3,929	765	783
Alcohol	7,299	7,294	1,244	1,250
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	6,492	6,475	1,122	1,119
Marijuana	4,349	4,116	741	750
Any Illicit Drug Other Than Marijuana <sup>3</sup>	4,448	4,478	816	817
Cigarettes	7,036 <sup>b</sup>	6,570	1,186	1,155
Alcohol	9,182	9,198	1,541	1,488

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.61B How Often Parents Made Youths Do Chores Around the House in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Made Youths Do Chores Around the House (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Parents Made Youths Do Chores Around the House <sup>1</sup>			
	Always/Sometimes		Seldom/Never	
	2002	2003	2002	2003
<b>TOTAL</b>	87.4	87.4	12.6	12.6
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	88.6	87.9	11.4	12.1
14-15	88.4	89.4	11.6	10.6
16-17	85.0	85.1	15.0	14.9
<b>GENDER</b>				
Male	87.3	87.2	12.7	12.8
Female	87.5	87.7	12.5	12.3
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	87.9	87.8	12.1	12.2
White	87.6	87.0	12.4	13.0
Black or African American	91.2 <sup>a</sup>	93.1	8.8 <sup>a</sup>	6.9
American Indian or Alaska Native	85.0	91.5	15.0	8.5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	81.3	80.9	18.7	19.1
Two or More Races	88.3	84.7	11.7	15.3
Hispanic or Latino	84.3	85.3	15.7	14.7
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	86.8	87.2	13.2	12.8
Small Metro	87.7	87.5	12.3	12.5
Nonmetro	88.6	88.2	11.4	11.8
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	11.2	10.8	14.4	14.5
Marijuana	7.9	7.4	10.3	11.2
Any Illicit Drug Other Than Marijuana <sup>3</sup>	5.5	5.5	7.3	6.7
Cigarettes	12.5 <sup>a</sup>	11.4	16.3	17.5
Alcohol	17.0	17.0	21.9	22.5
Binge Alcohol <sup>4</sup>	10.1	10.1	14.9	14.4
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	21.7	21.1	25.5	26.6
Marijuana	15.4 <sup>a</sup>	14.3	18.7	19.6
Any Illicit Drug Other Than Marijuana <sup>3</sup>	13.1	13.0	16.4	16.1
Cigarettes	19.8 <sup>b</sup>	18.1	24.5	25.0
Alcohol	33.9	33.5	39.9	39.9
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	30.1	29.7	36.0	35.7
Marijuana	20.2 <sup>a</sup>	18.9	23.8	24.0
Any Illicit Drug Other Than Marijuana <sup>3</sup>	20.6	20.6	26.2	26.1
Cigarettes	32.6 <sup>b</sup>	30.2	38.0	36.9
Alcohol	42.6	42.3	49.4	47.5

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.62A How Often Parents Limited the Amount of Time Youths Watched TV in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Limited the Amount of Time Youths Watched TV (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Parents Limited Amount of Time Youths Watched TV <sup>1</sup>			
	Always/Sometimes		Seldom/Never	
	2002	2003	2002	2003
<b>TOTAL</b>	9,089	9,307	15,543	15,558
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	4,002	4,170	4,226	4,226
14-15	2,983	3,010	5,459	5,216
16-17	2,104	2,126	5,858	6,117
<b>GENDER</b>				
Male	4,638	4,841	7,939	7,852
Female	4,451	4,465	7,604	7,706
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	7,510	7,688	13,212	13,138
White	5,379	5,485	10,078	10,005
Black or African American	1,383	1,428	2,214	2,292
American Indian or Alaska Native	76	53	113	122
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	506	509	506	457
Two or More Races	129 <sup>a</sup>	179	260	221
Hispanic or Latino	1,579	1,618	2,331	2,420
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	5,042	5,115	8,097	8,129
Small Metro	2,579	2,703	4,633	4,662
Nonmetro	1,468	1,489	2,814	2,767
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	644	608	2,220	2,188
Marijuana	380	403	1,632	1,560
Any Illicit Drug Other Than Marijuana <sup>3</sup>	361	316	1,056	1,091
Cigarettes	647	644	2,549	2,385
Alcohol	921	992	3,423	3,417
Binge Alcohol <sup>4</sup>	518	547	2,117	2,102
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	1,322	1,296	4,144	4,132
Marijuana	772	775	3,118	2,949
Any Illicit Drug Other Than Marijuana <sup>3</sup>	860	803	2,457	2,532
Cigarettes	1,168	1,081	3,853	3,630
Alcohol	2,075	2,116	6,458	6,412
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	1,924	1,942	5,674	5,652
Marijuana	1,038	1,032	4,045	3,830
Any Illicit Drug Other Than Marijuana <sup>3</sup>	1,404	1,379	3,850	3,916
Cigarettes	2,006	1,847	6,200 <sup>a</sup>	5,871
Alcohol	2,758	2,772	7,950	7,897

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.62B How Often Parents Limited the Amount of Time Youths Watched TV in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Limited the Amount of Time Youths Watched TV (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Parents Limited Amount of Time Youths Watched TV <sup>1</sup>			
	Always/Sometimes		Seldom/Never	
	2002	2003	2002	2003
<b>TOTAL</b>	36.9	37.4	63.1	62.6
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	48.6	49.7	51.4	50.3
14-15	35.3	36.6	64.7	63.4
16-17	26.4	25.8	73.6	74.2
<b>GENDER</b>				
Male	36.9	38.1	63.1	61.9
Female	36.9	36.7	63.1	63.3
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	36.2	36.9	63.8	63.1
White	34.8	35.4	65.2	64.6
Black or African American	38.5	38.4	61.5	61.6
American Indian or Alaska Native	40.1	30.4	59.9	69.6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	50.0	52.7	50.0	47.3
Two or More Races	33.2 <sup>a</sup>	44.7	66.8 <sup>a</sup>	55.3
Hispanic or Latino	40.4	40.1	59.6	59.9
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	38.4	38.6	61.6	61.4
Small Metro	35.8	36.7	64.2	63.3
Nonmetro	34.3	35.0	65.7	65.0
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	7.1	6.5	14.3	14.1
Marijuana	4.2	4.3	10.5	10.0
Any Illicit Drug Other Than Marijuana <sup>3</sup>	4.0	3.4	6.8	7.0
Cigarettes	7.1	6.9	16.4	15.3
Alcohol	10.1	10.7	22.0	22.0
Binge Alcohol <sup>4</sup>	5.7	5.9	13.6	13.5
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	14.5	13.9	26.7	26.6
Marijuana	8.5	8.3	20.1	19.0
Any Illicit Drug Other Than Marijuana <sup>3</sup>	9.5	8.6	15.8	16.3
Cigarettes	12.9	11.6	24.8 <sup>a</sup>	23.3
Alcohol	22.8	22.7	41.6	41.2
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	21.2	20.9	36.5	36.3
Marijuana	11.4	11.1	26.0 <sup>a</sup>	24.6
Any Illicit Drug Other Than Marijuana <sup>3</sup>	15.4	14.8	24.8	25.2
Cigarettes	22.1 <sup>a</sup>	19.8	39.9 <sup>b</sup>	37.7
Alcohol	30.3	29.8	51.1	50.8

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.63A How Often Parents Let Youths Know in the Past Year They Had Done a Good Job, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Let Youths Know They Had Done a Good Job (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Parents Let Youths Know Youths Had Done a Good Job <sup>1</sup>			
	Always/Sometimes		Seldom/Never	
	2002	2003	2002	2003
<b>TOTAL</b>	21,175	21,370	3,516	3,543
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	7,454	7,656	801	771
14-15	7,178	6,952	1,272	1,277
16-17	6,542	6,762	1,444	1,495
<b>GENDER</b>				
Male	11,003	11,085	1,615	1,631
Female	10,171	10,285	1,901	1,912
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	17,945	18,008	2,826	2,860
White	13,574	13,563	1,920	1,970
Black or African American	3,008	3,153	600	567
American Indian or Alaska Native	163	143	26	32
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	803	759	208	207
Two or More Races	332	328	60	71
Hispanic or Latino	3,230	3,362	690	683
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	11,257	11,282	1,917	1,976
Small Metro	6,197	6,360	1,031	1,022
Nonmetro	3,721	3,729	568	545
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	2,170	2,102	702	700
Marijuana	1,535	1,460	485	508
Any Illicit Drug Other Than Marijuana <sup>3</sup>	1,057	1,052	362	359
Cigarettes	2,455	2,292	743	741
Alcohol	3,396	3,406	959	1,012
Binge Alcohol <sup>4</sup>	2,059	2,049	578	605
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	4,291	4,170	1,184	1,260
Marijuana	3,019	2,814	874	914
Any Illicit Drug Other Than Marijuana <sup>3</sup>	2,554	2,550	773	786
Cigarettes	3,918 <sup>a</sup>	3,658	1,106	1,059
Alcohol	6,871	6,795	1,671	1,752
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	6,010	5,914	1,604	1,686
Marijuana	3,963	3,724	1,124	1,145
Any Illicit Drug Other Than Marijuana <sup>3</sup>	4,088	4,091	1,176	1,209
Cigarettes	6,584 <sup>b</sup>	6,098	1,634	1,632
Alcohol	8,628	8,596	2,093	2,096

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.63B How Often Parents Let Youths Know in the Past Year They Had Done a Good Job, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Let Youths Know They Had Done a Good Job (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Parents Let Youths Know Youths Had Done a Good Job <sup>1</sup>			
	Always/Sometimes		Seldom/Never	
	2002	2003	2002	2003
<b>TOTAL</b>	85.8	85.8	14.2	14.2
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	90.3	90.8	9.7	9.2
14-15	85.0	84.5	15.0	15.5
16-17	81.9	81.9	18.1	18.1
<b>GENDER</b>				
Male	87.2	87.2	12.8	12.8
Female	84.3	84.3	15.7	15.7
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	86.4	86.3	13.6	13.7
White	87.6	87.3	12.4	12.7
Black or African American	83.4	84.8	16.6	15.2
American Indian or Alaska Native	86.4	81.7	13.6	18.3
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	79.4	78.6	20.6	21.4
Two or More Races	84.7	82.1	15.3	17.9
Hispanic or Latino	82.4	83.1	17.6	16.9
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	85.5	85.1	14.5	14.9
Small Metro	85.7	86.2	14.3	13.8
Nonmetro	86.8	87.2	13.2	12.8
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	10.2	9.8	20.0	19.8
Marijuana	7.2	6.8	13.8	14.3
Any Illicit Drug Other Than Marijuana <sup>3</sup>	5.0	4.9	10.3	10.1
Cigarettes	11.6 <sup>a</sup>	10.7	21.1	20.9
Alcohol	16.0	15.9	27.3	28.6
Binge Alcohol <sup>4</sup>	9.7	9.6	16.4	17.1
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	20.3	19.5	33.7	35.6
Marijuana	14.3 <sup>a</sup>	13.2	24.9	25.8
Any Illicit Drug Other Than Marijuana <sup>3</sup>	12.1	11.9	22.0	22.2
Cigarettes	18.5 <sup>b</sup>	17.1	31.5	29.9
Alcohol	32.4	31.8	47.5	49.4
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	28.4	27.7	45.6	47.6
Marijuana	18.7 <sup>a</sup>	17.4	32.0	32.3
Any Illicit Drug Other Than Marijuana <sup>3</sup>	19.3	19.1	33.5	34.1
Cigarettes	31.1 <sup>b</sup>	28.5	46.5	46.1
Alcohol	40.7	40.2	59.5	59.2

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.64A How Often Parents Told Youths in the Past Year They Were Proud of Something Youths Had Done, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Said They Were Proud of Something Youths Had Done (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Parents Told Youths They Were Proud of Something Youths Had Done <sup>1</sup>			
	Always/Sometimes		Seldom/Never	
	2002	2003	2002	2003
<b>TOTAL</b>	21,012	21,293	3,675	3,610
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	7,468	7,649	794	767
14-15	7,081	6,906	1,363	1,323
16-17	6,463	6,737	1,518	1,519
<b>GENDER</b>				
Male	10,930	11,101	1,680	1,605
Female	10,082	10,191	1,995	2,005
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	17,759	17,954	3,007	2,906
White	13,410	13,491	2,088	2,029
Black or African American	3,004	3,194	598	529
American Indian or Alaska Native	167	139	21	36
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	787	732	221	235
Two or More Races	327	338	65	62
Hispanic or Latino	3,253	3,338	668	704
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	11,156	11,279	2,022	1,979
Small Metro	6,155	6,319	1,063	1,055
Nonmetro	3,701	3,695	590	576
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	2,144	2,109	727	690
Marijuana	1,520	1,457	497	509
Any Illicit Drug Other Than Marijuana <sup>3</sup>	1,049	1,053	370	355
Cigarettes	2,434	2,279	767	752
Alcohol	3,394	3,446	961	971
Binge Alcohol <sup>4</sup>	2,031	2,061	605	591
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	4,214	4,167	1,267	1,256
Marijuana	2,973	2,807	923	921
Any Illicit Drug Other Than Marijuana <sup>3</sup>	2,517	2,548	812	782
Cigarettes	3,862	3,624	1,166	1,090
Alcohol	6,784	6,787	1,760	1,753
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	5,928	5,918	1,688	1,675
Marijuana	3,905	3,717	1,185	1,151
Any Illicit Drug Other Than Marijuana <sup>3</sup>	4,050	4,090	1,217	1,203
Cigarettes	6,459 <sup>a</sup>	6,066	1,763	1,658
Alcohol	8,572	8,549	2,152	2,137

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.64B How Often Parents Told Youths in the Past Year They Were Proud of Something Youths Had Done, by Demographic Characteristics (I), and Selected Drug Use, by How Often Parents Said They Were Proud of Something Youths Had Done (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Parents Told Youths They Were Proud of Something Youths Had Done <sup>1</sup>			
	Always/Sometimes		Seldom/Never	
	2002	2003	2002	2003
<b>TOTAL</b>	85.1	85.5	14.9	14.5
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	90.4	90.9	9.6	9.1
14-15	83.9	83.9	16.1	16.1
16-17	81.0	81.6	19.0	18.4
<b>GENDER</b>				
Male	86.7	87.4	13.3	12.6
Female	83.5	83.6	16.5	16.4
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	85.5	86.1	14.5	13.9
White	86.5	86.9	13.5	13.1
Black or African American	83.4 <sup>a</sup>	85.8	16.6 <sup>a</sup>	14.2
American Indian or Alaska Native	89.0 <sup>a</sup>	79.6	11.0 <sup>a</sup>	20.4
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	78.1	75.7	21.9	24.3
Two or More Races	83.5	84.6	16.5	15.4
Hispanic or Latino	83.0	82.6	17.0	17.4
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	84.7	85.1	15.3	14.9
Small Metro	85.3	85.7	14.7	14.3
Nonmetro	86.3	86.5	13.7	13.5
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	10.2	9.9	19.8	19.1
Marijuana	7.2	6.8	13.5	14.1
Any Illicit Drug Other Than Marijuana <sup>3</sup>	5.0	4.9	10.1	9.8
Cigarettes	11.6 <sup>a</sup>	10.7	20.9	20.8
Alcohol	16.2	16.2	26.1	26.9
Binge Alcohol <sup>4</sup>	9.7	9.7	16.5	16.4
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	20.1	19.6	34.5	34.8
Marijuana	14.2 <sup>a</sup>	13.2	25.1	25.5
Any Illicit Drug Other Than Marijuana <sup>3</sup>	12.0	12.0	22.1	21.7
Cigarettes	18.4 <sup>b</sup>	17.0	31.7	30.2
Alcohol	32.3	31.9	47.9	48.6
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	28.2	27.8	45.9	46.4
Marijuana	18.6 <sup>a</sup>	17.5	32.3	31.9
Any Illicit Drug Other Than Marijuana <sup>3</sup>	19.3	19.2	33.1	33.3
Cigarettes	30.7 <sup>b</sup>	28.5	48.0	45.9
Alcohol	40.8	40.2	58.6	59.2

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.65A Number of Times Youths Argued or Had a Fight with at Least One Parent in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Youths Argued or Had a Fight with at Least One Parent (II), among Persons Aged 12 to 17: Numbers in Thousands, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Times Argued or Had a Fight with at Least One Parent <sup>1</sup>			
	9 or Fewer		10 or More	
	2002	2003	2002	2003
<b>TOTAL</b>	18,983	18,694	5,534 <sup>b</sup>	6,040
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	6,918	6,818	1,243 <sup>b</sup>	1,494
14-15	6,225	6,019	2,180	2,170
16-17	5,840	5,858	2,111 <sup>b</sup>	2,376
<b>GENDER</b>				
Male	10,242	10,173	2,272	2,448
Female	8,741	8,521	3,262 <sup>b</sup>	3,592
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	15,819	15,466	4,799 <sup>b</sup>	5,246
White	11,295	11,022	4,079 <sup>a</sup>	4,387
Black or African American	3,172	3,193	415 <sup>a</sup>	505
American Indian or Alaska Native	*	149	*	25
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	848	750	159	207
Two or More Races	296	286	88	113
Hispanic or Latino	3,164	3,228	735	794
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	10,090	9,880	2,993 <sup>a</sup>	3,289
Small Metro	5,594	5,520	1,579 <sup>b</sup>	1,814
Nonmetro	3,299	3,294	962	937
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	1,792	1,676	1,074	1,121
Marijuana	1,217	1,153	799	812
Any Illicit Drug Other Than Marijuana <sup>3</sup>	872	831	545	577
Cigarettes	2,000 <sup>a</sup>	1,824	1,191	1,205
Alcohol	2,795	2,702	1,547 <sup>a</sup>	1,711
Binge Alcohol <sup>4</sup>	1,693	1,588	940 <sup>a</sup>	1,063
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	3,510	3,359	1,960	2,063
Marijuana	2,393	2,253	1,495	1,472
Any Illicit Drug Other Than Marijuana <sup>3</sup>	2,091	2,007	1,234	1,325
Cigarettes	3,223 <sup>a</sup>	2,959	1,789	1,755
Alcohol	5,691	5,500	2,825	3,029
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	5,115	4,884	2,472 <sup>a</sup>	2,703
Marijuana	3,303 <sup>a</sup>	3,059	1,774	1,806
Any Illicit Drug Other Than Marijuana <sup>3</sup>	3,472	3,296	1,778 <sup>a</sup>	1,991
Cigarettes	5,548 <sup>b</sup>	5,034	2,646	2,677
Alcohol	7,368	7,071	3,318 <sup>a</sup>	3,601

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 3.65B Number of Times Youths Argued or Had a Fight with at Least One Parent in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Youths Argued or Had a Fight with at Least One Parent (II), among Persons Aged 12 to 17: Percentages, 2002 and 2003**

(I) Demographic Characteristic and (II) Drug Use	Times Argued or Had a Fight with at Least One Parent <sup>1</sup>			
	9 or Fewer		10 or More	
	2002	2003	2002	2003
<b>TOTAL</b>	77.4 <sup>b</sup>	75.6	22.6 <sup>b</sup>	24.4
<b>(I) Demographic Characteristic</b>				
<b>AGE</b>				
12-13	84.8 <sup>b</sup>	82.0	15.2 <sup>b</sup>	18.0
14-15	74.1	73.5	25.9	26.5
16-17	73.4 <sup>a</sup>	71.1	26.6 <sup>a</sup>	28.9
<b>GENDER</b>				
Male	81.8	80.6	18.2	19.4
Female	72.8 <sup>b</sup>	70.3	27.2 <sup>b</sup>	29.7
<b>HISPANIC ORIGIN AND RACE</b>				
Not Hispanic or Latino	76.7 <sup>b</sup>	74.7	23.3 <sup>b</sup>	25.3
White	73.5 <sup>b</sup>	71.5	26.5 <sup>b</sup>	28.5
Black or African American	88.4 <sup>a</sup>	86.3	11.6 <sup>a</sup>	13.7
American Indian or Alaska Native	*	85.8	*	14.2
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	84.2	78.4	15.8	21.6
Two or More Races	77.0	71.7	23.0	28.3
Hispanic or Latino	81.2	80.3	18.8	19.7
<b>COUNTY TYPE<sup>2</sup></b>				
Large Metro	77.1 <sup>b</sup>	75.0	22.9 <sup>b</sup>	25.0
Small Metro	78.0 <sup>b</sup>	75.3	22.0 <sup>b</sup>	24.7
Nonmetro	77.4	77.8	22.6	22.2
<b>(II) Drug Use</b>				
<b>PAST MONTH</b>				
Any Illicit Drug <sup>3</sup>	9.4	9.0	19.4	18.6
Marijuana	6.4	6.2	14.4	13.4
Any Illicit Drug Other Than Marijuana <sup>3</sup>	4.6	4.4	9.8	9.5
Cigarettes	10.5	9.8	21.5	20.0
Alcohol	14.7	14.5	28.0	28.3
Binge Alcohol <sup>4</sup>	8.9	8.5	17.0	17.6
<b>PAST YEAR</b>				
Any Illicit Drug <sup>3</sup>	18.5	18.0	35.4	34.2
Marijuana	12.6	12.1	27.0 <sup>a</sup>	24.4
Any Illicit Drug Other Than Marijuana <sup>3</sup>	11.0	10.7	22.3	21.9
Cigarettes	17.0 <sup>a</sup>	15.8	32.3 <sup>b</sup>	29.1
Alcohol	30.0	29.4	51.1	50.1
<b>LIFETIME</b>				
Any Illicit Drug <sup>3</sup>	26.9	26.1	44.7	44.7
Marijuana	17.4	16.4	32.1	29.9
Any Illicit Drug Other Than Marijuana <sup>3</sup>	18.3	17.6	32.1	33.0
Cigarettes	29.2 <sup>b</sup>	26.9	47.8 <sup>b</sup>	44.3
Alcohol	38.8	37.8	60.0	59.6

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.