

Table 3.18C Whether Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics (I), and Selected Drug Use, by Whether Approached by Someone Selling Drugs (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Approached in Past Month by Someone Selling Drugs ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	82	83	82	83
(I) Demographic Characteristic				
AGE				
12-13	31	28	31	28
14-15	49	48	49	48
16-17	53	55	53	55
GENDER				
Male	60	62	60	62
Female	54	53	54	53
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	72	71	72	71
White	61	60	61	60
Black or African American	29	32	29	32
American Indian or Alaska Native	9	5	9	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	18	15	18	15
Two or More Races	9	11	9	11
Hispanic or Latino	39	38	39	38
COUNTY TYPE²				
Large Metro	61	63	61	63
Small Metro	49	45	49	45
Nonmetro	29	27	29	27
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	42	42	50	49
Marijuana	39	41	38	38
Any Illicit Drug Other Than Marijuana ³	33	31	39	38
Cigarettes	40	38	55	56
Alcohol	43	43	62	70
Binge Alcohol ⁴	42	41	48	49
PAST YEAR				
Any Illicit Drug ³	43	44	72	74
Marijuana	41	44	59	57
Any Illicit Drug Other Than Marijuana ³	43	43	56	63
Cigarettes	43	43	71	72
Alcohol	45	44	88	90
LIFETIME				
Any Illicit Drug ³	43	43	81	89
Marijuana	42	45	66	67
Any Illicit Drug Other Than Marijuana ³	43	43	68	82
Cigarettes	42	41	94	92
Alcohol	38	39	95	99

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.18D Whether Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics (I), and Selected Drug Use, by Whether Approached by Someone Selling Drugs (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Approached in Past Month by Someone Selling Drugs ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.33	0.33	0.33	0.33
(I) Demographic Characteristic				
AGE				
12-13	0.37	0.33	0.37	0.33
14-15	0.58	0.58	0.58	0.58
16-17	0.66	0.67	0.66	0.67
GENDER				
Male	0.47	0.49	0.47	0.49
Female	0.44	0.43	0.44	0.43
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.35	0.34	0.35	0.34
White	0.39	0.39	0.39	0.39
Black or African American	0.80	0.85	0.80	0.85
American Indian or Alaska Native	4.72	2.55	4.72	2.55
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.74	1.51	1.74	1.51
Two or More Races	2.32	2.64	2.32	2.64
Hispanic or Latino	1.00	0.94	1.00	0.94
COUNTY TYPE²				
Large Metro	0.46	0.47	0.46	0.47
Small Metro	0.68	0.61	0.68	0.61
Nonmetro	0.67	0.63	0.67	0.63
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	1.02	1.05	0.24	0.23
Marijuana	0.96	1.02	0.18	0.18
Any Illicit Drug Other Than Marijuana ³	0.80	0.77	0.19	0.18
Cigarettes	0.98	0.95	0.27	0.27
Alcohol	1.05	1.08	0.30	0.33
Binge Alcohol ⁴	1.03	1.02	0.23	0.23
PAST YEAR				
Any Illicit Drug ³	1.05	1.11	0.35	0.35
Marijuana	0.98	1.10	0.29	0.27
Any Illicit Drug Other Than Marijuana ³	1.05	1.06	0.27	0.30
Cigarettes	1.03	1.06	0.34	0.34
Alcohol	1.08	1.09	0.43	0.43
LIFETIME				
Any Illicit Drug ³	1.04	1.06	0.39	0.42
Marijuana	1.02	1.11	0.32	0.32
Any Illicit Drug Other Than Marijuana ³	1.04	1.08	0.33	0.39
Cigarettes	1.02	1.02	0.46	0.44
Alcohol	0.92	0.98	0.46	0.47

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.18P Whether Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics (I), and Selected Drug Use, by Whether Approached by Someone Selling Drugs (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Approached in Past Month by Someone Selling Drugs ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.1751		0.1751	
(I) Demographic Characteristic				
AGE				
12-13	0.0014		0.0014	
14-15	0.4244		0.4244	
16-17	0.3011		0.3011	
GENDER				
Male	0.1357		0.1357	
Female	0.6920		0.6920	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0996		0.0996	
White	0.0455		0.0455	
Black or African American	0.2432		0.2432	
American Indian or Alaska Native	0.0566		0.0566	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.6389		0.6389	
Two or More Races	0.5923		0.5923	
Hispanic or Latino	0.8966		0.8966	
COUNTY TYPE²				
Large Metro	0.1949		0.1949	
Small Metro	0.9819		0.9819	
Nonmetro	0.3297		0.3297	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.4196		0.9794	
Marijuana	0.7416		0.7994	
Any Illicit Drug Other Than Marijuana ³	0.5383		0.5503	
Cigarettes	0.1332		0.3187	
Alcohol	0.9943		0.5394	
Binge Alcohol ⁴	0.8507		0.7991	
PAST YEAR				
Any Illicit Drug ³	0.9746		0.7346	
Marijuana	0.6602		0.0421	
Any Illicit Drug Other Than Marijuana ³	0.2171		0.2427	
Cigarettes	0.0113		0.1301	
Alcohol	0.5854		0.9380	
LIFETIME				
Any Illicit Drug ³	0.8974		0.9132	
Marijuana	0.8168		0.0192	
Any Illicit Drug Other Than Marijuana ³	0.3054		0.3535	
Cigarettes	0.2738		0.0009	
Alcohol	0.8657		0.6409	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.19C Number of Times Moved in the Past 5 Years, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Moved in the Past 5 Years (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Number of Times Moved in Past 5 Years ¹			
	Two or More		Less Than Two	
	2002	2003	2002	2003
TOTAL	107	102	107	102
(I) Demographic Characteristic				
AGE				
12-13	55	59	55	59
14-15	58	55	58	55
16-17	54	53	54	53
GENDER				
Male	69	71	69	71
Female	71	67	71	67
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	92	92	92	92
White	66	68	66	68
Black or African American	46	46	46	46
American Indian or Alaska Native	10	6	10	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	26	23	26	23
Two or More Races	10	13	10	13
Hispanic or Latino	50	51	50	51
COUNTY TYPE²				
Large Metro	87	76	87	76
Small Metro	54	56	54	56
Nonmetro	33	37	33	37
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	38	36	56	55
Marijuana	33	31	46	49
Any Illicit Drug Other Than Marijuana ³	29	26	41	41
Cigarettes	40	37	58	59
Alcohol	42	39	67	71
Binge Alcohol ⁴	37	32	52	57
PAST YEAR				
Any Illicit Drug ³	49	46	78	74
Marijuana	43	39	66	64
Any Illicit Drug Other Than Marijuana ³	40	38	61	64
Cigarettes	46	45	72	74
Alcohol	53	53	85	86
LIFETIME				
Any Illicit Drug ³	55	52	87	85
Marijuana	48	44	74	74
Any Illicit Drug Other Than Marijuana ³	48	47	74	75
Cigarettes	54	58	89	86
Alcohol	55	60	89	90

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.19D Number of Times Moved in the Past 5 Years, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Moved in the Past 5 Years (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Number of Times Moved in Past 5 Years ¹			
	Two or More		Less Than Two	
	2002	2003	2002	2003
TOTAL	0.44	0.42	0.44	0.42
(I) Demographic Characteristic				
AGE				
12-13	0.69	0.72	0.69	0.72
14-15	0.70	0.68	0.70	0.68
16-17	0.68	0.64	0.68	0.64
GENDER				
Male	0.55	0.57	0.55	0.57
Female	0.60	0.56	0.60	0.56
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.45	0.45	0.45	0.45
White	0.43	0.45	0.43	0.45
Black or African American	1.31	1.26	1.31	1.26
American Indian or Alaska Native	5.66	3.96	5.66	3.96
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.60	2.42	2.60	2.42
Two or More Races	2.51	3.37	2.51	3.37
Hispanic or Latino	1.30	1.29	1.30	1.29
COUNTY TYPE²				
Large Metro	0.67	0.58	0.67	0.58
Small Metro	0.76	0.78	0.76	0.78
Nonmetro	0.78	0.87	0.78	0.87
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.65	0.58	0.30	0.30
Marijuana	0.56	0.50	0.25	0.27
Any Illicit Drug Other Than Marijuana ³	0.49	0.43	0.22	0.22
Cigarettes	0.68	0.61	0.32	0.32
Alcohol	0.72	0.64	0.36	0.39
Binge Alcohol ⁴	0.64	0.52	0.28	0.31
PAST YEAR				
Any Illicit Drug ³	0.84	0.75	0.42	0.40
Marijuana	0.72	0.63	0.36	0.35
Any Illicit Drug Other Than Marijuana ³	0.68	0.61	0.33	0.35
Cigarettes	0.78	0.72	0.39	0.40
Alcohol	0.90	0.85	0.46	0.47
LIFETIME				
Any Illicit Drug ³	0.93	0.85	0.47	0.46
Marijuana	0.81	0.71	0.40	0.40
Any Illicit Drug Other Than Marijuana ³	0.81	0.76	0.40	0.41
Cigarettes	0.92	0.93	0.48	0.47
Alcohol	0.93	0.97	0.48	0.49

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.19P Number of Times Moved in the Past 5 Years, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Moved in the Past 5 Years (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Number of Times Moved in Past 5 Years ¹			
	Two or More		Less Than Two	
	2002	2003	2002	2003
TOTAL	0.0701		0.0701	
(I) Demographic Characteristic				
AGE				
12-13	0.0556		0.0556	
14-15	0.4341		0.4341	
16-17	0.5774		0.5774	
GENDER				
Male	0.1786		0.1786	
Female	0.1966		0.1966	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0985		0.0985	
White	0.5416		0.5416	
Black or African American	0.0719		0.0719	
American Indian or Alaska Native	0.9369		0.9369	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.6465		0.6465	
Two or More Races	0.0078		0.0078	
Hispanic or Latino	0.5684		0.5684	
COUNTY TYPE²				
Large Metro	0.5504		0.5504	
Small Metro	0.0150		0.0150	
Nonmetro	0.0033		0.0033	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.2155		0.6211	
Marijuana	0.3970		0.5311	
Any Illicit Drug Other Than Marijuana ³	0.3690		0.8892	
Cigarettes	0.0439		0.2204	
Alcohol	0.3370		0.4167	
Binge Alcohol ⁴	0.2560		0.5124	
PAST YEAR				
Any Illicit Drug ³	0.1984		0.8604	
Marijuana	0.1046		0.2004	
Any Illicit Drug Other Than Marijuana ³	0.1604		0.6268	
Cigarettes	0.0226		0.0316	
Alcohol	0.1565		0.8225	
LIFETIME				
Any Illicit Drug ³	0.0772		0.7842	
Marijuana	0.0805		0.0829	
Any Illicit Drug Other Than Marijuana ³	0.0268		0.2698	
Cigarettes	0.0980		0.0003	
Alcohol	0.4346		0.6005	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.