

Table 3.24C Number of Times Gotten into a Serious Fight at School or Work in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Gotten into a Serious Fight at School or Work (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Gotten into Serious Fight at School/Work ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	92	96	92	96
(I) Demographic Characteristic				
AGE				
12-13	48	56	48	56
14-15	50	56	50	56
16-17	48	49	48	49
GENDER				
Male	66	72	66	72
Female	58	59	58	59
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	81	80	81	80
White	68	65	68	65
Black or African American	33	39	33	39
American Indian or Alaska Native	9	7	9	7
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	18	19	18	19
Two or More Races	10	11	10	11
Hispanic or Latino	42	49	42	49
COUNTY TYPE²				
Large Metro	69	72	69	72
Small Metro	50	53	50	53
Nonmetro	32	35	32	35
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	37	42	58	49
Marijuana	33	38	48	45
Any Illicit Drug Other Than Marijuana ³	31	32	40	36
Cigarettes	39	41	62	59
Alcohol	42	41	66	67
Binge Alcohol ⁴	37	38	53	52
PAST YEAR				
Any Illicit Drug ³	42	50	79	74
Marijuana	40	44	68	64
Any Illicit Drug Other Than Marijuana ³	39	46	60	61
Cigarettes	44	49	72	70
Alcohol	48	50	88	86
LIFETIME				
Any Illicit Drug ³	46	53	88	88
Marijuana	44	49	75	74
Any Illicit Drug Other Than Marijuana ³	42	52	72	76
Cigarettes	51	55	90	85
Alcohol	48	53	90	95

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.24D Number of Times Gotten into a Serious Fight at School or Work in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Gotten into a Serious Fight at School or Work (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Gotten into Serious Fight at School/Work ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	0.37	0.39	0.37	0.39
(I) Demographic Characteristic				
AGE				
12-13	0.58	0.66	0.58	0.66
14-15	0.59	0.68	0.59	0.68
16-17	0.60	0.59	0.60	0.59
GENDER				
Male	0.52	0.57	0.52	0.57
Female	0.48	0.49	0.48	0.49
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.39	0.38	0.39	0.38
White	0.44	0.42	0.44	0.42
Black or African American	0.91	1.04	0.91	1.04
American Indian or Alaska Native	4.96	3.90	4.96	3.90
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.81	1.98	1.81	1.98
Two or More Races	2.46	2.81	2.46	2.81
Hispanic or Latino	1.07	1.22	1.07	1.22
COUNTY TYPE²				
Large Metro	0.53	0.55	0.53	0.55
Small Metro	0.69	0.72	0.69	0.72
Nonmetro	0.75	0.81	0.75	0.81
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.72	0.71	0.29	0.26
Marijuana	0.64	0.64	0.24	0.24
Any Illicit Drug Other Than Marijuana ³	0.60	0.54	0.21	0.19
Cigarettes	0.76	0.69	0.32	0.31
Alcohol	0.83	0.69	0.34	0.35
Binge Alcohol ⁴	0.73	0.64	0.27	0.27
PAST YEAR				
Any Illicit Drug ³	0.83	0.84	0.41	0.39
Marijuana	0.78	0.74	0.35	0.34
Any Illicit Drug Other Than Marijuana ³	0.77	0.77	0.31	0.32
Cigarettes	0.86	0.83	0.37	0.37
Alcohol	0.95	0.84	0.45	0.45
LIFETIME				
Any Illicit Drug ³	0.89	0.88	0.45	0.46
Marijuana	0.87	0.82	0.38	0.39
Any Illicit Drug Other Than Marijuana ³	0.83	0.87	0.37	0.40
Cigarettes	1.00	0.92	0.46	0.45
Alcohol	0.94	0.89	0.46	0.50

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.24P Number of Times Gotten into a Serious Fight at School or Work in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Gotten into a Serious Fight at School or Work (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Gotten into Serious Fight at School/Work ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	0.0000		0.0000	
(I) Demographic Characteristic				
AGE				
12-13	0.0000		0.0000	
14-15	0.0000		0.0000	
16-17	0.1199		0.1199	
GENDER				
Male	0.0003		0.0003	
Female	0.0000		0.0000	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0000		0.0000	
White	0.0001		0.0001	
Black or African American	0.0034		0.0034	
American Indian or Alaska Native	0.3744		0.3744	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.4081		0.4081	
Two or More Races	0.0272		0.0272	
Hispanic or Latino	0.0038		0.0038	
COUNTY TYPE²				
Large Metro	0.0000		0.0000	
Small Metro	0.0007		0.0007	
Nonmetro	0.0110		0.0110	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.2780		0.1012	
Marijuana	0.2927		0.2123	
Any Illicit Drug Other Than Marijuana ³	0.2615		0.6980	
Cigarettes	0.0278		0.0633	
Alcohol	0.1363		0.7977	
Binge Alcohol ⁴	0.0823		0.8661	
PAST YEAR				
Any Illicit Drug ³	0.4715		0.0816	
Marijuana	0.1301		0.0218	
Any Illicit Drug Other Than Marijuana ³	0.2863		0.5126	
Cigarettes	0.0001		0.0249	
Alcohol	0.4739		0.2447	
LIFETIME				
Any Illicit Drug ³	0.3202		0.1345	
Marijuana	0.0105		0.0363	
Any Illicit Drug Other Than Marijuana ³	0.5218		0.2798	
Cigarettes	0.0002		0.0005	
Alcohol	0.5072		0.0764	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.25C Number of Times Taken Part in a Group-Against-Group Fight in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Taken Part in a Group-Against-Group Fight (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Taken Part in Group-Against-Group Fight ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	77	83	77	83
(I) Demographic Characteristic				
AGE				
12-13	44	49	44	49
14-15	45	51	45	51
16-17	44	47	44	47
GENDER				
Male	56	60	56	60
Female	51	58	51	58
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	67	74	67	74
White	55	61	55	61
Black or African American	31	34	31	34
American Indian or Alaska Native	9	6	9	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	15	20	15	20
Two or More Races	9	11	9	11
Hispanic or Latino	38	39	38	39
COUNTY TYPE²				
Large Metro	60	61	60	61
Small Metro	40	48	40	48
Nonmetro	27	28	27	28
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	37	37	60	53
Marijuana	33	34	48	48
Any Illicit Drug Other Than Marijuana ³	31	26	42	39
Cigarettes	35	37	64	62
Alcohol	38	40	69	71
Binge Alcohol ⁴	35	35	55	56
PAST YEAR				
Any Illicit Drug ³	41	44	84	76
Marijuana	35	40	69	65
Any Illicit Drug Other Than Marijuana ³	38	39	65	63
Cigarettes	39	43	76	74
Alcohol	42	42	91	91
LIFETIME				
Any Illicit Drug ³	42	44	91	94
Marijuana	39	42	76	77
Any Illicit Drug Other Than Marijuana ³	40	43	78	83
Cigarettes	40	46	96	95
Alcohol	40	43	97	98

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.25D Number of Times Taken Part in a Group-Against-Group Fight in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Taken Part in a Group-Against-Group Fight (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Taken Part in Group-Against-Group Fight ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	0.31	0.33	0.31	0.33
(I) Demographic Characteristic				
AGE				
12-13	0.53	0.59	0.53	0.59
14-15	0.53	0.62	0.53	0.62
16-17	0.55	0.57	0.55	0.57
GENDER				
Male	0.45	0.47	0.45	0.47
Female	0.42	0.48	0.42	0.48
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.32	0.36	0.32	0.36
White	0.36	0.39	0.36	0.39
Black or African American	0.87	0.90	0.87	0.90
American Indian or Alaska Native	4.67	3.42	4.67	3.42
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.53	2.11	1.53	2.11
Two or More Races	2.20	2.64	2.20	2.64
Hispanic or Latino	0.96	0.96	0.96	0.96
COUNTY TYPE²				
Large Metro	0.46	0.46	0.46	0.46
Small Metro	0.56	0.66	0.56	0.66
Nonmetro	0.64	0.66	0.64	0.66
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.94	0.82	0.29	0.26
Marijuana	0.83	0.75	0.23	0.23
Any Illicit Drug Other Than Marijuana ³	0.79	0.58	0.20	0.19
Cigarettes	0.89	0.82	0.31	0.30
Alcohol	0.97	0.90	0.33	0.35
Binge Alcohol ⁴	0.89	0.78	0.26	0.27
PAST YEAR				
Any Illicit Drug ³	1.04	0.97	0.40	0.37
Marijuana	0.90	0.89	0.33	0.32
Any Illicit Drug Other Than Marijuana ³	0.96	0.87	0.31	0.31
Cigarettes	0.98	0.95	0.37	0.36
Alcohol	1.07	0.94	0.44	0.44
LIFETIME				
Any Illicit Drug ³	1.07	0.97	0.44	0.46
Marijuana	1.00	0.92	0.36	0.38
Any Illicit Drug Other Than Marijuana ³	1.02	0.96	0.37	0.41
Cigarettes	1.02	1.01	0.46	0.47
Alcohol	1.02	0.96	0.47	0.48

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.25P Number of Times Taken Part in a Group-Against-Group Fight in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Taken Part in a Group-Against-Group Fight (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Taken Part in Group-Against-Group Fight ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	0.0000		0.0000	
(I) Demographic Characteristic				
AGE				
12-13	0.0005		0.0005	
14-15	0.0000		0.0000	
16-17	0.4875		0.4875	
GENDER				
Male	0.0561		0.0561	
Female	0.0000		0.0000	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0000		0.0000	
White	0.0010		0.0010	
Black or African American	0.0565		0.0565	
American Indian or Alaska Native	0.3991		0.3991	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.0475		0.0475	
Two or More Races	0.1758		0.1758	
Hispanic or Latino	0.0232		0.0232	
COUNTY TYPE²				
Large Metro	0.0020		0.0020	
Small Metro	0.0005		0.0005	
Nonmetro	0.0441		0.0441	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.0161		0.6439	
Marijuana	0.0453		0.6561	
Any Illicit Drug Other Than Marijuana ³	0.1411		0.9589	
Cigarettes	0.0444		0.0642	
Alcohol	0.0613		0.5778	
Binge Alcohol ⁴	0.0813		0.8700	
PAST YEAR				
Any Illicit Drug ³	0.1764		0.3032	
Marijuana	0.1110		0.0483	
Any Illicit Drug Other Than Marijuana ³	0.1058		0.9600	
Cigarettes	0.0015		0.0139	
Alcohol	0.0770		0.5806	
LIFETIME				
Any Illicit Drug ³	0.2354		0.2705	
Marijuana	0.0390		0.0309	
Any Illicit Drug Other Than Marijuana ³	0.2397		0.6063	
Cigarettes	0.0010		0.0005	
Alcohol	0.1568		0.2434	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.26C Number of Times Carried a Handgun in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Carried a Handgun (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Carried a Handgun ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	36	40	36	40
(I) Demographic Characteristic				
AGE				
12-13	18	21	18	21
14-15	24	23	24	23
16-17	23	25	23	25
GENDER				
Male	34	36	34	36
Female	17	17	17	17
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	31	34	31	34
White	26	28	26	28
Black or African American	14	13	14	13
American Indian or Alaska Native	*	3	*	3
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	4	10	4	10
Two or More Races	4	4	4	4
Hispanic or Latino	20	21	20	21
COUNTY TYPE²				
Large Metro	26	29	26	29
Small Metro	21	21	21	21
Nonmetro	16	18	16	18
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	21	19	67	62
Marijuana	19	17	54	56
Any Illicit Drug Other Than Marijuana ³	17	17	49	44
Cigarettes	19	18	71	70
Alcohol	19	19	78	79
Binge Alcohol ⁴	18	17	62	64
PAST YEAR				
Any Illicit Drug ³	21	21	91	86
Marijuana	19	19	76	75
Any Illicit Drug Other Than Marijuana ³	19	19	74	75
Cigarettes	20	20	84	85
Alcohol	19	20	100	99
LIFETIME				
Any Illicit Drug ³	19	21	100	102
Marijuana	20	21	84	88
Any Illicit Drug Other Than Marijuana ³	19	21	86	94
Cigarettes	19	20	106	104
Alcohol	18	19	103	107

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.26D Number of Times Carried a Handgun in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Carried a Handgun (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Carried a Handgun ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	0.15	0.16	0.15	0.16
(I) Demographic Characteristic				
AGE				
12-13	0.21	0.25	0.21	0.25
14-15	0.29	0.28	0.29	0.28
16-17	0.28	0.31	0.28	0.31
GENDER				
Male	0.27	0.28	0.27	0.28
Female	0.14	0.14	0.14	0.14
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.15	0.16	0.15	0.16
White	0.16	0.18	0.16	0.18
Black or African American	0.39	0.36	0.39	0.36
American Indian or Alaska Native	*	1.46	*	1.46
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	0.39	1.00	0.39	1.00
Two or More Races	0.99	1.06	0.99	1.06
Hispanic or Latino	0.51	0.51	0.51	0.51
COUNTY TYPE²				
Large Metro	0.20	0.22	0.20	0.22
Small Metro	0.29	0.28	0.29	0.28
Nonmetro	0.36	0.43	0.36	0.43
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	2.51	2.06	0.28	0.26
Marijuana	2.33	1.85	0.22	0.23
Any Illicit Drug Other Than Marijuana ³	2.07	1.84	0.21	0.18
Cigarettes	2.28	2.00	0.30	0.29
Alcohol	2.29	2.07	0.33	0.33
Binge Alcohol ⁴	2.26	1.86	0.26	0.27
PAST YEAR				
Any Illicit Drug ³	2.52	2.28	0.38	0.36
Marijuana	2.37	2.09	0.32	0.31
Any Illicit Drug Other Than Marijuana ³	2.36	2.14	0.31	0.31
Cigarettes	2.39	2.19	0.35	0.35
Alcohol	2.36	2.26	0.42	0.41
LIFETIME				
Any Illicit Drug ³	2.37	2.29	0.42	0.43
Marijuana	2.40	2.27	0.35	0.37
Any Illicit Drug Other Than Marijuana ³	2.39	2.32	0.36	0.39
Cigarettes	2.32	2.18	0.44	0.43
Alcohol	2.24	2.15	0.43	0.45

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.26P Number of Times Carried a Handgun in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Carried a Handgun (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Carried a Handgun ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	0.1377		0.1377	
(I) Demographic Characteristic				
AGE				
12-13	0.3060		0.3060	
14-15	0.8965		0.8965	
16-17	0.1062		0.1062	
GENDER				
Male	0.0992		0.0992	
Female	0.9810		0.9810	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.2035		0.2035	
White	0.0793		0.0793	
Black or African American	0.3625		0.3625	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.0643		0.0643	
Two or More Races	0.9357		0.9357	
Hispanic or Latino	0.4797		0.4797	
COUNTY TYPE²				
Large Metro	0.5113		0.5113	
Small Metro	0.3564		0.3564	
Nonmetro	0.2413		0.2413	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.5184		0.3156	
Marijuana	0.4917		0.3729	
Any Illicit Drug Other Than Marijuana ³	0.4723		0.5055	
Cigarettes	0.9500		0.0286	
Alcohol	0.5439		0.9103	
Binge Alcohol ⁴	0.9005		0.7869	
PAST YEAR				
Any Illicit Drug ³	0.8012		0.3145	
Marijuana	0.6408		0.0242	
Any Illicit Drug Other Than Marijuana ³	0.6848		0.7124	
Cigarettes	0.6473		0.0009	
Alcohol	0.5346		0.3879	
LIFETIME				
Any Illicit Drug ³	0.1425		0.2783	
Marijuana	0.8143		0.0117	
Any Illicit Drug Other Than Marijuana ³	0.0714		0.5152	
Cigarettes	0.4442		0.0000	
Alcohol	0.8853		0.2913	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.27C Number of Times Sold Illegal Drugs in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Sold Illegal Drugs (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Sold Illegal Drugs ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	44	40	44	40
(I) Demographic Characteristic				
AGE				
12-13	11	9	11	9
14-15	26	23	26	23
16-17	34	29	34	29
GENDER				
Male	36	33	36	33
Female	22	20	22	20
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	40	35	40	35
White	34	31	34	31
Black or African American	15	14	15	14
American Indian or Alaska Native	*	3	*	3
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	4	3	4	3
Two or More Races	4	9	4	9
Hispanic or Latino	18	17	18	17
COUNTY TYPE²				
Large Metro	32	30	32	30
Small Metro	26	20	26	20
Nonmetro	14	16	14	16
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	18	19	63	57
Marijuana	20	20	49	51
Any Illicit Drug Other Than Marijuana ³	21	19	46	43
Cigarettes	20	20	66	66
Alcohol	21	18	74	75
Binge Alcohol ⁴	23	19	58	59
PAST YEAR				
Any Illicit Drug ³	15	13	87	81
Marijuana	16	15	70	70
Any Illicit Drug Other Than Marijuana ³	20	19	68	72
Cigarettes	18	18	78	83
Alcohol	15	13	98	98
LIFETIME				
Any Illicit Drug ³	12	9	98	99
Marijuana	14	13	81	83
Any Illicit Drug Other Than Marijuana ³	19	17	82	91
Cigarettes	15	15	101	104
Alcohol	12	10	102	107

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.27D Number of Times Sold Illegal Drugs in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Sold Illegal Drugs (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Sold Illegal Drugs ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	0.18	0.16	0.18	0.16
(I) Demographic Characteristic				
AGE				
12-13	0.13	0.11	0.13	0.11
14-15	0.31	0.28	0.31	0.28
16-17	0.42	0.36	0.42	0.36
GENDER				
Male	0.29	0.26	0.29	0.26
Female	0.19	0.16	0.19	0.16
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.19	0.17	0.19	0.17
White	0.22	0.20	0.22	0.20
Black or African American	0.43	0.37	0.43	0.37
American Indian or Alaska Native	*	1.44	*	1.44
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	0.37	0.26	0.37	0.26
Two or More Races	1.13	2.25	1.13	2.25
Hispanic or Latino	0.45	0.43	0.45	0.43
COUNTY TYPE²				
Large Metro	0.24	0.23	0.24	0.23
Small Metro	0.36	0.27	0.36	0.27
Nonmetro	0.32	0.38	0.32	0.38
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	1.71	2.12	0.27	0.24
Marijuana	1.90	2.24	0.21	0.21
Any Illicit Drug Other Than Marijuana ³	1.93	2.10	0.20	0.18
Cigarettes	1.86	2.18	0.28	0.28
Alcohol	1.96	1.97	0.31	0.31
Binge Alcohol ⁴	2.09	2.12	0.25	0.25
PAST YEAR				
Any Illicit Drug ³	1.35	1.41	0.37	0.34
Marijuana	1.52	1.61	0.30	0.29
Any Illicit Drug Other Than Marijuana ³	1.84	2.12	0.29	0.30
Cigarettes	1.72	1.99	0.33	0.35
Alcohol	1.38	1.49	0.42	0.41
LIFETIME				
Any Illicit Drug ³	1.13	1.01	0.41	0.41
Marijuana	1.29	1.45	0.34	0.34
Any Illicit Drug Other Than Marijuana ³	1.75	1.93	0.35	0.38
Cigarettes	1.43	1.65	0.43	0.43
Alcohol	1.16	1.11	0.43	0.45

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.27P Number of Times Sold Illegal Drugs in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Sold Illegal Drugs (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Sold Illegal Drugs ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	0.0018		0.0018	
(I) Demographic Characteristic				
AGE				
12-13	0.1404		0.1404	
14-15	0.2256		0.2256	
16-17	0.0056		0.0056	
GENDER				
Male	0.0117		0.0117	
Female	0.0334		0.0334	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0009		0.0009	
White	0.0007		0.0007	
Black or African American	0.3235		0.3235	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.6027		0.6027	
Two or More Races	0.3748		0.3748	
Hispanic or Latino	0.7108		0.7108	
COUNTY TYPE²				
Large Metro	0.0347		0.0347	
Small Metro	0.0098		0.0098	
Nonmetro	0.7205		0.7205	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.5021		0.8202	
Marijuana	0.4709		0.6067	
Any Illicit Drug Other Than Marijuana ³	0.6476		0.7603	
Cigarettes	0.2220		0.0853	
Alcohol	0.1657		0.5532	
Binge Alcohol ⁴	0.2653		0.6904	
PAST YEAR				
Any Illicit Drug ³	0.9916		0.8939	
Marijuana	0.7764		0.4041	
Any Illicit Drug Other Than Marijuana ³	0.2418		0.3153	
Cigarettes	0.8821		0.0144	
Alcohol	0.7956		1.0000	
LIFETIME				
Any Illicit Drug ³	0.6767		0.9068	
Marijuana	0.5897		0.2089	
Any Illicit Drug Other Than Marijuana ³	0.4068		0.3996	
Cigarettes	0.9129		0.0009	
Alcohol	0.9201		0.7216	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.28C Number of Times Stole or Tried to Steal Anything Worth More Than \$50 in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Stole or Tried to Steal Anything Worth More Than \$50 ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	48	45	48	45
(I) Demographic Characteristic				
AGE				
12-13	19	17	19	17
14-15	27	31	27	31
16-17	33	29	33	29
GENDER				
Male	37	36	37	36
Female	27	24	27	24
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	41	40	41	40
White	34	33	34	33
Black or African American	18	16	18	16
American Indian or Alaska Native	*	3	*	3
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	6	9	6	9
Two or More Races	6	4	6	4
Hispanic or Latino	23	24	23	24
COUNTY TYPE²				
Large Metro	38	35	38	35
Small Metro	26	23	26	23
Nonmetro	14	18	14	18
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	23	22	63	62
Marijuana	22	22	50	55
Any Illicit Drug Other Than Marijuana ³	20	18	47	45
Cigarettes	23	23	69	65
Alcohol	24	23	74	75
Binge Alcohol ⁴	23	22	59	60
PAST YEAR				
Any Illicit Drug ³	22	22	86	85
Marijuana	23	23	72	71
Any Illicit Drug Other Than Marijuana ³	23	21	70	73
Cigarettes	23	23	82	81
Alcohol	22	19	100	98
LIFETIME				
Any Illicit Drug ³	19	20	97	102
Marijuana	23	22	83	85
Any Illicit Drug Other Than Marijuana ³	22	22	81	93
Cigarettes	22	21	104	103
Alcohol	19	18	104	107

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.28D Number of Times Stole or Tried to Steal Anything Worth More Than \$50 in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Stole or Tried to Steal Anything Worth More Than \$50 ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	0.19	0.18	0.19	0.18
(I) Demographic Characteristic				
AGE				
12-13	0.22	0.20	0.22	0.20
14-15	0.32	0.37	0.32	0.37
16-17	0.42	0.35	0.42	0.35
GENDER				
Male	0.29	0.28	0.29	0.28
Female	0.22	0.20	0.22	0.20
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.20	0.19	0.20	0.19
White	0.22	0.21	0.22	0.21
Black or African American	0.49	0.43	0.49	0.43
American Indian or Alaska Native	*	1.44	*	1.44
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	0.59	0.88	0.59	0.88
Two or More Races	1.46	1.03	1.46	1.03
Hispanic or Latino	0.59	0.60	0.59	0.60
COUNTY TYPE²				
Large Metro	0.29	0.26	0.29	0.26
Small Metro	0.36	0.31	0.36	0.31
Nonmetro	0.32	0.41	0.32	0.41
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	1.88	2.01	0.27	0.26
Marijuana	1.83	2.00	0.21	0.23
Any Illicit Drug Other Than Marijuana ³	1.65	1.62	0.20	0.19
Cigarettes	1.89	2.04	0.30	0.27
Alcohol	1.94	2.06	0.32	0.31
Binge Alcohol ⁴	1.90	1.98	0.25	0.25
PAST YEAR				
Any Illicit Drug ³	1.82	1.99	0.37	0.36
Marijuana	1.90	2.09	0.31	0.30
Any Illicit Drug Other Than Marijuana ³	1.88	1.92	0.30	0.31
Cigarettes	1.85	2.11	0.35	0.34
Alcohol	1.78	1.75	0.43	0.41
LIFETIME				
Any Illicit Drug ³	1.59	1.76	0.41	0.43
Marijuana	1.91	1.99	0.35	0.36
Any Illicit Drug Other Than Marijuana ³	1.83	1.95	0.35	0.39
Cigarettes	1.80	1.91	0.44	0.43
Alcohol	1.58	1.59	0.44	0.45

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.28P Number of Times Stole or Tried to Steal Anything Worth More Than \$50 in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Stole or Tried to Steal Anything Worth More Than \$50 (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Stole or Tried to Steal Anything Worth More Than \$50 ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	0.0866		0.0866	
(I) Demographic Characteristic				
AGE				
12-13	0.3933		0.3933	
14-15	0.5106		0.5106	
16-17	0.0075		0.0075	
GENDER				
Male	0.2278		0.2278	
Female	0.1305		0.1305	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.1001		0.1001	
White	0.1144		0.1144	
Black or African American	0.4134		0.4134	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1802		0.1802	
Two or More Races	0.7959		0.7959	
Hispanic or Latino	0.5344		0.5344	
COUNTY TYPE²				
Large Metro	0.0644		0.0644	
Small Metro	0.2043		0.2043	
Nonmetro	0.3227		0.3227	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.0944		0.9902	
Marijuana	0.6246		0.7594	
Any Illicit Drug Other Than Marijuana ³	0.2391		0.5649	
Cigarettes	0.6790		0.0519	
Alcohol	0.1917		0.9121	
Binge Alcohol ⁴	0.7403		0.9074	
PAST YEAR				
Any Illicit Drug ³	0.2056		0.9793	
Marijuana	0.8727		0.1247	
Any Illicit Drug Other Than Marijuana ³	0.1249		0.4704	
Cigarettes	0.4941		0.0025	
Alcohol	0.1321		0.5540	
LIFETIME				
Any Illicit Drug ³	0.1207		0.9402	
Marijuana	0.6034		0.0798	
Any Illicit Drug Other Than Marijuana ³	0.0106		0.3437	
Cigarettes	0.8628		0.0003	
Alcohol	0.5054		0.4580	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.29C Number of Times Attacked Others with the Intent to Seriously Hurt Them in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Attacked Others with the Intent to Seriously Hurt Them (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Attacked Others with Intent to Seriously Hurt Them ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	54	61	54	61
(I) Demographic Characteristic				
AGE				
12-13	28	32	28	32
14-15	35	35	35	35
16-17	34	36	34	36
GENDER				
Male	43	47	43	47
Female	34	36	34	36
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	48	52	48	52
White	39	39	39	39
Black or African American	24	28	24	28
American Indian or Alaska Native	*	3	*	3
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	10	10	10	10
Two or More Races	7	10	7	10
Hispanic or Latino	25	29	25	29
COUNTY TYPE²				
Large Metro	41	49	41	49
Small Metro	29	31	29	31
Nonmetro	18	23	18	23
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	26	29	64	58
Marijuana	25	25	52	53
Any Illicit Drug Other Than Marijuana ³	22	21	47	42
Cigarettes	26	28	68	66
Alcohol	28	28	74	78
Binge Alcohol ⁴	26	26	59	62
PAST YEAR				
Any Illicit Drug ³	29	30	88	84
Marijuana	27	28	73	72
Any Illicit Drug Other Than Marijuana ³	27	29	69	71
Cigarettes	28	31	81	81
Alcohol	30	30	97	99
LIFETIME				
Any Illicit Drug ³	28	28	98	99
Marijuana	29	28	81	85
Any Illicit Drug Other Than Marijuana ³	28	29	82	86
Cigarettes	27	31	104	102
Alcohol	26	26	102	106

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.29D Number of Times Attacked Others with the Intent to Seriously Hurt Them in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Attacked Others with the Intent to Seriously Hurt Them (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Attacked Others with Intent to Seriously Hurt Them ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	0.22	0.25	0.22	0.25
(I) Demographic Characteristic				
AGE				
12-13	0.33	0.38	0.33	0.38
14-15	0.41	0.42	0.41	0.42
16-17	0.43	0.44	0.43	0.44
GENDER				
Male	0.34	0.37	0.34	0.37
Female	0.28	0.29	0.28	0.29
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.23	0.25	0.23	0.25
White	0.25	0.25	0.25	0.25
Black or African American	0.66	0.76	0.66	0.76
American Indian or Alaska Native	*	1.76	*	1.76
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.00	1.04	1.00	1.04
Two or More Races	1.83	2.38	1.83	2.38
Hispanic or Latino	0.64	0.71	0.64	0.71
COUNTY TYPE²				
Large Metro	0.31	0.37	0.31	0.37
Small Metro	0.41	0.42	0.41	0.42
Nonmetro	0.41	0.54	0.41	0.54
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	1.35	1.40	0.28	0.25
Marijuana	1.28	1.22	0.23	0.23
Any Illicit Drug Other Than Marijuana ³	1.12	1.00	0.21	0.18
Cigarettes	1.36	1.35	0.30	0.29
Alcohol	1.43	1.34	0.33	0.34
Binge Alcohol ⁴	1.32	1.26	0.26	0.27
PAST YEAR				
Any Illicit Drug ³	1.48	1.46	0.39	0.37
Marijuana	1.41	1.33	0.32	0.31
Any Illicit Drug Other Than Marijuana ³	1.38	1.39	0.30	0.31
Cigarettes	1.46	1.51	0.36	0.36
Alcohol	1.53	1.45	0.43	0.43
LIFETIME				
Any Illicit Drug ³	1.44	1.34	0.43	0.43
Marijuana	1.51	1.36	0.36	0.37
Any Illicit Drug Other Than Marijuana ³	1.45	1.39	0.36	0.38
Cigarettes	1.38	1.51	0.46	0.45
Alcohol	1.34	1.27	0.45	0.46

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.29P Number of Times Attacked Others with the Intent to Seriously Hurt Them in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Attacked Others with the Intent to Seriously Hurt Them (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Attacked Others with Intent to Seriously Hurt Them ¹			
	One or More Times		None	
	2002	2003	2002	2003
TOTAL	0.1437		0.1437	
(I) Demographic Characteristic				
AGE				
12-13	0.1189		0.1189	
14-15	0.3491		0.3491	
16-17	0.8268		0.8268	
GENDER				
Male	0.2530		0.2530	
Female	0.3303		0.3303	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.4481		0.4481	
White	0.6321		0.6321	
Black or African American	0.3436		0.3436	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.9220		0.9220	
Two or More Races	0.6813		0.6813	
Hispanic or Latino	0.0873		0.0873	
COUNTY TYPE²				
Large Metro	0.4351		0.4351	
Small Metro	0.9856		0.9856	
Nonmetro	0.0172		0.0172	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.4280		0.3263	
Marijuana	0.2423		0.5467	
Any Illicit Drug Other Than Marijuana ³	0.6189		0.7456	
Cigarettes	0.6029		0.0349	
Alcohol	0.6958		0.8766	
Binge Alcohol ⁴	0.5493		0.9640	
PAST YEAR				
Any Illicit Drug ³	0.2938		0.4593	
Marijuana	0.1463		0.0959	
Any Illicit Drug Other Than Marijuana ³	0.7060		0.7467	
Cigarettes	0.1667		0.0043	
Alcohol	0.6255		0.5160	
LIFETIME				
Any Illicit Drug ³	0.2073		0.5942	
Marijuana	0.0330		0.0782	
Any Illicit Drug Other Than Marijuana ³	0.6369		0.8104	
Cigarettes	0.0310		0.0004	
Alcohol	0.8473		0.2499	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.