

Table 3.30C Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Smoking Cigarettes ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	73	68	73	68
(I) Demographic Characteristic				
AGE				
12-13	34	32	34	32
14-15	42	39	42	39
16-17	44	47	44	47
GENDER				
Male	53	49	53	49
Female	48	45	48	45
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	64	63	64	63
White	57	54	57	54
Black or African American	23	29	23	29
American Indian or Alaska Native	8	3	8	3
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	13	14	13	14
Two or More Races	7	12	7	12
Hispanic or Latino	34	31	34	31
COUNTY TYPE²				
Large Metro	58	51	58	51
Small Metro	34	33	34	33
Nonmetro	28	27	28	27
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	57	55	32	34
Marijuana	44	49	31	32
Any Illicit Drug Other Than Marijuana ³	44	40	26	25
Cigarettes	60	57	37	35
Alcohol	72	72	37	35
Binge Alcohol ⁴	57	56	33	34
PAST YEAR				
Any Illicit Drug ³	82	79	38	40
Marijuana	66	67	37	38
Any Illicit Drug Other Than Marijuana ³	65	68	35	33
Cigarettes	74	76	37	37
Alcohol	94	93	37	38
LIFETIME				
Any Illicit Drug ³	92	94	37	39
Marijuana	75	78	38	40
Any Illicit Drug Other Than Marijuana ³	77	84	36	39
Cigarettes	95	95	36	39
Alcohol	99	101	34	36

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.30D Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Smoking Cigarettes ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.30	0.27	0.30	0.27
(I) Demographic Characteristic				
AGE				
12-13	0.42	0.39	0.42	0.39
14-15	0.50	0.48	0.50	0.48
16-17	0.55	0.57	0.55	0.57
GENDER				
Male	0.42	0.39	0.42	0.39
Female	0.40	0.37	0.40	0.37
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.31	0.30	0.31	0.30
White	0.37	0.35	0.37	0.35
Black or African American	0.65	0.78	0.65	0.78
American Indian or Alaska Native	4.48	1.94	4.48	1.94
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.30	1.43	1.30	1.43
Two or More Races	1.70	2.91	1.70	2.91
Hispanic or Latino	0.89	0.77	0.89	0.77
COUNTY TYPE²				
Large Metro	0.44	0.39	0.44	0.39
Small Metro	0.47	0.45	0.47	0.45
Nonmetro	0.66	0.64	0.66	0.64
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.27	0.25	1.01	1.10
Marijuana	0.21	0.23	0.99	1.05
Any Illicit Drug Other Than Marijuana ³	0.20	0.18	0.83	0.81
Cigarettes	0.28	0.26	1.17	1.14
Alcohol	0.34	0.33	1.16	1.14
Binge Alcohol ⁴	0.27	0.26	1.04	1.10
PAST YEAR				
Any Illicit Drug ³	0.38	0.36	1.22	1.29
Marijuana	0.31	0.31	1.18	1.23
Any Illicit Drug Other Than Marijuana ³	0.31	0.31	1.10	1.08
Cigarettes	0.34	0.35	1.18	1.21
Alcohol	0.44	0.43	1.18	1.24
LIFETIME				
Any Illicit Drug ³	0.43	0.43	1.19	1.28
Marijuana	0.35	0.36	1.21	1.30
Any Illicit Drug Other Than Marijuana ³	0.36	0.39	1.15	1.26
Cigarettes	0.45	0.44	1.14	1.27
Alcohol	0.46	0.47	1.09	1.17

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.30P Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Smoking Cigarettes ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.3034		0.3034	
(I) Demographic Characteristic				
AGE				
12-13	0.8773		0.8773	
14-15	0.4660		0.4660	
16-17	0.3805		0.3805	
GENDER				
Male	0.2747		0.2747	
Female	0.7201		0.7201	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.6292		0.6292	
White	0.1081		0.1081	
Black or African American	0.0300		0.0300	
American Indian or Alaska Native	0.0876		0.0876	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.7789		0.7789	
Two or More Races	0.1502		0.1502	
Hispanic or Latino	0.2243		0.2243	
COUNTY TYPE²				
Large Metro	0.5069		0.5069	
Small Metro	0.6108		0.6108	
Nonmetro	0.4958		0.4958	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.5827		0.3946	
Marijuana	0.9185		0.2921	
Any Illicit Drug Other Than Marijuana ³	0.9077		0.7162	
Cigarettes	0.1412		0.4270	
Alcohol	0.4989		0.8801	
Binge Alcohol ⁴	0.7988		0.9356	
PAST YEAR				
Any Illicit Drug ³	0.9328		0.2407	
Marijuana	0.3515		0.0905	
Any Illicit Drug Other Than Marijuana ³	0.5324		0.2457	
Cigarettes	0.0356		0.0816	
Alcohol	0.4204		0.0078	
LIFETIME				
Any Illicit Drug ³	0.8115		0.7367	
Marijuana	0.0918		0.3286	
Any Illicit Drug Other Than Marijuana ³	0.3689		0.1511	
Cigarettes	0.0012		0.1045	
Alcohol	0.7884		0.3246	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.31C Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Trying Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	87	86	87	86
(I) Demographic Characteristic				
AGE				
12-13	36	31	36	31
14-15	48	51	48	51
16-17	54	56	54	56
GENDER				
Male	60	61	60	61
Female	58	61	58	61
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	80	79	80	79
White	70	68	70	68
Black or African American	29	33	29	33
American Indian or Alaska Native	*	5	*	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	14	17	14	17
Two or More Races	9	11	9	11
Hispanic or Latino	37	37	37	37
COUNTY TYPE²				
Large Metro	68	67	68	67
Small Metro	44	45	44	45
Nonmetro	31	31	31	31
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	46	43	43	44
Marijuana	32	32	41	44
Any Illicit Drug Other Than Marijuana ³	38	34	33	33
Cigarettes	52	48	45	45
Alcohol	62	58	47	51
Binge Alcohol ⁴	45	42	45	44
PAST YEAR				
Any Illicit Drug ³	68	66	47	48
Marijuana	51	47	46	50
Any Illicit Drug Other Than Marijuana ³	55	57	45	44
Cigarettes	67	64	46	49
Alcohol	87	81	43	47
LIFETIME				
Any Illicit Drug ³	82	82	45	47
Marijuana	65	57	47	51
Any Illicit Drug Other Than Marijuana ³	68	76	46	48
Cigarettes	91	88	45	49
Alcohol	94	88	40	42

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.31D Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Trying Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.35	0.35	0.35	0.35
(I) Demographic Characteristic				
AGE				
12-13	0.45	0.37	0.45	0.37
14-15	0.57	0.62	0.57	0.62
16-17	0.68	0.68	0.68	0.68
GENDER				
Male	0.48	0.48	0.48	0.48
Female	0.48	0.50	0.48	0.50
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.39	0.38	0.39	0.38
White	0.45	0.44	0.45	0.44
Black or African American	0.81	0.90	0.81	0.90
American Indian or Alaska Native	*	2.93	*	2.93
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.36	1.75	1.36	1.75
Two or More Races	2.25	2.77	2.25	2.77
Hispanic or Latino	0.96	0.92	0.96	0.92
COUNTY TYPE²				
Large Metro	0.52	0.51	0.52	0.51
Small Metro	0.61	0.61	0.61	0.61
Nonmetro	0.72	0.72	0.72	0.72
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.23	0.22	0.86	0.90
Marijuana	0.16	0.16	0.82	0.88
Any Illicit Drug Other Than Marijuana ³	0.19	0.17	0.65	0.66
Cigarettes	0.27	0.24	0.89	0.92
Alcohol	0.32	0.29	0.93	1.03
Binge Alcohol ⁴	0.23	0.21	0.89	0.89
PAST YEAR				
Any Illicit Drug ³	0.35	0.33	0.93	0.98
Marijuana	0.26	0.24	0.91	1.02
Any Illicit Drug Other Than Marijuana ³	0.28	0.29	0.89	0.90
Cigarettes	0.34	0.32	0.91	0.99
Alcohol	0.44	0.41	0.85	0.94
LIFETIME				
Any Illicit Drug ³	0.42	0.42	0.90	0.94
Marijuana	0.33	0.29	0.93	1.03
Any Illicit Drug Other Than Marijuana ³	0.35	0.38	0.91	0.98
Cigarettes	0.47	0.45	0.90	1.00
Alcohol	0.48	0.45	0.79	0.85

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.31P Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Trying Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.3407		0.3407	
(I) Demographic Characteristic				
AGE				
12-13	0.0704		0.0704	
14-15	0.5186		0.5186	
16-17	0.9708		0.9708	
GENDER				
Male	0.0479		0.0479	
Female	0.4979		0.4979	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.3648		0.3648	
White	0.0675		0.0675	
Black or African American	0.1763		0.1763	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.5358		0.5358	
Two or More Races	0.3881		0.3881	
Hispanic or Latino	0.8165		0.8165	
COUNTY TYPE²				
Large Metro	0.1843		0.1843	
Small Metro	0.9511		0.9511	
Nonmetro	0.8233		0.8233	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.2499		0.9689	
Marijuana	0.3121		0.9623	
Any Illicit Drug Other Than Marijuana ³	0.4374		0.6526	
Cigarettes	0.0011		0.2743	
Alcohol	0.8462		0.1725	
Binge Alcohol ⁴	0.4130		0.2292	
PAST YEAR				
Any Illicit Drug ³	0.8962		0.2973	
Marijuana	0.5666		0.0904	
Any Illicit Drug Other Than Marijuana ³	0.9741		0.9666	
Cigarettes	0.0037		0.4881	
Alcohol	0.8449		0.9254	
LIFETIME				
Any Illicit Drug ³	0.9475		0.7325	
Marijuana	0.1508		0.2178	
Any Illicit Drug Other Than Marijuana ³	0.7007		0.8777	
Cigarettes	0.0007		0.2340	
Alcohol	0.3797		0.4496	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.32C Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Using Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	86	87	86	87
(I) Demographic Characteristic				
AGE				
12-13	34	31	34	31
14-15	51	49	51	49
16-17	55	60	55	60
GENDER				
Male	63	59	63	59
Female	55	60	55	60
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	78	77	78	77
White	67	66	67	66
Black or African American	32	32	32	32
American Indian or Alaska Native	*	5	*	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	14	16	14	16
Two or More Races	9	11	9	11
Hispanic or Latino	38	42	38	42
COUNTY TYPE²				
Large Metro	70	69	70	69
Small Metro	42	45	42	45
Nonmetro	32	31	32	31
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	45	43	44	45
Marijuana	30	32	42	44
Any Illicit Drug Other Than Marijuana ³	37	33	34	34
Cigarettes	51	48	44	45
Alcohol	61	61	46	50
Binge Alcohol ⁴	46	44	45	45
PAST YEAR				
Any Illicit Drug ³	68	67	47	47
Marijuana	50	50	47	50
Any Illicit Drug Other Than Marijuana ³	54	57	45	44
Cigarettes	67	65	44	47
Alcohol	85	84	42	45
LIFETIME				
Any Illicit Drug ³	81	82	42	46
Marijuana	63	59	44	49
Any Illicit Drug Other Than Marijuana ³	68	74	47	49
Cigarettes	92	89	42	50
Alcohol	92	92	38	39

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.32D Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Using Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.35	0.35	0.35	0.35
(I) Demographic Characteristic				
AGE				
12-13	0.42	0.37	0.42	0.37
14-15	0.60	0.60	0.60	0.60
16-17	0.70	0.72	0.70	0.72
GENDER				
Male	0.50	0.47	0.50	0.47
Female	0.46	0.50	0.46	0.50
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.38	0.37	0.38	0.37
White	0.44	0.42	0.44	0.42
Black or African American	0.91	0.89	0.91	0.89
American Indian or Alaska Native	*	2.99	*	2.99
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.39	1.66	1.39	1.66
Two or More Races	2.27	2.67	2.27	2.67
Hispanic or Latino	0.99	1.05	0.99	1.05
COUNTY TYPE²				
Large Metro	0.53	0.52	0.53	0.52
Small Metro	0.58	0.62	0.58	0.62
Nonmetro	0.76	0.73	0.76	0.73
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.23	0.21	0.92	0.94
Marijuana	0.15	0.16	0.88	0.91
Any Illicit Drug Other Than Marijuana ³	0.19	0.16	0.70	0.71
Cigarettes	0.26	0.24	0.91	0.93
Alcohol	0.31	0.31	0.95	1.05
Binge Alcohol ⁴	0.23	0.22	0.93	0.94
PAST YEAR				
Any Illicit Drug ³	0.34	0.33	0.97	0.98
Marijuana	0.25	0.25	0.97	1.04
Any Illicit Drug Other Than Marijuana ³	0.27	0.29	0.94	0.92
Cigarettes	0.34	0.33	0.92	0.99
Alcohol	0.43	0.42	0.87	0.94
LIFETIME				
Any Illicit Drug ³	0.41	0.41	0.87	0.95
Marijuana	0.32	0.30	0.92	1.03
Any Illicit Drug Other Than Marijuana ³	0.34	0.37	0.97	1.03
Cigarettes	0.47	0.45	0.87	1.05
Alcohol	0.47	0.46	0.78	0.82

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.32P Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Using Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.6596		0.6596	
(I) Demographic Characteristic				
AGE				
12-13	0.1968		0.1968	
14-15	0.9943		0.9943	
16-17	0.9066		0.9066	
GENDER				
Male	0.0374		0.0374	
Female	0.1208		0.1208	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.4110		0.4110	
White	0.1569		0.1569	
Black or African American	0.4558		0.4558	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.8435		0.8435	
Two or More Races	0.5818		0.5818	
Hispanic or Latino	0.5236		0.5236	
COUNTY TYPE²				
Large Metro	0.6760		0.6760	
Small Metro	0.5593		0.5593	
Nonmetro	0.6303		0.6303	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.3429		0.6483	
Marijuana	0.6537		0.5260	
Any Illicit Drug Other Than Marijuana ³	0.4494		0.7633	
Cigarettes	0.0024		0.5755	
Alcohol	0.7832		0.2497	
Binge Alcohol ⁴	0.2950		0.2576	
PAST YEAR				
Any Illicit Drug ³	0.7217		0.4943	
Marijuana	0.1703		0.2406	
Any Illicit Drug Other Than Marijuana ³	0.8898		0.7722	
Cigarettes	0.0030		0.4140	
Alcohol	0.7625		0.8788	
LIFETIME				
Any Illicit Drug ³	0.5343		0.8818	
Marijuana	0.0371		0.4190	
Any Illicit Drug Other Than Marijuana ³	0.7931		0.7385	
Cigarettes	0.0009		0.0992	
Alcohol	0.2754		0.3926	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.33C Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Drinking Alcoholic Beverages ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	81	76	81	76
(I) Demographic Characteristic				
AGE				
12-13	36	34	36	34
14-15	47	43	47	43
16-17	51	50	51	50
GENDER				
Male	59	57	59	57
Female	50	49	50	49
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	70	68	70	68
White	60	59	60	59
Black or African American	28	29	28	29
American Indian or Alaska Native	9	4	9	4
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	12	15	12	15
Two or More Races	10	8	10	8
Hispanic or Latino	39	39	39	39
COUNTY TYPE²				
Large Metro	64	57	64	57
Small Metro	36	40	36	40
Nonmetro	32	28	32	28
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	53	53	37	38
Marijuana	41	45	35	34
Any Illicit Drug Other Than Marijuana ³	41	38	29	30
Cigarettes	57	56	40	41
Alcohol	66	66	39	43
Binge Alcohol ⁴	49	50	38	38
PAST YEAR				
Any Illicit Drug ³	76	77	42	43
Marijuana	61	64	40	41
Any Illicit Drug Other Than Marijuana ³	61	65	40	40
Cigarettes	72	74	39	43
Alcohol	89	90	37	41
LIFETIME				
Any Illicit Drug ³	88	92	38	44
Marijuana	72	73	41	45
Any Illicit Drug Other Than Marijuana ³	72	83	42	45
Cigarettes	96	96	39	45
Alcohol	100	99	35	37

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.33D Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Drinking Alcoholic Beverages ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.33	0.31	0.33	0.31
(I) Demographic Characteristic				
AGE				
12-13	0.44	0.41	0.44	0.41
14-15	0.55	0.53	0.55	0.53
16-17	0.65	0.61	0.65	0.61
GENDER				
Male	0.47	0.45	0.47	0.45
Female	0.42	0.40	0.42	0.40
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.34	0.33	0.34	0.33
White	0.39	0.38	0.39	0.38
Black or African American	0.78	0.80	0.78	0.80
American Indian or Alaska Native	4.75	2.54	4.75	2.54
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.19	1.54	1.19	1.54
Two or More Races	2.56	1.89	2.56	1.89
Hispanic or Latino	0.99	0.99	0.99	0.99
COUNTY TYPE²				
Large Metro	0.48	0.43	0.48	0.43
Small Metro	0.50	0.54	0.50	0.54
Nonmetro	0.76	0.65	0.76	0.65
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.26	0.25	0.99	1.00
Marijuana	0.20	0.22	0.92	0.88
Any Illicit Drug Other Than Marijuana ³	0.20	0.18	0.77	0.79
Cigarettes	0.27	0.27	1.05	1.06
Alcohol	0.32	0.32	1.05	1.11
Binge Alcohol ⁴	0.24	0.24	1.01	1.00
PAST YEAR				
Any Illicit Drug ³	0.37	0.37	1.12	1.12
Marijuana	0.29	0.31	1.05	1.07
Any Illicit Drug Other Than Marijuana ³	0.30	0.31	1.07	1.05
Cigarettes	0.34	0.35	1.04	1.12
Alcohol	0.43	0.43	0.99	1.06
LIFETIME				
Any Illicit Drug ³	0.42	0.44	1.01	1.14
Marijuana	0.34	0.35	1.08	1.17
Any Illicit Drug Other Than Marijuana ³	0.35	0.40	1.12	1.18
Cigarettes	0.46	0.46	1.03	1.17
Alcohol	0.48	0.47	0.93	0.96

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.33P Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings about Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Youths' Feelings about Peers Drinking Alcoholic Beverages ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.6139		0.6139	
(I) Demographic Characteristic				
AGE				
12-13	0.7447		0.7447	
14-15	0.4103		0.4103	
16-17	0.8277		0.8277	
GENDER				
Male	0.3059		0.3059	
Female	0.0319		0.0319	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.6157		0.6157	
White	0.7335		0.7335	
Black or African American	0.1817		0.1817	
American Indian or Alaska Native	0.4553		0.4553	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.0565		0.0565	
Two or More Races	0.9245		0.9245	
Hispanic or Latino	0.9057		0.9057	
COUNTY TYPE²				
Large Metro	0.7444		0.7444	
Small Metro	0.1740		0.1740	
Nonmetro	0.8203		0.8203	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.5314		0.2483	
Marijuana	0.9828		0.0918	
Any Illicit Drug Other Than Marijuana ³	0.5174		0.8423	
Cigarettes	0.0129		0.9464	
Alcohol	0.9318		0.6501	
Binge Alcohol ⁴	0.8417		0.9571	
PAST YEAR				
Any Illicit Drug ³	0.7518		0.1243	
Marijuana	0.3249		0.0196	
Any Illicit Drug Other Than Marijuana ³	0.9340		0.5030	
Cigarettes	0.0042		0.1862	
Alcohol	0.5157		0.7604	
LIFETIME				
Any Illicit Drug ³	0.5906		0.5109	
Marijuana	0.0851		0.0726	
Any Illicit Drug Other Than Marijuana ³	0.8646		0.5011	
Cigarettes	0.0003		0.1523	
Alcohol	0.2105		0.4823	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.