

Table 3.34C Whether Participated in a Problem-Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Participated in a Problem-Solving, Communication Skills, or Self-Esteem Group (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Participated in Problem-Solving, Communication, or Self-Esteem Group ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	93	96	93	96
(I) Demographic Characteristic				
AGE				
12-13	55	58	55	58
14-15	52	54	52	54
16-17	48	55	48	55
GENDER				
Male	65	64	65	64
Female	67	70	67	70
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	82	86	82	86
White	67	70	67	70
Black or African American	36	44	36	44
American Indian or Alaska Native	7	6	7	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	27	22	27	22
Two or More Races	10	10	10	10
Hispanic or Latino	41	44	41	44
COUNTY TYPE²				
Large Metro	77	75	77	75
Small Metro	46	47	46	47
Nonmetro	31	30	31	30
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	33	33	61	60
Marijuana	26	25	51	53
Any Illicit Drug Other Than Marijuana ³	27	27	43	42
Cigarettes	31	29	65	66
Alcohol	36	34	70	73
Binge Alcohol ⁴	27	25	61	60
PAST YEAR				
Any Illicit Drug ³	41	41	81	79
Marijuana	33	34	71	68
Any Illicit Drug Other Than Marijuana ³	37	37	65	67
Cigarettes	37	39	79	79
Alcohol	49	49	94	89
LIFETIME				
Any Illicit Drug ³	48	49	91	88
Marijuana	39	40	78	78
Any Illicit Drug Other Than Marijuana ³	43	45	77	79
Cigarettes	47	48	97	97
Alcohol	51	54	95	92

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.34D Whether Participated in a Problem-Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Participated in a Problem-Solving, Communication Skills, or Self-Esteem Group (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Participated in Problem-Solving, Communication, or Self-Esteem Group ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.38	0.39	0.38	0.39
(I) Demographic Characteristic				
AGE				
12-13	0.68	0.70	0.68	0.70
14-15	0.62	0.66	0.62	0.66
16-17	0.60	0.66	0.60	0.66
GENDER				
Male	0.52	0.51	0.52	0.51
Female	0.56	0.58	0.56	0.58
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.40	0.41	0.40	0.41
White	0.44	0.45	0.44	0.45
Black or African American	1.02	1.20	1.02	1.20
American Indian or Alaska Native	3.53	3.70	3.53	3.70
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.70	2.34	2.70	2.34
Two or More Races	2.58	2.49	2.58	2.49
Hispanic or Latino	1.06	1.11	1.06	1.11
COUNTY TYPE²				
Large Metro	0.59	0.57	0.59	0.57
Small Metro	0.64	0.65	0.64	0.65
Nonmetro	0.74	0.71	0.74	0.71
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.57	0.53	0.33	0.33
Marijuana	0.45	0.40	0.27	0.29
Any Illicit Drug Other Than Marijuana ³	0.46	0.43	0.23	0.23
Cigarettes	0.55	0.47	0.35	0.36
Alcohol	0.62	0.56	0.37	0.40
Binge Alcohol ⁴	0.47	0.41	0.33	0.32
PAST YEAR				
Any Illicit Drug ³	0.70	0.67	0.43	0.43
Marijuana	0.57	0.56	0.38	0.37
Any Illicit Drug Other Than Marijuana ³	0.64	0.59	0.35	0.36
Cigarettes	0.64	0.63	0.42	0.43
Alcohol	0.85	0.79	0.50	0.48
LIFETIME				
Any Illicit Drug ³	0.84	0.79	0.48	0.48
Marijuana	0.67	0.64	0.41	0.42
Any Illicit Drug Other Than Marijuana ³	0.75	0.72	0.41	0.43
Cigarettes	0.82	0.78	0.52	0.53
Alcohol	0.89	0.88	0.51	0.50

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.34P Whether Participated in a Problem-Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Participated in a Problem-Solving, Communication Skills, or Self-Esteem Group (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Participated in Problem-Solving, Communication, or Self-Esteem Group ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.0071		0.0071	
(I) Demographic Characteristic				
AGE				
12-13	0.0220		0.0220	
14-15	0.4525		0.4525	
16-17	0.0469		0.0469	
GENDER				
Male	0.0413		0.0413	
Female	0.0718		0.0718	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0132		0.0132	
White	0.0278		0.0278	
Black or African American	0.5507		0.5507	
American Indian or Alaska Native	0.3005		0.3005	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.5864		0.5864	
Two or More Races	0.9090		0.9090	
Hispanic or Latino	0.2483		0.2483	
COUNTY TYPE²				
Large Metro	0.1072		0.1072	
Small Metro	0.0051		0.0051	
Nonmetro	0.7426		0.7426	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.9561		0.3623	
Marijuana	0.1201		0.9749	
Any Illicit Drug Other Than Marijuana ³	0.4370		0.4594	
Cigarettes	0.0182		0.5368	
Alcohol	0.7021		0.6609	
Binge Alcohol ⁴	0.4810		0.8915	
PAST YEAR				
Any Illicit Drug ³	0.9788		0.5205	
Marijuana	0.2385		0.2363	
Any Illicit Drug Other Than Marijuana ³	0.7131		0.8177	
Cigarettes	0.0836		0.0542	
Alcohol	0.9537		0.8079	
LIFETIME				
Any Illicit Drug ³	0.4467		0.9190	
Marijuana	0.3228		0.1040	
Any Illicit Drug Other Than Marijuana ³	0.5526		0.7350	
Cigarettes	0.0429		0.0063	
Alcohol	0.6929		0.3968	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.35C Whether Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Participated in a Violence Prevention Program (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Participated in Violence Prevention Program ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	80	83	80	83
(I) Demographic Characteristic				
AGE				
12-13	54	52	54	52
14-15	43	45	43	45
16-17	37	41	37	41
GENDER				
Male	57	55	57	55
Female	55	61	55	61
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	72	69	72	69
White	52	54	52	54
Black or African American	37	35	37	35
American Indian or Alaska Native	9	6	9	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	23	22	23	22
Two or More Races	10	9	10	9
Hispanic or Latino	37	43	37	43
COUNTY TYPE²				
Large Metro	64	65	64	65
Small Metro	41	44	41	44
Nonmetro	28	25	28	25
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	27	26	64	63
Marijuana	21	22	53	54
Any Illicit Drug Other Than Marijuana ³	23	21	46	44
Cigarettes	27	25	69	68
Alcohol	29	30	74	77
Binge Alcohol ⁴	21	25	63	63
PAST YEAR				
Any Illicit Drug ³	33	34	84	84
Marijuana	26	28	73	72
Any Illicit Drug Other Than Marijuana ³	30	30	67	71
Cigarettes	31	31	81	83
Alcohol	38	37	95	94
LIFETIME				
Any Illicit Drug ³	39	41	93	94
Marijuana	30	32	81	82
Any Illicit Drug Other Than Marijuana ³	36	39	81	86
Cigarettes	38	40	102	103
Alcohol	42	42	96	99

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.35D Whether Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Participated in a Violence Prevention Program (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Participated in Violence Prevention Program ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.33	0.33	0.33	0.33
(I) Demographic Characteristic				
AGE				
12-13	0.65	0.63	0.65	0.63
14-15	0.51	0.55	0.51	0.55
16-17	0.47	0.50	0.47	0.50
GENDER				
Male	0.45	0.44	0.45	0.44
Female	0.46	0.50	0.46	0.50
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.35	0.33	0.35	0.33
White	0.34	0.35	0.34	0.35
Black or African American	1.03	0.94	1.03	0.94
American Indian or Alaska Native	4.55	3.57	4.55	3.57
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.27	2.30	2.27	2.30
Two or More Races	2.49	2.27	2.49	2.27
Hispanic or Latino	0.95	1.07	0.95	1.07
COUNTY TYPE²				
Large Metro	0.49	0.49	0.49	0.49
Small Metro	0.56	0.59	0.56	0.59
Nonmetro	0.66	0.59	0.66	0.59
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.65	0.60	0.31	0.31
Marijuana	0.51	0.51	0.26	0.26
Any Illicit Drug Other Than Marijuana ³	0.54	0.49	0.22	0.21
Cigarettes	0.63	0.59	0.34	0.33
Alcohol	0.68	0.71	0.36	0.38
Binge Alcohol ⁴	0.51	0.59	0.31	0.31
PAST YEAR				
Any Illicit Drug ³	0.79	0.80	0.41	0.41
Marijuana	0.62	0.67	0.36	0.35
Any Illicit Drug Other Than Marijuana ³	0.71	0.70	0.33	0.35
Cigarettes	0.75	0.72	0.39	0.40
Alcohol	0.91	0.87	0.47	0.46
LIFETIME				
Any Illicit Drug ³	0.94	0.96	0.46	0.46
Marijuana	0.72	0.76	0.39	0.40
Any Illicit Drug Other Than Marijuana ³	0.86	0.90	0.39	0.42
Cigarettes	0.90	0.94	0.50	0.50
Alcohol	0.99	0.99	0.47	0.48

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.35P Whether Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Participated in a Violence Prevention Program (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Participated in Violence Prevention Program ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.8056		0.8056	
(I) Demographic Characteristic				
AGE				
12-13	0.6939		0.6939	
14-15	0.9816		0.9816	
16-17	0.2731		0.2731	
GENDER				
Male	0.9469		0.9469	
Female	0.6865		0.6865	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.7828		0.7828	
White	0.9790		0.9790	
Black or African American	0.6951		0.6951	
American Indian or Alaska Native	0.3194		0.3194	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.7225		0.7225	
Two or More Races	0.1484		0.1484	
Hispanic or Latino	0.9925		0.9925	
COUNTY TYPE²				
Large Metro	0.5855		0.5855	
Small Metro	0.0331		0.0331	
Nonmetro	0.2542		0.2542	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.6623		0.4179	
Marijuana	0.3977		0.5680	
Any Illicit Drug Other Than Marijuana ³	0.6112		0.6164	
Cigarettes	0.4322		0.0881	
Alcohol	0.2594		0.8652	
Binge Alcohol ⁴	0.1402		0.5805	
PAST YEAR				
Any Illicit Drug ³	0.6768		0.3166	
Marijuana	0.9662		0.0517	
Any Illicit Drug Other Than Marijuana ³	0.6925		0.7569	
Cigarettes	0.4093		0.0081	
Alcohol	0.9030		0.5523	
LIFETIME				
Any Illicit Drug ³	0.8912		0.6020	
Marijuana	0.7840		0.0304	
Any Illicit Drug Other Than Marijuana ³	0.6922		0.8324	
Cigarettes	0.3378		0.0006	
Alcohol	0.9293		0.3411	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.36C Whether Participated in an Alcohol, Tobacco, or Drug Prevention Program Outside School in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Participated in a Drug Prevention Program Outside School (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Participated in Drug Prevention Program Outside School ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	70	79	70	79
(I) Demographic Characteristic				
AGE				
12-13	44	47	44	47
14-15	43	44	43	44
16-17	36	39	36	39
GENDER				
Male	50	54	50	54
Female	48	55	48	55
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	62	67	62	67
White	51	52	51	52
Black or African American	30	33	30	33
American Indian or Alaska Native	5	6	5	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	18	16	18	16
Two or More Races	8	9	8	9
Hispanic or Latino	33	39	33	39
COUNTY TYPE²				
Large Metro	53	61	53	61
Small Metro	37	42	37	42
Nonmetro	24	27	24	27
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	24	24	67	63
Marijuana	19	20	56	56
Any Illicit Drug Other Than Marijuana ³	17	20	48	44
Cigarettes	25	24	69	68
Alcohol	24	26	78	78
Binge Alcohol ⁴	18	22	64	62
PAST YEAR				
Any Illicit Drug ³	31	32	87	84
Marijuana	26	26	74	72
Any Illicit Drug Other Than Marijuana ³	27	28	71	71
Cigarettes	30	28	81	83
Alcohol	32	34	100	97
LIFETIME				
Any Illicit Drug ³	35	36	97	96
Marijuana	28	30	82	83
Any Illicit Drug Other Than Marijuana ³	32	34	84	87
Cigarettes	33	34	102	104
Alcohol	33	39	99	103

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.36D Whether Participated in an Alcohol, Tobacco, or Drug Prevention Program Outside School in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Participated in a Drug Prevention Program Outside School (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Participated in Drug Prevention Program Outside School ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.28	0.32	0.28	0.32
(I) Demographic Characteristic				
AGE				
12-13	0.53	0.56	0.53	0.56
14-15	0.51	0.53	0.51	0.53
16-17	0.45	0.48	0.45	0.48
GENDER				
Male	0.39	0.43	0.39	0.43
Female	0.40	0.45	0.40	0.45
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.30	0.32	0.30	0.32
White	0.33	0.33	0.33	0.33
Black or African American	0.83	0.89	0.83	0.89
American Indian or Alaska Native	2.90	3.25	2.90	3.25
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.78	1.62	1.78	1.62
Two or More Races	2.12	2.25	2.12	2.25
Hispanic or Latino	0.83	0.97	0.83	0.97
COUNTY TYPE²				
Large Metro	0.40	0.46	0.40	0.46
Small Metro	0.51	0.57	0.51	0.57
Nonmetro	0.56	0.63	0.56	0.63
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.76	0.71	0.31	0.30
Marijuana	0.60	0.57	0.26	0.26
Any Illicit Drug Other Than Marijuana ³	0.54	0.57	0.23	0.21
Cigarettes	0.79	0.70	0.32	0.32
Alcohol	0.76	0.76	0.36	0.36
Binge Alcohol ⁴	0.58	0.64	0.30	0.29
PAST YEAR				
Any Illicit Drug ³	1.00	0.93	0.41	0.39
Marijuana	0.82	0.76	0.35	0.34
Any Illicit Drug Other Than Marijuana ³	0.86	0.81	0.33	0.33
Cigarettes	0.95	0.82	0.38	0.39
Alcohol	1.03	1.00	0.46	0.45
LIFETIME				
Any Illicit Drug ³	1.11	1.06	0.45	0.45
Marijuana	0.89	0.86	0.38	0.39
Any Illicit Drug Other Than Marijuana ³	1.02	0.98	0.39	0.40
Cigarettes	1.05	0.99	0.47	0.49
Alcohol	1.06	1.13	0.46	0.48

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.36P Whether Participated in an Alcohol, Tobacco, or Drug Prevention Program Outside School in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Participated in a Drug Prevention Program Outside School (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Participated in Drug Prevention Program Outside School ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.0066		0.0066	
(I) Demographic Characteristic				
AGE				
12-13	0.3911		0.3911	
14-15	0.0082		0.0082	
16-17	0.1912		0.1912	
GENDER				
Male	0.1033		0.1033	
Female	0.0210		0.0210	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0077		0.0077	
White	0.1874		0.1874	
Black or African American	0.0092		0.0092	
American Indian or Alaska Native	0.3461		0.3461	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.8098		0.8098	
Two or More Races	0.7359		0.7359	
Hispanic or Latino	0.4228		0.4228	
COUNTY TYPE²				
Large Metro	0.5218		0.5218	
Small Metro	0.0024		0.0024	
Nonmetro	0.0548		0.0548	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.8746		0.3464	
Marijuana	0.6634		0.4596	
Any Illicit Drug Other Than Marijuana ³	0.1407		0.3702	
Cigarettes	0.7651		0.0588	
Alcohol	0.0778		0.7233	
Binge Alcohol ⁴	0.0504		0.4804	
PAST YEAR				
Any Illicit Drug ³	0.7467		0.3367	
Marijuana	0.6805		0.0661	
Any Illicit Drug Other Than Marijuana ³	0.4699		0.6459	
Cigarettes	0.8155		0.0039	
Alcohol	0.6097		0.4869	
LIFETIME				
Any Illicit Drug ³	0.2964		0.2841	
Marijuana	0.8364		0.0247	
Any Illicit Drug Other Than Marijuana ³	0.1893		0.5040	
Cigarettes	0.9949		0.0002	
Alcohol	0.0883		0.1225	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.37C Whether Participated in a Program in the Past Year for Dealing with Alcohol or Drug Use, by Demographic Characteristics (I), and Selected Drug Use, by Whether Participated in a Program for Dealing with Alcohol or Drug Use (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Participated in Program for Dealing with Alcohol or Drug Use ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	48	55	48	55
(I) Demographic Characteristic				
AGE				
12-13	30	35	30	35
14-15	25	26	25	26
16-17	23	26	23	26
GENDER				
Male	34	40	34	40
Female	33	37	33	37
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	40	46	40	46
White	32	35	32	35
Black or African American	19	23	19	23
American Indian or Alaska Native	4	4	4	4
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	11	12	11	12
Two or More Races	5	5	5	5
Hispanic or Latino	24	27	24	27
COUNTY TYPE²				
Large Metro	38	41	38	41
Small Metro	23	30	23	30
Nonmetro	17	18	17	18
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	16	18	68	65
Marijuana	14	16	56	58
Any Illicit Drug Other Than Marijuana ³	13	15	50	45
Cigarettes	19	19	71	69
Alcohol	17	19	78	80
Binge Alcohol ⁴	14	16	65	66
PAST YEAR				
Any Illicit Drug ³	22	23	90	87
Marijuana	20	19	76	75
Any Illicit Drug Other Than Marijuana ³	19	20	72	75
Cigarettes	21	22	84	87
Alcohol	22	22	104	101
LIFETIME				
Any Illicit Drug ³	24	24	100	102
Marijuana	22	20	84	87
Any Illicit Drug Other Than Marijuana ³	22	23	85	94
Cigarettes	24	25	106	108
Alcohol	24	25	103	107

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.37D Whether Participated in a Program in the Past Year for Dealing with Alcohol or Drug Use, by Demographic Characteristics (I), and Selected Drug Use, by Whether Participated in a Program for Dealing with Alcohol or Drug Use (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Participated in Program for Dealing with Alcohol or Drug Use ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.19	0.22	0.19	0.22
(I) Demographic Characteristic				
AGE				
12-13	0.37	0.43	0.37	0.43
14-15	0.30	0.31	0.30	0.31
16-17	0.29	0.31	0.29	0.31
GENDER				
Male	0.27	0.32	0.27	0.32
Female	0.27	0.30	0.27	0.30
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.19	0.22	0.19	0.22
White	0.21	0.23	0.21	0.23
Black or African American	0.52	0.62	0.52	0.62
American Indian or Alaska Native	2.21	2.42	2.21	2.42
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.07	1.29	1.07	1.29
Two or More Races	1.42	1.20	1.42	1.20
Hispanic or Latino	0.61	0.68	0.61	0.68
COUNTY TYPE²				
Large Metro	0.29	0.31	0.29	0.31
Small Metro	0.33	0.41	0.33	0.41
Nonmetro	0.41	0.42	0.41	0.42
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	1.20	1.22	0.29	0.28
Marijuana	1.01	1.05	0.24	0.25
Any Illicit Drug Other Than Marijuana ³	0.96	1.00	0.21	0.19
Cigarettes	1.38	1.29	0.31	0.30
Alcohol	1.23	1.27	0.33	0.34
Binge Alcohol ⁴	1.03	1.09	0.28	0.28
PAST YEAR				
Any Illicit Drug ³	1.62	1.53	0.39	0.37
Marijuana	1.46	1.30	0.32	0.32
Any Illicit Drug Other Than Marijuana ³	1.39	1.32	0.31	0.32
Cigarettes	1.58	1.51	0.36	0.37
Alcohol	1.66	1.51	0.45	0.43
LIFETIME				
Any Illicit Drug ³	1.81	1.60	0.43	0.44
Marijuana	1.63	1.36	0.36	0.37
Any Illicit Drug Other Than Marijuana ³	1.63	1.55	0.37	0.40
Cigarettes	1.78	1.67	0.46	0.46
Alcohol	1.80	1.67	0.44	0.46

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.37P Whether Participated in a Program in the Past Year for Dealing with Alcohol or Drug Use, by Demographic Characteristics (I), and Selected Drug Use, by Whether Participated in a Program for Dealing with Alcohol or Drug Use (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Participated in Program for Dealing with Alcohol or Drug Use ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.1117		0.1117	
(I) Demographic Characteristic				
AGE				
12-13	0.1162		0.1162	
14-15	0.5535		0.5535	
16-17	0.4892		0.4892	
GENDER				
Male	0.2683		0.2683	
Female	0.2347		0.2347	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0453		0.0453	
White	0.1753		0.1753	
Black or African American	0.3415		0.3415	
American Indian or Alaska Native	0.2563		0.2563	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1922		0.1922	
Two or More Races	0.7781		0.7781	
Hispanic or Latino	0.8567		0.8567	
COUNTY TYPE²				
Large Metro	0.9561		0.9561	
Small Metro	0.0046		0.0046	
Nonmetro	0.5858		0.5858	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.8502		0.3318	
Marijuana	0.6632		0.4387	
Any Illicit Drug Other Than Marijuana ³	0.6430		0.6131	
Cigarettes	0.7470		0.0405	
Alcohol	0.3632		0.9497	
Binge Alcohol ⁴	0.2157		0.7616	
PAST YEAR				
Any Illicit Drug ³	0.7610		0.3684	
Marijuana	0.6057		0.0753	
Any Illicit Drug Other Than Marijuana ³	0.4505		0.6829	
Cigarettes	0.8800		0.0031	
Alcohol	0.3241		0.4870	
LIFETIME				
Any Illicit Drug ³	0.2819		0.7397	
Marijuana	0.1876		0.0571	
Any Illicit Drug Other Than Marijuana ³	0.7863		0.9611	
Cigarettes	0.1582		0.0007	
Alcohol	0.2928		0.2636	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.38C Whether Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Participated in a Pregnancy or STD Prevention Program (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Participated in Pregnancy/STD Prevention Program ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	76	79	76	79
(I) Demographic Characteristic				
AGE				
12-13	40	45	40	45
14-15	50	48	50	48
16-17	40	43	40	43
GENDER				
Male	53	54	53	54
Female	51	57	51	57
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	70	66	70	66
White	55	54	55	54
Black or African American	34	32	34	32
American Indian or Alaska Native	6	6	6	6
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	18	17	18	17
Two or More Races	7	7	7	7
Hispanic or Latino	37	45	37	45
COUNTY TYPE²				
Large Metro	60	62	60	62
Small Metro	37	42	37	42
Nonmetro	30	25	30	25
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	26	23	67	62
Marijuana	21	19	55	55
Any Illicit Drug Other Than Marijuana ³	20	19	49	43
Cigarettes	26	25	69	66
Alcohol	30	30	74	76
Binge Alcohol ⁴	23	24	62	60
PAST YEAR				
Any Illicit Drug ³	33	34	90	84
Marijuana	28	28	76	72
Any Illicit Drug Other Than Marijuana ³	28	29	71	72
Cigarettes	30	33	83	81
Alcohol	38	39	99	94
LIFETIME				
Any Illicit Drug ³	37	39	99	96
Marijuana	32	32	83	82
Any Illicit Drug Other Than Marijuana ³	32	37	84	87
Cigarettes	36	41	105	102
Alcohol	42	41	98	100

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.38D Whether Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Participated in a Pregnancy or STD Prevention Program (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Participated in Pregnancy/STD Prevention Program ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.31	0.32	0.31	0.32
(I) Demographic Characteristic				
AGE				
12-13	0.49	0.54	0.49	0.54
14-15	0.59	0.58	0.59	0.58
16-17	0.50	0.52	0.50	0.52
GENDER				
Male	0.42	0.43	0.42	0.43
Female	0.42	0.47	0.42	0.47
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.34	0.32	0.34	0.32
White	0.36	0.35	0.36	0.35
Black or African American	0.93	0.87	0.93	0.87
American Indian or Alaska Native	2.93	3.27	2.93	3.27
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.74	1.78	1.74	1.78
Two or More Races	1.70	1.84	1.70	1.84
Hispanic or Latino	0.95	1.12	0.95	1.12
COUNTY TYPE²				
Large Metro	0.46	0.47	0.46	0.47
Small Metro	0.51	0.57	0.51	0.57
Nonmetro	0.70	0.60	0.70	0.60
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.77	0.61	0.31	0.30
Marijuana	0.62	0.51	0.26	0.26
Any Illicit Drug Other Than Marijuana ³	0.60	0.52	0.23	0.20
Cigarettes	0.75	0.67	0.33	0.31
Alcohol	0.87	0.81	0.35	0.36
Binge Alcohol ⁴	0.68	0.64	0.29	0.29
PAST YEAR				
Any Illicit Drug ³	0.97	0.92	0.42	0.40
Marijuana	0.82	0.75	0.36	0.34
Any Illicit Drug Other Than Marijuana ³	0.82	0.79	0.33	0.34
Cigarettes	0.89	0.89	0.39	0.39
Alcohol	1.10	1.04	0.47	0.45
LIFETIME				
Any Illicit Drug ³	1.08	1.06	0.47	0.46
Marijuana	0.92	0.85	0.39	0.39
Any Illicit Drug Other Than Marijuana ³	0.94	0.99	0.39	0.41
Cigarettes	1.06	1.12	0.49	0.48
Alcohol	1.23	1.11	0.46	0.47

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.38P Whether Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Participated in a Pregnancy or STD Prevention Program (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Participated in Pregnancy/STD Prevention Program ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.0245		0.0245	
(I) Demographic Characteristic				
AGE				
12-13	0.3026		0.3026	
14-15	0.0230		0.0230	
16-17	0.5398		0.5398	
GENDER				
Male	0.4083		0.4083	
Female	0.0180		0.0180	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.1064		0.1064	
White	0.8750		0.8750	
Black or African American	0.0207		0.0207	
American Indian or Alaska Native	0.2262		0.2262	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.4020		0.4020	
Two or More Races	0.2749		0.2749	
Hispanic or Latino	0.1173		0.1173	
COUNTY TYPE²				
Large Metro	0.1481		0.1481	
Small Metro	0.0026		0.0026	
Nonmetro	0.2762		0.2762	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.3993		0.5407	
Marijuana	0.1001		0.8491	
Any Illicit Drug Other Than Marijuana ³	0.4662		0.5312	
Cigarettes	0.4501		0.1062	
Alcohol	0.7066		0.8288	
Binge Alcohol ⁴	0.8838		0.9160	
PAST YEAR				
Any Illicit Drug ³	0.8848		0.4276	
Marijuana	0.4848		0.1233	
Any Illicit Drug Other Than Marijuana ³	0.8789		0.9249	
Cigarettes	0.6245		0.0070	
Alcohol	0.4507		0.4699	
LIFETIME				
Any Illicit Drug ³	0.5949		0.4250	
Marijuana	0.3589		0.0689	
Any Illicit Drug Other Than Marijuana ³	0.6291		0.7828	
Cigarettes	0.3064		0.0010	
Alcohol	0.2145		0.1586	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.39C Whether Youths Talked with at Least One Parent in the Past Year about the Dangers of Tobacco, Alcohol, or Drug Use, by Demographic Characteristics (I), and Selected Drug Use, by Whether Youths Talked with at Least One Parent about the Dangers of Drug Use (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Talked with Parent about Dangers of Drug Use ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	106	111	106	111
(I) Demographic Characteristic				
AGE				
12-13	58	63	58	63
14-15	61	59	61	59
16-17	60	63	60	63
GENDER				
Male	72	77	72	77
Female	73	77	73	77
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	94	97	94	97
White	75	76	75	76
Black or African American	43	43	43	43
American Indian or Alaska Native	7	8	7	8
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	30	25	30	25
Two or More Races	11	13	11	13
Hispanic or Latino	47	53	47	53
COUNTY TYPE²				
Large Metro	79	87	79	87
Small Metro	58	56	58	56
Nonmetro	39	39	39	39
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	55	47	44	46
Marijuana	45	41	37	42
Any Illicit Drug Other Than Marijuana ³	39	35	34	30
Cigarettes	54	51	48	49
Alcohol	64	59	52	55
Binge Alcohol ⁴	51	45	43	44
PAST YEAR				
Any Illicit Drug ³	70	63	59	61
Marijuana	61	56	50	55
Any Illicit Drug Other Than Marijuana ³	55	54	49	48
Cigarettes	65	65	57	59
Alcohol	78	77	66	67
LIFETIME				
Any Illicit Drug ³	79	73	67	71
Marijuana	66	64	57	60
Any Illicit Drug Other Than Marijuana ³	67	63	59	63
Cigarettes	82	80	66	69
Alcohol	83	83	66	68

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.39D Whether Youths Talked with at Least One Parent in the Past Year about the Dangers of Tobacco, Alcohol, or Drug Use, by Demographic Characteristics (I), and Selected Drug Use, by Whether Youths Talked with at Least One Parent about the Dangers of Drug Use (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Talked with Parent about Dangers of Drug Use ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.43	0.45	0.43	0.45
(I) Demographic Characteristic				
AGE				
12-13	0.71	0.76	0.71	0.76
14-15	0.72	0.72	0.72	0.72
16-17	0.76	0.77	0.76	0.77
GENDER				
Male	0.57	0.61	0.57	0.61
Female	0.61	0.64	0.61	0.64
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.45	0.47	0.45	0.47
White	0.49	0.50	0.49	0.50
Black or African American	1.20	1.16	1.20	1.16
American Indian or Alaska Native	3.65	4.45	3.65	4.45
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	3.03	2.69	3.03	2.69
Two or More Races	2.74	3.30	2.74	3.30
Hispanic or Latino	1.20	1.32	1.20	1.32
COUNTY TYPE²				
Large Metro	0.61	0.66	0.61	0.66
Small Metro	0.80	0.77	0.80	0.77
Nonmetro	0.90	0.91	0.90	0.91
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.39	0.32	0.43	0.45
Marijuana	0.31	0.28	0.36	0.42
Any Illicit Drug Other Than Marijuana ³	0.27	0.24	0.33	0.29
Cigarettes	0.38	0.35	0.47	0.48
Alcohol	0.45	0.41	0.51	0.54
Binge Alcohol ⁴	0.36	0.31	0.42	0.43
PAST YEAR				
Any Illicit Drug ³	0.49	0.43	0.57	0.60
Marijuana	0.43	0.39	0.49	0.54
Any Illicit Drug Other Than Marijuana ³	0.38	0.37	0.48	0.47
Cigarettes	0.46	0.45	0.55	0.58
Alcohol	0.55	0.53	0.64	0.66
LIFETIME				
Any Illicit Drug ³	0.56	0.50	0.65	0.69
Marijuana	0.46	0.44	0.55	0.59
Any Illicit Drug Other Than Marijuana ³	0.47	0.43	0.57	0.62
Cigarettes	0.57	0.55	0.64	0.68
Alcohol	0.58	0.57	0.64	0.67

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.39P Whether Youths Talked with at Least One Parent in the Past Year about the Dangers of Tobacco, Alcohol, or Drug Use, by Demographic Characteristics (I), and Selected Drug Use, by Whether Youths Talked with at Least One Parent about the Dangers of Drug Use (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Talked with Parent about Dangers of Drug Use ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.1893		0.1893	
(I) Demographic Characteristic				
AGE				
12-13	0.6587		0.6587	
14-15	0.1485		0.1485	
16-17	0.6304		0.6304	
GENDER				
Male	0.3009		0.3009	
Female	0.3934		0.3934	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.1223		0.1223	
White	0.1042		0.1042	
Black or African American	0.2398		0.2398	
American Indian or Alaska Native	0.5958		0.5958	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.3016		0.3016	
Two or More Races	0.5003		0.5003	
Hispanic or Latino	0.9071		0.9071	
COUNTY TYPE²				
Large Metro	0.3261		0.3261	
Small Metro	0.0080		0.0080	
Nonmetro	0.0567		0.0567	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.0092		0.1509	
Marijuana	0.0013		0.0266	
Any Illicit Drug Other Than Marijuana ³	0.5242		0.8373	
Cigarettes	0.0013		0.5063	
Alcohol	0.2902		0.1131	
Binge Alcohol ⁴	0.3680		0.3668	
PAST YEAR				
Any Illicit Drug ³	0.0153		0.1774	
Marijuana	0.0010		0.4482	
Any Illicit Drug Other Than Marijuana ³	0.5632		0.7177	
Cigarettes	0.0004		0.7750	
Alcohol	0.2444		0.5889	
LIFETIME				
Any Illicit Drug ³	0.0879		0.2864	
Marijuana	0.0022		0.9007	
Any Illicit Drug Other Than Marijuana ³	0.6535		0.6056	
Cigarettes	0.0001		0.2090	
Alcohol	0.2109		0.8275	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.40C Whether Youths Saw or Heard Drug or Alcohol Prevention Messages from Sources Outside School in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Youths Saw or Heard Drug Prevention Messages from Sources Outside School (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Saw or Heard Drug Prevention Messages Outside School ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	89	81	89	81
(I) Demographic Characteristic				
AGE				
12-13	50	46	50	46
14-15	48	44	48	44
16-17	46	47	46	47
GENDER				
Male	64	59	64	59
Female	55	52	55	52
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	70	72	70	72
White	59	60	59	60
Black or African American	30	33	30	33
American Indian or Alaska Native	8	5	8	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	17	15	17	15
Two or More Races	12	11	12	11
Hispanic or Latino	47	40	47	40
COUNTY TYPE²				
Large Metro	68	61	68	61
Small Metro	47	43	47	43
Nonmetro	33	32	33	32
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	63	57	29	29
Marijuana	54	54	24	28
Any Illicit Drug Other Than Marijuana ³	45	43	23	20
Cigarettes	66	62	29	31
Alcohol	72	73	32	34
Binge Alcohol ⁴	58	59	29	29
PAST YEAR				
Any Illicit Drug ³	86	81	36	35
Marijuana	73	71	30	31
Any Illicit Drug Other Than Marijuana ³	68	70	32	31
Cigarettes	80	76	34	37
Alcohol	94	92	43	42
LIFETIME				
Any Illicit Drug ³	93	95	41	39
Marijuana	81	83	35	36
Any Illicit Drug Other Than Marijuana ³	78	85	40	36
Cigarettes	97	95	43	42
Alcohol	94	101	45	44

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.40D Whether Youths Saw or Heard Drug or Alcohol Prevention Messages from Sources Outside School in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Youths Saw or Heard Drug Prevention Messages from Sources Outside School (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Saw or Heard Drug Prevention Messages Outside School ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.36	0.33	0.36	0.33
(I) Demographic Characteristic				
AGE				
12-13	0.61	0.55	0.61	0.55
14-15	0.56	0.53	0.56	0.53
16-17	0.58	0.57	0.58	0.57
GENDER				
Male	0.51	0.47	0.51	0.47
Female	0.45	0.43	0.45	0.43
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.34	0.34	0.34	0.34
White	0.38	0.39	0.38	0.39
Black or African American	0.83	0.89	0.83	0.89
American Indian or Alaska Native	4.39	2.82	4.39	2.82
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.65	1.51	1.65	1.51
Two or More Races	2.97	2.87	2.97	2.87
Hispanic or Latino	1.21	1.00	1.21	1.00
COUNTY TYPE²				
Large Metro	0.52	0.46	0.52	0.46
Small Metro	0.65	0.58	0.65	0.58
Nonmetro	0.77	0.76	0.77	0.76
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.31	0.27	0.71	0.71
Marijuana	0.26	0.26	0.58	0.69
Any Illicit Drug Other Than Marijuana ³	0.22	0.21	0.55	0.50
Cigarettes	0.32	0.30	0.71	0.76
Alcohol	0.35	0.35	0.78	0.83
Binge Alcohol ⁴	0.28	0.29	0.70	0.71
PAST YEAR				
Any Illicit Drug ³	0.42	0.39	0.87	0.86
Marijuana	0.36	0.34	0.73	0.76
Any Illicit Drug Other Than Marijuana ³	0.33	0.34	0.78	0.75
Cigarettes	0.39	0.37	0.81	0.90
Alcohol	0.46	0.44	1.05	1.03
LIFETIME				
Any Illicit Drug ³	0.45	0.46	1.00	0.95
Marijuana	0.40	0.40	0.84	0.88
Any Illicit Drug Other Than Marijuana ³	0.38	0.41	0.97	0.88
Cigarettes	0.48	0.46	1.05	1.03
Alcohol	0.46	0.48	1.09	1.07

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.40P Whether Youths Saw or Heard Drug or Alcohol Prevention Messages from Sources Outside School in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Youths Saw or Heard Drug Prevention Messages from Sources Outside School (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Saw or Heard Drug Prevention Messages Outside School ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.4764		0.4764	
(I) Demographic Characteristic				
AGE				
12-13	0.2400		0.2400	
14-15	0.4551		0.4551	
16-17	0.4127		0.4127	
GENDER				
Male	1.0000		1.0000	
Female	0.2615		0.2615	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.9103		0.9103	
White	0.9327		0.9327	
Black or African American	0.9887		0.9887	
American Indian or Alaska Native	0.2536		0.2536	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.4272		0.4272	
Two or More Races	0.5491		0.5491	
Hispanic or Latino	0.1071		0.1071	
COUNTY TYPE²				
Large Metro	0.2648		0.2648	
Small Metro	0.4569		0.4569	
Nonmetro	0.1609		0.1609	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.1956		0.6055	
Marijuana	0.1219		0.1545	
Any Illicit Drug Other Than Marijuana ³	0.8212		0.8205	
Cigarettes	0.0156		0.4768	
Alcohol	0.9440		0.5844	
Binge Alcohol ⁴	0.9888		0.9586	
PAST YEAR				
Any Illicit Drug ³	0.1919		0.1782	
Marijuana	0.0114		0.1887	
Any Illicit Drug Other Than Marijuana ³	0.7258		0.5925	
Cigarettes	0.0004		0.4282	
Alcohol	0.3335		0.5552	
LIFETIME				
Any Illicit Drug ³	0.4145		0.6398	
Marijuana	0.0091		0.4548	
Any Illicit Drug Other Than Marijuana ³	0.8899		0.8390	
Cigarettes	0.0001		0.5456	
Alcohol	0.1615		0.5513	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.41C Whether Youths Saw or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Youths Saw or Heard Drug Prevention Messages at School (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Saw or Heard Drug Prevention Messages at School ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	248	249	103	103
(I) Demographic Characteristic				
AGE				
12-13	121	117	47	49
14-15	115	115	56	53
16-17	107	110	62	70
GENDER				
Male	154	153	71	75
Female	150	154	64	64
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	223	228	92	93
White	183	197	80	77
Black or African American	90	88	40	41
American Indian or Alaska Native	*	16	*	4
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	58	49	22	22
Two or More Races	21	23	12	15
Hispanic or Latino	99	98	46	44
COUNTY TYPE²				
Large Metro	209	211	77	84
Small Metro	137	133	57	59
Nonmetro	91	97	40	40
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	58	60	35	37
Marijuana	49	51	28	34
Any Illicit Drug Other Than Marijuana ³	39	43	27	23
Cigarettes	61	58	38	39
Alcohol	78	77	40	44
Binge Alcohol ⁴	58	59	32	34
PAST YEAR				
Any Illicit Drug ³	89	86	47	51
Marijuana	72	71	41	43
Any Illicit Drug Other Than Marijuana ³	65	69	37	38
Cigarettes	83	77	48	47
Alcohol	117	109	60	62
LIFETIME				
Any Illicit Drug ³	111	105	55	62
Marijuana	84	84	46	50
Any Illicit Drug Other Than Marijuana ³	87	88	46	49
Cigarettes	112	105	60	64
Alcohol	136	127	69	70

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.41D Whether Youths Saw or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Youths Saw or Heard Drug Prevention Messages at School (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Saw or Heard Drug Prevention Messages at School ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.38	0.37	0.38	0.37
(I) Demographic Characteristic				
AGE				
12-13	0.58	0.61	0.58	0.61
14-15	0.62	0.62	0.62	0.62
16-17	0.72	0.74	0.72	0.74
GENDER				
Male	0.52	0.57	0.52	0.57
Female	0.51	0.51	0.51	0.51
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.40	0.39	0.40	0.39
White	0.44	0.44	0.44	0.44
Black or African American	1.09	1.03	1.09	1.03
American Indian or Alaska Native	*	3.22	*	3.22
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.32	2.43	2.32	2.43
Two or More Races	2.70	3.25	2.70	3.25
Hispanic or Latino	1.20	1.09	1.20	1.09
COUNTY TYPE²				
Large Metro	0.55	0.54	0.55	0.54
Small Metro	0.70	0.65	0.70	0.65
Nonmetro	0.80	0.85	0.80	0.85
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.31	0.31	0.69	0.68
Marijuana	0.27	0.28	0.56	0.63
Any Illicit Drug Other Than Marijuana ³	0.22	0.24	0.54	0.44
Cigarettes	0.32	0.32	0.76	0.73
Alcohol	0.40	0.38	0.77	0.78
Binge Alcohol ⁴	0.30	0.31	0.64	0.62
PAST YEAR				
Any Illicit Drug ³	0.42	0.42	0.86	0.87
Marijuana	0.35	0.38	0.78	0.76
Any Illicit Drug Other Than Marijuana ³	0.34	0.36	0.72	0.71
Cigarettes	0.39	0.41	0.91	0.85
Alcohol	0.50	0.49	0.97	0.95
LIFETIME				
Any Illicit Drug ³	0.48	0.48	0.95	0.98
Marijuana	0.39	0.44	0.86	0.83
Any Illicit Drug Other Than Marijuana ³	0.41	0.43	0.83	0.84
Cigarettes	0.47	0.50	1.01	1.01
Alcohol	0.50	0.53	0.99	0.99

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.41P Whether Youths Saw or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Youths Saw or Heard Drug Prevention Messages at School (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Saw or Heard Drug Prevention Messages at School ¹			
	Yes		No	
	2002	2003	2002	2003
TOTAL	0.1474		0.1474	
(I) Demographic Characteristic				
AGE				
12-13	0.4088		0.4088	
14-15	0.2894		0.2894	
16-17	0.6791		0.6791	
GENDER				
Male	0.0548		0.0548	
Female	0.9837		0.9837	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.1046		0.1046	
White	0.0717		0.0717	
Black or African American	0.8482		0.8482	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.6279		0.6279	
Two or More Races	0.7477		0.7477	
Hispanic or Latino	0.9578		0.9578	
COUNTY TYPE²				
Large Metro	0.5499		0.5499	
Small Metro	0.2248		0.2248	
Nonmetro	0.3707		0.3707	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.2300		0.7942	
Marijuana	0.1064		0.2435	
Any Illicit Drug Other Than Marijuana ³	0.9897		0.3849	
Cigarettes	0.1079		0.3012	
Alcohol	0.9479		0.8682	
Binge Alcohol ⁴	0.7279		0.8613	
PAST YEAR				
Any Illicit Drug ³	0.1859		0.7998	
Marijuana	0.0188		0.8097	
Any Illicit Drug Other Than Marijuana ³	0.9449		0.2577	
Cigarettes	0.0225		0.0335	
Alcohol	0.5690		0.7163	
LIFETIME				
Any Illicit Drug ³	0.2793		0.4093	
Marijuana	0.0148		0.7412	
Any Illicit Drug Other Than Marijuana ³	0.4553		0.7119	
Cigarettes	0.0004		0.0584	
Alcohol	0.6938		0.2252	

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.42C Number of Youth Activities Participated in During the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Youth Activities Participated in (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Number of Youth Activities Participated In ¹			
	One or Fewer		Two or More	
	2002	2003	2002	2003
TOTAL	85	82	263	271
(I) Demographic Characteristic				
AGE				
12-13	38	39	126	123
14-15	47	43	121	122
16-17	52	49	112	123
GENDER				
Male	63	59	166	164
Female	54	52	158	163
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	73	68	237	252
White	58	56	201	218
Black or African American	30	32	93	92
American Indian or Alaska Native	11	7	20	15
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	18	14	58	51
Two or More Races	9	6	24	28
Hispanic or Latino	45	40	99	98
COUNTY TYPE²				
Large Metro	65	67	220	232
Small Metro	47	40	142	153
Nonmetro	33	29	96	103
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	33	29	60	63
Marijuana	29	26	48	54
Any Illicit Drug Other Than Marijuana ³	24	19	41	43
Cigarettes	36	34	64	63
Alcohol	37	37	78	82
Binge Alcohol ⁴	31	28	59	62
PAST YEAR				
Any Illicit Drug ³	45	40	90	95
Marijuana	40	34	71	77
Any Illicit Drug Other Than Marijuana ³	32	32	68	72
Cigarettes	44	41	84	82
Alcohol	50	48	120	119
LIFETIME				
Any Illicit Drug ³	54	48	113	120
Marijuana	46	40	85	92
Any Illicit Drug Other Than Marijuana ³	43	41	87	98
Cigarettes	56	51	115	119
Alcohol	59	53	145	139

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or did not answer two or more of the four youth activity questions with a "yes" or "no" response were excluded from this analysis about participation in youth activities. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.42D Number of Youth Activities Participated in During the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Youth Activities Participated in (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Number of Youth Activities Participated In ¹			
	One or Fewer		Two or More	
	2002	2003	2002	2003
TOTAL	0.33	0.33	0.33	0.33
(I) Demographic Characteristic				
AGE				
12-13	0.50	0.51	0.50	0.51
14-15	0.55	0.54	0.55	0.54
16-17	0.62	0.58	0.62	0.58
GENDER				
Male	0.49	0.49	0.49	0.49
Female	0.45	0.44	0.45	0.44
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.34	0.33	0.34	0.33
White	0.36	0.37	0.36	0.37
Black or African American	0.83	0.83	0.83	0.83
American Indian or Alaska Native	5.36	4.61	5.36	4.61
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.77	1.63	1.77	1.63
Two or More Races	2.45	1.62	2.45	1.62
Hispanic or Latino	1.14	0.96	1.14	0.96
COUNTY TYPE²				
Large Metro	0.49	0.50	0.49	0.50
Small Metro	0.57	0.55	0.57	0.55
Nonmetro	0.73	0.66	0.73	0.66
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.85	0.89	0.30	0.30
Marijuana	0.77	0.82	0.24	0.26
Any Illicit Drug Other Than Marijuana ³	0.66	0.61	0.22	0.21
Cigarettes	0.93	1.01	0.32	0.31
Alcohol	0.95	1.07	0.36	0.36
Binge Alcohol ⁴	0.83	0.87	0.29	0.29
PAST YEAR				
Any Illicit Drug ³	1.02	1.11	0.41	0.40
Marijuana	0.96	0.98	0.33	0.35
Any Illicit Drug Other Than Marijuana ³	0.85	0.97	0.33	0.33
Cigarettes	1.05	1.13	0.38	0.38
Alcohol	1.05	1.21	0.47	0.46
LIFETIME				
Any Illicit Drug ³	1.13	1.27	0.47	0.48
Marijuana	1.04	1.13	0.39	0.41
Any Illicit Drug Other Than Marijuana ³	1.03	1.19	0.39	0.43
Cigarettes	1.15	1.28	0.47	0.49
Alcohol	1.09	1.20	0.50	0.50

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or did not answer two or more of the four youth activity questions with a "yes" or "no" response were excluded from this analysis about participation in youth activities. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.42P Number of Youth Activities Participated in During the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Youth Activities Participated in (II), among Persons Aged 12 to 17 Enrolled in School in the Past Year: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Number of Youth Activities Participated In ¹			
	One or Fewer		Two or More	
	2002	2003	2002	2003
TOTAL	0.0000		0.0000	
(I) Demographic Characteristic				
AGE				
12-13	0.0518		0.0518	
14-15	0.0019		0.0019	
16-17	0.0028		0.0028	
GENDER				
Male	0.0018		0.0018	
Female	0.0018		0.0018	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0000		0.0000	
White	0.0013		0.0013	
Black or African American	0.1568		0.1568	
American Indian or Alaska Native	0.1364		0.1364	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1844		0.1844	
Two or More Races	0.3822		0.3822	
Hispanic or Latino	0.0273		0.0273	
COUNTY TYPE²				
Large Metro	0.0027		0.0027	
Small Metro	0.0001		0.0001	
Nonmetro	0.4136		0.4136	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.6616		0.4513	
Marijuana	0.5819		0.5237	
Any Illicit Drug Other Than Marijuana ³	0.9785		0.8145	
Cigarettes	0.9789		0.1537	
Alcohol	0.3298		0.8837	
Binge Alcohol ⁴	0.5220		0.6999	
PAST YEAR				
Any Illicit Drug ³	0.7772		0.4382	
Marijuana	0.4598		0.2539	
Any Illicit Drug Other Than Marijuana ³	0.2961		0.3743	
Cigarettes	0.6771		0.0123	
Alcohol	0.8901		0.7232	
LIFETIME				
Any Illicit Drug ³	0.4245		0.7582	
Marijuana	0.1789		0.4214	
Any Illicit Drug Other Than Marijuana ³	0.9880		0.9358	
Cigarettes	0.2622		0.0021	
Alcohol	0.3047		0.9774	

*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or did not answer two or more of the four youth activity questions with a "yes" or "no" response were excluded from this analysis about participation in youth activities. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.43C Who Youths Talk With about a Serious Problem, by Demographic Characteristics (I), and Selected Drug Use, by Who Youths Talk With about a Serious Problem (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Would Talk With about a Serious Problem ¹			
	No One		Someone	
	2002	2003	2002	2003
TOTAL	40	42	40	42
(I) Demographic Characteristic				
AGE				
12-13	21	22	21	22
14-15	26	25	26	25
16-17	21	26	21	26
GENDER				
Male	32	32	32	32
Female	24	28	24	28
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	34	36	34	36
White	26	28	26	28
Black or African American	17	18	17	18
American Indian or Alaska Native	3	2	3	2
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	11	11	11	11
Two or More Races	4	4	4	4
Hispanic or Latino	23	20	23	20
COUNTY TYPE²				
Large Metro	32	35	32	35
Small Metro	21	20	21	20
Nonmetro	13	12	13	12
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	16	16	66	64
Marijuana	14	14	54	57
Any Illicit Drug Other Than Marijuana ³	14	15	50	46
Cigarettes	17	15	71	70
Alcohol	18	18	78	78
Binge Alcohol ⁴	16	15	64	62
PAST YEAR				
Any Illicit Drug ³	19	20	90	87
Marijuana	18	19	75	74
Any Illicit Drug Other Than Marijuana ³	18	17	75	74
Cigarettes	18	19	85	85
Alcohol	20	20	102	100
LIFETIME				
Any Illicit Drug ³	20	20	101	102
Marijuana	18	20	85	87
Any Illicit Drug Other Than Marijuana ³	20	20	87	91
Cigarettes	20	21	105	107
Alcohol	21	21	106	109

*Low precision; no estimate reported.

NOTE: Respondents who reported that there was both someone and nobody they could talk with were excluded from this analysis.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.43D Who Youths Talk With about a Serious Problem, by Demographic Characteristics (I), and Selected Drug Use, by Who Youths Talk With about a Serious Problem (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Would Talk With about a Serious Problem ¹			
	No One		Someone	
	2002	2003	2002	2003
TOTAL	0.16	0.17	0.16	0.17
(I) Demographic Characteristic				
AGE				
12-13	0.26	0.27	0.26	0.27
14-15	0.31	0.31	0.31	0.31
16-17	0.27	0.32	0.27	0.32
GENDER				
Male	0.26	0.25	0.26	0.25
Female	0.20	0.23	0.20	0.23
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.16	0.18	0.16	0.18
White	0.17	0.18	0.17	0.18
Black or African American	0.47	0.49	0.47	0.49
American Indian or Alaska Native	1.63	1.40	1.63	1.40
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.07	1.19	1.07	1.19
Two or More Races	0.94	0.93	0.94	0.93
Hispanic or Latino	0.60	0.49	0.60	0.49
COUNTY TYPE²				
Large Metro	0.25	0.27	0.25	0.27
Small Metro	0.29	0.28	0.29	0.28
Nonmetro	0.31	0.29	0.31	0.29
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	1.83	1.71	0.28	0.27
Marijuana	1.57	1.47	0.23	0.24
Any Illicit Drug Other Than Marijuana ³	1.59	1.58	0.21	0.19
Cigarettes	1.85	1.59	0.30	0.30
Alcohol	1.97	1.95	0.33	0.33
Binge Alcohol ⁴	1.83	1.63	0.27	0.26
PAST YEAR				
Any Illicit Drug ³	2.14	2.09	0.39	0.37
Marijuana	1.97	2.03	0.32	0.32
Any Illicit Drug Other Than Marijuana ³	2.00	1.83	0.32	0.32
Cigarettes	2.03	2.00	0.36	0.36
Alcohol	2.26	2.16	0.43	0.42
LIFETIME				
Any Illicit Drug ³	2.22	2.15	0.43	0.43
Marijuana	2.03	2.11	0.36	0.37
Any Illicit Drug Other Than Marijuana ³	2.17	2.17	0.37	0.39
Cigarettes	2.22	2.28	0.45	0.46
Alcohol	2.33	2.23	0.45	0.46

*Low precision; no estimate reported.

NOTE: Respondents who reported that there was both someone and nobody they could talk with were excluded from this analysis.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.43P Who Youths Talk With about a Serious Problem, by Demographic Characteristics (I), and Selected Drug Use, by Who Youths Talk With about a Serious Problem (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Would Talk With about a Serious Problem ¹			
	No One		Someone	
	2002	2003	2002	2003
TOTAL	0.5389		0.5389	
(I) Demographic Characteristic				
AGE				
12-13	0.4969		0.4969	
14-15	0.7767		0.7767	
16-17	0.0411		0.0411	
GENDER				
Male	0.8081		0.8081	
Female	0.5250		0.5250	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.1969		0.1969	
White	0.4206		0.4206	
Black or African American	0.4559		0.4559	
American Indian or Alaska Native	0.5453		0.5453	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1783		0.1783	
Two or More Races	0.8164		0.8164	
Hispanic or Latino	0.3037		0.3037	
COUNTY TYPE²				
Large Metro	0.1564		0.1564	
Small Metro	0.6400		0.6400	
Nonmetro	0.4128		0.4128	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.3409		0.4211	
Marijuana	0.9897		0.4077	
Any Illicit Drug Other Than Marijuana ³	0.6485		0.6171	
Cigarettes	0.5649		0.0692	
Alcohol	0.2781		0.8810	
Binge Alcohol ⁴	0.4211		0.6483	
PAST YEAR				
Any Illicit Drug ³	0.8345		0.4296	
Marijuana	0.3126		0.0406	
Any Illicit Drug Other Than Marijuana ³	0.4795		0.7617	
Cigarettes	0.9296		0.0036	
Alcohol	0.3960		0.4696	
LIFETIME				
Any Illicit Drug ³	0.8971		0.5135	
Marijuana	0.5993		0.0284	
Any Illicit Drug Other Than Marijuana ³	0.7795		0.6320	
Cigarettes	0.2855		0.0001	
Alcohol	0.7080		0.3758	

*Low precision; no estimate reported.

NOTE: Respondents who reported that there was both someone and nobody they could talk with were excluded from this analysis.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.