

Table 3.44C Number of Times Attended Religious Services in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Attended Religious Services in the Past Year (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Times Attended Religious Services ¹			
	25 or More		Fewer Than 25	
	2002	2003	2002	2003
TOTAL	108	123	108	123
(I) Demographic Characteristic				
AGE				
12-13	54	62	54	62
14-15	60	61	60	61
16-17	57	59	57	59
GENDER				
Male	72	74	72	74
Female	72	83	72	83
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	94	111	94	111
White	80	94	80	94
Black or African American	37	42	37	42
American Indian or Alaska Native	6	*	6	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	25	24	25	24
Two or More Races	11	12	11	12
Hispanic or Latino	39	43	39	43
COUNTY TYPE²				
Large Metro	80	97	80	97
Small Metro	62	64	62	64
Nonmetro	44	39	44	39
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	30	29	63	60
Marijuana	23	25	53	53
Any Illicit Drug Other Than Marijuana ³	23	23	46	42
Cigarettes	34	31	65	65
Alcohol	39	41	69	72
Binge Alcohol ⁴	27	31	60	56
PAST YEAR				
Any Illicit Drug ³	46	44	78	76
Marijuana	38	38	67	65
Any Illicit Drug Other Than Marijuana ³	37	37	66	66
Cigarettes	42	42	76	77
Alcohol	52	56	90	86
LIFETIME				
Any Illicit Drug ³	57	52	85	85
Marijuana	44	44	73	76
Any Illicit Drug Other Than Marijuana ³	46	45	76	77
Cigarettes	54	53	87	95
Alcohol	61	63	87	85

*Low precision; no estimate reported.

NOTE: Special occasions, such as weddings, funerals, or other special events, were not to have been considered in the number of times attended religious services.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.44D Number of Times Attended Religious Services in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Attended Religious Services in the Past Year (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Times Attended Religious Services ¹			
	25 or More		Fewer Than 25	
	2002	2003	2002	2003
TOTAL	0.44	0.50	0.44	0.50
(I) Demographic Characteristic				
AGE				
12-13	0.67	0.75	0.67	0.75
14-15	0.71	0.75	0.71	0.75
16-17	0.71	0.72	0.71	0.72
GENDER				
Male	0.58	0.59	0.58	0.59
Female	0.61	0.69	0.61	0.69
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.46	0.54	0.46	0.54
White	0.52	0.61	0.52	0.61
Black or African American	1.03	1.14	1.03	1.14
American Indian or Alaska Native	3.25	*	3.25	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.50	2.60	2.50	2.60
Two or More Races	2.97	2.94	2.97	2.94
Hispanic or Latino	1.02	1.07	1.02	1.07
COUNTY TYPE²				
Large Metro	0.61	0.74	0.61	0.74
Small Metro	0.87	0.88	0.87	0.88
Nonmetro	1.03	0.93	1.03	0.93
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.38	0.36	0.39	0.37
Marijuana	0.29	0.31	0.32	0.32
Any Illicit Drug Other Than Marijuana ³	0.29	0.28	0.28	0.25
Cigarettes	0.42	0.39	0.40	0.39
Alcohol	0.49	0.51	0.42	0.44
Binge Alcohol ⁴	0.33	0.39	0.37	0.34
PAST YEAR				
Any Illicit Drug ³	0.58	0.55	0.48	0.46
Marijuana	0.48	0.47	0.41	0.40
Any Illicit Drug Other Than Marijuana ³	0.46	0.45	0.40	0.40
Cigarettes	0.52	0.52	0.46	0.47
Alcohol	0.65	0.70	0.55	0.52
LIFETIME				
Any Illicit Drug ³	0.70	0.65	0.52	0.52
Marijuana	0.55	0.55	0.45	0.46
Any Illicit Drug Other Than Marijuana ³	0.57	0.56	0.46	0.47
Cigarettes	0.67	0.66	0.53	0.57
Alcohol	0.76	0.78	0.53	0.51

*Low precision; no estimate reported.

NOTE: Special occasions, such as weddings, funerals, or other special events, were not to have been considered in the number of times attended religious services.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.44P Number of Times Attended Religious Services in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Times Attended Religious Services in the Past Year (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Times Attended Religious Services ¹			
	25 or More		Fewer Than 25	
	2002	2003	2002	2003
TOTAL	0.8301		0.8301	
(I) Demographic Characteristic				
AGE				
12-13	0.5112		0.5112	
14-15	0.2664		0.2664	
16-17	0.9243		0.9243	
GENDER				
Male	0.2922		0.2922	
Female	0.5009		0.5009	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.5983		0.5983	
White	0.8793		0.8793	
Black or African American	0.1413		0.1413	
American Indian or Alaska Native	*		*	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.2449		0.2449	
Two or More Races	0.2546		0.2546	
Hispanic or Latino	0.1063		0.1063	
COUNTY TYPE²				
Large Metro	0.2124		0.2124	
Small Metro	0.8534		0.8534	
Nonmetro	0.0051		0.0051	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.7447		0.2812	
Marijuana	0.8854		0.2720	
Any Illicit Drug Other Than Marijuana ³	0.7217		0.7271	
Cigarettes	0.1603		0.1980	
Alcohol	0.9315		0.8613	
Binge Alcohol ⁴	0.0679		0.3551	
PAST YEAR				
Any Illicit Drug ³	0.7212		0.4203	
Marijuana	0.9591		0.0241	
Any Illicit Drug Other Than Marijuana ³	0.7247		0.8776	
Cigarettes	0.0439		0.0436	
Alcohol	0.5550		0.6991	
LIFETIME				
Any Illicit Drug ³	0.9262		0.4634	
Marijuana	0.3239		0.0451	
Any Illicit Drug Other Than Marijuana ³	0.7553		0.6851	
Cigarettes	0.0440		0.0028	
Alcohol	0.3360		0.6767	

*Low precision; no estimate reported.

NOTE: Special occasions, such as weddings, funerals, or other special events, were not to have been considered in the number of times attended religious services.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.45C Youths' Feelings That Religious Beliefs Are a Very Important Part of Youths' Life, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings That Religious Beliefs Are a Very Important Part of Their Life (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Religious Beliefs Are a Very Important Part of Life ¹			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2002	2003	2002	2003
TOTAL	87	96	87	96
(I) Demographic Characteristic				
AGE				
12-13	43	43	43	43
14-15	51	54	51	54
16-17	51	56	51	56
GENDER				
Male	66	65	66	65
Female	54	60	54	60
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	80	86	80	86
White	66	73	66	73
Black or African American	26	32	26	32
American Indian or Alaska Native	7	5	7	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	25	24	25	24
Two or More Races	12	11	12	11
Hispanic or Latino	35	41	35	41
COUNTY TYPE²				
Large Metro	74	74	74	74
Small Metro	46	51	46	51
Nonmetro	26	33	26	33
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	54	54	40	40
Marijuana	46	46	36	36
Any Illicit Drug Other Than Marijuana ³	38	38	32	32
Cigarettes	58	57	41	40
Alcohol	66	66	42	45
Binge Alcohol ⁴	54	50	38	39
PAST YEAR				
Any Illicit Drug ³	76	74	48	50
Marijuana	64	59	44	45
Any Illicit Drug Other Than Marijuana ³	59	62	44	47
Cigarettes	74	70	45	47
Alcohol	89	86	50	52
LIFETIME				
Any Illicit Drug ³	88	86	47	51
Marijuana	75	69	44	50
Any Illicit Drug Other Than Marijuana ³	72	76	47	50
Cigarettes	96	88	46	52
Alcohol	93	95	49	53

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.45D Youths' Feelings That Religious Beliefs Are a Very Important Part of Youths' Life, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings That Religious Beliefs Are a Very Important Part of Their Life (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Religious Beliefs Are a Very Important Part of Life ¹			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2002	2003	2002	2003
TOTAL	0.36	0.39	0.36	0.39
(I) Demographic Characteristic				
AGE				
12-13	0.54	0.52	0.54	0.52
14-15	0.61	0.66	0.61	0.66
16-17	0.64	0.68	0.64	0.68
GENDER				
Male	0.54	0.52	0.54	0.52
Female	0.45	0.49	0.45	0.49
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.39	0.42	0.39	0.42
White	0.43	0.47	0.43	0.47
Black or African American	0.74	0.88	0.74	0.88
American Indian or Alaska Native	3.60	3.06	3.60	3.06
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.55	2.56	2.55	2.56
Two or More Races	3.05	2.80	3.05	2.80
Hispanic or Latino	0.92	1.04	0.92	1.04
COUNTY TYPE²				
Large Metro	0.57	0.57	0.57	0.57
Small Metro	0.64	0.70	0.64	0.70
Nonmetro	0.62	0.79	0.62	0.79
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.28	0.29	0.75	0.70
Marijuana	0.24	0.24	0.67	0.63
Any Illicit Drug Other Than Marijuana ³	0.20	0.20	0.61	0.56
Cigarettes	0.30	0.30	0.77	0.69
Alcohol	0.35	0.35	0.79	0.78
Binge Alcohol ⁴	0.29	0.27	0.71	0.69
PAST YEAR				
Any Illicit Drug ³	0.40	0.39	0.90	0.87
Marijuana	0.34	0.31	0.82	0.79
Any Illicit Drug Other Than Marijuana ³	0.31	0.33	0.83	0.82
Cigarettes	0.39	0.37	0.84	0.83
Alcohol	0.47	0.46	0.94	0.91
LIFETIME				
Any Illicit Drug ³	0.46	0.46	0.88	0.89
Marijuana	0.39	0.37	0.84	0.88
Any Illicit Drug Other Than Marijuana ³	0.38	0.40	0.89	0.88
Cigarettes	0.51	0.47	0.86	0.91
Alcohol	0.49	0.50	0.93	0.92

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.45P Youths' Feelings That Religious Beliefs Are a Very Important Part of Youths' Life, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings That Religious Beliefs Are a Very Important Part of Their Life (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Religious Beliefs Are a Very Important Part of Life ¹			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2002	2003	2002	2003
TOTAL	0.0039		0.0039	
(I) Demographic Characteristic				
AGE				
12-13	0.5351		0.5351	
14-15	0.0069		0.0069	
16-17	0.0899		0.0899	
GENDER				
Male	0.5112		0.5112	
Female	0.0001		0.0001	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0029		0.0029	
White	0.0125		0.0125	
Black or African American	0.2632		0.2632	
American Indian or Alaska Native	0.0955		0.0955	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.0665		0.0665	
Two or More Races	0.6411		0.6411	
Hispanic or Latino	0.6452		0.6452	
COUNTY TYPE²				
Large Metro	0.0155		0.0155	
Small Metro	0.4401		0.4401	
Nonmetro	0.1182		0.1182	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.3300		0.2067	
Marijuana	0.6989		0.0886	
Any Illicit Drug Other Than Marijuana ³	0.3516		0.9968	
Cigarettes	0.0653		0.0670	
Alcohol	0.8292		0.9010	
Binge Alcohol ⁴	0.6351		0.8216	
PAST YEAR				
Any Illicit Drug ³	0.5688		0.1176	
Marijuana	0.3192		0.0057	
Any Illicit Drug Other Than Marijuana ³	0.4336		0.9317	
Cigarettes	0.0020		0.0922	
Alcohol	0.2609		0.9184	
LIFETIME				
Any Illicit Drug ³	0.4437		0.2705	
Marijuana	0.0907		0.0147	
Any Illicit Drug Other Than Marijuana ³	0.4833		0.9097	
Cigarettes	0.0005		0.0080	
Alcohol	0.2222		0.5205	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.46C Youths' Feelings That Religious Beliefs Influence How Youths Make Decisions in Life, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings That Religious Beliefs Influence How They Make Decisions in Life (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Religious Beliefs Influence How Youths Make Decisions in Life ¹			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2002	2003	2002	2003
TOTAL	100	105	100	105
(I) Demographic Characteristic				
AGE				
12-13	51	56	51	56
14-15	57	57	57	57
16-17	55	63	55	63
GENDER				
Male	68	72	68	72
Female	65	73	65	73
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	92	96	92	96
White	78	79	78	79
Black or African American	30	36	30	36
American Indian or Alaska Native	9	7	9	7
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	24	29	24	29
Two or More Races	12	13	12	13
Hispanic or Latino	42	41	42	41
COUNTY TYPE²				
Large Metro	85	82	85	82
Small Metro	49	57	49	57
Nonmetro	31	36	31	36
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	46	49	49	45
Marijuana	38	41	42	42
Any Illicit Drug Other Than Marijuana ³	36	37	36	32
Cigarettes	51	50	47	48
Alcohol	59	60	50	53
Binge Alcohol ⁴	45	46	44	44
PAST YEAR				
Any Illicit Drug ³	68	70	57	58
Marijuana	55	56	54	52
Any Illicit Drug Other Than Marijuana ³	53	56	50	50
Cigarettes	65	62	52	57
Alcohol	80	80	59	66
LIFETIME				
Any Illicit Drug ³	80	80	58	60
Marijuana	66	64	55	58
Any Illicit Drug Other Than Marijuana ³	66	71	54	53
Cigarettes	87	80	59	65
Alcohol	84	91	60	64

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.46D Youths' Feelings That Religious Beliefs Influence How Youths Make Decisions in Life, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings That Religious Beliefs Influence How They Make Decisions in Life (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Religious Beliefs Influence How Youths Make Decisions in Life ¹			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2002	2003	2002	2003
TOTAL	0.41	0.43	0.41	0.43
(I) Demographic Characteristic				
AGE				
12-13	0.64	0.68	0.64	0.68
14-15	0.68	0.70	0.68	0.70
16-17	0.69	0.77	0.69	0.77
GENDER				
Male	0.55	0.58	0.55	0.58
Female	0.54	0.61	0.54	0.61
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.45	0.47	0.45	0.47
White	0.51	0.52	0.51	0.52
Black or African American	0.86	0.98	0.86	0.98
American Indian or Alaska Native	4.92	4.11	4.92	4.11
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.48	3.01	2.48	3.01
Two or More Races	3.06	3.40	3.06	3.40
Hispanic or Latino	1.10	1.04	1.10	1.04
COUNTY TYPE²				
Large Metro	0.66	0.63	0.66	0.63
Small Metro	0.69	0.79	0.69	0.79
Nonmetro	0.73	0.86	0.73	0.86
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.28	0.29	0.65	0.58
Marijuana	0.22	0.25	0.56	0.54
Any Illicit Drug Other Than Marijuana ³	0.21	0.22	0.48	0.40
Cigarettes	0.30	0.30	0.63	0.61
Alcohol	0.35	0.36	0.66	0.68
Binge Alcohol ⁴	0.27	0.28	0.59	0.56
PAST YEAR				
Any Illicit Drug ³	0.41	0.42	0.76	0.75
Marijuana	0.33	0.33	0.71	0.67
Any Illicit Drug Other Than Marijuana ³	0.32	0.34	0.66	0.64
Cigarettes	0.39	0.37	0.70	0.74
Alcohol	0.48	0.48	0.78	0.84
LIFETIME				
Any Illicit Drug ³	0.47	0.48	0.77	0.77
Marijuana	0.39	0.38	0.73	0.74
Any Illicit Drug Other Than Marijuana ³	0.39	0.43	0.71	0.68
Cigarettes	0.52	0.48	0.78	0.83
Alcohol	0.50	0.54	0.80	0.82

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.46P Youths' Feelings That Religious Beliefs Influence How Youths Make Decisions in Life, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings That Religious Beliefs Influence How They Make Decisions in Life (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Religious Beliefs Influence How Youths Make Decisions in Life ¹			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2002	2003	2002	2003
TOTAL	0.1518		0.1518	
(I) Demographic Characteristic				
AGE				
12-13	0.4210		0.4210	
14-15	0.3208		0.3208	
16-17	0.4428		0.4428	
GENDER				
Male	0.9317		0.9317	
Female	0.0439		0.0439	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.1419		0.1419	
White	0.1893		0.1893	
Black or African American	0.3889		0.3889	
American Indian or Alaska Native	0.3646		0.3646	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.0608		0.0608	
Two or More Races	0.1015		0.1015	
Hispanic or Latino	0.7706		0.7706	
COUNTY TYPE²				
Large Metro	0.2549		0.2549	
Small Metro	0.9088		0.9088	
Nonmetro	0.0965		0.0965	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.8923		0.1109	
Marijuana	0.9015		0.1161	
Any Illicit Drug Other Than Marijuana ³	0.7880		0.7245	
Cigarettes	0.5880		0.0054	
Alcohol	0.8784		0.7319	
Binge Alcohol ⁴	0.7095		0.4535	
PAST YEAR				
Any Illicit Drug ³	0.6819		0.0357	
Marijuana	0.9482		0.0017	
Any Illicit Drug Other Than Marijuana ³	0.7180		0.3975	
Cigarettes	0.0377		0.0101	
Alcohol	0.4525		0.6277	
LIFETIME				
Any Illicit Drug ³	0.7585		0.0668	
Marijuana	0.4316		0.0034	
Any Illicit Drug Other Than Marijuana ³	0.5317		0.2216	
Cigarettes	0.0168		0.0002	
Alcohol	0.4234		0.3629	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.47C Youths' Feelings That It Is Important for Friends to Share Youths' Religious Beliefs, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings That It Is Important for Friends to Share Their Religious Beliefs (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Important for Friends to Share Religious Beliefs ¹			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2002	2003	2002	2003
TOTAL	106	107	106	107
(I) Demographic Characteristic				
AGE				
12-13	60	60	60	60
14-15	57	57	57	57
16-17	55	57	55	57
GENDER				
Male	72	70	72	70
Female	68	74	68	74
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	97	98	97	98
White	79	84	79	84
Black or African American	39	42	39	42
American Indian or Alaska Native	9	8	9	8
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	27	25	27	25
Two or More Races	11	11	11	11
Hispanic or Latino	49	47	49	47
COUNTY TYPE²				
Large Metro	83	83	83	83
Small Metro	53	60	53	60
Nonmetro	41	41	41	41
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	31	32	61	57
Marijuana	26	25	51	53
Any Illicit Drug Other Than Marijuana ³	24	28	44	40
Cigarettes	36	30	63	64
Alcohol	38	38	69	70
Binge Alcohol ⁴	30	30	56	57
PAST YEAR				
Any Illicit Drug ³	45	48	81	78
Marijuana	35	36	70	69
Any Illicit Drug Other Than Marijuana ³	38	42	65	66
Cigarettes	48	42	74	77
Alcohol	54	54	87	90
LIFETIME				
Any Illicit Drug ³	54	57	86	85
Marijuana	44	42	75	78
Any Illicit Drug Other Than Marijuana ³	48	53	73	78
Cigarettes	62	55	83	89
Alcohol	61	64	86	88

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.47D Youths' Feelings That It Is Important for Friends to Share Youths' Religious Beliefs, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings That It Is Important for Friends to Share Their Religious Beliefs (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Important for Friends to Share Religious Beliefs ¹			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2002	2003	2002	2003
TOTAL	0.44	0.44	0.44	0.44
(I) Demographic Characteristic				
AGE				
12-13	0.75	0.73	0.75	0.73
14-15	0.69	0.70	0.69	0.70
16-17	0.69	0.70	0.69	0.70
GENDER				
Male	0.58	0.56	0.58	0.56
Female	0.57	0.62	0.57	0.62
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.47	0.48	0.47	0.48
White	0.52	0.55	0.52	0.55
Black or African American	1.11	1.16	1.11	1.16
American Indian or Alaska Native	4.86	4.68	4.86	4.68
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	2.82	2.60	2.82	2.60
Two or More Races	2.96	2.72	2.96	2.72
Hispanic or Latino	1.28	1.19	1.28	1.19
COUNTY TYPE²				
Large Metro	0.64	0.64	0.64	0.64
Small Metro	0.74	0.83	0.74	0.83
Nonmetro	0.98	0.98	0.98	0.98
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.36	0.38	0.39	0.36
Marijuana	0.30	0.29	0.33	0.33
Any Illicit Drug Other Than Marijuana ³	0.28	0.32	0.28	0.25
Cigarettes	0.42	0.36	0.41	0.40
Alcohol	0.44	0.44	0.44	0.44
Binge Alcohol ⁴	0.34	0.36	0.36	0.35
PAST YEAR				
Any Illicit Drug ³	0.52	0.56	0.52	0.49
Marijuana	0.40	0.42	0.45	0.43
Any Illicit Drug Other Than Marijuana ³	0.44	0.49	0.42	0.41
Cigarettes	0.55	0.49	0.48	0.48
Alcohol	0.63	0.63	0.56	0.56
LIFETIME				
Any Illicit Drug ³	0.63	0.67	0.55	0.53
Marijuana	0.51	0.49	0.48	0.49
Any Illicit Drug Other Than Marijuana ³	0.55	0.63	0.47	0.49
Cigarettes	0.71	0.65	0.54	0.56
Alcohol	0.70	0.76	0.55	0.55

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.47P Youths' Feelings That It Is Important for Friends to Share Youths' Religious Beliefs, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings That It Is Important for Friends to Share Their Religious Beliefs (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Important for Friends to Share Religious Beliefs ¹			
	Agree/Strongly Agree		Disagree/Strongly Disagree	
	2002	2003	2002	2003
TOTAL	0.0886		0.0886	
(I) Demographic Characteristic				
AGE				
12-13	0.2051		0.2051	
14-15	0.6394		0.6394	
16-17	0.1945		0.1945	
GENDER				
Male	0.5564		0.5564	
Female	0.0500		0.0500	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.2661		0.2661	
White	0.6893		0.6893	
Black or African American	0.5026		0.5026	
American Indian or Alaska Native	0.4521		0.4521	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1387		0.1387	
Two or More Races	0.7893		0.7893	
Hispanic or Latino	0.1216		0.1216	
COUNTY TYPE²				
Large Metro	0.1220		0.1220	
Small Metro	0.3783		0.3783	
Nonmetro	0.0180		0.0180	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.9589		0.1116	
Marijuana	0.5835		0.3155	
Any Illicit Drug Other Than Marijuana ³	0.5363		0.2597	
Cigarettes	0.0183		0.2409	
Alcohol	0.6184		0.7977	
Binge Alcohol ⁴	0.2617		0.3598	
PAST YEAR				
Any Illicit Drug ³	0.5145		0.0679	
Marijuana	0.9206		0.0136	
Any Illicit Drug Other Than Marijuana ³	0.4941		0.3238	
Cigarettes	0.0215		0.0298	
Alcohol	0.5752		0.5341	
LIFETIME				
Any Illicit Drug ³	0.4510		0.1018	
Marijuana	0.3388		0.0191	
Any Illicit Drug Other Than Marijuana ³	0.2146		0.2048	
Cigarettes	0.1149		0.0002	
Alcohol	0.9735		0.1705	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.