

Table 3.66C Close Friends' Feelings about Youths Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings about Youths Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Close Friends' Feelings about Youths Smoking Cigarettes ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	79	74	79	74
(I) Demographic Characteristic				
AGE				
12-13	34	33	34	33
14-15	45	41	45	41
16-17	47	52	47	52
GENDER				
Male	59	54	59	54
Female	46	49	46	49
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	71	67	71	67
White	62	57	62	57
Black or African American	26	32	26	32
American Indian or Alaska Native	9	4	9	4
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	11	11	11	11
Two or More Races	8	11	8	11
Hispanic or Latino	36	34	36	34
COUNTY TYPE²				
Large Metro	61	58	61	58
Small Metro	38	37	38	37
Nonmetro	29	27	29	27
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	55	52	35	37
Marijuana	44	46	33	34
Any Illicit Drug Other Than Marijuana ³	41	39	27	25
Cigarettes	58	53	37	41
Alcohol	68	70	39	38
Binge Alcohol ⁴	53	53	34	35
PAST YEAR				
Any Illicit Drug ³	81	76	39	42
Marijuana	65	64	39	40
Any Illicit Drug Other Than Marijuana ³	63	64	36	36
Cigarettes	73	73	38	42
Alcohol	93	93	39	42
LIFETIME				
Any Illicit Drug ³	92	93	39	43
Marijuana	75	76	39	42
Any Illicit Drug Other Than Marijuana ³	76	83	39	39
Cigarettes	94	93	38	42
Alcohol	97	100	37	39

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.66D Close Friends' Feelings about Youths Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings about Youths Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Close Friends' Feelings about Youths Smoking Cigarettes ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.32	0.30	0.32	0.30
(I) Demographic Characteristic				
AGE				
12-13	0.42	0.40	0.42	0.40
14-15	0.54	0.50	0.54	0.50
16-17	0.59	0.63	0.59	0.63
GENDER				
Male	0.47	0.43	0.47	0.43
Female	0.38	0.40	0.38	0.40
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.34	0.32	0.34	0.32
White	0.40	0.37	0.40	0.37
Black or African American	0.72	0.88	0.72	0.88
American Indian or Alaska Native	4.57	2.27	4.57	2.27
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.08	1.14	1.08	1.14
Two or More Races	2.13	2.81	2.13	2.81
Hispanic or Latino	0.94	0.87	0.94	0.87
COUNTY TYPE²				
Large Metro	0.46	0.44	0.46	0.44
Small Metro	0.53	0.51	0.53	0.51
Nonmetro	0.67	0.64	0.67	0.64
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.27	0.25	0.93	1.00
Marijuana	0.21	0.22	0.89	0.91
Any Illicit Drug Other Than Marijuana ³	0.20	0.18	0.74	0.68
Cigarettes	0.28	0.25	0.99	1.10
Alcohol	0.32	0.33	1.05	1.03
Binge Alcohol ⁴	0.26	0.25	0.92	0.94
PAST YEAR				
Any Illicit Drug ³	0.39	0.36	1.06	1.15
Marijuana	0.31	0.31	1.04	1.08
Any Illicit Drug Other Than Marijuana ³	0.30	0.31	0.95	0.98
Cigarettes	0.35	0.35	1.02	1.14
Alcohol	0.45	0.44	1.05	1.14
LIFETIME				
Any Illicit Drug ³	0.44	0.44	1.04	1.16
Marijuana	0.36	0.36	1.05	1.15
Any Illicit Drug Other Than Marijuana ³	0.36	0.40	1.03	1.06
Cigarettes	0.45	0.45	1.03	1.14
Alcohol	0.47	0.48	1.00	1.05

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.66P Close Friends' Feelings about Youths Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings about Youths Smoking One or More Packs of Cigarettes Per Day (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Close Friends' Feelings about Youths Smoking Cigarettes ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.5572		0.5572	
(I) Demographic Characteristic				
AGE				
12-13	0.5306		0.5306	
14-15	0.1125		0.1125	
16-17	0.3810		0.3810	
GENDER				
Male	0.1169		0.1169	
Female	0.3365		0.3365	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.8138		0.8138	
White	0.6915		0.6915	
Black or African American	0.7803		0.7803	
American Indian or Alaska Native	0.1420		0.1420	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.3244		0.3244	
Two or More Races	0.5235		0.5235	
Hispanic or Latino	0.4286		0.4286	
COUNTY TYPE²				
Large Metro	0.2089		0.2089	
Small Metro	0.1629		0.1629	
Nonmetro	0.3963		0.3963	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.7335		0.2006	
Marijuana	0.3144		0.9572	
Any Illicit Drug Other Than Marijuana ³	0.4378		0.0580	
Cigarettes	0.0063		0.4767	
Alcohol	0.7961		0.7181	
Binge Alcohol ⁴	0.8317		0.7194	
PAST YEAR				
Any Illicit Drug ³	0.6001		0.5818	
Marijuana	0.0612		0.7544	
Any Illicit Drug Other Than Marijuana ³	0.5978		0.2110	
Cigarettes	0.0011		0.9019	
Alcohol	0.5424		0.6680	
LIFETIME				
Any Illicit Drug ³	0.9260		0.3033	
Marijuana	0.0157		0.7821	
Any Illicit Drug Other Than Marijuana ³	0.3647		0.0506	
Cigarettes	0.0001		0.9460	
Alcohol	0.3969		0.7467	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.67C Close Friends' Feelings about Youths Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings about Youths Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Close Friends' Feelings about Youths Trying Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	89	83	89	83
(I) Demographic Characteristic				
AGE				
12-13	34	30	34	30
14-15	52	47	52	47
16-17	55	58	55	58
GENDER				
Male	64	60	64	60
Female	60	57	60	57
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	79	76	79	76
White	66	64	66	64
Black or African American	32	34	32	34
American Indian or Alaska Native	9	5	9	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	13	17	13	17
Two or More Races	10	11	10	11
Hispanic or Latino	38	34	38	34
COUNTY TYPE²				
Large Metro	70	66	70	66
Small Metro	43	44	43	44
Nonmetro	29	29	29	29
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	44	45	44	46
Marijuana	32	34	41	42
Any Illicit Drug Other Than Marijuana ³	37	35	34	33
Cigarettes	52	51	44	45
Alcohol	58	60	47	49
Binge Alcohol ⁴	45	44	44	43
PAST YEAR				
Any Illicit Drug ³	69	67	44	49
Marijuana	53	51	44	48
Any Illicit Drug Other Than Marijuana ³	53	57	43	44
Cigarettes	66	67	43	48
Alcohol	83	86	42	48
LIFETIME				
Any Illicit Drug ³	83	84	41	49
Marijuana	65	64	43	49
Any Illicit Drug Other Than Marijuana ³	68	77	45	49
Cigarettes	91	89	43	49
Alcohol	89	94	40	43

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.67D Close Friends' Feelings about Youths Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings about Youths Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Close Friends' Feelings about Youths Trying Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.37	0.34	0.37	0.34
(I) Demographic Characteristic				
AGE				
12-13	0.41	0.36	0.41	0.36
14-15	0.62	0.57	0.62	0.57
16-17	0.69	0.70	0.69	0.70
GENDER				
Male	0.51	0.48	0.51	0.48
Female	0.50	0.47	0.50	0.47
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.38	0.37	0.38	0.37
White	0.42	0.42	0.42	0.42
Black or African American	0.90	0.92	0.90	0.92
American Indian or Alaska Native	5.01	2.70	5.01	2.70
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.29	1.82	1.29	1.82
Two or More Races	2.50	2.89	2.50	2.89
Hispanic or Latino	0.98	0.86	0.98	0.86
COUNTY TYPE²				
Large Metro	0.54	0.50	0.54	0.50
Small Metro	0.60	0.60	0.60	0.60
Nonmetro	0.68	0.69	0.68	0.69
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.23	0.22	0.90	0.95
Marijuana	0.16	0.17	0.85	0.88
Any Illicit Drug Other Than Marijuana ³	0.19	0.17	0.69	0.70
Cigarettes	0.26	0.26	0.89	0.94
Alcohol	0.30	0.30	0.97	1.03
Binge Alcohol ⁴	0.23	0.22	0.90	0.89
PAST YEAR				
Any Illicit Drug ³	0.35	0.34	0.90	1.03
Marijuana	0.27	0.25	0.90	1.00
Any Illicit Drug Other Than Marijuana ³	0.27	0.29	0.87	0.93
Cigarettes	0.34	0.34	0.88	1.00
Alcohol	0.42	0.43	0.86	0.99
LIFETIME				
Any Illicit Drug ³	0.43	0.42	0.85	1.03
Marijuana	0.33	0.32	0.89	1.02
Any Illicit Drug Other Than Marijuana ³	0.35	0.39	0.92	1.03
Cigarettes	0.46	0.45	0.87	1.02
Alcohol	0.46	0.47	0.82	0.89

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.67P Close Friends' Feelings about Youths Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings about Youths Trying Marijuana or Hashish Once or Twice (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Close Friends' Feelings about Youths Trying Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.2113		0.2113	
(I) Demographic Characteristic				
AGE				
12-13	0.1903		0.1903	
14-15	0.1324		0.1324	
16-17	0.9601		0.9601	
GENDER				
Male	0.0160		0.0160	
Female	0.4050		0.4050	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.3394		0.3394	
White	0.0592		0.0592	
Black or African American	0.1226		0.1226	
American Indian or Alaska Native	0.0901		0.0901	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1544		0.1544	
Two or More Races	0.5515		0.5515	
Hispanic or Latino	0.3608		0.3608	
COUNTY TYPE²				
Large Metro	0.2961		0.2961	
Small Metro	0.8784		0.8784	
Nonmetro	0.1290		0.1290	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.7140		0.1996	
Marijuana	0.8508		0.4923	
Any Illicit Drug Other Than Marijuana ³	0.6143		0.3964	
Cigarettes	0.0487		0.9905	
Alcohol	0.9799		0.2222	
Binge Alcohol ⁴	0.9342		0.6937	
PAST YEAR				
Any Illicit Drug ³	0.5925		0.1492	
Marijuana	0.6926		0.0731	
Any Illicit Drug Other Than Marijuana ³	0.3978		0.3779	
Cigarettes	0.0128		0.3418	
Alcohol	0.7008		0.5398	
LIFETIME				
Any Illicit Drug ³	0.8333		0.5264	
Marijuana	0.1101		0.4390	
Any Illicit Drug Other Than Marijuana ³	0.2344		0.2070	
Cigarettes	0.0012		0.2411	
Alcohol	0.3812		0.3346	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.68C Close Friends' Feelings about Youths Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings about Youths Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Close Friends' Feelings about Youths Using Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	86	76	86	76
(I) Demographic Characteristic				
AGE				
12-13	33	30	33	30
14-15	49	44	49	44
16-17	53	57	53	57
GENDER				
Male	63	56	63	56
Female	54	53	54	53
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	74	70	74	70
White	60	60	60	60
Black or African American	32	31	32	31
American Indian or Alaska Native	10	5	10	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	13	14	13	14
Two or More Races	9	11	9	11
Hispanic or Latino	39	35	39	35
COUNTY TYPE²				
Large Metro	68	62	68	62
Small Metro	43	39	43	39
Nonmetro	27	27	27	27
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	45	46	42	43
Marijuana	31	34	40	41
Any Illicit Drug Other Than Marijuana ³	37	36	33	32
Cigarettes	53	51	42	44
Alcohol	62	62	44	47
Binge Alcohol ⁴	47	45	42	41
PAST YEAR				
Any Illicit Drug ³	72	66	42	48
Marijuana	55	52	42	47
Any Illicit Drug Other Than Marijuana ³	55	57	41	43
Cigarettes	68	68	41	48
Alcohol	86	87	39	45
LIFETIME				
Any Illicit Drug ³	86	84	39	47
Marijuana	67	64	42	49
Any Illicit Drug Other Than Marijuana ³	70	76	43	46
Cigarettes	93	91	41	49
Alcohol	91	96	39	39

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.68D Close Friends' Feelings about Youths Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings about Youths Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Close Friends' Feelings about Youths Using Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.35	0.31	0.35	0.31
(I) Demographic Characteristic				
AGE				
12-13	0.41	0.36	0.41	0.36
14-15	0.58	0.54	0.58	0.54
16-17	0.67	0.70	0.67	0.70
GENDER				
Male	0.51	0.45	0.51	0.45
Female	0.45	0.44	0.45	0.44
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.36	0.34	0.36	0.34
White	0.39	0.39	0.39	0.39
Black or African American	0.89	0.85	0.89	0.85
American Indian or Alaska Native	5.13	2.83	5.13	2.83
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.27	1.49	1.27	1.49
Two or More Races	2.42	2.88	2.42	2.88
Hispanic or Latino	1.00	0.88	1.00	0.88
COUNTY TYPE²				
Large Metro	0.52	0.47	0.52	0.47
Small Metro	0.60	0.53	0.60	0.53
Nonmetro	0.63	0.64	0.63	0.64
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.23	0.23	0.94	0.99
Marijuana	0.16	0.17	0.91	0.94
Any Illicit Drug Other Than Marijuana ³	0.19	0.18	0.75	0.73
Cigarettes	0.27	0.25	0.94	1.00
Alcohol	0.31	0.31	1.00	1.07
Binge Alcohol ⁴	0.23	0.22	0.94	0.95
PAST YEAR				
Any Illicit Drug ³	0.36	0.33	0.96	1.09
Marijuana	0.27	0.26	0.95	1.07
Any Illicit Drug Other Than Marijuana ³	0.28	0.28	0.92	0.98
Cigarettes	0.34	0.34	0.92	1.09
Alcohol	0.43	0.43	0.89	1.03
LIFETIME				
Any Illicit Drug ³	0.43	0.41	0.88	1.07
Marijuana	0.33	0.32	0.94	1.12
Any Illicit Drug Other Than Marijuana ³	0.35	0.37	0.97	1.05
Cigarettes	0.46	0.45	0.92	1.12
Alcohol	0.45	0.47	0.87	0.90

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.68P Close Friends' Feelings about Youths Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings about Youths Using Marijuana or Hashish Once a Month or More (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Close Friends' Feelings about Youths Using Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.3326		0.3326	
(I) Demographic Characteristic				
AGE				
12-13	0.2240		0.2240	
14-15	0.6764		0.6764	
16-17	0.6228		0.6228	
GENDER				
Male	0.1029		0.1029	
Female	0.6711		0.6711	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.5921		0.5921	
White	0.4264		0.4264	
Black or African American	0.5564		0.5564	
American Indian or Alaska Native	0.1377		0.1377	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.6698		0.6698	
Two or More Races	0.8297		0.8297	
Hispanic or Latino	0.2713		0.2713	
COUNTY TYPE²				
Large Metro	0.3570		0.3570	
Small Metro	0.8475		0.8475	
Nonmetro	0.2838		0.2838	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.4790		0.0645	
Marijuana	0.4450		0.1831	
Any Illicit Drug Other Than Marijuana ³	0.6264		0.3311	
Cigarettes	0.0230		0.7914	
Alcohol	0.5045		0.7853	
Binge Alcohol ⁴	0.5309		0.7719	
PAST YEAR				
Any Illicit Drug ³	0.7636		0.1865	
Marijuana	0.3984		0.1409	
Any Illicit Drug Other Than Marijuana ³	0.2917		0.1782	
Cigarettes	0.0120		0.3105	
Alcohol	0.8389		0.9560	
LIFETIME				
Any Illicit Drug ³	0.9593		0.5275	
Marijuana	0.0835		0.4496	
Any Illicit Drug Other Than Marijuana ³	0.2376		0.1123	
Cigarettes	0.0013		0.2085	
Alcohol	0.4380		0.5871	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.69C Close Friends' Feelings about Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings about Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Close Friends' Feelings about Youths Drinking Alcoholic Beverages ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	84	79	84	79
(I) Demographic Characteristic				
AGE				
12-13	36	33	36	33
14-15	47	45	47	45
16-17	52	54	52	54
GENDER				
Male	63	59	63	59
Female	49	53	49	53
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	74	71	74	71
White	63	60	63	60
Black or African American	31	33	31	33
American Indian or Alaska Native	9	5	9	5
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	12	14	12	14
Two or More Races	11	11	11	11
Hispanic or Latino	39	35	39	35
COUNTY TYPE²				
Large Metro	66	61	66	61
Small Metro	38	40	38	40
Nonmetro	28	31	28	31
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	51	50	39	41
Marijuana	39	45	37	38
Any Illicit Drug Other Than Marijuana ³	39	36	29	30
Cigarettes	56	58	40	43
Alcohol	65	67	41	45
Binge Alcohol ⁴	50	48	37	41
PAST YEAR				
Any Illicit Drug ³	77	73	41	44
Marijuana	62	64	41	43
Any Illicit Drug Other Than Marijuana ³	60	61	38	41
Cigarettes	69	74	42	46
Alcohol	87	92	40	46
LIFETIME				
Any Illicit Drug ³	90	90	39	43
Marijuana	71	73	42	44
Any Illicit Drug Other Than Marijuana ³	75	82	41	43
Cigarettes	93	94	42	45
Alcohol	94	98	40	41

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.69D Close Friends' Feelings about Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings about Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: Standard Errors of Percentages, 2002 and 2003

(I) Demographic Characteristic and (II) Drug Use	Close Friends' Feelings about Youths Drinking Alcoholic Beverages ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.34	0.32	0.34	0.32
(I) Demographic Characteristic				
AGE				
12-13	0.44	0.40	0.44	0.40
14-15	0.56	0.55	0.56	0.55
16-17	0.66	0.66	0.66	0.66
GENDER				
Male	0.51	0.47	0.51	0.47
Female	0.40	0.44	0.40	0.44
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.36	0.34	0.36	0.34
White	0.41	0.39	0.41	0.39
Black or African American	0.88	0.90	0.88	0.90
American Indian or Alaska Native	5.02	2.91	5.02	2.91
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.18	1.42	1.18	1.42
Two or More Races	2.75	2.85	2.75	2.85
Hispanic or Latino	1.02	0.88	1.02	0.88
COUNTY TYPE²				
Large Metro	0.50	0.47	0.50	0.47
Small Metro	0.53	0.55	0.53	0.55
Nonmetro	0.66	0.74	0.66	0.74
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.25	0.25	0.91	0.97
Marijuana	0.19	0.22	0.89	0.89
Any Illicit Drug Other Than Marijuana ³	0.19	0.17	0.68	0.70
Cigarettes	0.28	0.28	0.96	1.02
Alcohol	0.32	0.33	0.97	1.06
Binge Alcohol ⁴	0.25	0.24	0.88	0.97
PAST YEAR				
Any Illicit Drug ³	0.38	0.36	0.96	1.03
Marijuana	0.30	0.31	0.98	1.01
Any Illicit Drug Other Than Marijuana ³	0.30	0.30	0.90	0.96
Cigarettes	0.34	0.36	1.00	1.08
Alcohol	0.43	0.45	0.95	1.10
LIFETIME				
Any Illicit Drug ³	0.45	0.44	0.94	1.02
Marijuana	0.35	0.36	1.00	1.05
Any Illicit Drug Other Than Marijuana ³	0.37	0.40	0.98	1.03
Cigarettes	0.46	0.46	1.00	1.07
Alcohol	0.47	0.48	0.94	0.97

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 3.69P Close Friends' Feelings about Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Drug Use, by Close Friends' Feelings about Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II), among Persons Aged 12 to 17: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

(I) Demographic Characteristic and (II) Drug Use	Close Friends' Feelings about Youths Drinking Alcoholic Beverages ¹			
	Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2002	2003	2002	2003
TOTAL	0.8882		0.8882	
(I) Demographic Characteristic				
AGE				
12-13	0.1527		0.1527	
14-15	0.8732		0.8732	
16-17	0.6234		0.6234	
GENDER				
Male	0.0859		0.0859	
Female	0.0634		0.0634	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.5355		0.5355	
White	0.5560		0.5560	
Black or African American	0.6669		0.6669	
American Indian or Alaska Native	0.0205		0.0205	
Native Hawaiian or Other Pacific Islander	*		*	
Asian	0.1723		0.1723	
Two or More Races	0.8825		0.8825	
Hispanic or Latino	0.1646		0.1646	
COUNTY TYPE²				
Large Metro	0.4077		0.4077	
Small Metro	0.4015		0.4015	
Nonmetro	0.7315		0.7315	
(II) Drug Use				
PAST MONTH				
Any Illicit Drug ³	0.8579		0.0352	
Marijuana	0.8912		0.1292	
Any Illicit Drug Other Than Marijuana ³	0.9050		0.3116	
Cigarettes	0.0261		0.9859	
Alcohol	0.7996		0.8413	
Binge Alcohol ⁴	0.6452		0.4412	
PAST YEAR				
Any Illicit Drug ³	0.5949		0.3578	
Marijuana	0.0990		0.3039	
Any Illicit Drug Other Than Marijuana ³	0.6602		0.2417	
Cigarettes	0.0052		0.2558	
Alcohol	0.5402		0.9971	
LIFETIME				
Any Illicit Drug ³	0.7791		0.3729	
Marijuana	0.0390		0.3511	
Any Illicit Drug Other Than Marijuana ³	0.5250		0.1679	
Cigarettes	0.0001		0.3839	
Alcohol	0.2000		0.4064	

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.