

**Table 5.72A Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Categories: Numbers in Thousands, 2002 and 2003**

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	7,748	7,333	1,412 <sup>a</sup>	1,103	6,335	6,230	18.2	15.0
12	26	36	1	3	26	34	*	*
13	82	76	4	1	78	76	*	*
14	190	185	6	13	183	172	3.2	7.0
15	276	257	21	17	255	241	7.6	6.5
16	373	369	47	43	326	326	12.6	11.7
17	468	404	64 <sup>a</sup>	37	404	367	13.6	9.1
18	448	489	45	56	402	433	10.1	11.5
19	397	419	34	42	363	376	8.5	10.1
20	365	408	41	39	324	369	11.2	9.5
21	418 <sup>a</sup>	323	55	47	363 <sup>a</sup>	276	13.1	14.4
22	308	315	33	34	275	281	10.8	10.7
23	310 <sup>a</sup>	241	33	46	277 <sup>b</sup>	195	10.7	19.1
24	255	242	22	45	233	197	8.8 <sup>a</sup>	18.6
25	179	188	23	32	156	156	13.0	16.9
26-29	736	790	136	94	600	696	18.5	11.9
30-34	617	540	127	78	490	462	20.6	14.4
35-39	683	721	176	199	507	522	*	*
40-44	552	629	182	137	370	492	*	*
45-49	573	422	213 <sup>b</sup>	55	360	367	*	*
50-54	286	222	122	76	164	146	*	*
55-59	52	53	*	11	52	42	*	*
60-64	119	*	*	*	119	*	*	*
65 or Older	36	6	27	*	8	6	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.72B Needed and Received Treatment for an Illicit Drug Problem in the Past Year, by Detailed Age Categories: Percentages, 2002 and 2003**

Age Category	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	3.3	3.1	0.6 <sup>a</sup>	0.5	2.7	2.6	18.2	15.0
12	0.6	0.9	0.0	0.1	0.6	0.8	*	*
13	2.0	1.8	0.1	0.0	1.9	1.7	*	*
14	4.3	4.5	0.1	0.3	4.2	4.2	3.2	7.0
15	6.7	6.2	0.5	0.4	6.2	5.8	7.6	6.5
16	9.2	8.8	1.2	1.0	8.1	7.8	12.6	11.7
17	11.8 <sup>a</sup>	9.9	1.6 <sup>a</sup>	0.9	10.2	9.0	13.6	9.1
18	10.3	10.6	1.0	1.2	9.2	9.4	10.1	11.5
19	9.7	10.8	0.8	1.1	8.9	9.7	8.5	10.1
20	9.1	10.1	1.0	1.0	8.1	9.2	11.2	9.5
21	10.3 <sup>a</sup>	8.2	1.4	1.2	9.0 <sup>a</sup>	7.0	13.1	14.4
22	8.0	7.8	0.9	0.8	7.1	7.0	10.8	10.7
23	8.1 <sup>a</sup>	6.0	0.9	1.1	7.3 <sup>b</sup>	4.9	10.7	19.1
24	7.2	6.7	0.6	1.2	6.6	5.4	8.8 <sup>a</sup>	18.6
25	5.4	5.2	0.7	0.9	4.7	4.3	13.0	16.9
26-29	4.8	5.4	0.9	0.6	3.9	4.7	18.5	11.9
30-34	3.1	2.7	0.6	0.4	2.5	2.3	20.6	14.4
35-39	3.1	3.4	0.8	0.9	2.3	2.5	*	*
40-44	2.5	2.8	0.8	0.6	1.7	2.2	*	*
45-49	2.7	2.0	1.0 <sup>b</sup>	0.3	1.7	1.7	*	*
50-54	1.5	1.1	0.6	0.4	0.9	0.7	*	*
55-59	0.4	0.4	*	0.1	0.4	0.3	*	*
60-64	1.0	*	*	*	1.0	*	*	*
65 or Older	0.1	0.0	0.1	*	0.0	0.0	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.73A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	7,748	7,333	1,412 <sup>a</sup>	1,103	6,335	6,230	18.2	15.0
<b>AGE</b>								
12-17	1,414	1,327	142	113	1,272	1,214	10.1	8.5
18-25	2,680	2,624	287	340	2,393	2,284	10.7	13.0
26 or Older	3,654	3,382	983 <sup>a</sup>	649	2,670	2,732	26.9 <sup>a</sup>	19.2
<b>GENDER</b>								
Male	4,867	4,559	826	732	4,041	3,828	17.0	16.0
Female	2,881	2,774	587 <sup>a</sup>	371	2,294	2,403	20.4 <sup>a</sup>	13.4
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	6,588	6,278	1,240	1,014	5,348	5,264	18.8	16.1
White	5,007	4,947	894	757	4,113	4,190	17.9	15.3
Black or African American	1,252 <sup>a</sup>	945	285	202	967	743	22.8	21.4
American Indian or Alaska Native	72	72	24	21	47	51	*	*
Native Hawaiian or Other Pacific Islander	29	28	1	*	28	28	*	*
Asian	107	150	9	9	98	141	*	*
Two or More Races	121	137	26	24	95	112	*	*
Hispanic or Latino	1,160	1,055	172 <sup>a</sup>	89	988	966	14.9	8.4

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.73B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2002 and 2003**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	3.3	3.1	0.6 <sup>a</sup>	0.5	2.7	2.6	18.2	15.0
<b>AGE</b>								
12-17	5.7	5.3	0.6	0.5	5.1	4.9	10.1	8.5
18-25	8.6	8.3	0.9	1.1	7.7	7.2	10.7	13.0
26 or Older	2.0	1.9	0.5 <sup>a</sup>	0.4	1.5	1.5	26.9 <sup>a</sup>	19.2
<b>GENDER</b>								
Male	4.3	4.0	0.7	0.6	3.6	3.3	17.0	16.0
Female	2.4	2.3	0.5 <sup>a</sup>	0.3	1.9	2.0	20.4 <sup>a</sup>	13.4
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	3.2	3.0	0.6	0.5	2.6	2.5	18.8	16.1
White	3.0	3.0	0.5	0.5	2.5	2.5	17.9	15.3
Black or African American	4.7 <sup>a</sup>	3.4	1.1	0.7	3.6 <sup>a</sup>	2.7	22.8	21.4
American Indian or Alaska Native	4.8	5.7	1.7	1.7	3.2	4.0	*	*
Native Hawaiian or Other Pacific Islander	3.5	5.6	0.1	*	3.4	5.6	*	*
Asian	1.2	1.5	0.1	0.1	1.1	1.4	*	*
Two or More Races	4.8	5.3	1.1	0.9	3.8	4.4	*	*
Hispanic or Latino	4.0	3.5	0.6 <sup>a</sup>	0.3	3.4	3.2	14.9	8.4

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.74A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	1,414	1,327	142	113	1,272	1,214	10.1	8.5
<b>GENDER</b>								
Male	784	716	78	71	706	645	9.9	9.9
Female	630	611	64	42	566	569	10.2	6.9
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1,169	1,135	116	105	1,053	1,030	9.9	9.2
White	949	907	92	89	857	818	9.7	9.8
Black or African American	151	136	9	10	142	127	6.0	*
American Indian or Alaska Native	26	18	*	1	15	17	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	13	32	1	0	12	32	*	*
Two or More Races	25	36	2	4	23	32	*	*
Hispanic or Latino	245	193	26 <sup>a</sup>	8	218	184	10.8	4.3
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	513	485	55	60	458	425	10.7	12.4
Female, White, Not Hispanic	436	423	37	29	399	394	8.5	6.8
Male, Black, Not Hispanic	96	72	6	6	90	66	*	*
Female, Black, Not Hispanic	55	65	3	4	52	61	*	*
Male, Hispanic	141	104	13	4	129	101	8.9	*
Female, Hispanic	104	88	14	5	90	84	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.74B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2002 and 2003**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	5.7	5.3	0.6	0.5	5.1	4.9	10.1	8.5
<b>GENDER</b>								
Male	6.2	5.6	0.6	0.6	5.6	5.1	9.9	9.9
Female	5.2	5.0	0.5	0.3	4.7	4.7	10.2	6.9
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	5.6	5.4	0.6	0.5	5.1	4.9	9.9	9.2
White	6.1	5.8	0.6	0.6	5.5	5.3	9.7	9.8
Black or African American	4.2	3.6	0.3	0.3	3.9	3.4	6.0	*
American Indian or Alaska Native	13.9	10.3	*	0.8	8.1	9.4	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	1.3	3.3	0.1	0.0	1.2	3.3	*	*
Two or More Races	6.3	9.1	0.5	1.1	5.8	8.0	*	*
Hispanic or Latino	6.2	4.7	0.7 <sup>a</sup>	0.2	5.6	4.5	10.8	4.3
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	6.4	6.1	0.7	0.8	5.7	5.3	10.7	12.4
Female, White, Not Hispanic	5.8	5.6	0.5	0.4	5.3	5.2	8.5	6.8
Male, Black, Not Hispanic	5.3	3.8	0.3	0.3	4.9	3.5	*	*
Female, Black, Not Hispanic	3.1	3.5	0.2	0.2	2.9	3.3	*	*
Male, Hispanic	7.0	5.0	0.6	0.2	6.4	4.9	8.9	*
Female, Hispanic	5.4	4.4	0.7	0.2	4.7	4.2	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.75A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	2,680	2,624	287	340	2,393	2,284	10.7	13.0
<b>GENDER</b>								
Male	1,721	1,661	185	231	1,536	1,430	10.7	13.9
Female	959	963	102	109	857	854	10.7	11.3
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	2,310	2,185	240	287	2,070	1,899	10.4 <sup>a</sup>	13.1
White	1,831	1,736	188	228	1,643	1,509	10.3	13.1
Black or African American	322	310	28	47	294	262	8.6	15.3
American Indian or Alaska Native	21	21	5	3	16	18	*	*
Native Hawaiian or Other Pacific Islander	*	13	*	*	*	13	*	*
Asian	70	61	7	2	63	59	*	*
Two or More Races	53	44	12	6	42	38	*	*
Hispanic or Latino	370	439	47	54	323	385	12.6	12.2
<b>EDUCATION</b>								
< High School	773	816	130	126	643	689	16.8	15.5
High School Graduate	928	930	89 <sup>b</sup>	152	839	778	9.6 <sup>b</sup>	16.4
Some College	795	706	65	54	730	651	8.2	7.7
College Graduate	184	172	3	7	182	165	1.6	4.2
<b>CURRENT EMPLOYMENT</b>								
Full-Time	1,181	1,151	126	156	1,055	995	10.7	13.5
Part-Time	669	650	50	52	619	598	7.5	8.0
Unemployed	328	337	48	43	280	294	14.6	12.7
Other <sup>f</sup>	502	487	63	90	439	397	12.5	18.5

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>f</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.75B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2002 and 2003**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	8.6	8.3	0.9	1.1	7.7	7.2	10.7	13.0
<b>GENDER</b>								
Male	11.1	10.4	1.2	1.5	9.9	9.0	10.7	13.9
Female	6.2	6.1	0.7	0.7	5.5	5.4	10.7	11.3
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	9.0	8.4	0.9	1.1	8.1 <sup>a</sup>	7.3	10.4 <sup>a</sup>	13.1
White	9.5	8.8	1.0	1.2	8.5 <sup>a</sup>	7.7	10.3	13.1
Black or African American	7.9	7.2	0.7	1.1	7.2	6.1	8.6	15.3
American Indian or Alaska Native	9.8	11.3	2.5	1.6	7.4	9.7	*	*
Native Hawaiian or Other Pacific Islander	*	8.4	*	*	*	8.4	*	*
Asian	5.1	4.2	0.5	0.2	4.6	4.1	*	*
Two or More Races	13.2	12.2	2.9	1.7	10.3	10.5	*	*
Hispanic or Latino	6.7	7.7	0.8	0.9	5.9	6.8	12.6	12.2
<b>EDUCATION</b>								
< High School	11.2	11.9	1.9	1.8	9.4	10.0	16.8	15.5
High School Graduate	8.8	8.5	0.8 <sup>a</sup>	1.4	7.9	7.1	9.6 <sup>b</sup>	16.4
Some College	8.1	7.1	0.7	0.6	7.5	6.6	8.2	7.7
College Graduate	4.9	4.3	0.1	0.2	4.8	4.2	1.6	4.2
<b>CURRENT EMPLOYMENT</b>								
Full-Time	8.2	7.9	0.9	1.1	7.3	6.8	10.7	13.5
Part-Time	8.5	7.9	0.6	0.6	7.8	7.3	7.5	8.0
Unemployed	13.4	12.5	1.9	1.6	11.4	10.9	14.6	12.7
Other <sup>1</sup>	8.1	7.8	1.0	1.4	7.1	6.3	12.5	18.5

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 5.76A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	3,654	3,382	983 <sup>a</sup>	649	2,670	2,732	26.9 <sup>a</sup>	19.2
<b>GENDER</b>								
Male	2,362	2,181	563	429	1,799	1,752	23.8	19.7
Female	1,292	1,200	420 <sup>a</sup>	220	871	980	32.5 <sup>a</sup>	18.3
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	3,108	2,958	884	622	2,225	2,335	28.4	21.0
White	2,227	2,303	614	440	1,614	1,863	27.6	19.1
Black or African American	779 <sup>a</sup>	499	249	145	531	354	*	*
American Indian or Alaska Native	24	33	*	17	16	16	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	23	57	0	6	23	51	*	*
Two or More Races	43	56	13	14	30	42	*	*
Hispanic or Latino	545	424	99 <sup>a</sup>	27	446	397	*	*
<b>EDUCATION</b>								
< High School	1,061	916	330	210	732	706	31.0	22.9
High School Graduate	1,148	1,096	393	208	756	888	34.2 <sup>a</sup>	19.0
Some College	954	984	186	185	768	799	19.5	18.8
College Graduate	490	386	75	47	415	339	*	*
<b>CURRENT EMPLOYMENT</b>								
Full-Time	2,087	2,145	394	297	1,693	1,847	18.9	13.9
Part-Time	429	335	123	76	306	258	*	*
Unemployed	386	207	156	58	230	150	*	*
Other <sup>f</sup>	751	695	311	218	441	477	41.3	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>f</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.76B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2002 and 2003**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	2.0	1.9	0.5 <sup>a</sup>	0.4	1.5	1.5	26.9 <sup>a</sup>	19.2
<b>GENDER</b>								
Male	2.8	2.5	0.7	0.5	2.1	2.0	23.8	19.7
Female	1.4	1.3	0.4 <sup>a</sup>	0.2	0.9	1.0	32.5 <sup>a</sup>	18.3
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1.9	1.8	0.6	0.4	1.4	1.5	28.4	21.0
White	1.7	1.8	0.5	0.3	1.2	1.4	27.6	19.1
Black or African American	4.1 <sup>a</sup>	2.6	1.3	0.7	2.8	1.8	*	*
American Indian or Alaska Native	2.2	3.7	*	1.9	1.5	1.8	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.4	0.8	0.0	0.1	0.3	0.7	*	*
Two or More Races	2.5	3.1	0.7	0.8	1.8	2.3	*	*
Hispanic or Latino	2.8	2.1	0.5 <sup>a</sup>	0.1	2.3	2.0	*	*
<b>EDUCATION</b>								
< High School	3.5	3.0	1.1	0.7	2.4	2.3	31.0	22.9
High School Graduate	2.0	2.0	0.7	0.4	1.3	1.6	34.2 <sup>a</sup>	19.0
Some College	2.2	2.3	0.4	0.4	1.8	1.9	19.5	18.8
College Graduate	1.0	0.8	0.2	0.1	0.8	0.7	*	*
<b>CURRENT EMPLOYMENT</b>								
Full-Time	2.0	2.1	0.4	0.3	1.7	1.8	18.9	13.9
Part-Time	2.2	1.6	0.6	0.4	1.6	1.3	*	*
Unemployed	7.5 <sup>a</sup>	3.8	3.0	1.1	4.5	2.8	*	*
Other <sup>1</sup>	1.4	1.3	0.6	0.4	0.8	0.9	41.3	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.77A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	6,334	6,006	1,270	990	5,064	5,016	20.1	16.5
<b>GENDER</b>								
Male	4,083	3,843	748	661	3,335	3,182	18.3	17.2
Female	2,251	2,163	522 <sup>a</sup>	329	1,729	1,834	23.2 <sup>a</sup>	15.2
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	5,419	5,143	1,124	909	4,295	4,234	20.7	17.7
White	4,059	4,039	802	668	3,257	3,371	19.8	16.5
Black or African American	1,101 <sup>a</sup>	809	276	193	825	616	25.1	23.8
American Indian or Alaska Native	45	54	13	20	32	34	*	*
Native Hawaiian or Other Pacific Islander	24	23	*	*	24	23	*	*
Asian	94	118	8	8	86	110	*	*
Two or More Races	96	100	24	20	72	80	*	*
Hispanic or Latino	915	862	146	81	769	782	16.0	9.4
<b>EDUCATION</b>								
< High School	1,834	1,731	459	336	1,375	1,396	25.0	19.4
High School Graduate	2,076	2,027	482	360	1,595	1,666	23.2	17.8
Some College	1,749	1,689	252	239	1,498	1,450	14.4	14.2
College Graduate	674	558	78	54	596	504	*	9.7
<b>CURRENT EMPLOYMENT</b>								
Full-Time	3,268	3,295	520	453	2,749	2,842	15.9	13.7
Part-Time	1,098	984	173	128	925	856	15.7	13.0
Unemployed	714	544	204	100	510	444	*	18.5
Other <sup>f</sup>	1,253	1,182	373	308	880	874	29.8	26.1

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>f</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.77B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2002 and 2003**

Demographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	3.0	2.8	0.6	0.5	2.4	2.4	20.1	16.5
<b>GENDER</b>								
Male	4.0	3.8	0.7	0.6	3.3	3.1	18.3	17.2
Female	2.1	2.0	0.5 <sup>a</sup>	0.3	1.6	1.7	23.2 <sup>a</sup>	15.2
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	2.9	2.8	0.6	0.5	2.3	2.3	20.7	17.7
White	2.7	2.7	0.5	0.4	2.2	2.2	19.8	16.5
Black or African American	4.7 <sup>a</sup>	3.4	1.2	0.8	3.6	2.6	25.1	23.8
American Indian or Alaska Native	3.5	5.0	1.0	1.8	2.5	3.2	*	*
Native Hawaiian or Other Pacific Islander	3.3	5.6	*	*	3.3	5.6	*	*
Asian	1.2	1.3	0.1	0.1	1.1	1.2	*	*
Two or More Races	4.5	4.6	1.1	0.9	3.4	3.7	*	*
Hispanic or Latino	3.6	3.3	0.6	0.3	3.1	3.0	16.0	9.4
<b>EDUCATION</b>								
< High School	4.9	4.6	1.2	0.9	3.7	3.7	25.0	19.4
High School Graduate	3.1	3.0	0.7	0.5	2.3	2.5	23.2	17.8
Some College	3.3	3.2	0.5	0.5	2.8	2.8	14.4	14.2
College Graduate	1.3	1.0	0.1	0.1	1.1	0.9	*	9.7
<b>CURRENT EMPLOYMENT</b>								
Full-Time	2.8	2.8	0.4	0.4	2.4	2.4	15.9	13.7
Part-Time	4.0	3.4	0.6	0.4	3.4	3.0	15.7	13.0
Unemployed	9.4 <sup>a</sup>	6.7	2.7	1.2	6.7	5.5	*	18.5
Other <sup>1</sup>	2.1	2.0	0.6	0.5	1.5	1.5	29.8	26.1

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.78A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	7,748	7,333	1,412 <sup>a</sup>	1,103	6,335	6,230	18.2	15.0
<b>GEOGRAPHIC DIVISION</b>								
Northeast	1,580	1,418	342	237	1,238	1,181	21.6	16.7
New England	466	472	106	54	359	418	*	11.4
Middle Atlantic	1,114	946	235	183	879	763	21.1	19.4
Midwest	1,667	1,556	325	250	1,342	1,306	19.5	16.1
East North Central	1,217	1,078	246	162	971	915	20.2	15.1
West North Central	450	479	78	88	371	391	17.4	18.4
South	2,607	2,595	450	401	2,157	2,194	17.3	15.5
South Atlantic	1,446	1,414	251	231	1,195	1,183	17.3	16.4
East South Central	479	378	78	82	401	295	*	*
West South Central	682	803	121	87	561 <sup>a</sup>	716	17.8	10.9
West	1,894	1,764	296	214	1,598	1,550	15.6	12.1
Mountain	513	576	47	83	465	492	9.3	14.5
Pacific	1,381	1,188	248 <sup>a</sup>	131	1,133	1,058	18.0	11.0
<b>COUNTY TYPE<sup>1</sup></b>								
Large Metro	4,284	3,957	754	629	3,530	3,328	17.6	15.9
Small Metro	2,344	2,309	499 <sup>a</sup>	291	1,844	2,019	21.3 <sup>b</sup>	12.6
250K - 1 Mil. Pop.	1,517	1,448	336 <sup>a</sup>	209	1,181	1,239	22.1 <sup>a</sup>	14.5
< 250K Pop.	826	861	163	81	663	780	*	9.4
Nonmetro	1,120	1,067	159	183	961	884	14.2	17.1
Urbanized	445	568	61	99	384	469	13.7	17.4
Less Urbanized	571	451	92	70	479	380	16.1	15.6
Completely Rural	104	48	6	13	98 <sup>a</sup>	34	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.78B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	3.3	3.1	0.6 <sup>a</sup>	0.5	2.7	2.6	18.2	15.0
<b>GEOGRAPHIC DIVISION</b>								
Northeast	3.5	3.1	0.8	0.5	2.7	2.6	21.6	16.7
New England	3.9	4.0	0.9	0.5	3.0	3.5	*	11.4
Middle Atlantic	3.3	2.8	0.7	0.5	2.6	2.3	21.1	19.4
Midwest	3.1	2.9	0.6	0.5	2.5	2.4	19.5	16.1
East North Central	3.3	2.9	0.7	0.4	2.6	2.4	20.2	15.1
West North Central	2.8	3.0	0.5	0.5	2.3	2.4	17.4	18.4
South	3.1	3.1	0.5	0.5	2.6	2.6	17.3	15.5
South Atlantic	3.3	3.2	0.6	0.5	2.7	2.7	17.3	16.4
East South Central	3.4	2.7	0.6	0.6	2.8	2.1	*	*
West South Central	2.6	3.1	0.5	0.3	2.2 <sup>a</sup>	2.7	17.8	10.9
West	3.6	3.3	0.6	0.4	3.0	2.9	15.6	12.1
Mountain	3.3	3.7	0.3	0.5	3.0	3.2	9.3	14.5
Pacific	3.7	3.1	0.7 <sup>a</sup>	0.3	3.0	2.8	18.0	11.0
<b>COUNTY TYPE<sup>1</sup></b>								
Large Metro	3.4	3.1	0.6	0.5	2.8	2.6	17.6	15.9
Small Metro	3.4	3.2	0.7 <sup>b</sup>	0.4	2.7	2.8	21.3 <sup>b</sup>	12.6
250K - 1 Mil. Pop.	3.3	3.1	0.7 <sup>a</sup>	0.4	2.6	2.6	22.1 <sup>a</sup>	14.5
< 250K Pop.	3.5	3.5	0.7	0.3	2.8	3.2	*	9.4
Nonmetro	2.8	2.7	0.4	0.5	2.4	2.2	14.2	17.1
Urbanized	2.8	3.2	0.4	0.6	2.4	2.6	13.7	17.4
Less Urbanized	2.9	2.5	0.5	0.4	2.4	2.1	16.1	15.6
Completely Rural	2.3	1.2	0.1	0.3	2.2 <sup>a</sup>	0.8	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.79A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	1,414	1,327	142	113	1,272	1,214	10.1	8.5
<b>GEOGRAPHIC DIVISION</b>								
Northeast	287 <sup>b</sup>	209	21	10	266 <sup>b</sup>	198	7.4	5.0
New England	91 <sup>a</sup>	66	9 <sup>a</sup>	2	82	64	10.1 <sup>a</sup>	2.4
Middle Atlantic	195 <sup>a</sup>	143	12	9	184 <sup>a</sup>	134	6.1	6.2
Midwest	320	332	46	31	275	301	14.3	9.3
East North Central	233	237	32 <sup>a</sup>	14	201	223	13.7 <sup>a</sup>	6.0
West North Central	88	95	14	17	74	79	15.8	*
South	490	455	50	41	440	414	10.2	8.9
South Atlantic	298 <sup>b</sup>	208	30	7	268 <sup>a</sup>	201	10.0	3.3
East South Central	58	69	4	11	54	57	*	*
West South Central	134	178	16	22	119	156	*	12.5
West	317	331	25	31	291	300	8.0	9.4
Mountain	101	117	9	8	92	108	8.9	7.2
Pacific	216	214	16	23	199	192	7.6	10.6
<b>COUNTY TYPE<sup>1</sup></b>								
Large Metro	737	677	64	50	673	627	8.7	7.4
Small Metro	434	408	54	38	380	370	12.5	9.4
250K - 1 Mil. Pop.	290	259	31	22	259	237	10.8	8.6
< 250K Pop.	144	149	23	16	121	133	*	10.6
Nonmetro	243	242	24	25	218	217	10.0	10.3
Urbanized	93	107	7	12	85	95	7.8	11.2
Less Urbanized	123	117	13	12	110	104	10.6	10.5
Completely Rural	27	18	*	1	23	18	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.79B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	5.7	5.3	0.6	0.5	5.1	4.9	10.1	8.5
<b>GEOGRAPHIC DIVISION</b>								
Northeast	6.4 <sup>b</sup>	4.7	0.5	0.2	6.0 <sup>b</sup>	4.4	7.4	5.0
New England	7.9 <sup>a</sup>	5.6	0.8 <sup>a</sup>	0.1	7.1	5.5	10.1 <sup>a</sup>	2.4
Middle Atlantic	5.9 <sup>a</sup>	4.3	0.4	0.3	5.6 <sup>a</sup>	4.1	6.1	6.2
Midwest	5.6	5.8	0.8	0.5	4.8	5.3	14.3	9.3
East North Central	5.8	5.9	0.8 <sup>a</sup>	0.4	5.0	5.6	13.7 <sup>a</sup>	6.0
West North Central	5.1	5.6	0.8	1.0	4.3	4.6	15.8	*
South	5.6	5.1	0.6	0.5	5.0	4.6	10.2	8.9
South Atlantic	6.8 <sup>b</sup>	4.6	0.7	0.2	6.1 <sup>a</sup>	4.5	10.0	3.3
East South Central	4.1	4.7	0.3	0.8	3.8	3.9	*	*
West South Central	4.5	6.0	0.5	0.7	4.0	5.3	*	12.5
West	5.4	5.6	0.4	0.5	5.0	5.1	8.0	9.4
Mountain	5.9	6.8	0.5	0.5	5.4	6.3	8.9	7.2
Pacific	5.2	5.2	0.4	0.5	4.8	4.6	7.6	10.6
<b>COUNTY TYPE<sup>1</sup></b>								
Large Metro	5.6	5.1	0.5	0.4	5.1	4.7	8.7	7.4
Small Metro	6.0	5.5	0.7	0.5	5.2	5.0	12.5	9.4
250K - 1 Mil. Pop.	5.9	5.2	0.6	0.4	5.3	4.8	10.8	8.6
< 250K Pop.	6.1	6.2	1.0	0.7	5.2	5.5	*	10.6
Nonmetro	5.6	5.6	0.6	0.6	5.1	5.1	10.0	10.3
Urbanized	5.4	5.8	0.4	0.6	5.0	5.1	7.8	11.2
Less Urbanized	5.8	5.9	0.6	0.6	5.2	5.3	10.6	10.5
Completely Rural	5.8	4.2	*	0.2	4.9	4.0	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 5.80A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	2,680	2,624	287	340	2,393	2,284	10.7	13.0
<b>GEOGRAPHIC DIVISION</b>								
Northeast	542	517	56	70	486	447	10.4	13.6
New England	168	167	22	15	147	152	12.8	9.1
Middle Atlantic	374	350	35	55	339	295	9.3 <sup>a</sup>	15.7
Midwest	585	565	74	79	510	486	12.7	14.0
East North Central	412	400	52	58	361	342	12.5	14.6
West North Central	172	165	23	21	150	144	13.2	12.6
South	917	829	105	105	812	724	11.4	12.7
South Atlantic	473	427	50	55	423	373	10.6	12.8
East South Central	152	109	15	19	137 <sup>a</sup>	90	*	*
West South Central	291	293	39	32	252	261	13.4	10.8
West	637	713	52	86	585	627	8.1	12.0
Mountain	197	210	7 <sup>b</sup>	25	190	185	3.6 <sup>b</sup>	11.9
Pacific	439	502	44	61	395	442	10.1	12.1
<b>COUNTY TYPE<sup>1</sup></b>								
Large Metro	1,417	1,440	148	186	1,269	1,254	10.5	12.9
Small Metro	883	814	99	105	784	709	11.2	12.9
250K - 1 Mil. Pop.	513	539	52	66	460	472	10.2	12.3
< 250K Pop.	370 <sup>a</sup>	275	46	39	324 <sup>a</sup>	236	12.5	14.1
Nonmetro	380	370	40	49	340	321	10.5	13.3
Urbanized	170	205	14	19	156	186	*	9.2
Less Urbanized	177	154	25	27	152	127	14.1	17.8
Completely Rural	33 <sup>a</sup>	11	1	*	32 <sup>b</sup>	8	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.80B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	8.6	8.3	0.9	1.1	7.7	7.2	10.7	13.0
<b>GEOGRAPHIC DIVISION</b>								
Northeast	9.8	9.2	1.0	1.2	8.8	7.9	10.4	13.6
New England	11.7	11.4	1.5	1.0	10.2	10.3	12.8	9.1
Middle Atlantic	9.2	8.4	0.9	1.3	8.3	7.1	9.3 <sup>a</sup>	15.7
Midwest	8.1	7.7	1.0	1.1	7.1	6.6	12.7	14.0
East North Central	8.3	7.9	1.0	1.1	7.3	6.7	12.5	14.6
West North Central	7.7	7.2	1.0	0.9	6.7	6.3	13.2	12.6
South	8.3	7.3	0.9	0.9	7.4 <sup>a</sup>	6.4	11.4	12.7
South Atlantic	8.8	7.7	0.9	1.0	7.8	6.7	10.6	12.8
East South Central	8.0 <sup>a</sup>	5.6	0.8	1.0	7.2 <sup>a</sup>	4.6	*	*
West South Central	7.8	7.7	1.1	0.8	6.8	6.9	13.4	10.8
West	8.7	9.6	0.7	1.2	8.0	8.5	8.1	12.0
Mountain	9.0	9.4	0.3 <sup>a</sup>	1.1	8.7	8.3	3.6 <sup>b</sup>	11.9
Pacific	8.6	9.7	0.9	1.2	7.7	8.5	10.1	12.1
<b>COUNTY TYPE<sup>1</sup></b>								
Large Metro	8.9	8.7	0.9	1.1	8.0	7.6	10.5	12.9
Small Metro	8.7	8.0	1.0	1.0	7.7	6.9	11.2	12.9
250K - 1 Mil. Pop.	8.0	8.1	0.8	1.0	7.1	7.1	10.2	12.3
< 250K Pop.	9.9 <sup>a</sup>	7.7	1.2	1.1	8.7 <sup>a</sup>	6.6	12.5	14.1
Nonmetro	7.6	7.5	0.8	1.0	6.8	6.5	10.5	13.3
Urbanized	7.6	8.7	0.6	0.8	7.0	7.9	*	9.2
Less Urbanized	7.8	7.0	1.1	1.3	6.7	5.8	14.1	17.8
Completely Rural	7.2 <sup>a</sup>	3.0	0.3	*	6.8 <sup>b</sup>	2.3	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.81A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	3,654	3,382	983 <sup>a</sup>	649	2,670	2,732	26.9 <sup>a</sup>	19.2
<b>GEOGRAPHIC DIVISION</b>								
Northeast	751	692	264	156	487	535	*	22.6
New England	207	239	76	37	131	202	*	*
Middle Atlantic	545	452	188	119	356	333	*	*
Midwest	762	660	205	141	557	519	26.9	21.3
East North Central	572	441	163	90	409	351	*	*
West North Central	190	218	42	51	148	168	*	*
South	1,200	1,311	296	255	904	1,056	24.6	19.5
South Atlantic	675	779	170	170	505	609	25.2	*
East South Central	269	200	59	52	210	148	*	*
West South Central	256	331	66	34	190	298	*	*
West	940	720	219	97	722	622	*	13.5
Mountain	214	248	31	50	183	198	*	*
Pacific	726	472	187 <sup>a</sup>	47	539	424	*	*
<b>COUNTY TYPE<sup>1</sup></b>								
Large Metro	2,130	1,840	542	393	1,588	1,446	25.5	21.4
Small Metro	1,027	1,087	347 <sup>a</sup>	147	680	940	33.8 <sup>b</sup>	13.6
250K - 1 Mil. Pop.	715	650	252 <sup>a</sup>	121	462	529	35.3 <sup>a</sup>	18.6
< 250K Pop.	312	437	94	27	218 <sup>a</sup>	410	*	*
Nonmetro	497	455	94	109	402	346	*	*
Urbanized	183	256	40	68	142	188	*	*
Less Urbanized	271	180	54	31	217	149	*	*
Completely Rural	43	18	*	10	43	9	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.81B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	2.0	1.9	0.5 <sup>a</sup>	0.4	1.5	1.5	26.9 <sup>a</sup>	19.2
<b>GEOGRAPHIC DIVISION</b>								
Northeast	2.1	2.0	0.8	0.4	1.4	1.5	*	22.6
New England	2.2	2.6	0.8	0.4	1.4	2.2	*	*
Middle Atlantic	2.1	1.7	0.7	0.5	1.4	1.3	*	*
Midwest	1.9	1.6	0.5	0.3	1.4	1.3	26.9	21.3
East North Central	2.0	1.5	0.6	0.3	1.4	1.2	*	*
West North Central	1.6	1.8	0.3	0.4	1.2	1.4	*	*
South	1.9	2.0	0.5	0.4	1.4	1.6	24.6	19.5
South Atlantic	2.0	2.3	0.5	0.5	1.5	1.8	25.2	*
East South Central	2.5	1.8	0.5	0.5	1.9	1.4	*	*
West South Central	1.3	1.7	0.3	0.2	1.0	1.5	*	*
West	2.4	1.8	0.5 <sup>a</sup>	0.2	1.8	1.5	*	13.5
Mountain	1.9	2.1	0.3	0.4	1.6	1.7	*	*
Pacific	2.6	1.6	0.7 <sup>a</sup>	0.2	1.9	1.5	*	*
<b>COUNTY TYPE<sup>1</sup></b>								
Large Metro	2.2	1.9	0.6	0.4	1.6	1.5	25.5	21.4
Small Metro	2.0	2.0	0.7 <sup>b</sup>	0.3	1.3	1.7	33.8 <sup>b</sup>	13.6
250K - 1 Mil. Pop.	2.1	1.8	0.7 <sup>a</sup>	0.3	1.4	1.5	35.3 <sup>a</sup>	18.6
< 250K Pop.	1.8	2.4	0.5	0.1	1.2 <sup>a</sup>	2.2	*	*
Nonmetro	1.6	1.5	0.3	0.4	1.3	1.1	*	*
Urbanized	1.5	1.9	0.3	0.5	1.2	1.4	*	*
Less Urbanized	1.8	1.3	0.4	0.2	1.4	1.1	*	*
Completely Rural	1.2	0.6	*	0.3	1.2	0.3	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.82A Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	6,334	6,006	1,270	990	5,064	5,016	20.1	16.5
<b>GEOGRAPHIC DIVISION</b>								
Northeast	1,293	1,209	320	227	973	982	24.8	18.7
New England	375	406	97	52	277	354	*	12.9
Middle Atlantic	918	803	223	174	695	628	24.3	21.7
Midwest	1,347	1,224	279	220	1,068	1,005	20.7	17.9
East North Central	985	841	214	148	770	693	21.8	17.6
West North Central	362	383	65	72	297	312	*	*
South	2,117	2,140	400	360	1,717	1,779	18.9	16.8
South Atlantic	1,148	1,206	221	224	928	982	19.2	18.6
East South Central	421	309	74	71	347	238	*	*
West South Central	548	624	106	65	442	559	19.3	10.4
West	1,577	1,433	270	183	1,307	1,250	17.1	12.8
Mountain	412	459	38	75	373	384	*	16.4
Pacific	1,165	974	232 <sup>a</sup>	108	934	866	19.9	11.1
<b>COUNTY TYPE<sup>1</sup></b>								
Large Metro	3,547	3,280	690	580	2,856	2,700	19.5	17.7
Small Metro	1,910	1,901	445 <sup>a</sup>	252	1,465	1,648	23.3 <sup>b</sup>	13.3
250K - 1 Mil. Pop.	1,227	1,189	305 <sup>a</sup>	187	923	1,002	24.8 <sup>a</sup>	15.7
< 250K Pop.	683	712	141	65	542	647	*	9.2
Nonmetro	877	825	134	158	743	667	15.3	19.1
Urbanized	353	461	54	87	299	374	*	*
Less Urbanized	448	334	79	58	369	276	17.6	17.4
Completely Rural	76	29	1	12	75 <sup>a</sup>	17	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.82B Needed and Received Treatment for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2002 and 2003**

Geographic Characteristic	NEEDED TREATMENT FOR AN ILLICIT DRUG PROBLEM IN THE PAST YEAR						Percentage Who Received Treatment at a Specialty Facility among Persons Who Needed Treatment	
	Total		Received Treatment at a Specialty Facility		Did Not Receive Treatment at a Specialty Facility		2002	2003
	2002	2003	2002	2003	2002	2003		
<b>TOTAL</b>	3.0	2.8	0.6	0.5	2.4	2.4	20.1	16.5
<b>GEOGRAPHIC DIVISION</b>								
Northeast	3.2	3.0	0.8	0.6	2.4	2.4	24.8	18.7
New England	3.5	3.8	0.9	0.5	2.6	3.3	*	12.9
Middle Atlantic	3.1	2.7	0.7	0.6	2.3	2.1	24.3	21.7
Midwest	2.8	2.5	0.6	0.5	2.2	2.1	20.7	17.9
East North Central	2.9	2.5	0.6	0.4	2.3	2.1	21.8	17.6
West North Central	2.5	2.7	0.5	0.5	2.1	2.2	*	*
South	2.8	2.8	0.5	0.5	2.3	2.3	18.9	16.8
South Atlantic	2.9	3.0	0.6	0.6	2.4	2.5	19.2	18.6
East South Central	3.3	2.4	0.6	0.6	2.7	1.9	*	*
West South Central	2.4	2.7	0.5	0.3	1.9	2.4	19.3	10.4
West	3.4	3.0	0.6	0.4	2.8	2.6	17.1	12.8
Mountain	3.0	3.3	0.3	0.5	2.7	2.8	*	16.4
Pacific	3.5	2.9	0.7 <sup>a</sup>	0.3	2.8	2.5	19.9	11.1
<b>COUNTY TYPE<sup>1</sup></b>								
Large Metro	3.2	2.9	0.6	0.5	2.5	2.4	19.5	17.7
Small Metro	3.1	3.0	0.7 <sup>a</sup>	0.4	2.4	2.6	23.3 <sup>b</sup>	13.3
250K - 1 Mil. Pop.	3.0	2.8	0.8 <sup>a</sup>	0.4	2.3	2.4	24.8 <sup>a</sup>	15.7
< 250K Pop.	3.2	3.2	0.7	0.3	2.5	2.9	*	9.2
Nonmetro	2.5	2.3	0.4	0.4	2.1	1.9	15.3	19.1
Urbanized	2.5	2.9	0.4	0.5	2.1	2.3	*	*
Less Urbanized	2.6	2.1	0.5	0.4	2.1	1.7	17.6	17.4
Completely Rural	1.9	0.8	0.0	0.3	1.9 <sup>b</sup>	0.5	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on any illicit drug; (2) abuse of any illicit drug; or (3) received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.83A Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	6,335	6,230	362	426	88	*	274	*	5,974	5,805
<b>AGE</b>										
12-17	1,272	1,214	62	46	*	*	*	*	1,210	1,168
18-25	2,393	2,284	126	103	*	*	*	*	2,267	2,180
26 or Older	2,670	2,732	173	276	*	*	*	*	2,497	2,456
<b>GENDER</b>										
Male	4,041	3,828	206	256	*	*	*	*	3,835	3,572
Female	2,294	2,403	155	170	*	*	*	*	2,139	2,232

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment. Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 5.83B Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Percentages, 2002 and 2003**

Demographic Characteristic	Total Needing But Not Receiving Treatment <sup>1</sup>		FELT NEED FOR TREATMENT <sup>2</sup>						Did Not Feel Need for Treatment <sup>2</sup>	
			Total		Made Effort		Made No Effort			
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	100.0	100.0	5.7	6.8	24.4	*	75.6	*	94.3	93.2
<b>AGE</b>										
12-17	100.0	100.0	4.9	3.8	*	*	*	*	95.1	96.2
18-25	100.0	100.0	5.3	4.5	*	*	*	*	94.7	95.5
26 or Older	100.0	100.0	6.5	10.1	*	*	*	*	93.5	89.9
<b>GENDER</b>										
Male	100.0	100.0	5.1	6.7	*	*	*	*	94.9	93.3
Female	100.0	100.0	6.8	7.1	*	*	*	*	93.2	92.9

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment. Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.