

Table 6.35C Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

Source of Payment ¹	Total		AGE GROUP (Years)					
			18-25		26-49		50 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Self or Family Member Living in Household	286	267	42	45	204	194	193	164
Family Member Not Living in Household	31	50	21	22	15	41	19	20
Private Health Insurance	339	316	43	44	211	224	234	214
Medicare	143	133	14	18	65	87	126	99
Medicaid	123	109	19	17	88	84	81	63
Rehabilitation Program	29	20	4	3	20	16	*	11
Employer	139	131	16	14	107	98	83	87
VA or Other Military Program	64	87	7	9	46	42	44	75
Other Public Source	65	67	12	12	47	61	42	22
Other Private Source	66	35	10	11	23	30	61	12
Free Treatment	105	95	25	22	79	50	65	77

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

¹ Respondents could indicate multiple sources of payment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.35D Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2002 and 2003

Source of Payment ¹	Total		AGE GROUP (Years)					
			18-25		26-49		50 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Self or Family Member Living in Household	1.39	1.32	1.54	1.55	1.57	1.58	3.58	3.11
Family Member Not Living in Household	0.21	0.33	0.91	0.99	0.16	0.45	0.41	0.46
Private Health Insurance	1.52	1.39	1.60	1.71	1.63	1.64	3.70	3.27
Medicare	0.85	0.82	0.64	0.80	0.71	0.94	2.56	2.10
Medicaid	0.77	0.70	0.85	0.76	0.95	0.95	1.73	1.40
Rehabilitation Program	0.18	0.13	0.20	0.15	0.22	0.18	*	0.26
Employer	0.87	0.82	0.72	0.65	1.14	1.03	1.77	1.95
VA or Other Military Program	0.41	0.56	0.32	0.42	0.51	0.48	0.97	1.69
Other Public Source	0.41	0.44	0.57	0.56	0.51	0.69	0.94	0.50
Other Private Source	0.41	0.23	0.48	0.52	0.25	0.34	1.33	0.28
Free Treatment	0.66	0.60	1.13	0.94	0.86	0.57	1.41	1.72

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

¹ Respondents could indicate multiple sources of payment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.35P Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Source of Payment ¹	Total		AGE GROUP (Years)					
			18-25		26-49		50 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Self or Family Member Living in Household	0.9579		0.0263		0.7000		0.9060	
Family Member Not Living in Household	0.0079		0.3830		0.0041		0.9575	
Private Health Insurance	0.2435		0.4478		0.6321		0.1432	
Medicare	0.4721		0.4710		0.2156		0.0602	
Medicaid	0.8153		0.5509		0.6862		0.8022	
Rehabilitation Program	0.5159		0.5008		0.6355		*	
Employer	0.5292		0.4363		0.8217		0.3642	
VA or Other Military Program	0.3917		0.1665		0.3288		0.1061	
Other Public Source	0.3347		0.3916		0.0686		0.4487	
Other Private Source	0.3286		0.9591		0.1611		0.0387	
Free Treatment	0.0224		0.0018		0.0061		0.7975	

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

¹ Respondents could indicate multiple sources of payment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.36C Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older with Past Year Serious Mental Illness Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

Source of Payment ¹	Total		AGE GROUP (Years)					
			18-25		26-49		50 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Self or Family Member Living in Household	135	150	33	34	122	103	*	*
Family Member Not Living in Household	22	30	15	16	9	26	*	1
Private Health Insurance	191	192	31	33	130	125	*	*
Medicare	80	103	8	9	48	66	*	*
Medicaid	97	92	16	13	62	68	*	51
Rehabilitation Program	14	19	2	2	13	15	*	*
Employer	68	69	7	11	67	54	*	38
VA or Other Military Program	37	52	5	6	32	38	*	35
Other Public Source	49	49	9	9	39	48	*	3
Other Private Source	19	20	9	8	18	17	*	*
Free Treatment	57	74	15	12	41	27	*	*

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

¹ Respondents could indicate multiple sources of payment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.36D Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older with Past Year Serious Mental Illness Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2002 and 2003

Source of Payment ¹	Total		AGE GROUP (Years)					
			18-25		26-49		50 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Self or Family Member Living in Household	2.10	1.94	2.36	2.21	2.61	2.31	*	*
Family Member Not Living in Household	0.38	0.49	1.40	1.49	0.24	0.72	*	0.09
Private Health Insurance	2.33	2.17	2.26	2.49	2.65	2.54	*	*
Medicare	1.34	1.56	0.79	0.87	1.30	1.69	*	*
Medicaid	1.59	1.42	1.51	1.19	1.68	1.81	*	3.34
Rehabilitation Program	0.24	0.31	0.22	0.16	0.37	0.41	*	*
Employer	1.16	1.12	0.67	1.02	1.75	1.44	*	2.58
VA or Other Military Program	0.64	0.84	0.54	0.52	0.87	1.06	*	2.45
Other Public Source	0.84	0.81	0.90	0.87	1.06	1.33	*	0.19
Other Private Source	0.33	0.34	0.86	0.78	0.49	0.48	*	*
Free Treatment	0.98	1.18	1.41	1.08	1.13	0.75	*	*

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

¹ Respondents could indicate multiple sources of payment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.36P Source of Payment for Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older with Past Year Serious Mental Illness Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Source of Payment ¹	Total		AGE GROUP (Years)					
			18-25		26-49		50 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
Self or Family Member Living in Household	0.5252		0.1343		0.2038		*	
Family Member Not Living in Household	0.1506		0.9807		0.0172		*	
Private Health Insurance	0.4457		0.4087		0.5305		*	
Medicare	0.1902		0.7005		0.1217		*	
Medicaid	0.8038		0.9543		0.2311		*	
Rehabilitation Program	0.6329		0.5720		0.9239		*	
Employer	0.9770		0.0590		0.3327		*	
VA or Other Military Program	0.3943		0.3869		0.9748		*	
Other Public Source	0.5903		0.3329		0.1438		*	
Other Private Source	0.8076		0.7630		0.5381		*	
Free Treatment	0.2830		0.0014		0.1190		*	

*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with missing treatment/counseling information are excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

¹ Respondents could indicate multiple sources of payment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.