

Table 6.43C Substance Use, Substance Dependence or Abuse, and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Receipt of and Perceived Need for Past Year Mental Health Treatment/Counseling: Standard Errors of Numbers in Thousands, 2002 and 2003

Substance Use/Dependence or Abuse/Serious Mental Illness	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²							
			Received				Not Received			
			Unmet Need		No Unmet Need		Unmet Need		No Unmet Need	
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	587	574	111	123	205	205	116	111	505	461
Marijuana and Hashish	464	457	88	101	167	148	89	84	407	376
Nonmedical Use of Any Psychotherapeutic ⁴	383	361	83	82	152	147	92	82	308	278
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	438	425	100	98	169	159	104	95	360	341
CIGARETTES	1,003	956	148	149	298	303	155	149	921	812
ALCOHOL	1,796	1,725	183	209	464	480	210	191	1,635	1,511
ANY ILLICIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE^{3,5}	471	428	105	103	189	166	99	104	389	351
Any Illicit Drug Dependence or Abuse ^{3,5}	229	205	70	73	123	81	62	65	151	154
Alcohol Dependence or Abuse ⁵	436	397	92	90	162	142	90	94	374	326
SERIOUS MENTAL ILLNESS⁶	458	481	180	181	240	281	141	134	301	284

*Low precision; no estimate reported.

¹ Estimates in the Total column represent substance use, dependence or abuse, and serious mental illness in the past year for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with missing treatment/counseling information are excluded.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

⁵ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

⁶ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.43D Substance Use, Substance Dependence or Abuse, and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Receipt of and Perceived Need for Past Year Mental Health Treatment/Counseling: Standard Errors of Percentages, 2002 and 2003

Substance Use/Dependence or Abuse/Serious Mental Illness	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²							
			Received				Not Received			
			Unmet Need		No Unmet Need		Unmet Need		No Unmet Need	
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	0.27	0.25	1.83	1.88	0.88	0.83	1.79	1.83	0.27	0.25
Marijuana and Hashish	0.22	0.21	1.56	1.63	0.76	0.62	1.44	1.50	0.23	0.21
Nonmedical Use of Any Psychotherapeutic ⁴	0.17	0.17	1.43	1.40	0.64	0.62	1.43	1.42	0.17	0.16
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	0.20	0.19	1.68	1.60	0.71	0.66	1.58	1.61	0.19	0.19
CIGARETTES	0.39	0.38	2.16	1.95	1.22	1.12	2.09	2.18	0.43	0.39
ALCOHOL	0.43	0.42	2.15	1.89	1.19	1.16	2.06	1.71	0.48	0.45
ANY ILLICIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE^{3,5}	0.21	0.19	1.79	1.73	0.81	0.67	1.54	1.67	0.21	0.19
Any Illicit Drug Dependence or Abuse ^{3,5}	0.11	0.09	1.26	1.30	0.54	0.35	1.02	1.13	0.08	0.09
Alcohol Dependence or Abuse ⁵	0.19	0.18	1.64	1.57	0.72	0.59	1.41	1.57	0.20	0.18
SERIOUS MENTAL ILLNESS⁶	0.21	0.20	2.06	2.08	0.98	1.03	2.02	1.86	0.17	0.15

*Low precision; no estimate reported.

¹ Estimates in the Total column represent substance use, dependence or abuse, and serious mental illness in the past year for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with missing treatment/counseling information are excluded.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

⁵ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

⁶ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.43P Substance Use, Substance Dependence or Abuse, and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Receipt of and Perceived Need for Past Year Mental Health Treatment/Counseling: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Substance Use/Dependence or Abuse/Serious Mental Illness	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²							
			Received				Not Received			
			Unmet Need		No Unmet Need		Unmet Need		No Unmet Need	
	2002	2003	2002	2003	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	0.5876		0.3831		0.9661		0.8281		0.5213	
Marijuana and Hashish	0.3442		0.6329		0.4933		0.6138		0.3452	
Nonmedical Use of Any Psychotherapeutic ⁴	0.7429		0.4299		0.5609		0.6337		0.8441	
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	0.5770		0.9810		0.9637		0.3049		0.8188	
CIGARETTES	0.1001		0.7579		0.8849		0.7845		0.0931	
ALCOHOL	0.0414		0.3374		0.5068		0.7462		0.0114	
ANY ILLICIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE^{3,5}	0.2436		0.2820		0.1979		0.3185		0.6753	
Any Illicit Drug Dependence or Abuse ^{3,5}	0.3827		0.9413		0.1578		0.4033		0.6196	
Alcohol Dependence or Abuse ⁵	0.3540		0.6137		0.3140		0.3475		0.6426	
SERIOUS MENTAL ILLNESS⁶	0.0017		0.3482		0.0855		0.0002		0.0624	

*Low precision; no estimate reported.

¹ Estimates in the Total column represent substance use, dependence or abuse, and serious mental illness in the past year for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with missing treatment/counseling information are excluded.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

⁵ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

⁶ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.44C Substance Use, Substance Dependence or Abuse, and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Perceived Need for Past Year Mental Health Treatment/Counseling: Standard Errors of Numbers in Thousands, 2002 and 2003

Substance Use/Dependence or Abuse/Serious Mental Illness	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Unmet Need		No Unmet Need	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	587	574	166	171	548	522
Marijuana and Hashish	464	457	128	135	447	416
Nonmedical Use of Any Psychotherapeutic ⁴	383	361	124	118	350	328
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	438	425	150	141	400	387
CIGARETTES	1,003	956	223	213	960	903
ALCOHOL	1,796	1,725	286	276	1,742	1,662
ANY ILLICIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE^{3,5}	471	428	147	152	443	392
Any Illicit Drug Dependence or Abuse ^{3,5}	229	205	92	102	210	174
Alcohol Dependence or Abuse ⁵	436	397	130	135	411	362
SERIOUS MENTAL ILLNESS⁶	458	481	237	225	382	402

*Low precision; no estimate reported.

¹ Estimates in the Total column represent substance use, dependence or abuse, and serious mental illness in the past year for all persons aged 18 or older, including those with unknown perceived need for mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with missing treatment/counseling information are excluded.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

⁵ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

⁶ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.44D Substance Use, Substance Dependence or Abuse, and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Perceived Need for Past Year Mental Health Treatment/Counseling: Standard Errors of Percentages, 2002 and 2003

Substance Use/Dependence or Abuse/Serious Mental Illness	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Unmet Need		No Unmet Need	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	0.27	0.25	1.28	1.32	0.27	0.25
Marijuana and Hashish	0.22	0.21	1.03	1.13	0.22	0.20
Nonmedical Use of Any Psychotherapeutic ⁴	0.17	0.17	1.01	1.00	0.17	0.16
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	0.20	0.19	1.17	1.15	0.19	0.19
CIGARETTES	0.39	0.38	1.49	1.39	0.40	0.38
ALCOHOL	0.43	0.42	1.50	1.22	0.45	0.43
ANY ILLICIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE^{3,5}	0.21	0.19	1.16	1.28	0.21	0.19
Any Illicit Drug Dependence or Abuse ^{3,5}	0.11	0.09	0.79	0.89	0.10	0.09
Alcohol Dependence or Abuse ⁵	0.19	0.18	1.06	1.18	0.20	0.17
SERIOUS MENTAL ILLNESS⁶	0.21	0.20	1.57	1.38	0.19	0.18

*Low precision; no estimate reported.

¹ Estimates in the Total column represent substance use, dependence or abuse, and serious mental illness in the past year for all persons aged 18 or older, including those with unknown perceived need for mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with missing treatment/counseling information are excluded.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

⁵ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

⁶ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 6.44P Substance Use, Substance Dependence or Abuse, and Serious Mental Illness in the Past Year among Persons Aged 18 or Older, by Perceived Need for Past Year Mental Health Treatment/Counseling: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Substance Use/Dependence or Abuse/Serious Mental Illness	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Unmet Need		No Unmet Need	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	0.5876		0.6380		0.6033	
Marijuana and Hashish	0.3442		0.4926		0.2856	
Nonmedical Use of Any Psychotherapeutic ⁴	0.7429		0.8541		0.6361	
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	0.5770		0.4774		0.8936	
CIGARETTES	0.1001		0.9347		0.1229	
ALCOHOL	0.0414		0.3766		0.0312	
ANY ILLICIT DRUG OR ALCOHOL DEPENDENCE OR ABUSE^{3,5}	0.2436		0.9609		0.3304	
Any Illicit Drug Dependence or Abuse ^{3,5}	0.3827		0.5085		0.2625	
Alcohol Dependence or Abuse ⁵	0.3540		0.7658		0.3819	
SERIOUS MENTAL ILLNESS⁶	0.0017		0.0007		0.0072	

*Low precision; no estimate reported.

¹ Estimates in the Total column represent substance use, dependence or abuse, and serious mental illness in the past year for all persons aged 18 or older, including those with unknown perceived need for mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care, outpatient care, or using prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with missing treatment/counseling information are excluded.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

⁵ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

⁶ Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)* and resulted in functional impairment that substantially interfered with or limited one or more major life activities. See Section B.4 of Appendix B of the *Results from the 2003 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.