

Table 7.13A Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	11,916	11,974	7,606	7,496
Marijuana and Hashish	9,499	9,768	5,085	4,870
Cocaine	1,671	1,869	348	412
Crack	519	548	48	56
Heroin	126	104	40	15
Hallucinogens	866	752	331	291
LSD	95	95	17	39
PCP	55	48	*	*
Ecstasy	511 ^b	333	165	137
Inhalants	285	274	350	296
Nonmedical Use of Any Psychotherapeutic ²	3,567	3,485	2,643	2,851
Pain Relievers	2,450	2,573	1,927	2,120
Tranquilizers	1,203	1,188	601	642
Stimulants	850	782	368	410
Methamphetamine	469	460	128	148
Sedatives	289 ^a	168	147	126
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	5,390	5,243	3,387	3,605

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.13B Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Percentages, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	19.5	19.8	4.4	4.2
Marijuana and Hashish	15.5	16.2	2.9	2.7
Cocaine	2.7	3.1	0.2	0.2
Crack	0.8	0.9	0.0	0.0
Heroin	0.2	0.2	0.0	0.0
Hallucinogens	1.4	1.2	0.2	0.2
LSD	0.2	0.2	0.0	0.0
PCP	0.1	0.1	*	*
Ecstasy	0.8 ^b	0.6	0.1	0.1
Inhalants	0.5	0.5	0.2	0.2
Nonmedical Use of Any Psychotherapeutic ²	5.8	5.8	1.5	1.6
Pain Relievers	4.0	4.3	1.1	1.2
Tranquilizers	2.0	2.0	0.3	0.4
Stimulants	1.4	1.3	0.2	0.2
Methamphetamine	0.8	0.8	0.1	0.1
Sedatives	0.5 ^a	0.3	0.1	0.1
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	8.8	8.7	1.9	2.0

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.14A Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Numbers in Thousands, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	1,543	1,473	1,335	1,338
Marijuana and Hashish	1,304	1,277	719	695
Cocaine	124	116	22	37
Crack	23	26	4	7
Heroin	9	14	2	4
Hallucinogens	182	182	73	78
LSD	50	36	11	15
PCP	21	14	2	7
Ecstasy	98	74	26	17
Inhalants	124	137	177	183
Nonmedical Use of Any Psychotherapeutic ²	445	460	535	536
Pain Relievers	346	364	448	437
Tranquilizers	140	131	48 ^b	95
Stimulants	117	136	83	85
Methamphetamine	48	48	15	21
Sedatives	24	27	23	20
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	681	660	739	756

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.14B Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Percentages, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	48.1	48.4	6.2	6.1
Marijuana and Hashish	40.6	41.9	3.3	3.2
Cocaine	3.9	3.8	0.1	0.2
Crack	0.7	0.8	0.0	0.0
Heroin	0.3	0.5	0.0	0.0
Hallucinogens	5.7	6.0	0.3	0.4
LSD	1.5	1.2	0.1	0.1
PCP	0.7	0.5	0.0	0.0
Ecstasy	3.1	2.4	0.1	0.1
Inhalants	3.9	4.5	0.8	0.8
Nonmedical Use of Any Psychotherapeutic ²	13.9	15.1	2.5	2.4
Pain Relievers	10.8	12.0	2.1	2.0
Tranquilizers	4.4	4.3	0.2 ^b	0.4
Stimulants	3.6	4.5	0.4	0.4
Methamphetamine	1.5	1.6	0.1	0.1
Sedatives	0.7	0.9	0.1	0.1
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	21.2	21.7	3.4	3.4

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.15A Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Numbers in Thousands, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	4,500	4,490	1,764	1,945
Marijuana and Hashish	4,003	3,869	1,373	1,530
Cocaine	533	576	98	120
Crack	51	51	2	3
Heroin	35	24	4	1
Hallucinogens	458	426	131	119
LSD	30	47	6	20
PCP	14	29	1	*
Ecstasy	286 ^b	191	69	39
Inhalants	108	81	42	53
Nonmedical Use of Any Psychotherapeutic ²	1,201	1,332	482	581
Pain Relievers	899	1,019	363 ^a	467
Tranquilizers	380	394	108	132
Stimulants	306	301	80	99
Methamphetamine	133	161	27	24
Sedatives	37	43	12	16
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	1,804	1,898	655	768

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.15B Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Percentages, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	35.6	35.2	9.6	10.3
Marijuana and Hashish	31.6	30.3	7.5	8.1
Cocaine	4.2	4.5	0.5	0.6
Crack	0.4	0.4	0.0	0.0
Heroin	0.3	0.2	0.0	0.0
Hallucinogens	3.6	3.3	0.7	0.6
LSD	0.2	0.4	0.0	0.1
PCP	0.1	0.2	0.0	*
Ecstasy	2.3 ^b	1.5	0.4 ^a	0.2
Inhalants	0.9	0.6	0.2	0.3
Nonmedical Use of Any Psychotherapeutic ²	9.5	10.4	2.6	3.1
Pain Relievers	7.1	8.0	2.0 ^a	2.5
Tranquilizers	3.0	3.1	0.6	0.7
Stimulants	2.4	2.4	0.4	0.5
Methamphetamine	1.0	1.3	0.1	0.1
Sedatives	0.3	0.3	0.1	0.1
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	14.3	14.9	3.6	4.0

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.16A Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	5,873	6,011	4,507	4,213
Marijuana and Hashish	4,192	4,622	2,993	2,645
Cocaine	1,015	1,177	229	254
Crack	445	471	43	47
Heroin	81	66	35	10
Hallucinogens	225	144	127	94
LSD	15	12	*	*
PCP	20	5	*	*
Ecstasy	127	69	70	80
Inhalants	53	56	130	60
Nonmedical Use of Any Psychotherapeutic ²	1,922	1,693	1,627	1,734
Pain Relievers	1,205	1,190	1,116	1,216
Tranquilizers	683	663	446	415
Stimulants	427	345	204	225
Methamphetamine	289	250	86	103
Sedatives	228 ^a	98	112	91
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	2,905	2,686	1,992	2,081

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.16B Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Percentages, 2002 and 2003

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2002	2003	2002	2003
ANY ILLICIT DRUG¹	13.0	13.5	3.4	3.1
Marijuana and Hashish	9.3	10.4	2.2	1.9
Cocaine	2.2	2.6	0.2	0.2
Crack	1.0	1.1	0.0	0.0
Heroin	0.2	0.1	0.0	0.0
Hallucinogens	0.5	0.3	0.1	0.1
LSD	0.0	0.0	*	*
PCP	0.0	0.0	*	*
Ecstasy	0.3	0.2	0.1	0.1
Inhalants	0.1	0.1	0.1	0.0
Nonmedical Use of Any Psychotherapeutic ²	4.2	3.8	1.2	1.3
Pain Relievers	2.7	2.7	0.8	0.9
Tranquilizers	1.5	1.5	0.3	0.3
Stimulants	0.9	0.8	0.2	0.2
Methamphetamine	0.6	0.6	0.1	0.1
Sedatives	0.5 ^a	0.2	0.1	0.1
ANY ILLICIT DRUG OTHER THAN MARIJUANA¹	6.4	6.0	1.5	1.5

*Low precision; no estimate reported.

^aDifference between estimate and 2003 estimate is statistically significant at the 0.05 level.

^bDifference between estimate and 2003 estimate is statistically significant at the 0.01 level.

¹ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

² Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.