

**Table 7.70A Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2002 and 2003**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>ANY ILLICIT DRUG<sup>3</sup></b>	4,425	4,520	1,590	1,690	2,835	2,830
Marijuana and Hashish	3,821	3,858	1,388	1,451	2,433	2,407
Cocaine	417	459	154	166	263	293
Crack	32	39	8	3	24	37
Heroin	29	18	1	0	28	17
Hallucinogens	458	413	177	144	281	269
LSD	27 <sup>a</sup>	59	11	29	16	31
PCP	7 <sup>a</sup>	27	2	1	4 <sup>a</sup>	26
Ecstasy	271 <sup>b</sup>	167	87 <sup>a</sup>	50	184 <sup>a</sup>	116
Inhalants	117	95	39	47	78	48
Nonmedical Use of Any Psychotherapeutic <sup>4</sup>	1,211	1,316	429	456	782	861
Pain Relievers	923	1,041	312	343	611	698
Tranquilizers	346	347	110	101	236	246
Stimulants	288	259	125	104	163	155
Methamphetamine	100	96	15	4	85	91
Sedatives	33	31	6	7	26	23
<b>ANY ILLICIT DRUG OTHER THAN MARIJUANA<sup>3</sup></b>	1,756	1,842	615	683	1,142	1,159

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.70B Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Percentages, 2002 and 2003**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>ANY ILLICIT DRUG<sup>3</sup></b>	21.7	22.1	20.7	21.4	22.4	22.5
Marijuana and Hashish	18.8	18.9	18.0	18.4	19.2	19.1
Cocaine	2.0	2.2	2.0	2.1	2.1	2.3
Crack	0.2	0.2	0.1	0.0	0.2	0.3
Heroin	0.1	0.1	0.0	0.0	0.2	0.1
Hallucinogens	2.3	2.0	2.3	1.8	2.2	2.1
LSD	0.1 <sup>a</sup>	0.3	0.1	0.4	0.1	0.2
PCP	0.0 <sup>a</sup>	0.1	0.0	0.0	0.0 <sup>a</sup>	0.2
Ecstasy	1.3 <sup>b</sup>	0.8	1.1 <sup>a</sup>	0.6	1.5 <sup>a</sup>	0.9
Inhalants	0.6	0.5	0.5	0.6	0.6	0.4
Nonmedical Use of Any Psychotherapeutic <sup>4</sup>	5.9	6.4	5.6	5.8	6.2	6.8
Pain Relievers	4.5	5.1	4.1	4.4	4.8	5.5
Tranquilizers	1.7	1.7	1.4	1.3	1.9	2.0
Stimulants	1.4	1.3	1.6	1.3	1.3	1.2
Methamphetamine	0.5	0.5	0.2	0.1	0.7	0.7
Sedatives	0.2	0.1	0.1	0.1	0.2	0.2
<b>ANY ILLICIT DRUG OTHER THAN MARIJUANA<sup>3</sup></b>	8.6	9.0	8.0	8.7	9.0	9.2

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.71A Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2002 and 2003**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>ANY ILLICIT DRUG<sup>3</sup></b>	2,603	2,702	848	923	1,755	1,779
Marijuana and Hashish	2,284	2,370	755	810	1,529	1,561
Cocaine	269	294	106	87	163	207
Crack	26	31	8	3	18	29
Heroin	23	8	1	*	21	8
Hallucinogens	290	289	112	100	178	189
LSD	9 <sup>b</sup>	49	*	23	9	26
PCP	3 <sup>a</sup>	23	*	1	3	21
Ecstasy	172 <sup>b</sup>	88	56 <sup>a</sup>	26	116 <sup>b</sup>	62
Inhalants	80	69	29	31	51	38
Nonmedical Use of Any Psychotherapeutic <sup>4</sup>	647	755	199	242	448	513
Pain Relievers	511	594	133	187	379	406
Tranquilizers	192	188	61	56	131	132
Stimulants	151	166	68	53	82	113
Methamphetamine	54	74	12 <sup>a</sup>	1	42	72
Sedatives	21	19	3	1	18	18
<b>ANY ILLICIT DRUG OTHER THAN MARIJUANA<sup>3</sup></b>	1,007	1,111	326	384	681	728

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.71B Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Percentages, 2002 and 2003**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>ANY ILLICIT DRUG<sup>3</sup></b>	25.2	26.2	23.4	25.5	26.2	26.5
Marijuana and Hashish	22.1	22.9	20.8	22.4	22.9	23.2
Cocaine	2.6	2.8	2.9	2.4	2.4	3.1
Crack	0.3	0.3	0.2	0.1	0.3	0.4
Heroin	0.2	0.1	0.0	*	0.3	0.1
Hallucinogens	2.8	2.8	3.1	2.8	2.7	2.8
LSD	0.1 <sup>b</sup>	0.5	*	0.6	0.1	0.4
PCP	0.0 <sup>a</sup>	0.2	*	0.0	0.1	0.3
Ecstasy	1.7 <sup>b</sup>	0.9	1.5 <sup>a</sup>	0.7	1.7 <sup>b</sup>	0.9
Inhalants	0.8	0.7	0.8	0.9	0.8	0.6
Nonmedical Use of Any Psychotherapeutic <sup>4</sup>	6.3	7.3	5.5	6.7	6.7	7.6
Pain Relievers	5.0	5.7	3.7	5.2	5.7	6.1
Tranquilizers	1.9	1.8	1.7	1.5	2.0	2.0
Stimulants	1.5	1.6	1.9	1.5	1.2	1.7
Methamphetamine	0.5	0.7	0.3 <sup>a</sup>	0.0	0.6	1.1
Sedatives	0.2	0.2	0.1	0.0	0.3	0.3
<b>ANY ILLICIT DRUG OTHER THAN MARIJUANA<sup>3</sup></b>	9.8	10.8	9.0	10.6	10.2	10.8

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.72A Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2002 and 2003**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>ANY ILLICIT DRUG<sup>3</sup></b>	1,822	1,818	742	767	1,080	1,051
Marijuana and Hashish	1,537	1,488	633	641	904	847
Cocaine	148	164	48	79	100	85
Crack	6	8	*	*	6	8
Heroin	6	10	*	0	6	10
Hallucinogens	168	124	65	44	103	80
LSD	17	10	11	5	6	5
PCP	3	5	2	*	1	5
Ecstasy	98	79	31	24	67	54
Inhalants	37	26	10	16	27 <sup>a</sup>	10
Nonmedical Use of Any Psychotherapeutic <sup>4</sup>	564	561	230	213	334	348
Pain Relievers	412	447	179	156	232	291
Tranquilizers	155	159	49	45	105	114
Stimulants	137 <sup>a</sup>	93	57	51	80 <sup>a</sup>	42
Methamphetamine	46 <sup>a</sup>	22	3	3	43 <sup>a</sup>	19
Sedatives	12	11	4	6	8	5
<b>ANY ILLICIT DRUG OTHER THAN MARIJUANA<sup>3</sup></b>	749	731	289	300	460	431

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.72B Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Percentages, 2002 and 2003**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>ANY ILLICIT DRUG<sup>3</sup></b>	18.1	17.9	18.3	18.0	18.1	17.9
Marijuana and Hashish	15.3	14.7	15.6	15.0	15.1	14.5
Cocaine	1.5	1.6	1.2	1.8	1.7	1.5
Crack	0.1	0.1	*	*	0.1	0.1
Heroin	0.1	0.1	*	0.0	0.1	0.2
Hallucinogens	1.7	1.2	1.6	1.0	1.7	1.4
LSD	0.2	0.1	0.3	0.1	0.1	0.1
PCP	0.0	0.0	0.1	*	0.0	0.1
Ecstasy	1.0	0.8	0.8	0.6	1.1	0.9
Inhalants	0.4	0.3	0.3	0.4	0.4	0.2
Nonmedical Use of Any Psychotherapeutic <sup>4</sup>	5.6	5.5	5.7	5.0	5.6	5.9
Pain Relievers	4.1	4.4	4.4	3.6	3.9 <sup>a</sup>	5.0
Tranquilizers	1.5	1.6	1.2	1.0	1.8	2.0
Stimulants	1.4 <sup>a</sup>	0.9	1.4	1.2	1.3 <sup>a</sup>	0.7
Methamphetamine	0.5 <sup>a</sup>	0.2	0.1	0.1	0.7 <sup>a</sup>	0.3
Sedatives	0.1	0.1	0.1	0.1	0.1	0.1
<b>ANY ILLICIT DRUG OTHER THAN MARIJUANA<sup>3</sup></b>	7.5	7.2	7.1	7.0	7.7	7.4

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>4</sup> Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.73A Any Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	4,425	4,520	1,590	1,690	2,835	2,830
<b>AGE</b>						
18	974	1,042	303	279	671	763
19	913	914	384	430	528	484
20	910	967	375	415	536	552
21	877	812	313	314	564	498
22	751	786	215	252	536	533
<b>GENDER</b>						
Male	2,603	2,702	848	923	1,755	1,779
Female	1,822	1,818	742	767	1,080	1,051
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	3,866	3,907	1,501	1,540	2,364	2,367
White	3,151	3,125	1,287	1,270	1,864	1,855
Black or African American	509	546	137	167	371	379
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	79	110	50	69	29	41
Two or More Races	81	75	17	*	64	51
Hispanic or Latino	560	613	89 <sup>a</sup>	150	470	463

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.73B Any Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2002 and 2003**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	21.7	22.1	20.7	21.4	22.4	22.5
<b>AGE</b>						
18	22.3	22.6	22.0	18.9	22.5	24.3
19	22.3	23.5	20.3	22.6	24.1	24.4
20	22.8	24.0	21.3	23.8	23.9	24.2
21	21.7	20.7	20.1	20.2	22.6	21.1
22	19.4	19.6	19.4	20.8	19.4	19.0
<b>GENDER</b>						
Male	25.2	26.2	23.4	25.5	26.2	26.5
Female	18.1	17.9	18.3	18.0	18.1	17.9
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	22.9	23.0	21.5	21.8	24.0	23.9
White	24.6	24.6	23.8	23.5	25.2	25.3
Black or African American	18.5	18.9	14.8	17.3	20.4	19.8
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	9.7	12.5	9.9	12.8	9.5	12.2
Two or More Races	29.8	30.3	18.6	*	35.8	35.2
Hispanic or Latino	15.9	17.5	12.6	18.3	16.7	17.3

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 7.74A Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:  
Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	3,821	3,858	1,388	1,451	2,433	2,407
<b>AGE</b>						
18	836	897	260	237	576	660
19	807	795	347	375	460	421
20	791	799	324	355	467	444
21	743	699	263	281	480	418
22	644	668	194	203	450	464
<b>GENDER</b>						
Male	2,284	2,370	755	810	1,529	1,561
Female	1,537	1,488	633	641	904	847
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	3,405	3,396	1,318	1,349	2,087	2,047
White	2,787	2,701	1,130	1,110	1,657	1,591
Black or African American	437	496	122	156	315	339
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	68	91	42	58	26	34
Two or More Races	75	67	17	*	58	47
Hispanic or Latino	415	461	70	101	346	360

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.74B Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2002 and 2003**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	18.8	18.9	18.0	18.4	19.2	19.1
<b>AGE</b>						
18	19.2	19.5	18.9	16.1	19.3	21.1
19	19.7	20.5	18.3	19.7	21.0	21.2
20	19.8	19.8	18.4	20.4	20.8	19.4
21	18.4	17.8	16.9	18.0	19.3	17.7
22	16.7	16.6	17.6	16.8	16.3	16.6
<b>GENDER</b>						
Male	22.1	22.9	20.8	22.4	22.9	23.2
Female	15.3	14.7	15.6	15.0	15.1	14.5
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	20.2	20.0	18.9	19.1	21.2	20.7
White	21.8	21.2	20.9	20.5	22.5	21.7
Black or African American	15.9	17.2	13.1	16.2	17.3	17.7
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	8.4	10.4	8.2	10.6	8.6	10.0
Two or More Races	27.7	27.2	18.6	*	32.5	32.5
Hispanic or Latino	11.8	13.1	9.9	12.3	12.3	13.4

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.75A Tobacco and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2002 and 2003**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>ANY TOBACCO<sup>3</sup></b>	9,293	9,103	2,954	2,874	6,335	6,228
Cigarettes	8,313	8,166	2,509	2,476	5,802	5,689
Smokeless Tobacco	1,014	949	409 <sup>b</sup>	298	605	651
Cigars	2,471	2,556	852	826	1,618	1,731
Pipe Tobacco	249	212	73	73	176	139
<b>ALCOHOL</b>	11,808	11,987	4,931	5,115	6,877	6,868
Binge Alcohol Use <sup>4</sup>	8,348	8,292	3,417	3,429	4,930	4,862
Heavy Alcohol Use <sup>4</sup>	3,141	3,078	1,446	1,389	1,695	1,690

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.75B Tobacco and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Percentages, 2002 and 2003**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>ANY TOBACCO<sup>3</sup></b>	45.6	44.5	38.4	36.4	50.0	49.5
Cigarettes	40.8	39.9	32.6	31.4	45.8	45.3
Smokeless Tobacco	5.0	4.6	5.3 <sup>b</sup>	3.8	4.8	5.2
Cigars	12.1	12.5	11.1	10.5	12.8	13.8
Pipe Tobacco	1.2	1.0	0.9	0.9	1.4	1.1
<b>ALCOHOL</b>	58.0	58.6	64.1	64.9	54.3	54.6
Binge Alcohol Use <sup>4</sup>	41.0	40.5	44.4	43.5	38.9	38.7
Heavy Alcohol Use <sup>4</sup>	15.4	15.0	18.8	17.6	13.4	13.4

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.76A Tobacco and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2002 and 2003**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>ANY TOBACCO<sup>3</sup></b>	5,358	5,260	1,587	1,502	3,769	3,757
Cigarettes	4,516	4,515	1,208	1,185	3,308	3,330
Smokeless Tobacco	977	901	389 <sup>b</sup>	275	588	625
Cigars	1,881	1,953	610	625	1,269	1,328
Pipe Tobacco	190	165	58	50	131	115
<b>ALCOHOL</b>	6,364	6,507	2,370	2,477	3,994	4,030
Binge Alcohol Use <sup>4</sup>	4,988	5,044	1,820	1,866	3,168	3,178
Heavy Alcohol Use <sup>4</sup>	2,139	2,148	919	862	1,220	1,286

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.76B Tobacco and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Percentages, 2002 and 2003**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>ANY TOBACCO<sup>3</sup></b>	51.9	50.9	43.7	41.5	56.4	56.0
Cigarettes	43.8	43.7	33.3	32.8	49.5	49.6
Smokeless Tobacco	9.5	8.7	10.7 <sup>b</sup>	7.6	8.8	9.3
Cigars	18.2	18.9	16.8	17.3	19.0	19.8
Pipe Tobacco	1.8	1.6	1.6	1.4	2.0	1.7
<b>ALCOHOL</b>	61.7	63.0	65.2	68.5	59.7	60.0
Binge Alcohol Use <sup>4</sup>	48.3	48.8	50.1	51.6	47.4	47.3
Heavy Alcohol Use <sup>4</sup>	20.7	20.8	25.3	23.8	18.2	19.1

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.77A Tobacco and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2002 and 2003**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>ANY TOBACCO<sup>3</sup></b>	3,934	3,843	1,367	1,372	2,566	2,471
Cigarettes	3,797	3,651	1,301	1,292	2,494	2,359
Smokeless Tobacco	37	49	20	23	17	26
Cigars	591	603	242	201	349	402
Pipe Tobacco	59	47	14	23	45	24
<b>ALCOHOL</b>	5,444	5,480	2,561	2,638	2,883	2,839
Binge Alcohol Use <sup>4</sup>	3,359	3,248	1,597	1,563	1,762	1,685
Heavy Alcohol Use <sup>4</sup>	1,002	931	527	527	475	404

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.77B Tobacco and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Percentages, 2002 and 2003**

Drug	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>ANY TOBACCO<sup>3</sup></b>	39.2	37.9	33.7	32.1	42.9	42.2
Cigarettes	37.8	36.0	32.0	30.3	41.7	40.3
Smokeless Tobacco	0.4	0.5	0.5	0.5	0.3	0.4
Cigars	5.9	6.0	6.0	4.7	5.8	6.9
Pipe Tobacco	0.6	0.5	0.4	0.5	0.8	0.4
<b>ALCOHOL</b>	54.2	54.1	63.1	61.8	48.2	48.5
Binge Alcohol Use <sup>4</sup>	33.5	32.1	39.3	36.6	29.5	28.8
Heavy Alcohol Use <sup>4</sup>	10.0	9.2	13.0	12.3	7.9	6.9

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

<sup>3</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>4</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 7.78A Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	8,313	8,166	2,509	2,476	5,802	5,689
<b>AGE</b>						
18	1,560	1,551	400	372	1,160	1,179
19	1,580	1,445	583	583	996 <sup>a</sup>	862
20	1,671	1,775	589	606	1,081	1,169
21	1,870 <sup>a</sup>	1,647	560	528	1,310 <sup>a</sup>	1,119
22	1,632	1,749	377	388	1,255	1,361
<b>GENDER</b>						
Male	4,516	4,515	1,208	1,185	3,308	3,330
Female	3,797	3,651	1,301	1,292	2,494	2,359
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	7,214	6,956	2,336	2,254	4,877	4,702
White	6,004	5,740	2,018	1,939	3,985	3,800
Black or African American	739	785	149	152	590	632
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	225	226	123	115	102	112
Two or More Races	142	105	*	*	105	75
Hispanic or Latino	1,098	1,210	173	223	925	987

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.78B Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2002 and 2003**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	40.8	39.9	32.6	31.4	45.8	45.3
<b>AGE</b>						
18	35.8	33.7	29.0	25.3	38.9	37.6
19	38.7	37.2	30.8	30.7	45.5	43.4
20	41.8	44.1	33.5	34.8	48.3	51.2
21	46.2 <sup>a</sup>	42.0	36.0	33.9	52.6 <sup>a</sup>	47.3
22	42.2	43.5	34.0	32.0	45.5	48.5
<b>GENDER</b>						
Male	43.8	43.7	33.3	32.8	49.5	49.6
Female	37.8	36.0	32.0	30.3	41.7	40.3
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	42.8 <sup>a</sup>	41.0	33.4	31.9	49.5	47.6
White	46.9	45.1	37.3	35.9	54.0	51.9
Black or African American	26.9	27.2	16.0	15.7	32.4	33.0
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	27.9	25.8	24.3	21.2	33.9	33.2
Two or More Races	52.4	42.6	*	*	59.3	52.1
Hispanic or Latino	31.2	34.5	24.5	27.1	32.9	36.8

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.79A Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	11,808	11,987	4,931	5,115	6,877	6,868
<b>AGE</b>						
18	2,022	2,012	740	753	1,283	1,259
19	2,108	2,038	1,077	1,110	1,031	927
20	2,218	2,401	1,072	1,143	1,145	1,257
21	2,871	2,734	1,232	1,216	1,639	1,515
22	2,589	2,803	810	892	1,780	1,910
<b>GENDER</b>						
Male	6,364	6,507	2,370	2,477	3,994	4,030
Female	5,444	5,480	2,561	2,638	2,883	2,839
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	10,111	10,265	4,502	4,650	5,609	5,612
White	8,268	8,356	3,748	3,836	4,520	4,517
Black or African American	1,192	1,219	429	444	763	775
American Indian or Alaska Native	*	63	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	345	408	226	269	119	139
Two or More Races	175	160	*	*	107	87
Hispanic or Latino	1,697	1,722	428	464	1,268	1,256

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.79B Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2002 and 2003**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	58.0	58.6	64.1	64.9	54.3	54.6
<b>AGE</b>						
18	46.3	43.7	53.6	51.1	43.0	40.2
19	51.6	52.4	56.8	58.5	47.1	46.7
20	55.5 <sup>a</sup>	59.6	61.1	65.6	51.1	55.0
21	70.9	69.7	79.2	78.0	65.8	64.1
22	67.0	69.8	73.1	73.6	64.5	68.1
<b>GENDER</b>						
Male	61.7	63.0	65.2	68.5	59.7	60.0
Female	54.2	54.1	63.1	61.8	48.2	48.5
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	60.0	60.6	64.4	65.8	56.9	56.8
White	64.6	65.7	69.3	71.0	61.2	61.7
Black or African American	43.4	42.2	46.1	45.9	42.0	40.4
American Indian or Alaska Native	*	56.8	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	42.7	46.5	44.6	49.8	39.5	41.4
Two or More Races	64.5	64.7	*	*	60.2	60.2
Hispanic or Latino	48.2	49.1	60.7	56.4	45.1	46.8

\*Low precision; no estimate reported.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.80A Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	8,348	8,292	3,417	3,429	4,930	4,862
<b>AGE</b>						
18	1,421	1,454	520	532	901	921
19	1,564	1,412	789	721	775	690
20	1,549	1,666	721	762	828	904
21	2,031	1,876	869	803	1,162	1,072
22	1,783	1,886	519	611	1,264	1,275
<b>GENDER</b>						
Male	4,988	5,044	1,820	1,866	3,168	3,178
Female	3,359	3,248	1,597	1,563	1,762	1,685
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	7,125	7,085	3,151	3,125	3,974	3,959
White	6,047	6,022	2,741	2,741	3,306	3,280
Black or African American	650	635	202	184	448	452
American Indian or Alaska Native	*	51	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	198	238	133	144	65	94
Two or More Races	128 <sup>a</sup>	90	*	*	78	55
Hispanic or Latino	1,222	1,208	266	303	956	903

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.80B Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2002 and 2003**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	41.0	40.5	44.4	43.5	38.9	38.7
<b>AGE</b>						
18	32.6	31.5	37.7	36.1	30.2	29.4
19	38.3	36.3	41.6	37.9	35.4	34.7
20	38.7	41.4	41.0	43.7	37.0	39.6
21	50.2	47.8	55.8	51.5	46.6	45.4
22	46.1	47.0	46.9	50.4	45.8	45.5
<b>GENDER</b>						
Male	48.3	48.8	50.1	51.6	47.4	47.3
Female	33.5	32.1	39.3	36.6	29.5	28.8
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	42.3	41.8	45.1	44.2	40.3	40.0
White	47.3	47.3	50.7	50.7	44.8	44.8
Black or African American	23.7	22.0	21.7	19.0	24.7	23.6
American Indian or Alaska Native	*	45.7	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	24.5	27.2	26.2	26.7	21.7	28.0
Two or More Races	47.1	36.7	*	*	44.0	38.1
Hispanic or Latino	34.7	34.4	37.7	36.8	34.0	33.6

\*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.81A Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	3,141	3,078	1,446	1,389	1,695	1,690
<b>AGE</b>						
18	490	464	186	204	305	260
19	575	535	335	276	240	259
20	605	647	316	323	290	324
21	814	735	374	332	440	403
22	656	699	236	254	420	445
<b>GENDER</b>						
Male	2,139	2,148	919	862	1,220	1,286
Female	1,002	931	527	527	475	404
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	2,821	2,723	1,359	1,302	1,462	1,421
White	2,537	2,446	1,243	1,211	1,295	1,235
Black or African American	145	145	42	30	104	114
American Indian or Alaska Native	15	15	*	*	10	14
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	66	70	43	39	23	31
Two or More Races	55	37	*	*	28	19
Hispanic or Latino	320	356	87	87	232	269

\*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.81B Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2002 and 2003**

Demographic Characteristic	Total <sup>1</sup>		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 <sup>2</sup>	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	15.4	15.0	18.8	17.6	13.4	13.4
<b>AGE</b>						
18	11.2	10.1	13.5	13.8	10.2	8.3
19	14.1	13.8	17.7	14.5	11.0	13.0
20	15.1	16.1	18.0	18.5	12.9	14.2
21	20.1	18.7	24.0	21.3	17.7	17.1
22	17.0	17.4	21.3	21.0	15.2	15.9
<b>GENDER</b>						
Male	20.7	20.8	25.3	23.8	18.2	19.1
Female	10.0	9.2	13.0	12.3	7.9	6.9
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	16.7	16.1	19.4	18.4	14.8	14.4
White	19.8	19.2	23.0	22.4	17.5	16.9
Black or African American	5.3	5.0	4.5	3.1	5.7	6.0
American Indian or Alaska Native	10.8	13.8	*	*	9.3	14.3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	8.2	8.0	8.4	7.3	7.8	9.2
Two or More Races	20.4	15.2	*	*	15.9	13.3
Hispanic or Latino	9.1	10.1	12.3	10.5	8.3	10.0

\*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

<sup>a</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.05 level.

<sup>b</sup>Difference between estimate and 2003 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

<sup>2</sup> Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.