

Table 7.1C Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	281	248	54	51	96	103	252	219
12-49	191	198	36	37	71	69	170	178
50-99	142	134	22	28	46	48	133	118
100-299	209	194	41	37	70	81	191	168
300 or More	145	144	29	21	58	60	127	128
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	149	174	32	35	54	63	137	159
3-5	138	135	25	26	47	46	127	120
6-19	161	139	30	30	56	57	151	118
20 or More	173	174	32	29	65	74	154	157

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.1D Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2002 and 2003

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.83	0.75	1.01	1.00	0.73	0.84	1.58	1.37
12-49	0.65	0.65	0.81	0.85	0.64	0.63	1.20	1.22
50-99	0.52	0.49	0.53	0.69	0.44	0.50	1.00	0.88
100-299	0.73	0.67	0.95	0.86	0.65	0.72	1.35	1.18
300 or More	0.51	0.53	0.68	0.55	0.57	0.62	0.93	0.98
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.92	0.98	1.33	1.42	0.83	0.95	1.77	1.81
3-5	0.82	0.77	1.10	1.14	0.74	0.74	1.54	1.40
6-19	0.94	0.82	1.26	1.28	0.82	0.90	1.79	1.48
20 or More	0.95	0.98	1.32	1.26	0.94	1.04	1.77	1.79

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.1P Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.2527		0.6254		0.1394		0.4423	
12-49	0.2503		0.9465		0.6853		0.1549	
50-99	0.7290		0.0904		0.6652		0.9185	
100-299	0.9104		0.7584		0.3151		0.6438	
300 or More	0.9005		0.0502		0.3720		0.9227	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.1064		0.0303		0.4536		0.1222	
3-5	0.2621		0.7942		0.6761		0.3228	
6-19	0.1304		0.3648		0.9974		0.0727	
20 or More	0.5379		0.0032		0.3396		0.3941	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.2C Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	142	157	25	24	58	57	129	143
12-49	108	114	14	10	45	37	95	96
50-99	71	76	8	8	20	21	68	72
100-299	99	93	11	7	19	16	96	89
300 or More	35	21	4	5	5	8	35	20
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	82	95	*	13	28	35	75	87
3-5	59	83	*	6	18	19	54	81
6-19	63	47	5	8	13	13	62	44
20 or More	27	30	4	4	6	7	26	29

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.2D Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2002 and 2003

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	1.88	1.96	3.20	2.86	1.88	1.62	3.04	3.13
12-49	1.51	1.65	2.42	2.25	1.76	1.48	2.45	2.50
50-99	1.12	1.19	1.57	1.83	0.95	0.99	1.91	1.96
100-299	1.56	1.44	2.07	1.52	0.89	0.75	2.68	2.40
300 or More	0.59	0.36	0.74	1.06	0.25	0.36	1.02	0.58
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	2.90	3.03	*	5.01	2.69	2.89	4.37	4.55
3-5	2.48	2.83	*	3.84	2.32	2.53	3.75	4.33
6-19	2.59	1.85	3.43	4.45	1.89	1.76	4.10	2.76
20 or More	1.31	1.29	2.37	2.54	0.99	0.99	2.05	1.98

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.2P Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.8440		0.7645		0.5966		0.6645	
12-49	0.7501		0.3955		0.5993		0.8184	
50-99	0.4814		0.6580		0.5427		0.6460	
100-299	0.4060		0.9802		0.3448		0.4653	
300 or More	0.3681		0.7966		0.4581		0.2530	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.3456		*		0.9490		0.3635	
3-5	0.3623		*		0.9614		0.2200	
6-19	0.0117		0.4683		0.8529		0.0067	
20 or More	0.8992		0.8539		0.6975		0.9956	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.3C Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	135	127	30	31	79	75	100	92
12-49	57	55	20	16	34	28	41	43
50-99	35	31	12	10	16	17	29	21
100-299	19	30	12	9	14	10	4	*
300 or More	2	7	1	4	1	4	*	3
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	77	60	16	18	32	33	*	*
3-5	17	30	9	6	14	13	*	*
6-19	10	21	9	8	5	8	*	*
20 or More	8	5	3	3	7	4	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.3D Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2002 and 2003

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	1.29	1.52	2.20	2.14	1.31	1.47	3.83	4.39
12-49	1.10	1.27	1.81	1.79	1.13	1.27	3.26	3.74
50-99	0.74	0.76	1.18	1.24	0.62	0.77	2.32	1.93
100-299	0.40	0.75	1.18	1.07	0.55	0.49	0.37	*
300 or More	0.04	0.17	0.12	0.47	0.05	0.21	*	0.30
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	1.82	3.01	3.84	3.47	2.36	2.70	*	*
3-5	1.46	2.62	3.20	2.12	2.09	2.24	*	*
6-19	0.86	1.89	3.26	2.91	0.84	1.44	*	*
20 or More	0.66	0.46	1.17	1.01	1.23	0.73	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.3P Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.6196		0.2165		0.7433		0.9133	
12-49	0.3567		0.3063		0.4302		0.8753	
50-99	0.7859		0.6392		0.2672		0.3653	
100-299	0.6818		0.5677		0.2933		*	
300 or More	0.0223		0.2514		0.0816		*	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.0824		0.0317		0.7804		*	
3-5	0.6687		0.0015		0.4837		*	
6-19	0.0176		0.6744		0.0390		*	
20 or More	0.8088		0.6640		0.7931		*	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.4C Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	73	63	37	39	32	36	*	*
12-49	50	37	20	21	19	13	*	*
50-99	17	21	11	14	10	8	*	*
100-299	28	25	13	11	8	7	*	*
300 or More	4	4	4	4	*	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	59	37	18	21	*	*	*	*
3-5	20	19	10	11	7	*	*	*
6-19	15	15	7	6	*	*	*	*
20 or More	4	6	4	5	*	*	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.4D Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2002 and 2003

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	2.24	1.87	2.12	1.97	2.74	2.36	*	*
12-49	2.02	1.57	1.65	1.64	2.28	1.89	*	*
50-99	0.80	0.95	0.98	1.20	1.37	1.20	*	*
100-299	1.32	1.13	1.21	0.95	1.10	1.07	*	*
300 or More	0.17	0.17	0.34	0.31	*	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	4.05	3.67	3.61	3.57	*	*	*	*
3-5	3.14	2.95	3.06	3.01	4.31	*	*	*
6-19	2.36	2.56	2.22	1.81	*	*	*	*
20 or More	0.65	1.11	1.33	1.38	*	*	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.4P Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.1407		0.3039		0.0235		*	
12-49	0.0495		0.2472		0.0091		*	
50-99	0.4854		0.4647		0.5498		*	
100-299	0.9715		0.3866		0.6618		*	
300 or More	0.8697		0.8017		*		*	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.6593		0.5926		*		*	
3-5	0.5813		0.4539		*		*	
6-19	0.5436		0.5188		*		*	
20 or More	0.1024		0.5358		*		*	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.5C Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED CIGARETTES IN PAST MONTH AMONG PAST MONTH USERS								
1-2	262	241	36	35	67	61	254	226
3-5	182	194	31	26	62	54	170	179
6-19	242	234	35	30	69	63	225	222
20-29	261	292	26	31	62	64	254	276
30	774	714	41	39	135	144	738	678
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS								
Fewer Than 6	277	265	24	23	54	66	270	254
6-15 (1/2 Pack)	394	319	28	26	82	77	378	307
16-25 (1 Pack)	416	442	17	16	70	74	411	428
26 or More (More Than a Pack)	304	273	8	5	33	29	303	271
Not Reported	40	24	2	1	6	4	40	24

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.5D Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Percentages, 2002 and 2003

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED CIGARETTES IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.40	0.37	0.98	0.99	0.46	0.44	0.53	0.48
3-5	0.29	0.31	0.89	0.78	0.44	0.39	0.37	0.39
6-19	0.39	0.37	0.96	0.89	0.48	0.45	0.49	0.48
20-29	0.41	0.45	0.76	0.90	0.43	0.46	0.54	0.57
30	0.66	0.67	1.03	1.06	0.72	0.69	0.87	0.86
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS								
Fewer Than 6	0.63	0.61	1.90	2.00	0.72	0.84	0.78	0.74
6-15 (1/2 Pack)	0.81	0.75	2.10	2.16	0.92	0.85	0.99	0.91
16-25 (1 Pack)	0.85	0.85	1.56	1.65	0.88	0.84	1.05	1.05
26 or More (More Than a Pack)	0.68	0.64	0.71	0.59	0.47	0.41	0.84	0.80
Not Reported	0.10	0.06	0.21	0.08	0.09	0.07	0.13	0.08

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.5P Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED CIGARETTES IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.1340		0.0799		0.9284		0.0900	
3-5	0.4357		0.0271		0.9647		0.2409	
6-19	0.5444		0.8218		0.3584		0.7209	
20-29	0.0287		0.0347		0.7058		0.0355	
30	0.5811		0.1510		0.3149		0.4931	
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS								
Fewer Than 6	0.4464		0.8795		0.2576		0.6082	
6-15 (1/2 Pack)	0.3742		0.8979		0.5627		0.2766	
16-25 (1 Pack)	0.6400		0.5352		0.3342		0.5373	
26 or More (More Than a Pack)	0.8830		0.2263		0.2342		0.9279	
Not Reported	0.1965		0.1095		0.7049		0.2430	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.6C Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2002 and 2003

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	728	689	90	89	117	117	690	661
12-49	752	671	63	68	161	157	706	652
50-99	587	589	44	46	114	112	565	553
100-299	868	857	46	43	176	172	829	829
300 or More	442	377	16	13	42	42	438	377
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	690	661	59	63	129	125	665	640
3-5	676	671	45	50	134	134	641	650
6-19	713	671	41	40	170	171	678	638
20 or More	619	617	15	15	67	69	616	608

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.6D Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2002 and 2003

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.38	0.39	0.69	0.73	0.42	0.42	0.47	0.49
12-49	0.38	0.35	0.64	0.67	0.47	0.49	0.47	0.44
50-99	0.33	0.34	0.46	0.49	0.35	0.36	0.41	0.41
100-299	0.45	0.40	0.49	0.46	0.52	0.49	0.54	0.50
300 or More	0.27	0.23	0.18	0.15	0.17	0.16	0.34	0.29
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.47	0.46	0.97	0.98	0.53	0.51	0.56	0.57
3-5	0.46	0.47	0.84	0.91	0.51	0.54	0.56	0.57
6-19	0.48	0.43	0.80	0.82	0.57	0.59	0.57	0.53
20 or More	0.44	0.44	0.34	0.33	0.32	0.34	0.54	0.54

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.6P Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Frequency of Use	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	2002	2003	2002	2003	2002	2003	2002	2003
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.4456		0.1979		0.6323		0.5645	
12-49	0.6794		0.1153		0.4680		0.6857	
50-99	0.9103		0.5952		0.4297		0.9255	
100-299	0.8210		0.5432		0.7166		0.8378	
300 or More	0.9732		0.5389		0.5494		0.9501	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.7017		0.1900		0.5604		0.6837	
3-5	0.4815		0.9193		0.7247		0.4970	
6-19	0.0766		0.3680		0.4364		0.0994	
20 or More	0.4275		0.1502		0.8746		0.5143	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.7D Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption, by Detailed Age Categories: Standard Errors, 2003

Age Category	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month ¹	Average Number of Drinks Consumed Per User in Past Month ^{1,2}	Total Number (in Thousands) of Drinks Consumed in Past Month ³
TOTAL	0.39	0.10	0.03	0.65	90,228
12	0.34	0.35	0.72	3.70	487
13	0.50	0.27	0.29	2.92	801
14	0.69	0.25	0.28	3.27	1,949
15	0.85	0.23	0.19	3.28	3,022
16	0.96	0.18	0.17	2.31	3,114
17	1.01	0.18	0.26	2.80	4,607
18	1.13	0.18	0.19	2.81	6,495
19	1.36	0.21	0.17	2.64	6,339
20	1.23	0.22	0.16	2.54	7,170
21	1.18	0.19	0.14	2.19	7,402
22	1.17	0.20	0.10	1.68	5,971
23	1.19	0.19	0.14	2.06	6,713
24	1.18	0.23	0.16	2.70	7,279
25	1.24	0.21	0.13	1.88	5,452
26-29	1.29	0.24	0.18	2.03	22,065
30-34	1.03	0.19	0.08	1.24	17,263
35-39	1.14	0.23	0.08	1.60	22,252
40-44	1.14	0.22	0.09	1.87	28,146
45-49	1.15	0.28	0.08	1.47	22,079
50-54	1.66	0.38	0.18	4.99	56,403
55-59	1.88	0.46	0.11	1.77	17,857
60-64	2.20	0.52	0.11	1.97	13,063
65 or Older	1.36	0.49	0.06	1.72	26,376

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

³ The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003.

Table 7.8D Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption, by Demographic Characteristics: Standard Errors, 2003

Demographic Characteristic	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month ¹	Average Number of Drinks Consumed Per User in Past Month ^{1,2}	Total Number (in Thousands) of Drinks Consumed in Past Month ³
TOTAL	0.39	0.10	0.03	0.65	90,228
AGE					
12-17	0.33	0.10	0.12	1.39	6,687
18-25	0.50	0.08	0.05	0.83	20,591
26 or Older	0.49	0.12	0.04	0.79	85,582
GENDER					
Male	0.52	0.14	0.06	1.09	81,384
Female	0.49	0.12	0.03	0.48	30,371
HISPANIC ORIGIN AND RACE					
Not Hispanic or Latino	0.42	0.11	0.04	0.71	87,019
White	0.47	0.12	0.04	0.80	83,004
Black or African American	1.03	0.25	0.10	1.67	21,419
American Indian or Alaska Native	3.74	0.67	0.54	5.82	4,394
Native Hawaiian or Other Pacific Islander	5.40	1.35	0.93	18.89	4,459
Asian	2.38	0.52	0.11	1.26	5,723
Two or More Races	2.80	0.56	0.15	2.55	3,466
Hispanic or Latino	1.03	0.18	0.12	1.82	24,191

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

³ The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003.

Table 7.9D Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption among Persons Aged 12 to 20, by Demographic Characteristics: Standard Errors, 2003

Demographic Characteristic	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month ¹	Average Number of Drinks Consumed Per User in Past Month ^{1,2}	Total Number (in Thousands) of Drinks Consumed in Past Month ³
TOTAL	0.41	0.09	0.08	1.11	14,178
GENDER					
Male	0.53	0.13	0.13	1.95	12,594
Female	0.57	0.11	0.07	0.83	5,331
HISPANIC ORIGIN AND RACE					
Not Hispanic or Latino	0.46	0.09	0.08	1.14	12,639
White	0.50	0.10	0.09	1.25	11,695
Black or African American	0.84	0.26	0.17	2.98	3,203
American Indian or Alaska Native	2.94	0.58	0.91	7.60	648
Native Hawaiian or Other Pacific Islander	*	2.20	1.89	*	*
Asian	1.93	0.65	0.29	5.44	1,777
Two or More Races	2.55	0.38	0.35	2.76	483
Hispanic or Latino	0.84	0.24	0.25	3.55	6,252
GENDER/RACE/HISPANIC ORIGIN					
Male, White, Not Hispanic	0.66	0.14	0.14	2.18	10,204
Female, White, Not Hispanic	0.68	0.12	0.09	1.02	4,702
Male, Black, Not Hispanic	1.14	0.41	0.28	5.34	3,207
Female, Black, Not Hispanic	1.05	0.23	0.15	1.39	764
Male, Hispanic	1.16	0.38	0.42	6.10	6,003
Female, Hispanic	1.29	0.26	0.18	2.11	1,753

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

³ The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003.

Table 7.10D Alcohol Use in the Past Month and Measures of Past Month Alcohol Consumption among Persons Aged 21 or Older, by Demographic Characteristics: Standard Errors, 2003

Demographic Characteristic	Percentage Using Alcohol in Past Month	MEASURES OF PAST MONTH ALCOHOL CONSUMPTION AMONG PAST MONTH ALCOHOL USERS			
		Average Number of Days Used Alcohol in Past Month	Average Number of Drinks Consumed Per Day of Use in Past Month ¹	Average Number of Drinks Consumed Per User in Past Month ^{1,2}	Total Number (in Thousands) of Drinks Consumed in Past Month ³
TOTAL	0.45	0.11	0.04	0.71	88,033
GENDER					
Male	0.61	0.15	0.06	1.18	79,408
Female	0.56	0.13	0.03	0.51	29,404
HISPANIC ORIGIN AND RACE					
Not Hispanic or Latino	0.48	0.12	0.04	0.77	85,386
White	0.53	0.13	0.04	0.87	81,559
Black or African American	1.25	0.28	0.11	1.84	21,390
American Indian or Alaska Native	4.61	0.75	0.58	6.29	4,115
Native Hawaiian or Other Pacific Islander	*	1.62	0.91	21.22	*
Asian	2.70	0.56	0.11	1.33	5,757
Two or More Races	3.54	0.64	0.16	2.93	3,405
Hispanic or Latino	1.29	0.21	0.13	2.01	23,338
GENDER/RACE/HISPANIC ORIGIN					
Male, White, Not Hispanic	0.73	0.17	0.07	1.47	73,544
Female, White, Not Hispanic	0.64	0.16	0.04	0.59	26,607
Male, Black, Not Hispanic	2.10	0.39	0.16	2.90	19,229
Female, Black, Not Hispanic	1.38	0.31	0.12	1.74	7,874
Male, Hispanic	1.90	0.30	0.18	2.95	21,199
Female, Hispanic	1.56	0.28	0.13	1.98	8,242

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² The number of drinks consumed per user in the past month is defined as the product of the number of days that a respondent used alcohol in the past month and the average number of drinks consumed per day on the days that alcohol was used in the past month.

³ The total number of drinks consumed in the past month is defined as the product of the total number of persons who used alcohol in the past month and the average number of drinks consumed per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003.

Table 7.11D Cigarette Use in the Past Month and Measures of Past Month Cigarette Consumption, by Detailed Age Categories: Standard Errors, 2003

Age Category	Percentage Using Cigarettes in Past Month	MEASURES OF PAST MONTH CIGARETTE CONSUMPTION AMONG PAST MONTH CIGARETTE USERS			
		Average Number of Days Smoked Cigarettes in Past Month	Average Number of Cigarettes Smoked Per Day of Use in Past Month ¹	Average Number of Cigarettes Smoked Per User in Past Month ^{1,2}	Total Number (in Thousands) of Cigarettes Smoked in Past Month ³
TOTAL	0.33	0.15	0.16	4.70	21,365,684
12	0.25	1.32	0.43	12.28	2,054
13	0.34	0.89	0.42	9.02	6,145
14	0.55	0.80	0.38	9.60	24,966
15	0.71	0.65	0.27	8.07	54,636
16	0.86	0.54	0.33	7.90	102,062
17	0.97	0.47	0.27	8.11	177,071
18	1.05	0.46	0.28	8.42	298,648
19	1.25	0.49	0.33	9.45	289,503
20	1.24	0.43	0.29	8.81	388,077
21	1.23	0.40	0.33	10.24	421,678
22	1.14	0.41	0.35	9.92	444,473
23	1.15	0.40	0.31	9.43	442,267
24	1.30	0.43	0.35	10.46	398,466
25	1.25	0.45	0.40	12.47	384,502
26-29	1.28	0.45	0.39	12.05	1,577,337
30-34	0.98	0.40	0.37	11.33	2,071,481
35-39	1.08	0.39	0.44	13.01	2,382,094
40-44	1.01	0.38	0.45	13.83	2,999,420
45-49	1.04	0.43	0.55	16.30	2,678,648
50-54	1.39	0.70	0.74	23.41	2,339,248
55-59	1.50	0.77	0.94	29.28	1,727,401
60-64	1.57	0.82	1.10	33.37	730,790
65 or Older	0.72	0.71	0.90	28.14	1,418,657

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² The number of cigarettes smoked per user in the past month is defined as the product of the number of days that a respondent smoked cigarettes in the past month and the average number of cigarettes smoked per day on the days that cigarettes were smoked in the past month.

³ The total number of cigarettes smoked in the past month is defined as the product of the total number of persons who smoked cigarettes in the past month and the average number of cigarettes smoked per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003.

Table 7.12D Cigarette Use in the Past Month and Measures of Past Month Cigarette Consumption, by Demographic Characteristics: Standard Errors, 2003

Demographic Characteristic	Percentage Using Cigarettes in Past Month	MEASURES OF PAST MONTH CIGARETTE CONSUMPTION AMONG PAST MONTH CIGARETTE USERS			
		Average Number of Days Smoked Cigarettes in Past Month	Average Number of Cigarettes Smoked Per Day of Use in Past Month ¹	Average Number of Cigarettes Smoked Per User in Past Month ^{1,2}	Total Number (in Thousands) of Cigarettes Smoked in Past Month ³
TOTAL	0.33	0.15	0.16	4.70	21,365,684
AGE					
12-17	0.29	0.29	0.16	4.21	368,318
18-25	0.47	0.16	0.13	3.76	3,068,598
26 or Older	0.41	0.19	0.20	6.09	17,924,305
GENDER					
Male	0.47	0.20	0.23	6.82	12,077,293
Female	0.40	0.19	0.21	6.31	9,288,455
HISPANIC ORIGIN AND RACE					
Not Hispanic or Latino	0.35	0.14	0.16	4.92	20,416,113
White	0.39	0.15	0.17	5.25	18,136,437
Black or African American	1.06	0.47	0.41	11.89	1,587,069
American Indian or Alaska Native	3.50	1.29	0.92	29.53	107,367
Native Hawaiian or Other Pacific Islander	4.98	1.92	1.21	38.56	39,292
Asian	1.15	0.96	0.70	21.40	267,285
Two or More Races	2.49	0.87	0.99	30.50	275,736
Hispanic or Latino	0.79	0.48	0.34	9.19	942,265

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² The number of cigarettes smoked per user in the past month is defined as the product of the number of days that a respondent smoked cigarettes in the past month and the average number of cigarettes smoked per day on the days that cigarettes were smoked in the past month.

³ The total number of cigarettes smoked in the past month is defined as the product of the total number of persons who smoked cigarettes in the past month and the average number of cigarettes smoked per user in the past month.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2003.