

Table 7.70C Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2002 and 2003

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	99	102	63	63	76	77
Marijuana and Hashish	94	96	61	58	72	75
Cocaine	30	32	19	20	22	25
Crack	7	12	3	2	6	12
Heroin	9	6	1	0	9	6
Hallucinogens	32	32	19	18	25	28
LSD	7	13	5	7	5	10
PCP	3	10	2	1	2	10
Ecstasy	25	18	14	10	20	16
Inhalants	15	15	9	11	13	10
Nonmedical Use of Any Psychotherapeutic ⁴	50	55	30	35	42	41
Pain Relievers	44	49	25	30	37	38
Tranquilizers	30	27	16	15	27	23
Stimulants	26	23	17	15	19	18
Methamphetamine	16	15	5	2	15	15
Sedatives	8	7	3	3	7	7
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	62	64	36	42	51	49

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.70D Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2002 and 2003

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	0.48	0.50	0.82	0.80	0.60	0.62
Marijuana and Hashish	0.46	0.47	0.79	0.74	0.57	0.60
Cocaine	0.15	0.16	0.24	0.25	0.18	0.20
Crack	0.03	0.06	0.04	0.02	0.05	0.10
Heroin	0.04	0.03	0.01	0.01	0.07	0.05
Hallucinogens	0.16	0.15	0.25	0.22	0.20	0.22
LSD	0.03	0.06	0.06	0.09	0.04	0.08
PCP	0.01	0.05	0.03	0.01	0.01	0.08
Ecstasy	0.12	0.09	0.19	0.12	0.16	0.13
Inhalants	0.08	0.07	0.11	0.14	0.10	0.08
Nonmedical Use of Any Psychotherapeutic ⁴	0.25	0.27	0.40	0.44	0.33	0.33
Pain Relievers	0.22	0.24	0.33	0.38	0.29	0.30
Tranquilizers	0.15	0.13	0.20	0.19	0.22	0.18
Stimulants	0.13	0.11	0.23	0.20	0.15	0.14
Methamphetamine	0.08	0.07	0.07	0.02	0.12	0.12
Sedatives	0.04	0.04	0.04	0.04	0.05	0.05
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	0.31	0.31	0.47	0.53	0.40	0.39

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.70P Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	0.5940		0.4840		0.8805	
Marijuana and Hashish	0.8885		0.7308		0.9436	
Cocaine	0.3531		0.7615		0.3370	
Crack	0.6060		0.1405		0.3396	
Heroin	0.2973		0.5122		0.3321	
Hallucinogens	0.2917		0.1394		0.7976	
LSD	0.0301		0.0757		0.1855	
PCP	0.0422		0.6326		0.0246	
Ecstasy	0.0005		0.0303		0.0105	
Inhalants	0.3035		0.6499		0.0850	
Nonmedical Use of Any Psychotherapeutic ⁴	0.1658		0.7266		0.1388	
Pain Relievers	0.0804		0.5599		0.0758	
Tranquilizers	0.9872		0.5687		0.7214	
Stimulants	0.3680		0.2724		0.8048	
Methamphetamine	0.8264		0.0644		0.7368	
Sedatives	0.8389		0.8882		0.7902	
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	0.3763		0.3436		0.7088	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.71C Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2002 and 2003

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	73	75	42	47	60	58
Marijuana and Hashish	69	70	39	43	57	56
Cocaine	24	28	16	16	18	22
Crack	6	12	3	2	6	12
Heroin	8	4	1	*	8	4
Hallucinogens	27	25	17	15	20	22
LSD	4	12	*	7	4	9
PCP	1	9	*	1	1	9
Ecstasy	21	12	13	8	16	11
Inhalants	13	13	8	9	10	9
Nonmedical Use of Any Psychotherapeutic ⁴	38	41	22	25	32	33
Pain Relievers	35	36	17	23	29	29
Tranquilizers	24	20	13	11	21	18
Stimulants	18	20	12	12	13	16
Methamphetamine	11	14	5	1	10	14
Sedatives	6	6	2	1	6	6
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	48	49	28	31	39	38

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.71D Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2002 and 2003

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	0.71	0.72	1.17	1.31	0.90	0.86
Marijuana and Hashish	0.67	0.68	1.09	1.20	0.85	0.84
Cocaine	0.23	0.27	0.45	0.45	0.26	0.33
Crack	0.06	0.11	0.09	0.05	0.08	0.17
Heroin	0.08	0.04	0.02	*	0.12	0.07
Hallucinogens	0.26	0.24	0.47	0.42	0.30	0.33
LSD	0.04	0.11	*	0.19	0.06	0.14
PCP	0.01	0.09	*	0.03	0.02	0.14
Ecstasy	0.21	0.12	0.35	0.21	0.25	0.16
Inhalants	0.12	0.13	0.21	0.25	0.15	0.14
Nonmedical Use of Any Psychotherapeutic ⁴	0.37	0.39	0.60	0.69	0.48	0.49
Pain Relievers	0.34	0.35	0.47	0.63	0.44	0.43
Tranquilizers	0.23	0.20	0.36	0.31	0.32	0.26
Stimulants	0.18	0.20	0.33	0.34	0.20	0.24
Methamphetamine	0.11	0.14	0.14	0.03	0.15	0.21
Sedatives	0.06	0.06	0.05	0.02	0.09	0.09
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	0.47	0.47	0.76	0.85	0.59	0.57

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.71P Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	0.3519		0.1800		0.8434	
Marijuana and Hashish	0.3943		0.3024		0.7515	
Cocaine	0.4744		0.4275		0.1144	
Crack	0.6866		0.1487		0.4051	
Heroin	0.1088		*		0.1339	
Hallucinogens	0.9686		0.5970		0.7444	
LSD	0.0013		*		0.1049	
PCP	0.0399		*		0.0529	
Ecstasy	0.0007		0.0446		0.0059	
Inhalants	0.5456		0.8555		0.3463	
Nonmedical Use of Any Psychotherapeutic ⁴	0.0501		0.1910		0.1614	
Pain Relievers	0.1000		0.0564		0.5252	
Tranquilizers	0.9004		0.7790		0.9753	
Stimulants	0.5608		0.3674		0.1287	
Methamphetamine	0.2567		0.0441		0.0692	
Sedatives	0.8419		0.3290		0.9945	
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	0.1354		0.1654		0.4252	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.72C Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2002 and 2003

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	59	58	38	40	44	42
Marijuana and Hashish	55	53	38	37	39	39
Cocaine	16	18	9	13	13	13
Crack	2	3	*	*	2	3
Heroin	4	4	*	0	4	4
Hallucinogens	17	16	10	9	14	13
LSD	6	4	5	3	3	3
PCP	3	3	2	*	1	3
Ecstasy	14	13	7	6	12	12
Inhalants	8	6	4	5	7	4
Nonmedical Use of Any Psychotherapeutic ⁴	33	33	22	21	26	25
Pain Relievers	29	30	19	18	22	24
Tranquilizers	18	17	10	9	14	14
Stimulants	18	12	12	10	13	8
Methamphetamine	11	5	2	2	11	5
Sedatives	4	4	3	3	3	2
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	38	38	24	25	30	28

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.72D Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2002 and 2003

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	0.59	0.57	0.94	0.93	0.74	0.72
Marijuana and Hashish	0.55	0.52	0.93	0.86	0.65	0.67
Cocaine	0.16	0.18	0.23	0.30	0.21	0.22
Crack	0.02	0.03	*	*	0.04	0.05
Heroin	0.04	0.04	*	0.01	0.06	0.07
Hallucinogens	0.17	0.16	0.24	0.20	0.24	0.22
LSD	0.06	0.04	0.12	0.06	0.05	0.05
PCP	0.03	0.03	0.06	*	0.01	0.04
Ecstasy	0.14	0.13	0.18	0.15	0.19	0.20
Inhalants	0.08	0.06	0.09	0.11	0.13	0.06
Nonmedical Use of Any Psychotherapeutic ⁴	0.33	0.32	0.54	0.49	0.43	0.43
Pain Relievers	0.29	0.30	0.48	0.42	0.36	0.41
Tranquilizers	0.17	0.17	0.24	0.20	0.24	0.24
Stimulants	0.18	0.12	0.30	0.22	0.22	0.13
Methamphetamine	0.11	0.05	0.05	0.04	0.19	0.08
Sedatives	0.04	0.04	0.07	0.06	0.05	0.04
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	0.38	0.37	0.59	0.60	0.50	0.48

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.72P Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY ILLICIT DRUG³	0.8131		0.8182		0.9155	
Marijuana and Hashish	0.4116		0.6510		0.4909	
Cocaine	0.5550		0.0726		0.4871	
Crack	0.5921		*		0.5559	
Heroin	0.4981		*		0.5239	
Hallucinogens	0.0545		0.0710		0.2666	
LSD	0.3077		0.2848		0.7619	
PCP	0.7237		*		0.1449	
Ecstasy	0.2831		0.4116		0.4746	
Inhalants	0.2784		0.4355		0.0515	
Nonmedical Use of Any Psychotherapeutic ⁴	0.8773		0.3611		0.5596	
Pain Relievers	0.4598		0.2367		0.0443	
Tranquilizers	0.8903		0.5988		0.5665	
Stimulants	0.0275		0.5385		0.0134	
Methamphetamine	0.0459		0.9308		0.0482	
Sedatives	0.9534		0.5478		0.5176	
ANY ILLICIT DRUG OTHER THAN MARIJUANA³	0.6524		0.9127		0.6324	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

⁴ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.73C Any Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	99	102	63	63	76	77
AGE						
18	40	46	22	21	34	40
19	39	47	27	29	28	32
20	47	41	31	28	34	30
21	42	38	24	25	35	30
22	37	36	20	23	32	29
GENDER						
Male	73	75	42	47	60	58
Female	59	58	38	40	44	42
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	89	91	60	59	66	67
White	78	77	57	53	56	57
Black or African American	30	33	16	17	26	27
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	14	16	11	13	10	10
Two or More Races	11	10	4	*	9	7
Hispanic or Latino	42	40	14	20	40	36

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.73D Any Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	0.48	0.50	0.82	0.80	0.60	0.62
AGE						
18	0.92	1.00	1.61	1.41	1.13	1.27
19	0.96	1.21	1.45	1.54	1.27	1.61
20	1.18	1.01	1.75	1.58	1.52	1.32
21	1.04	0.96	1.53	1.57	1.39	1.29
22	0.97	0.90	1.84	1.86	1.17	1.04
GENDER						
Male	0.71	0.72	1.17	1.31	0.90	0.86
Female	0.59	0.57	0.94	0.93	0.74	0.72
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.53	0.54	0.86	0.84	0.67	0.67
White	0.61	0.61	1.05	0.98	0.75	0.79
Black or African American	1.09	1.15	1.67	1.74	1.41	1.40
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.75	1.88	2.14	2.34	3.24	3.04
Two or More Races	3.94	4.04	4.44	*	5.27	4.89
Hispanic or Latino	1.21	1.15	2.01	2.44	1.41	1.33

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.73P Any Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	0.5940		0.4840		0.8805	
AGE						
18	0.8360		0.1496		0.2827	
19	0.4470		0.2609		0.9068	
20	0.4183		0.2666		0.9071	
21	0.4977		0.9779		0.4161	
22	0.9199		0.5953		0.7912	
GENDER						
Male	0.3519		0.1800		0.8434	
Female	0.8131		0.8182		0.9155	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8965		0.7845		0.9592	
White	0.9253		0.8268		0.9333	
Black or African American	0.8022		0.3053		0.7331	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.2898		0.3951		0.5537	
Two or More Races	0.9319		*		0.9382	
Hispanic or Latino	0.3389		0.0539		0.7887	

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.74C Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	94	96	61	58	72	75
AGE						
18	38	44	21	20	32	38
19	38	45	28	28	26	29
20	44	38	28	26	32	28
21	40	35	22	23	33	29
22	34	34	20	21	30	28
GENDER						
Male	69	70	39	43	57	56
Female	55	53	38	37	39	39
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	86	86	58	56	62	66
White	75	73	55	50	54	56
Black or African American	27	33	15	16	23	26
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	14	15	10	12	10	10
Two or More Races	11	10	4	*	9	7
Hispanic or Latino	37	35	12	17	35	32

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.74D Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	0.46	0.47	0.79	0.74	0.57	0.60
AGE						
18	0.87	0.94	1.49	1.36	1.07	1.23
19	0.94	1.15	1.46	1.46	1.19	1.48
20	1.09	0.95	1.59	1.48	1.44	1.24
21	0.99	0.90	1.45	1.45	1.32	1.21
22	0.88	0.84	1.78	1.73	1.08	0.99
GENDER						
Male	0.67	0.68	1.09	1.20	0.85	0.84
Female	0.55	0.52	0.93	0.86	0.65	0.67
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.51	0.51	0.83	0.79	0.63	0.66
White	0.59	0.57	1.01	0.92	0.73	0.76
Black or African American	0.98	1.14	1.58	1.70	1.25	1.38
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.67	1.76	1.95	2.17	3.18	2.92
Two or More Races	3.90	3.96	4.44	*	5.24	4.91
Hispanic or Latino	1.04	1.01	1.65	2.03	1.24	1.19

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.74P Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	0.8885		0.7308		0.9436	
AGE						
18	0.8178		0.1557		0.2898	
19	0.6315		0.4821		0.9281	
20	0.9765		0.3501		0.4564	
21	0.6865		0.5738		0.3899	
22	0.9794		0.7512		0.8528	
GENDER						
Male	0.3943		0.3024		0.7515	
Female	0.4116		0.6510		0.4909	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.7991		0.8282		0.6071	
White	0.4807		0.7848		0.4879	
Black or African American	0.3965		0.1893		0.8475	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.4157		0.4319		0.7366	
Two or More Races	0.9312		*		0.9951	
Hispanic or Latino	0.3413		0.3533		0.5008	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.75C Tobacco and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2002 and 2003

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY TOBACCO³	122	120	75	68	90	88
Cigarettes	120	117	75	66	92	88
Smokeless Tobacco	49	42	33	26	36	35
Cigars	70	72	40	40	56	58
Pipe Tobacco	22	22	12	13	18	18
ALCOHOL	132	131	84	81	94	95
Binge Alcohol Use ⁴	123	128	87	83	86	93
Heavy Alcohol Use ⁴	91	86	63	60	62	62

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.75D Tobacco and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2002 and 2003

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY TOBACCO³	0.60	0.58	0.98	0.86	0.71	0.70
Cigarettes	0.59	0.57	0.98	0.83	0.72	0.70
Smokeless Tobacco	0.24	0.21	0.43	0.33	0.28	0.28
Cigars	0.35	0.35	0.52	0.50	0.44	0.47
Pipe Tobacco	0.11	0.11	0.16	0.16	0.14	0.14
ALCOHOL	0.65	0.64	1.09	1.03	0.75	0.75
Binge Alcohol Use ⁴	0.61	0.63	1.13	1.05	0.68	0.74
Heavy Alcohol Use ⁴	0.45	0.42	0.82	0.76	0.49	0.49

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.75P Tobacco and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY TOBACCO³	0.1464		0.1125		0.6204	
Cigarettes	0.2455		0.3429		0.5736	
Smokeless Tobacco	0.2532		0.0033		0.2904	
Cigars	0.4807		0.3805		0.1264	
Pipe Tobacco	0.2223		0.9262		0.1576	
ALCOHOL	0.4795		0.5884		0.7402	
Binge Alcohol Use ⁴	0.5616		0.5188		0.8013	
Heavy Alcohol Use ⁴	0.5178		0.2705		0.9326	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.76C Tobacco and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2002 and 2003

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY TOBACCO³	84	85	47	47	64	66
Cigarettes	82	85	47	47	66	67
Smokeless Tobacco	46	41	30	24	35	34
Cigars	63	63	35	33	50	52
Pipe Tobacco	20	19	11	9	16	16
ALCOHOL	91	86	54	48	70	67
Binge Alcohol Use ⁴	86	89	53	55	67	68
Heavy Alcohol Use ⁴	71	70	45	44	51	54

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.76D Tobacco and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2002 and 2003

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY TOBACCO³	0.81	0.82	1.29	1.31	0.96	0.98
Cigarettes	0.79	0.82	1.28	1.30	0.99	1.00
Smokeless Tobacco	0.45	0.40	0.83	0.68	0.52	0.51
Cigars	0.61	0.61	0.96	0.90	0.74	0.77
Pipe Tobacco	0.19	0.18	0.31	0.26	0.24	0.23
ALCOHOL	0.88	0.83	1.48	1.33	1.05	1.01
Binge Alcohol Use ⁴	0.83	0.86	1.46	1.52	1.00	1.01
Heavy Alcohol Use ⁴	0.68	0.67	1.23	1.21	0.76	0.81

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.76P Tobacco and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male Undergraduates		Other Males Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY TOBACCO³	0.3669		0.2236		0.7648	
Cigarettes	0.9620		0.7793		0.9242	
Smokeless Tobacco	0.1847		0.0027		0.4480	
Cigars	0.4278		0.7184		0.4350	
Pipe Tobacco	0.3511		0.5580		0.4552	
ALCOHOL	0.2450		0.0814		0.8465	
Binge Alcohol Use ⁴	0.6608		0.4671		0.9728	
Heavy Alcohol Use ⁴	0.9446		0.3805		0.4145	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.77C Tobacco and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2002 and 2003

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY TOBACCO³	81	75	52	45	59	57
Cigarettes	81	74	53	46	60	56
Smokeless Tobacco	7	10	6	6	4	8
Cigars	34	35	21	20	26	28
Pipe Tobacco	11	11	5	8	10	8
ALCOHOL	82	91	58	59	60	64
Binge Alcohol Use ⁴	79	79	59	54	53	56
Heavy Alcohol Use ⁴	47	46	37	36	32	28

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.77D Tobacco and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2002 and 2003

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY TOBACCO³	0.80	0.74	1.29	1.06	1.00	0.97
Cigarettes	0.81	0.73	1.30	1.07	1.01	0.96
Smokeless Tobacco	0.07	0.10	0.15	0.14	0.07	0.13
Cigars	0.34	0.34	0.51	0.46	0.43	0.49
Pipe Tobacco	0.11	0.11	0.11	0.20	0.17	0.14
ALCOHOL	0.82	0.90	1.42	1.38	1.01	1.09
Binge Alcohol Use ⁴	0.79	0.78	1.45	1.28	0.89	0.96
Heavy Alcohol Use ⁴	0.47	0.46	0.91	0.84	0.53	0.48

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.77P Tobacco and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female Undergraduates		Other Females Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
ANY TOBACCO³	0.2261		0.3424		0.5912	
Cigarettes	0.0887		0.2787		0.2856	
Smokeless Tobacco	0.3518		0.8091		0.3533	
Cigars	0.8805		0.0638		0.1289	
Pipe Tobacco	0.4393		0.4104		0.1270	
ALCOHOL	0.9201		0.5132		0.8579	
Binge Alcohol Use ⁴	0.1900		0.1517		0.5796	
Heavy Alcohol Use ⁴	0.2065		0.5941		0.1429	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.78C Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	120	117	75	66	92	88
AGE						
18	49	48	25	23	40	43
19	50	49	32	32	37	33
20	47	50	33	31	35	37
21	51	48	29	26	41	38
22	43	46	26	25	36	39
GENDER						
Male	82	85	47	47	66	67
Female	81	74	53	46	60	56
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	105	106	72	62	74	75
White	86	90	61	56	60	61
Black or African American	36	40	17	18	28	34
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	24	26	17	18	14	16
Two or More Races	12	10	*	*	9	7
Hispanic or Latino	52	53	22	23	45	48

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.78D Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	0.59	0.57	0.98	0.83	0.72	0.70
AGE						
18	1.13	1.05	1.78	1.55	1.34	1.38
19	1.23	1.25	1.69	1.70	1.69	1.66
20	1.17	1.24	1.89	1.79	1.56	1.63
21	1.26	1.23	1.88	1.70	1.65	1.61
22	1.12	1.14	2.39	2.07	1.30	1.37
GENDER						
Male	0.79	0.82	1.28	1.30	0.99	1.00
Female	0.81	0.73	1.30	1.07	1.01	0.96
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.62	0.62	1.03	0.88	0.75	0.76
White	0.67	0.71	1.13	1.03	0.82	0.83
Black or African American	1.32	1.38	1.82	1.85	1.57	1.77
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.96	2.98	3.26	3.31	4.72	4.88
Two or More Races	4.38	4.12	*	*	5.31	5.01
Hispanic or Latino	1.47	1.52	3.09	2.73	1.62	1.79

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.78P Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	0.2455		0.3429		0.5736	
AGE						
18	0.1609		0.1052		0.5009	
19	0.3952		0.9653		0.3775	
20	0.1708		0.6131		0.1985	
21	0.0173		0.3955		0.0244	
22	0.3627		0.5111		0.0856	
GENDER						
Male	0.9620		0.7793		0.9242	
Female	0.0887		0.2787		0.2856	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0351		0.2547		0.0659	
White	0.0555		0.3372		0.0729	
Black or African American	0.8680		0.9067		0.8188	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6365		0.5180		0.9167	
Two or More Races	0.1101		*		0.3338	
Hispanic or Latino	0.1135		0.5606		0.1085	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.79C Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	132	131	84	81	94	95
AGE						
18	49	52	30	30	40	42
19	54	53	38	37	37	34
20	59	49	36	33	41	37
21	47	46	24	26	38	38
22	48	47	24	25	40	40
GENDER						
Male	91	86	54	48	70	67
Female	82	91	58	59	60	64
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	111	115	79	75	75	80
White	93	93	67	63	64	65
Black or African American	34	43	19	23	29	33
American Indian or Alaska Native	*	6	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	25	29	18	23	16	17
Two or More Races	11	10	*	*	9	7
Hispanic or Latino	53	53	22	24	48	46

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.79D Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	0.65	0.64	1.09	1.03	0.75	0.75
AGE						
18	1.11	1.13	2.17	2.04	1.35	1.35
19	1.32	1.36	1.99	1.97	1.67	1.72
20	1.47	1.23	2.07	1.88	1.82	1.63
21	1.15	1.18	1.56	1.64	1.54	1.60
22	1.23	1.17	2.15	2.09	1.44	1.42
GENDER						
Male	0.88	0.83	1.48	1.33	1.05	1.01
Female	0.82	0.90	1.42	1.38	1.01	1.09
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.66	0.68	1.13	1.06	0.76	0.81
White	0.73	0.73	1.25	1.16	0.86	0.89
Black or African American	1.25	1.48	2.05	2.38	1.61	1.75
American Indian or Alaska Native	*	5.75	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3.10	3.30	3.64	4.27	5.43	5.09
Two or More Races	4.05	4.00	*	*	5.30	5.18
Hispanic or Latino	1.51	1.50	3.17	2.95	1.70	1.70

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.79P Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	0.4795		0.5884		0.7402	
AGE						
18	0.0934		0.3868		0.1461	
19	0.6460		0.5623		0.8629	
20	0.0258		0.0932		0.1136	
21	0.4174		0.5965		0.4363	
22	0.0911		0.8560		0.0651	
GENDER						
Male	0.2450		0.0814		0.8465	
Female	0.9201		0.5132		0.8579	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.5411		0.3396		0.8902	
White	0.2891		0.2928		0.6869	
Black or African American	0.5486		0.9312		0.5009	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3859		0.3657		0.7989	
Two or More Races	0.9664		*		0.9923	
Hispanic or Latino	0.6897		0.3104		0.4868	

*Low precision; no estimate reported.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.80C Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	123	128	87	83	86	93
AGE						
18	44	50	29	29	36	39
19	51	49	38	35	34	32
20	55	50	34	33	39	36
21	48	48	31	30	38	37
22	51	52	27	30	42	42
GENDER						
Male	86	89	53	55	67	68
Female	79	79	59	54	53	56
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	108	113	82	77	72	77
White	91	92	69	64	62	65
Black or African American	33	37	21	17	25	31
American Indian or Alaska Native	*	6	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	21	23	15	19	13	14
Two or More Races	11	10	*	*	10	7
Hispanic or Latino	52	52	23	24	47	45

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.80D Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	0.61	0.63	1.13	1.05	0.68	0.74
AGE						
18	1.02	1.09	2.13	1.94	1.20	1.25
19	1.26	1.26	2.01	1.84	1.55	1.60
20	1.38	1.23	1.94	1.90	1.75	1.56
21	1.17	1.23	1.97	1.95	1.51	1.57
22	1.33	1.29	2.47	2.47	1.53	1.48
GENDER						
Male	0.83	0.86	1.46	1.52	1.00	1.01
Female	0.79	0.78	1.45	1.28	0.89	0.96
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.64	0.67	1.17	1.09	0.73	0.78
White	0.71	0.72	1.28	1.18	0.84	0.88
Black or African American	1.21	1.27	2.27	1.77	1.38	1.63
American Indian or Alaska Native	*	5.82	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.62	2.63	2.99	3.55	4.32	4.29
Two or More Races	4.24	4.08	*	*	5.35	5.16
Hispanic or Latino	1.49	1.48	3.22	2.94	1.66	1.69

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.80P Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	0.5616		0.5188		0.8013	
AGE						
18	0.4939		0.5773		0.6460	
19	0.2431		0.1472		0.7748	
20	0.1516		0.3086		0.2838	
21	0.1479		0.1267		0.5430	
22	0.6445		0.3140		0.8742	
GENDER						
Male	0.6608		0.4671		0.9728	
Female	0.1900		0.1517		0.5796	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.5493		0.5770		0.7904	
White	0.9683		0.9846		0.9821	
Black or African American	0.3345		0.3407		0.5939	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.4733		0.9126		0.3089	
Two or More Races	0.0621		*		0.4379	
Hispanic or Latino	0.8706		0.8393		0.8645	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.81C Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	91	86	63	60	62	62
AGE						
18	31	29	19	18	25	23
19	32	30	26	22	21	21
20	38	38	26	26	25	27
21	41	38	27	25	30	28
22	38	40	22	24	29	30
GENDER						
Male	71	70	45	44	51	54
Female	47	46	37	36	32	28
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	81	79	60	57	53	54
White	75	70	56	50	48	49
Black or African American	16	20	9	8	14	18
American Indian or Alaska Native	5	4	*	*	4	4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	15	14	11	10	9	9
Two or More Races	10	9	*	*	7	5
Hispanic or Latino	32	30	16	15	27	27

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.81D Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	0.45	0.42	0.82	0.76	0.49	0.49
AGE						
18	0.70	0.64	1.38	1.24	0.85	0.73
19	0.79	0.78	1.35	1.18	0.96	1.06
20	0.94	0.95	1.46	1.49	1.11	1.20
21	1.02	0.97	1.71	1.60	1.22	1.19
22	0.97	0.99	1.98	2.02	1.04	1.06
GENDER						
Male	0.68	0.67	1.23	1.21	0.76	0.81
Female	0.47	0.46	0.91	0.84	0.53	0.48
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.48	0.47	0.86	0.81	0.53	0.54
White	0.58	0.55	1.04	0.92	0.65	0.67
Black or African American	0.57	0.70	0.92	0.84	0.74	0.95
American Indian or Alaska Native	3.42	3.46	*	*	3.42	3.94
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.85	1.59	2.14	1.85	2.91	2.79
Two or More Races	3.55	3.59	*	*	3.78	3.47
Hispanic or Latino	0.90	0.87	2.32	1.82	0.95	1.00

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

Table 7.81P Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Undergraduates		Other Persons Aged 18-22 ²	
	2002	2003	2002	2003	2002	2003
TOTAL	0.5178		0.2705		0.9326	
AGE						
18	0.2142		0.8450		0.0815	
19	0.7656		0.0683		0.1589	
20	0.4903		0.7664		0.4633	
21	0.2934		0.2124		0.7137	
22	0.7521		0.9042		0.6612	
GENDER						
Male	0.9446		0.3805		0.4145	
Female	0.2065		0.5941		0.1429	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.2856		0.3763		0.5353	
White	0.4324		0.6739		0.4820	
Black or African American	0.7717		0.2775		0.8369	
American Indian or Alaska Native	0.5460		*		0.3443	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.9503		0.7105		0.7262	
Two or More Races	0.3290		*		0.6286	
Hispanic or Latino	0.3996		0.5261		0.2029	

*Low precision; no estimate reported.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.