

**Table 7.82C Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year, by Detailed Age Categories: Standard Errors of Numbers in Thousands, 2002 and 2003**

Age Category	DROVE UNDER THE INFLUENCE IN PAST YEAR					
	Any Illicit Drug		Alcohol		Any Illicit Drug or Alcohol	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	276	289	552	526	570	537
12	2	3	1	5	3	5
13	4	5	5	5	5	6
14	7	8	8	8	9	8
15	11	10	10	11	12	12
16	21	20	22	21	25	24
17	28	27	27	27	32	31
18	34	38	39	36	41	43
19	36	40	39	43	43	46
20	41	35	43	42	49	43
21	40	32	49	46	51	48
22	31	33	46	46	46	48
23	32	32	43	45	44	45
24	29	33	41	41	42	42
25	23	27	37	39	38	40
26-29	110	110	153	158	153	154
30-34	106	98	164	170	167	173
35-39	102	95	189	168	191	172
40-44	92	95	170	176	174	178
45-49	93	75	177	158	181	159
50-54	73	103	216	206	217	211
55-59	22	48	139	153	139	153
60-64	30	17	122	95	122	95
65 or Older	10	6	153	146	153	146

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.82D Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year, by Detailed Age Categories: Standard Errors of Percentages, 2002 and 2003**

Age Category	DROVE UNDER THE INFLUENCE IN PAST YEAR					
	Any Illicit Drug		Alcohol		Any Illicit Drug or Alcohol	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.12	0.12	0.23	0.22	0.24	0.23
12	0.06	0.07	0.03	0.13	0.07	0.13
13	0.09	0.12	0.12	0.11	0.13	0.14
14	0.16	0.19	0.17	0.19	0.20	0.20
15	0.26	0.25	0.25	0.27	0.29	0.29
16	0.51	0.47	0.55	0.49	0.63	0.57
17	0.71	0.66	0.69	0.65	0.81	0.75
18	0.79	0.82	0.89	0.79	0.95	0.93
19	0.88	1.02	0.94	1.10	1.06	1.19
20	1.02	0.88	1.08	1.05	1.22	1.06
21	0.98	0.82	1.22	1.18	1.26	1.21
22	0.81	0.83	1.18	1.16	1.19	1.21
23	0.83	0.80	1.13	1.13	1.15	1.13
24	0.82	0.90	1.18	1.13	1.19	1.17
25	0.68	0.74	1.12	1.08	1.13	1.10
26-29	0.72	0.75	1.00	1.07	1.00	1.04
30-34	0.53	0.49	0.82	0.84	0.84	0.86
35-39	0.47	0.45	0.86	0.80	0.87	0.82
40-44	0.42	0.42	0.78	0.78	0.79	0.78
45-49	0.44	0.35	0.83	0.74	0.85	0.74
50-54	0.39	0.52	1.15	1.03	1.16	1.05
55-59	0.15	0.32	0.94	1.02	0.94	1.02
60-64	0.26	0.15	1.05	0.81	1.05	0.81
65 or Older	0.03	0.02	0.45	0.43	0.45	0.43

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.82P Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year, by Detailed Age Categories: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Age Category	DROVE UNDER THE INFLUENCE IN PAST YEAR					
	Any Illicit Drug		Alcohol		Any Illicit Drug or Alcohol	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.7267		0.0379		0.0414	
12	0.8190		0.1575		0.5394	
13	0.8263		0.9288		0.7422	
14	0.2875		0.7745		0.8853	
15	0.4600		0.8482		0.7512	
16	0.4307		0.2327		0.2363	
17	0.0155		0.1978		0.0207	
18	0.5908		0.0585		0.1273	
19	0.8827		0.2532		0.3010	
20	0.7920		0.5609		0.4239	
21	0.0056		0.0309		0.0172	
22	0.9664		0.4155		0.6335	
23	0.2152		0.4693		0.6586	
24	0.6947		0.4375		0.5956	
25	0.5894		0.6207		0.7457	
26-29	0.8813		0.5306		0.6030	
30-34	0.7982		0.1138		0.1893	
35-39	0.6930		0.1492		0.1434	
40-44	0.3425		0.8915		0.7746	
45-49	0.2380		0.5115		0.3736	
50-54	0.0327		0.6097		0.8698	
55-59	0.1269		0.0982		0.1026	
60-64	0.2671		0.0561		0.0561	
65 or Older	0.7546		0.4254		0.4254	

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.83C Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	DROVE UNDER THE INFLUENCE IN PAST YEAR					
	Any Illicit Drug		Alcohol		Any Illicit Drug or Alcohol	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	276	289	552	526	570	537
<b>AGE</b>						
12-17	39	38	39	37	47	44
18-25	102	102	144	132	149	136
26 or Older	244	256	515	498	525	506
<b>GENDER</b>						
Male	214	246	443	414	448	423
Female	143	131	318	292	325	296
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	253	278	514	494	529	500
White	229	242	481	445	494	451
Black or African American	99	131	155	149	157	173
American Indian or Alaska Native	18	15	35	29	35	30
Native Hawaiian or Other Pacific Islander	10	12	28	14	28	15
Asian	22	36	66	94	66	94
Two or More Races	20	33	34	45	35	50
Hispanic or Latino	112	84	187	174	192	180

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.83D Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Demographic Characteristic	DROVE UNDER THE INFLUENCE IN PAST YEAR					
	Any Illicit Drug		Alcohol		Any Illicit Drug or Alcohol	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.12	0.12	0.23	0.22	0.24	0.23
<b>AGE</b>						
12-17	0.16	0.15	0.16	0.15	0.19	0.18
18-25	0.33	0.32	0.46	0.42	0.48	0.43
26 or Older	0.14	0.14	0.29	0.28	0.29	0.28
<b>GENDER</b>						
Male	0.19	0.21	0.39	0.36	0.39	0.37
Female	0.12	0.11	0.26	0.24	0.27	0.24
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.12	0.13	0.25	0.24	0.26	0.24
White	0.14	0.15	0.29	0.27	0.30	0.27
Black or African American	0.37	0.48	0.58	0.54	0.59	0.63
American Indian or Alaska Native	1.24	1.21	2.34	2.29	2.35	2.40
Native Hawaiian or Other Pacific Islander	1.23	2.40	3.39	2.95	3.40	3.02
Asian	0.24	0.37	0.73	0.96	0.73	0.97
Two or More Races	0.79	1.28	1.34	1.76	1.40	1.93
Hispanic or Latino	0.38	0.28	0.64	0.58	0.66	0.60

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.83P Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Demographic Characteristic	DROVE UNDER THE INFLUENCE IN PAST YEAR					
	Any Illicit Drug		Alcohol		Any Illicit Drug or Alcohol	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.7267		0.0379		0.0414	
<b>AGE</b>						
12-17	0.0824		0.3185		0.0749	
18-25	0.1833		0.0243		0.0279	
26 or Older	0.7565		0.1133		0.1408	
<b>GENDER</b>						
Male	0.4606		0.2171		0.3939	
Female	0.0426		0.0650		0.0199	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.9388		0.0648		0.0729	
White	0.9327		0.0456		0.0414	
Black or African American	0.4736		0.2762		0.3532	
American Indian or Alaska Native	0.8130		0.9679		0.8557	
Native Hawaiian or Other Pacific Islander	0.0146		0.5785		0.5196	
Asian	0.0887		0.1651		0.1194	
Two or More Races	0.4572		0.0848		0.0585	
Hispanic or Latino	0.4735		0.3383		0.3093	

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.84C Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Demographic Characteristic	DROVE UNDER THE INFLUENCE IN PAST YEAR					
	Any Illicit Drug		Alcohol		Any Illicit Drug or Alcohol	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	273	286	554	526	569	538
<b>GENDER</b>						
Male	214	244	446	414	450	425
Female	140	128	318	290	324	295
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	250	275	516	493	528	500
White	225	238	483	444	494	450
Black or African American	99	131	154	149	156	172
American Indian or Alaska Native	17	15	34	28	34	29
Native Hawaiian or Other Pacific Islander	10	11	28	14	28	14
Asian	22	37	66	94	66	95
Two or More Races	19	33	34	45	35	49
Hispanic or Latino	110	84	188	174	192	180
<b>EDUCATION</b>						
< High School	109	130	168	160	177	186
High School Graduate	148	159	278	263	287	277
Some College	167	139	280	278	291	285
College Graduate	120	132	330	329	330	331
<b>CURRENT EMPLOYMENT</b>						
Full-Time	200	232	453	414	458	428
Part-Time	115	102	192	185	198	188
Unemployed	90	62	109	97	112	100
Other <sup>1</sup>	92	91	213	191	219	194

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.84D Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Demographic Characteristic	DROVE UNDER THE INFLUENCE IN PAST YEAR					
	Any Illicit Drug		Alcohol		Any Illicit Drug or Alcohol	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.13	0.13	0.26	0.25	0.27	0.25
<b>GENDER</b>						
Male	0.21	0.24	0.44	0.41	0.45	0.42
Female	0.13	0.12	0.29	0.26	0.30	0.27
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.13	0.15	0.28	0.26	0.28	0.27
White	0.15	0.16	0.32	0.29	0.33	0.30
Black or African American	0.43	0.55	0.66	0.63	0.67	0.73
American Indian or Alaska Native	1.31	1.41	2.64	2.63	2.67	2.70
Native Hawaiian or Other Pacific Islander	1.35	2.73	3.78	3.43	3.78	3.49
Asian	0.27	0.42	0.82	1.07	0.83	1.08
Two or More Races	0.91	1.50	1.60	2.08	1.67	2.27
Hispanic or Latino	0.44	0.32	0.75	0.68	0.76	0.70
<b>EDUCATION</b>						
< High School	0.29	0.34	0.45	0.42	0.48	0.49
High School Graduate	0.22	0.24	0.41	0.39	0.42	0.41
Some College	0.32	0.26	0.53	0.53	0.55	0.54
College Graduate	0.23	0.24	0.63	0.60	0.63	0.60
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.17	0.20	0.39	0.35	0.39	0.37
Part-Time	0.42	0.36	0.70	0.65	0.72	0.66
Unemployed	1.19	0.77	1.43	1.20	1.47	1.23
Other <sup>1</sup>	0.16	0.15	0.36	0.32	0.37	0.33

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.



**Table 7.84P Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Demographic Characteristic	DROVE UNDER THE INFLUENCE IN PAST YEAR					
	Any Illicit Drug		Alcohol		Any Illicit Drug or Alcohol	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.9192		0.0446		0.0585	
<b>GENDER</b>						
Male	0.3877		0.2250		0.4370	
Female	0.0788		0.0787		0.0295	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.9001		0.0723		0.0941	
White	0.9450		0.0495		0.0516	
Black or African American	0.5769		0.3274		0.4418	
American Indian or Alaska Native	0.5723		0.8858		0.7515	
Native Hawaiian or Other Pacific Islander	0.0245		0.6057		0.5531	
Asian	0.1153		0.1802		0.1422	
Two or More Races	0.4610		0.1187		0.0758	
Hispanic or Latino	0.5821		0.3567		0.3530	
<b>EDUCATION</b>						
< High School	0.3722		0.3942		0.3963	
High School Graduate	0.3081		0.5794		0.6801	
Some College	0.2935		0.0578		0.0906	
College Graduate	0.4874		0.0764		0.0623	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.3863		0.0029		0.0080	
Part-Time	0.4391		0.2152		0.3029	
Unemployed	0.3497		0.8165		0.7686	
Other <sup>1</sup>	0.2718		0.9043		0.7499	

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.85C Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2002 and 2003**

Geographic Characteristic	DROVE UNDER THE INFLUENCE IN PAST YEAR					
	Any Illicit Drug		Alcohol		Any Illicit Drug or Alcohol	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	273	286	554	526	569	538
<b>GEOGRAPHIC DIVISION</b>						
Northeast	124	127	205	201	212	211
New England	79	94	118	102	124	108
Middle Atlantic	95	89	172	173	176	181
Midwest	110	110	234	238	240	240
East North Central	91	91	171	184	180	191
West North Central	62	62	160	146	159	141
South	144	177	343	294	353	306
South Atlantic	119	154	228	224	242	237
East South Central	50	51	131	106	129	107
West South Central	63	69	217	157	220	160
West	159	149	300	304	305	307
Mountain	54	85	105	122	107	128
Pacific	149	123	282	278	287	278
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	208	227	432	419	444	423
Small Metro	153	153	280	266	284	278
250K – 1 Mil. Pop.	129	125	226	218	230	230
< 250K Pop.	91	88	171	152	176	155
Nonmetro	88	102	187	200	194	203
Urbanized	55	57	121	146	125	148
Less Urbanized	60	84	128	123	134	135
Completely Rural	28	18	51	75	52	74

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.85D Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2002 and 2003**

Geographic Characteristic	DROVE UNDER THE INFLUENCE IN PAST YEAR					
	Any Illicit Drug		Alcohol		Any Illicit Drug or Alcohol	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.13	0.13	0.26	0.25	0.27	0.25
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.30	0.31	0.50	0.49	0.52	0.52
New England	0.74	0.88	1.11	0.95	1.17	1.01
Middle Atlantic	0.32	0.29	0.57	0.58	0.59	0.60
Midwest	0.23	0.23	0.49	0.49	0.50	0.50
East North Central	0.27	0.27	0.51	0.55	0.54	0.57
West North Central	0.44	0.43	1.12	1.01	1.11	0.98
South	0.19	0.23	0.46	0.39	0.47	0.40
South Atlantic	0.30	0.39	0.58	0.56	0.62	0.59
East South Central	0.39	0.40	1.03	0.83	1.01	0.84
West South Central	0.27	0.30	0.95	0.68	0.96	0.69
West	0.34	0.31	0.64	0.63	0.65	0.64
Mountain	0.40	0.61	0.78	0.88	0.79	0.92
Pacific	0.45	0.36	0.84	0.82	0.86	0.82
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	0.18	0.20	0.38	0.37	0.39	0.38
Small Metro	0.25	0.24	0.45	0.42	0.46	0.43
250K – 1 Mil. Pop.	0.32	0.30	0.56	0.52	0.57	0.55
< 250K Pop.	0.43	0.40	0.80	0.69	0.82	0.70
Nonmetro	0.25	0.28	0.52	0.56	0.54	0.57
Urbanized	0.38	0.35	0.84	0.91	0.87	0.92
Less Urbanized	0.34	0.52	0.73	0.76	0.76	0.83
Completely Rural	0.72	0.49	1.28	2.06	1.31	2.03

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.

**Table 7.85P Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: P-Values from Tests of Differences of Percentages, 2003 Versus 2002**

Geographic Characteristic	DROVE UNDER THE INFLUENCE IN PAST YEAR					
	Any Illicit Drug		Alcohol		Any Illicit Drug or Alcohol	
	2002	2003	2002	2003	2002	2003
<b>TOTAL</b>	0.9192		0.0446		0.0585	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.6936		0.1591		0.2734	
New England	0.1264		0.2301		0.3172	
Middle Atlantic	0.3816		0.3648		0.5143	
Midwest	0.5743		0.0685		0.0897	
East North Central	0.1539		0.0162		0.0159	
West North Central	0.3511		0.8499		0.6848	
South	0.5721		0.3896		0.3815	
South Atlantic	0.2386		0.9495		0.8330	
East South Central	0.2290		0.2149		0.1005	
West South Central	0.9271		0.4119		0.3914	
West	0.5212		0.7690		0.7020	
Mountain	0.6050		0.1645		0.1983	
Pacific	0.3649		0.7996		0.9045	
<b>COUNTY TYPE<sup>1</sup></b>						
Large Metro	0.7261		0.3284		0.5271	
Small Metro	0.9503		0.0007		0.0005	
250K – 1 Mil. Pop.	0.9400		0.0431		0.0260	
< 250K Pop.	0.8230		0.0031		0.0051	
Nonmetro	0.5621		0.1204		0.1820	
Urbanized	0.8483		0.7450		0.7431	
Less Urbanized	0.2521		0.3843		0.4871	
Completely Rural	0.1168		0.0363		0.0726	

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Estimates for 2002 and 2003 are based on a revised definition of county type and are not comparable with estimates by county type published in prior NSDUH reports.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002 and 2003.