

data can be provided in the desired format, reporting burden (time and financial resources) is minimized, collection instruments are clearly understood, and the impact of collection requirements on respondents can be properly assessed. Currently, the Bureau of Labor Statistics (BLS) is soliciting comments concerning the proposed revision of the "Cognitive and Psychological Research." A copy of the proposed information collection request (ICR) can be obtained by contacting the individual listed below in the Addresses section of this notice.

**DATES:** Written comments must be submitted to the office listed in the addresses section of this notice on or before November 7, 2005.

**ADDRESSES:** Send comments to Amy A. Hobby, BLS Clearance Officer, Division of Management Systems, Bureau of Labor Statistics, Room 4080, 2 Massachusetts Avenue, NE., Washington, DC 20212, telephone number 202-691-7628. (This is not a toll free number.)

**FOR FURTHER INFORMATION CONTACT:** Amy A. Hobby, BLS Clearance Officer, telephone number 202-691-7628. (See **ADDRESSES** section.)

**SUPPLEMENTARY INFORMATION:**

**I. Background**

The Bureau of Labor Statistics' Behavioral Science Research Laboratory (BSRL) conducts theoretical, applied, and evaluative research aimed at improving the quality of data collected and published by the Bureau. Since its creation in 1988, the BSRL has advanced the study of survey methods research, approaching issues of non-sampling error within a framework that draws heavily on the theories and methods of the cognitive, statistical, and social sciences. The BSRL research focuses primarily on the assessment of survey instrument design and survey administration, as well as on issues related to interviewer training, the interaction between interviewer and respondent in the interview process, and the usability of data-collection instruments by both interviewers and respondents. Improvements in these areas result in better accuracy and response rates of BLS surveys, frequently reduce costs in training and survey administration, and further ensure the effectiveness of the Bureau's overall mission.

**II. Current Action**

The purpose of this request for clearance by the BSRL is to conduct cognitive and psychological research designed to enhance the quality of the

Bureau's data collection procedures and overall data management. The BLS is committed to producing the most accurate and complete data within the highest quality assurance guidelines. The BSRL was created to aid in this effort and over the past 17 years it has demonstrated the effectiveness and value of its approach. Over the next few years, demand for BSRL consultation is expected to remain in demand as approaches are explored and tested for dealing with increasing nonresponse in key Bureau surveys. Moreover, as the use of web-based surveys continues to grow, so too will the need for careful tests of instrument design and usability, human-computer interactions, and the impact of multiple modes on data quality. The BSRL is uniquely equipped with both the skills and facilities to accommodate these demands.

The revisions in the accompanying clearance package reflect an attempt to accommodate the increasing interest by BLS program offices and other agencies in the methods used, and the results obtained, by the BSRL. This package reflects planned research and development activities for FY2006 through FY2008, and its approval will enable the continued productivity of a state-of-the-art, multi-disciplinary program of behavioral science research to improve BLS survey methodology.

*Type of Review:* Revision of a currently approved collection.

*Agency:* Bureau of Labor Statistics.

*Title:* Cognitive and Psychological Research.

*OMB Number:* 1220-0141.

*Affected Public:* Individuals and Households.

*Total Respondents:* 1,200.

*Frequency:* One time.

*Total Responses:* 1,200.

*Average Time Per Response:* 60 minutes.

*Estimated Total Burden Hours:* 1,200 hours.

*Total Burden Cost (capital/startup):* \$0.

*Total Burden Cost (operating/maintenance):* \$0.

**III. Desired Focus of Comments**

The Bureau of Labor Statistics is particularly interested in comments that:

- Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;
- Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;

- Enhance the quality, utility, and clarity of the information to be collected; and

- Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submissions of responses.

Comments submitted in response to this notice will be summarized and/or included in the request for Office of Management and Budget approval of the information collection request; they also will become a matter of public record.

Signed at Washington, DC, this 26th day of August, 2005.

**Kimberley Hill,**

*Acting Chief, Division of Management Systems, Bureau of Labor Statistics.*

[FR Doc. 05-17690 Filed 9-6-05; 8:45 am]

**BILLING CODE 4510-24-P**

**NUCLEAR REGULATORY COMMISSION**

[Docket Nos. 50-315 and 50-316]

**Indiana Michigan Power Company, Donald C. Cook Nuclear Plant, Units 1 And 2; Notice of Issuance of Renewed Facility Operating License Nos. DPR-58 And DPR-74 for An Additional 20-Year Period**

Notice is hereby given that the U.S. Nuclear Regulatory Commission (NRC or the Commission) has issued Renewed Facility Operating License Nos. DPR-58 and DPR-74 to Indiana Michigan Power Company (licensee), the operator of the Donald C. Cook Nuclear Plant (CNP), Units 1 and 2. Renewed Facility Operating License No. DPR-58 authorizes operation of CNP, Unit 1, by the licensee at reactor core power levels not in excess of 3304 megawatts thermal, respectively in accordance with the provisions of the CNP renewed license and its Technical Specifications. Renewed Facility Operating License No. DPR-74 authorizes operation of CNP, Unit 2, by the licensee at reactor core power levels not in excess of 3468 megawatts thermal, respectively in accordance with the provisions of the CNP renewed license and its Technical Specifications.

CNP Units 1 and 2 are Pressure Water Reactors located in Bridgman, Michigan. The licensee's application for the renewed license complied with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's

regulations. As required by the Act and the Commission's regulations in 10 CFR Chapter 1, the Commission has made appropriate findings, which are set forth in each license. Prior public notice of the action involving the proposed issuance of the renewed license and of an opportunity for a hearing regarding the proposed issuance of the renewed license was published in the **Federal Register** on December 10, 2003 (68 FR 68956).

For further details with respect to this action, see (1) Indiana Michigan Power Company's license renewal application for Donald C. Cook Nuclear Plant, Units 1 and 2 dated October 31, 2003, as supplemented by letters dated through March 24, 2005; (2) the Commission's safety evaluation report, dated July 2005 (NUREG-1831); and (3) the Commission's final environmental impact statements (NUREG-1437, Supplement 20, for the Donald C. Cook Nuclear Plant, Units 1 and 2, dated May 2005). These documents are available at the NRC's Public Document Room, One White Flint North, 11555 Rockville Pike, Rockville, MD 20852 and can be viewed from the NRC Public Electronic Reading Room at <http://www.nrc.gov/reading-rm/adams.html>.

Copies of Renewed Facility Operating License Nos. DPR-58 and DPR-74 may be obtained by writing to the U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, Attention: Director, Division of Regulatory Improvement Programs. Copies of the Donald C. Cook Nuclear Plant, Units 1 and 2, Safety Evaluation Report (NUREG-1831) and the Final Environmental Impact Statements (NUREG-1437, Supplement 20) may be purchased from the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161 (<http://www.ntis.gov>), 703-605-6000, or Attention: Superintendent of Documents, U.S. Government Printing Office, P.O. Box 371954 Pittsburgh, PA 15250-7954 (<http://www.gpoaccess.gov>), 202-512-1800. All orders should clearly identify the NRC publication number and the requestor's Government Printing Office deposit account number or VISA or MasterCard number and expiration date.

Dated at Rockville, Maryland, this 30th day of August 2005.

For the Nuclear Regulatory Commission.

**Pao-Tsin Kuo,**

*Program Director, License Renewal and Environmental Impacts Program, Division of Regulatory Improvement Programs, Office of Nuclear Reactor Regulation.*

[FR Doc. E5-4851 Filed 9-6-05; 8:45 am]

**BILLING CODE 7590-01-P**

## NUCLEAR REGULATORY COMMISSION

[Docket Nos. 50-325 and 50-324]

### Carolina Power and Light Company, Brunswick Steam Electric Plant Units, 1 and 2; Notice of Availability of the Draft Supplement 25 to the Generic Environmental Impact Statement and Public Meeting for the License Renewal of Brunswick Steam Electric Plant, Units 1 and 2

Notice is hereby given that the U.S. Nuclear Regulatory Commission (NRC or the Commission) has published a draft plant-specific supplement to the Generic Environmental Impact Statement (GEIS), NUREG-1437, regarding the renewal of operating licenses DPR-71 and DPR-62 for an additional 20 years of operation at Brunswick Steam Electric Plant, Units 1 and 2 (BSEP), respectively. BSEP is located in Brunswick County in southeastern North Carolina, near the mouth of the Cape Fear River. Possible alternatives to the proposed action (license renewal) include no action and reasonable alternative energy sources.

The draft Supplement to the GEIS is publicly available in the NRC Public Document Room (PDR) located at One White Flint North, 11555 Rockville Pike (first floor), Rockville, Maryland 20852 or from the Publicly Available Records (PARS) component of NRC's Agencywide Documents Access and Management System (ADAMS). ADAMS is accessible from the Public Electronic Reading Room on the NRC's Web site at <http://www.nrc.gov/reading-rm/adams.html>. The accession number for draft Supplement 25 to the GEIS is ML052380154. Persons who do not have access to ADAMS, or who encounter problems in accessing the documents located in ADAMS, should contact the PDR reference staff at 1-800-397-4209, 301-415-4737, or by e-mail to [pdr@nrc.gov](mailto:pdr@nrc.gov). In addition, the William Madison Randall Library, located at 601 S. College Rd., Wilmington, North Carolina 28403 has agreed to make the draft plant-specific supplement to the GEIS available for public inspection.

Interested parties may submit comments on the draft supplement to the GEIS for consideration by the NRC staff. To be certain of consideration, comments on the draft supplement to the GEIS and the proposed action must be received by December 2, 2005. Comments received after the due date will be considered if it is practical to do so, but the NRC staff is able to assure consideration only for comments received on or before this date. Written comments on the draft supplement to

the GEIS should be sent to: Chief, Rules and Directives Branch, Division of Administrative Services, Office of Administration, Mailstop T-6D59, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

Comments may be hand-delivered to the NRC at 11545 Rockville Pike, Room T-6D59, Rockville, Maryland, between 7:30 a.m. and 4:15 p.m. on Federal workdays. Electronic comments may be submitted to the NRC by e-mail at [BrunswickEIS@nrc.gov](mailto:BrunswickEIS@nrc.gov). All comments received by the Commission, including those made by Federal, State, and local agencies, Native American Tribes, or other interested persons, will be made available electronically at the Commission's PDR in Rockville, Maryland, and in ADAMS.

The NRC staff will hold two public meetings to present an overview of the draft plant-specific supplement to the GEIS and to accept public comments on the document. The public meetings will be held on October 18, 2005, at the Southport City Hall, 201 E. Moore Street, Southport, North Carolina 28461. The first meeting will convene at 1:30 p.m. and will continue until 4:30 p.m., as necessary. The second meeting will convene at 7 p.m. and will continue until 10:00 p.m., as necessary. Both meetings will be transcribed and will include: (1) A presentation of the contents of the draft plant-specific supplement to the GEIS, and (2) the opportunity for interested government agencies, organizations, and individuals to provide comments on the draft report. Additionally, the NRC staff will host informal discussions one hour before the start of each meeting at the Southport City Hall. No comments on the draft supplement to the GEIS will be accepted during the informal discussions. To be considered, comments must be provided either at the transcribed public meetings or in writing, as discussed below. Persons may register to attend or present oral comments at the meetings by contacting Mr. Richard L. Emch, Jr., by telephone at 1-800-368-5642, extension 1590, or by e-mail at [BrunswickEIS@nrc.gov](mailto:BrunswickEIS@nrc.gov) no later than October 11, 2005. Members of the public may also register to speak at the meeting within 15 minutes of the start of each session. Individual oral comments may be limited by the time available, depending on the number of persons who register. Members of the public who have not registered may also have an opportunity to speak, if time permits. The meeting is on the second floor of the building and there is no elevator. Therefore, the meeting room is not handicap accessible. If special equipment or accommodations are