

recovery of costs incurred in responding to the release or threat of release of hazardous substances at or in connection with the Great Lakes Container Corporation Superfund Site at 42 Ferry Street in St. Louis, Missouri (Site). The complaint alleges claims against Solutia and two other defendants. The Consent Decree referred to in this Notice addresses only the claims against Solutia.

In 2003, Solutia filed a petition for reorganization under Chapter 11 of Title 11 of the Bankruptcy Code in the Bankruptcy Court for the Southern District of New York. On or about November 30, 2004, the United States filed a Proof of Claim asserting claims against Solutia under CERCLA for, among other things, EPA's response costs for the Site.

The Consent Decree will resolve the United States' claims against Solutia for the Site by providing that the United States shall be allowed a General Unsecured Claim, as that term is defined in Solutia's reorganization plan, in the amount of \$3,600,000.00.

For thirty (30) days after the date of this publication, the Department of Justice will receive comments relating to the Consent Decree. Comments should be addressed to the Assistant Attorney General, Environment and Natural Resources Division, and either e-mailed to [pubcomment-ees.enrd@usdoj.gov](mailto:pubcomment-ees.enrd@usdoj.gov) or mailed to P.O. Box 7611, U.S. Department of Justice, Washington, DC 20044-7611. In either case, the comments should refer to *United States v. Mallinckrodt, Inc., et al.*, DOJ Ref. No. 90-11-3-07280.

The proposed consent decree may be examined at the office of the United States Attorney, United States Attorney's Office, Eastern District of Missouri, Thomas F. Eagleton Courthouse, 111 South 10th Street, 20th Floor, St. Louis, Missouri, and at the Region VII Office of the Environmental Protection Agency, 901 North 5th Street, Kansas City, Kansas. During the comment period, the Consent Decree may be examined on the following Department of Justice Web site: [http://www.usdoj.gov/enrd/Consent\\_Decrees.html](http://www.usdoj.gov/enrd/Consent_Decrees.html). A copy of the Consent Decree may also be obtained by mail from the Consent Decree Library, P.O. Box 7611, U.S. Department of Justice, Washington, DC 20044-7611, or by faxing or e-mailing a request to Tonia Fleetwood ([tonia.fleetwood@usdoj.gov](mailto:tonia.fleetwood@usdoj.gov)), fax no. (202) 514-0097, phone confirmation number (202) 514-1547. In requesting a copy from the Consent Decree Library, please enclose a check in the amount of \$4.00 (25 cents per page reproduction cost) payable to the

United States Treasury or, if by e-mail or fax, forward a check in that amount to the Consent Decree Library at the stated address.

**Robert E. Maher, Jr.,**

*Assistant Section Chief, Environmental Enforcement Section, Environment and Natural Resources Division.*

[FR Doc. E8-1922 Filed 2-1-08; 8:45 am]

**BILLING CODE 4410-15-P**

## DEPARTMENT OF JUSTICE

### Parole Commission

#### Record of Vote of Meeting Closure (Pub. L. 94-409; 5 U.S.C. Sec. 552b)

I, Edward F. Reilly, Jr., Chairman of the United States Parole Commission, was present at a meeting of said Commission, which started at approximately 11:30 a.m., on Thursday, January 17, 2008, at the U.S. Parole Commission, 5550 Friendship Boulevard, 4th Floor, Chevy Chase, Maryland 20815. The purpose of the meeting was to decide one petition for reconsideration pursuant to 28 CFR 2.27. Three Commissioners were present, constituting a quorum when the vote to close the meeting was submitted.

Public announcement further describing the subject matter of the meeting and certifications of General Counsel that this meeting may be closed by vote of the Commissioners present were submitted to the Commissioners prior to the conduct of any other business. Upon motion duly made, seconded, and carried, the following Commissioners voted that the meeting be closed: Edward F. Reilly, Jr., Cranston J. Mitchell and Isaac Fulwood, Jr.

In witness whereof, I make this official record of the vote taken to close this meeting and authorize this record to be made available to the public.

Dated: January 17, 2008.

**Edward F. Reilly, Jr.,**

*Chairman, U.S. Parole Commission.*

[FR Doc. 08-471 Filed 2-1-08; 8:45 am]

**BILLING CODE 4410-01-M**

## NUCLEAR REGULATORY COMMISSION

[Docket No. 50-302]

### Florida Power Corporation, et al.; Notice of Consideration of Issuance of Amendment to Facility Operating License, Proposed No Significant Hazards Consideration Determination, and Opportunity for a Hearing; Correction

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Notice of Issuance; Correction.

**SUMMARY:** This document corrects a notice appearing in the *Federal Register* on January 15, 2008 (73 FR 2553), which informed the public that the NRC issued Amendment No. 228 to Facility Operating License No. DPR-72 for Crystal River Unit No. 3 Nuclear Generating Plant. This action is necessary to correct the date of issuance.

**FOR FURTHER INFORMATION CONTACT:** Stewart N. Bailey, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone (301) 415-1321, e-mail: [SNB@nrc.gov](mailto:SNB@nrc.gov).

**SUPPLEMENTARY INFORMATION:** On page 2554, appearing near the top of the first column, after *Date of Issuance*: the date is corrected to read December 26, 2007.

Dated in Rockville, Maryland, this 28th day of January 2008.

For the Nuclear Regulatory Commission.

**Stewart N. Bailey,**

*Senior Project Manager, Plant Licensing Branch II-2, Division of Operating Reactor Licensing, Office of Nuclear Reactor Regulation.*

[FR Doc. E8-1945 Filed 2-1-08; 8:45 am]

**BILLING CODE 7590-01-P**

## NUCLEAR REGULATORY COMMISSION

[Docket No. 52-017]

### Dominion Virginia Power; Acceptance for Docketing of an Application for Combined License for North Anna Unit 3

By letter dated November 26, 2007, as supplemented by letters dated January 17 and 28, 2008, Dominion Virginia Power (Dominion) submitted an application to the U.S. Nuclear Regulatory Commission (NRC) for a combined license (COL) for one economic simplified boiling water reactor (ESBWR) in accordance with the requirements contained in 10 CFR part 52, "Licenses, Certifications and Approvals for Nuclear Power Plants."

The reactor will be identified as North Anna Unit 3 and located at the North Anna Power Station in Louisa County, Virginia. A notice of receipt and availability of this application was previously published in the **Federal Register** (72 FR 70619) on December 12, 2007.

The NRC staff has determined that Dominion has submitted information in accordance with 10 CFR part 2, "Rules of Practice for Domestic Licensing Proceedings and Issuance of Orders," and 10 CFR part 52 that is acceptable for docketing. The docket number established for this COL application is 52-017.

The NRC staff will perform a detailed technical review of the COL application. Docketing of the COL application does not preclude the NRC from requesting additional information from the applicant as the review proceeds, nor does it predict whether the Commission will grant or deny the application. The Commission will conduct a hearing in accordance with subpart L, "Informal Hearing Procedures for NRC Adjudications," of 10 CFR part 2 and will receive a report on the COL application from the Advisory Committee on Reactor Safeguards in accordance with 10 CFR 52.87, "Referral to the Advisory Committee on Reactor Safeguards (ACRS)." If the Commission finds that the COL application meets the applicable standards of the Atomic Energy Act and the Commission's regulations, and that required notifications to other agencies and bodies have been made, the Commission will issue a COL, in the form and containing conditions and limitations that the Commission finds appropriate and necessary.

In accordance with 10 CFR part 51, the Commission will also prepare an environmental impact statement for the proposed action. Pursuant to 10 CFR 51.26, and as part of the environmental scoping process, the staff intends to hold a public scoping meeting. Detailed information regarding this meeting will be included in a future **Federal Register** notice.

Finally, the Commission will announce in a future **Federal Register** notice the opportunity to petition for leave to intervene in the hearing required for this application by 10 CFR 52.85.

Documents may be examined, and/or copied for a fee, at the NRC's Public Document Room (PDR), located at One White Flint North, Public File Area O1 F21, 11555 Rockville Pike (first floor), Rockville, Maryland 20852, and will be accessible electronically through the Agencywide Documents Access and

Management System (ADAMS) Public Electronic Reading Room link at the NRC Web site <http://www.nrc.gov/reading-rm/adams.html>. The application is also available at <http://www.nrc.gov/reactors/new-licensing/col.html>. Persons who do not have access to ADAMS or who encounter problems in accessing documents located in ADAMS should contact the NRC PDR Reference staff by telephone at 1-800-397-4209, or 301-415-4737, or by e-mail to [pdrc@nrc.gov](mailto:pdrc@nrc.gov).

Dated at Rockville, Maryland this 28th day of January 2008.

For the Nuclear Regulatory Commission.

**Thomas A. Kevern,**

*Senior Project Manager, ESBWR/ABWR Projects Branch 1, Division of New Reactor Licensing, Office of New Reactors.*

[FR Doc. E8-1942 Filed 2-1-08; 8:45 am]

**BILLING CODE 7590-01-P**

## **NUCLEAR REGULATORY COMMISSION**

### **Notice of Opportunity To Comment on Model Safety Evaluation on Technical Specification Improvement To Revise Containment Isolation Valve Completion Times (TSTF-498, Revision 1) Using the Consolidated Line Item Improvement Process**

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Request for comment.

**SUMMARY:** Notice is hereby given that the staff of the Nuclear Regulatory Commission (NRC) has prepared a model safety evaluation (SE) relating to the modification of technical specification (TS) 3.6.3, Containment Isolation Valves associated with implementation of BAW-2461-A, "Risk-Informed Justification for Containment Isolation Valve Allowed Outage Time Change." The NRC staff has also prepared a model license amendment request and a model no significant hazards consideration (NSHC) determination relating to this matter. The purpose of these models are to permit the NRC to efficiently process amendments that propose to modify TS Containment Isolation Valve Completion Times. Licensees of nuclear power reactors to which the models apply could then request amendments, confirming the applicability of the SE and NSHC determination to their reactors. The NRC staff is requesting comment on the model SE and model NSHC determination prior to announcing their availability for referencing in license amendment applications.

**DATES:** The comment period expires March 5, 2008. Comments received after this date will be considered if it is practical to do so, but the Commission is able to ensure consideration only for comments received on or before this date.

**ADDRESSES:** Comments may be submitted either electronically or via U.S. mail.

Submit written comments to Chief, Rulemaking, Directives, and Editing Branch, Division of Administrative Services, Office of Administration, Mail Stop: T-6 D59, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001. Hand deliver comments to: 11545 Rockville Pike, Rockville, Maryland, between 7:45 a.m. and 4:15 p.m. on Federal workdays. Copies of comments received may be examined at the NRC's Public Document Room, 11555 Rockville Pike (Room O-1F21), Rockville, Maryland. Comments may be submitted by electronic mail to [CLIP@nrc.gov](mailto:CLIP@nrc.gov).

**FOR FURTHER INFORMATION CONTACT:** Timothy Kobetz, Mail Stop: O-12H2, Technical Specifications Branch, Division of Inspection & Regional Support, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, telephone 301-415-1932.

**SUPPLEMENTARY INFORMATION:**

### **Background**

Regulatory Issue Summary 2000-06, "Consolidated Line Item Improvement Process for Adopting Standard Technical Specification Changes for Power Reactors," was issued on March 20, 2000. The consolidated line item improvement process (CLIP) is intended to improve the efficiency of NRC licensing processes, by processing proposed changes to the standard technical specifications (STS) in a manner that supports subsequent license amendment applications. The CLIP includes an opportunity for the public to comment on proposed changes to the STS after a preliminary assessment by the NRC staff and finding that the change will likely be offered for adoption by licensees. This notice solicits comment on a proposed change to the STS that modifies TS Containment Isolation Valve Completion Times. The CLIP directs the NRC staff to evaluate any comments received for a proposed change to the STS and to either reconsider the change or announce the availability of the change for adoption by licensees. Licensees opting to apply for this TS change are responsible for reviewing the staff's evaluation, referencing the