

Table 1. Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	11.19		19.81		5.67	
Alabama	9.90	(8.28 - 11.81)	16.65	(14.40 - 19.17)	4.66	(3.63 - 5.97)
Region 1	9.60	(7.01 - 13.02)	15.41	(11.88 - 19.77)	4.31	(2.92 - 6.32)
Region 2	11.93	(9.00 - 15.65)	18.76	(15.33 - 22.75)	5.15	(3.62 - 7.28)
Region 3	8.19	(5.91 - 11.25)	16.28	(12.59 - 20.79)	4.42	(2.91 - 6.66)
Region 4	8.93	(6.68 - 11.84)	15.24	(11.75 - 19.53)	4.59	(3.20 - 6.55)
Alaska	13.74	(11.72 - 16.05)	25.98	(23.06 - 29.13)	9.58	(7.82 - 11.69)
Gulf Coast	13.72	(9.98 - 18.57)	*	(* - *)	10.04	(6.83 - 14.51)
Rural	10.48	(7.12 - 15.15)	*	(* - *)	*	(* - *)
Southeast	15.21	(10.98 - 20.69)	*	(* - *)	8.77	(5.95 - 12.75)
Urban	14.12	(11.58 - 17.11)	27.01	(23.48 - 30.86)	9.54	(7.52 - 12.03)
Arizona	11.97	(10.10 - 14.12)	17.93	(15.46 - 20.69)	6.27	(4.93 - 7.93)
Maricopa	10.89	(8.73 - 13.49)	17.68	(14.75 - 21.06)	6.19	(4.64 - 8.22)
Pima	12.31	(8.77 - 17.03)	19.15	(14.78 - 24.44)	6.68	(4.60 - 9.59)
Rural North	16.12	(11.85 - 21.56)	*	(* - *)	7.01	(4.74 - 10.24)
Rural South	12.73	(8.97 - 17.76)	*	(* - *)	5.35	(3.45 - 8.20)
Arkansas	11.37	(9.67 - 13.33)	19.95	(17.40 - 22.77)	4.91	(3.87 - 6.21)
Areas 1 and 5	9.94	(7.27 - 13.45)	19.62	(15.29 - 24.81)	4.82	(3.34 - 6.91)
Areas 2 and 3	12.77	(9.32 - 17.24)	17.48	(13.08 - 22.97)	4.28	(2.85 - 6.39)
Areas 4 and 7	10.93	(7.89 - 14.96)	19.15	(14.82 - 24.37)	4.92	(3.28 - 7.33)
Area 6	9.34	(6.34 - 13.57)	17.55	(13.35 - 22.73)	4.25	(2.76 - 6.51)
Areas 8 and 12	13.39	(9.79 - 18.06)	*	(* - *)	4.93	(3.28 - 7.34)
Area 9	13.47	(10.08 - 17.79)	23.18	(18.17 - 29.09)	6.23	(4.30 - 8.95)
Areas 10, 11, and 13	10.00	(7.09 - 13.94)	18.29	(14.09 - 23.41)	4.05	(2.62 - 6.21)
California	11.75	(10.67 - 12.93)	18.72	(17.35 - 20.16)	6.99	(6.15 - 7.94)
Region 1	17.24	(12.78 - 22.84)	*	(* - *)	10.56	(7.44 - 14.78)
Region 2	15.24	(12.09 - 19.02)	22.73	(18.86 - 27.13)	8.35	(6.29 - 10.99)
Region 3	13.66	(10.27 - 17.94)	21.46	(17.23 - 26.41)	7.25	(5.18 - 10.07)
Region 4	11.90	(8.76 - 15.97)	22.81	(18.17 - 28.24)	9.29	(6.86 - 12.46)
Region 5	13.02	(10.07 - 16.69)	22.41	(18.39 - 27.01)	8.75	(6.58 - 11.54)
Region 6 (Santa Clara)	9.89	(7.15 - 13.52)	16.91	(13.11 - 21.53)	5.30	(3.68 - 7.56)
Region 7	13.94	(9.89 - 19.29)	21.40	(16.40 - 27.43)	8.44	(5.79 - 12.15)
Region 8	11.20	(8.40 - 14.78)	16.00	(12.50 - 20.24)	5.83	(4.11 - 8.22)
Region 9	12.10	(8.87 - 16.29)	21.05	(16.04 - 27.11)	7.52	(5.25 - 10.65)
Region 10	12.58	(9.32 - 16.78)	23.74	(18.84 - 29.46)	7.14	(5.02 - 10.07)
Region 11 (Los Angeles)	9.61	(7.89 - 11.67)	15.07	(13.02 - 17.39)	6.59	(5.32 - 8.14)
Region 12	10.51	(7.91 - 13.83)	17.91	(14.35 - 22.12)	5.67	(3.95 - 8.08)
Region 13 (Riverside)	13.47	(9.89 - 18.09)	16.61	(12.71 - 21.42)	5.00	(3.43 - 7.25)
Region 14 (Orange)	11.82	(9.20 - 15.06)	19.48	(16.07 - 23.41)	6.03	(4.43 - 8.16)
Region 15	11.35	(8.70 - 14.67)	18.15	(14.84 - 22.00)	6.22	(4.62 - 8.32)

See notes at end of table.

(continued)

Table 1. Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	13.99	(11.98 - 16.29)	25.05	(22.17 - 28.16)	7.46	(5.96 - 9.31)
Region 1	12.52	(9.07 - 17.04)	21.80	(17.20 - 27.24)	5.78	(3.93 - 8.43)
Regions 2 and 7	15.03	(12.26 - 18.29)	26.88	(23.06 - 31.08)	8.13	(6.17 - 10.64)
Region 3	13.41	(9.71 - 18.24)	*	(* - *)	6.65	(4.55 - 9.64)
Region 4	12.89	(9.04 - 18.04)	*	(* - *)	6.37	(4.18 - 9.61)
Regions 5 and 6	12.18	(8.71 - 16.77)	*	(* - *)	7.51	(5.17 - 10.79)
Connecticut	12.07	(10.27 - 14.14)	25.39	(22.57 - 28.44)	5.58	(4.40 - 7.04)
Eastern	11.88	(8.52 - 16.32)	*	(* - *)	5.37	(3.51 - 8.13)
North Central	11.17	(8.41 - 14.69)	24.80	(20.68 - 29.44)	5.97	(4.17 - 8.48)
Northwestern	15.57	(11.85 - 20.18)	*	(* - *)	6.85	(4.68 - 9.94)
South Central	12.18	(9.19 - 15.97)	25.45	(20.82 - 30.71)	5.33	(3.76 - 7.52)
Southwest	10.11	(7.16 - 14.09)	21.24	(16.46 - 26.96)	4.28	(2.82 - 6.43)
Delaware	12.31	(10.54 - 14.33)	25.45	(22.59 - 28.52)	5.10	(4.07 - 6.38)
Kent	11.46	(8.40 - 15.46)	21.30	(16.56 - 26.97)	5.22	(3.52 - 7.69)
New Castle (excluding Wilmington city)	12.87	(10.50 - 15.69)	27.62	(23.92 - 31.65)	5.03	(3.78 - 6.65)
Sussex	11.82	(8.69 - 15.89)	23.20	(18.28 - 28.99)	4.44	(3.01 - 6.51)
Wilmington City	11.69	(8.09 - 16.60)	*	(* - *)	6.94	(4.68 - 10.19)
District of Columbia	10.65	(8.91 - 12.68)	24.02	(21.14 - 27.16)	7.72	(6.17 - 9.61)
Ward 1	11.44	(7.94 - 16.23)	25.96	(20.44 - 32.36)	9.87	(6.73 - 14.25)
Ward 2	*	(* - *)	22.21	(17.15 - 28.26)	8.75	(6.04 - 12.51)
Ward 3	12.16	(8.49 - 17.11)	24.16	(19.13 - 30.03)	7.09	(4.92 - 10.12)
Ward 4	9.58	(6.62 - 13.67)	*	(* - *)	5.76	(3.80 - 8.65)
Ward 5	10.37	(7.34 - 14.44)	24.36	(19.40 - 30.12)	6.88	(4.62 - 10.14)
Ward 6	10.68	(7.41 - 15.15)	*	(* - *)	8.20	(5.53 - 12.01)
Ward 7	11.03	(8.15 - 14.75)	*	(* - *)	7.75	(5.24 - 11.32)
Ward 8	10.52	(7.69 - 14.23)	21.95	(16.95 - 27.94)	7.87	(5.45 - 11.24)
Florida	11.07	(10.07 - 12.15)	21.00	(19.60 - 22.49)	6.20	(5.47 - 7.03)
District 1	13.16	(9.81 - 17.43)	23.20	(18.26 - 29.01)	6.72	(4.76 - 9.40)
District 2	11.54	(8.57 - 15.37)	25.15	(20.62 - 30.28)	7.22	(5.14 - 10.04)
District 3	11.66	(8.38 - 16.00)	23.88	(19.35 - 29.09)	6.21	(4.36 - 8.76)
District 4	11.94	(9.31 - 15.19)	24.06	(19.95 - 28.71)	6.80	(5.05 - 9.08)
District 7	10.50	(8.34 - 13.12)	20.45	(17.33 - 23.96)	6.75	(5.23 - 8.67)
District 8	9.42	(6.88 - 12.79)	17.73	(13.82 - 22.46)	4.53	(3.21 - 6.38)
District 9 (Palm Beach)	9.97	(7.44 - 13.24)	22.01	(17.91 - 26.74)	6.10	(4.46 - 8.29)
District 10 (Broward)	12.31	(9.75 - 15.43)	20.08	(16.54 - 24.16)	6.69	(5.03 - 8.85)
District 11	8.40	(6.57 - 10.67)	16.67	(13.83 - 19.96)	5.57	(4.22 - 7.30)
District 12	11.11	(8.09 - 15.08)	24.32	(19.82 - 29.46)	5.83	(4.14 - 8.16)
District 13	9.50	(6.87 - 12.98)	17.11	(13.23 - 21.83)	3.72	(2.52 - 5.48)
District 14	11.58	(8.66 - 15.33)	19.13	(15.09 - 23.94)	5.35	(3.73 - 7.61)
District 15	11.05	(8.04 - 15.00)	19.48	(15.22 - 24.59)	5.13	(3.56 - 7.34)
Suncoast	13.17	(10.99 - 15.71)	23.26	(20.22 - 26.60)	7.29	(5.78 - 9.17)

See notes at end of table.

(continued)

Table 1. Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	9.89	(8.27 - 11.79)	17.37	(14.89 - 20.16)	5.88	(4.67 - 7.40)
Region 1	8.94	(6.38 - 12.41)	14.49	(10.78 - 19.20)	4.23	(2.81 - 6.34)
Region 2	10.22	(7.47 - 13.84)	16.21	(12.20 - 21.22)	5.05	(3.46 - 7.31)
Region 3	10.19	(7.76 - 13.28)	19.71	(16.01 - 24.02)	7.34	(5.49 - 9.75)
Region 4	10.30	(7.24 - 14.45)	15.30	(11.54 - 20.01)	5.02	(3.30 - 7.55)
Region 5	9.19	(6.44 - 12.94)	16.48	(12.36 - 21.64)	4.83	(3.14 - 7.36)
Hawaii	13.06	(10.89 - 15.58)	19.17	(16.46 - 22.20)	6.45	(5.00 - 8.28)
Hawaii Island	*	(* - *)	*	(* - *)	8.32	(5.51 - 12.38)
Honolulu	11.30	(9.09 - 13.96)	17.83	(14.92 - 21.17)	5.25	(3.89 - 7.07)
Kauai and Maui	*	(* - *)	*	(* - *)	*	(* - *)
Idaho	10.17	(8.57 - 12.02)	14.76	(12.62 - 17.19)	4.65	(3.65 - 5.91)
Region 1	11.74	(8.42 - 16.13)	17.16	(12.84 - 22.54)	5.13	(3.42 - 7.63)
Region 2	*	(* - *)	*	(* - *)	5.38	(3.53 - 8.10)
Region 3	11.14	(8.15 - 15.03)	13.48	(9.85 - 18.19)	4.19	(2.77 - 6.28)
Region 4	10.05	(7.44 - 13.45)	15.34	(12.09 - 19.28)	5.25	(3.71 - 7.38)
Region 5	10.67	(7.71 - 14.57)	13.06	(9.65 - 17.43)	4.55	(3.06 - 6.71)
Region 6	10.06	(7.15 - 13.97)	14.84	(10.90 - 19.89)	4.00	(2.59 - 6.13)
Region 7	7.08	(4.70 - 10.53)	11.37	(8.09 - 15.76)	3.36	(2.08 - 5.37)
Illinois	9.88	(8.94 - 10.91)	19.79	(18.38 - 21.27)	5.10	(4.38 - 5.92)
Region I (Cook)	10.79	(9.35 - 12.42)	19.47	(17.46 - 21.66)	6.55	(5.42 - 7.90)
Region II	9.25	(7.71 - 11.05)	20.48	(17.99 - 23.21)	4.25	(3.28 - 5.49)
Region III	9.17	(7.22 - 11.57)	19.49	(16.51 - 22.85)	3.81	(2.78 - 5.21)
Region IV	9.51	(7.26 - 12.35)	18.33	(14.97 - 22.26)	3.84	(2.73 - 5.38)
Region V	9.15	(7.02 - 11.83)	20.74	(17.49 - 24.40)	3.61	(2.59 - 5.03)
Indiana	10.52	(8.91 - 12.39)	19.59	(17.18 - 22.25)	5.21	(4.11 - 6.59)
Central	10.74	(8.05 - 14.19)	21.40	(17.13 - 26.40)	6.22	(4.41 - 8.71)
East	11.09	(7.74 - 15.66)	19.77	(15.06 - 25.50)	5.41	(3.60 - 8.05)
North Central	11.82	(8.51 - 16.20)	20.25	(15.69 - 25.75)	5.32	(3.60 - 7.80)
Northeast	8.23	(5.79 - 11.57)	15.96	(11.70 - 21.39)	3.90	(2.48 - 6.08)
Northwest	8.99	(6.32 - 12.63)	18.37	(14.05 - 23.64)	5.18	(3.41 - 7.78)
Southeast	10.16	(7.23 - 14.09)	18.19	(13.65 - 23.82)	3.98	(2.59 - 6.08)
Southwest	11.56	(8.12 - 16.21)	*	(* - *)	5.30	(3.51 - 7.92)
West	11.23	(7.89 - 15.74)	19.38	(14.87 - 24.86)	4.97	(3.25 - 7.52)
Iowa	8.95	(7.47 - 10.69)	14.75	(12.58 - 17.24)	3.96	(3.04 - 5.15)
Central	8.90	(6.37 - 12.30)	15.59	(11.73 - 20.43)	4.08	(2.67 - 6.19)
North Central	9.78	(6.92 - 13.64)	15.93	(11.93 - 20.94)	4.24	(2.76 - 6.45)
Northeast	8.76	(6.50 - 11.71)	15.15	(11.93 - 19.04)	3.91	(2.66 - 5.70)
Northwest	9.23	(6.53 - 12.89)	12.09	(8.73 - 16.50)	3.36	(2.15 - 5.23)
Southeast	8.41	(6.03 - 11.61)	14.99	(11.32 - 19.58)	4.27	(2.86 - 6.32)
Southwest	9.14	(6.26 - 13.17)	14.13	(10.06 - 19.48)	3.96	(2.54 - 6.14)

See notes at end of table.

(continued)

Table 1. Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	10.21	(8.53 - 12.16)	15.71	(13.36 - 18.38)	4.07	(3.09 - 5.34)
Kansas City Metro	10.10	(7.62 - 13.27)	17.61	(13.98 - 21.93)	4.38	(3.00 - 6.34)
Northeast	9.53	(6.80 - 13.19)	13.99	(10.62 - 18.23)	3.78	(2.47 - 5.75)
South Central	11.28	(8.08 - 15.54)	15.48	(11.42 - 20.64)	4.02	(2.56 - 6.24)
Southeast	9.23	(6.25 - 13.43)	13.97	(10.19 - 18.85)	4.13	(2.59 - 6.52)
West	9.40	(6.54 - 13.32)	12.14	(8.68 - 16.73)	2.97	(1.88 - 4.68)
Wichita (Sedgwick)	11.37	(8.14 - 15.66)	17.55	(13.06 - 23.17)	4.63	(3.07 - 6.93)
Kentucky	12.11	(10.35 - 14.11)	19.44	(16.95 - 22.20)	6.75	(5.43 - 8.36)
Adanta, Cumberland River, And Lifeskills	9.13	(6.57 - 12.56)	14.98	(11.55 - 19.20)	4.61	(3.05 - 6.91)
Bluegrass, Comprehend, and North Key	12.52	(9.68 - 16.05)	20.07	(16.20 - 24.58)	8.20	(6.11 - 10.93)
Communicare and River Valley	11.61	(8.28 - 16.05)	*	(* - *)	6.29	(4.21 - 9.31)
Four Rivers and Pennyroyal	10.67	(7.49 - 14.97)	*	(* - *)	5.64	(3.72 - 8.47)
Kentucky River, Mountain, And Pathways	12.12	(8.90 - 16.32)	18.85	(14.22 - 24.57)	5.51	(3.65 - 8.26)
Seven Counties	14.97	(11.32 - 19.53)	23.37	(18.81 - 28.65)	7.99	(5.75 - 11.00)
Louisiana	10.11	(8.56 - 11.91)	19.79	(17.46 - 22.35)	5.28	(4.22 - 6.59)
Region 1	11.14	(7.86 - 15.54)	*	(* - *)	6.95	(4.68 - 10.21)
Regions 2 and 9	10.13	(7.68 - 13.25)	20.48	(16.76 - 24.78)	5.25	(3.70 - 7.39)
Region 3	9.79	(6.81 - 13.89)	18.91	(14.20 - 24.73)	4.99	(3.26 - 7.56)
Region 4	9.64	(6.85 - 13.40)	19.51	(15.02 - 24.94)	4.65	(3.09 - 6.93)
Regions 5 and 6	8.35	(5.76 - 11.96)	16.74	(12.70 - 21.74)	4.41	(2.97 - 6.52)
Regions 7 and 8	11.20	(8.22 - 15.09)	18.48	(14.61 - 23.10)	4.86	(3.37 - 6.95)
Region 10 (Jefferson)	9.82	(6.87 - 13.84)	21.10	(16.11 - 27.14)	6.13	(4.12 - 9.03)
Maine	13.71	(11.77 - 15.90)	25.01	(22.32 - 27.91)	6.33	(5.02 - 7.95)
Planning Region 1	13.34	(10.78 - 16.41)	26.71	(22.84 - 30.97)	6.37	(4.76 - 8.47)
Region 1 (Cumberland)	13.40	(10.14 - 17.51)	29.50	(24.43 - 35.13)	7.27	(5.18 - 10.13)
Region 2 (York)	13.27	(9.81 - 17.71)	22.28	(17.48 - 27.94)	5.11	(3.38 - 7.64)
Planning Region 2	14.21	(11.59 - 17.31)	24.28	(20.93 - 27.98)	6.44	(4.89 - 8.44)
Region 3	15.79	(11.87 - 20.70)	26.08	(21.54 - 31.20)	7.30	(5.06 - 10.41)
Region 4	12.50	(9.04 - 17.02)	*	(* - *)	5.96	(3.98 - 8.83)
Region 5	13.43	(9.57 - 18.52)	21.91	(16.89 - 27.92)	5.65	(3.82 - 8.29)
Planning Region 3	13.41	(10.52 - 16.96)	23.81	(19.79 - 28.36)	6.09	(4.43 - 8.34)
Region 6 (Penobscot)	14.25	(10.51 - 19.04)	26.12	(20.77 - 32.28)	6.74	(4.62 - 9.72)
Region 7	12.67	(9.00 - 17.56)	21.24	(16.20 - 27.35)	5.59	(3.66 - 8.45)

See notes at end of table.

(continued)

Table 1. Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	10.30	(8.72 - 12.14)	20.11	(17.53 - 22.98)	4.38	(3.37 - 5.66)
Anne Arundel	11.67	(8.14 - 16.45)	*	(* - *)	4.37	(2.75 - 6.86)
Baltimore City	11.15	(8.09 - 15.18)	21.87	(17.00 - 27.66)	6.97	(4.67 - 10.29)
Central	10.24	(7.68 - 13.53)	19.86	(15.68 - 24.82)	3.86	(2.55 - 5.79)
Montgomery	9.32	(6.65 - 12.92)	20.71	(15.89 - 26.54)	4.24	(2.86 - 6.24)
Prince George's	9.24	(6.54 - 12.90)	19.11	(14.61 - 24.60)	4.45	(2.94 - 6.68)
Rural	11.12	(7.93 - 15.36)	20.13	(15.38 - 25.89)	4.21	(2.75 - 6.38)
Western	10.23	(7.32 - 14.12)	18.06	(13.83 - 23.24)	3.20	(2.05 - 4.97)
Massachusetts	14.07	(12.13 - 16.27)	27.78	(24.72 - 31.06)	5.85	(4.61 - 7.38)
Boston	*	(* - *)	26.59	(21.27 - 32.67)	8.23	(5.68 - 11.76)
Central	13.10	(9.70 - 17.46)	*	(* - *)	5.15	(3.41 - 7.71)
Metrowest	14.50	(11.28 - 18.47)	27.35	(22.28 - 33.08)	5.37	(3.77 - 7.60)
Northeast	11.91	(8.93 - 15.71)	26.93	(21.44 - 33.23)	5.29	(3.69 - 7.54)
Southeast	15.60	(12.13 - 19.86)	28.79	(23.38 - 34.88)	5.96	(4.14 - 8.50)
Western	14.94	(10.84 - 20.23)	30.86	(25.11 - 37.27)	5.98	(3.96 - 8.94)
Michigan	12.38	(11.37 - 13.46)	21.93	(20.58 - 23.34)	6.51	(5.73 - 7.38)
Bay	12.21	(9.10 - 16.19)	19.53	(15.07 - 24.93)	5.71	(3.85 - 8.39)
Detroit City	10.54	(8.22 - 13.42)	23.06	(19.35 - 27.23)	10.22	(7.76 - 13.34)
Genesee	15.83	(12.20 - 20.30)	26.78	(21.89 - 32.30)	8.90	(6.35 - 12.34)
Kalamazoo	12.09	(9.31 - 15.55)	25.45	(21.29 - 30.12)	6.63	(4.78 - 9.13)
Kent	13.93	(10.65 - 18.02)	18.60	(15.18 - 22.58)	4.95	(3.44 - 7.09)
Lakeshore	12.86	(10.15 - 16.15)	21.01	(17.39 - 25.14)	6.55	(4.78 - 8.92)
Macomb	11.66	(9.16 - 14.75)	22.91	(19.03 - 27.33)	6.07	(4.55 - 8.06)
Mid South	12.15	(9.69 - 15.13)	21.12	(17.76 - 24.93)	5.52	(4.06 - 7.47)
Northern	14.51	(11.53 - 18.11)	19.84	(16.28 - 23.95)	5.09	(3.62 - 7.12)
Oakland	11.97	(9.70 - 14.69)	21.70	(18.30 - 25.52)	5.98	(4.57 - 7.80)
Pathways	14.49	(10.36 - 19.89)	24.74	(19.84 - 30.39)	9.03	(6.24 - 12.91)
Saginaw	11.46	(8.09 - 15.98)	19.07	(14.41 - 24.80)	5.94	(4.07 - 8.60)
Southeast	11.92	(9.70 - 14.58)	23.73	(20.45 - 27.35)	7.08	(5.47 - 9.12)
St. Clair	11.94	(8.73 - 16.11)	19.41	(15.02 - 24.71)	5.23	(3.64 - 7.48)
Washtenaw	10.64	(7.85 - 14.27)	22.15	(18.00 - 26.95)	5.67	(4.04 - 7.90)
Western	11.56	(8.01 - 16.41)	16.31	(12.29 - 21.32)	5.37	(3.44 - 8.29)
Minnesota	10.53	(8.89 - 12.43)	18.44	(15.99 - 21.17)	4.99	(3.91 - 6.34)
Regions 1 and 2	13.06	(9.19 - 18.24)	18.54	(14.01 - 24.13)	6.03	(3.96 - 9.07)
Regions 3 and 4	10.33	(7.64 - 13.82)	16.94	(13.17 - 21.52)	3.91	(2.58 - 5.90)
Regions 5 and 6	10.40	(7.63 - 14.03)	16.73	(12.88 - 21.45)	3.99	(2.68 - 5.90)
Region 7A (Hennepin)	11.91	(8.81 - 15.89)	20.46	(16.09 - 25.67)	6.68	(4.75 - 9.32)
Region 7B (Ramsey)	10.23	(7.09 - 14.54)	*	(* - *)	5.90	(3.81 - 9.03)
Region 7C	8.48	(6.07 - 11.72)	17.38	(13.29 - 22.39)	3.83	(2.57 - 5.69)

See notes at end of table.

(continued)

Table 1. Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	9.73	(8.22 - 11.47)	14.74	(12.65 - 17.11)	3.93	(2.97 - 5.18)
Region 1	9.25	(6.82 - 12.44)	13.28	(9.95 - 17.52)	3.14	(2.04 - 4.80)
Region 2	9.31	(6.59 - 13.00)	14.66	(11.04 - 19.21)	4.13	(2.67 - 6.35)
Region 3	8.34	(5.82 - 11.81)	14.34	(10.71 - 18.94)	3.53	(2.23 - 5.53)
Region 4	10.28	(7.50 - 13.93)	14.68	(11.27 - 18.91)	3.91	(2.55 - 5.95)
Region 5	8.58	(5.86 - 12.40)	12.93	(9.17 - 17.94)	3.55	(2.19 - 5.69)
Region 6	10.49	(7.31 - 14.84)	15.47	(11.43 - 20.62)	4.03	(2.55 - 6.31)
Region 7	11.50	(8.15 - 15.97)	17.48	(13.39 - 22.50)	5.25	(3.41 - 8.02)
Missouri	10.51	(8.90 - 12.36)	19.66	(17.24 - 22.33)	6.12	(4.89 - 7.64)
Central	11.16	(8.11 - 15.17)	22.09	(17.41 - 27.61)	6.34	(4.36 - 9.14)
Eastern	10.99	(8.70 - 13.79)	20.17	(16.54 - 24.36)	6.33	(4.67 - 8.53)
Eastern (St. Louis City and County)	9.66	(7.10 - 13.01)	20.46	(16.13 - 25.60)	6.76	(4.72 - 9.59)
Eastern (excluding St. Louis)	13.46	(9.57 - 18.61)	19.56	(14.71 - 25.53)	5.45	(3.61 - 8.15)
Northwest	10.10	(7.77 - 13.02)	20.40	(16.75 - 24.60)	6.88	(5.15 - 9.12)
Northwest (Jackson)	10.55	(7.50 - 14.64)	21.65	(16.93 - 27.25)	8.69	(6.08 - 12.29)
Northwest (excluding Jackson)	9.70	(6.76 - 13.73)	19.27	(14.54 - 25.10)	5.22	(3.48 - 7.77)
Southeast	10.70	(7.66 - 14.76)	16.69	(12.19 - 22.42)	4.95	(3.27 - 7.41)
Southwest	9.19	(6.66 - 12.55)	17.13	(13.57 - 21.39)	5.17	(3.53 - 7.50)
Montana	14.37	(12.41 - 16.58)	22.60	(20.06 - 25.35)	7.31	(5.90 - 9.02)
Region 1	14.32	(10.66 - 18.97)	*	(* - *)	6.30	(4.17 - 9.41)
Region 2	14.53	(11.01 - 18.94)	20.57	(16.09 - 25.90)	7.60	(5.29 - 10.80)
Region 3	14.27	(10.81 - 18.61)	19.08	(14.88 - 24.13)	6.44	(4.51 - 9.10)
Region 4	13.93	(10.83 - 17.73)	23.27	(19.58 - 27.41)	7.61	(5.57 - 10.32)
Region 5	14.73	(11.39 - 18.84)	25.85	(21.47 - 30.77)	7.80	(5.64 - 10.70)
Nebraska	11.40	(9.59 - 13.50)	17.84	(15.43 - 20.54)	4.27	(3.30 - 5.52)
Regions 1 and 2	12.27	(8.50 - 17.38)	13.95	(9.88 - 19.33)	3.39	(2.13 - 5.35)
Region 3	12.59	(9.02 - 17.30)	18.81	(14.09 - 24.65)	4.11	(2.71 - 6.19)
Region 4	10.96	(7.73 - 15.32)	14.62	(10.70 - 19.64)	3.77	(2.40 - 5.89)
Region 5	10.39	(7.69 - 13.89)	17.47	(14.04 - 21.54)	4.49	(3.09 - 6.48)
Region 6	11.52	(8.88 - 14.82)	19.64	(15.93 - 23.98)	4.63	(3.29 - 6.48)
Nevada	11.85	(9.90 - 14.13)	19.92	(17.25 - 22.89)	7.65	(6.00 - 9.69)
Clark	11.24	(8.90 - 14.09)	18.71	(15.61 - 22.26)	7.69	(5.76 - 10.18)
Rural	12.11	(8.91 - 16.26)	20.15	(15.40 - 25.92)	6.39	(4.37 - 9.24)
Washoe	14.09	(10.54 - 18.60)	24.82	(20.02 - 30.34)	8.57	(6.16 - 11.79)

See notes at end of table.

(continued)

Table 1. Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	13.17	(11.22 - 15.39)	28.88	(26.07 - 31.85)	7.52	(6.06 - 9.30)
Central	13.50	(10.57 - 17.08)	27.45	(23.66 - 31.60)	6.61	(4.97 - 8.74)
Central 1	13.02	(9.49 - 17.61)	27.10	(22.28 - 32.52)	6.41	(4.53 - 9.01)
Central 2	13.97	(10.16 - 18.90)	27.91	(22.76 - 33.72)	6.78	(4.70 - 9.68)
Northern	13.17	(9.50 - 17.98)	26.68	(21.29 - 32.87)	6.68	(4.56 - 9.68)
Southern	13.01	(10.71 - 15.70)	30.18	(26.55 - 34.09)	8.13	(6.32 - 10.41)
Southern 1 (Rockingham)	13.37	(10.10 - 17.50)	30.37	(24.95 - 36.39)	7.43	(5.18 - 10.54)
Southern 2	12.79	(10.08 - 16.09)	30.09	(25.67 - 34.91)	8.58	(6.43 - 11.36)
New Jersey	10.44	(8.73 - 12.45)	20.38	(17.75 - 23.29)	4.13	(3.15 - 5.40)
Central	11.54	(8.63 - 15.26)	23.19	(18.56 - 28.56)	4.34	(2.89 - 6.45)
Metropolitan	10.73	(7.94 - 14.36)	20.64	(16.26 - 25.83)	4.50	(3.06 - 6.59)
Northern	10.12	(7.48 - 13.54)	18.45	(14.80 - 22.75)	3.83	(2.62 - 5.57)
Southern	9.47	(6.85 - 12.96)	20.18	(15.87 - 25.30)	3.94	(2.60 - 5.94)
New Mexico	14.75	(12.51 - 17.31)	22.73	(19.83 - 25.91)	7.46	(5.85 - 9.46)
Region 1	17.55	(13.30 - 22.81)	20.47	(15.62 - 26.34)	8.10	(5.43 - 11.92)
Region 2	14.51	(10.43 - 19.84)	*	(* - *)	7.60	(5.08 - 11.22)
Region 3 (Bernalillo)	14.74	(11.50 - 18.71)	25.30	(20.90 - 30.27)	8.52	(6.15 - 11.68)
Region 4	12.29	(8.58 - 17.31)	*	(* - *)	5.57	(3.66 - 8.39)
Region 5	13.51	(9.90 - 18.19)	21.88	(17.39 - 27.15)	6.23	(4.29 - 8.96)
New York	11.66	(10.61 - 12.80)	23.90	(22.36 - 25.51)	6.40	(5.58 - 7.33)
Region A	10.40	(8.99 - 12.01)	20.09	(18.03 - 22.33)	7.03	(5.88 - 8.37)
Region 1	10.89	(8.09 - 14.51)	20.12	(16.04 - 24.93)	6.63	(4.73 - 9.21)
Region 2	9.47	(7.42 - 12.02)	19.62	(16.51 - 23.15)	6.68	(4.99 - 8.90)
Region 3	14.00	(10.47 - 18.47)	27.16	(22.75 - 32.08)	11.08	(8.65 - 14.09)
Region 4	9.59	(7.27 - 12.55)	15.60	(12.53 - 19.25)	4.70	(3.34 - 6.59)
Region B	11.33	(9.49 - 13.47)	25.56	(22.58 - 28.79)	5.46	(4.35 - 6.84)
Region 5	11.63	(9.36 - 14.36)	26.27	(22.52 - 30.40)	5.71	(4.35 - 7.48)
Region 6	10.68	(8.07 - 14.01)	24.03	(19.57 - 29.13)	4.94	(3.53 - 6.87)
Region C	13.40	(11.77 - 15.23)	28.77	(26.49 - 31.17)	6.32	(5.27 - 7.55)
Region 7	10.95	(8.21 - 14.46)	27.48	(22.12 - 33.58)	5.77	(3.97 - 8.33)
Region 8	14.62	(11.09 - 19.02)	30.20	(25.64 - 35.19)	7.13	(5.17 - 9.76)
Region 9	13.57	(10.50 - 17.36)	30.37	(25.54 - 35.68)	6.35	(4.55 - 8.78)
Region 10	15.34	(11.47 - 20.22)	27.36	(22.73 - 32.53)	6.37	(4.40 - 9.14)
Region 11	13.73	(10.62 - 17.57)	29.78	(25.21 - 34.78)	6.47	(4.73 - 8.81)
Region 12	12.99	(10.07 - 16.59)	26.83	(22.49 - 31.67)	5.84	(4.26 - 7.96)
Region D	12.27	(10.15 - 14.76)	24.71	(21.58 - 28.13)	5.93	(4.67 - 7.50)
Region 13	11.98	(8.74 - 16.21)	23.20	(18.26 - 28.99)	5.32	(3.69 - 7.59)
Region 14	10.13	(7.17 - 14.11)	23.58	(18.58 - 29.43)	5.89	(4.06 - 8.48)
Region 15	14.50	(10.89 - 19.04)	27.25	(22.15 - 33.03)	6.51	(4.60 - 9.13)

See notes at end of table.

(continued)

Table 1. Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	12.72	(10.84 - 14.87)	18.42	(16.04 - 21.08)	4.76	(3.68 - 6.13)
Eastern	9.82	(7.18 - 13.30)	15.10	(11.76 - 19.19)	3.93	(2.60 - 5.89)
North Central	11.78	(8.80 - 15.60)	17.91	(13.97 - 22.66)	4.59	(3.15 - 6.66)
South Central	11.12	(8.12 - 15.06)	17.03	(13.27 - 21.58)	4.14	(2.78 - 6.13)
Western	16.40	(13.07 - 20.38)	22.22	(18.09 - 27.00)	5.76	(4.07 - 8.09)
North Dakota	11.13	(9.34 - 13.22)	16.80	(14.46 - 19.44)	4.55	(3.45 - 5.98)
Badlands and West Central Lake Region and South Central	9.42	(6.89 - 12.74)	14.89	(11.31 - 19.36)	3.92	(2.61 - 5.84)
North Central and Northwest	12.21	(9.01 - 16.33)	13.91	(10.16 - 18.75)	4.81	(3.11 - 7.38)
Northeast	11.24	(8.16 - 15.28)	16.12	(12.14 - 21.10)	4.40	(2.86 - 6.71)
Southeast	10.61	(7.53 - 14.76)	15.99	(12.18 - 20.70)	4.62	(3.00 - 7.04)
Ohio	12.52	(9.41 - 16.48)	19.89	(16.12 - 24.29)	5.13	(3.61 - 7.24)
Boards 2, 46, 55, and 68	11.05	(10.13 - 12.05)	20.27	(18.94 - 21.67)	5.48	(4.80 - 6.25)
Boards 3, 52, and 85	9.91	(7.28 - 13.36)	17.46	(13.73 - 21.93)	4.58	(3.21 - 6.50)
Boards 4 and 78	8.94	(6.48 - 12.21)	17.73	(13.72 - 22.60)	3.53	(2.41 - 5.14)
Boards 5 and 60	11.56	(8.36 - 15.77)	20.23	(15.94 - 25.32)	5.57	(3.86 - 7.98)
Boards 7, 15, 41, 79, and 84	10.34	(7.46 - 14.18)	19.30	(15.05 - 24.42)	5.47	(3.77 - 7.88)
Boards 8, 13, and 83	11.70	(8.73 - 15.49)	19.28	(14.97 - 24.48)	4.62	(3.21 - 6.61)
Board 9 (Butler)	10.88	(8.21 - 14.30)	19.91	(15.61 - 25.05)	5.15	(3.60 - 7.33)
Board 12	12.15	(9.07 - 16.09)	19.60	(15.45 - 24.54)	4.29	(2.93 - 6.23)
Boards 18 and 47	12.68	(9.32 - 17.03)	21.07	(16.68 - 26.24)	5.82	(4.10 - 8.19)
Boards 20, 32, 54, and 69	9.78	(7.80 - 12.20)	20.81	(17.80 - 24.17)	6.11	(4.72 - 7.86)
Boards 21, 39, 51, 70, and 80	8.80	(6.28 - 12.18)	15.15	(11.40 - 19.87)	3.61	(2.40 - 5.39)
Boards 22, 74, and 87	11.04	(8.19 - 14.71)	19.08	(15.17 - 23.72)	4.55	(3.18 - 6.45)
Boards 23 and 45	9.20	(6.64 - 12.61)	17.40	(13.27 - 22.48)	4.12	(2.78 - 6.05)
Board 25 (Franklin)	10.50	(7.70 - 14.16)	20.52	(15.71 - 26.34)	4.22	(2.88 - 6.15)
Boards 27, 71, and 73	13.08	(10.38 - 16.37)	20.20	(17.03 - 23.79)	6.52	(4.92 - 8.60)
Boards 28, 43, and 67	9.89	(7.23 - 13.38)	15.40	(11.82 - 19.83)	4.23	(2.87 - 6.19)
Board 31 (Hamilton)	9.46	(7.08 - 12.53)	19.74	(15.83 - 24.34)	4.18	(2.92 - 5.94)
Board 48 (Lucas)	11.77	(9.03 - 15.21)	21.85	(18.13 - 26.08)	6.11	(4.44 - 8.35)
Board 50 and 76	12.23	(9.40 - 15.77)	21.65	(17.44 - 26.55)	6.40	(4.53 - 8.97)
Board 57 (Montgomery)	11.11	(8.42 - 14.53)	22.54	(18.32 - 27.42)	5.93	(4.24 - 8.24)
Board 77 (Summit)	15.05	(11.31 - 19.76)	26.74	(21.84 - 32.27)	8.53	(6.10 - 11.80)
Oklahoma	11.17	(8.47 - 14.58)	23.45	(19.10 - 28.43)	5.83	(4.18 - 8.09)
Central	11.98	(10.16 - 14.09)	18.50	(15.98 - 21.32)	5.83	(4.54 - 7.47)
East Central	9.65	(6.75 - 13.62)	18.72	(14.20 - 24.28)	5.26	(3.48 - 7.85)
Northeast	11.00	(7.71 - 15.46)	14.34	(10.35 - 19.54)	5.34	(3.36 - 8.40)
Northwest and Southwest	11.84	(8.53 - 16.19)	18.22	(13.81 - 23.65)	5.33	(3.51 - 8.02)
Oklahoma County	10.25	(7.26 - 14.27)	16.59	(12.41 - 21.81)	4.61	(3.03 - 6.97)
Southeast	12.68	(9.32 - 17.03)	20.77	(16.05 - 26.44)	6.39	(4.33 - 9.34)
Tulsa County	12.55	(9.09 - 17.06)	16.94	(12.91 - 21.93)	6.22	(4.13 - 9.28)
	14.93	(10.77 - 20.34)	21.38	(17.06 - 26.44)	7.10	(4.90 - 10.18)

See notes at end of table.

(continued)

Table 1. Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	12.48	(10.65 - 14.58)	24.00	(21.45 - 26.75)	7.13	(5.73 - 8.85)
Region 1 (Multnomah)	11.90	(8.65 - 16.15)	27.73	(22.98 - 33.03)	9.91	(7.27 - 13.38)
Region 2	11.04	(8.40 - 14.37)	23.48	(19.01 - 28.64)	6.09	(4.29 - 8.57)
Region 3	13.23	(10.15 - 17.08)	22.59	(18.86 - 26.82)	6.58	(4.67 - 9.19)
Region 4	13.39	(10.09 - 17.56)	23.52	(18.75 - 29.05)	7.00	(4.86 - 9.98)
Region 5	12.88	(9.27 - 17.63)	*	(* - *)	6.08	(4.00 - 9.16)
Pennsylvania	11.05	(10.06 - 12.11)	20.68	(19.37 - 22.06)	4.98	(4.34 - 5.71)
Region 1 (Allegheny)	12.47	(9.91 - 15.58)	26.45	(22.78 - 30.47)	6.58	(4.99 - 8.64)
Regions 2, 3, 8, and 9	8.20	(5.96 - 11.20)	16.00	(12.47 - 20.30)	3.60	(2.44 - 5.28)
Regions 4, 11, 42, and 48	10.81	(8.29 - 13.98)	19.71	(15.99 - 24.05)	4.48	(3.16 - 6.32)
Regions 5, 20, 26, 28, and 40	10.60	(8.01 - 13.91)	17.54	(14.30 - 21.33)	3.79	(2.71 - 5.28)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	11.18	(8.55 - 14.48)	23.02	(19.37 - 27.12)	4.09	(2.89 - 5.75)
Regions 7, 13, 22, and 37	12.54	(10.45 - 14.99)	20.73	(17.87 - 23.91)	4.71	(3.61 - 6.12)
Regions 10, 14, 15, 25, 31, 36, and 46	9.78	(7.36 - 12.87)	18.61	(14.82 - 23.11)	4.38	(3.09 - 6.18)
Regions 17, 24, 27, 43, and 47	8.86	(6.49 - 11.98)	17.78	(14.02 - 22.30)	3.87	(2.68 - 5.56)
Region 18 (Philadelphia)	12.42	(9.91 - 15.46)	22.60	(19.51 - 26.02)	8.21	(6.34 - 10.57)
Regions 19 and 23	10.94	(8.03 - 14.75)	19.69	(15.57 - 24.60)	4.76	(3.27 - 6.87)
Regions 21, 30, 32, and 49	8.61	(6.67 - 11.05)	16.74	(13.88 - 20.05)	3.63	(2.68 - 4.91)
Regions 29 and 34	12.37	(9.26 - 16.32)	25.63	(20.70 - 31.27)	5.33	(3.69 - 7.63)
Regions 33 and 38	11.08	(8.33 - 14.60)	20.29	(16.18 - 25.14)	4.80	(3.38 - 6.78)
Rhode Island	13.77	(11.68 - 16.16)	30.72	(27.51 - 34.12)	6.91	(5.43 - 8.74)
Bristol and Newport	13.76	(10.01 - 18.63)	*	(* - *)	6.59	(4.46 - 9.62)
Kent	12.63	(9.24 - 17.04)	29.41	(23.74 - 35.80)	6.13	(4.23 - 8.79)
Providence	13.63	(10.96 - 16.83)	29.78	(26.03 - 33.81)	7.06	(5.27 - 9.41)
Washington	15.74	(11.64 - 20.95)	*	(* - *)	7.59	(5.07 - 11.22)
South Carolina	10.55	(8.95 - 12.40)	18.02	(15.57 - 20.77)	4.60	(3.55 - 5.94)
Region 1	11.70	(8.85 - 15.31)	18.59	(14.60 - 23.38)	4.81	(3.34 - 6.88)
Region 2	10.31	(7.94 - 13.28)	18.44	(15.15 - 22.26)	4.47	(3.19 - 6.24)
Region 3	8.79	(6.22 - 12.28)	16.45	(12.19 - 21.83)	4.28	(2.80 - 6.50)
Region 4	10.91	(8.02 - 14.68)	18.00	(13.99 - 22.85)	4.75	(3.15 - 7.09)

See notes at end of table.

(continued)

Table 1. Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	11.37	(9.54 - 13.48)	16.44	(14.18 - 18.99)	4.15	(3.07 - 5.57)
Eastern Planning Area	10.05	(8.23 - 12.23)	15.63	(13.29 - 18.30)	3.51	(2.54 - 4.83)
Region 3 (Minnehaha)	11.78	(8.63 - 15.87)	19.15	(15.15 - 23.91)	3.98	(2.63 - 5.98)
Region 4	9.17	(6.33 - 13.10)	14.04	(10.30 - 18.85)	2.96	(1.80 - 4.81)
Region 5	9.27	(6.52 - 13.00)	14.38	(10.67 - 19.11)	3.33	(2.09 - 5.28)
Region 6	9.96	(7.05 - 13.89)	14.22	(10.59 - 18.83)	3.51	(2.20 - 5.56)
Region 7	9.28	(6.35 - 13.38)	13.86	(10.26 - 18.46)	3.57	(2.21 - 5.72)
Western Planning Area	14.12	(10.87 - 18.13)	18.44	(14.84 - 22.68)	5.70	(3.89 - 8.29)
Region 1 (Pennington)	11.91	(8.42 - 16.58)	18.57	(14.38 - 23.66)	4.64	(3.01 - 7.10)
Region 2	15.36	(11.23 - 20.65)	*	(* - *)	6.43	(4.05 - 10.06)
Tennessee	9.54	(8.03 - 11.30)	16.09	(13.66 - 18.86)	4.91	(3.87 - 6.21)
Region 1	*	(* - *)	*	(* - *)	5.56	(3.69 - 8.31)
Region 2	12.55	(9.14 - 17.00)	21.12	(16.17 - 27.10)	5.94	(4.10 - 8.54)
Region 3	8.99	(6.49 - 12.32)	15.17	(11.31 - 20.05)	4.28	(2.90 - 6.27)
Region 4 (Davidson)	9.86	(6.91 - 13.87)	17.09	(13.00 - 22.14)	7.29	(5.07 - 10.40)
Region 5	8.38	(6.06 - 11.47)	13.24	(9.78 - 17.68)	3.46	(2.30 - 5.19)
Region 6	8.42	(5.86 - 11.97)	13.10	(9.36 - 18.04)	4.34	(2.80 - 6.67)
Region 7 (Shelby)	7.61	(5.29 - 10.83)	15.12	(10.99 - 20.43)	4.77	(3.09 - 7.29)
Texas	9.64	(8.71 - 10.66)	16.42	(15.22 - 17.68)	4.56	(3.94 - 5.28)
Region 1	10.43	(7.52 - 14.28)	18.91	(15.12 - 23.39)	4.87	(3.40 - 6.91)
Region 2	9.86	(6.94 - 13.83)	18.60	(14.03 - 24.24)	4.84	(3.26 - 7.11)
Region 3	9.56	(8.08 - 11.28)	15.12	(13.23 - 17.23)	4.83	(3.95 - 5.90)
Region 3a	9.59	(7.78 - 11.77)	14.53	(12.31 - 17.07)	4.86	(3.78 - 6.22)
Region 3bc	9.51	(7.28 - 12.34)	16.23	(13.18 - 19.82)	4.79	(3.59 - 6.37)
Region 4	10.24	(7.57 - 13.72)	17.27	(13.44 - 21.90)	4.13	(2.88 - 5.88)
Region 5	11.98	(8.77 - 16.15)	18.58	(14.27 - 23.84)	4.54	(3.07 - 6.66)
Region 6	8.43	(6.97 - 10.15)	15.34	(13.35 - 17.57)	4.34	(3.41 - 5.52)
Region 6a	8.20	(6.65 - 10.08)	14.88	(12.77 - 17.26)	4.28	(3.29 - 5.55)
Region 6bc	10.30	(7.39 - 14.17)	19.75	(15.19 - 25.27)	4.88	(3.34 - 7.06)
Region 7	10.12	(8.04 - 12.67)	22.01	(19.19 - 25.12)	5.94	(4.57 - 7.70)
Region 7a	10.63	(7.90 - 14.16)	23.99	(20.15 - 28.29)	6.75	(4.88 - 9.26)
Region 7bcd	9.46	(6.91 - 12.81)	19.39	(15.65 - 23.77)	4.69	(3.33 - 6.55)
Region 8	10.32	(7.96 - 13.29)	15.38	(12.27 - 19.11)	4.52	(3.30 - 6.15)
Region 9	10.10	(7.13 - 14.11)	15.25	(11.42 - 20.07)	3.91	(2.60 - 5.84)
Region 10	10.74	(7.73 - 14.72)	12.33	(9.19 - 16.35)	3.35	(2.25 - 4.98)
Region 11	9.50	(7.35 - 12.20)	14.39	(11.70 - 17.58)	3.16	(2.25 - 4.41)
Region 11abd	10.24	(7.50 - 13.85)	15.27	(11.87 - 19.42)	3.48	(2.34 - 5.14)
Region 11c (Hidalgo)	8.13	(5.73 - 11.42)	12.78	(9.41 - 17.13)	2.48	(1.63 - 3.76)

See notes at end of table.

(continued)

Table 1. Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	8.30	(6.87 - 10.00)	13.03	(11.01 - 15.34)	4.41	(3.35 - 5.79)
Bear River, Northeastern, Summit, Tooele, and Wasatch	7.96	(5.46 - 11.46)	13.86	(9.97 - 18.96)	4.20	(2.73 - 6.41)
Central, Four Corners, San Juan, and Southwest	7.17	(4.84 - 10.50)	11.19	(7.69 - 15.99)	3.44	(2.12 - 5.54)
Davis County	7.65	(5.19 - 11.14)	13.32	(9.63 - 18.14)	3.89	(2.49 - 6.04)
Salt Lake County	10.45	(8.01 - 13.53)	15.52	(12.48 - 19.15)	5.55	(3.94 - 7.78)
Utah County	5.54	(3.71 - 8.18)	9.66	(6.99 - 13.20)	2.76	(1.68 - 4.50)
Weber, Morgan	8.10	(5.53 - 11.72)	11.98	(8.41 - 16.78)	3.90	(2.45 - 6.14)
Vermont	15.66	(13.58 - 17.99)	29.57	(26.64 - 32.69)	7.41	(5.97 - 9.17)
Champlain Valley	16.58	(13.38 - 20.36)	32.79	(28.68 - 37.19)	7.59	(5.63 - 10.15)
Rural Northeast	15.50	(12.21 - 19.49)	26.69	(21.76 - 32.28)	7.43	(5.31 - 10.29)
Rural Southeast	12.80	(9.65 - 16.80)	25.13	(19.97 - 31.10)	6.84	(4.79 - 9.68)
Rural Southwest	17.30	(13.19 - 22.35)	29.09	(23.46 - 35.44)	7.74	(5.39 - 10.98)
Virginia	10.99	(9.30 - 12.94)	19.78	(17.23 - 22.61)	4.84	(3.76 - 6.21)
Region 1	12.28	(8.83 - 16.82)	20.82	(16.58 - 25.83)	4.71	(3.04 - 7.22)
Region 2	9.77	(7.15 - 13.21)	20.37	(15.91 - 25.70)	5.06	(3.42 - 7.44)
Region 3	12.95	(9.65 - 17.17)	20.18	(15.78 - 25.43)	4.99	(3.43 - 7.22)
Region 4	9.66	(6.98 - 13.22)	18.20	(14.33 - 22.83)	4.49	(3.03 - 6.62)
Region 5	10.87	(8.18 - 14.31)	19.29	(15.24 - 24.11)	4.82	(3.32 - 6.94)
Washington	12.32	(10.51 - 14.38)	22.48	(19.80 - 25.40)	6.38	(5.13 - 7.90)
Region 1	12.03	(8.71 - 16.39)	20.85	(16.33 - 26.23)	5.93	(4.06 - 8.58)
Region 2	11.05	(7.62 - 15.76)	*	(* - *)	5.53	(3.63 - 8.34)
Region 3	13.75	(10.38 - 17.99)	23.73	(18.52 - 29.86)	6.13	(4.22 - 8.82)
Region 4 (King)	12.36	(9.31 - 16.24)	23.35	(19.20 - 28.07)	7.03	(5.11 - 9.61)
Region 5	13.35	(9.82 - 17.91)	23.17	(18.44 - 28.69)	6.30	(4.33 - 9.07)
Region 6	10.86	(7.89 - 14.77)	22.82	(17.83 - 28.70)	6.25	(4.31 - 8.99)
West Virginia	11.30	(9.57 - 13.29)	19.02	(16.68 - 21.61)	4.77	(3.76 - 6.04)
Eastern Highland	10.88	(7.95 - 14.71)	16.42	(12.81 - 20.79)	4.50	(3.05 - 6.59)
Northern	10.81	(8.31 - 13.95)	21.80	(17.99 - 26.15)	4.70	(3.38 - 6.50)
Northern A and B	11.73	(8.21 - 16.48)	18.62	(13.87 - 24.52)	4.31	(2.83 - 6.51)
Northern C and D	10.37	(7.37 - 14.40)	22.98	(18.40 - 28.31)	4.92	(3.31 - 7.24)
South Central	12.12	(9.84 - 14.83)	18.87	(15.75 - 22.43)	4.83	(3.64 - 6.38)
South Central I	10.75	(7.60 - 15.01)	16.99	(12.59 - 22.55)	4.15	(2.72 - 6.29)
South Central II	11.37	(8.06 - 15.81)	20.64	(15.74 - 26.59)	5.04	(3.36 - 7.51)
South Central III	13.54	(10.06 - 17.98)	18.51	(14.27 - 23.67)	5.10	(3.55 - 7.28)
Southern	10.90	(8.22 - 14.32)	17.69	(14.13 - 21.92)	5.03	(3.60 - 7.00)
Southern I and III	10.76	(7.50 - 15.19)	17.63	(13.29 - 23.01)	4.96	(3.31 - 7.37)
Southern II	11.19	(7.80 - 15.79)	17.81	(13.24 - 23.54)	5.18	(3.38 - 7.88)

See notes at end of table.

(continued)

Table 1. Any Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	11.26	(9.57 - 13.21)	18.99	(16.69 - 21.52)	5.08	(3.98 - 6.46)
Milwaukee	11.50	(8.41 - 15.54)	21.52	(16.73 - 27.23)	6.86	(4.72 - 9.88)
Northeastern	10.65	(8.04 - 13.98)	18.62	(14.55 - 23.51)	4.77	(3.22 - 7.01)
Northern	12.04	(8.55 - 16.70)	18.83	(14.16 - 24.59)	4.90	(3.16 - 7.51)
Southeastern	12.95	(9.76 - 16.98)	17.73	(13.57 - 22.82)	4.74	(3.17 - 7.01)
Southern	11.25	(8.25 - 15.15)	20.10	(16.26 - 24.59)	5.21	(3.62 - 7.45)
Western	9.06	(6.28 - 12.90)	16.63	(12.84 - 21.27)	3.89	(2.52 - 5.97)
Wyoming	10.01	(8.44 - 11.83)	17.87	(15.40 - 20.64)	5.00	(3.87 - 6.43)
Judicial District 1 (Laramie)	9.75	(6.92 - 13.58)	16.50	(12.30 - 21.79)	4.54	(3.01 - 6.79)
Judicial District 2	9.37	(6.54 - 13.26)	18.82	(14.80 - 23.63)	5.78	(3.92 - 8.46)
Judicial District 3	11.05	(7.98 - 15.10)	17.40	(12.97 - 22.94)	5.10	(3.36 - 7.66)
Judicial District 4	10.94	(7.56 - 15.59)	*	(* - *)	4.77	(3.11 - 7.25)
Judicial District 5	8.74	(6.03 - 12.50)	16.16	(11.79 - 21.74)	3.36	(2.16 - 5.20)
Judicial District 6	8.10	(5.59 - 11.62)	15.08	(10.95 - 20.42)	4.07	(2.59 - 6.34)
Judicial District 7 (Natrona)	10.75	(7.77 - 14.70)	*	(* - *)	5.61	(3.75 - 8.30)
Judicial District 8	9.54	(6.64 - 13.51)	*	(* - *)	4.14	(2.62 - 6.50)
Judicial District 9	11.17	(7.75 - 15.83)	*	(* - *)	6.95	(4.57 - 10.44)

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 2. Any Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	5.57		8.15		2.59	
Alabama	5.41	(4.29 - 6.79)	8.67	(7.14 - 10.49)	2.74	(2.07 - 3.62)
Region 1	5.56	(3.88 - 7.90)	8.54	(6.21 - 11.64)	2.48	(1.62 - 3.77)
Region 2	5.82	(4.12 - 8.15)	8.88	(6.71 - 11.67)	3.03	(2.06 - 4.45)
Region 3	4.68	(3.21 - 6.78)	8.47	(6.16 - 11.54)	2.71	(1.73 - 4.22)
Region 4	5.28	(3.75 - 7.39)	8.70	(6.37 - 11.79)	2.69	(1.79 - 4.01)
Alaska	5.34	(4.24 - 6.71)	8.05	(6.53 - 9.89)	3.05	(2.29 - 4.06)
Gulf Coast	5.23	(3.48 - 7.77)	8.47	(5.90 - 12.02)	2.77	(1.76 - 4.32)
Rural	4.53	(2.90 - 7.01)	5.35	(3.51 - 8.08)	2.58	(1.54 - 4.28)
Southeast	5.32	(3.54 - 7.92)	8.11	(5.56 - 11.70)	2.51	(1.62 - 3.87)
Urban	5.52	(4.17 - 7.27)	8.48	(6.65 - 10.75)	3.28	(2.35 - 4.58)
Arizona	6.67	(5.25 - 8.43)	7.93	(6.39 - 9.81)	3.45	(2.63 - 4.52)
Maricopa	6.32	(4.72 - 8.42)	7.64	(5.91 - 9.82)	3.54	(2.57 - 4.85)
Pima	6.60	(4.47 - 9.64)	8.75	(6.18 - 12.26)	3.63	(2.38 - 5.49)
Rural North	8.09	(5.45 - 11.85)	8.49	(5.80 - 12.27)	3.21	(2.04 - 5.00)
Rural South	7.04	(4.63 - 10.58)	7.81	(5.27 - 11.44)	3.01	(1.93 - 4.67)
Arkansas	6.47	(5.22 - 8.00)	9.52	(7.82 - 11.55)	2.51	(1.89 - 3.33)
Areas 1 and 5	6.36	(4.40 - 9.11)	9.40	(6.79 - 12.88)	2.31	(1.52 - 3.50)
Areas 2 and 3	6.82	(4.67 - 9.86)	9.15	(6.38 - 12.96)	2.56	(1.60 - 4.07)
Areas 4 and 7	6.62	(4.63 - 9.37)	10.26	(7.40 - 14.06)	2.80	(1.77 - 4.38)
Area 6	5.93	(3.93 - 8.84)	9.85	(6.97 - 13.75)	*	(* - *)
Areas 8 and 12	6.72	(4.62 - 9.67)	9.53	(6.72 - 13.35)	2.50	(1.58 - 3.93)
Area 9	7.03	(4.89 - 10.00)	9.63	(6.97 - 13.17)	2.77	(1.78 - 4.30)
Areas 10, 11, and 13	5.57	(3.75 - 8.19)	8.68	(6.21 - 12.01)	2.28	(1.43 - 3.62)
California	5.81	(5.10 - 6.61)	7.14	(6.32 - 8.07)	2.90	(2.43 - 3.46)
Region 1	7.19	(4.93 - 10.40)	10.18	(7.33 - 13.98)	3.24	(2.12 - 4.91)
Region 2	6.64	(4.96 - 8.83)	8.05	(6.05 - 10.64)	3.15	(2.15 - 4.61)
Region 3	6.82	(4.89 - 9.43)	7.29	(5.33 - 9.90)	3.11	(2.08 - 4.62)
Region 4	5.45	(3.82 - 7.72)	7.37	(5.36 - 10.05)	3.16	(2.16 - 4.61)
Region 5	6.31	(4.53 - 8.72)	6.68	(4.83 - 9.17)	3.43	(2.34 - 5.00)
Region 6 (Santa Clara)	5.44	(3.83 - 7.66)	6.69	(4.80 - 9.26)	2.22	(1.47 - 3.34)
Region 7	6.56	(4.43 - 9.61)	8.58	(6.10 - 11.92)	3.24	(2.13 - 4.91)
Region 8	6.58	(4.79 - 8.97)	7.05	(5.19 - 9.52)	2.74	(1.85 - 4.05)
Region 9	5.92	(4.08 - 8.51)	7.42	(5.21 - 10.48)	3.51	(2.35 - 5.22)
Region 10	6.21	(4.36 - 8.77)	8.91	(6.40 - 12.27)	2.83	(1.93 - 4.15)
Region 11 (Los Angeles)	5.22	(4.10 - 6.63)	6.55	(5.27 - 8.10)	3.03	(2.26 - 4.05)
Region 12	5.12	(3.65 - 7.16)	6.65	(4.82 - 9.11)	2.67	(1.79 - 3.97)
Region 13 (Riverside)	5.53	(3.82 - 7.95)	6.09	(4.23 - 8.71)	2.32	(1.49 - 3.60)
Region 14 (Orange)	5.93	(4.39 - 7.96)	7.39	(5.51 - 9.86)	2.27	(1.54 - 3.33)
Region 15	5.56	(4.03 - 7.62)	7.25	(5.40 - 9.66)	2.65	(1.80 - 3.89)

See notes at end of table.

(continued)

Table 2. Any Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	6.19	(4.93 - 7.75)	10.08	(8.27 - 12.23)	3.44	(2.63 - 4.49)
Region 1	5.85	(3.95 - 8.59)	9.44	(6.85 - 12.88)	3.27	(2.16 - 4.92)
Regions 2 and 7	6.25	(4.68 - 8.31)	10.70	(8.34 - 13.62)	3.53	(2.52 - 4.93)
Region 3	6.67	(4.51 - 9.75)	9.44	(6.61 - 13.29)	3.43	(2.22 - 5.25)
Region 4	6.06	(3.97 - 9.15)	8.52	(5.81 - 12.33)	3.42	(2.12 - 5.47)
Regions 5 and 6	5.74	(3.78 - 8.63)	9.44	(6.61 - 13.31)	3.22	(2.06 - 5.00)
Connecticut	5.33	(4.29 - 6.61)	8.65	(7.07 - 10.55)	2.28	(1.72 - 3.02)
Eastern	6.34	(4.30 - 9.26)	10.75	(7.63 - 14.94)	2.27	(1.44 - 3.56)
North Central	4.62	(3.15 - 6.73)	7.36	(5.34 - 10.07)	2.48	(1.61 - 3.79)
Northwestern	6.10	(4.30 - 8.60)	9.24	(6.61 - 12.78)	2.19	(1.41 - 3.36)
South Central	5.15	(3.64 - 7.25)	9.01	(6.65 - 12.11)	2.30	(1.50 - 3.49)
Southwest	5.18	(3.51 - 7.60)	7.89	(5.53 - 11.12)	2.06	(1.30 - 3.25)
Delaware	5.73	(4.61 - 7.12)	10.34	(8.56 - 12.44)	2.57	(1.97 - 3.35)
Kent	6.18	(4.30 - 8.80)	8.66	(6.12 - 12.11)	3.13	(2.05 - 4.75)
New Castle (excluding Wilmington city)	5.88	(4.41 - 7.81)	11.65	(9.27 - 14.53)	2.33	(1.64 - 3.31)
Sussex	5.31	(3.67 - 7.63)	9.30	(6.66 - 12.83)	2.66	(1.74 - 4.03)
Wilmington City	4.91	(3.23 - 7.38)	7.53	(5.14 - 10.90)	2.84	(1.81 - 4.44)
District of Columbia	4.04	(3.13 - 5.20)	6.54	(5.16 - 8.25)	3.16	(2.41 - 4.13)
Ward 1	4.54	(2.98 - 6.84)	6.61	(4.51 - 9.60)	3.79	(2.38 - 5.97)
Ward 2	*	(* - *)	8.33	(5.89 - 11.66)	3.82	(2.45 - 5.91)
Ward 3	4.75	(3.10 - 7.21)	8.52	(5.98 - 12.00)	2.96	(1.92 - 4.53)
Ward 4	3.53	(2.27 - 5.47)	5.34	(3.56 - 7.94)	2.50	(1.57 - 3.97)
Ward 5	4.15	(2.70 - 6.35)	5.19	(3.58 - 7.46)	3.05	(1.93 - 4.78)
Ward 6	3.56	(2.28 - 5.51)	6.52	(4.37 - 9.62)	3.07	(1.96 - 4.79)
Ward 7	3.85	(2.58 - 5.71)	4.36	(2.88 - 6.56)	3.09	(1.98 - 4.80)
Ward 8	3.76	(2.49 - 5.64)	4.77	(3.19 - 7.07)	3.13	(1.98 - 4.90)
Florida	5.34	(4.69 - 6.08)	8.61	(7.67 - 9.66)	2.77	(2.33 - 3.30)
District 1	6.56	(4.61 - 9.26)	10.96	(8.05 - 14.76)	2.97	(1.96 - 4.47)
District 2	4.99	(3.45 - 7.16)	8.76	(6.57 - 11.58)	2.60	(1.73 - 3.88)
District 3	5.34	(3.69 - 7.66)	8.77	(6.53 - 11.68)	2.85	(1.92 - 4.21)
District 4	4.78	(3.46 - 6.56)	9.93	(7.53 - 12.97)	2.91	(2.01 - 4.21)
District 7	5.50	(4.10 - 7.33)	9.10	(7.14 - 11.54)	2.74	(1.95 - 3.83)
District 8	5.06	(3.54 - 7.19)	8.54	(6.25 - 11.56)	2.40	(1.60 - 3.58)
District 9 (Palm Beach)	4.58	(3.25 - 6.42)	8.17	(6.16 - 10.77)	2.73	(1.84 - 4.04)
District 10 (Broward)	5.68	(4.25 - 7.54)	8.54	(6.50 - 11.15)	2.87	(2.00 - 4.09)
District 11	4.59	(3.36 - 6.24)	6.62	(5.04 - 8.64)	2.63	(1.87 - 3.68)
District 12	5.72	(4.06 - 8.01)	9.40	(7.01 - 12.50)	2.79	(1.87 - 4.14)
District 13	5.33	(3.72 - 7.58)	7.55	(5.41 - 10.43)	2.36	(1.53 - 3.62)
District 14	5.82	(4.08 - 8.23)	8.35	(6.12 - 11.30)	2.63	(1.78 - 3.87)
District 15	5.36	(3.71 - 7.68)	9.12	(6.59 - 12.50)	2.60	(1.70 - 3.96)
Suncoast	5.96	(4.65 - 7.61)	9.07	(7.28 - 11.26)	3.09	(2.32 - 4.10)

See notes at end of table.

(continued)

Table 2. Any Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	5.02	(3.97 - 6.32)	7.81	(6.25 - 9.71)	2.91	(2.21 - 3.83)
Region 1	5.26	(3.62 - 7.58)	8.31	(5.84 - 11.72)	2.68	(1.73 - 4.12)
Region 2	5.81	(4.00 - 8.37)	8.62	(6.06 - 12.11)	2.85	(1.87 - 4.33)
Region 3	4.58	(3.23 - 6.44)	7.75	(5.69 - 10.47)	3.10	(2.13 - 4.49)
Region 4	5.13	(3.48 - 7.50)	6.85	(4.78 - 9.72)	2.95	(1.89 - 4.58)
Region 5	5.01	(3.38 - 7.36)	7.52	(5.28 - 10.61)	2.57	(1.65 - 3.99)
Hawaii	6.22	(4.88 - 7.90)	6.41	(4.94 - 8.27)	2.25	(1.58 - 3.18)
Hawaii Island	6.32	(4.34 - 9.12)	6.26	(4.11 - 9.43)	2.49	(1.52 - 4.05)
Honolulu	6.24	(4.68 - 8.29)	6.31	(4.73 - 8.37)	2.18	(1.46 - 3.25)
Kauai and Maui	6.03	(4.14 - 8.71)	7.08	(4.73 - 10.46)	2.35	(1.43 - 3.82)
Idaho	5.01	(3.98 - 6.29)	6.87	(5.49 - 8.57)	2.53	(1.91 - 3.34)
Region 1	5.30	(3.52 - 7.90)	7.68	(5.23 - 11.14)	2.55	(1.63 - 3.96)
Region 2	*	(* - *)	7.72	(5.36 - 11.00)	2.36	(1.48 - 3.75)
Region 3	5.09	(3.50 - 7.35)	6.34	(4.36 - 9.13)	2.49	(1.60 - 3.84)
Region 4	5.01	(3.49 - 7.15)	7.10	(5.11 - 9.79)	2.82	(1.91 - 4.14)
Region 5	4.57	(3.05 - 6.79)	6.27	(4.29 - 9.07)	2.48	(1.59 - 3.84)
Region 6	5.69	(3.82 - 8.39)	6.92	(4.78 - 9.90)	2.38	(1.48 - 3.80)
Region 7	4.38	(2.84 - 6.69)	6.28	(4.32 - 9.05)	2.16	(1.31 - 3.53)
Illinois	4.86	(4.22 - 5.58)	7.01	(6.23 - 7.88)	2.41	(1.99 - 2.93)
Region I (Cook)	4.33	(3.48 - 5.37)	6.01	(4.90 - 7.37)	2.90	(2.23 - 3.76)
Region II	5.32	(4.26 - 6.62)	7.89	(6.50 - 9.55)	2.14	(1.56 - 2.94)
Region III	4.76	(3.45 - 6.53)	7.90	(6.15 - 10.09)	1.76	(1.17 - 2.64)
Region IV	5.90	(4.29 - 8.06)	7.06	(5.29 - 9.35)	2.24	(1.52 - 3.30)
Region V	4.99	(3.65 - 6.79)	7.89	(6.14 - 10.09)	1.98	(1.34 - 2.90)
Indiana	5.67	(4.62 - 6.94)	8.36	(6.91 - 10.07)	2.37	(1.82 - 3.08)
Central	5.38	(3.84 - 7.50)	9.17	(6.70 - 12.44)	2.68	(1.79 - 3.99)
East	6.36	(4.34 - 9.23)	7.95	(5.59 - 11.21)	2.54	(1.63 - 3.92)
North Central	5.67	(3.80 - 8.39)	7.40	(5.24 - 10.34)	2.33	(1.51 - 3.56)
Northeast	4.96	(3.28 - 7.42)	7.44	(5.10 - 10.74)	2.01	(1.28 - 3.15)
Northwest	5.00	(3.38 - 7.34)	7.87	(5.53 - 11.07)	2.19	(1.40 - 3.41)
Southeast	6.00	(4.10 - 8.69)	7.80	(5.44 - 11.07)	2.09	(1.36 - 3.21)
Southwest	6.73	(4.49 - 9.97)	9.84	(6.77 - 14.10)	2.51	(1.59 - 3.95)
West	6.04	(4.12 - 8.78)	8.82	(6.37 - 12.08)	2.26	(1.42 - 3.58)
Iowa	4.25	(3.25 - 5.55)	6.70	(5.26 - 8.50)	2.03	(1.46 - 2.83)
Central	4.06	(2.62 - 6.24)	7.01	(4.82 - 10.10)	2.13	(1.31 - 3.43)
North Central	4.17	(2.69 - 6.40)	6.97	(4.81 - 10.00)	2.07	(1.27 - 3.34)
Northeast	4.08	(2.82 - 5.88)	6.52	(4.63 - 9.11)	2.02	(1.28 - 3.19)
Northwest	4.22	(2.76 - 6.41)	6.17	(4.13 - 9.12)	1.87	(1.16 - 3.02)
Southeast	4.39	(2.94 - 6.49)	7.00	(4.92 - 9.88)	1.96	(1.24 - 3.09)
Southwest	4.88	(3.15 - 7.49)	6.30	(4.14 - 9.47)	2.28	(1.40 - 3.68)

See notes at end of table.

(continued)

Table 2. Any Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	4.71	(3.65 - 6.07)	6.30	(4.93 - 8.03)	2.02	(1.46 - 2.78)
Kansas City Metro	4.27	(2.89 - 6.26)	6.45	(4.61 - 8.96)	1.99	(1.30 - 3.05)
Northeast	4.47	(2.95 - 6.71)	5.86	(4.03 - 8.46)	2.01	(1.24 - 3.26)
South Central	5.01	(3.33 - 7.46)	6.26	(4.20 - 9.22)	2.08	(1.29 - 3.34)
Southeast	5.04	(3.30 - 7.62)	6.68	(4.46 - 9.91)	*	(* - *)
West	4.84	(3.10 - 7.50)	5.81	(3.82 - 8.76)	1.81	(1.10 - 2.96)
Wichita (Sedgwick)	5.30	(3.56 - 7.82)	6.79	(4.60 - 9.92)	2.16	(1.35 - 3.42)
Kentucky	6.69	(5.48 - 8.14)	9.79	(8.03 - 11.90)	3.28	(2.53 - 4.24)
Adanta, Cumberland River, And Lifeskills	6.40	(4.54 - 8.94)	9.36	(6.84 - 12.67)	2.78	(1.83 - 4.20)
Bluegrass, Comprehend, and North Key	6.65	(4.82 - 9.10)	9.53	(7.04 - 12.76)	4.07	(2.80 - 5.87)
Communicare and River Valley	6.44	(4.42 - 9.28)	9.31	(6.53 - 13.11)	2.91	(1.89 - 4.47)
Four Rivers and Pennyroyal	5.66	(3.73 - 8.50)	8.65	(5.77 - 12.77)	3.10	(1.98 - 4.82)
Kentucky River, Mountain, And Pathways	7.81	(5.44 - 11.09)	11.21	(7.99 - 15.52)	3.06	(1.96 - 4.75)
Seven Counties	6.93	(4.91 - 9.70)	10.57	(7.77 - 14.24)	3.03	(2.03 - 4.51)
Louisiana	5.65	(4.57 - 6.95)	8.48	(7.01 - 10.23)	2.89	(2.25 - 3.70)
Region 1	4.76	(3.21 - 7.02)	7.03	(4.89 - 10.00)	2.97	(1.95 - 4.52)
Regions 2 and 9	5.53	(3.89 - 7.81)	9.15	(6.90 - 12.03)	3.11	(2.12 - 4.53)
Region 3	6.58	(4.45 - 9.63)	9.19	(6.51 - 12.81)	2.60	(1.67 - 4.02)
Region 4	5.71	(3.92 - 8.24)	8.97	(6.45 - 12.34)	2.71	(1.75 - 4.19)
Regions 5 and 6	5.39	(3.71 - 7.79)	8.66	(6.11 - 12.14)	2.55	(1.68 - 3.87)
Regions 7 and 8	6.09	(4.20 - 8.75)	7.81	(5.72 - 10.58)	2.95	(1.96 - 4.41)
Region 10 (Jefferson)	5.47	(3.70 - 8.03)	8.67	(6.08 - 12.23)	3.01	(1.97 - 4.58)
Maine	5.28	(4.20 - 6.63)	9.92	(8.25 - 11.88)	2.50	(1.88 - 3.32)
Planning Region 1	5.24	(3.91 - 6.99)	10.37	(8.15 - 13.11)	2.54	(1.77 - 3.64)
Region 1 (Cumberland)	4.94	(3.37 - 7.21)	10.38	(7.70 - 13.86)	2.67	(1.74 - 4.09)
Region 2 (York)	5.64	(3.93 - 8.04)	10.35	(7.50 - 14.12)	2.36	(1.50 - 3.69)
Planning Region 2	5.27	(3.96 - 6.97)	9.78	(7.76 - 12.25)	2.47	(1.77 - 3.44)
Region 3	5.17	(3.50 - 7.58)	10.19	(7.53 - 13.66)	2.51	(1.62 - 3.87)
Region 4	5.39	(3.55 - 8.09)	9.32	(6.54 - 13.12)	2.38	(1.47 - 3.82)
Region 5	5.30	(3.56 - 7.82)	9.47	(6.75 - 13.15)	2.48	(1.55 - 3.95)
Planning Region 3	5.37	(3.95 - 7.27)	9.52	(7.33 - 12.29)	2.49	(1.72 - 3.60)
Region 6 (Penobscot)	5.39	(3.67 - 7.85)	9.90	(7.22 - 13.44)	2.71	(1.73 - 4.23)
Region 7	5.35	(3.60 - 7.90)	9.10	(6.37 - 12.84)	2.32	(1.46 - 3.68)

See notes at end of table.

(continued)

Table 2. Any Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	4.55	(3.61 - 5.73)	7.26	(5.83 - 9.01)	2.27	(1.68 - 3.06)
Anne Arundel	4.61	(3.01 - 6.98)	8.41	(5.71 - 12.22)	2.24	(1.42 - 3.52)
Baltimore City	3.73	(2.47 - 5.59)	6.79	(4.66 - 9.80)	3.15	(1.98 - 4.99)
Central	5.05	(3.51 - 7.20)	7.53	(5.29 - 10.60)	2.18	(1.40 - 3.40)
Montgomery	4.03	(2.69 - 5.99)	6.50	(4.46 - 9.39)	1.93	(1.19 - 3.11)
Prince George's	3.78	(2.49 - 5.70)	5.26	(3.50 - 7.82)	2.10	(1.28 - 3.42)
Rural	5.17	(3.44 - 7.70)	9.18	(6.49 - 12.82)	2.45	(1.53 - 3.91)
Western	5.32	(3.62 - 7.75)	8.31	(5.88 - 11.61)	2.11	(1.32 - 3.35)
Massachusetts	6.48	(5.22 - 8.02)	10.65	(8.76 - 12.90)	2.18	(1.61 - 2.94)
Boston	6.54	(4.37 - 9.68)	9.94	(7.12 - 13.71)	2.88	(1.83 - 4.50)
Central	5.68	(3.85 - 8.31)	9.71	(6.73 - 13.83)	2.10	(1.31 - 3.33)
Metrowest	6.98	(5.03 - 9.61)	12.01	(8.81 - 16.16)	2.06	(1.32 - 3.22)
Northeast	5.67	(3.90 - 8.18)	10.17	(7.23 - 14.11)	1.99	(1.28 - 3.09)
Southeast	7.25	(5.08 - 10.25)	11.10	(8.13 - 14.98)	2.15	(1.35 - 3.39)
Western	6.49	(4.37 - 9.52)	10.37	(7.63 - 13.95)	2.19	(1.38 - 3.46)
Michigan	6.15	(5.45 - 6.93)	8.02	(7.17 - 8.95)	2.40	(1.99 - 2.88)
Bay	7.09	(5.07 - 9.84)	8.26	(5.92 - 11.41)	2.34	(1.53 - 3.58)
Detroit City	4.51	(3.24 - 6.24)	4.98	(3.66 - 6.74)	3.41	(2.30 - 5.05)
Genesee	7.23	(5.21 - 9.96)	9.18	(6.66 - 12.53)	2.81	(1.83 - 4.30)
Kalamazoo	5.98	(4.34 - 8.21)	8.50	(6.53 - 11.00)	2.39	(1.60 - 3.54)
Kent	6.52	(4.80 - 8.79)	7.90	(6.04 - 10.27)	2.14	(1.43 - 3.19)
Lakeshore	6.42	(4.81 - 8.53)	7.76	(5.90 - 10.15)	2.21	(1.51 - 3.22)
Macomb	6.15	(4.51 - 8.32)	8.10	(6.07 - 10.73)	2.10	(1.44 - 3.06)
Mid South	6.38	(4.76 - 8.50)	8.00	(6.18 - 10.31)	2.32	(1.60 - 3.35)
Northern	6.53	(4.83 - 8.77)	8.24	(6.24 - 10.81)	2.18	(1.46 - 3.25)
Oakland	6.24	(4.78 - 8.12)	7.63	(5.87 - 9.87)	1.92	(1.29 - 2.85)
Pathways	6.56	(4.51 - 9.44)	8.83	(6.43 - 12.00)	2.68	(1.78 - 4.03)
Saginaw	5.99	(4.11 - 8.65)	7.96	(5.70 - 11.01)	2.25	(1.49 - 3.40)
Southeast	6.34	(4.86 - 8.23)	9.68	(7.66 - 12.15)	2.82	(2.01 - 3.95)
St. Clair	6.21	(4.31 - 8.86)	8.02	(5.82 - 10.97)	2.14	(1.40 - 3.27)
Washtenaw	5.30	(3.73 - 7.48)	8.66	(6.49 - 11.47)	2.21	(1.47 - 3.31)
Western	5.78	(3.85 - 8.60)	7.88	(5.66 - 10.87)	*	(* - *)
Minnesota	4.79	(3.74 - 6.11)	7.24	(5.81 - 8.99)	2.19	(1.64 - 2.91)
Regions 1 and 2	5.63	(3.70 - 8.49)	8.38	(5.78 - 12.00)	2.47	(1.57 - 3.86)
Regions 3 and 4	4.65	(3.11 - 6.91)	7.37	(5.28 - 10.21)	1.94	(1.23 - 3.05)
Regions 5 and 6	5.41	(3.76 - 7.73)	7.60	(5.32 - 10.73)	1.94	(1.25 - 3.03)
Region 7A (Hennepin)	4.54	(3.08 - 6.63)	6.57	(4.57 - 9.36)	2.65	(1.72 - 4.08)
Region 7B (Ramsey)	4.30	(2.76 - 6.63)	7.05	(4.85 - 10.13)	*	(* - *)
Region 7C	4.34	(2.91 - 6.44)	7.08	(5.07 - 9.79)	1.89	(1.20 - 2.97)

See notes at end of table.

(continued)

Table 2. Any Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	5.80	(4.64 - 7.22)	7.09	(5.65 - 8.86)	2.26	(1.69 - 3.01)
Region 1	5.96	(4.17 - 8.44)	7.11	(4.95 - 10.09)	2.06	(1.34 - 3.16)
Region 2	4.84	(3.28 - 7.11)	5.93	(4.09 - 8.53)	2.27	(1.44 - 3.57)
Region 3	5.18	(3.49 - 7.62)	7.43	(5.19 - 10.52)	2.07	(1.29 - 3.28)
Region 4	6.16	(4.25 - 8.85)	6.34	(4.45 - 8.95)	2.09	(1.34 - 3.26)
Region 5	5.46	(3.61 - 8.19)	6.23	(4.18 - 9.19)	2.19	(1.35 - 3.55)
Region 6	6.83	(4.59 - 10.05)	8.26	(5.74 - 11.74)	2.26	(1.43 - 3.55)
Region 7	6.26	(4.24 - 9.13)	8.25	(5.75 - 11.69)	2.88	(1.84 - 4.48)
Missouri	5.54	(4.50 - 6.80)	8.90	(7.37 - 10.71)	2.81	(2.17 - 3.62)
Central	5.98	(4.18 - 8.50)	10.64	(7.71 - 14.50)	2.96	(1.95 - 4.47)
Eastern	5.47	(4.12 - 7.23)	8.28	(6.39 - 10.67)	2.62	(1.86 - 3.68)
Eastern (St. Louis City and County)	4.58	(3.21 - 6.49)	7.81	(5.67 - 10.66)	2.58	(1.71 - 3.87)
Eastern (excluding St. Louis)	7.13	(4.86 - 10.34)	9.28	(6.53 - 13.02)	2.71	(1.74 - 4.21)
Northwest	5.18	(3.76 - 7.08)	8.91	(6.81 - 11.57)	3.19	(2.27 - 4.47)
Northwest (Jackson)	4.96	(3.31 - 7.37)	8.63	(6.22 - 11.87)	3.74	(2.46 - 5.65)
Northwest (excluding Jackson)	5.37	(3.61 - 7.92)	9.15	(6.45 - 12.83)	2.70	(1.74 - 4.15)
Southeast	6.30	(4.33 - 9.09)	9.07	(6.34 - 12.81)	2.58	(1.69 - 3.92)
Southwest	5.25	(3.60 - 7.61)	8.32	(6.06 - 11.31)	2.67	(1.76 - 4.05)
Montana	6.71	(5.40 - 8.31)	7.78	(6.36 - 9.50)	2.64	(1.98 - 3.50)
Region 1	6.99	(4.90 - 9.86)	7.00	(4.79 - 10.14)	2.29	(1.45 - 3.59)
Region 2	7.18	(4.98 - 10.26)	7.08	(4.88 - 10.15)	3.02	(1.98 - 4.58)
Region 3	6.98	(4.89 - 9.88)	6.90	(4.83 - 9.75)	2.79	(1.83 - 4.25)
Region 4	5.91	(4.18 - 8.27)	7.17	(5.36 - 9.53)	2.61	(1.72 - 3.93)
Region 5	6.86	(4.87 - 9.57)	9.40	(7.01 - 12.49)	2.46	(1.60 - 3.76)
Nebraska	5.75	(4.57 - 7.20)	7.68	(6.18 - 9.50)	2.00	(1.48 - 2.71)
Regions 1 and 2	6.35	(4.27 - 9.35)	6.48	(4.36 - 9.54)	1.88	(1.15 - 3.04)
Region 3	6.44	(4.39 - 9.37)	8.27	(5.72 - 11.82)	2.05	(1.28 - 3.25)
Region 4	6.31	(4.36 - 9.05)	6.73	(4.60 - 9.74)	1.94	(1.22 - 3.07)
Region 5	5.36	(3.67 - 7.76)	8.07	(5.93 - 10.88)	2.00	(1.32 - 3.04)
Region 6	5.37	(3.87 - 7.41)	7.75	(5.70 - 10.46)	2.04	(1.35 - 3.09)
Nevada	4.66	(3.57 - 6.08)	8.36	(6.75 - 10.30)	3.62	(2.60 - 5.02)
Clark	4.44	(3.18 - 6.16)	8.21	(6.37 - 10.53)	3.81	(2.60 - 5.56)
Rural	5.34	(3.62 - 7.81)	7.77	(5.45 - 10.98)	2.87	(1.80 - 4.56)
Washoe	4.94	(3.34 - 7.23)	9.37	(6.76 - 12.83)	3.44	(2.26 - 5.20)

See notes at end of table.

(continued)

Table 2. Any Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	5.92	(4.70 - 7.42)	11.20	(9.36 - 13.34)	2.53	(1.94 - 3.31)
Central	6.65	(4.89 - 8.99)	11.27	(8.94 - 14.11)	2.45	(1.74 - 3.45)
Central 1	6.73	(4.60 - 9.74)	11.41	(8.60 - 15.00)	2.31	(1.49 - 3.55)
Central 2	6.58	(4.46 - 9.61)	11.08	(8.11 - 14.96)	2.59	(1.70 - 3.93)
Northern	5.69	(3.79 - 8.45)	10.58	(7.57 - 14.59)	2.41	(1.56 - 3.71)
Southern	5.61	(4.27 - 7.34)	11.31	(9.05 - 14.04)	2.60	(1.90 - 3.54)
Southern 1 (Rockingham)	5.81	(4.02 - 8.33)	11.63	(8.47 - 15.76)	2.43	(1.60 - 3.68)
Southern 2	5.50	(3.97 - 7.57)	11.15	(8.57 - 14.39)	2.70	(1.85 - 3.92)
New Jersey	5.28	(4.12 - 6.74)	8.91	(7.21 - 10.96)	2.16	(1.61 - 2.89)
Central	5.08	(3.51 - 7.29)	9.54	(6.96 - 12.94)	2.11	(1.36 - 3.26)
Metropolitan	5.12	(3.49 - 7.47)	9.01	(6.50 - 12.37)	2.23	(1.45 - 3.41)
Northern	5.49	(3.82 - 7.83)	8.53	(6.22 - 11.60)	2.11	(1.40 - 3.17)
Southern	5.36	(3.66 - 7.79)	8.71	(6.26 - 11.99)	2.23	(1.44 - 3.46)
New Mexico	6.73	(5.33 - 8.46)	9.77	(7.91 - 12.01)	3.38	(2.49 - 4.57)
Region 1	7.42	(5.19 - 10.50)	9.07	(6.41 - 12.69)	2.91	(1.83 - 4.61)
Region 2	6.92	(4.59 - 10.30)	10.21	(7.11 - 14.47)	3.34	(2.15 - 5.15)
Region 3 (Bernalillo)	6.11	(4.31 - 8.59)	9.66	(7.18 - 12.89)	3.77	(2.51 - 5.63)
Region 4	6.51	(4.31 - 9.73)	9.62	(6.70 - 13.61)	3.26	(2.07 - 5.12)
Region 5	6.81	(4.67 - 9.84)	10.36	(7.52 - 14.10)	3.32	(2.15 - 5.09)
New York	4.85	(4.19 - 5.61)	7.75	(6.89 - 8.69)	2.17	(1.79 - 2.63)
Region A	4.48	(3.66 - 5.48)	6.51	(5.52 - 7.66)	2.36	(1.85 - 3.01)
Region 1	4.58	(3.18 - 6.55)	6.03	(4.29 - 8.43)	2.59	(1.72 - 3.89)
Region 2	4.48	(3.29 - 6.07)	6.15	(4.69 - 8.01)	2.25	(1.54 - 3.26)
Region 3	5.16	(3.58 - 7.39)	9.25	(6.96 - 12.20)	3.09	(2.12 - 4.50)
Region 4	4.08	(2.88 - 5.74)	5.33	(3.86 - 7.31)	1.85	(1.21 - 2.81)
Region B	4.65	(3.64 - 5.92)	7.96	(6.38 - 9.89)	1.93	(1.42 - 2.62)
Region 5	4.80	(3.57 - 6.41)	8.20	(6.22 - 10.72)	2.03	(1.40 - 2.93)
Region 6	4.35	(3.04 - 6.20)	7.46	(5.51 - 10.02)	1.72	(1.15 - 2.58)
Region C	5.29	(4.39 - 6.37)	9.33	(8.08 - 10.75)	2.04	(1.61 - 2.59)
Region 7	4.71	(3.27 - 6.74)	8.88	(6.52 - 11.98)	1.94	(1.26 - 2.97)
Region 8	5.44	(3.80 - 7.73)	8.98	(6.78 - 11.82)	2.02	(1.36 - 3.00)
Region 9	5.01	(3.53 - 7.05)	9.88	(7.44 - 13.02)	1.97	(1.30 - 2.98)
Region 10	6.10	(4.24 - 8.68)	9.19	(6.91 - 12.14)	2.03	(1.32 - 3.10)
Region 11	5.59	(4.01 - 7.75)	9.07	(6.92 - 11.82)	2.25	(1.51 - 3.34)
Region 12	5.23	(3.82 - 7.12)	9.78	(7.35 - 12.90)	2.01	(1.35 - 2.98)
Region D	5.52	(4.36 - 6.96)	8.70	(7.06 - 10.68)	2.23	(1.67 - 2.96)
Region 13	5.23	(3.61 - 7.51)	8.41	(6.06 - 11.56)	2.16	(1.43 - 3.26)
Region 14	4.96	(3.36 - 7.25)	8.30	(6.00 - 11.39)	2.23	(1.46 - 3.37)
Region 15	6.28	(4.41 - 8.88)	9.39	(6.85 - 12.75)	2.28	(1.52 - 3.42)

See notes at end of table.

(continued)

Table 2. Any Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	6.61	(5.35 - 8.14)	7.92	(6.41 - 9.75)	2.72	(2.05 - 3.61)
Eastern	4.91	(3.31 - 7.24)	6.96	(4.96 - 9.68)	2.62	(1.69 - 4.04)
North Central	6.81	(4.85 - 9.47)	7.97	(5.71 - 11.02)	2.91	(1.88 - 4.49)
South Central	6.13	(4.24 - 8.78)	7.08	(5.04 - 9.87)	2.44	(1.61 - 3.69)
Western	7.90	(5.90 - 10.50)	9.23	(6.81 - 12.39)	2.83	(1.90 - 4.20)
North Dakota	5.29	(4.20 - 6.63)	6.22	(4.86 - 7.94)	2.18	(1.59 - 3.00)
Badlands and West Central Lake Region and South Central	4.55	(3.08 - 6.66)	5.83	(3.94 - 8.55)	1.88	(1.16 - 3.02)
North Central and Northwest	6.48	(4.47 - 9.30)	6.21	(4.14 - 9.22)	2.36	(1.44 - 3.85)
Northeast	5.42	(3.76 - 7.76)	5.94	(4.07 - 8.59)	2.19	(1.39 - 3.46)
Southeast	5.31	(3.61 - 7.75)	6.46	(4.50 - 9.21)	2.30	(1.44 - 3.66)
Ohio	5.18	(3.56 - 7.47)	6.50	(4.71 - 8.90)	2.33	(1.50 - 3.59)
Boards 2, 46, 55, and 68	5.05	(4.42 - 5.76)	8.10	(7.24 - 9.05)	2.30	(1.89 - 2.80)
Boards 3, 52, and 85	5.06	(3.53 - 7.21)	8.47	(6.26 - 11.37)	2.00	(1.32 - 3.04)
Boards 4 and 78	5.26	(3.72 - 7.39)	7.57	(5.46 - 10.41)	1.82	(1.17 - 2.80)
Boards 5 and 60	5.56	(3.89 - 7.90)	8.47	(6.17 - 11.51)	2.26	(1.46 - 3.49)
Boards 7, 15, 41, 79, and 84	5.17	(3.58 - 7.41)	8.45	(6.14 - 11.52)	2.69	(1.77 - 4.08)
Boards 8, 13, and 83	6.35	(4.51 - 8.86)	8.10	(5.87 - 11.07)	2.11	(1.39 - 3.19)
Board 9 (Butler)	5.38	(3.81 - 7.55)	9.14	(6.62 - 12.49)	2.23	(1.49 - 3.32)
Board 12	5.31	(3.65 - 7.67)	7.87	(5.77 - 10.65)	2.04	(1.35 - 3.06)
Boards 18 and 47	5.05	(3.49 - 7.25)	7.73	(5.71 - 10.39)	2.36	(1.57 - 3.53)
Boards 20, 32, 54, and 69	4.57	(3.40 - 6.12)	8.02	(6.23 - 10.27)	2.48	(1.73 - 3.52)
Boards 21, 39, 51, 70, and 80	5.18	(3.64 - 7.32)	7.62	(5.44 - 10.57)	1.99	(1.28 - 3.08)
Boards 22, 74, and 87	5.12	(3.66 - 7.13)	7.47	(5.43 - 10.21)	2.03	(1.35 - 3.05)
Boards 23 and 45	4.54	(3.03 - 6.77)	7.17	(4.97 - 10.23)	1.88	(1.19 - 2.94)
Board 25 (Franklin)	5.49	(3.86 - 7.76)	8.24	(5.87 - 11.46)	2.12	(1.39 - 3.22)
Boards 27, 71, and 73	5.20	(3.81 - 7.06)	7.78	(6.05 - 9.95)	2.67	(1.84 - 3.85)
Boards 28, 43, and 67	5.21	(3.66 - 7.37)	7.94	(5.82 - 10.74)	2.14	(1.40 - 3.26)
Board 31 (Hamilton)	4.90	(3.46 - 6.92)	9.86	(7.37 - 13.07)	1.99	(1.28 - 3.08)
Board 31 (Hamilton)	4.73	(3.44 - 6.49)	7.86	(5.91 - 10.37)	2.39	(1.62 - 3.51)
Board 48 (Lucas)	4.62	(3.24 - 6.54)	7.65	(5.69 - 10.22)	2.40	(1.60 - 3.60)
Board 50 and 76	4.79	(3.42 - 6.67)	8.44	(6.17 - 11.45)	2.43	(1.64 - 3.59)
Board 57 (Montgomery)	5.11	(3.56 - 7.27)	8.86	(6.47 - 12.01)	2.71	(1.78 - 4.10)
Board 77 (Summit)	5.12	(3.64 - 7.15)	8.04	(6.00 - 10.69)	2.24	(1.48 - 3.39)
Oklahoma	6.65	(5.30 - 8.30)	10.10	(8.24 - 12.31)	2.80	(2.11 - 3.70)
Central	5.88	(3.91 - 8.75)	10.79	(7.71 - 14.91)	2.75	(1.77 - 4.27)
East Central	6.47	(4.32 - 9.57)	8.41	(5.69 - 12.27)	2.52	(1.60 - 3.95)
Northeast	6.71	(4.63 - 9.62)	10.12	(7.26 - 13.94)	2.47	(1.56 - 3.89)
Northwest and Southwest	6.34	(4.29 - 9.29)	9.57	(6.69 - 13.53)	2.59	(1.68 - 3.98)
Oklahoma County	5.81	(3.98 - 8.41)	9.85	(7.01 - 13.69)	2.93	(1.89 - 4.51)
Southeast	7.11	(4.92 - 10.19)	10.65	(7.71 - 14.54)	3.06	(1.94 - 4.80)
Tulsa County	8.15	(5.49 - 11.93)	10.96	(8.07 - 14.72)	3.08	(1.98 - 4.78)

See notes at end of table.

(continued)

Table 2. Any Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	5.12	(4.07 - 6.43)	8.89	(7.33 - 10.76)	2.82	(2.14 - 3.70)
Region 1 (Multnomah)	5.11	(3.44 - 7.53)	10.59	(7.80 - 14.22)	3.42	(2.27 - 5.14)
Region 2	4.85	(3.41 - 6.85)	8.41	(6.10 - 11.48)	2.56	(1.69 - 3.87)
Region 3	4.86	(3.41 - 6.88)	8.10	(6.02 - 10.82)	2.69	(1.81 - 3.99)
Region 4	5.82	(4.04 - 8.33)	9.18	(6.63 - 12.58)	2.93	(1.90 - 4.49)
Region 5	5.55	(3.75 - 8.15)	8.85	(6.02 - 12.83)	2.45	(1.54 - 3.87)
Pennsylvania	5.35	(4.70 - 6.09)	8.14	(7.30 - 9.06)	2.30	(1.90 - 2.78)
Region 1 (Allegheny)	4.67	(3.37 - 6.44)	10.42	(8.09 - 13.32)	2.57	(1.75 - 3.76)
Regions 2, 3, 8, and 9	4.92	(3.48 - 6.90)	7.72	(5.62 - 10.53)	2.11	(1.41 - 3.16)
Regions 4, 11, 42, and 48	5.69	(4.16 - 7.75)	7.78	(5.75 - 10.45)	2.19	(1.46 - 3.26)
Regions 5, 20, 26, 28, and 40	5.79	(4.19 - 7.95)	8.00	(6.10 - 10.42)	2.02	(1.36 - 2.99)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	5.50	(3.93 - 7.66)	8.97	(6.95 - 11.50)	1.99	(1.34 - 2.93)
Regions 7, 13, 22, and 37	5.88	(4.56 - 7.54)	7.59	(6.03 - 9.53)	2.17	(1.54 - 3.05)
Regions 10, 14, 15, 25, 31, 36, and 46	5.53	(3.92 - 7.74)	7.31	(5.29 - 10.01)	2.27	(1.52 - 3.39)
Regions 17, 24, 27, 43, and 47	5.30	(3.77 - 7.40)	8.30	(6.15 - 11.11)	2.01	(1.35 - 2.98)
Region 18 (Philadelphia)	5.35	(3.99 - 7.14)	7.42	(5.79 - 9.46)	3.41	(2.42 - 4.78)
Regions 19 and 23	5.42	(3.77 - 7.73)	8.44	(6.16 - 11.46)	2.25	(1.48 - 3.43)
Regions 21, 30, 32, and 49	4.25	(3.00 - 5.98)	6.92	(5.29 - 9.01)	1.80	(1.21 - 2.68)
Regions 29 and 34	6.24	(4.35 - 8.86)	10.50	(7.83 - 13.94)	2.33	(1.53 - 3.53)
Regions 33 and 38	5.50	(3.92 - 7.65)	8.25	(6.09 - 11.10)	2.20	(1.47 - 3.29)
Rhode Island	5.61	(4.38 - 7.15)	12.43	(10.32 - 14.91)	2.77	(2.06 - 3.73)
Bristol and Newport	5.58	(3.75 - 8.24)	12.55	(8.85 - 17.50)	2.70	(1.71 - 4.23)
Kent	5.32	(3.59 - 7.82)	11.72	(8.47 - 15.99)	2.79	(1.81 - 4.30)
Providence	5.49	(4.01 - 7.46)	12.27	(9.82 - 15.23)	2.82	(1.96 - 4.03)
Washington	6.54	(4.43 - 9.54)	13.84	(10.05 - 18.75)	2.62	(1.66 - 4.11)
South Carolina	5.22	(4.18 - 6.50)	8.48	(6.89 - 10.40)	2.41	(1.80 - 3.22)
Region 1	6.27	(4.45 - 8.77)	9.70	(7.09 - 13.13)	2.68	(1.76 - 4.06)
Region 2	5.04	(3.60 - 7.01)	8.12	(6.08 - 10.76)	2.20	(1.48 - 3.25)
Region 3	4.45	(3.02 - 6.51)	7.44	(5.15 - 10.63)	2.23	(1.42 - 3.50)
Region 4	4.97	(3.49 - 7.02)	8.36	(6.08 - 11.40)	2.50	(1.61 - 3.86)

See notes at end of table.

(continued)

Table 2. Any Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	5.50	(4.34 - 6.96)	6.57	(5.19 - 8.29)	1.91	(1.33 - 2.72)
Eastern Planning Area	5.32	(4.15 - 6.79)	6.71	(5.22 - 8.59)	1.87	(1.30 - 2.69)
Region 3 (Minnehaha)	5.52	(3.82 - 7.91)	7.38	(5.24 - 10.31)	2.04	(1.27 - 3.26)
Region 4	5.24	(3.56 - 7.66)	6.38	(4.27 - 9.44)	1.70	(1.03 - 2.80)
Region 5	5.05	(3.34 - 7.56)	6.52	(4.44 - 9.48)	1.79	(1.08 - 2.96)
Region 6	5.70	(3.85 - 8.36)	6.63	(4.56 - 9.55)	1.82	(1.10 - 3.01)
Region 7	5.01	(3.29 - 7.57)	6.25	(4.25 - 9.11)	1.93	(1.16 - 3.18)
Western Planning Area	5.90	(4.25 - 8.13)	6.23	(4.61 - 8.38)	1.99	(1.28 - 3.08)
Region 1 (Pennington)	5.37	(3.56 - 8.03)	6.93	(4.88 - 9.76)	2.06	(1.24 - 3.42)
Region 2	6.19	(4.14 - 9.15)	5.74	(3.87 - 8.45)	1.94	(1.15 - 3.25)
Tennessee	5.32	(4.26 - 6.64)	7.24	(5.75 - 9.07)	2.74	(2.13 - 3.52)
Region 1	6.05	(3.97 - 9.11)	8.39	(5.72 - 12.16)	3.16	(2.01 - 4.93)
Region 2	6.55	(4.52 - 9.42)	8.49	(5.84 - 12.19)	2.94	(1.98 - 4.33)
Region 3	5.72	(3.98 - 8.14)	8.18	(5.69 - 11.62)	2.73	(1.84 - 4.03)
Region 4 (Davidson)	4.97	(3.26 - 7.50)	7.66	(5.32 - 10.91)	3.45	(2.30 - 5.15)
Region 5	5.02	(3.41 - 7.35)	6.47	(4.41 - 9.40)	2.28	(1.46 - 3.55)
Region 6	5.25	(3.53 - 7.73)	6.68	(4.55 - 9.70)	2.79	(1.82 - 4.26)
Region 7 (Shelby)	4.01	(2.65 - 6.02)	5.42	(3.70 - 7.86)	2.39	(1.52 - 3.75)
Texas	5.97	(5.25 - 6.78)	8.43	(7.58 - 9.36)	2.59	(2.17 - 3.10)
Region 1	6.40	(4.48 - 9.06)	9.54	(7.24 - 12.46)	2.82	(1.92 - 4.13)
Region 2	6.14	(4.19 - 8.91)	9.58	(6.86 - 13.22)	2.84	(1.86 - 4.31)
Region 3	5.74	(4.65 - 7.05)	7.34	(6.10 - 8.82)	2.62	(2.04 - 3.37)
Region 3a	5.73	(4.41 - 7.42)	7.15	(5.69 - 8.95)	2.56	(1.87 - 3.48)
Region 3bc	5.74	(4.15 - 7.89)	7.70	(5.79 - 10.17)	2.74	(1.93 - 3.89)
Region 4	6.23	(4.42 - 8.70)	9.40	(6.94 - 12.62)	2.71	(1.82 - 4.03)
Region 5	7.63	(5.26 - 10.94)	9.52	(6.96 - 12.89)	2.68	(1.76 - 4.06)
Region 6	5.51	(4.42 - 6.84)	7.94	(6.52 - 9.62)	2.52	(1.90 - 3.34)
Region 6a	5.45	(4.29 - 6.91)	7.78	(6.27 - 9.60)	2.51	(1.84 - 3.41)
Region 6bc	5.96	(4.10 - 8.61)	9.45	(6.90 - 12.82)	2.63	(1.75 - 3.94)
Region 7	5.89	(4.58 - 7.54)	10.33	(8.56 - 12.41)	2.64	(1.98 - 3.52)
Region 7a	5.99	(4.26 - 8.35)	11.67	(9.21 - 14.67)	2.74	(1.89 - 3.94)
Region 7bcd	5.76	(4.08 - 8.08)	8.54	(6.33 - 11.44)	2.50	(1.70 - 3.67)
Region 8	6.10	(4.55 - 8.13)	8.97	(6.80 - 11.74)	2.73	(1.91 - 3.88)
Region 9	6.71	(4.69 - 9.53)	8.49	(6.13 - 11.65)	2.72	(1.77 - 4.16)
Region 10	7.11	(4.98 - 10.05)	7.53	(5.34 - 10.52)	2.54	(1.64 - 3.92)
Region 11	6.11	(4.59 - 8.09)	8.00	(6.21 - 10.25)	2.14	(1.50 - 3.03)
Region 11abd	6.38	(4.50 - 8.96)	8.52	(6.25 - 11.51)	2.27	(1.50 - 3.42)
Region 11c (Hidalgo)	5.62	(3.78 - 8.28)	7.05	(4.95 - 9.95)	1.85	(1.16 - 2.92)

See notes at end of table.

(continued)

Table 2. Any Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	5.06	(4.06 - 6.29)	7.96	(6.47 - 9.77)	2.52	(1.89 - 3.36)
Bear River, Northeastern, Summit, Tooele, and Wasatch	5.12	(3.47 - 7.50)	8.76	(6.08 - 12.47)	2.58	(1.66 - 3.98)
Central, Four Corners, San Juan, and Southwest	5.01	(3.36 - 7.39)	7.70	(5.23 - 11.19)	2.24	(1.40 - 3.57)
Davis County	4.82	(3.23 - 7.12)	7.94	(5.54 - 11.25)	2.33	(1.49 - 3.64)
Salt Lake County	5.41	(3.92 - 7.42)	8.54	(6.43 - 11.26)	2.82	(1.89 - 4.20)
Utah County	4.50	(3.02 - 6.65)	7.07	(4.95 - 9.99)	2.03	(1.27 - 3.25)
Weber, Morgan	5.11	(3.47 - 7.48)	7.09	(4.86 - 10.21)	2.44	(1.56 - 3.80)
Vermont	6.66	(5.40 - 8.19)	9.82	(8.13 - 11.83)	2.54	(1.91 - 3.38)
Champlain Valley	7.04	(5.24 - 9.40)	10.33	(8.07 - 13.14)	2.36	(1.58 - 3.50)
Rural Northeast	6.37	(4.58 - 8.78)	9.53	(7.01 - 12.83)	2.68	(1.76 - 4.06)
Rural Southeast	5.55	(3.84 - 7.97)	8.62	(6.13 - 11.99)	2.23	(1.42 - 3.46)
Rural Southwest	7.59	(5.33 - 10.72)	10.07	(7.25 - 13.82)	3.17	(2.00 - 4.97)
Virginia	5.50	(4.41 - 6.84)	8.19	(6.66 - 10.03)	2.45	(1.84 - 3.26)
Region 1	6.38	(4.31 - 9.35)	10.55	(7.75 - 14.20)	2.44	(1.55 - 3.82)
Region 2	4.76	(3.27 - 6.88)	8.14	(5.79 - 11.32)	2.12	(1.37 - 3.26)
Region 3	6.64	(4.67 - 9.38)	8.97	(6.47 - 12.32)	2.63	(1.69 - 4.05)
Region 4	4.94	(3.36 - 7.19)	6.86	(4.94 - 9.47)	2.52	(1.61 - 3.91)
Region 5	5.25	(3.66 - 7.48)	7.08	(5.04 - 9.87)	2.64	(1.75 - 3.97)
Washington	5.84	(4.72 - 7.22)	9.00	(7.36 - 10.95)	2.87	(2.20 - 3.72)
Region 1	6.07	(4.15 - 8.80)	8.54	(6.05 - 11.92)	2.80	(1.80 - 4.32)
Region 2	5.85	(3.90 - 8.70)	8.09	(5.53 - 11.69)	2.67	(1.70 - 4.17)
Region 3	6.87	(4.77 - 9.79)	10.00	(7.05 - 13.99)	2.88	(1.89 - 4.35)
Region 4 (King)	5.06	(3.54 - 7.19)	8.71	(6.43 - 11.70)	2.82	(1.90 - 4.15)
Region 5	6.22	(4.30 - 8.93)	9.09	(6.49 - 12.58)	3.04	(2.00 - 4.60)
Region 6	5.39	(3.71 - 7.78)	9.40	(6.77 - 12.92)	2.94	(1.93 - 4.46)
West Virginia	5.96	(4.85 - 7.29)	9.40	(7.75 - 11.37)	2.68	(2.06 - 3.47)
Eastern Highland	5.86	(4.16 - 8.20)	8.24	(5.93 - 11.33)	2.49	(1.66 - 3.71)
Northern	5.77	(4.28 - 7.74)	10.88	(8.32 - 14.11)	2.36	(1.65 - 3.37)
Northern A and B	6.47	(4.40 - 9.43)	8.42	(5.85 - 11.97)	2.40	(1.54 - 3.72)
Northern C and D	5.44	(3.71 - 7.92)	11.80	(8.65 - 15.90)	2.34	(1.50 - 3.64)
South Central	6.21	(4.78 - 8.02)	9.10	(7.08 - 11.63)	2.78	(2.05 - 3.78)
South Central I	6.20	(4.27 - 8.91)	9.43	(6.54 - 13.42)	2.59	(1.63 - 4.09)
South Central II	5.85	(3.99 - 8.49)	9.69	(6.87 - 13.51)	2.87	(1.87 - 4.37)
South Central III	6.47	(4.49 - 9.24)	8.42	(5.92 - 11.82)	2.85	(1.91 - 4.24)
Southern	5.84	(4.26 - 7.95)	8.89	(6.75 - 11.62)	3.10	(2.12 - 4.51)
Southern I and III	5.72	(3.85 - 8.44)	8.59	(6.08 - 12.01)	3.11	(1.94 - 4.94)
Southern II	6.07	(4.06 - 8.98)	9.46	(6.64 - 13.31)	3.07	(1.95 - 4.81)

See notes at end of table.

(continued)

Table 2. Any Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	5.69	(4.56 - 7.06)	8.89	(7.29 - 10.80)	2.53	(1.92 - 3.32)
Milwaukee	4.49	(3.03 - 6.61)	8.57	(5.99 - 12.13)	2.88	(1.88 - 4.38)
Northeastern	5.22	(3.64 - 7.45)	9.37	(6.82 - 12.73)	2.50	(1.62 - 3.84)
Northern	5.35	(3.56 - 7.97)	8.14	(5.59 - 11.71)	2.23	(1.37 - 3.58)
Southeastern	7.43	(5.13 - 10.62)	8.12	(5.64 - 11.56)	2.68	(1.68 - 4.24)
Southern	5.83	(4.02 - 8.39)	9.37	(6.96 - 12.50)	2.51	(1.65 - 3.80)
Western	5.40	(3.64 - 7.93)	9.27	(6.76 - 12.58)	2.17	(1.38 - 3.39)
Wyoming	5.30	(4.22 - 6.65)	8.10	(6.58 - 9.93)	2.72	(2.08 - 3.55)
Judicial District 1 (Laramie)	4.84	(3.20 - 7.24)	7.61	(5.28 - 10.84)	2.74	(1.78 - 4.19)
Judicial District 2	5.01	(3.27 - 7.62)	8.46	(6.11 - 11.60)	3.20	(2.06 - 4.93)
Judicial District 3	5.81	(4.02 - 8.33)	7.33	(5.12 - 10.38)	2.69	(1.74 - 4.16)
Judicial District 4	5.62	(3.70 - 8.44)	9.15	(6.30 - 13.11)	2.79	(1.82 - 4.26)
Judicial District 5	5.27	(3.45 - 7.97)	7.60	(5.27 - 10.85)	2.25	(1.42 - 3.55)
Judicial District 6	5.14	(3.47 - 7.55)	8.19	(5.67 - 11.70)	2.53	(1.62 - 3.95)
Judicial District 7 (Natrona)	5.22	(3.52 - 7.68)	8.48	(5.89 - 12.06)	3.01	(1.97 - 4.58)
Judicial District 8	5.62	(3.78 - 8.29)	8.38	(5.76 - 12.04)	2.59	(1.67 - 4.02)
Judicial District 9	5.30	(3.50 - 7.96)	8.34	(5.78 - 11.90)	2.68	(1.71 - 4.17)

*Low precision; no estimate reported.

NOTE: Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	7.89		16.68		4.03	
Alabama	6.42	(5.18 - 7.95)	12.95	(11.02 - 15.17)	2.68	(1.94 - 3.67)
Region 1	6.60	(4.52 - 9.52)	11.80	(8.78 - 15.70)	2.42	(1.53 - 3.81)
Region 2	7.94	(5.68 - 11.00)	14.76	(11.75 - 18.37)	3.05	(1.99 - 4.66)
Region 3	5.19	(3.42 - 7.82)	12.37	(9.22 - 16.41)	2.52	(1.53 - 4.13)
Region 4	5.20	(3.56 - 7.52)	12.14	(9.12 - 15.97)	2.58	(1.63 - 4.06)
Alaska	11.51	(9.60 - 13.75)	23.44	(20.62 - 26.51)	7.81	(6.12 - 9.92)
Gulf Coast	*	(* - *)	*	(* - *)	7.64	(4.77 - 12.04)
Rural	8.07	(5.11 - 12.53)	*	(* - *)	5.87	(3.70 - 9.19)
Southeast	*	(* - *)	*	(* - *)	7.72	(4.92 - 11.91)
Urban	11.69	(9.36 - 14.49)	23.77	(20.44 - 27.45)	8.16	(6.22 - 10.63)
Arizona	7.73	(6.23 - 9.54)	14.59	(12.44 - 17.04)	3.74	(2.76 - 5.05)
Maricopa	6.91	(5.17 - 9.17)	14.01	(11.51 - 16.95)	3.75	(2.62 - 5.34)
Pima	8.36	(5.50 - 12.51)	16.55	(12.48 - 21.62)	4.28	(2.78 - 6.53)
Rural North	10.61	(7.39 - 14.99)	*	(* - *)	3.82	(2.34 - 6.19)
Rural South	*	(* - *)	*	(* - *)	2.89	(1.72 - 4.82)
Arkansas	7.94	(6.55 - 9.60)	16.20	(13.87 - 18.84)	3.52	(2.64 - 4.68)
Areas 1 and 5	7.30	(5.00 - 10.56)	16.00	(12.19 - 20.73)	3.50	(2.27 - 5.37)
Areas 2 and 3	9.29	(6.18 - 13.73)	12.76	(8.94 - 17.90)	2.91	(1.77 - 4.75)
Areas 4 and 7	7.29	(4.97 - 10.55)	15.04	(11.30 - 19.74)	3.22	(2.02 - 5.10)
Area 6	6.75	(4.24 - 10.58)	14.07	(10.22 - 19.07)	3.01	(1.84 - 4.87)
Areas 8 and 12	10.43	(7.12 - 15.04)	*	(* - *)	3.68	(2.31 - 5.83)
Area 9	8.08	(5.56 - 11.59)	18.83	(14.26 - 24.46)	4.52	(2.98 - 6.79)
Areas 10, 11, and 13	7.18	(4.72 - 10.79)	15.73	(11.80 - 20.67)	3.15	(1.94 - 5.09)
California	8.25	(7.39 - 9.20)	15.57	(14.38 - 16.83)	4.96	(4.27 - 5.77)
Region 1	*	(* - *)	*	(* - *)	8.21	(5.55 - 11.99)
Region 2	10.54	(7.98 - 13.80)	19.27	(15.60 - 23.55)	6.04	(4.37 - 8.30)
Region 3	8.97	(6.33 - 12.56)	16.89	(13.24 - 21.30)	4.52	(3.07 - 6.62)
Region 4	8.90	(6.27 - 12.49)	20.91	(16.42 - 26.23)	7.61	(5.45 - 10.52)
Region 5	9.32	(6.87 - 12.52)	20.71	(16.99 - 24.99)	6.93	(5.06 - 9.44)
Region 6 (Santa Clara)	6.69	(4.50 - 9.84)	13.73	(10.34 - 18.02)	3.65	(2.43 - 5.43)
Region 7	8.67	(5.67 - 13.04)	16.58	(12.30 - 21.98)	5.95	(3.93 - 8.92)
Region 8	7.05	(4.84 - 10.17)	12.73	(9.69 - 16.55)	4.00	(2.65 - 5.98)
Region 9	8.42	(5.66 - 12.35)	17.20	(12.96 - 22.48)	5.23	(3.46 - 7.82)
Region 10	7.70	(5.21 - 11.25)	20.44	(15.86 - 25.93)	4.96	(3.29 - 7.40)
Region 11 (Los Angeles)	6.32	(5.02 - 7.94)	11.78	(9.97 - 13.86)	4.23	(3.26 - 5.47)
Region 12	7.77	(5.54 - 10.80)	14.52	(11.30 - 18.47)	4.09	(2.80 - 5.95)
Region 13 (Riverside)	10.86	(7.55 - 15.37)	14.83	(11.12 - 19.50)	3.80	(2.49 - 5.76)
Region 14 (Orange)	8.81	(6.53 - 11.78)	15.32	(12.16 - 19.11)	4.37	(3.10 - 6.12)
Region 15	8.25	(5.99 - 11.26)	15.39	(12.39 - 18.95)	4.45	(3.17 - 6.21)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	10.48	(8.67 - 12.61)	20.49	(17.93 - 23.30)	5.17	(4.01 - 6.64)
Region 1	8.60	(5.88 - 12.40)	17.85	(13.68 - 22.94)	3.80	(2.49 - 5.75)
Regions 2 and 7	12.04	(9.46 - 15.20)	21.87	(18.45 - 25.71)	5.89	(4.35 - 7.93)
Region 3	8.37	(5.51 - 12.54)	*	(* - *)	4.01	(2.58 - 6.19)
Region 4	*	(* - *)	*	(* - *)	3.50	(2.16 - 5.62)
Regions 5 and 6	9.07	(5.98 - 13.54)	*	(* - *)	5.37	(3.47 - 8.21)
Connecticut	8.88	(7.38 - 10.65)	23.00	(20.29 - 25.95)	4.06	(3.06 - 5.37)
Eastern	7.66	(4.99 - 11.60)	*	(* - *)	4.23	(2.62 - 6.77)
North Central	8.76	(6.39 - 11.90)	23.03	(18.99 - 27.64)	3.97	(2.68 - 5.87)
Northwestern	13.26	(9.48 - 18.24)	28.23	(22.61 - 34.61)	5.77	(3.70 - 8.88)
South Central	8.53	(6.04 - 11.92)	22.50	(18.06 - 27.65)	3.72	(2.44 - 5.63)
Southwest	6.17	(4.03 - 9.34)	18.61	(14.01 - 24.28)	3.00	(1.85 - 4.81)
Delaware	8.06	(6.65 - 9.75)	21.27	(18.72 - 24.07)	3.58	(2.70 - 4.72)
Kent	6.62	(4.40 - 9.84)	16.50	(12.44 - 21.56)	3.08	(1.87 - 5.03)
New Castle (excluding Wilmington city)	8.70	(6.74 - 11.16)	23.82	(20.42 - 27.60)	3.74	(2.69 - 5.18)
Sussex	8.09	(5.54 - 11.67)	18.07	(13.72 - 23.44)	2.88	(1.90 - 4.35)
Wilmington City	7.13	(4.48 - 11.17)	*	(* - *)	5.11	(3.14 - 8.19)
District of Columbia	6.84	(5.56 - 8.40)	21.92	(19.06 - 25.08)	5.77	(4.47 - 7.41)
Ward 1	6.11	(3.80 - 9.69)	*	(* - *)	6.61	(4.31 - 10.00)
Ward 2	*	(* - *)	19.65	(14.93 - 25.41)	6.71	(4.49 - 9.92)
Ward 3	8.43	(5.51 - 12.70)	21.33	(16.54 - 27.07)	5.54	(3.65 - 8.32)
Ward 4	6.36	(4.08 - 9.81)	*	(* - *)	4.26	(2.70 - 6.66)
Ward 5	5.84	(3.75 - 8.99)	22.16	(17.19 - 28.07)	4.79	(3.07 - 7.41)
Ward 6	7.34	(4.66 - 11.37)	*	(* - *)	6.68	(4.34 - 10.14)
Ward 7	7.32	(5.16 - 10.27)	*	(* - *)	5.79	(3.85 - 8.63)
Ward 8	7.51	(5.16 - 10.80)	*	(* - *)	6.06	(4.01 - 9.05)
Florida	8.03	(7.20 - 8.93)	17.56	(16.19 - 19.01)	4.51	(3.87 - 5.26)
District 1	9.56	(6.79 - 13.28)	18.01	(13.78 - 23.20)	4.94	(3.33 - 7.26)
District 2	8.62	(6.01 - 12.21)	22.41	(18.12 - 27.37)	6.24	(4.33 - 8.91)
District 3	8.53	(5.58 - 12.84)	20.16	(15.96 - 25.13)	4.78	(3.17 - 7.13)
District 4	9.34	(7.01 - 12.35)	20.05	(16.28 - 24.45)	5.16	(3.70 - 7.16)
District 7	7.37	(5.57 - 9.69)	17.03	(14.08 - 20.45)	5.21	(3.88 - 6.97)
District 8	6.33	(4.26 - 9.31)	13.30	(9.96 - 17.54)	2.84	(1.86 - 4.32)
District 9 (Palm Beach)	7.30	(5.27 - 10.05)	18.88	(14.97 - 23.52)	4.23	(2.95 - 6.02)
District 10 (Broward)	9.28	(6.96 - 12.29)	18.20	(14.68 - 22.33)	4.77	(3.43 - 6.61)
District 11	6.12	(4.56 - 8.17)	12.91	(10.50 - 15.78)	3.75	(2.75 - 5.10)
District 12	8.00	(5.42 - 11.66)	20.29	(15.98 - 25.42)	4.22	(2.83 - 6.25)
District 13	7.28	(5.00 - 10.49)	14.17	(10.63 - 18.65)	2.59	(1.68 - 3.98)
District 14	7.89	(5.47 - 11.26)	15.43	(11.67 - 20.12)	3.47	(2.30 - 5.20)
District 15	7.74	(5.15 - 11.46)	15.43	(11.66 - 20.13)	3.59	(2.40 - 5.32)
Suncoast	9.27	(7.43 - 11.50)	20.06	(17.09 - 23.39)	5.47	(4.20 - 7.09)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	6.85	(5.47 - 8.54)	13.46	(11.38 - 15.85)	3.75	(2.81 - 4.98)
Region 1	5.85	(3.80 - 8.90)	10.43	(7.46 - 14.39)	2.50	(1.55 - 4.01)
Region 2	5.98	(3.97 - 8.90)	10.94	(7.88 - 15.00)	2.97	(1.91 - 4.61)
Region 3	7.87	(5.67 - 10.83)	15.82	(12.60 - 19.68)	4.84	(3.41 - 6.83)
Region 4	6.13	(3.93 - 9.43)	12.16	(8.69 - 16.77)	2.97	(1.80 - 4.86)
Region 5	6.63	(4.29 - 10.09)	13.45	(9.87 - 18.08)	3.27	(2.02 - 5.26)
Hawaii	9.69	(7.95 - 11.76)	17.15	(14.69 - 19.93)	5.16	(3.87 - 6.85)
Hawaii Island	*	(* - *)	*	(* - *)	7.23	(4.65 - 11.07)
Honolulu	8.12	(6.29 - 10.43)	15.73	(13.09 - 18.79)	3.97	(2.80 - 5.60)
Kauai and Maui	*	(* - *)	*	(* - *)	*	(* - *)
Idaho	7.19	(5.92 - 8.70)	11.53	(9.70 - 13.66)	2.95	(2.17 - 4.01)
Region 1	7.76	(5.15 - 11.54)	14.18	(10.33 - 19.15)	3.42	(2.10 - 5.52)
Region 2	*	(* - *)	*	(* - *)	3.63	(2.18 - 5.98)
Region 3	8.74	(5.94 - 12.68)	10.57	(7.51 - 14.68)	2.48	(1.52 - 4.00)
Region 4	6.53	(4.56 - 9.28)	12.10	(9.28 - 15.63)	3.33	(2.17 - 5.06)
Region 5	8.45	(5.72 - 12.33)	9.70	(6.83 - 13.59)	2.82	(1.72 - 4.59)
Region 6	6.81	(4.44 - 10.31)	10.63	(7.51 - 14.83)	2.44	(1.47 - 4.02)
Region 7	4.89	(2.97 - 7.95)	8.91	(6.20 - 12.64)	2.20	(1.29 - 3.75)
Illinois	6.73	(5.96 - 7.58)	17.08	(15.82 - 18.41)	3.44	(2.88 - 4.10)
Region I (Cook)	7.63	(6.42 - 9.06)	17.13	(15.18 - 19.27)	4.25	(3.38 - 5.34)
Region II	5.97	(4.80 - 7.40)	17.26	(15.06 - 19.71)	2.95	(2.21 - 3.93)
Region III	6.68	(5.01 - 8.84)	17.04	(14.38 - 20.09)	3.06	(2.16 - 4.30)
Region IV	5.72	(4.03 - 8.06)	15.27	(12.25 - 18.88)	2.54	(1.71 - 3.77)
Region V	6.07	(4.38 - 8.36)	17.67	(14.64 - 21.16)	2.46	(1.66 - 3.63)
Indiana	7.75	(6.38 - 9.37)	16.14	(14.02 - 18.50)	3.80	(2.89 - 4.99)
Central	8.37	(5.99 - 11.58)	17.71	(13.95 - 22.22)	4.62	(3.12 - 6.80)
East	7.34	(4.67 - 11.36)	16.37	(12.10 - 21.77)	3.73	(2.34 - 5.91)
North Central	9.54	(6.46 - 13.87)	17.64	(13.29 - 23.05)	3.96	(2.55 - 6.09)
Northeast	5.95	(3.75 - 9.32)	13.34	(9.57 - 18.31)	2.95	(1.78 - 4.85)
Northwest	6.55	(4.22 - 10.02)	15.22	(11.37 - 20.09)	3.94	(2.44 - 6.30)
Southeast	6.96	(4.47 - 10.70)	14.57	(10.48 - 19.90)	2.89	(1.81 - 4.58)
Southwest	7.64	(4.89 - 11.76)	16.17	(11.81 - 21.75)	3.51	(2.17 - 5.62)
West	8.06	(5.31 - 12.05)	15.67	(11.79 - 20.53)	3.53	(2.23 - 5.54)
Iowa	6.49	(5.26 - 7.99)	12.14	(10.14 - 14.47)	2.66	(1.93 - 3.66)
Central	6.46	(4.25 - 9.69)	13.00	(9.36 - 17.78)	2.70	(1.65 - 4.40)
North Central	7.47	(4.84 - 11.36)	12.11	(8.66 - 16.69)	2.68	(1.62 - 4.39)
Northeast	6.45	(4.47 - 9.23)	12.93	(9.90 - 16.73)	2.60	(1.65 - 4.09)
Northwest	6.75	(4.40 - 10.22)	10.02	(7.00 - 14.14)	2.28	(1.37 - 3.74)
Southeast	5.98	(3.90 - 9.07)	12.30	(9.10 - 16.42)	3.18	(2.03 - 4.96)
Southwest	6.11	(3.86 - 9.55)	11.51	(7.90 - 16.48)	2.27	(1.32 - 3.87)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	7.59	(6.18 - 9.29)	13.46	(11.42 - 15.81)	2.70	(1.93 - 3.77)
Kansas City Metro	8.61	(6.13 - 11.95)	16.25	(12.85 - 20.35)	3.11	(1.99 - 4.82)
Northeast	7.01	(4.66 - 10.42)	11.99	(8.94 - 15.89)	2.65	(1.61 - 4.31)
South Central	8.62	(5.71 - 12.80)	12.39	(8.90 - 16.98)	2.42	(1.44 - 4.05)
Southeast	5.64	(3.41 - 9.21)	10.37	(7.29 - 14.54)	*	(* - *)
West	6.42	(4.07 - 9.98)	9.22	(6.43 - 13.05)	1.96	(1.13 - 3.39)
Wichita (Sedgwick)	7.31	(4.86 - 10.87)	14.93	(10.95 - 20.03)	3.00	(1.88 - 4.75)
Kentucky	8.62	(7.19 - 10.31)	15.38	(13.25 - 17.78)	4.65	(3.58 - 6.01)
Adanta, Cumberland River, And Lifeskills	5.78	(3.79 - 8.71)	11.58	(8.65 - 15.33)	2.99	(1.82 - 4.87)
Bluegrass, Comprehend, and North Key	8.44	(6.14 - 11.49)	16.07	(12.63 - 20.24)	5.23	(3.65 - 7.44)
Communicare and River Valley	9.00	(6.04 - 13.23)	15.30	(11.25 - 20.47)	4.57	(2.89 - 7.15)
Four Rivers and Pennyroyal	8.06	(5.29 - 12.09)	*	(* - *)	3.79	(2.37 - 6.01)
Kentucky River, Mountain, And Pathways	7.42	(4.92 - 11.03)	13.02	(9.49 - 17.62)	3.58	(2.22 - 5.70)
Seven Counties	11.99	(8.62 - 16.45)	19.71	(15.50 - 24.72)	6.23	(4.31 - 8.92)
Louisiana	6.69	(5.47 - 8.16)	15.93	(13.84 - 18.27)	3.30	(2.47 - 4.41)
Region 1	7.31	(4.69 - 11.23)	*	(* - *)	4.60	(2.83 - 7.39)
Regions 2 and 9	7.42	(5.26 - 10.37)	17.06	(13.76 - 20.96)	3.30	(2.19 - 4.96)
Region 3	6.76	(4.32 - 10.41)	13.93	(10.13 - 18.87)	3.17	(1.89 - 5.27)
Region 4	5.88	(3.82 - 8.94)	15.28	(11.34 - 20.29)	2.85	(1.75 - 4.61)
Regions 5 and 6	5.05	(3.22 - 7.86)	12.62	(9.12 - 17.21)	2.60	(1.59 - 4.22)
Regions 7 and 8	7.07	(4.84 - 10.21)	14.19	(10.81 - 18.41)	2.89	(1.90 - 4.37)
Region 10 (Jefferson)	6.45	(4.10 - 10.02)	17.16	(12.69 - 22.78)	3.99	(2.52 - 6.25)
Maine	11.34	(9.58 - 13.37)	23.38	(20.79 - 26.18)	5.23	(4.02 - 6.79)
Planning Region 1	10.35	(8.10 - 13.15)	25.57	(21.60 - 29.99)	5.40	(3.90 - 7.42)
Region 1 (Cumberland)	10.13	(7.29 - 13.91)	28.89	(23.62 - 34.79)	6.07	(4.15 - 8.79)
Region 2 (York)	10.65	(7.38 - 15.15)	20.31	(15.63 - 25.95)	4.47	(2.87 - 6.89)
Planning Region 2	12.14	(9.59 - 15.24)	22.48	(19.35 - 25.95)	5.19	(3.80 - 7.06)
Region 3	13.37	(9.47 - 18.54)	24.72	(20.24 - 29.82)	5.79	(3.86 - 8.60)
Region 4	10.27	(6.93 - 14.97)	*	(* - *)	4.96	(3.14 - 7.74)
Region 5	12.05	(8.30 - 17.19)	20.02	(15.41 - 25.59)	4.55	(2.94 - 6.96)
Planning Region 3	11.43	(8.70 - 14.89)	21.79	(17.92 - 26.22)	5.06	(3.51 - 7.24)
Region 6 (Penobscot)	12.54	(8.85 - 17.48)	24.11	(19.08 - 29.97)	5.70	(3.72 - 8.62)
Region 7	10.46	(7.08 - 15.18)	*	(* - *)	4.56	(2.87 - 7.20)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	7.69	(6.30 - 9.35)	17.70	(15.36 - 20.31)	3.00	(2.19 - 4.09)
Anne Arundel	*	(* - *)	*	(* - *)	3.18	(1.90 - 5.26)
Baltimore City	7.48	(4.97 - 11.11)	18.97	(14.47 - 24.46)	4.50	(2.86 - 7.01)
Central	7.85	(5.56 - 10.98)	18.13	(14.15 - 22.92)	2.73	(1.73 - 4.28)
Montgomery	7.31	(4.88 - 10.79)	18.19	(13.75 - 23.66)	2.98	(1.83 - 4.82)
Prince George's	6.50	(4.22 - 9.87)	16.17	(12.09 - 21.30)	3.15	(1.93 - 5.09)
Rural	8.25	(5.46 - 12.29)	17.77	(13.48 - 23.07)	2.70	(1.66 - 4.36)
Western	7.73	(5.16 - 11.42)	15.47	(11.60 - 20.32)	2.11	(1.28 - 3.44)
Massachusetts	10.42	(8.73 - 12.40)	24.43	(21.62 - 27.47)	4.75	(3.70 - 6.08)
Boston	*	(* - *)	23.23	(18.06 - 29.36)	6.31	(4.24 - 9.29)
Central	10.66	(7.42 - 15.07)	*	(* - *)	4.46	(2.89 - 6.81)
Metrowest	9.93	(7.18 - 13.59)	21.33	(16.73 - 26.80)	4.26	(2.91 - 6.19)
Northeast	9.28	(6.52 - 13.05)	23.81	(18.58 - 29.96)	4.62	(3.09 - 6.85)
Southeast	12.03	(8.84 - 16.16)	26.58	(21.43 - 32.46)	4.62	(3.12 - 6.79)
Western	*	(* - *)	28.44	(22.98 - 34.63)	4.96	(3.18 - 7.64)
Michigan	8.94	(8.10 - 9.87)	19.15	(17.84 - 20.54)	5.02	(4.33 - 5.80)
Bay	9.36	(6.55 - 13.21)	15.86	(11.86 - 20.88)	4.42	(2.93 - 6.63)
Detroit City	6.68	(4.91 - 9.01)	21.82	(18.13 - 26.03)	7.10	(5.18 - 9.65)
Genesee	10.55	(7.64 - 14.39)	23.81	(19.25 - 29.05)	6.57	(4.51 - 9.47)
Kalamazoo	9.08	(6.50 - 12.55)	21.75	(18.09 - 25.93)	4.88	(3.38 - 7.00)
Kent	8.80	(6.37 - 12.05)	15.11	(12.07 - 18.75)	3.74	(2.49 - 5.57)
Lakeshore	9.77	(7.27 - 12.99)	18.45	(15.17 - 22.25)	5.68	(4.01 - 7.99)
Macomb	7.95	(5.77 - 10.84)	20.23	(16.41 - 24.68)	4.90	(3.53 - 6.76)
Mid South	9.14	(7.07 - 11.73)	17.65	(14.61 - 21.16)	4.02	(2.85 - 5.63)
Northern	12.07	(9.37 - 15.43)	17.43	(13.96 - 21.56)	4.16	(2.86 - 6.01)
Oakland	9.20	(7.21 - 11.68)	19.66	(16.53 - 23.22)	5.26	(3.91 - 7.05)
Pathways	10.83	(7.35 - 15.68)	21.27	(16.78 - 26.58)	6.78	(4.50 - 10.10)
Saginaw	8.09	(5.19 - 12.40)	16.44	(11.96 - 22.17)	4.69	(3.08 - 7.08)
Southeast	7.91	(6.12 - 10.18)	20.48	(17.37 - 23.98)	4.90	(3.62 - 6.60)
St. Clair	8.76	(6.01 - 12.58)	17.45	(13.24 - 22.65)	4.13	(2.71 - 6.23)
Washtenaw	7.90	(5.52 - 11.18)	19.21	(15.30 - 23.83)	4.81	(3.41 - 6.74)
Western	8.33	(5.34 - 12.75)	13.90	(10.10 - 18.82)	4.09	(2.52 - 6.57)
Minnesota	8.15	(6.71 - 9.85)	16.68	(14.46 - 19.16)	3.99	(3.00 - 5.28)
Regions 1 and 2	*	(* - *)	16.56	(12.37 - 21.83)	4.49	(2.82 - 7.08)
Regions 3 and 4	8.92	(6.28 - 12.52)	14.88	(11.36 - 19.24)	3.05	(1.94 - 4.77)
Regions 5 and 6	7.89	(5.50 - 11.21)	14.67	(11.16 - 19.04)	3.15	(2.04 - 4.82)
Region 7A (Hennepin)	8.57	(6.00 - 12.11)	19.15	(14.92 - 24.25)	5.41	(3.71 - 7.82)
Region 7B (Ramsey)	7.79	(5.08 - 11.76)	*	(* - *)	4.73	(2.91 - 7.59)
Region 7C	6.43	(4.33 - 9.44)	15.21	(11.55 - 19.77)	3.25	(2.05 - 5.09)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	5.79	(4.61 - 7.24)	11.88	(9.96 - 14.12)	2.70	(1.93 - 3.78)
Region 1	5.86	(3.94 - 8.64)	10.47	(7.60 - 14.26)	2.20	(1.36 - 3.53)
Region 2	5.27	(3.37 - 8.13)	12.82	(9.39 - 17.27)	2.97	(1.79 - 4.89)
Region 3	4.90	(3.09 - 7.70)	11.02	(7.86 - 15.24)	2.26	(1.34 - 3.78)
Region 4	5.20	(3.31 - 8.07)	11.62	(8.52 - 15.64)	2.79	(1.67 - 4.63)
Region 5	4.92	(2.99 - 8.01)	10.26	(6.98 - 14.82)	2.43	(1.37 - 4.28)
Region 6	6.31	(3.95 - 9.92)	12.21	(8.67 - 16.92)	2.73	(1.64 - 4.51)
Region 7	7.76	(5.11 - 11.61)	14.51	(10.61 - 19.53)	3.53	(2.11 - 5.85)
Missouri	7.67	(6.33 - 9.28)	16.96	(14.77 - 19.40)	4.22	(3.19 - 5.55)
Central	9.09	(6.28 - 12.99)	19.23	(14.86 - 24.52)	4.34	(2.82 - 6.60)
Eastern	8.02	(6.04 - 10.59)	17.53	(14.34 - 21.25)	4.74	(3.33 - 6.70)
Eastern (St. Louis City and County)	6.97	(4.85 - 9.91)	17.96	(13.98 - 22.78)	5.20	(3.51 - 7.64)
Eastern (excluding St. Louis)	9.99	(6.67 - 14.68)	16.62	(12.32 - 22.04)	3.78	(2.30 - 6.13)
Northwest	7.27	(5.25 - 9.99)	18.06	(14.53 - 22.23)	4.53	(3.17 - 6.43)
Northwest (Jackson)	7.19	(4.71 - 10.82)	20.62	(15.90 - 26.30)	5.51	(3.68 - 8.18)
Northwest (excluding Jackson)	7.34	(4.70 - 11.28)	15.77	(11.48 - 21.28)	3.63	(2.24 - 5.85)
Southeast	6.85	(4.49 - 10.32)	13.10	(9.29 - 18.16)	3.04	(1.86 - 4.94)
Southwest	6.82	(4.44 - 10.33)	14.54	(11.14 - 18.75)	3.36	(2.13 - 5.28)
Montana	10.85	(9.15 - 12.82)	20.71	(18.30 - 23.34)	6.03	(4.71 - 7.69)
Region 1	10.48	(7.23 - 14.96)	*	(* - *)	4.99	(3.10 - 7.94)
Region 2	11.02	(7.78 - 15.38)	19.24	(14.81 - 24.60)	5.14	(3.36 - 7.80)
Region 3	9.22	(6.48 - 12.96)	16.99	(13.12 - 21.70)	4.92	(3.25 - 7.40)
Region 4	11.17	(8.34 - 14.80)	21.54	(17.87 - 25.72)	6.88	(4.85 - 9.67)
Region 5	11.68	(8.72 - 15.48)	23.45	(19.36 - 28.10)	6.83	(4.79 - 9.66)
Nebraska	7.94	(6.47 - 9.71)	15.10	(12.92 - 17.57)	3.14	(2.33 - 4.22)
Regions 1 and 2	7.84	(4.96 - 12.19)	11.46	(7.97 - 16.20)	2.40	(1.41 - 4.04)
Region 3	7.85	(5.22 - 11.64)	14.13	(10.23 - 19.19)	2.68	(1.66 - 4.31)
Region 4	7.86	(5.13 - 11.87)	12.34	(8.86 - 16.94)	2.49	(1.49 - 4.13)
Region 5	7.27	(4.99 - 10.47)	13.88	(10.74 - 17.75)	3.45	(2.27 - 5.19)
Region 6	8.44	(6.19 - 11.41)	17.96	(14.48 - 22.05)	3.53	(2.42 - 5.13)
Nevada	9.05	(7.35 - 11.10)	16.50	(14.20 - 19.09)	5.31	(4.01 - 6.99)
Clark	8.53	(6.51 - 11.11)	15.12	(12.54 - 18.13)	5.19	(3.75 - 7.16)
Rural	9.09	(6.27 - 12.98)	17.75	(13.53 - 22.94)	4.37	(2.77 - 6.83)
Washoe	11.12	(7.90 - 15.43)	21.41	(16.81 - 26.87)	6.65	(4.46 - 9.78)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	10.66	(8.93 - 12.67)	26.44	(23.59 - 29.49)	6.82	(5.41 - 8.57)
Central	10.21	(7.67 - 13.47)	23.67	(20.01 - 27.77)	5.74	(4.11 - 7.97)
Central 1	8.90	(6.00 - 12.99)	22.63	(18.18 - 27.81)	5.19	(3.43 - 7.78)
Central 2	11.53	(7.92 - 16.49)	24.99	(19.68 - 31.17)	6.25	(4.13 - 9.35)
Northern	*	(* - *)	*	(* - *)	6.06	(3.92 - 9.26)
Southern	10.95	(8.81 - 13.52)	28.22	(24.52 - 32.25)	7.50	(5.79 - 9.66)
Southern 1 (Rockingham)	11.54	(8.32 - 15.79)	27.29	(21.97 - 33.36)	6.94	(4.69 - 10.14)
Southern 2	10.59	(8.14 - 13.66)	28.69	(24.25 - 33.59)	7.85	(5.82 - 10.50)
New Jersey	6.98	(5.62 - 8.64)	16.55	(14.18 - 19.22)	2.67	(1.93 - 3.66)
Central	8.94	(6.35 - 12.44)	18.67	(14.63 - 23.52)	2.91	(1.82 - 4.63)
Metropolitan	6.31	(4.22 - 9.31)	15.75	(11.98 - 20.41)	2.64	(1.68 - 4.13)
Northern	6.89	(4.83 - 9.73)	15.79	(12.34 - 19.97)	2.53	(1.65 - 3.89)
Southern	5.85	(3.85 - 8.80)	16.62	(12.71 - 21.43)	2.62	(1.62 - 4.23)
New Mexico	10.72	(8.86 - 12.91)	19.89	(17.29 - 22.78)	5.06	(3.86 - 6.62)
Region 1	12.50	(8.95 - 17.20)	18.37	(13.85 - 23.96)	4.69	(2.96 - 7.35)
Region 2	*	(* - *)	*	(* - *)	5.36	(3.37 - 8.42)
Region 3 (Bernalillo)	11.43	(8.48 - 15.22)	22.53	(18.41 - 27.28)	6.33	(4.50 - 8.85)
Region 4	9.28	(6.08 - 13.91)	17.66	(13.20 - 23.22)	4.01	(2.47 - 6.44)
Region 5	9.43	(6.40 - 13.67)	19.07	(14.96 - 24.00)	3.87	(2.46 - 6.04)
New York	8.72	(7.80 - 9.73)	21.17	(19.74 - 22.68)	5.12	(4.41 - 5.94)
Region A	6.60	(5.49 - 7.91)	17.43	(15.54 - 19.49)	5.35	(4.40 - 6.49)
Region 1	6.45	(4.44 - 9.28)	17.42	(13.51 - 22.16)	4.76	(3.24 - 6.94)
Region 2	6.15	(4.56 - 8.25)	17.34	(14.29 - 20.88)	4.96	(3.59 - 6.81)
Region 3	9.12	(6.39 - 12.85)	23.55	(19.38 - 28.31)	8.73	(6.61 - 11.44)
Region 4	6.09	(4.27 - 8.62)	13.12	(10.39 - 16.43)	3.69	(2.57 - 5.29)
Region B	9.20	(7.48 - 11.28)	22.87	(20.07 - 25.94)	4.38	(3.43 - 5.59)
Region 5	9.46	(7.37 - 12.07)	23.13	(19.68 - 26.98)	4.54	(3.37 - 6.08)
Region 6	8.66	(6.17 - 12.02)	22.32	(17.95 - 27.39)	4.05	(2.80 - 5.84)
Region C	10.99	(9.49 - 12.69)	25.98	(23.81 - 28.28)	5.42	(4.44 - 6.59)
Region 7	9.34	(6.72 - 12.85)	26.26	(21.27 - 31.95)	4.86	(3.23 - 7.25)
Region 8	13.35	(9.80 - 17.93)	28.18	(23.59 - 33.28)	6.61	(4.70 - 9.23)
Region 9	10.96	(8.04 - 14.77)	26.98	(22.40 - 32.10)	5.41	(3.76 - 7.73)
Region 10	12.08	(8.54 - 16.83)	23.94	(19.60 - 28.89)	5.44	(3.65 - 8.02)
Region 11	10.37	(7.68 - 13.86)	26.10	(21.84 - 30.85)	5.25	(3.70 - 7.40)
Region 12	10.43	(7.70 - 13.98)	23.91	(19.86 - 28.49)	4.97	(3.49 - 7.02)
Region D	9.52	(7.59 - 11.87)	21.81	(18.82 - 25.14)	4.88	(3.73 - 6.35)
Region 13	9.34	(6.23 - 13.77)	20.52	(15.57 - 26.55)	4.50	(2.96 - 6.79)
Region 14	8.14	(5.55 - 11.80)	20.55	(15.95 - 26.07)	4.87	(3.28 - 7.19)
Region 15	10.94	(7.72 - 15.27)	24.30	(19.53 - 29.79)	5.22	(3.48 - 7.77)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	8.31	(6.84 - 10.05)	15.79	(13.58 - 18.29)	3.33	(2.45 - 4.51)
Eastern	6.45	(4.35 - 9.48)	12.28	(9.22 - 16.16)	2.84	(1.81 - 4.44)
North Central	6.42	(4.43 - 9.21)	14.45	(10.93 - 18.88)	2.97	(1.85 - 4.73)
South Central	7.15	(4.88 - 10.35)	15.48	(11.81 - 20.03)	2.91	(1.84 - 4.57)
Western	11.68	(8.80 - 15.35)	19.48	(15.66 - 23.95)	4.14	(2.79 - 6.10)
North Dakota	7.64	(6.19 - 9.38)	14.82	(12.75 - 17.16)	3.00	(2.19 - 4.09)
Badlands and West Central Lake Region and South Central	6.42	(4.40 - 9.28)	13.53	(10.24 - 17.68)	2.81	(1.76 - 4.44)
North Central and Northwest	8.60	(5.91 - 12.34)	12.97	(9.37 - 17.69)	2.80	(1.74 - 4.47)
Northeast	7.14	(4.79 - 10.53)	13.59	(9.94 - 18.30)	2.54	(1.54 - 4.16)
Southeast	6.33	(4.10 - 9.65)	13.99	(10.52 - 18.36)	3.01	(1.86 - 4.84)
Ohio	9.45	(6.65 - 13.26)	17.40	(14.05 - 21.35)	3.67	(2.42 - 5.52)
Boards 2, 46, 55, and 68	8.49	(7.64 - 9.42)	17.45	(16.24 - 18.73)	4.16	(3.58 - 4.83)
Boards 3, 52, and 85	8.21	(5.74 - 11.63)	13.93	(10.76 - 17.86)	3.51	(2.30 - 5.31)
Boards 4 and 78	7.20	(4.86 - 10.55)	15.49	(11.75 - 20.15)	2.78	(1.80 - 4.28)
Boards 5 and 60	9.07	(6.22 - 13.03)	16.84	(12.93 - 21.65)	4.07	(2.76 - 5.95)
Boards 7, 15, 41, 79, and 84	7.71	(5.17 - 11.36)	16.18	(12.28 - 21.01)	3.38	(2.24 - 5.08)
Boards 8, 13, and 83	7.83	(5.38 - 11.25)	15.63	(11.84 - 20.35)	3.45	(2.27 - 5.20)
Board 9 (Butler)	8.48	(5.98 - 11.90)	15.95	(12.08 - 20.78)	3.81	(2.56 - 5.64)
Board 12	10.12	(6.97 - 14.46)	18.28	(14.16 - 23.27)	3.66	(2.43 - 5.48)
Boards 18 and 47	10.88	(7.41 - 15.69)	19.44	(15.07 - 24.69)	5.00	(3.35 - 7.40)
Boards 20, 32, 54, and 69	7.29	(5.50 - 9.59)	18.23	(15.23 - 21.68)	4.51	(3.39 - 5.98)
Boards 21, 39, 51, 70, and 80	6.14	(3.96 - 9.39)	12.06	(8.72 - 16.44)	2.59	(1.64 - 4.07)
Boards 22, 74, and 87	8.03	(5.71 - 11.19)	16.21	(12.70 - 20.45)	3.32	(2.23 - 4.89)
Boards 23 and 45	7.03	(4.72 - 10.34)	14.90	(11.09 - 19.72)	3.43	(2.22 - 5.27)
Board 25 (Franklin)	7.07	(4.80 - 10.28)	16.53	(12.31 - 21.85)	3.03	(1.98 - 4.62)
Boards 27, 71, and 73	10.80	(8.17 - 14.16)	16.02	(13.22 - 19.27)	4.83	(3.51 - 6.63)
Boards 28, 43, and 67	7.00	(4.71 - 10.26)	12.94	(9.76 - 16.96)	3.12	(2.01 - 4.79)
Board 31 (Hamilton)	6.58	(4.56 - 9.42)	15.43	(12.04 - 19.58)	3.03	(1.99 - 4.59)
Board 48 (Lucas)	8.74	(6.42 - 11.80)	20.07	(16.41 - 24.32)	4.80	(3.33 - 6.87)
Board 50 and 76	9.60	(7.01 - 13.01)	20.31	(16.25 - 25.07)	5.09	(3.54 - 7.27)
Board 57 (Montgomery)	8.24	(5.85 - 11.50)	19.05	(14.94 - 23.97)	4.65	(3.24 - 6.63)
Board 77 (Summit)	11.86	(8.42 - 16.44)	25.14	(20.23 - 30.78)	6.52	(4.48 - 9.38)
Oklahoma	9.64	(6.87 - 13.38)	21.89	(17.63 - 26.84)	4.72	(3.26 - 6.77)
Central	7.64	(6.27 - 9.28)	14.66	(12.46 - 17.17)	3.18	(2.32 - 4.36)
East Central	6.58	(4.24 - 10.07)	15.18	(11.15 - 20.32)	2.99	(1.82 - 4.90)
Northeast	6.65	(4.17 - 10.44)	10.96	(7.56 - 15.63)	2.28	(1.30 - 3.95)
Northwest and Southwest	7.82	(5.24 - 11.52)	13.95	(10.17 - 18.83)	2.72	(1.65 - 4.44)
Oklahoma County	5.76	(3.72 - 8.82)	11.83	(8.39 - 16.43)	2.41	(1.44 - 4.00)
Southeast	8.71	(5.84 - 12.80)	17.73	(13.42 - 23.05)	4.21	(2.67 - 6.57)
Tulsa County	8.10	(5.56 - 11.66)	12.79	(9.30 - 17.33)	2.67	(1.64 - 4.34)
	9.22	(6.29 - 13.34)	17.46	(13.42 - 22.40)	4.33	(2.76 - 6.73)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	9.73	(8.12 - 11.62)	21.65	(19.22 - 24.29)	5.92	(4.63 - 7.55)
Region 1 (Multnomah)	8.74	(6.00 - 12.58)	24.79	(20.32 - 29.89)	8.90	(6.37 - 12.29)
Region 2	8.76	(6.28 - 12.10)	20.18	(15.97 - 25.18)	4.99	(3.36 - 7.36)
Region 3	10.77	(8.01 - 14.31)	21.15	(17.48 - 25.36)	5.50	(3.75 - 7.99)
Region 4	10.08	(7.18 - 13.97)	21.25	(16.56 - 26.82)	5.18	(3.41 - 7.79)
Region 5	9.71	(6.54 - 14.20)	*	(* - *)	4.76	(2.99 - 7.50)
Pennsylvania	8.01	(7.21 - 8.89)	17.59	(16.40 - 18.84)	3.55	(3.00 - 4.20)
Region 1 (Allegheny)	10.11	(7.66 - 13.22)	23.27	(19.74 - 27.20)	4.91	(3.54 - 6.76)
Regions 2, 3, 8, and 9	5.95	(4.01 - 8.74)	13.10	(9.83 - 17.26)	2.51	(1.60 - 3.92)
Regions 4, 11, 42, and 48	7.56	(5.48 - 10.35)	16.38	(13.01 - 20.41)	3.14	(2.16 - 4.54)
Regions 5, 20, 26, 28, and 40	7.03	(4.96 - 9.86)	14.06	(11.18 - 17.53)	2.71	(1.86 - 3.93)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	7.57	(5.36 - 10.59)	18.76	(15.38 - 22.69)	2.88	(1.92 - 4.28)
Regions 7, 13, 22, and 37	9.70	(7.79 - 12.02)	18.43	(15.85 - 21.33)	3.56	(2.62 - 4.84)
Regions 10, 14, 15, 25, 31, 36, and 46	6.22	(4.31 - 8.90)	15.00	(11.52 - 19.29)	3.02	(2.02 - 4.49)
Regions 17, 24, 27, 43, and 47	5.55	(3.71 - 8.23)	13.64	(10.38 - 17.71)	2.66	(1.74 - 4.04)
Region 18 (Philadelphia)	8.28	(6.31 - 10.80)	19.38	(16.50 - 22.64)	5.00	(3.70 - 6.74)
Regions 19 and 23	8.31	(5.65 - 12.07)	17.37	(13.33 - 22.31)	3.46	(2.25 - 5.26)
Regions 21, 30, 32, and 49	6.69	(4.96 - 8.97)	14.45	(11.90 - 17.43)	2.86	(2.03 - 4.02)
Regions 29 and 34	9.06	(6.36 - 12.76)	21.50	(16.96 - 26.87)	4.08	(2.75 - 6.02)
Regions 33 and 38	7.96	(5.54 - 11.30)	17.66	(13.63 - 22.56)	3.62	(2.44 - 5.32)
Rhode Island	11.51	(9.53 - 13.84)	28.26	(25.28 - 31.45)	5.83	(4.47 - 7.56)
Bristol and Newport	11.13	(7.63 - 15.96)	*	(* - *)	5.83	(3.83 - 8.77)
Kent	9.58	(6.46 - 13.97)	27.27	(21.95 - 33.32)	5.44	(3.56 - 8.22)
Providence	11.64	(9.10 - 14.79)	27.05	(23.41 - 31.02)	5.62	(4.08 - 7.69)
Washington	13.45	(9.51 - 18.69)	*	(* - *)	7.42	(4.71 - 11.49)
South Carolina	6.78	(5.48 - 8.35)	15.06	(12.88 - 17.53)	3.40	(2.52 - 4.57)
Region 1	7.52	(5.27 - 10.64)	14.86	(11.53 - 18.95)	3.25	(2.11 - 4.99)
Region 2	6.17	(4.44 - 8.53)	15.39	(12.31 - 19.07)	3.45	(2.33 - 5.07)
Region 3	5.64	(3.71 - 8.48)	13.32	(9.64 - 18.13)	3.42	(2.14 - 5.43)
Region 4	7.50	(5.17 - 10.76)	15.97	(12.22 - 20.59)	3.48	(2.22 - 5.41)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	8.48	(6.96 - 10.31)	14.09	(12.06 - 16.39)	2.75	(1.94 - 3.88)
Eastern Planning Area	7.23	(5.74 - 9.07)	13.12	(11.02 - 15.56)	2.43	(1.69 - 3.50)
Region 3 (Minnehaha)	9.15	(6.42 - 12.88)	15.96	(12.47 - 20.21)	2.89	(1.80 - 4.59)
Region 4	6.48	(4.15 - 9.97)	12.43	(8.84 - 17.19)	2.08	(1.21 - 3.55)
Region 5	6.33	(4.08 - 9.69)	11.17	(7.84 - 15.67)	2.33	(1.35 - 4.00)
Region 6	6.00	(3.85 - 9.25)	11.99	(8.58 - 16.50)	2.19	(1.28 - 3.73)
Region 7	7.13	(4.52 - 11.07)	11.76	(8.48 - 16.08)	2.47	(1.43 - 4.23)
Western Planning Area	11.10	(8.28 - 14.74)	16.45	(13.16 - 20.37)	3.51	(2.21 - 5.52)
Region 1 (Pennington)	8.21	(5.38 - 12.35)	15.70	(11.80 - 20.60)	2.97	(1.78 - 4.91)
Region 2	12.73	(8.98 - 17.73)	16.98	(12.67 - 22.36)	3.87	(2.20 - 6.73)
Tennessee	6.31	(5.12 - 7.77)	13.23	(11.06 - 15.75)	3.30	(2.48 - 4.36)
Region 1	*	(* - *)	*	(* - *)	3.72	(2.29 - 6.00)
Region 2	7.99	(5.29 - 11.87)	*	(* - *)	4.00	(2.60 - 6.10)
Region 3	5.18	(3.34 - 7.96)	10.98	(7.83 - 15.19)	2.71	(1.74 - 4.17)
Region 4 (Davidson)	6.70	(4.28 - 10.34)	14.58	(10.64 - 19.65)	5.26	(3.39 - 8.08)
Region 5	5.95	(3.93 - 8.91)	10.62	(7.65 - 14.56)	2.27	(1.41 - 3.65)
Region 6	4.81	(3.06 - 7.47)	10.10	(7.02 - 14.32)	2.73	(1.68 - 4.41)
Region 7 (Shelby)	5.52	(3.62 - 8.32)	14.02	(10.15 - 19.06)	3.33	(2.11 - 5.23)
Texas	5.93	(5.22 - 6.72)	12.68	(11.59 - 13.86)	2.89	(2.42 - 3.44)
Region 1	6.38	(4.19 - 9.59)	13.63	(10.46 - 17.56)	2.90	(1.93 - 4.35)
Region 2	6.02	(3.83 - 9.33)	14.00	(10.14 - 19.01)	2.74	(1.74 - 4.28)
Region 3	5.92	(4.76 - 7.34)	11.63	(9.97 - 13.54)	3.08	(2.40 - 3.94)
Region 3a	6.18	(4.73 - 8.03)	11.29	(9.31 - 13.62)	3.22	(2.41 - 4.28)
Region 3bc	5.48	(3.91 - 7.64)	12.29	(9.77 - 15.35)	2.84	(1.98 - 4.06)
Region 4	6.14	(4.10 - 9.11)	11.73	(8.76 - 15.54)	2.37	(1.54 - 3.63)
Region 5	7.24	(4.81 - 10.74)	13.16	(9.72 - 17.58)	2.89	(1.91 - 4.34)
Region 6	5.49	(4.36 - 6.89)	11.98	(10.20 - 14.02)	2.82	(2.13 - 3.74)
Region 6a	5.26	(4.06 - 6.80)	11.40	(9.52 - 13.60)	2.74	(2.00 - 3.74)
Region 6bc	7.38	(4.79 - 11.20)	17.47	(13.08 - 22.95)	3.51	(2.28 - 5.38)
Region 7	6.79	(5.17 - 8.87)	17.85	(15.14 - 20.94)	4.13	(3.09 - 5.51)
Region 7a	7.28	(5.10 - 10.31)	19.29	(15.66 - 23.53)	4.84	(3.41 - 6.83)
Region 7bcd	6.14	(4.23 - 8.83)	15.94	(12.55 - 20.05)	3.03	(2.08 - 4.38)
Region 8	6.40	(4.60 - 8.84)	12.30	(9.54 - 15.71)	2.81	(1.98 - 3.97)
Region 9	5.31	(3.39 - 8.22)	11.71	(8.43 - 16.05)	2.17	(1.36 - 3.43)
Region 10	5.14	(3.32 - 7.88)	10.42	(7.54 - 14.24)	1.83	(1.16 - 2.89)
Region 11	5.23	(3.81 - 7.14)	10.53	(8.27 - 13.33)	1.79	(1.24 - 2.59)
Region 11abd	5.33	(3.58 - 7.86)	10.93	(8.11 - 14.56)	1.94	(1.26 - 2.97)
Region 11c (Hidalgo)	5.06	(3.22 - 7.87)	9.81	(6.98 - 13.64)	1.49	(0.90 - 2.43)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	5.10	(3.96 - 6.54)	9.10	(7.48 - 11.04)	2.33	(1.59 - 3.41)
Bear River, Northeastern, Summit, Tooele, and Wasatch	5.00	(3.11 - 7.94)	8.27	(5.54 - 12.18)	2.02	(1.20 - 3.40)
Central, Four Corners, San Juan, and Southwest	4.00	(2.38 - 6.63)	7.11	(4.73 - 10.56)	1.53	(0.83 - 2.78)
Davis County	4.61	(2.84 - 7.38)	7.80	(5.32 - 11.31)	1.96	(1.14 - 3.35)
Salt Lake County	6.68	(4.68 - 9.44)	11.97	(9.38 - 15.15)	3.07	(1.96 - 4.78)
Utah County	3.47	(2.07 - 5.76)	6.25	(4.28 - 9.03)	1.66	(0.94 - 2.94)
Weber, Morgan	4.30	(2.60 - 7.03)	9.45	(6.33 - 13.89)	1.90	(1.05 - 3.39)
Vermont	12.33	(10.44 - 14.51)	27.08	(24.27 - 30.07)	6.18	(4.82 - 7.90)
Champlain Valley	12.89	(10.02 - 16.45)	30.98	(26.90 - 35.39)	6.47	(4.66 - 8.91)
Rural Northeast	12.45	(9.48 - 16.19)	23.64	(19.20 - 28.74)	6.23	(4.30 - 8.93)
Rural Southeast	10.90	(7.80 - 15.04)	23.19	(18.40 - 28.79)	6.12	(4.03 - 9.20)
Rural Southwest	12.58	(8.91 - 17.47)	24.64	(19.43 - 30.71)	5.57	(3.71 - 8.29)
Virginia	7.61	(6.23 - 9.27)	16.63	(14.38 - 19.17)	3.53	(2.63 - 4.72)
Region 1	8.15	(5.34 - 12.24)	17.38	(13.57 - 22.00)	3.29	(2.05 - 5.25)
Region 2	7.38	(5.15 - 10.46)	16.65	(12.71 - 21.52)	3.67	(2.38 - 5.62)
Region 3	9.03	(6.15 - 13.06)	16.77	(12.81 - 21.64)	3.73	(2.41 - 5.72)
Region 4	6.57	(4.40 - 9.70)	15.64	(11.95 - 20.22)	3.31	(2.13 - 5.13)
Region 5	7.23	(4.99 - 10.37)	16.68	(12.98 - 21.19)	3.51	(2.28 - 5.36)
Washington	8.21	(6.70 - 10.02)	19.18	(16.67 - 21.96)	4.32	(3.28 - 5.66)
Region 1	8.04	(5.25 - 12.13)	18.01	(13.67 - 23.36)	3.79	(2.40 - 5.96)
Region 2	7.15	(4.43 - 11.34)	15.27	(11.04 - 20.73)	3.49	(2.12 - 5.70)
Region 3	8.71	(6.08 - 12.33)	20.19	(15.47 - 25.91)	4.08	(2.72 - 6.08)
Region 4 (King)	8.21	(5.90 - 11.31)	19.79	(15.82 - 24.47)	5.17	(3.61 - 7.37)
Region 5	8.99	(6.14 - 12.98)	20.74	(16.12 - 26.28)	4.07	(2.61 - 6.30)
Region 6	7.78	(5.17 - 11.56)	18.94	(14.43 - 24.47)	4.02	(2.57 - 6.24)
West Virginia	8.03	(6.63 - 9.69)	15.96	(13.84 - 18.33)	3.35	(2.52 - 4.45)
Eastern Highland	7.19	(4.99 - 10.26)	13.61	(10.29 - 17.77)	3.23	(2.08 - 5.00)
Northern	8.15	(5.96 - 11.04)	18.85	(15.37 - 22.90)	3.38	(2.35 - 4.83)
Northern A and B	8.91	(5.82 - 13.41)	16.00	(11.64 - 21.58)	3.07	(1.91 - 4.89)
Northern C and D	7.79	(5.21 - 11.50)	19.91	(15.64 - 25.01)	3.55	(2.32 - 5.39)
South Central	8.89	(6.90 - 11.37)	15.49	(12.68 - 18.78)	3.40	(2.40 - 4.81)
South Central I	8.38	(5.51 - 12.56)	13.95	(9.94 - 19.23)	2.87	(1.76 - 4.66)
South Central II	7.92	(5.11 - 12.09)	16.86	(12.68 - 22.08)	3.40	(2.15 - 5.35)
South Central III	9.89	(6.95 - 13.90)	15.26	(11.39 - 20.15)	3.73	(2.39 - 5.78)
Southern	7.17	(5.05 - 10.09)	14.79	(11.59 - 18.68)	3.36	(2.24 - 5.02)
Southern I and III	7.17	(4.59 - 11.03)	14.65	(10.83 - 19.51)	3.28	(2.01 - 5.32)
Southern II	7.17	(4.50 - 11.25)	*	(* - *)	3.51	(2.11 - 5.78)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	8.24	(6.83 - 9.92)	16.04	(13.94 - 18.40)	3.35	(2.50 - 4.48)
Milwaukee	8.67	(6.00 - 12.38)	19.29	(14.87 - 24.64)	4.70	(3.05 - 7.17)
Northeastern	7.49	(5.29 - 10.52)	15.14	(11.63 - 19.48)	2.88	(1.84 - 4.48)
Northern	10.12	(6.80 - 14.81)	*	(* - *)	3.37	(2.06 - 5.46)
Southeastern	8.44	(5.91 - 11.91)	14.79	(11.19 - 19.29)	2.96	(1.87 - 4.65)
Southern	8.64	(5.94 - 12.39)	16.61	(12.96 - 21.04)	3.59	(2.35 - 5.44)
Western	6.91	(4.52 - 10.44)	13.84	(10.39 - 18.20)	2.75	(1.64 - 4.59)
Wyoming	7.09	(5.79 - 8.65)	15.29	(13.03 - 17.85)	3.18	(2.31 - 4.35)
Judicial District 1 (Laramie)	6.55	(4.26 - 9.94)	13.93	(10.07 - 18.96)	2.61	(1.60 - 4.24)
Judicial District 2	6.38	(3.98 - 10.07)	16.25	(12.38 - 21.02)	3.89	(2.48 - 6.07)
Judicial District 3	7.69	(5.17 - 11.28)	14.66	(10.88 - 19.47)	3.17	(1.94 - 5.14)
Judicial District 4	7.08	(4.43 - 11.13)	*	(* - *)	2.88	(1.71 - 4.83)
Judicial District 5	6.48	(4.12 - 10.03)	13.34	(9.63 - 18.19)	2.25	(1.31 - 3.84)
Judicial District 6	5.49	(3.45 - 8.62)	12.60	(8.96 - 17.43)	2.75	(1.60 - 4.71)
Judicial District 7 (Natrona)	8.06	(5.33 - 12.00)	*	(* - *)	3.83	(2.39 - 6.10)
Judicial District 8	5.95	(3.72 - 9.39)	12.97	(9.23 - 17.94)	2.30	(1.33 - 3.96)
Judicial District 9	9.17	(5.94 - 13.88)	*	(* - *)	4.48	(2.77 - 7.17)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate Region: Average Annual Rates Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	6.45		6.64		0.13	
Alabama	5.87	(4.97 - 6.92)	5.90	(4.81 - 7.21)	0.11	(0.07 - 0.17)
Region 1	5.39	(3.99 - 7.26)	5.98	(4.20 - 8.44)	*	(* - *)
Region 2	7.11	(5.43 - 9.26)	5.66	(4.07 - 7.80)	*	(* - *)
Region 3	4.16	(2.91 - 5.91)	6.09	(4.26 - 8.65)	*	(* - *)
Region 4	6.28	(4.79 - 8.19)	5.98	(4.20 - 8.46)	*	(* - *)
Alaska	7.84	(6.64 - 9.24)	8.17	(6.39 - 10.39)	0.15	(0.08 - 0.28)
Gulf Coast	7.93	(5.69 - 10.96)	10.05	(6.55 - 15.11)	*	(* - *)
Rural	9.04	(5.94 - 13.55)	7.43	(4.34 - 12.43)	*	(* - *)
Southeast	10.08	(7.10 - 14.13)	8.24	(5.10 - 13.04)	*	(* - *)
Urban	7.24	(5.86 - 8.93)	8.05	(5.93 - 10.85)	0.18	(0.09 - 0.35)
Arizona	6.49	(5.44 - 7.73)	5.63	(4.46 - 7.08)	0.13	(0.08 - 0.22)
Maricopa	5.65	(4.39 - 7.23)	4.92	(3.63 - 6.62)	0.15	(0.08 - 0.27)
Pima	7.84	(5.44 - 11.16)	6.66	(4.34 - 10.07)	*	(* - *)
Rural North	8.83	(6.37 - 12.11)	9.90	(6.06 - 15.78)	*	(* - *)
Rural South	6.88	(4.62 - 10.14)	5.11	(3.17 - 8.14)	*	(* - *)
Arkansas	5.99	(5.10 - 7.02)	6.27	(5.09 - 7.69)	0.11	(0.07 - 0.18)
Areas 1 and 5	6.36	(4.66 - 8.63)	7.44	(5.04 - 10.85)	*	(* - *)
Areas 2 and 3	5.66	(3.91 - 8.13)	5.34	(3.44 - 8.19)	*	(* - *)
Areas 4 and 7	6.07	(4.40 - 8.33)	5.08	(3.41 - 7.51)	*	(* - *)
Area 6	4.56	(2.94 - 7.02)	6.10	(3.97 - 9.25)	*	(* - *)
Areas 8 and 12	7.20	(5.13 - 10.01)	6.97	(4.50 - 10.65)	*	(* - *)
Area 9	6.53	(4.79 - 8.85)	6.38	(4.21 - 9.56)	*	(* - *)
Areas 10, 11, and 13	4.76	(3.24 - 6.95)	5.91	(3.97 - 8.72)	*	(* - *)
California	6.04	(5.50 - 6.63)	6.16	(5.44 - 6.97)	0.12	(0.08 - 0.19)
Region 1	7.18	(5.08 - 10.06)	10.23	(6.83 - 15.04)	*	(* - *)
Region 2	8.96	(7.12 - 11.21)	7.93	(5.65 - 11.04)	*	(* - *)
Region 3	5.82	(4.28 - 7.86)	6.13	(4.26 - 8.76)	*	(* - *)
Region 4	6.98	(5.05 - 9.56)	7.75	(5.33 - 11.14)	*	(* - *)
Region 5	7.41	(5.78 - 9.45)	8.33	(6.04 - 11.39)	*	(* - *)
Region 6 (Santa Clara)	4.70	(3.31 - 6.65)	6.48	(4.53 - 9.18)	*	(* - *)
Region 7	7.18	(4.86 - 10.48)	6.25	(4.07 - 9.48)	*	(* - *)
Region 8	5.51	(4.02 - 7.52)	4.38	(2.98 - 6.41)	*	(* - *)
Region 9	7.00	(5.02 - 9.68)	6.84	(4.38 - 10.54)	*	(* - *)
Region 10	6.63	(4.67 - 9.33)	8.42	(5.71 - 12.24)	*	(* - *)
Region 11 (Los Angeles)	4.77	(3.94 - 5.78)	5.05	(4.00 - 6.36)	0.11	(0.06 - 0.21)
Region 12	5.65	(4.19 - 7.57)	6.39	(4.46 - 9.06)	*	(* - *)
Region 13 (Riverside)	6.70	(4.82 - 9.23)	5.02	(3.27 - 7.63)	*	(* - *)
Region 14 (Orange)	6.03	(4.63 - 7.82)	5.97	(4.35 - 8.13)	*	(* - *)
Region 15	5.89	(4.48 - 7.72)	6.69	(4.90 - 9.09)	0.13	(0.08 - 0.24)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	7.90	(6.75 - 9.23)	7.66	(6.11 - 9.57)	0.18	(0.12 - 0.29)
Region 1	7.31	(5.17 - 10.26)	7.65	(5.18 - 11.17)	*	(* - *)
Regions 2 and 7	8.49	(6.92 - 10.37)	7.36	(5.35 - 10.04)	0.20	(0.11 - 0.36)
Region 3	6.99	(4.88 - 9.92)	8.21	(5.33 - 12.44)	*	(* - *)
Region 4	8.30	(5.41 - 12.51)	8.66	(5.41 - 13.56)	*	(* - *)
Regions 5 and 6	6.84	(4.72 - 9.81)	7.93	(5.16 - 12.02)	*	(* - *)
Connecticut	8.64	(7.45 - 10.00)	8.36	(6.84 - 10.17)	0.13	(0.09 - 0.21)
Eastern	9.84	(7.17 - 13.38)	10.93	(7.31 - 16.03)	*	(* - *)
North Central	9.17	(7.12 - 11.73)	8.28	(6.06 - 11.22)	*	(* - *)
Northwestern	11.25	(8.60 - 14.58)	10.25	(6.98 - 14.83)	*	(* - *)
South Central	7.60	(5.79 - 9.92)	6.76	(4.49 - 10.07)	*	(* - *)
Southwest	6.06	(4.25 - 8.58)	7.30	(4.90 - 10.74)	*	(* - *)
Delaware	7.07	(6.07 - 8.22)	7.29	(5.91 - 8.97)	0.12	(0.08 - 0.19)
Kent	6.90	(5.01 - 9.42)	6.38	(4.36 - 9.26)	*	(* - *)
New Castle (excluding Wilmington city)	6.84	(5.58 - 8.36)	8.47	(6.43 - 11.08)	0.13	(0.07 - 0.22)
Sussex	7.00	(5.17 - 9.40)	5.42	(3.55 - 8.19)	*	(* - *)
Wilmington City	*	(* - *)	5.99	(3.71 - 9.54)	*	(* - *)
District of Columbia	6.29	(5.37 - 7.35)	7.72	(6.30 - 9.43)	0.15	(0.09 - 0.24)
Ward 1	5.98	(3.95 - 8.96)	7.36	(4.75 - 11.23)	*	(* - *)
Ward 2	*	(* - *)	8.82	(5.88 - 13.03)	*	(* - *)
Ward 3	9.72	(6.78 - 13.74)	11.99	(8.22 - 17.17)	*	(* - *)
Ward 4	4.92	(3.24 - 7.41)	6.01	(3.64 - 9.76)	*	(* - *)
Ward 5	5.31	(3.64 - 7.70)	6.83	(4.60 - 10.02)	*	(* - *)
Ward 6	5.99	(4.04 - 8.81)	6.68	(4.18 - 10.50)	*	(* - *)
Ward 7	5.87	(4.33 - 7.91)	6.82	(4.48 - 10.25)	*	(* - *)
Ward 8	7.39	(5.57 - 9.73)	6.10	(3.97 - 9.25)	*	(* - *)
Florida	6.58	(6.03 - 7.19)	6.13	(5.45 - 6.89)	0.11	(0.08 - 0.17)
District 1	7.66	(5.53 - 10.52)	6.72	(4.37 - 10.21)	*	(* - *)
District 2	6.70	(4.89 - 9.13)	9.62	(6.71 - 13.60)	*	(* - *)
District 3	6.94	(4.80 - 9.92)	8.70	(6.09 - 12.28)	*	(* - *)
District 4	8.02	(6.26 - 10.21)	7.43	(5.40 - 10.13)	*	(* - *)
District 7	6.09	(4.87 - 7.58)	6.63	(4.93 - 8.85)	0.12	(0.07 - 0.20)
District 8	6.43	(4.70 - 8.74)	6.36	(4.41 - 9.08)	*	(* - *)
District 9 (Palm Beach)	6.02	(4.56 - 7.90)	5.56	(3.93 - 7.80)	*	(* - *)
District 10 (Broward)	5.67	(4.39 - 7.29)	5.35	(3.86 - 7.37)	0.12	(0.07 - 0.21)
District 11	5.14	(4.09 - 6.44)	3.90	(2.87 - 5.29)	0.10	(0.05 - 0.21)
District 12	6.53	(4.73 - 8.96)	9.19	(6.52 - 12.80)	*	(* - *)
District 13	5.58	(4.07 - 7.60)	5.96	(4.04 - 8.72)	*	(* - *)
District 14	6.43	(4.76 - 8.63)	4.59	(3.12 - 6.69)	*	(* - *)
District 15	6.02	(4.23 - 8.48)	5.67	(3.78 - 8.43)	*	(* - *)
Suncoast	8.60	(7.26 - 10.16)	6.80	(5.22 - 8.82)	0.12	(0.07 - 0.19)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	5.91	(4.99 - 6.98)	5.23	(4.18 - 6.53)	0.13	(0.09 - 0.21)
Region 1	5.49	(4.00 - 7.50)	4.26	(2.79 - 6.45)	*	(* - *)
Region 2	5.91	(4.28 - 8.12)	5.12	(3.40 - 7.65)	*	(* - *)
Region 3	5.97	(4.54 - 7.81)	6.03	(4.31 - 8.38)	0.15	(0.08 - 0.27)
Region 4	6.47	(4.57 - 9.09)	4.73	(3.10 - 7.15)	*	(* - *)
Region 5	5.59	(3.85 - 8.06)	4.63	(3.16 - 6.75)	*	(* - *)
Hawaii	7.22	(6.00 - 8.65)	8.19	(6.37 - 10.46)	0.07	(0.03 - 0.15)
Hawaii Island	10.84	(7.78 - 14.91)	9.38	(5.88 - 14.62)	*	(* - *)
Honolulu	5.92	(4.69 - 7.46)	7.94	(6.00 - 10.43)	0.06	(0.02 - 0.15)
Kauai and Maui	10.32	(7.41 - 14.21)	8.85	(5.57 - 13.77)	*	(* - *)
Idaho	6.23	(5.33 - 7.26)	6.06	(4.95 - 7.40)	0.16	(0.10 - 0.24)
Region 1	7.91	(5.64 - 10.97)	8.28	(5.47 - 12.36)	*	(* - *)
Region 2	*	(* - *)	7.20	(4.75 - 10.78)	*	(* - *)
Region 3	6.11	(4.44 - 8.35)	4.62	(3.12 - 6.81)	*	(* - *)
Region 4	6.65	(5.08 - 8.67)	6.73	(4.72 - 9.53)	*	(* - *)
Region 5	6.33	(4.53 - 8.78)	4.45	(2.91 - 6.76)	*	(* - *)
Region 6	5.90	(4.08 - 8.44)	6.80	(4.47 - 10.21)	*	(* - *)
Region 7	4.27	(2.78 - 6.49)	5.29	(3.43 - 8.07)	*	(* - *)
Illinois	6.26	(5.73 - 6.84)	6.71	(5.95 - 7.56)	0.12	(0.08 - 0.18)
Region I (Cook)	6.77	(5.91 - 7.73)	6.45	(5.35 - 7.77)	0.12	(0.07 - 0.21)
Region II	6.08	(5.18 - 7.12)	7.44	(6.08 - 9.07)	0.13	(0.08 - 0.22)
Region III	5.77	(4.50 - 7.38)	5.72	(4.23 - 7.70)	0.12	(0.07 - 0.20)
Region IV	5.92	(4.58 - 7.63)	6.44	(4.71 - 8.76)	*	(* - *)
Region V	5.52	(4.33 - 7.03)	7.44	(5.60 - 9.81)	0.10	(0.06 - 0.18)
Indiana	5.91	(5.01 - 6.95)	7.45	(6.13 - 9.03)	0.14	(0.09 - 0.21)
Central	6.18	(4.64 - 8.19)	8.39	(5.91 - 11.78)	*	(* - *)
East	5.55	(3.72 - 8.22)	7.99	(5.19 - 12.11)	*	(* - *)
North Central	7.14	(5.02 - 10.06)	7.39	(4.81 - 11.19)	*	(* - *)
Northeast	3.93	(2.49 - 6.16)	5.21	(3.27 - 8.20)	*	(* - *)
Northwest	5.10	(3.46 - 7.47)	7.02	(4.70 - 10.35)	*	(* - *)
Southeast	6.20	(4.32 - 8.80)	7.04	(4.63 - 10.57)	*	(* - *)
Southwest	6.79	(4.65 - 9.82)	7.59	(4.78 - 11.85)	*	(* - *)
West	5.94	(4.06 - 8.63)	8.10	(5.49 - 11.80)	*	(* - *)
Iowa	5.26	(4.38 - 6.30)	7.10	(5.79 - 8.67)	0.12	(0.07 - 0.19)
Central	4.47	(2.99 - 6.64)	6.60	(4.47 - 9.64)	*	(* - *)
North Central	6.08	(4.23 - 8.67)	7.10	(4.74 - 10.52)	*	(* - *)
Northeast	4.73	(3.47 - 6.42)	7.04	(5.02 - 9.79)	*	(* - *)
Northwest	5.54	(3.96 - 7.71)	6.21	(4.13 - 9.24)	*	(* - *)
Southeast	5.68	(3.99 - 8.01)	8.42	(5.79 - 12.11)	*	(* - *)
Southwest	5.60	(3.88 - 8.02)	6.70	(4.39 - 10.11)	*	(* - *)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	5.63	(4.72 - 6.71)	7.68	(6.26 - 9.38)	0.12	(0.08 - 0.19)
Kansas City Metro	5.57	(4.09 - 7.53)	8.61	(6.26 - 11.75)	*	(* - *)
Northeast	5.67	(4.03 - 7.92)	6.89	(4.86 - 9.70)	*	(* - *)
South Central	6.18	(4.34 - 8.73)	8.26	(5.49 - 12.26)	*	(* - *)
Southeast	5.60	(3.79 - 8.20)	8.36	(5.62 - 12.28)	*	(* - *)
West	5.34	(3.62 - 7.81)	6.40	(4.17 - 9.71)	*	(* - *)
Wichita (Sedgwick)	5.50	(3.84 - 7.82)	7.28	(4.74 - 11.01)	*	(* - *)
Kentucky	7.05	(6.05 - 8.20)	5.97	(4.79 - 7.42)	0.14	(0.09 - 0.21)
Adanta, Cumberland River, And Lifeskills	6.58	(4.84 - 8.87)	5.01	(3.44 - 7.26)	*	(* - *)
Bluegrass, Comprehend, and North Key	6.37	(4.93 - 8.19)	6.04	(4.26 - 8.50)	*	(* - *)
Communicare and River Valley	6.34	(4.38 - 9.09)	6.21	(4.00 - 9.52)	*	(* - *)
Four Rivers and Pennyroyal	5.49	(3.67 - 8.13)	6.27	(3.79 - 10.18)	*	(* - *)
Kentucky River, Mountain, And Pathways	6.44	(4.53 - 9.08)	5.30	(3.43 - 8.12)	*	(* - *)
Seven Counties	9.98	(7.48 - 13.21)	7.03	(4.62 - 10.55)	*	(* - *)
Louisiana	5.52	(4.68 - 6.51)	7.33	(6.03 - 8.89)	0.11	(0.07 - 0.18)
Region 1	5.20	(3.52 - 7.61)	6.90	(4.60 - 10.23)	*	(* - *)
Regions 2 and 9	6.30	(4.76 - 8.30)	8.39	(6.09 - 11.44)	*	(* - *)
Region 3	5.54	(3.74 - 8.15)	6.93	(4.60 - 10.30)	*	(* - *)
Region 4	5.11	(3.55 - 7.32)	6.85	(4.58 - 10.12)	*	(* - *)
Regions 5 and 6	4.47	(3.04 - 6.54)	7.01	(4.68 - 10.38)	*	(* - *)
Regions 7 and 8	6.32	(4.55 - 8.71)	7.13	(4.88 - 10.30)	*	(* - *)
Region 10 (Jefferson)	4.30	(2.67 - 6.87)	7.04	(4.48 - 10.89)	*	(* - *)
Maine	7.61	(6.56 - 8.82)	9.83	(8.05 - 11.97)	0.14	(0.09 - 0.23)
Planning Region 1	7.14	(5.70 - 8.92)	9.81	(7.31 - 13.06)	0.16	(0.10 - 0.28)
Region 1 (Cumberland)	7.75	(5.81 - 10.27)	11.77	(8.07 - 16.85)	*	(* - *)
Region 2 (York)	6.32	(4.52 - 8.78)	7.55	(5.00 - 11.25)	*	(* - *)
Planning Region 2	8.08	(6.59 - 9.87)	10.26	(7.95 - 13.14)	0.14	(0.09 - 0.23)
Region 3	8.33	(6.18 - 11.14)	9.99	(7.02 - 14.02)	*	(* - *)
Region 4	8.12	(5.84 - 11.19)	9.86	(6.36 - 14.96)	*	(* - *)
Region 5	7.65	(5.40 - 10.72)	11.26	(7.52 - 16.51)	*	(* - *)
Planning Region 3	7.55	(5.90 - 9.63)	9.27	(6.73 - 12.64)	*	(* - *)
Region 6 (Penobscot)	8.58	(6.28 - 11.62)	9.97	(6.77 - 14.44)	*	(* - *)
Region 7	6.68	(4.61 - 9.57)	8.56	(5.42 - 13.28)	*	(* - *)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	6.66	(5.69 - 7.80)	6.61	(5.39 - 8.08)	0.12	(0.08 - 0.18)
Anne Arundel	7.59	(5.31 - 10.74)	7.29	(4.52 - 11.54)	*	(* - *)
Baltimore City	8.14	(5.84 - 11.22)	8.88	(5.88 - 13.19)	*	(* - *)
Central	6.08	(4.55 - 8.08)	6.26	(4.32 - 9.00)	*	(* - *)
Montgomery	6.83	(4.88 - 9.48)	5.52	(3.61 - 8.35)	*	(* - *)
Prince George's	5.67	(3.97 - 8.05)	6.07	(4.02 - 9.05)	*	(* - *)
Rural	6.44	(4.52 - 9.10)	7.77	(5.16 - 11.53)	*	(* - *)
Western	7.09	(5.05 - 9.89)	5.58	(3.76 - 8.21)	*	(* - *)
Massachusetts	7.38	(6.36 - 8.55)	8.12	(6.61 - 9.95)	0.15	(0.10 - 0.24)
Boston	6.08	(4.08 - 8.97)	7.68	(5.09 - 11.43)	*	(* - *)
Central	7.53	(5.49 - 10.26)	7.77	(5.01 - 11.88)	*	(* - *)
Metrowest	8.32	(6.43 - 10.70)	8.46	(5.80 - 12.18)	*	(* - *)
Northeast	5.48	(3.95 - 7.55)	6.94	(4.63 - 10.27)	*	(* - *)
Southeast	7.56	(5.70 - 9.96)	8.31	(5.66 - 12.05)	*	(* - *)
Western	9.37	(6.51 - 13.31)	10.10	(6.88 - 14.59)	*	(* - *)
Michigan	6.81	(6.27 - 7.39)	7.65	(6.83 - 8.54)	0.14	(0.10 - 0.20)
Bay	6.08	(4.39 - 8.36)	7.03	(4.70 - 10.40)	*	(* - *)
Detroit City	5.67	(4.39 - 7.28)	7.74	(5.64 - 10.53)	*	(* - *)
Genesee	7.48	(5.68 - 9.79)	8.80	(6.13 - 12.49)	*	(* - *)
Kalamazoo	6.60	(4.95 - 8.74)	10.26	(7.58 - 13.74)	*	(* - *)
Kent	7.33	(5.57 - 9.60)	5.88	(4.32 - 7.97)	*	(* - *)
Lakeshore	7.35	(5.83 - 9.22)	7.46	(5.62 - 9.84)	*	(* - *)
Macomb	6.95	(5.42 - 8.87)	8.82	(6.35 - 12.11)	*	(* - *)
Mid South	8.06	(6.55 - 9.87)	8.79	(6.63 - 11.58)	0.15	(0.09 - 0.26)
Northern	8.44	(6.64 - 10.66)	8.02	(5.97 - 10.69)	*	(* - *)
Oakland	6.39	(5.12 - 7.93)	6.44	(4.67 - 8.83)	0.15	(0.09 - 0.26)
Pathways	8.57	(5.82 - 12.47)	11.64	(7.89 - 16.85)	*	(* - *)
Saginaw	7.13	(4.91 - 10.24)	6.61	(4.21 - 10.23)	*	(* - *)
Southeast	6.33	(5.13 - 7.77)	7.19	(5.47 - 9.39)	0.15	(0.09 - 0.24)
St. Clair	6.20	(4.43 - 8.62)	6.11	(4.02 - 9.20)	*	(* - *)
Washtenaw	4.57	(3.21 - 6.47)	6.90	(4.75 - 9.93)	*	(* - *)
Western	5.20	(3.17 - 8.40)	5.63	(3.40 - 9.19)	*	(* - *)
Minnesota	6.68	(5.75 - 7.74)	7.06	(5.81 - 8.55)	0.15	(0.10 - 0.23)
Regions 1 and 2	7.60	(5.22 - 10.94)	7.40	(4.85 - 11.13)	*	(* - *)
Regions 3 and 4	6.87	(5.07 - 9.24)	7.03	(4.84 - 10.11)	*	(* - *)
Regions 5 and 6	7.85	(5.96 - 10.26)	6.80	(4.74 - 9.66)	*	(* - *)
Region 7A (Hennepin)	7.09	(5.28 - 9.44)	7.27	(5.06 - 10.34)	*	(* - *)
Region 7B (Ramsey)	6.58	(4.52 - 9.50)	7.69	(4.98 - 11.70)	*	(* - *)
Region 7C	4.76	(3.33 - 6.75)	6.54	(4.34 - 9.75)	*	(* - *)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	4.54	(3.77 - 5.46)	5.48	(4.41 - 6.79)	0.10	(0.06 - 0.17)
Region 1	4.81	(3.43 - 6.69)	4.96	(3.41 - 7.16)	*	(* - *)
Region 2	3.80	(2.55 - 5.62)	5.27	(3.52 - 7.82)	*	(* - *)
Region 3	3.73	(2.51 - 5.51)	5.55	(3.61 - 8.44)	*	(* - *)
Region 4	4.28	(2.95 - 6.15)	5.45	(3.71 - 7.93)	*	(* - *)
Region 5	3.41	(2.12 - 5.45)	5.30	(3.36 - 8.28)	*	(* - *)
Region 6	5.72	(3.81 - 8.52)	6.21	(3.95 - 9.63)	*	(* - *)
Region 7	5.88	(4.11 - 8.34)	6.05	(3.92 - 9.21)	*	(* - *)
Missouri	7.14	(6.15 - 8.27)	7.53	(6.14 - 9.20)	0.15	(0.10 - 0.23)
Central	5.78	(4.05 - 8.19)	9.46	(6.37 - 13.82)	*	(* - *)
Eastern	7.93	(6.34 - 9.89)	7.73	(5.67 - 10.46)	0.16	(0.10 - 0.28)
Eastern (St. Louis City and County)	6.59	(4.91 - 8.78)	7.71	(5.35 - 11.00)	*	(* - *)
Eastern (excluding St. Louis)	10.62	(7.62 - 14.62)	7.79	(4.91 - 12.13)	*	(* - *)
Northwest	7.11	(5.51 - 9.15)	7.52	(5.41 - 10.35)	*	(* - *)
Northwest (Jackson)	8.13	(5.90 - 11.09)	7.59	(4.94 - 11.49)	*	(* - *)
Northwest (excluding Jackson)	6.25	(4.30 - 9.00)	7.46	(4.82 - 11.38)	*	(* - *)
Southeast	6.79	(4.78 - 9.55)	6.53	(4.15 - 10.13)	*	(* - *)
Southwest	6.81	(4.90 - 9.39)	5.97	(4.04 - 8.73)	*	(* - *)
Montana	9.15	(7.97 - 10.48)	9.66	(7.98 - 11.64)	0.14	(0.08 - 0.22)
Region 1	7.93	(5.77 - 10.79)	7.90	(5.05 - 12.15)	*	(* - *)
Region 2	8.42	(6.24 - 11.25)	7.47	(4.97 - 11.07)	*	(* - *)
Region 3	9.86	(7.46 - 12.92)	7.82	(5.35 - 11.29)	*	(* - *)
Region 4	8.44	(6.55 - 10.81)	9.77	(7.29 - 12.97)	*	(* - *)
Region 5	10.09	(7.87 - 12.85)	12.76	(9.14 - 17.54)	*	(* - *)
Nebraska	6.10	(5.14 - 7.23)	5.90	(4.71 - 7.38)	0.13	(0.08 - 0.21)
Regions 1 and 2	7.13	(4.91 - 10.24)	6.35	(4.17 - 9.57)	*	(* - *)
Region 3	7.00	(4.91 - 9.91)	5.81	(3.74 - 8.93)	*	(* - *)
Region 4	5.02	(3.41 - 7.33)	4.70	(3.04 - 7.19)	*	(* - *)
Region 5	6.60	(4.93 - 8.78)	6.09	(4.36 - 8.43)	*	(* - *)
Region 6	5.59	(4.27 - 7.29)	6.13	(4.32 - 8.65)	0.15	(0.08 - 0.27)
Nevada	7.78	(6.56 - 9.19)	5.38	(4.17 - 6.91)	0.14	(0.08 - 0.23)
Clark	7.70	(6.20 - 9.53)	4.70	(3.41 - 6.46)	0.14	(0.08 - 0.24)
Rural	7.03	(5.19 - 9.46)	6.40	(4.20 - 9.63)	*	(* - *)
Washoe	8.80	(6.61 - 11.62)	8.16	(5.54 - 11.88)	*	(* - *)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	7.80	(6.67 - 9.09)	10.98	(9.01 - 13.33)	0.15	(0.09 - 0.26)
Central	8.11	(6.33 - 10.34)	11.18	(8.57 - 14.46)	*	(* - *)
Central 1	8.58	(6.12 - 11.90)	9.93	(6.95 - 14.01)	*	(* - *)
Central 2	7.64	(5.47 - 10.58)	12.95	(8.80 - 18.64)	*	(* - *)
Northern	8.62	(6.18 - 11.90)	11.52	(7.83 - 16.64)	*	(* - *)
Southern	7.48	(6.20 - 9.00)	10.75	(8.29 - 13.82)	0.16	(0.09 - 0.28)
Southern 1 (Rockingham)	7.58	(5.73 - 9.97)	10.55	(7.29 - 15.03)	*	(* - *)
Southern 2	7.42	(5.85 - 9.37)	10.84	(7.88 - 14.74)	0.16	(0.09 - 0.30)
New Jersey	6.38	(5.39 - 7.53)	6.06	(4.88 - 7.50)	0.11	(0.07 - 0.18)
Central	7.28	(5.41 - 9.72)	6.55	(4.60 - 9.25)	*	(* - *)
Metropolitan	4.72	(3.34 - 6.64)	5.55	(3.75 - 8.15)	*	(* - *)
Northern	7.94	(6.08 - 10.30)	5.32	(3.66 - 7.67)	*	(* - *)
Southern	5.24	(3.71 - 7.35)	7.57	(5.17 - 10.96)	*	(* - *)
New Mexico	8.63	(7.24 - 10.26)	8.73	(6.87 - 11.03)	0.13	(0.07 - 0.24)
Region 1	10.47	(7.77 - 13.98)	8.23	(5.23 - 12.72)	*	(* - *)
Region 2	7.96	(5.54 - 11.31)	7.58	(4.83 - 11.70)	*	(* - *)
Region 3 (Bernalillo)	8.61	(6.57 - 11.22)	10.12	(7.10 - 14.23)	0.16	(0.08 - 0.33)
Region 4	6.62	(4.41 - 9.83)	7.45	(4.80 - 11.38)	*	(* - *)
Region 5	8.61	(6.27 - 11.70)	8.95	(6.10 - 12.96)	*	(* - *)
New York	6.59	(6.02 - 7.20)	7.62	(6.79 - 8.54)	0.12	(0.08 - 0.17)
Region A	5.17	(4.37 - 6.12)	5.52	(4.57 - 6.66)	0.11	(0.06 - 0.18)
Region 1	5.71	(4.17 - 7.76)	5.01	(3.42 - 7.27)	*	(* - *)
Region 2	4.05	(3.00 - 5.44)	5.05	(3.69 - 6.87)	0.10	(0.05 - 0.21)
Region 3	7.22	(5.14 - 10.06)	8.86	(6.21 - 12.50)	*	(* - *)
Region 4	5.51	(4.16 - 7.27)	4.86	(3.50 - 6.70)	0.09	(0.04 - 0.17)
Region B	7.09	(5.98 - 8.40)	8.71	(7.05 - 10.72)	0.12	(0.08 - 0.20)
Region 5	6.86	(5.58 - 8.42)	9.23	(7.11 - 11.89)	0.13	(0.07 - 0.22)
Region 6	7.59	(5.80 - 9.87)	7.74	(5.46 - 10.86)	*	(* - *)
Region C	7.96	(6.94 - 9.11)	10.72	(9.16 - 12.50)	0.13	(0.08 - 0.21)
Region 7	6.23	(4.51 - 8.55)	10.47	(7.36 - 14.69)	*	(* - *)
Region 8	9.61	(7.16 - 12.78)	12.64	(9.04 - 17.40)	*	(* - *)
Region 9	8.26	(6.30 - 10.77)	10.81	(7.62 - 15.12)	*	(* - *)
Region 10	10.45	(7.68 - 14.06)	12.28	(8.93 - 16.64)	*	(* - *)
Region 11	7.48	(5.60 - 9.91)	10.36	(7.72 - 13.77)	*	(* - *)
Region 12	7.18	(5.59 - 9.18)	8.97	(6.47 - 12.32)	*	(* - *)
Region D	7.54	(6.18 - 9.16)	10.29	(8.13 - 12.94)	0.12	(0.08 - 0.19)
Region 13	7.44	(5.36 - 10.23)	9.28	(6.28 - 13.52)	*	(* - *)
Region 14	7.25	(5.24 - 9.93)	11.29	(7.78 - 16.12)	*	(* - *)
Region 15	7.90	(5.81 - 10.68)	10.13	(7.15 - 14.16)	*	(* - *)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	7.14	(6.13 - 8.30)	6.45	(5.21 - 7.96)	0.12	(0.08 - 0.18)
Eastern	6.65	(4.95 - 8.89)	6.64	(4.71 - 9.27)	*	(* - *)
North Central	8.01	(6.09 - 10.47)	7.02	(4.89 - 9.98)	*	(* - *)
South Central	5.64	(4.06 - 7.79)	6.66	(4.58 - 9.59)	*	(* - *)
Western	8.04	(6.37 - 10.09)	5.73	(4.03 - 8.08)	0.13	(0.07 - 0.24)
North Dakota	6.89	(5.87 - 8.07)	8.34	(6.85 - 10.13)	0.11	(0.07 - 0.18)
Badlands and West Central Lake Region and South Central	5.70	(4.22 - 7.67)	7.17	(4.95 - 10.26)	*	(* - *)
North Central and Northwest	7.35	(5.50 - 9.76)	8.54	(5.78 - 12.45)	*	(* - *)
Northeast	6.88	(5.05 - 9.31)	7.23	(4.91 - 10.52)	*	(* - *)
Southeast	6.94	(4.98 - 9.58)	9.14	(6.35 - 12.98)	*	(* - *)
Southeast	7.92	(5.98 - 10.43)	9.20	(6.75 - 12.43)	*	(* - *)
Ohio	6.40	(5.88 - 6.96)	7.28	(6.51 - 8.13)	0.13	(0.09 - 0.18)
Boards 2, 46, 55, and 68	6.46	(4.81 - 8.64)	6.33	(4.44 - 8.94)	*	(* - *)
Boards 3, 52, and 85	4.52	(3.16 - 6.44)	6.18	(4.11 - 9.20)	*	(* - *)
Boards 4 and 78	6.25	(4.41 - 8.77)	6.76	(4.61 - 9.82)	*	(* - *)
Boards 5 and 60	6.04	(4.28 - 8.45)	5.90	(3.93 - 8.77)	*	(* - *)
Boards 7, 15, 41, 79, and 84	6.59	(4.91 - 8.79)	6.44	(4.33 - 9.49)	*	(* - *)
Boards 8, 13, and 83	5.74	(4.17 - 7.86)	6.86	(4.76 - 9.81)	*	(* - *)
Board 9 (Butler)	9.19	(6.82 - 12.28)	9.39	(6.40 - 13.58)	*	(* - *)
Board 12	6.33	(4.40 - 9.04)	5.45	(3.60 - 8.17)	*	(* - *)
Boards 18 and 47	6.28	(5.06 - 7.76)	7.99	(6.06 - 10.46)	0.11	(0.07 - 0.19)
Boards 20, 32, 54, and 69	4.84	(3.35 - 6.95)	6.29	(4.22 - 9.28)	*	(* - *)
Boards 21, 39, 51, 70, and 80	5.69	(4.17 - 7.72)	6.60	(4.51 - 9.57)	*	(* - *)
Boards 22, 74, and 87	5.14	(3.61 - 7.27)	7.44	(5.02 - 10.88)	*	(* - *)
Boards 23 and 45	4.72	(3.26 - 6.79)	7.43	(4.81 - 11.31)	*	(* - *)
Board 25 (Franklin)	7.09	(5.64 - 8.88)	7.15	(5.42 - 9.37)	0.17	(0.10 - 0.30)
Boards 27, 71, and 73	6.23	(4.52 - 8.52)	5.06	(3.38 - 7.52)	*	(* - *)
Boards 28, 43, and 67	4.82	(3.47 - 6.65)	6.34	(4.50 - 8.87)	*	(* - *)
Board 31 (Hamilton)	6.83	(5.27 - 8.83)	8.71	(6.39 - 11.77)	*	(* - *)
Board 48 (Lucas)	8.15	(6.33 - 10.43)	8.01	(5.65 - 11.25)	*	(* - *)
Board 50 and 76	6.85	(5.15 - 9.06)	8.31	(5.69 - 11.98)	*	(* - *)
Board 57 (Montgomery)	8.86	(6.50 - 11.97)	9.76	(6.57 - 14.25)	*	(* - *)
Board 77 (Summit)	6.35	(4.71 - 8.51)	7.89	(5.60 - 11.00)	*	(* - *)
Oklahoma	5.93	(4.94 - 7.10)	6.09	(4.85 - 7.62)	0.12	(0.08 - 0.19)
Central	4.14	(2.65 - 6.40)	6.70	(4.30 - 10.31)	*	(* - *)
East Central	6.23	(4.31 - 8.93)	6.72	(4.19 - 10.61)	*	(* - *)
Northeast	5.24	(3.59 - 7.57)	5.64	(3.67 - 8.57)	*	(* - *)
Northwest and Southwest	4.98	(3.39 - 7.25)	5.13	(3.23 - 8.03)	*	(* - *)
Oklahoma County	6.85	(4.84 - 9.60)	6.79	(4.47 - 10.19)	*	(* - *)
Southeast	6.62	(4.67 - 9.30)	6.04	(4.00 - 9.02)	*	(* - *)
Tulsa County	7.01	(4.83 - 10.09)	5.80	(3.81 - 8.75)	*	(* - *)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	7.06	(6.04 - 8.22)	7.29	(5.89 - 9.00)	0.16	(0.10 - 0.25)
Region 1 (Multnomah)	6.41	(4.51 - 9.03)	7.50	(5.00 - 11.10)	*	(* - *)
Region 2	6.05	(4.58 - 7.95)	6.37	(4.47 - 9.00)	*	(* - *)
Region 3	7.01	(5.43 - 9.02)	7.75	(5.67 - 10.50)	*	(* - *)
Region 4	7.12	(5.19 - 9.68)	7.38	(4.89 - 10.99)	*	(* - *)
Region 5	10.04	(7.21 - 13.82)	7.41	(4.55 - 11.83)	*	(* - *)
Pennsylvania	6.60	(6.06 - 7.18)	7.40	(6.61 - 8.28)	0.11	(0.08 - 0.16)
Region 1 (Allegheny)	7.49	(6.07 - 9.22)	9.65	(7.39 - 12.52)	0.12	(0.07 - 0.20)
Regions 2, 3, 8, and 9	5.76	(4.34 - 7.60)	7.77	(5.56 - 10.76)	*	(* - *)
Regions 4, 11, 42, and 48	6.79	(5.26 - 8.73)	7.47	(5.36 - 10.32)	*	(* - *)
Regions 5, 20, 26, 28, and 40	5.14	(3.78 - 6.94)	5.91	(4.30 - 8.06)	*	(* - *)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	6.56	(4.95 - 8.65)	10.32	(7.86 - 13.42)	*	(* - *)
Regions 7, 13, 22, and 37	7.29	(6.14 - 8.63)	7.25	(5.66 - 9.25)	0.13	(0.08 - 0.22)
Regions 10, 14, 15, 25, 31, 36, and 46	5.86	(4.40 - 7.76)	5.32	(3.56 - 7.87)	*	(* - *)
Regions 17, 24, 27, 43, and 47	5.02	(3.68 - 6.82)	7.02	(4.93 - 9.90)	*	(* - *)
Region 18 (Philadelphia)	7.50	(5.98 - 9.36)	6.60	(5.02 - 8.62)	0.11	(0.06 - 0.21)
Regions 19 and 23	6.05	(4.26 - 8.54)	7.69	(5.12 - 11.38)	*	(* - *)
Regions 21, 30, 32, and 49	6.36	(5.08 - 7.94)	6.45	(4.88 - 8.49)	0.12	(0.07 - 0.19)
Regions 29 and 34	6.55	(4.82 - 8.83)	8.48	(5.85 - 12.14)	*	(* - *)
Regions 33 and 38	6.15	(4.56 - 8.25)	6.40	(4.33 - 9.38)	*	(* - *)
Rhode Island	8.07	(6.85 - 9.49)	9.21	(7.26 - 11.60)	0.15	(0.09 - 0.24)
Bristol and Newport	9.44	(6.85 - 12.88)	13.62	(8.51 - 21.09)	*	(* - *)
Kent	7.33	(5.22 - 10.20)	9.28	(6.03 - 14.02)	*	(* - *)
Providence	7.91	(6.35 - 9.83)	8.16	(6.00 - 11.01)	0.13	(0.07 - 0.24)
Washington	8.37	(6.06 - 11.47)	10.99	(7.02 - 16.79)	*	(* - *)
South Carolina	6.67	(5.70 - 7.80)	7.53	(6.10 - 9.27)	0.11	(0.07 - 0.18)
Region 1	8.13	(6.21 - 10.57)	6.65	(4.61 - 9.49)	*	(* - *)
Region 2	6.12	(4.80 - 7.76)	8.84	(6.56 - 11.80)	0.12	(0.06 - 0.21)
Region 3	5.36	(3.77 - 7.57)	5.86	(3.81 - 8.90)	*	(* - *)
Region 4	6.87	(5.10 - 9.20)	8.13	(5.65 - 11.56)	*	(* - *)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	7.65	(6.51 - 8.96)	8.02	(6.62 - 9.68)	0.11	(0.07 - 0.18)
Eastern Planning Area	6.41	(5.32 - 7.71)	7.73	(6.24 - 9.54)	0.11	(0.07 - 0.18)
Region 3 (Minnehaha)	6.78	(4.97 - 9.18)	8.82	(6.26 - 12.30)	*	(* - *)
Region 4	6.09	(4.31 - 8.55)	6.40	(4.18 - 9.67)	*	(* - *)
Region 5	6.07	(4.33 - 8.45)	6.76	(4.38 - 10.30)	*	(* - *)
Region 6	5.23	(3.53 - 7.67)	7.37	(4.91 - 10.93)	*	(* - *)
Region 7	7.62	(5.38 - 10.70)	8.57	(5.84 - 12.41)	*	(* - *)
Western Planning Area	10.43	(7.99 - 13.52)	8.80	(6.23 - 12.30)	*	(* - *)
Region 1 (Pennington)	8.95	(6.36 - 12.47)	9.14	(6.23 - 13.23)	*	(* - *)
Region 2	11.31	(8.16 - 15.48)	8.58	(5.30 - 13.58)	*	(* - *)
Tennessee	5.66	(4.78 - 6.69)	5.34	(4.24 - 6.69)	0.13	(0.08 - 0.19)
Region 1	7.62	(4.96 - 11.53)	6.86	(4.20 - 11.01)	*	(* - *)
Region 2	5.78	(4.07 - 8.15)	6.05	(3.87 - 9.32)	*	(* - *)
Region 3	5.41	(3.94 - 7.38)	5.14	(3.44 - 7.64)	*	(* - *)
Region 4 (Davidson)	5.89	(3.98 - 8.62)	5.89	(3.95 - 8.68)	*	(* - *)
Region 5	5.75	(4.16 - 7.89)	4.75	(3.19 - 7.02)	*	(* - *)
Region 6	7.25	(5.11 - 10.21)	4.84	(3.04 - 7.61)	*	(* - *)
Region 7 (Shelby)	3.81	(2.54 - 5.68)	5.02	(3.19 - 7.80)	*	(* - *)
Texas	5.93	(5.38 - 6.53)	5.22	(4.62 - 5.89)	0.14	(0.09 - 0.21)
Region 1	6.08	(4.29 - 8.54)	6.65	(4.75 - 9.24)	*	(* - *)
Region 2	4.95	(3.29 - 7.38)	5.80	(3.75 - 8.86)	*	(* - *)
Region 3	5.44	(4.55 - 6.48)	4.61	(3.73 - 5.67)	0.16	(0.10 - 0.25)
Region 3a	5.43	(4.36 - 6.73)	4.81	(3.72 - 6.21)	0.17	(0.10 - 0.28)
Region 3bc	5.46	(4.13 - 7.17)	4.23	(3.01 - 5.92)	0.14	(0.07 - 0.25)
Region 4	6.01	(4.37 - 8.22)	5.12	(3.47 - 7.48)	*	(* - *)
Region 5	5.51	(3.84 - 7.85)	4.83	(3.20 - 7.22)	*	(* - *)
Region 6	5.48	(4.60 - 6.52)	4.40	(3.50 - 5.53)	0.14	(0.08 - 0.23)
Region 6a	5.36	(4.42 - 6.49)	4.19	(3.25 - 5.40)	0.14	(0.08 - 0.24)
Region 6bc	6.50	(4.57 - 9.16)	6.84	(4.59 - 10.06)	*	(* - *)
Region 7	6.89	(5.54 - 8.55)	7.58	(6.00 - 9.54)	0.16	(0.10 - 0.27)
Region 7a	7.76	(5.81 - 10.30)	7.96	(5.77 - 10.88)	0.18	(0.10 - 0.35)
Region 7bcd	5.78	(4.23 - 7.86)	7.15	(5.14 - 9.85)	*	(* - *)
Region 8	6.26	(4.87 - 8.01)	6.10	(4.40 - 8.39)	0.12	(0.07 - 0.23)
Region 9	7.63	(5.52 - 10.45)	5.95	(3.91 - 8.96)	*	(* - *)
Region 10	8.13	(5.84 - 11.21)	6.22	(4.17 - 9.20)	*	(* - *)
Region 11	5.96	(4.68 - 7.57)	4.32	(3.23 - 5.76)	*	(* - *)
Region 11abd	6.15	(4.49 - 8.38)	4.73	(3.32 - 6.69)	*	(* - *)
Region 11c (Hidalgo)	5.61	(3.97 - 7.87)	3.66	(2.40 - 5.52)	*	(* - *)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	4.29	(3.48 - 5.27)	4.75	(3.75 - 6.01)	0.16	(0.09 - 0.31)
Bear River, Northeastern, Summit, Tooele, and Wasatch	5.43	(3.73 - 7.85)	5.42	(3.50 - 8.29)	*	(* - *)
Central, Four Corners, San Juan, and Southwest	3.82	(2.50 - 5.82)	4.52	(2.78 - 7.25)	*	(* - *)
Davis County	4.03	(2.71 - 5.95)	5.74	(3.67 - 8.87)	*	(* - *)
Salt Lake County	4.99	(3.72 - 6.66)	5.08	(3.65 - 7.04)	0.17	(0.08 - 0.35)
Utah County	2.68	(1.62 - 4.42)	3.60	(2.33 - 5.54)	*	(* - *)
Weber, Morgan	4.37	(2.90 - 6.54)	5.33	(3.41 - 8.24)	*	(* - *)
Vermont	9.07	(7.87 - 10.43)	10.38	(8.38 - 12.78)	0.15	(0.09 - 0.25)
Champlain Valley	7.17	(5.60 - 9.12)	11.43	(8.30 - 15.55)	0.16	(0.09 - 0.29)
Rural Northeast	11.57	(9.32 - 14.28)	10.40	(7.22 - 14.74)	*	(* - *)
Rural Southeast	9.15	(6.94 - 11.97)	10.49	(7.22 - 15.01)	*	(* - *)
Rural Southwest	10.17	(7.53 - 13.60)	7.46	(4.76 - 11.50)	*	(* - *)
Virginia	6.49	(5.53 - 7.59)	7.87	(6.47 - 9.55)	0.12	(0.08 - 0.18)
Region 1	5.58	(3.85 - 8.02)	8.47	(5.93 - 11.95)	*	(* - *)
Region 2	5.40	(3.92 - 7.40)	5.55	(3.68 - 8.28)	*	(* - *)
Region 3	9.01	(6.70 - 12.02)	10.53	(7.07 - 15.40)	*	(* - *)
Region 4	7.01	(5.09 - 9.56)	6.55	(4.50 - 9.43)	*	(* - *)
Region 5	6.08	(4.54 - 8.09)	9.23	(6.56 - 12.84)	*	(* - *)
Washington	6.45	(5.45 - 7.63)	7.07	(5.65 - 8.82)	0.15	(0.10 - 0.23)
Region 1	6.72	(4.70 - 9.52)	6.50	(4.21 - 9.91)	*	(* - *)
Region 2	5.45	(3.61 - 8.14)	5.37	(3.37 - 8.46)	*	(* - *)
Region 3	7.26	(5.38 - 9.72)	7.65	(4.88 - 11.82)	*	(* - *)
Region 4 (King)	6.00	(4.42 - 8.09)	7.73	(5.46 - 10.83)	*	(* - *)
Region 5	7.55	(5.46 - 10.36)	7.71	(4.91 - 11.92)	*	(* - *)
Region 6	5.75	(3.95 - 8.30)	6.38	(4.04 - 9.94)	*	(* - *)
West Virginia	6.74	(5.76 - 7.86)	6.98	(5.72 - 8.49)	0.12	(0.07 - 0.18)
Eastern Highland	7.06	(5.23 - 9.46)	6.59	(4.57 - 9.42)	*	(* - *)
Northern	6.49	(4.92 - 8.52)	9.26	(6.76 - 12.57)	*	(* - *)
Northern A and B	7.88	(5.49 - 11.19)	8.80	(5.61 - 13.53)	*	(* - *)
Northern C and D	5.87	(4.09 - 8.36)	9.45	(6.54 - 13.47)	*	(* - *)
South Central	6.76	(5.44 - 8.36)	6.03	(4.51 - 8.04)	0.12	(0.07 - 0.20)
South Central I	6.27	(4.36 - 8.93)	5.85	(3.68 - 9.20)	*	(* - *)
South Central II	5.61	(3.79 - 8.23)	6.34	(4.10 - 9.69)	*	(* - *)
South Central III	7.92	(5.77 - 10.77)	5.89	(3.93 - 8.76)	*	(* - *)
Southern	6.67	(5.00 - 8.84)	6.05	(4.24 - 8.56)	*	(* - *)
Southern I and III	6.35	(4.35 - 9.19)	5.73	(3.68 - 8.80)	*	(* - *)
Southern II	7.30	(5.04 - 10.45)	6.71	(4.25 - 10.44)	*	(* - *)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	7.48	(6.42 - 8.70)	7.69	(6.35 - 9.29)	0.13	(0.09 - 0.20)
Milwaukee	7.99	(5.86 - 10.79)	8.72	(5.81 - 12.88)	*	(* - *)
Northeastern	6.25	(4.70 - 8.26)	7.34	(5.10 - 10.45)	*	(* - *)
Northern	8.10	(5.71 - 11.36)	8.41	(5.49 - 12.67)	*	(* - *)
Southeastern	8.35	(6.26 - 11.07)	7.73	(5.19 - 11.36)	*	(* - *)
Southern	8.14	(5.99 - 10.99)	8.46	(6.06 - 11.70)	*	(* - *)
Western	6.40	(4.53 - 8.97)	6.07	(4.08 - 8.94)	*	(* - *)
Wyoming	6.99	(6.02 - 8.09)	7.05	(5.73 - 8.66)	0.14	(0.09 - 0.22)
Judicial District 1 (Laramie)	8.36	(6.16 - 11.26)	6.64	(4.24 - 10.25)	*	(* - *)
Judicial District 2	6.03	(4.06 - 8.86)	8.03	(5.55 - 11.48)	*	(* - *)
Judicial District 3	8.14	(6.05 - 10.88)	6.76	(4.41 - 10.22)	*	(* - *)
Judicial District 4	6.24	(4.21 - 9.17)	7.08	(4.43 - 11.13)	*	(* - *)
Judicial District 5	4.96	(3.35 - 7.28)	6.51	(4.18 - 10.00)	*	(* - *)
Judicial District 6	5.75	(4.00 - 8.21)	6.14	(4.03 - 9.25)	*	(* - *)
Judicial District 7 (Natrona)	5.82	(3.94 - 8.51)	7.55	(4.73 - 11.82)	*	(* - *)
Judicial District 8	4.33	(2.60 - 7.13)	6.16	(3.68 - 10.12)	*	(* - *)
Judicial District 9	*	(* - *)	7.88	(4.58 - 13.23)	*	(* - *)

*Low precision; no estimate reported.

NOTE: Average Annual Rate=100*[(Number of Marijuana Initiates in past 24 months)/((Number of Marijuana Initiates in past 24 months * 0.5) + Number of persons who never used Marijuana)]/2]. Both the computation components, Number of Marijuana Initiates in past 24 months and Number of persons who never used Marijuana, are based on a survey-weighted hierarchical Bayes estimation approach. Note that the age group is based on a respondent's age at the time of the interview, not his or her age at first use. The prediction intervals presented above use a simultaneous solution for First Use of Marijuana and Never Used Marijuana outcomes, which had age-group specific random effects that were allowed to be correlated across the two outcomes. The associated Markov Chain Monte Carlo chains were used to calculate the posterior variance.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	34.10		24.82		42.55	
Alabama	39.68	(36.62 - 42.82)	32.55	(29.58 - 35.66)	54.04	(50.44 - 57.60)
Region 1	40.04	(34.85 - 45.47)	33.05	(27.90 - 38.65)	52.30	(46.48 - 58.05)
Region 2	37.99	(33.29 - 42.93)	32.43	(28.07 - 37.13)	53.63	(48.18 - 59.00)
Region 3	41.48	(35.93 - 47.26)	31.07	(26.10 - 36.52)	55.61	(49.25 - 61.79)
Region 4	40.05	(35.25 - 45.04)	33.61	(28.64 - 38.97)	55.68	(50.27 - 60.95)
Alaska	27.30	(24.08 - 30.77)	18.96	(16.33 - 21.90)	28.15	(24.87 - 31.69)
Gulf Coast	21.95	(17.01 - 27.85)	13.80	(10.22 - 18.38)	*	(* - *)
Rural	*	(* - *)	*	(* - *)	*	(* - *)
Southeast	23.72	(18.47 - 29.92)	14.65	(10.96 - 19.31)	25.67	(20.39 - 31.79)
Urban	29.29	(25.51 - 33.39)	19.34	(16.27 - 22.82)	27.29	(23.49 - 31.45)
Arizona	35.41	(32.07 - 38.89)	27.46	(24.59 - 30.53)	43.24	(39.91 - 46.62)
Maricopa	36.68	(32.55 - 41.03)	29.20	(25.60 - 33.07)	42.32	(38.23 - 46.52)
Pima	30.79	(24.87 - 37.42)	20.60	(16.45 - 25.47)	42.62	(36.50 - 48.97)
Rural North	34.34	(28.71 - 40.45)	24.21	(19.43 - 29.73)	43.57	(37.18 - 50.18)
Rural South	*	(* - *)	*	(* - *)	*	(* - *)
Arkansas	38.32	(35.25 - 41.50)	28.00	(25.03 - 31.18)	50.04	(46.50 - 53.58)
Areas 1 and 5	37.90	(32.60 - 43.50)	25.48	(20.65 - 31.00)	48.60	(42.79 - 54.44)
Areas 2 and 3	37.32	(31.25 - 43.81)	31.03	(25.18 - 37.55)	*	(* - *)
Areas 4 and 7	41.96	(36.13 - 48.03)	31.22	(25.86 - 37.14)	53.23	(46.74 - 59.61)
Area 6	*	(* - *)	27.61	(22.32 - 33.61)	*	(* - *)
Areas 8 and 12	38.18	(32.52 - 44.17)	29.81	(24.26 - 36.03)	52.31	(45.65 - 58.88)
Area 9	33.90	(28.60 - 39.64)	24.17	(19.38 - 29.70)	43.01	(37.38 - 48.82)
Areas 10, 11, and 13	41.98	(35.99 - 48.23)	30.92	(25.48 - 36.95)	56.88	(50.07 - 63.43)
California	33.26	(31.64 - 34.93)	26.53	(24.97 - 28.15)	40.97	(39.14 - 42.81)
Region 1	29.00	(23.97 - 34.61)	18.62	(14.66 - 23.36)	37.07	(31.04 - 43.54)
Region 2	29.89	(26.04 - 34.05)	19.83	(16.47 - 23.67)	33.99	(29.40 - 38.90)
Region 3	34.68	(29.62 - 40.12)	28.91	(24.36 - 33.93)	45.35	(39.80 - 51.01)
Region 4	26.22	(21.46 - 31.61)	19.34	(15.52 - 23.82)	31.10	(26.23 - 36.43)
Region 5	26.73	(22.64 - 31.27)	19.68	(16.10 - 23.84)	31.65	(27.15 - 36.51)
Region 6 (Santa Clara)	33.73	(28.59 - 39.29)	26.14	(21.59 - 31.27)	37.75	(32.66 - 43.12)
Region 7	30.80	(25.25 - 36.96)	25.16	(20.20 - 30.85)	36.30	(30.55 - 42.46)
Region 8	33.34	(28.64 - 38.41)	30.61	(26.07 - 35.56)	50.21	(44.76 - 55.66)
Region 9	30.34	(25.17 - 36.06)	23.14	(18.52 - 28.50)	40.20	(34.32 - 46.39)
Region 10	34.26	(29.20 - 39.70)	25.28	(20.69 - 30.49)	39.10	(33.37 - 45.14)
Region 11 (Los Angeles)	36.56	(33.63 - 39.60)	32.16	(29.20 - 35.28)	47.39	(44.10 - 50.70)
Region 12	33.29	(28.75 - 38.18)	25.55	(21.39 - 30.20)	47.01	(41.62 - 52.47)
Region 13 (Riverside)	33.70	(28.57 - 39.25)	29.89	(24.68 - 35.68)	44.35	(38.83 - 50.02)
Region 14 (Orange)	37.12	(32.58 - 41.90)	27.69	(23.60 - 32.20)	38.94	(34.20 - 43.90)
Region 15	31.43	(27.20 - 36.00)	22.14	(18.55 - 26.21)	38.68	(34.12 - 43.45)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	29.40	(26.49 - 32.48)	18.85	(16.56 - 21.38)	32.65	(29.60 - 35.86)
Region 1	30.08	(24.82 - 35.93)	19.01	(15.26 - 23.41)	35.37	(29.87 - 41.28)
Regions 2 and 7	27.70	(24.03 - 31.70)	18.16	(15.24 - 21.49)	31.12	(27.32 - 35.19)
Region 3	31.77	(26.30 - 37.80)	17.43	(13.41 - 22.34)	31.14	(25.80 - 37.04)
Region 4	*	(* - *)	*	(* - *)	*	(* - *)
Regions 5 and 6	30.42	(25.05 - 36.40)	19.82	(15.36 - 25.18)	31.13	(25.44 - 37.45)
Connecticut	27.65	(24.77 - 30.73)	19.54	(17.18 - 22.13)	35.52	(32.10 - 39.09)
Eastern	27.36	(21.95 - 33.52)	15.78	(12.13 - 20.29)	36.91	(30.70 - 43.58)
North Central	28.97	(24.61 - 33.75)	22.18	(18.54 - 26.32)	36.44	(31.30 - 41.91)
Northwestern	26.07	(21.42 - 31.33)	19.98	(15.67 - 25.13)	36.16	(30.79 - 41.91)
South Central	27.43	(22.92 - 32.45)	17.41	(13.95 - 21.51)	36.48	(30.98 - 42.35)
Southwest	27.63	(22.55 - 33.36)	21.13	(16.69 - 26.38)	31.64	(25.81 - 38.11)
Delaware	31.74	(28.87 - 34.76)	22.89	(20.47 - 25.49)	42.32	(39.13 - 45.57)
Kent	32.82	(27.45 - 38.66)	23.50	(19.05 - 28.62)	46.81	(40.33 - 53.39)
New Castle (excluding Wilmington city)	29.72	(26.20 - 33.49)	20.79	(17.83 - 24.10)	37.62	(33.64 - 41.77)
Sussex	34.85	(29.55 - 40.56)	26.04	(21.16 - 31.59)	47.75	(41.88 - 53.69)
Wilmington City	*	(* - *)	28.49	(22.92 - 34.81)	48.64	(41.91 - 55.41)
District of Columbia	29.31	(25.62 - 33.28)	19.00	(16.49 - 21.79)	36.18	(32.70 - 39.82)
Ward 1	*	(* - *)	22.22	(17.34 - 28.01)	35.74	(29.75 - 42.21)
Ward 2	*	(* - *)	13.61	(10.26 - 17.84)	29.50	(24.03 - 35.63)
Ward 3	*	(* - *)	12.26	(9.18 - 16.21)	20.93	(16.51 - 26.16)
Ward 4	*	(* - *)	*	(* - *)	*	(* - *)
Ward 5	*	(* - *)	18.28	(14.19 - 23.23)	*	(* - *)
Ward 6	*	(* - *)	17.48	(13.22 - 22.75)	33.41	(27.45 - 39.95)
Ward 7	30.38	(25.45 - 35.80)	23.72	(18.63 - 29.70)	*	(* - *)
Ward 8	32.14	(26.84 - 37.94)	26.43	(21.03 - 32.64)	*	(* - *)
Florida	35.00	(33.41 - 36.63)	27.06	(25.51 - 28.67)	45.94	(44.18 - 47.71)
District 1	35.02	(29.90 - 40.50)	23.44	(18.90 - 28.68)	45.74	(39.97 - 51.62)
District 2	30.15	(25.36 - 35.42)	19.94	(16.29 - 24.17)	41.10	(35.57 - 46.86)
District 3	32.35	(27.00 - 38.20)	20.96	(17.03 - 25.50)	41.62	(35.49 - 48.02)
District 4	34.60	(30.41 - 39.04)	22.62	(19.01 - 26.68)	40.05	(35.44 - 44.84)
District 7	36.23	(32.34 - 40.31)	24.99	(21.70 - 28.59)	42.59	(38.73 - 46.53)
District 8	36.35	(31.23 - 41.80)	29.24	(24.49 - 34.49)	45.75	(40.61 - 50.98)
District 9 (Palm Beach)	34.81	(30.41 - 39.49)	27.97	(23.89 - 32.45)	43.11	(38.11 - 48.25)
District 10 (Broward)	31.60	(27.72 - 35.74)	26.65	(22.75 - 30.95)	44.50	(39.95 - 49.14)
District 11	38.37	(34.57 - 42.33)	35.28	(31.58 - 39.17)	58.48	(54.59 - 62.26)
District 12	35.99	(30.61 - 41.75)	23.69	(19.51 - 28.46)	45.41	(39.31 - 51.65)
District 13	37.53	(32.38 - 42.97)	25.82	(21.28 - 30.95)	47.78	(41.93 - 53.69)
District 14	37.95	(32.78 - 43.41)	32.87	(27.74 - 38.44)	48.11	(42.32 - 53.95)
District 15	35.54	(30.15 - 41.33)	28.73	(23.93 - 34.07)	45.83	(39.74 - 52.05)
Suncoast	33.18	(29.94 - 36.58)	26.99	(23.87 - 30.35)	43.23	(39.62 - 46.92)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	36.78	(33.71 - 39.95)	31.47	(28.48 - 34.62)	47.89	(44.65 - 51.15)
Region 1	39.78	(34.38 - 45.45)	35.99	(30.33 - 42.07)	52.27	(46.21 - 58.27)
Region 2	38.87	(33.56 - 44.45)	32.11	(26.75 - 37.98)	51.46	(45.44 - 57.43)
Region 3	34.56	(30.12 - 39.28)	27.88	(23.85 - 32.32)	42.16	(37.74 - 46.72)
Region 4	37.28	(31.32 - 43.66)	35.51	(29.56 - 41.96)	51.74	(45.32 - 58.10)
Region 5	37.26	(31.68 - 43.20)	33.15	(27.45 - 39.38)	53.43	(46.92 - 59.81)
Hawaii	31.92	(28.84 - 35.15)	26.10	(23.28 - 29.15)	38.44	(34.88 - 42.13)
Hawaii Island	32.36	(26.52 - 38.81)	24.29	(18.98 - 30.52)	*	(* - *)
Honolulu	32.78	(29.14 - 36.64)	26.48	(23.31 - 29.91)	39.63	(35.50 - 43.91)
Kauai and Maui	27.88	(22.61 - 33.84)	25.45	(20.18 - 31.54)	33.95	(28.20 - 40.22)
Idaho	38.05	(35.05 - 41.15)	26.83	(24.12 - 29.72)	42.68	(39.45 - 45.98)
Region 1	36.42	(30.47 - 42.82)	23.76	(18.97 - 29.32)	36.65	(30.63 - 43.11)
Region 2	*	(* - *)	22.27	(17.45 - 27.97)	*	(* - *)
Region 3	34.89	(29.49 - 40.70)	32.39	(26.79 - 38.54)	47.74	(42.04 - 53.50)
Region 4	33.70	(28.81 - 38.95)	20.50	(16.75 - 24.84)	38.02	(32.94 - 43.38)
Region 5	39.72	(34.00 - 45.73)	33.88	(27.99 - 40.31)	45.95	(39.88 - 52.14)
Region 6	45.21	(38.72 - 51.85)	29.14	(23.82 - 35.10)	*	(* - *)
Region 7	42.75	(36.66 - 49.06)	30.87	(25.23 - 37.15)	48.64	(42.02 - 55.30)
Illinois	33.55	(31.97 - 35.16)	23.43	(22.01 - 24.91)	42.10	(40.29 - 43.92)
Region I (Cook)	33.09	(30.72 - 35.55)	25.02	(22.78 - 27.41)	41.24	(38.55 - 43.98)
Region II	31.09	(28.40 - 33.92)	20.48	(18.16 - 23.03)	38.78	(35.77 - 41.88)
Region III	35.28	(31.54 - 39.20)	20.98	(18.16 - 24.11)	44.11	(40.05 - 48.26)
Region IV	37.62	(33.24 - 42.21)	25.82	(22.09 - 29.93)	47.21	(42.14 - 52.34)
Region V	38.25	(34.07 - 42.61)	26.13	(22.65 - 29.94)	49.77	(45.11 - 54.45)
Indiana	35.39	(32.34 - 38.56)	24.18	(21.68 - 26.88)	43.87	(40.63 - 47.17)
Central	34.35	(29.49 - 39.55)	22.89	(18.93 - 27.39)	39.50	(34.14 - 45.13)
East	34.54	(28.71 - 40.87)	23.07	(18.31 - 28.64)	*	(* - *)
North Central	34.11	(28.36 - 40.37)	24.03	(19.31 - 29.47)	44.93	(38.91 - 51.10)
Northeast	37.84	(32.03 - 44.02)	27.98	(22.45 - 34.27)	45.69	(39.23 - 52.30)
Northwest	35.94	(30.00 - 42.33)	24.00	(19.21 - 29.56)	44.96	(38.78 - 51.29)
Southeast	40.34	(33.99 - 47.04)	29.25	(23.50 - 35.75)	49.49	(42.82 - 56.18)
Southwest	*	(* - *)	24.34	(19.02 - 30.60)	*	(* - *)
West	34.42	(28.65 - 40.67)	21.56	(17.38 - 26.42)	44.08	(37.70 - 50.67)
Iowa	40.14	(37.05 - 43.32)	25.47	(22.75 - 28.39)	46.00	(42.57 - 49.47)
Central	37.98	(32.27 - 44.05)	24.28	(19.39 - 29.95)	43.42	(37.16 - 49.90)
North Central	37.16	(31.30 - 43.42)	23.76	(19.16 - 29.07)	44.01	(37.40 - 50.84)
Northeast	39.31	(34.41 - 44.45)	23.66	(19.68 - 28.15)	45.12	(39.80 - 50.55)
Northwest	43.68	(37.69 - 49.86)	32.58	(26.75 - 39.01)	49.26	(42.76 - 55.79)
Southeast	40.86	(35.25 - 46.73)	24.07	(19.57 - 29.22)	45.19	(39.46 - 51.05)
Southwest	*	(* - *)	27.14	(21.71 - 33.34)	51.03	(44.26 - 57.77)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	40.05	(36.89 - 43.31)	26.05	(23.30 - 28.99)	47.76	(44.29 - 51.25)
Kansas City Metro	39.33	(34.47 - 44.41)	22.98	(19.10 - 27.38)	43.24	(38.19 - 48.44)
Northeast	40.14	(34.41 - 46.16)	23.69	(19.39 - 28.61)	49.10	(42.78 - 55.46)
South Central	40.53	(34.58 - 46.77)	28.35	(22.80 - 34.65)	52.38	(45.90 - 58.77)
Southeast	*	(* - *)	29.27	(23.55 - 35.71)	*	(* - *)
West	41.65	(35.29 - 48.30)	36.00	(29.79 - 42.73)	*	(* - *)
Wichita (Sedgwick)	37.94	(32.33 - 43.90)	25.09	(20.26 - 30.63)	43.11	(37.32 - 49.09)
Kentucky	38.78	(35.77 - 41.89)	27.02	(24.32 - 29.89)	44.00	(40.68 - 47.38)
Adanta, Cumberland River, And Lifeskills	41.98	(36.47 - 47.69)	30.61	(25.82 - 35.85)	50.33	(44.29 - 56.37)
Bluegrass, Comprehend, and North Key	35.18	(30.62 - 40.02)	24.78	(20.75 - 29.31)	40.13	(34.98 - 45.50)
Communicare and River Valley	37.88	(31.97 - 44.18)	27.11	(21.78 - 33.17)	44.33	(37.88 - 50.99)
Four Rivers and Pennyroyal	*	(* - *)	*	(* - *)	*	(* - *)
Kentucky River, Mountain, And Pathways	45.31	(39.03 - 51.75)	32.54	(26.83 - 38.83)	50.80	(44.18 - 57.40)
Seven Counties	36.14	(30.86 - 41.79)	21.66	(17.60 - 26.37)	37.97	(32.59 - 43.65)
Louisiana	37.90	(34.99 - 40.91)	26.51	(23.98 - 29.21)	49.81	(46.53 - 53.09)
Region 1	36.16	(29.90 - 42.92)	27.16	(21.66 - 33.46)	*	(* - *)
Regions 2 and 9	35.19	(30.45 - 40.24)	25.30	(21.27 - 29.81)	46.50	(41.11 - 51.98)
Region 3	41.65	(35.26 - 48.34)	29.81	(24.13 - 36.20)	50.66	(43.99 - 57.32)
Region 4	36.11	(30.61 - 41.99)	25.35	(20.64 - 30.72)	*	(* - *)
Regions 5 and 6	42.01	(36.14 - 48.11)	31.14	(25.65 - 37.23)	53.95	(48.04 - 59.76)
Regions 7 and 8	39.23	(33.95 - 44.78)	26.00	(21.55 - 31.00)	54.65	(48.99 - 60.20)
Region 10 (Jefferson)	37.54	(31.32 - 44.19)	22.22	(17.66 - 27.58)	45.44	(39.11 - 51.92)
Maine	26.03	(23.41 - 28.84)	16.09	(13.97 - 18.47)	35.09	(31.86 - 38.47)
Planning Region 1	24.23	(20.86 - 27.95)	13.96	(11.40 - 16.99)	31.19	(27.10 - 35.59)
Region 1 (Cumberland)	24.39	(20.12 - 29.25)	12.16	(9.22 - 15.88)	30.15	(25.09 - 35.73)
Region 2 (York)	24.01	(19.49 - 29.19)	16.81	(13.09 - 21.34)	32.63	(26.93 - 38.90)
Planning Region 2	26.77	(23.41 - 30.41)	16.82	(14.22 - 19.79)	36.60	(32.48 - 40.92)
Region 3	25.78	(21.13 - 31.04)	16.49	(13.17 - 20.45)	35.41	(29.70 - 41.56)
Region 4	28.09	(22.98 - 33.83)	17.92	(13.73 - 23.04)	*	(* - *)
Region 5	27.01	(21.81 - 32.92)	16.30	(12.51 - 20.96)	35.88	(29.77 - 42.49)
Planning Region 3	27.37	(23.34 - 31.82)	17.85	(14.61 - 21.63)	38.42	(33.49 - 43.60)
Region 6 (Penobscot)	26.58	(21.82 - 31.96)	15.77	(12.22 - 20.11)	37.53	(31.31 - 44.18)
Region 7	28.07	(22.50 - 34.41)	20.17	(15.56 - 25.73)	39.12	(32.73 - 45.91)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	33.05	(30.09 - 36.15)	24.77	(22.15 - 27.59)	41.04	(37.43 - 44.74)
Anne Arundel	31.41	(25.77 - 37.65)	22.06	(17.17 - 27.88)	*	(* - *)
Baltimore City	32.25	(26.84 - 38.19)	26.97	(21.96 - 32.64)	*	(* - *)
Central	31.54	(26.99 - 36.48)	22.35	(18.08 - 27.29)	39.42	(33.29 - 45.91)
Montgomery	32.83	(27.29 - 38.90)	22.98	(18.36 - 28.35)	35.59	(30.06 - 41.55)
Prince George's	35.19	(29.47 - 41.36)	27.52	(22.38 - 33.34)	44.42	(38.37 - 50.63)
Rural	35.88	(29.83 - 42.41)	27.68	(22.49 - 33.54)	*	(* - *)
Western	32.23	(26.68 - 38.34)	23.56	(18.76 - 29.15)	*	(* - *)
Massachusetts	27.49	(24.69 - 30.47)	17.22	(14.91 - 19.80)	30.39	(27.37 - 33.58)
Boston	27.40	(21.82 - 33.78)	19.27	(15.08 - 24.30)	32.51	(26.79 - 38.81)
Central	26.50	(21.67 - 31.97)	16.46	(12.47 - 21.42)	31.43	(26.00 - 37.43)
Metrowest	24.63	(20.39 - 29.43)	13.29	(10.22 - 17.10)	24.11	(19.93 - 28.86)
Northeast	28.74	(23.92 - 34.09)	19.87	(15.58 - 25.00)	30.86	(25.86 - 36.36)
Southeast	28.42	(23.95 - 33.36)	17.86	(14.01 - 22.48)	31.97	(27.00 - 37.37)
Western	29.66	(24.21 - 35.76)	17.14	(13.32 - 21.78)	*	(* - *)
Michigan	31.97	(30.48 - 33.49)	20.80	(19.54 - 22.11)	39.73	(38.07 - 41.42)
Bay	32.27	(27.39 - 37.57)	22.98	(18.39 - 28.32)	41.35	(35.10 - 47.89)
Detroit City	31.31	(27.53 - 35.37)	27.35	(23.49 - 31.59)	47.89	(43.02 - 52.79)
Genesee	30.36	(25.88 - 35.26)	21.92	(18.01 - 26.40)	40.98	(35.59 - 46.59)
Kalamazoo	31.86	(27.36 - 36.72)	18.76	(15.54 - 22.48)	43.52	(38.41 - 48.77)
Kent	32.18	(27.69 - 37.03)	21.61	(18.28 - 25.37)	42.30	(36.94 - 47.84)
Lakeshore	35.75	(31.63 - 40.09)	24.02	(20.49 - 27.93)	43.30	(38.66 - 48.07)
Macomb	30.51	(26.26 - 35.12)	19.31	(15.89 - 23.26)	37.50	(32.90 - 42.35)
Mid South	30.90	(27.27 - 34.79)	17.62	(14.81 - 20.83)	37.01	(32.69 - 41.55)
Northern	32.11	(28.08 - 36.42)	21.95	(18.45 - 25.91)	41.56	(36.72 - 46.58)
Oakland	29.17	(25.67 - 32.92)	18.18	(15.21 - 21.58)	31.43	(27.52 - 35.62)
Pathways	30.35	(24.97 - 36.33)	18.25	(14.43 - 22.82)	41.06	(34.76 - 47.66)
Saginaw	34.99	(29.30 - 41.13)	22.51	(17.88 - 27.92)	44.76	(38.47 - 51.23)
Southeast	33.58	(30.00 - 37.35)	20.53	(17.72 - 23.66)	39.67	(35.62 - 43.86)
St. Clair	39.22	(33.33 - 45.43)	23.94	(19.35 - 29.23)	44.69	(38.51 - 51.04)
Washtenaw	30.01	(25.30 - 35.19)	16.66	(13.49 - 20.40)	32.56	(27.86 - 37.64)
Western	30.61	(25.01 - 36.84)	20.48	(16.06 - 25.73)	*	(* - *)
Minnesota	30.61	(27.81 - 33.56)	19.36	(16.91 - 22.07)	33.10	(30.08 - 36.26)
Regions 1 and 2	30.33	(24.54 - 36.83)	19.36	(15.15 - 24.40)	35.49	(29.35 - 42.14)
Regions 3 and 4	29.97	(25.52 - 34.84)	19.27	(15.22 - 24.10)	37.30	(31.58 - 43.39)
Regions 5 and 6	31.31	(26.55 - 36.50)	21.81	(17.41 - 26.95)	39.69	(33.97 - 45.70)
Region 7A (Hennepin)	27.74	(22.94 - 33.11)	17.71	(13.95 - 22.22)	28.36	(23.84 - 33.36)
Region 7B (Ramsey)	26.53	(21.43 - 32.35)	17.73	(13.66 - 22.69)	29.45	(23.75 - 35.88)
Region 7C	35.03	(29.85 - 40.59)	19.89	(15.84 - 24.68)	29.60	(24.70 - 35.02)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	42.06	(38.86 - 45.33)	33.59	(30.59 - 36.73)	54.28	(50.67 - 57.84)
Region 1	41.46	(36.22 - 46.90)	34.77	(29.47 - 40.47)	55.03	(49.10 - 60.82)
Region 2	43.23	(37.32 - 49.34)	38.79	(32.78 - 45.17)	60.35	(53.94 - 66.43)
Region 3	43.54	(37.44 - 49.85)	33.22	(27.62 - 39.33)	55.35	(48.82 - 61.70)
Region 4	42.31	(36.49 - 48.36)	33.15	(27.91 - 38.84)	50.65	(44.25 - 57.02)
Region 5	*	(* - *)	*	(* - *)	*	(* - *)
Region 6	40.52	(34.03 - 47.36)	33.22	(27.26 - 39.78)	55.51	(48.91 - 61.92)
Region 7	40.62	(34.47 - 47.07)	26.84	(21.83 - 32.52)	*	(* - *)
Missouri	34.71	(31.78 - 37.75)	24.21	(21.60 - 27.02)	41.37	(38.15 - 44.66)
Central	36.71	(31.12 - 42.68)	23.08	(18.62 - 28.22)	41.13	(35.11 - 47.43)
Eastern	31.71	(27.76 - 35.94)	21.11	(17.61 - 25.10)	37.39	(33.09 - 41.90)
Eastern (St. Louis City and County)	31.05	(26.35 - 36.17)	20.43	(16.41 - 25.14)	36.27	(31.14 - 41.72)
Eastern (excluding St. Louis)	32.95	(27.38 - 39.04)	22.54	(17.61 - 28.37)	39.71	(33.50 - 46.27)
Northwest	34.97	(30.45 - 39.78)	23.46	(19.65 - 27.75)	42.03	(37.34 - 46.88)
Northwest (Jackson)	31.76	(26.22 - 37.88)	19.26	(15.01 - 24.36)	39.20	(33.27 - 45.46)
Northwest (excluding Jackson)	37.80	(31.50 - 44.55)	*	(* - *)	44.61	(38.30 - 51.11)
Southeast	37.07	(31.35 - 43.17)	30.61	(24.80 - 37.11)	47.35	(40.65 - 54.15)
Southwest	37.87	(32.06 - 44.04)	28.55	(23.88 - 33.73)	44.97	(38.86 - 51.23)
Montana	30.29	(27.47 - 33.28)	19.80	(17.60 - 22.20)	39.11	(35.76 - 42.57)
Region 1	36.41	(30.66 - 42.57)	*	(* - *)	*	(* - *)
Region 2	31.23	(26.12 - 36.84)	21.89	(17.50 - 27.03)	41.58	(35.50 - 47.94)
Region 3	31.75	(26.68 - 37.29)	22.97	(18.63 - 27.97)	39.09	(33.46 - 45.02)
Region 4	28.21	(23.85 - 33.01)	16.58	(13.59 - 20.08)	37.85	(32.74 - 43.24)
Region 5	28.67	(24.30 - 33.48)	18.08	(14.91 - 21.76)	36.29	(30.98 - 41.95)
Nebraska	32.71	(29.60 - 35.97)	27.89	(24.97 - 31.02)	44.04	(40.61 - 47.52)
Regions 1 and 2	*	(* - *)	*	(* - *)	*	(* - *)
Region 3	35.97	(29.95 - 42.47)	*	(* - *)	47.95	(41.42 - 54.56)
Region 4	37.72	(31.70 - 44.15)	32.69	(26.75 - 39.25)	49.18	(42.69 - 55.70)
Region 5	29.93	(25.05 - 35.32)	25.73	(21.73 - 30.19)	42.75	(37.11 - 48.57)
Region 6	30.33	(26.12 - 34.89)	26.75	(22.60 - 31.37)	40.05	(35.35 - 44.94)
Nevada	32.69	(29.47 - 36.09)	24.02	(21.28 - 27.00)	36.65	(33.20 - 40.24)
Clark	31.26	(27.35 - 35.45)	25.22	(21.89 - 28.86)	36.27	(32.26 - 40.48)
Rural	37.93	(32.23 - 43.98)	23.42	(18.72 - 28.88)	40.18	(33.97 - 46.71)
Washoe	33.55	(28.03 - 39.57)	19.45	(15.39 - 24.28)	35.26	(29.87 - 41.06)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	23.77	(21.11 - 26.66)	13.67	(11.64 - 15.99)	30.89	(27.65 - 34.33)
Central	22.74	(19.05 - 26.91)	13.85	(11.29 - 16.88)	32.85	(28.19 - 37.88)
Central 1	22.94	(18.26 - 28.40)	12.54	(9.63 - 16.17)	31.12	(25.38 - 37.50)
Central 2	22.54	(17.97 - 27.88)	15.51	(11.92 - 19.95)	34.45	(28.39 - 41.05)
Northern	24.25	(19.26 - 30.06)	12.81	(9.62 - 16.86)	29.58	(24.08 - 35.76)
Southern	24.16	(21.15 - 27.46)	13.79	(11.34 - 16.67)	30.25	(26.51 - 34.28)
Southern 1 (Rockingham)	22.65	(18.43 - 27.50)	13.58	(10.28 - 17.74)	28.10	(23.07 - 33.75)
Southern 2	25.08	(21.42 - 29.12)	13.89	(11.03 - 17.36)	31.60	(27.09 - 36.48)
New Jersey	34.64	(31.52 - 37.90)	22.94	(20.22 - 25.92)	44.21	(40.70 - 47.79)
Central	32.08	(27.16 - 37.44)	19.02	(15.05 - 23.75)	38.55	(33.18 - 44.20)
Metropolitan	37.89	(32.47 - 43.64)	25.41	(20.85 - 30.58)	46.39	(40.50 - 52.38)
Northern	32.26	(27.44 - 37.50)	24.94	(20.65 - 29.78)	46.62	(41.09 - 52.23)
Southern	36.96	(31.43 - 42.85)	20.67	(16.59 - 25.45)	44.22	(38.07 - 50.55)
New Mexico	29.22	(26.00 - 32.65)	23.77	(20.95 - 26.85)	43.74	(40.08 - 47.47)
Region 1	28.52	(23.63 - 33.98)	26.93	(21.80 - 32.75)	43.18	(37.12 - 49.45)
Region 2	*	(* - *)	23.83	(18.63 - 29.96)	42.64	(36.41 - 49.12)
Region 3 (Bernalillo)	27.69	(23.36 - 32.48)	18.95	(15.51 - 22.95)	38.42	(33.22 - 43.90)
Region 4	29.49	(23.72 - 36.00)	27.42	(21.97 - 33.63)	*	(* - *)
Region 5	32.32	(26.61 - 38.62)	25.87	(21.13 - 31.24)	48.66	(42.38 - 54.99)
New York	30.38	(28.68 - 32.13)	22.96	(21.43 - 24.56)	39.75	(37.84 - 41.70)
Region A	32.25	(29.72 - 34.88)	27.22	(24.97 - 29.60)	42.21	(39.50 - 44.96)
Region 1	32.22	(27.40 - 37.45)	31.77	(26.80 - 37.20)	49.84	(43.96 - 55.72)
Region 2	32.76	(29.06 - 36.69)	26.49	(23.01 - 30.29)	40.96	(36.75 - 45.31)
Region 3	28.73	(23.67 - 34.39)	18.54	(15.23 - 22.37)	33.87	(29.16 - 38.91)
Region 4	33.32	(28.88 - 38.07)	31.56	(27.34 - 36.10)	45.74	(40.93 - 50.63)
Region B	32.17	(29.12 - 35.37)	21.50	(18.89 - 24.36)	34.90	(31.76 - 38.18)
Region 5	33.03	(29.34 - 36.95)	20.71	(17.64 - 24.14)	35.30	(31.42 - 39.38)
Region 6	30.35	(25.77 - 35.35)	23.20	(19.09 - 27.88)	34.06	(29.39 - 39.06)
Region C	26.72	(24.49 - 29.06)	17.67	(15.88 - 19.60)	38.85	(36.09 - 41.68)
Region 7	27.29	(22.75 - 32.34)	18.65	(14.94 - 23.02)	40.45	(34.39 - 46.80)
Region 8	23.69	(19.42 - 28.56)	15.36	(12.27 - 19.05)	33.54	(28.10 - 39.44)
Region 9	28.49	(24.15 - 33.26)	18.23	(14.73 - 22.34)	42.52	(36.95 - 48.29)
Region 10	23.94	(19.48 - 29.05)	15.79	(12.52 - 19.72)	39.12	(33.00 - 45.60)
Region 11	25.69	(21.64 - 30.21)	16.80	(13.64 - 20.52)	39.03	(34.00 - 44.30)
Region 12	29.43	(25.14 - 34.11)	20.24	(16.68 - 24.33)	38.96	(33.97 - 44.19)
Region D	29.99	(26.84 - 33.34)	20.62	(17.85 - 23.69)	43.11	(39.17 - 47.13)
Region 13	33.30	(27.91 - 39.18)	21.89	(17.47 - 27.07)	44.81	(38.32 - 51.49)
Region 14	29.21	(24.13 - 34.86)	21.61	(17.08 - 26.94)	41.33	(35.02 - 47.95)
Region 15	27.92	(23.18 - 33.21)	18.44	(14.69 - 22.88)	43.27	(37.39 - 49.34)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	35.78	(32.78 - 38.89)	26.42	(23.67 - 29.37)	46.82	(43.37 - 50.30)
Eastern	39.74	(34.38 - 45.36)	30.57	(25.88 - 35.71)	53.17	(47.38 - 58.88)
North Central	32.27	(27.50 - 37.44)	23.26	(19.04 - 28.09)	44.97	(39.20 - 50.88)
South Central	36.07	(30.61 - 41.92)	24.67	(20.15 - 29.82)	44.73	(38.72 - 50.91)
Western	35.56	(31.28 - 40.09)	27.45	(23.13 - 32.24)	45.94	(40.95 - 51.01)
North Dakota	35.80	(32.74 - 38.98)	24.20	(21.53 - 27.08)	42.76	(39.35 - 46.25)
Badlands and West Central Lake Region and South Central	37.11	(32.12 - 42.39)	26.73	(22.11 - 31.92)	42.86	(37.28 - 48.63)
North Central and Northwest	38.17	(32.81 - 43.83)	30.46	(24.78 - 36.80)	49.06	(42.95 - 55.20)
Northeast	36.37	(30.97 - 42.14)	27.77	(22.53 - 33.71)	43.36	(37.56 - 49.34)
Southeast	33.43	(28.10 - 39.21)	21.79	(17.57 - 26.70)	39.53	(33.37 - 46.04)
Ohio	33.72	(28.78 - 39.05)	19.90	(16.31 - 24.05)	39.75	(34.43 - 45.31)
Boards 2, 46, 55, and 68	35.02	(33.42 - 36.65)	22.94	(21.54 - 24.40)	42.50	(40.69 - 44.32)
Boards 3, 52, and 85	38.25	(33.02 - 43.77)	27.35	(22.95 - 32.23)	43.57	(38.31 - 48.98)
Boards 4 and 78	40.89	(35.40 - 46.62)	28.38	(23.56 - 33.76)	43.37	(37.83 - 49.07)
Boards 5 and 60	35.51	(29.84 - 41.61)	27.59	(22.60 - 33.20)	46.40	(40.06 - 52.85)
Boards 7, 15, 41, 79, and 84	38.42	(32.89 - 44.27)	22.06	(17.68 - 27.17)	45.31	(39.47 - 51.28)
Boards 8, 13, and 83	39.86	(34.55 - 45.42)	29.54	(24.48 - 35.16)	49.11	(43.35 - 54.90)
Board 9 (Butler)	33.79	(28.99 - 38.95)	22.87	(18.31 - 28.16)	38.20	(32.75 - 43.96)
Board 12	33.67	(28.62 - 39.12)	22.31	(18.27 - 26.95)	41.67	(35.68 - 47.91)
Boards 18 and 47	38.03	(32.24 - 44.19)	25.68	(21.05 - 30.93)	42.64	(36.68 - 48.82)
Boards 20, 32, 54, and 69	30.54	(27.04 - 34.28)	18.86	(15.92 - 22.19)	39.26	(35.24 - 43.43)
Boards 21, 39, 51, 70, and 80	42.49	(36.82 - 48.37)	26.87	(22.14 - 32.19)	46.74	(40.58 - 53.01)
Boards 22, 74, and 87	35.28	(30.13 - 40.80)	23.44	(19.27 - 28.20)	40.55	(34.91 - 46.45)
Boards 23 and 45	35.85	(30.73 - 41.30)	22.17	(18.11 - 26.84)	46.20	(39.99 - 52.53)
Board 25 (Franklin)	38.63	(33.40 - 44.14)	23.96	(19.39 - 29.22)	41.00	(35.17 - 47.11)
Boards 27, 71, and 73	32.20	(28.17 - 36.51)	22.03	(19.02 - 25.38)	41.24	(36.78 - 45.85)
Boards 28, 43, and 67	41.77	(36.59 - 47.14)	29.65	(24.76 - 35.07)	49.46	(43.63 - 55.31)
Board 31 (Hamilton)	35.85	(31.02 - 40.98)	20.32	(16.60 - 24.62)	42.95	(37.40 - 48.69)
Board 48 (Lucas)	30.32	(26.06 - 34.96)	21.51	(17.91 - 25.60)	41.35	(36.27 - 46.62)
Board 50 and 76	33.26	(28.70 - 38.15)	20.88	(17.03 - 25.34)	41.70	(36.27 - 47.34)
Board 57 (Montgomery)	34.78	(30.09 - 39.77)	22.72	(18.65 - 27.39)	44.60	(39.19 - 50.14)
Board 77 (Summit)	33.25	(28.25 - 38.65)	21.75	(17.90 - 26.15)	39.25	(33.79 - 44.99)
Oklahoma	35.21	(30.40 - 40.34)	19.47	(15.83 - 23.70)	41.18	(35.73 - 46.86)
Central	36.85	(33.63 - 40.18)	28.39	(25.46 - 31.52)	47.48	(43.91 - 51.07)
East Central	37.66	(31.52 - 44.23)	23.91	(19.23 - 29.32)	*	(* - *)
Northeast	40.25	(33.87 - 46.98)	*	(* - *)	*	(* - *)
Northwest and Southwest	38.08	(32.09 - 44.45)	27.21	(22.01 - 33.11)	44.69	(38.42 - 51.13)
Oklahoma County	40.39	(34.49 - 46.58)	32.88	(26.94 - 39.42)	53.13	(46.38 - 59.77)
Southeast	32.63	(27.29 - 38.45)	26.84	(21.68 - 32.72)	47.26	(41.17 - 53.42)
Tulsa County	38.82	(32.91 - 45.08)	31.09	(25.58 - 37.20)	49.87	(43.23 - 56.51)
	32.38	(26.90 - 38.39)	25.83	(21.29 - 30.96)	43.51	(37.44 - 49.77)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	30.32	(27.50 - 33.30)	19.04	(16.74 - 21.58)	33.26	(30.02 - 36.67)
Region 1 (Multnomah)	26.63	(21.79 - 32.10)	17.00	(13.56 - 21.09)	28.49	(23.75 - 33.77)
Region 2	28.51	(24.20 - 33.24)	16.31	(12.89 - 20.42)	30.66	(25.89 - 35.89)
Region 3	31.69	(27.13 - 36.62)	20.83	(17.24 - 24.95)	34.02	(29.17 - 39.23)
Region 4	33.35	(28.21 - 38.93)	19.90	(15.94 - 24.55)	37.50	(31.39 - 44.04)
Region 5	31.56	(26.07 - 37.62)	21.99	(16.95 - 28.02)	*	(* - *)
Pennsylvania	34.10	(32.46 - 35.78)	21.50	(20.15 - 22.92)	44.55	(42.74 - 46.38)
Region 1 (Allegheny)	30.66	(26.75 - 34.87)	17.25	(14.32 - 20.63)	43.56	(39.05 - 48.18)
Regions 2, 3, 8, and 9	34.78	(30.02 - 39.88)	24.53	(20.23 - 29.40)	47.75	(42.25 - 53.30)
Regions 4, 11, 42, and 48	32.35	(28.04 - 36.98)	21.45	(17.83 - 25.57)	43.10	(37.99 - 48.36)
Regions 5, 20, 26, 28, and 40	38.44	(33.58 - 43.55)	25.01	(21.29 - 29.14)	47.59	(42.12 - 53.12)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	37.20	(32.39 - 42.27)	19.28	(16.07 - 22.95)	48.66	(43.20 - 54.16)
Regions 7, 13, 22, and 37	33.67	(30.58 - 36.92)	19.04	(16.33 - 22.10)	38.67	(35.00 - 42.47)
Regions 10, 14, 15, 25, 31, 36, and 46	36.19	(31.60 - 41.06)	26.89	(22.13 - 32.25)	49.79	(44.52 - 55.07)
Regions 17, 24, 27, 43, and 47	34.90	(30.35 - 39.74)	22.24	(18.33 - 26.70)	46.33	(41.23 - 51.52)
Region 18 (Philadelphia)	31.64	(27.82 - 35.74)	23.06	(19.99 - 26.43)	44.80	(40.32 - 49.37)
Regions 19 and 23	31.74	(26.46 - 37.53)	20.47	(16.41 - 25.24)	43.53	(37.04 - 50.25)
Regions 21, 30, 32, and 49	36.40	(32.35 - 40.65)	23.72	(20.34 - 27.46)	45.45	(41.01 - 49.95)
Regions 29 and 34	35.54	(30.50 - 40.92)	20.29	(16.36 - 24.88)	48.72	(43.03 - 54.44)
Regions 33 and 38	33.72	(28.90 - 38.90)	21.60	(17.57 - 26.25)	46.34	(40.50 - 52.27)
Rhode Island	28.60	(25.50 - 31.91)	17.24	(14.91 - 19.85)	37.45	(33.86 - 41.19)
Bristol and Newport	23.74	(19.01 - 29.22)	14.59	(10.85 - 19.33)	29.96	(24.17 - 36.48)
Kent	29.91	(24.59 - 35.85)	17.14	(13.38 - 21.68)	36.66	(30.53 - 43.27)
Providence	29.91	(25.97 - 34.17)	18.70	(15.69 - 22.14)	40.39	(35.78 - 45.18)
Washington	25.64	(20.38 - 31.73)	12.47	(9.23 - 16.63)	32.61	(26.57 - 39.28)
South Carolina	37.20	(34.22 - 40.28)	25.97	(23.18 - 28.96)	48.79	(45.32 - 52.27)
Region 1	35.97	(31.00 - 41.26)	25.42	(21.09 - 30.30)	50.40	(44.51 - 56.27)
Region 2	36.88	(32.57 - 41.40)	24.66	(20.86 - 28.91)	46.96	(42.17 - 51.81)
Region 3	37.28	(31.72 - 43.20)	27.62	(22.30 - 33.67)	50.60	(44.33 - 56.86)
Region 4	38.63	(33.36 - 44.18)	26.89	(22.20 - 32.17)	47.94	(42.02 - 53.92)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	35.02	(31.94 - 38.22)	22.88	(20.38 - 25.58)	41.68	(38.35 - 45.08)
Eastern Planning Area	35.53	(32.20 - 39.01)	23.33	(20.61 - 26.29)	41.50	(37.97 - 45.12)
Region 3 (Minnehaha)	35.61	(30.52 - 41.05)	21.92	(17.89 - 26.56)	36.34	(30.97 - 42.08)
Region 4	34.27	(28.68 - 40.33)	21.64	(17.11 - 26.99)	42.45	(36.22 - 48.94)
Region 5	33.93	(28.40 - 39.93)	24.62	(19.48 - 30.60)	42.69	(36.18 - 49.47)
Region 6	38.34	(32.30 - 44.75)	27.21	(22.20 - 32.87)	46.66	(40.14 - 53.30)
Region 7	35.82	(29.89 - 42.22)	23.66	(18.99 - 29.07)	42.33	(36.00 - 48.92)
Western Planning Area	33.94	(29.49 - 38.70)	21.77	(18.22 - 25.78)	42.11	(37.16 - 47.23)
Region 1 (Pennington)	31.76	(25.84 - 38.35)	18.16	(14.33 - 22.73)	38.64	(32.47 - 45.19)
Region 2	35.16	(29.75 - 40.99)	24.32	(19.53 - 29.84)	44.49	(38.15 - 51.02)
Tennessee	35.34	(32.37 - 38.42)	26.05	(23.16 - 29.16)	44.37	(41.21 - 47.58)
Region 1	*	(* - *)	*	(* - *)	*	(* - *)
Region 2	35.80	(30.47 - 41.52)	23.71	(18.96 - 29.22)	42.46	(36.63 - 48.50)
Region 3	35.93	(30.60 - 41.64)	26.81	(21.82 - 32.47)	43.77	(38.45 - 49.23)
Region 4 (Davidson)	29.82	(23.98 - 36.41)	20.90	(16.55 - 26.03)	38.27	(32.30 - 44.62)
Region 5	36.11	(30.98 - 41.57)	29.87	(24.56 - 35.78)	44.35	(38.78 - 50.06)
Region 6	37.92	(31.93 - 44.30)	28.47	(22.76 - 34.96)	51.55	(44.81 - 58.24)
Region 7 (Shelby)	34.37	(28.89 - 40.29)	23.94	(18.89 - 29.86)	44.57	(38.60 - 50.71)
Texas	37.26	(35.59 - 38.97)	30.04	(28.58 - 31.54)	49.26	(47.53 - 50.98)
Region 1	37.18	(31.58 - 43.14)	26.76	(22.40 - 31.63)	51.48	(45.40 - 57.52)
Region 2	36.92	(30.85 - 43.44)	27.41	(22.29 - 33.21)	53.69	(46.94 - 60.31)
Region 3	37.62	(34.91 - 40.41)	30.21	(27.72 - 32.82)	44.75	(41.98 - 47.54)
Region 3a	37.44	(34.10 - 40.92)	30.50	(27.42 - 33.75)	44.35	(40.96 - 47.80)
Region 3bc	37.93	(33.80 - 42.24)	29.68	(25.81 - 33.85)	45.42	(41.00 - 49.92)
Region 4	38.72	(33.43 - 44.29)	31.74	(26.49 - 37.50)	50.26	(44.58 - 55.94)
Region 5	37.87	(32.12 - 43.98)	27.48	(22.50 - 33.10)	49.38	(43.24 - 55.54)
Region 6	39.00	(35.99 - 42.09)	30.67	(27.96 - 33.52)	48.76	(45.59 - 51.94)
Region 6a	39.39	(36.18 - 42.69)	30.95	(28.03 - 34.04)	48.95	(45.48 - 52.43)
Region 6bc	35.73	(30.06 - 41.83)	27.98	(23.00 - 33.57)	47.25	(41.50 - 53.08)
Region 7	32.57	(29.07 - 36.28)	20.86	(18.27 - 23.70)	41.10	(37.50 - 44.80)
Region 7a	31.47	(26.78 - 36.58)	19.82	(16.49 - 23.63)	37.06	(32.44 - 41.93)
Region 7bcd	34.01	(29.20 - 39.17)	22.24	(18.65 - 26.30)	47.42	(42.12 - 52.77)
Region 8	34.18	(30.25 - 38.35)	27.94	(23.97 - 32.29)	52.73	(48.27 - 57.15)
Region 9	36.06	(30.68 - 41.81)	31.80	(26.49 - 37.63)	54.36	(48.10 - 60.48)
Region 10	36.25	(30.79 - 42.09)	38.98	(32.86 - 45.47)	60.13	(53.81 - 66.13)
Region 11	40.72	(36.58 - 45.00)	42.85	(38.44 - 47.38)	63.92	(59.65 - 67.98)
Region 11abd	41.73	(36.45 - 47.20)	40.88	(35.31 - 46.68)	63.81	(58.44 - 68.86)
Region 11c (Hidalgo)	38.86	(33.15 - 44.90)	46.47	(40.05 - 53.01)	64.14	(58.03 - 69.82)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	42.93	(39.63 - 46.29)	32.09	(29.16 - 35.18)	46.86	(43.42 - 50.33)
Bear River, Northeastern, Summit, Tooele, and Wasatch	42.57	(36.22 - 49.17)	30.72	(25.03 - 37.07)	48.80	(42.69 - 54.95)
Central, Four Corners, San Juan, and Southwest	43.56	(37.29 - 50.05)	*	(* - *)	*	(* - *)
Davis County	42.25	(35.98 - 48.77)	31.48	(25.73 - 37.86)	46.28	(40.03 - 52.64)
Salt Lake County	40.31	(35.64 - 45.16)	30.91	(26.85 - 35.30)	44.85	(40.11 - 49.69)
Utah County	47.54	(41.70 - 53.45)	34.91	(29.82 - 40.37)	49.03	(43.19 - 54.90)
Weber, Morgan	44.63	(38.31 - 51.12)	*	(* - *)	49.48	(42.76 - 56.22)
Vermont	24.98	(22.38 - 27.78)	13.33	(11.38 - 15.55)	29.85	(26.68 - 33.21)
Champlain Valley	23.87	(20.35 - 27.80)	11.03	(8.76 - 13.79)	27.36	(23.07 - 32.11)
Rural Northeast	24.97	(20.97 - 29.44)	15.47	(12.25 - 19.35)	31.94	(27.09 - 37.21)
Rural Southeast	26.31	(21.84 - 31.32)	14.57	(11.26 - 18.64)	30.78	(25.56 - 36.54)
Rural Southwest	26.07	(21.45 - 31.28)	15.81	(12.24 - 20.18)	31.13	(25.44 - 37.45)
Virginia	37.13	(34.13 - 40.24)	24.14	(21.53 - 26.95)	44.57	(41.28 - 47.91)
Region 1	37.88	(32.06 - 44.09)	24.22	(19.94 - 29.08)	44.30	(38.00 - 50.80)
Region 2	37.89	(32.71 - 43.37)	24.54	(19.93 - 29.81)	38.37	(33.29 - 43.73)
Region 3	36.26	(30.90 - 41.99)	24.39	(19.81 - 29.64)	47.44	(41.40 - 53.57)
Region 4	36.71	(31.46 - 42.30)	23.87	(19.63 - 28.70)	48.96	(43.00 - 54.96)
Region 5	36.83	(31.90 - 42.05)	23.69	(19.57 - 28.37)	46.18	(40.68 - 51.77)
Washington	27.54	(24.73 - 30.54)	16.40	(14.22 - 18.84)	27.60	(24.58 - 30.83)
Region 1	29.83	(24.44 - 35.84)	19.34	(15.24 - 24.24)	32.36	(26.63 - 38.67)
Region 2	*	(* - *)	23.07	(17.99 - 29.08)	*	(* - *)
Region 3	27.23	(22.76 - 32.22)	13.72	(10.42 - 17.86)	28.17	(23.09 - 33.89)
Region 4 (King)	23.89	(19.70 - 28.66)	14.94	(11.89 - 18.60)	22.03	(18.14 - 26.49)
Region 5	28.51	(23.39 - 34.26)	16.23	(12.70 - 20.52)	28.71	(23.63 - 34.40)
Region 6	28.36	(23.30 - 34.03)	15.11	(11.57 - 19.49)	28.91	(23.72 - 34.72)
West Virginia	34.55	(31.63 - 37.60)	26.47	(23.80 - 29.33)	50.42	(46.99 - 53.83)
Eastern Highland	32.91	(27.92 - 38.31)	27.37	(22.67 - 32.64)	50.46	(44.55 - 56.36)
Northern	33.32	(28.92 - 38.02)	22.59	(18.96 - 26.69)	50.50	(45.73 - 55.25)
Northern A and B	32.06	(26.36 - 38.36)	25.05	(19.61 - 31.41)	*	(* - *)
Northern C and D	33.91	(28.52 - 39.74)	21.68	(17.55 - 26.46)	51.27	(45.53 - 56.98)
South Central	35.12	(31.32 - 39.12)	27.66	(23.97 - 31.68)	48.65	(44.19 - 53.13)
South Central I	34.98	(29.20 - 41.23)	*	(* - *)	*	(* - *)
South Central II	38.73	(32.52 - 45.32)	27.81	(22.43 - 33.91)	*	(* - *)
South Central III	32.69	(27.37 - 38.50)	26.97	(21.94 - 32.68)	46.97	(41.03 - 53.00)
Southern	37.30	(32.38 - 42.51)	29.40	(25.04 - 34.17)	53.69	(48.11 - 59.19)
Southern I and III	38.87	(32.51 - 45.63)	30.65	(25.05 - 36.89)	54.17	(47.37 - 60.82)
Southern II	34.25	(28.35 - 40.68)	*	(* - *)	*	(* - *)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	30.50	(27.63 - 33.53)	19.83	(17.53 - 22.35)	36.23	(33.17 - 39.41)
Milwaukee	29.06	(24.11 - 34.56)	20.48	(16.19 - 25.56)	38.49	(32.79 - 44.51)
Northeastern	30.37	(25.74 - 35.44)	21.15	(17.01 - 26.00)	35.98	(30.93 - 41.36)
Northern	31.38	(25.61 - 37.79)	21.69	(16.88 - 27.43)	*	(* - *)
Southeastern	29.14	(24.43 - 34.34)	19.25	(15.27 - 23.97)	32.84	(27.45 - 38.74)
Southern	30.56	(25.50 - 36.13)	17.18	(13.83 - 21.13)	33.31	(28.25 - 38.78)
Western	33.70	(28.00 - 39.92)	20.48	(16.46 - 25.18)	39.32	(33.25 - 45.73)
Wyoming	34.57	(31.57 - 37.70)	19.76	(17.27 - 22.50)	41.09	(37.90 - 44.35)
Judicial District 1 (Laramie)	33.70	(28.23 - 39.64)	20.90	(16.46 - 26.17)	38.96	(33.52 - 44.69)
Judicial District 2	*	(* - *)	14.96	(11.63 - 19.05)	37.87	(31.82 - 44.32)
Judicial District 3	35.06	(29.53 - 41.04)	21.24	(16.77 - 26.51)	41.89	(36.01 - 48.00)
Judicial District 4	34.21	(28.17 - 40.81)	19.90	(15.25 - 25.55)	*	(* - *)
Judicial District 5	34.81	(29.00 - 41.11)	23.96	(18.82 - 29.98)	*	(* - *)
Judicial District 6	37.35	(31.58 - 43.49)	20.54	(15.83 - 26.22)	*	(* - *)
Judicial District 7 (Natrona)	34.28	(28.63 - 40.41)	18.19	(13.97 - 23.35)	39.96	(33.84 - 46.43)
Judicial District 8	38.03	(31.98 - 44.48)	24.77	(19.53 - 30.87)	*	(* - *)
Judicial District 9	34.08	(27.98 - 40.76)	19.31	(14.73 - 24.90)	36.69	(30.53 - 43.32)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	15.11		28.56		7.00	
Alabama	13.22	(11.42 - 15.25)	24.13	(21.49 - 26.99)	5.20	(4.12 - 6.54)
Region 1	13.60	(10.51 - 17.42)	23.63	(18.99 - 28.99)	4.64	(3.24 - 6.59)
Region 2	14.79	(11.55 - 18.75)	26.47	(22.35 - 31.05)	5.71	(4.10 - 7.91)
Region 3	9.41	(6.81 - 12.88)	22.28	(17.73 - 27.61)	4.73	(3.16 - 7.01)
Region 4	13.85	(10.94 - 17.39)	22.99	(18.48 - 28.22)	5.53	(3.93 - 7.75)
Alaska	17.96	(15.58 - 20.62)	37.81	(34.41 - 41.34)	12.39	(10.28 - 14.87)
Gulf Coast	18.72	(14.12 - 24.38)	*	(* - *)	*	(* - *)
Rural	13.47	(9.55 - 18.67)	*	(* - *)	9.32	(6.39 - 13.38)
Southeast	*	(* - *)	*	(* - *)	*	(* - *)
Urban	18.11	(15.18 - 21.47)	38.11	(34.13 - 42.25)	12.34	(9.94 - 15.20)
Arizona	16.48	(14.23 - 19.01)	26.78	(23.92 - 29.84)	6.81	(5.43 - 8.51)
Maricopa	14.45	(11.86 - 17.51)	24.93	(21.53 - 28.67)	6.75	(5.10 - 8.88)
Pima	18.36	(13.72 - 24.13)	30.83	(25.16 - 37.15)	7.27	(5.03 - 10.40)
Rural North	*	(* - *)	*	(* - *)	7.51	(5.02 - 11.09)
Rural South	*	(* - *)	*	(* - *)	5.83	(3.84 - 8.76)
Arkansas	14.67	(12.70 - 16.89)	28.82	(25.80 - 32.04)	6.25	(5.03 - 7.73)
Areas 1 and 5	14.46	(10.97 - 18.81)	30.54	(24.85 - 36.89)	5.94	(4.21 - 8.32)
Areas 2 and 3	17.78	(13.33 - 23.32)	*	(* - *)	5.93	(3.90 - 8.90)
Areas 4 and 7	14.37	(10.89 - 18.73)	25.68	(20.29 - 31.94)	6.07	(4.18 - 8.73)
Area 6	12.91	(9.07 - 18.05)	*	(* - *)	5.72	(3.79 - 8.54)
Areas 8 and 12	16.54	(12.37 - 21.76)	*	(* - *)	6.30	(4.34 - 9.06)
Area 9	14.59	(11.04 - 19.03)	31.09	(25.27 - 37.58)	7.83	(5.65 - 10.75)
Areas 10, 11, and 13	12.27	(8.85 - 16.77)	*	(* - *)	5.19	(3.44 - 7.75)
California	14.56	(13.41 - 15.78)	27.59	(26.05 - 29.18)	8.09	(7.21 - 9.07)
Region 1	20.31	(15.73 - 25.82)	*	(* - *)	12.19	(8.82 - 16.61)
Region 2	19.81	(16.37 - 23.77)	35.09	(30.36 - 40.14)	10.15	(7.76 - 13.17)
Region 3	13.57	(10.16 - 17.88)	27.92	(22.81 - 33.69)	6.21	(4.35 - 8.79)
Region 4	16.11	(12.27 - 20.86)	36.04	(30.07 - 42.46)	12.03	(9.20 - 15.58)
Region 5	16.47	(13.13 - 20.47)	33.76	(29.01 - 38.85)	10.71	(8.37 - 13.62)
Region 6 (Santa Clara)	12.60	(9.49 - 16.55)	27.55	(22.70 - 33.00)	7.15	(5.21 - 9.75)
Region 7	15.96	(11.68 - 21.44)	*	(* - *)	8.59	(5.99 - 12.16)
Region 8	12.58	(9.67 - 16.21)	21.79	(17.41 - 26.91)	5.79	(4.06 - 8.20)
Region 9	16.58	(12.43 - 21.77)	*	(* - *)	8.66	(6.12 - 12.11)
Region 10	15.45	(11.55 - 20.37)	*	(* - *)	8.54	(5.95 - 12.12)
Region 11 (Los Angeles)	12.10	(10.21 - 14.27)	21.28	(18.92 - 23.83)	7.48	(6.14 - 9.09)
Region 12	14.04	(10.91 - 17.89)	27.27	(22.71 - 32.37)	6.01	(4.30 - 8.34)
Region 13 (Riverside)	16.04	(12.15 - 20.86)	26.40	(20.96 - 32.67)	5.62	(3.88 - 8.06)
Region 14 (Orange)	14.28	(11.28 - 17.91)	25.91	(21.86 - 30.41)	7.03	(5.34 - 9.19)
Region 15	14.15	(11.17 - 17.77)	28.91	(24.55 - 33.70)	7.11	(5.38 - 9.35)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	18.65	(16.34 - 21.20)	33.77	(30.66 - 37.03)	10.22	(8.48 - 12.26)
Region 1	17.44	(13.25 - 22.61)	33.98	(28.22 - 40.25)	7.50	(5.21 - 10.67)
Regions 2 and 7	19.44	(16.23 - 23.11)	34.43	(30.28 - 38.82)	11.51	(9.16 - 14.38)
Region 3	18.23	(13.79 - 23.72)	*	(* - *)	8.79	(6.15 - 12.39)
Region 4	*	(* - *)	*	(* - *)	7.61	(5.16 - 11.08)
Regions 5 and 6	17.28	(12.95 - 22.68)	*	(* - *)	9.80	(6.97 - 13.60)
Connecticut	18.64	(16.25 - 21.29)	38.96	(35.67 - 42.36)	7.46	(6.00 - 9.24)
Eastern	19.74	(14.91 - 25.67)	*	(* - *)	8.22	(5.57 - 11.97)
North Central	18.96	(15.06 - 23.59)	38.00	(33.09 - 43.17)	7.21	(5.23 - 9.87)
Northwestern	23.24	(18.36 - 28.97)	*	(* - *)	9.39	(6.79 - 12.85)
South Central	17.48	(13.76 - 21.95)	38.26	(32.69 - 44.15)	6.95	(4.94 - 9.68)
Southwest	14.43	(10.67 - 19.24)	*	(* - *)	6.28	(4.24 - 9.19)
Delaware	16.18	(14.08 - 18.53)	32.47	(29.40 - 35.70)	6.73	(5.41 - 8.34)
Kent	16.75	(12.95 - 21.38)	29.58	(23.88 - 36.00)	6.31	(4.32 - 9.13)
New Castle (excluding Wilmington city)	16.37	(13.67 - 19.49)	35.43	(31.49 - 39.59)	6.71	(5.13 - 8.73)
Sussex	15.61	(11.89 - 20.22)	27.11	(21.72 - 33.26)	5.68	(3.93 - 8.12)
Wilmington City	*	(* - *)	*	(* - *)	10.07	(6.83 - 14.62)
District of Columbia	13.77	(11.77 - 16.03)	34.80	(31.37 - 38.39)	10.68	(8.87 - 12.81)
Ward 1	12.20	(8.54 - 17.14)	*	(* - *)	13.79	(9.98 - 18.75)
Ward 2	*	(* - *)	*	(* - *)	12.61	(9.20 - 17.04)
Ward 3	*	(* - *)	41.40	(34.88 - 48.23)	10.43	(7.53 - 14.26)
Ward 4	12.18	(8.69 - 16.80)	*	(* - *)	7.34	(5.08 - 10.51)
Ward 5	12.11	(8.52 - 16.95)	32.29	(26.26 - 38.97)	8.75	(6.20 - 12.22)
Ward 6	13.78	(9.82 - 19.02)	*	(* - *)	12.80	(9.11 - 17.70)
Ward 7	13.72	(10.52 - 17.70)	*	(* - *)	10.04	(7.16 - 13.91)
Ward 8	14.08	(10.77 - 18.19)	*	(* - *)	9.94	(7.15 - 13.64)
Florida	15.46	(14.27 - 16.73)	29.10	(27.54 - 30.71)	7.70	(6.88 - 8.60)
District 1	20.25	(15.78 - 25.61)	30.65	(24.96 - 37.01)	7.99	(5.82 - 10.88)
District 2	16.04	(12.16 - 20.86)	37.86	(32.35 - 43.71)	10.14	(7.47 - 13.61)
District 3	15.89	(11.83 - 21.02)	32.76	(27.37 - 38.65)	7.71	(5.54 - 10.65)
District 4	17.95	(14.49 - 22.02)	34.03	(29.23 - 39.18)	9.61	(7.38 - 12.43)
District 7	14.32	(11.70 - 17.41)	28.40	(24.79 - 32.32)	8.09	(6.33 - 10.30)
District 8	15.03	(11.49 - 19.42)	25.80	(20.97 - 31.30)	5.47	(3.87 - 7.69)
District 9 (Palm Beach)	14.44	(11.30 - 18.28)	31.96	(27.14 - 37.21)	7.85	(5.84 - 10.48)
District 10 (Broward)	15.95	(13.05 - 19.36)	27.12	(22.88 - 31.83)	8.35	(6.52 - 10.64)
District 11	11.47	(9.20 - 14.23)	22.44	(19.14 - 26.13)	6.22	(4.84 - 7.98)
District 12	16.19	(12.38 - 20.89)	36.61	(31.17 - 42.42)	7.45	(5.36 - 10.27)
District 13	12.79	(9.69 - 16.69)	24.33	(19.30 - 30.18)	4.76	(3.35 - 6.73)
District 14	14.29	(10.99 - 18.37)	23.24	(18.62 - 28.60)	5.51	(3.82 - 7.89)
District 15	13.98	(10.36 - 18.59)	25.66	(20.38 - 31.76)	6.34	(4.38 - 9.08)
Suncoast	18.58	(15.93 - 21.56)	31.66	(28.20 - 35.34)	9.24	(7.57 - 11.23)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	14.09	(12.05 - 16.41)	24.13	(21.26 - 27.25)	6.78	(5.51 - 8.32)
Region 1	11.76	(8.68 - 15.76)	17.41	(13.11 - 22.75)	4.49	(3.07 - 6.51)
Region 2	14.66	(11.27 - 18.86)	22.96	(17.87 - 28.99)	6.71	(4.77 - 9.36)
Region 3	15.07	(11.87 - 18.95)	27.54	(23.06 - 32.52)	7.92	(6.02 - 10.34)
Region 4	13.65	(10.08 - 18.22)	*	(* - *)	6.09	(4.11 - 8.94)
Region 5	13.33	(9.81 - 17.85)	22.97	(18.04 - 28.77)	6.27	(4.29 - 9.08)
Hawaii	17.28	(14.86 - 20.01)	30.00	(26.87 - 33.33)	8.08	(6.49 - 10.01)
Hawaii Island	21.65	(16.62 - 27.70)	*	(* - *)	9.50	(6.61 - 13.47)
Honolulu	15.07	(12.39 - 18.19)	28.45	(25.01 - 32.15)	6.82	(5.23 - 8.85)
Kauai and Maui	*	(* - *)	*	(* - *)	12.63	(9.14 - 17.19)
Idaho	13.76	(11.91 - 15.85)	23.59	(21.01 - 26.37)	5.25	(4.17 - 6.60)
Region 1	18.18	(13.63 - 23.82)	*	(* - *)	6.27	(4.29 - 9.07)
Region 2	*	(* - *)	*	(* - *)	6.30	(4.15 - 9.44)
Region 3	13.84	(10.36 - 18.25)	18.70	(14.28 - 24.10)	4.11	(2.75 - 6.10)
Region 4	13.82	(10.69 - 17.69)	24.88	(20.47 - 29.88)	6.31	(4.57 - 8.65)
Region 5	14.38	(10.70 - 19.06)	20.51	(15.60 - 26.49)	4.59	(3.04 - 6.86)
Region 6	12.71	(9.22 - 17.27)	*	(* - *)	4.46	(2.91 - 6.78)
Region 7	9.04	(6.22 - 12.94)	18.56	(13.80 - 24.49)	3.55	(2.25 - 5.57)
Illinois	14.18	(13.03 - 15.41)	28.74	(27.19 - 30.35)	6.29	(5.52 - 7.16)
Region I (Cook)	15.24	(13.50 - 17.14)	29.36	(26.91 - 31.94)	7.69	(6.42 - 9.17)
Region II	13.83	(11.89 - 16.03)	27.93	(25.28 - 30.73)	5.42	(4.34 - 6.74)
Region III	14.23	(11.51 - 17.47)	29.51	(26.07 - 33.21)	5.89	(4.53 - 7.63)
Region IV	12.12	(9.45 - 15.41)	25.32	(21.38 - 29.71)	4.49	(3.23 - 6.22)
Region V	12.22	(9.76 - 15.19)	29.68	(25.78 - 33.89)	4.57	(3.31 - 6.27)
Indiana	14.58	(12.65 - 16.75)	28.83	(26.00 - 31.82)	6.61	(5.33 - 8.17)
Central	16.98	(13.48 - 21.17)	32.04	(26.88 - 37.69)	8.93	(6.53 - 12.08)
East	14.55	(10.45 - 19.91)	*	(* - *)	6.12	(4.18 - 8.89)
North Central	17.39	(12.99 - 22.88)	30.33	(24.53 - 36.84)	6.23	(4.39 - 8.76)
Northeast	10.53	(7.51 - 14.57)	*	(* - *)	5.55	(3.65 - 8.34)
Northwest	11.41	(8.17 - 15.70)	26.50	(21.02 - 32.81)	6.17	(4.13 - 9.14)
Southeast	12.95	(9.44 - 17.51)	*	(* - *)	4.53	(3.03 - 6.73)
Southwest	13.92	(10.00 - 19.05)	*	(* - *)	6.21	(4.14 - 9.22)
West	14.91	(10.93 - 20.00)	29.27	(23.81 - 35.40)	6.03	(4.05 - 8.87)
Iowa	12.63	(10.83 - 14.70)	25.48	(22.64 - 28.54)	5.46	(4.30 - 6.90)
Central	12.65	(9.20 - 17.15)	*	(* - *)	6.25	(4.29 - 9.01)
North Central	14.07	(10.43 - 18.70)	24.11	(18.86 - 30.27)	5.23	(3.49 - 7.78)
Northeast	12.21	(9.43 - 15.68)	25.71	(21.22 - 30.77)	5.23	(3.59 - 7.55)
Northwest	12.74	(9.48 - 16.91)	*	(* - *)	4.46	(3.01 - 6.57)
Southeast	12.24	(9.04 - 16.38)	27.87	(22.78 - 33.62)	6.41	(4.52 - 9.00)
Southwest	12.60	(9.01 - 17.34)	*	(* - *)	4.61	(3.05 - 6.91)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	14.03	(12.11 - 16.21)	24.48	(21.72 - 27.47)	5.31	(4.21 - 6.68)
Kansas City Metro	14.87	(11.63 - 18.83)	27.60	(23.18 - 32.51)	6.02	(4.36 - 8.26)
Northeast	12.80	(9.37 - 17.24)	21.99	(17.57 - 27.16)	4.48	(3.00 - 6.63)
South Central	15.28	(11.39 - 20.20)	*	(* - *)	4.79	(3.22 - 7.05)
Southeast	14.83	(10.80 - 20.02)	*	(* - *)	5.00	(3.34 - 7.41)
West	11.47	(8.22 - 15.79)	18.28	(13.64 - 24.07)	3.63	(2.34 - 5.57)
Wichita (Sedgwick)	14.53	(10.98 - 18.98)	25.50	(20.08 - 31.81)	6.73	(4.74 - 9.47)
Kentucky	16.35	(14.23 - 18.72)	27.01	(24.28 - 29.92)	7.53	(6.18 - 9.15)
Adanta, Cumberland River, And Lifeskills	13.21	(9.89 - 17.43)	19.63	(15.58 - 24.43)	4.58	(3.10 - 6.72)
Bluegrass, Comprehend, and North Key	16.43	(13.08 - 20.45)	27.04	(22.58 - 32.01)	8.79	(6.56 - 11.70)
Communicare and River Valley	15.82	(11.60 - 21.22)	*	(* - *)	6.87	(4.78 - 9.80)
Four Rivers and Pennyroyal	14.36	(10.47 - 19.39)	*	(* - *)	6.52	(4.48 - 9.39)
Kentucky River, Mountain, And Pathways	14.47	(10.54 - 19.55)	*	(* - *)	5.85	(3.99 - 8.51)
Seven Counties	21.15	(16.57 - 26.59)	34.04	(28.69 - 39.82)	9.96	(7.38 - 13.30)
Louisiana	12.53	(10.74 - 14.56)	26.55	(23.84 - 29.45)	5.83	(4.66 - 7.26)
Region 1	12.61	(9.07 - 17.26)	*	(* - *)	7.92	(5.41 - 11.46)
Regions 2 and 9	13.24	(10.21 - 16.99)	28.65	(24.12 - 33.65)	5.83	(4.20 - 8.04)
Region 3	13.21	(9.33 - 18.39)	*	(* - *)	5.59	(3.73 - 8.29)
Region 4	11.45	(8.37 - 15.47)	25.97	(20.65 - 32.10)	5.67	(3.85 - 8.27)
Regions 5 and 6	10.91	(7.80 - 15.08)	24.66	(19.28 - 30.96)	5.11	(3.49 - 7.43)
Regions 7 and 8	13.36	(10.09 - 17.50)	23.83	(19.16 - 29.23)	5.03	(3.52 - 7.13)
Region 10 (Jefferson)	11.81	(8.37 - 16.41)	*	(* - *)	6.00	(4.03 - 8.86)
Maine	18.23	(16.05 - 20.63)	36.56	(33.62 - 39.61)	7.84	(6.43 - 9.54)
Planning Region 1	17.38	(14.37 - 20.86)	38.85	(34.36 - 43.54)	8.39	(6.49 - 10.79)
Region 1 (Cumberland)	18.68	(14.63 - 23.53)	45.24	(39.05 - 51.58)	9.96	(7.36 - 13.35)
Region 2 (York)	15.61	(11.80 - 20.36)	28.71	(23.13 - 35.01)	6.21	(4.20 - 9.08)
Planning Region 2	19.51	(16.51 - 22.91)	36.30	(32.46 - 40.32)	7.89	(6.18 - 10.02)
Region 3	20.47	(16.05 - 25.73)	37.71	(32.46 - 43.28)	8.51	(6.07 - 11.81)
Region 4	19.53	(14.95 - 25.11)	*	(* - *)	7.78	(5.41 - 11.07)
Region 5	17.97	(13.53 - 23.48)	*	(* - *)	7.09	(4.93 - 10.11)
Planning Region 3	17.37	(14.08 - 21.25)	33.94	(29.34 - 38.87)	6.97	(5.17 - 9.33)
Region 6 (Penobscot)	19.31	(14.83 - 24.77)	35.70	(29.68 - 42.22)	7.76	(5.47 - 10.88)
Region 7	15.66	(11.48 - 20.98)	*	(* - *)	6.35	(4.24 - 9.41)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	15.28	(13.31 - 17.48)	30.05	(26.92 - 33.37)	6.62	(5.38 - 8.14)
Anne Arundel	*	(* - *)	*	(* - *)	6.61	(4.47 - 9.66)
Baltimore City	16.04	(12.16 - 20.88)	*	(* - *)	9.90	(7.01 - 13.82)
Central	15.79	(12.43 - 19.84)	30.21	(24.77 - 36.26)	6.09	(4.28 - 8.60)
Montgomery	15.82	(11.87 - 20.78)	*	(* - *)	5.64	(3.90 - 8.08)
Prince George's	13.70	(10.01 - 18.47)	*	(* - *)	7.82	(5.50 - 11.01)
Rural	15.15	(11.15 - 20.25)	*	(* - *)	6.23	(4.20 - 9.14)
Western	13.66	(10.06 - 18.29)	26.29	(20.92 - 32.49)	4.92	(3.30 - 7.29)
Massachusetts	19.20	(16.88 - 21.76)	38.12	(34.77 - 41.59)	10.40	(8.64 - 12.48)
Boston	15.02	(10.82 - 20.48)	37.61	(31.31 - 44.35)	12.06	(8.60 - 16.66)
Central	18.59	(14.09 - 24.13)	*	(* - *)	9.50	(6.72 - 13.26)
Metrowest	19.70	(15.80 - 24.29)	38.16	(32.26 - 44.43)	9.46	(7.03 - 12.62)
Northeast	16.21	(12.39 - 20.92)	*	(* - *)	9.29	(6.82 - 12.55)
Southeast	23.12	(18.58 - 28.38)	38.05	(31.99 - 44.52)	11.63	(8.65 - 15.47)
Western	*	(* - *)	42.74	(36.42 - 49.31)	11.44	(8.15 - 15.83)
Michigan	16.63	(15.49 - 17.84)	32.26	(30.78 - 33.77)	8.53	(7.62 - 9.53)
Bay	15.73	(12.06 - 20.26)	*	(* - *)	7.17	(5.05 - 10.09)
Detroit City	12.59	(9.96 - 15.80)	34.29	(29.79 - 39.11)	11.68	(8.97 - 15.07)
Genesee	19.58	(15.68 - 24.16)	37.15	(31.48 - 43.21)	10.08	(7.43 - 13.53)
Kalamazoo	17.10	(13.46 - 21.48)	39.13	(34.26 - 44.24)	8.93	(6.54 - 12.09)
Kent	17.31	(13.74 - 21.57)	25.93	(21.97 - 30.33)	8.07	(5.89 - 10.98)
Lakeshore	17.59	(14.40 - 21.31)	29.93	(25.76 - 34.46)	8.35	(6.40 - 10.84)
Macomb	16.33	(13.05 - 20.26)	31.90	(27.21 - 36.99)	8.32	(6.30 - 10.90)
Mid South	18.40	(15.27 - 22.01)	31.42	(27.47 - 35.66)	7.26	(5.49 - 9.55)
Northern	20.55	(16.92 - 24.72)	32.88	(28.39 - 37.71)	7.40	(5.55 - 9.80)
Oakland	16.96	(14.19 - 20.15)	31.04	(27.01 - 35.39)	8.87	(7.00 - 11.18)
Pathways	*	(* - *)	37.82	(31.58 - 44.48)	9.25	(6.55 - 12.90)
Saginaw	14.72	(10.72 - 19.88)	*	(* - *)	7.33	(5.03 - 10.56)
Southeast	15.01	(12.32 - 18.18)	33.07	(29.33 - 37.03)	8.87	(6.92 - 11.31)
St. Clair	16.42	(12.49 - 21.28)	*	(* - *)	7.62	(5.50 - 10.47)
Washtenaw	13.77	(10.52 - 17.82)	33.95	(28.92 - 39.37)	7.90	(5.83 - 10.63)
Western	*	(* - *)	*	(* - *)	5.56	(3.52 - 8.69)
Minnesota	16.73	(14.68 - 19.01)	28.70	(25.70 - 31.91)	7.18	(5.76 - 8.91)
Regions 1 and 2	*	(* - *)	*	(* - *)	7.33	(5.00 - 10.63)
Regions 3 and 4	17.20	(13.39 - 21.83)	28.71	(23.46 - 34.61)	6.21	(4.37 - 8.74)
Regions 5 and 6	17.51	(13.72 - 22.07)	28.24	(22.94 - 34.21)	6.88	(4.74 - 9.89)
Region 7A (Hennepin)	18.25	(14.36 - 22.91)	32.26	(26.66 - 38.41)	8.99	(6.58 - 12.15)
Region 7B (Ramsey)	*	(* - *)	*	(* - *)	8.15	(5.47 - 11.97)
Region 7C	13.26	(10.05 - 17.31)	23.90	(19.05 - 29.52)	5.60	(3.83 - 8.13)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	10.71	(8.97 - 12.73)	21.00	(18.53 - 23.71)	4.87	(3.77 - 6.26)
Region 1	11.10	(8.17 - 14.92)	19.12	(14.99 - 24.07)	4.08	(2.74 - 6.02)
Region 2	9.51	(6.78 - 13.18)	19.29	(14.93 - 24.57)	5.35	(3.51 - 8.05)
Region 3	8.97	(6.33 - 12.56)	18.82	(14.32 - 24.34)	3.97	(2.60 - 6.04)
Region 4	10.26	(7.35 - 14.14)	23.73	(19.03 - 29.17)	5.52	(3.83 - 7.88)
Region 5	8.85	(6.01 - 12.84)	*	(* - *)	4.36	(2.72 - 6.92)
Region 6	11.73	(8.29 - 16.35)	*	(* - *)	4.97	(3.33 - 7.37)
Region 7	13.73	(10.01 - 18.55)	25.29	(20.13 - 31.25)	5.73	(3.83 - 8.49)
Missouri	16.15	(14.10 - 18.44)	30.54	(27.71 - 33.52)	7.43	(6.10 - 9.02)
Central	15.62	(11.84 - 20.33)	32.87	(27.25 - 39.02)	7.41	(5.25 - 10.35)
Eastern	17.25	(14.20 - 20.78)	32.67	(28.21 - 37.47)	8.49	(6.54 - 10.96)
Eastern (St. Louis City and County)	15.76	(12.34 - 19.91)	34.47	(28.93 - 40.46)	9.15	(6.74 - 12.31)
Eastern (excluding St. Louis)	*	(* - *)	*	(* - *)	7.14	(4.90 - 10.29)
Northwest	16.09	(12.93 - 19.85)	31.44	(26.78 - 36.50)	7.89	(6.06 - 10.20)
Northwest (Jackson)	17.96	(13.76 - 23.09)	33.68	(27.74 - 40.18)	10.04	(7.38 - 13.52)
Northwest (excluding Jackson)	14.45	(10.43 - 19.68)	*	(* - *)	5.93	(4.04 - 8.64)
Southeast	14.83	(11.00 - 19.70)	*	(* - *)	5.71	(3.96 - 8.17)
Southwest	15.15	(11.40 - 19.85)	25.69	(21.06 - 30.93)	5.63	(3.93 - 8.02)
Montana	20.36	(18.03 - 22.91)	35.05	(32.04 - 38.19)	8.47	(6.95 - 10.28)
Region 1	18.48	(13.99 - 24.01)	*	(* - *)	6.17	(4.11 - 9.14)
Region 2	19.53	(15.28 - 24.61)	31.29	(25.36 - 37.91)	7.27	(5.13 - 10.21)
Region 3	20.41	(16.13 - 25.48)	28.42	(23.22 - 34.26)	6.99	(4.95 - 9.79)
Region 4	19.65	(15.83 - 24.13)	36.15	(31.57 - 40.99)	8.92	(6.72 - 11.75)
Region 5	21.95	(17.77 - 26.79)	41.34	(36.13 - 46.76)	10.39	(7.73 - 13.83)
Nebraska	14.70	(12.57 - 17.12)	25.06	(22.15 - 28.21)	5.67	(4.51 - 7.11)
Regions 1 and 2	*	(* - *)	*	(* - *)	4.20	(2.73 - 6.41)
Region 3	14.55	(10.69 - 19.50)	*	(* - *)	4.81	(3.20 - 7.16)
Region 4	12.59	(9.15 - 17.06)	18.06	(13.39 - 23.91)	3.66	(2.34 - 5.68)
Region 5	15.02	(11.49 - 19.41)	25.55	(21.14 - 30.52)	6.68	(4.72 - 9.38)
Region 6	14.89	(11.80 - 18.62)	28.38	(23.74 - 33.53)	6.44	(4.80 - 8.59)
Nevada	18.52	(15.99 - 21.35)	27.66	(24.54 - 31.02)	8.04	(6.37 - 10.11)
Clark	18.28	(15.17 - 21.87)	25.95	(22.31 - 29.95)	7.77	(5.87 - 10.22)
Rural	17.80	(13.63 - 22.91)	27.91	(22.35 - 34.25)	7.10	(4.84 - 10.30)
Washoe	20.18	(15.83 - 25.35)	34.65	(28.99 - 40.79)	10.05	(7.22 - 13.84)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	18.77	(16.38 - 21.41)	42.39	(39.01 - 45.84)	10.90	(9.06 - 13.05)
Central	19.74	(16.08 - 24.00)	41.03	(36.27 - 45.95)	9.61	(7.31 - 12.53)
Central 1	19.97	(15.17 - 25.83)	40.31	(34.39 - 46.53)	9.62	(6.81 - 13.40)
Central 2	19.51	(14.79 - 25.29)	*	(* - *)	9.61	(6.78 - 13.44)
Northern	*	(* - *)	*	(* - *)	10.14	(7.15 - 14.20)
Southern	18.16	(15.35 - 21.36)	42.68	(38.42 - 47.06)	11.67	(9.44 - 14.36)
Southern 1 (Rockingham)	19.39	(15.07 - 24.60)	42.19	(35.88 - 48.76)	11.02	(8.10 - 14.83)
Southern 2	17.42	(14.19 - 21.21)	42.93	(37.74 - 48.28)	12.08	(9.37 - 15.43)
New Jersey	13.72	(11.75 - 15.96)	28.28	(25.26 - 31.51)	5.00	(3.90 - 6.39)
Central	15.72	(12.14 - 20.10)	31.67	(26.24 - 37.65)	5.14	(3.60 - 7.28)
Metropolitan	12.19	(9.17 - 16.04)	26.61	(21.60 - 32.30)	5.18	(3.55 - 7.49)
Northern	14.70	(11.36 - 18.82)	26.95	(22.49 - 31.92)	4.59	(3.25 - 6.46)
Southern	12.02	(8.88 - 16.06)	29.08	(23.73 - 35.08)	5.31	(3.56 - 7.83)
New Mexico	19.33	(16.83 - 22.10)	33.94	(30.56 - 37.50)	7.87	(6.29 - 9.81)
Region 1	22.59	(17.87 - 28.13)	31.55	(25.69 - 38.06)	6.90	(4.76 - 9.91)
Region 2	*	(* - *)	*	(* - *)	8.27	(5.77 - 11.72)
Region 3 (Bernalillo)	19.80	(15.99 - 24.26)	37.02	(31.69 - 42.69)	9.45	(7.05 - 12.54)
Region 4	15.77	(11.44 - 21.36)	*	(* - *)	6.44	(4.26 - 9.62)
Region 5	17.66	(13.09 - 23.38)	34.10	(28.42 - 40.28)	6.95	(4.77 - 10.03)
New York	15.51	(14.33 - 16.77)	33.30	(31.64 - 34.99)	8.17	(7.31 - 9.13)
Region A	13.07	(11.42 - 14.91)	27.71	(25.38 - 30.18)	8.69	(7.50 - 10.06)
Region 1	14.29	(10.95 - 18.43)	24.94	(20.08 - 30.54)	6.95	(5.09 - 9.43)
Region 2	10.83	(8.61 - 13.54)	26.80	(23.12 - 30.83)	7.84	(6.06 - 10.09)
Region 3	17.72	(13.64 - 22.71)	37.93	(32.59 - 43.57)	15.05	(12.16 - 18.49)
Region 4	13.14	(10.36 - 16.53)	23.34	(19.60 - 27.56)	6.03	(4.59 - 7.90)
Region B	16.14	(13.98 - 18.56)	36.18	(32.80 - 39.69)	7.18	(5.91 - 8.70)
Region 5	15.95	(13.35 - 18.96)	37.01	(32.91 - 41.31)	7.21	(5.69 - 9.11)
Region 6	16.53	(13.09 - 20.66)	34.38	(28.97 - 40.24)	7.11	(5.30 - 9.48)
Region C	17.92	(16.00 - 20.03)	40.09	(37.50 - 42.73)	8.52	(7.32 - 9.88)
Region 7	15.69	(12.31 - 19.80)	39.88	(33.54 - 46.58)	7.94	(5.74 - 10.89)
Region 8	21.07	(16.69 - 26.23)	44.02	(38.72 - 49.45)	10.32	(7.82 - 13.49)
Region 9	17.80	(14.11 - 22.20)	38.36	(32.90 - 44.12)	7.96	(5.93 - 10.61)
Region 10	21.55	(16.77 - 27.26)	44.20	(38.49 - 50.06)	9.60	(6.86 - 13.27)
Region 11	16.94	(13.41 - 21.17)	40.66	(35.57 - 45.97)	8.12	(6.12 - 10.69)
Region 12	16.54	(13.33 - 20.34)	35.73	(30.65 - 41.16)	7.82	(5.95 - 10.22)
Region D	16.94	(14.22 - 20.06)	34.74	(30.91 - 38.77)	6.97	(5.58 - 8.67)
Region 13	16.33	(12.12 - 21.64)	*	(* - *)	6.20	(4.30 - 8.84)
Region 14	16.14	(12.14 - 21.13)	*	(* - *)	7.18	(5.14 - 9.96)
Region 15	18.20	(13.91 - 23.45)	35.60	(29.67 - 42.00)	7.45	(5.40 - 10.20)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	16.18	(14.09 - 18.50)	26.22	(23.33 - 29.32)	5.85	(4.60 - 7.40)
Eastern	13.87	(10.64 - 17.90)	21.37	(17.08 - 26.40)	4.76	(3.25 - 6.91)
North Central	16.13	(12.46 - 20.63)	27.60	(22.50 - 33.37)	5.84	(4.00 - 8.45)
South Central	14.23	(10.73 - 18.65)	26.75	(21.59 - 32.63)	5.19	(3.54 - 7.55)
Western	19.14	(15.55 - 23.33)	28.02	(23.52 - 33.00)	6.91	(5.09 - 9.33)
North Dakota	16.22	(14.09 - 18.62)	28.34	(25.45 - 31.43)	4.99	(3.88 - 6.40)
Badlands and West Central Lake Region and South Central	14.39	(11.12 - 18.42)	26.62	(21.66 - 32.24)	4.34	(2.96 - 6.31)
North Central and Northwest	15.46	(11.86 - 19.91)	*	(* - *)	4.08	(2.69 - 6.12)
Northeast	15.89	(12.15 - 20.50)	26.21	(20.80 - 32.45)	4.10	(2.75 - 6.07)
Southeast	15.47	(11.46 - 20.56)	27.25	(21.84 - 33.43)	5.04	(3.37 - 7.47)
Southeast	19.47	(15.39 - 24.31)	32.85	(27.99 - 38.12)	6.93	(4.97 - 9.58)
Ohio	14.96	(13.86 - 16.14)	29.52	(28.01 - 31.07)	6.88	(6.11 - 7.73)
Boards 2, 46, 55, and 68	14.70	(11.28 - 18.95)	26.02	(21.25 - 31.43)	5.98	(4.24 - 8.37)
Boards 3, 52, and 85	11.69	(8.70 - 15.54)	25.70	(20.47 - 31.74)	4.87	(3.37 - 7.00)
Boards 4 and 78	14.87	(11.15 - 19.56)	28.26	(22.66 - 34.61)	6.64	(4.73 - 9.25)
Boards 5 and 60	14.40	(10.76 - 19.03)	28.03	(22.50 - 34.32)	5.85	(4.19 - 8.12)
Boards 7, 15, 41, 79, and 84	15.17	(11.59 - 19.61)	28.96	(23.37 - 35.27)	5.61	(4.03 - 7.76)
Boards 8, 13, and 83	14.42	(10.92 - 18.81)	28.47	(22.99 - 34.66)	6.50	(4.69 - 8.95)
Board 9 (Butler)	18.32	(14.20 - 23.31)	29.89	(24.27 - 36.18)	6.31	(4.44 - 8.90)
Board 12	16.24	(12.25 - 21.20)	28.94	(23.70 - 34.81)	6.52	(4.61 - 9.16)
Boards 18 and 47	14.80	(12.26 - 17.75)	32.37	(28.31 - 36.72)	7.48	(5.84 - 9.53)
Boards 20, 32, 54, and 69	11.40	(8.30 - 15.47)	23.71	(18.64 - 29.66)	5.19	(3.57 - 7.50)
Boards 21, 39, 51, 70, and 80	14.22	(10.88 - 18.39)	27.47	(22.59 - 32.95)	5.37	(3.86 - 7.42)
Boards 22, 74, and 87	12.88	(9.50 - 17.22)	28.99	(23.52 - 35.14)	5.55	(3.87 - 7.89)
Boards 23 and 45	11.72	(8.69 - 15.63)	*	(* - *)	4.86	(3.35 - 7.00)
Board 25 (Franklin)	16.71	(13.53 - 20.45)	27.73	(24.03 - 31.76)	9.32	(7.34 - 11.76)
Boards 27, 71, and 73	13.95	(10.79 - 17.86)	22.01	(17.37 - 27.48)	4.84	(3.37 - 6.90)
Boards 28, 43, and 67	11.11	(8.35 - 14.64)	26.45	(21.89 - 31.56)	4.67	(3.24 - 6.68)
Board 31 (Hamilton)	15.20	(11.97 - 19.12)	30.82	(26.42 - 35.60)	7.88	(5.89 - 10.46)
Board 48 (Lucas)	17.31	(13.79 - 21.51)	32.69	(27.29 - 38.59)	7.81	(5.68 - 10.65)
Board 50 and 76	15.54	(12.04 - 19.82)	32.07	(26.65 - 38.01)	7.15	(5.22 - 9.73)
Board 57 (Montgomery)	20.57	(16.06 - 25.95)	38.82	(32.87 - 45.13)	10.63	(7.85 - 14.25)
Board 77 (Summit)	15.04	(11.71 - 19.11)	33.60	(28.38 - 39.27)	7.16	(5.27 - 9.67)
Oklahoma	15.19	(13.14 - 17.50)	24.40	(21.52 - 27.52)	5.63	(4.41 - 7.17)
Central	12.47	(8.87 - 17.25)	*	(* - *)	4.83	(3.16 - 7.30)
East Central	13.86	(10.03 - 18.84)	*	(* - *)	4.19	(2.71 - 6.44)
Northeast	14.72	(10.93 - 19.52)	*	(* - *)	4.59	(3.06 - 6.83)
Northwest and Southwest	12.87	(9.31 - 17.53)	*	(* - *)	4.26	(2.77 - 6.50)
Oklahoma County	17.23	(13.06 - 22.39)	*	(* - *)	7.60	(5.23 - 10.91)
Southeast	14.67	(11.00 - 19.30)	22.15	(17.08 - 28.21)	4.67	(3.14 - 6.91)
Tulsa County	18.94	(14.32 - 24.62)	26.01	(21.11 - 31.59)	7.93	(5.53 - 11.25)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	17.35	(15.17 - 19.77)	35.55	(32.45 - 38.79)	9.25	(7.64 - 11.17)
Region 1 (Multnomah)	16.79	(12.65 - 21.95)	38.62	(33.21 - 44.33)	12.72	(9.74 - 16.45)
Region 2	16.42	(12.91 - 20.65)	35.67	(30.35 - 41.38)	9.10	(6.67 - 12.28)
Region 3	17.61	(14.16 - 21.69)	34.19	(29.46 - 39.25)	8.35	(6.15 - 11.24)
Region 4	17.91	(14.03 - 22.59)	35.21	(29.31 - 41.60)	7.56	(5.37 - 10.55)
Region 5	18.52	(13.88 - 24.27)	*	(* - *)	8.25	(5.68 - 11.85)
Pennsylvania	15.11	(14.00 - 16.29)	30.09	(28.59 - 31.64)	6.18	(5.44 - 7.02)
Region 1 (Allegheny)	17.47	(14.31 - 21.15)	36.08	(31.72 - 40.68)	7.69	(5.84 - 10.07)
Regions 2, 3, 8, and 9	13.32	(10.19 - 17.24)	23.99	(19.25 - 29.46)	4.41	(3.06 - 6.30)
Regions 4, 11, 42, and 48	14.65	(11.73 - 18.14)	30.19	(25.43 - 35.42)	5.45	(3.91 - 7.54)
Regions 5, 20, 26, 28, and 40	13.98	(11.01 - 17.60)	25.93	(21.92 - 30.39)	4.77	(3.45 - 6.58)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	14.59	(11.43 - 18.44)	34.54	(30.13 - 39.24)	4.99	(3.56 - 6.94)
Regions 7, 13, 22, and 37	15.90	(13.46 - 18.69)	32.06	(28.53 - 35.81)	6.48	(5.12 - 8.17)
Regions 10, 14, 15, 25, 31, 36, and 46	12.40	(9.53 - 15.97)	24.83	(20.19 - 30.14)	4.68	(3.37 - 6.48)
Regions 17, 24, 27, 43, and 47	12.80	(9.84 - 16.49)	27.04	(22.10 - 32.62)	4.70	(3.35 - 6.56)
Region 18 (Philadelphia)	16.50	(13.63 - 19.84)	30.56	(26.98 - 34.39)	9.91	(7.83 - 12.48)
Regions 19 and 23	15.97	(11.92 - 21.07)	31.11	(25.34 - 37.53)	6.21	(4.36 - 8.77)
Regions 21, 30, 32, and 49	13.97	(11.37 - 17.05)	24.56	(20.89 - 28.64)	4.95	(3.72 - 6.56)
Regions 29 and 34	15.62	(12.03 - 20.03)	35.56	(29.93 - 41.61)	6.04	(4.28 - 8.45)
Regions 33 and 38	15.53	(11.97 - 19.90)	29.28	(24.09 - 35.08)	5.56	(3.94 - 7.79)
Rhode Island	19.33	(16.72 - 22.23)	45.13	(41.58 - 48.74)	9.61	(7.87 - 11.68)
Bristol and Newport	20.14	(15.44 - 25.84)	*	(* - *)	10.53	(7.54 - 14.52)
Kent	17.31	(13.01 - 22.66)	*	(* - *)	8.85	(6.33 - 12.24)
Providence	18.77	(15.52 - 22.51)	42.50	(38.17 - 46.96)	8.99	(6.95 - 11.54)
Washington	*	(* - *)	*	(* - *)	*	(* - *)
South Carolina	13.75	(11.84 - 15.91)	25.68	(22.81 - 28.78)	6.03	(4.81 - 7.53)
Region 1	15.17	(11.66 - 19.50)	25.67	(20.97 - 31.00)	5.84	(4.12 - 8.22)
Region 2	11.94	(9.36 - 15.10)	27.14	(23.03 - 31.69)	6.21	(4.59 - 8.35)
Region 3	11.88	(8.82 - 15.83)	*	(* - *)	5.57	(3.88 - 7.95)
Region 4	15.66	(12.08 - 20.06)	26.38	(21.34 - 32.12)	6.34	(4.44 - 8.99)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	16.47	(14.23 - 18.99)	26.38	(23.53 - 29.45)	4.98	(3.87 - 6.40)
Eastern Planning Area	14.36	(12.12 - 16.94)	24.87	(21.81 - 28.20)	4.53	(3.44 - 5.95)
Region 3 (Minnehaha)	17.37	(13.44 - 22.15)	28.73	(23.89 - 34.11)	5.62	(3.93 - 7.98)
Region 4	12.11	(8.83 - 16.40)	*	(* - *)	3.79	(2.46 - 5.80)
Region 5	13.48	(9.89 - 18.13)	*	(* - *)	4.35	(2.80 - 6.70)
Region 6	13.05	(9.49 - 17.70)	21.76	(16.82 - 27.66)	3.60	(2.31 - 5.56)
Region 7	14.40	(10.28 - 19.79)	25.27	(19.93 - 31.47)	4.78	(3.11 - 7.27)
Western Planning Area	20.89	(17.00 - 25.39)	30.10	(25.41 - 35.24)	6.09	(4.37 - 8.44)
Region 1 (Pennington)	*	(* - *)	30.42	(24.88 - 36.59)	6.23	(4.19 - 9.19)
Region 2	21.47	(16.67 - 27.20)	*	(* - *)	5.99	(3.97 - 8.96)
Tennessee	13.12	(11.31 - 15.17)	21.78	(18.97 - 24.88)	5.26	(4.22 - 6.54)
Region 1	*	(* - *)	*	(* - *)	5.53	(3.65 - 8.28)
Region 2	14.94	(11.20 - 19.66)	*	(* - *)	5.77	(4.00 - 8.25)
Region 3	13.11	(9.85 - 17.24)	22.45	(17.49 - 28.34)	4.75	(3.34 - 6.71)
Region 4 (Davidson)	14.06	(10.14 - 19.16)	24.22	(19.05 - 30.28)	7.83	(5.43 - 11.18)
Region 5	12.39	(9.25 - 16.41)	18.03	(13.80 - 23.20)	3.94	(2.66 - 5.80)
Region 6	12.08	(8.72 - 16.50)	*	(* - *)	4.79	(3.22 - 7.07)
Region 7 (Shelby)	10.53	(7.59 - 14.44)	*	(* - *)	5.50	(3.71 - 8.08)
Texas	13.17	(12.10 - 14.32)	21.98	(20.60 - 23.43)	5.10	(4.46 - 5.82)
Region 1	14.32	(10.70 - 18.92)	24.47	(20.12 - 29.42)	5.21	(3.72 - 7.26)
Region 2	12.70	(9.06 - 17.52)	*	(* - *)	4.63	(3.17 - 6.72)
Region 3	12.55	(10.85 - 14.47)	20.39	(18.23 - 22.72)	5.35	(4.38 - 6.53)
Region 3a	12.89	(10.74 - 15.40)	20.35	(17.73 - 23.25)	5.60	(4.41 - 7.10)
Region 3bc	11.96	(9.37 - 15.14)	20.44	(16.84 - 24.59)	4.92	(3.64 - 6.62)
Region 4	12.78	(9.63 - 16.77)	20.69	(16.42 - 25.72)	4.35	(3.04 - 6.19)
Region 5	13.69	(10.19 - 18.15)	22.51	(17.44 - 28.54)	4.91	(3.43 - 6.98)
Region 6	12.50	(10.67 - 14.60)	20.15	(17.77 - 22.76)	5.19	(4.17 - 6.45)
Region 6a	12.20	(10.26 - 14.45)	19.53	(17.00 - 22.33)	5.12	(4.01 - 6.52)
Region 6bc	15.01	(11.09 - 20.01)	26.03	(20.59 - 32.32)	5.75	(4.04 - 8.13)
Region 7	15.60	(12.94 - 18.70)	32.04	(28.67 - 35.60)	7.37	(5.82 - 9.31)
Region 7a	15.81	(12.42 - 19.91)	33.61	(29.09 - 38.45)	8.45	(6.34 - 11.17)
Region 7bcd	15.33	(11.90 - 19.53)	29.95	(25.25 - 35.11)	5.70	(4.11 - 7.84)
Region 8	13.76	(10.92 - 17.20)	21.63	(17.82 - 26.01)	4.26	(3.10 - 5.82)
Region 9	15.55	(11.57 - 20.58)	21.40	(16.59 - 27.15)	4.72	(3.20 - 6.92)
Region 10	13.24	(9.74 - 17.75)	18.12	(13.72 - 23.55)	3.57	(2.43 - 5.20)
Region 11	12.09	(9.63 - 15.08)	16.47	(13.48 - 19.96)	3.28	(2.38 - 4.50)
Region 11abd	12.85	(9.65 - 16.92)	17.75	(13.91 - 22.37)	3.47	(2.35 - 5.10)
Region 11c (Hidalgo)	10.69	(7.62 - 14.79)	14.11	(10.33 - 18.98)	2.86	(1.89 - 4.31)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	10.89	(9.15 - 12.91)	18.97	(16.52 - 21.70)	4.08	(3.03 - 5.49)
Bear River, Northeastern, Summit, Tooele, and Wasatch	11.93	(8.56 - 16.39)	*	(* - *)	3.89	(2.48 - 6.04)
Central, Four Corners, San Juan, and Southwest	8.83	(6.12 - 12.59)	*	(* - *)	2.75	(1.68 - 4.47)
Davis County	10.85	(7.62 - 15.22)	*	(* - *)	3.86	(2.42 - 6.10)
Salt Lake County	13.15	(10.29 - 16.66)	22.87	(19.09 - 27.16)	5.22	(3.62 - 7.48)
Utah County	6.84	(4.62 - 10.00)	12.45	(9.18 - 16.67)	2.15	(1.28 - 3.58)
Weber, Morgan	11.54	(8.15 - 16.08)	*	(* - *)	4.17	(2.63 - 6.55)
Vermont	20.86	(18.48 - 23.45)	43.75	(40.43 - 47.14)	10.00	(8.24 - 12.09)
Champlain Valley	20.36	(16.77 - 24.48)	47.03	(42.33 - 51.77)	10.69	(8.25 - 13.75)
Rural Northeast	22.18	(18.23 - 26.71)	42.44	(36.80 - 48.28)	10.11	(7.52 - 13.47)
Rural Southeast	20.01	(15.75 - 25.08)	41.16	(34.78 - 47.86)	10.00	(7.31 - 13.53)
Rural Southwest	21.25	(16.64 - 26.74)	*	(* - *)	8.34	(5.95 - 11.57)
Virginia	14.14	(12.15 - 16.38)	29.57	(26.65 - 32.66)	5.75	(4.57 - 7.23)
Region 1	14.10	(10.31 - 19.00)	31.06	(25.79 - 36.87)	5.26	(3.53 - 7.77)
Region 2	13.24	(10.03 - 17.28)	27.69	(22.53 - 33.53)	5.80	(4.04 - 8.24)
Region 3	17.27	(13.17 - 22.31)	30.39	(24.76 - 36.67)	5.98	(4.20 - 8.44)
Region 4	13.65	(10.29 - 17.88)	28.87	(23.95 - 34.34)	6.11	(4.31 - 8.60)
Region 5	13.15	(10.04 - 17.06)	30.31	(25.18 - 35.98)	5.57	(3.92 - 7.85)
Washington	15.85	(13.77 - 18.18)	32.87	(29.74 - 36.15)	8.33	(6.85 - 10.10)
Region 1	15.38	(11.40 - 20.44)	32.65	(26.66 - 39.26)	7.35	(5.05 - 10.59)
Region 2	13.63	(9.74 - 18.76)	*	(* - *)	6.33	(4.22 - 9.38)
Region 3	16.63	(12.88 - 21.20)	*	(* - *)	7.68	(5.46 - 10.71)
Region 4 (King)	15.31	(11.90 - 19.47)	33.37	(28.42 - 38.73)	9.60	(7.29 - 12.54)
Region 5	18.05	(13.81 - 23.26)	35.28	(29.14 - 41.94)	8.76	(6.28 - 12.10)
Region 6	15.55	(11.50 - 20.69)	*	(* - *)	8.00	(5.70 - 11.11)
West Virginia	15.51	(13.42 - 17.85)	29.24	(26.43 - 32.21)	5.87	(4.74 - 7.24)
Eastern Highland	15.75	(12.07 - 20.30)	27.00	(22.16 - 32.44)	5.83	(4.15 - 8.12)
Northern	14.84	(11.76 - 18.55)	33.39	(28.81 - 38.30)	5.93	(4.44 - 7.87)
Northern A and B	*	(* - *)	*	(* - *)	5.28	(3.51 - 7.88)
Northern C and D	14.05	(10.47 - 18.61)	35.20	(29.68 - 41.13)	6.28	(4.48 - 8.74)
South Central	15.79	(13.14 - 18.85)	27.59	(23.74 - 31.80)	5.47	(4.18 - 7.13)
South Central I	14.88	(10.94 - 19.92)	*	(* - *)	4.86	(3.22 - 7.28)
South Central II	15.16	(11.06 - 20.44)	*	(* - *)	5.63	(3.82 - 8.23)
South Central III	16.82	(12.77 - 21.83)	27.66	(22.11 - 33.99)	5.74	(4.01 - 8.15)
Southern	15.64	(12.12 - 19.95)	28.23	(23.46 - 33.53)	6.62	(4.80 - 9.05)
Southern I and III	15.98	(11.58 - 21.64)	*	(* - *)	6.71	(4.60 - 9.70)
Southern II	14.97	(10.78 - 20.43)	*	(* - *)	6.43	(4.29 - 9.55)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	16.95	(14.84 - 19.31)	30.38	(27.56 - 33.37)	6.14	(4.92 - 7.65)
Milwaukee	17.81	(13.66 - 22.89)	34.36	(28.20 - 41.10)	7.60	(5.30 - 10.77)
Northeastern	15.85	(12.37 - 20.08)	27.81	(22.77 - 33.47)	5.54	(3.83 - 7.94)
Northern	17.33	(12.88 - 22.91)	*	(* - *)	5.61	(3.74 - 8.35)
Southeastern	17.74	(13.76 - 22.57)	30.14	(24.44 - 36.53)	5.48	(3.76 - 7.93)
Southern	17.62	(13.52 - 22.64)	31.74	(26.88 - 37.03)	7.05	(5.08 - 9.69)
Western	15.41	(11.63 - 20.13)	27.77	(22.63 - 33.56)	5.50	(3.75 - 8.01)
Wyoming	14.79	(12.84 - 16.98)	27.36	(24.53 - 30.38)	6.53	(5.27 - 8.06)
Judicial District 1 (Laramie)	16.42	(12.37 - 21.46)	*	(* - *)	5.84	(4.01 - 8.43)
Judicial District 2	14.30	(10.25 - 19.61)	32.20	(26.80 - 38.12)	8.74	(5.95 - 12.65)
Judicial District 3	14.84	(11.28 - 19.27)	24.17	(19.01 - 30.21)	6.45	(4.50 - 9.15)
Judicial District 4	15.64	(11.31 - 21.21)	*	(* - *)	5.59	(3.81 - 8.13)
Judicial District 5	12.41	(8.92 - 17.01)	*	(* - *)	5.34	(3.53 - 7.99)
Judicial District 6	12.82	(9.37 - 17.31)	*	(* - *)	5.74	(3.85 - 8.49)
Judicial District 7 (Natrona)	15.82	(11.84 - 20.81)	*	(* - *)	7.05	(4.84 - 10.17)
Judicial District 8	11.32	(7.99 - 15.80)	*	(* - *)	4.46	(2.84 - 6.94)
Judicial District 9	*	(* - *)	*	(* - *)	8.77	(6.09 - 12.47)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	1.81		6.66		1.82	
Alabama	1.67	(1.19 - 2.36)	5.61	(4.45 - 7.04)	1.68	(1.17 - 2.41)
Region 1	2.05	(1.23 - 3.40)	5.62	(3.85 - 8.14)	1.34	(0.83 - 2.16)
Region 2	1.84	(1.11 - 3.06)	6.18	(4.47 - 8.50)	1.95	(1.22 - 3.11)
Region 3	1.20	(0.67 - 2.12)	4.88	(3.42 - 6.92)	2.02	(1.21 - 3.35)
Region 4	1.41	(0.80 - 2.46)	5.43	(3.70 - 7.90)	1.47	(0.87 - 2.46)
Alaska	2.26	(1.57 - 3.24)	8.78	(7.05 - 10.87)	1.53	(0.96 - 2.45)
Gulf Coast	2.46	(1.37 - 4.40)	9.23	(6.22 - 13.50)	1.44	(0.77 - 2.68)
Rural	1.60	(0.80 - 3.15)	3.73	(2.30 - 5.99)	1.44	(0.74 - 2.78)
Southeast	2.89	(1.58 - 5.22)	10.57	(7.16 - 15.32)	1.66	(0.88 - 3.09)
Urban	2.24	(1.45 - 3.43)	9.38	(7.35 - 11.90)	1.54	(0.93 - 2.55)
Arizona	2.87	(2.03 - 4.04)	8.59	(6.99 - 10.50)	2.64	(1.87 - 3.72)
Maricopa	2.66	(1.74 - 4.04)	7.97	(6.17 - 10.25)	2.68	(1.82 - 3.93)
Pima	3.10	(1.71 - 5.54)	11.24	(8.07 - 15.44)	3.18	(1.95 - 5.14)
Rural North	3.44	(1.99 - 5.86)	8.12	(5.46 - 11.92)	2.06	(1.25 - 3.37)
Rural South	3.03	(1.66 - 5.48)	8.48	(5.61 - 12.61)	*	(* - *)
Arkansas	1.72	(1.22 - 2.41)	5.70	(4.47 - 7.24)	1.33	(0.91 - 1.94)
Areas 1 and 5	1.68	(0.97 - 2.90)	6.24	(4.23 - 9.10)	1.11	(0.66 - 1.88)
Areas 2 and 3	2.02	(1.16 - 3.51)	5.41	(3.56 - 8.15)	*	(* - *)
Areas 4 and 7	1.85	(1.05 - 3.24)	5.51	(3.76 - 8.00)	1.48	(0.84 - 2.57)
Area 6	1.87	(1.02 - 3.41)	5.89	(3.95 - 8.72)	*	(* - *)
Areas 8 and 12	1.48	(0.81 - 2.71)	5.59	(3.65 - 8.48)	1.51	(0.88 - 2.59)
Area 9	1.69	(0.94 - 3.02)	5.84	(4.02 - 8.42)	1.70	(1.03 - 2.80)
Areas 10, 11, and 13	1.45	(0.78 - 2.67)	4.79	(3.24 - 7.03)	1.42	(0.82 - 2.45)
California	1.67	(1.32 - 2.11)	6.54	(5.75 - 7.44)	1.99	(1.62 - 2.43)
Region 1	2.10	(1.22 - 3.59)	8.03	(5.61 - 11.36)	1.87	(1.20 - 2.90)
Region 2	1.85	(1.15 - 2.96)	7.48	(5.54 - 10.02)	1.89	(1.28 - 2.78)
Region 3	1.91	(1.15 - 3.15)	6.52	(4.62 - 9.13)	1.62	(1.05 - 2.48)
Region 4	1.77	(1.01 - 3.07)	7.43	(5.27 - 10.39)	3.27	(2.21 - 4.83)
Region 5	1.66	(0.99 - 2.76)	6.43	(4.74 - 8.67)	2.04	(1.37 - 3.03)
Region 6 (Santa Clara)	1.54	(0.87 - 2.73)	5.79	(4.08 - 8.15)	1.66	(1.09 - 2.52)
Region 7	2.01	(1.15 - 3.48)	7.17	(4.92 - 10.33)	2.00	(1.28 - 3.11)
Region 8	2.16	(1.29 - 3.59)	7.63	(5.56 - 10.40)	2.08	(1.35 - 3.20)
Region 9	1.91	(1.11 - 3.26)	7.23	(4.99 - 10.36)	2.04	(1.32 - 3.13)
Region 10	1.77	(1.03 - 3.03)	8.61	(6.12 - 11.99)	1.72	(1.10 - 2.68)
Region 11 (Los Angeles)	1.26	(0.80 - 1.98)	5.62	(4.45 - 7.07)	2.12	(1.54 - 2.90)
Region 12	1.88	(1.13 - 3.11)	5.94	(4.23 - 8.29)	1.53	(0.97 - 2.40)
Region 13 (Riverside)	2.00	(1.13 - 3.51)	5.91	(4.10 - 8.47)	1.55	(1.00 - 2.39)
Region 14 (Orange)	1.64	(1.00 - 2.70)	6.20	(4.55 - 8.40)	1.55	(1.03 - 2.33)
Region 15	1.80	(1.09 - 2.95)	7.46	(5.50 - 10.04)	2.09	(1.42 - 3.05)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	2.29	(1.63 - 3.21)	9.61	(7.88 - 11.67)	2.83	(2.01 - 3.96)
Region 1	2.43	(1.40 - 4.18)	9.86	(7.04 - 13.64)	2.34	(1.45 - 3.74)
Regions 2 and 7	2.27	(1.44 - 3.54)	10.25	(8.04 - 12.98)	3.18	(2.15 - 4.67)
Region 3	2.13	(1.22 - 3.69)	8.63	(5.90 - 12.46)	2.47	(1.50 - 4.03)
Region 4	2.36	(1.30 - 4.27)	8.28	(5.55 - 12.17)	2.25	(1.35 - 3.71)
Regions 5 and 6	2.42	(1.35 - 4.31)	7.98	(5.41 - 11.62)	2.35	(1.43 - 3.85)
Connecticut	1.85	(1.29 - 2.64)	7.38	(5.92 - 9.16)	1.40	(0.91 - 2.17)
Eastern	1.88	(1.05 - 3.33)	7.64	(5.23 - 11.03)	1.36	(0.77 - 2.38)
North Central	1.68	(0.97 - 2.90)	6.42	(4.58 - 8.92)	1.45	(0.81 - 2.59)
Northwestern	2.48	(1.42 - 4.31)	8.45	(5.82 - 12.11)	1.25	(0.70 - 2.22)
South Central	1.59	(0.91 - 2.77)	7.62	(5.52 - 10.42)	1.46	(0.84 - 2.52)
Southwest	1.80	(1.02 - 3.16)	7.38	(5.05 - 10.68)	1.44	(0.80 - 2.55)
Delaware	1.43	(0.99 - 2.06)	7.27	(5.82 - 9.05)	1.99	(1.42 - 2.77)
Kent	1.44	(0.82 - 2.52)	6.28	(4.29 - 9.12)	1.86	(1.13 - 3.05)
New Castle (excluding Wilmington city)	1.48	(0.91 - 2.39)	8.24	(6.32 - 10.67)	1.90	(1.27 - 2.85)
Sussex	1.62	(0.94 - 2.78)	6.77	(4.65 - 9.75)	1.74	(1.05 - 2.87)
Wilmington City	*	(* - *)	4.32	(2.82 - 6.58)	3.25	(1.93 - 5.42)
District of Columbia	0.63	(0.41 - 0.96)	4.73	(3.55 - 6.28)	3.18	(2.23 - 4.50)
Ward 1	*	(* - *)	5.25	(3.43 - 7.96)	3.08	(1.77 - 5.31)
Ward 2	*	(* - *)	6.75	(4.50 - 10.01)	2.92	(1.67 - 5.04)
Ward 3	1.52	(0.80 - 2.87)	6.52	(4.37 - 9.61)	2.27	(1.29 - 3.97)
Ward 4	*	(* - *)	4.21	(2.63 - 6.68)	3.00	(1.74 - 5.12)
Ward 5	*	(* - *)	3.33	(2.17 - 5.07)	3.77	(2.16 - 6.50)
Ward 6	*	(* - *)	5.44	(3.47 - 8.44)	3.36	(1.94 - 5.73)
Ward 7	0.27	(0.13 - 0.57)	1.75	(1.05 - 2.90)	3.96	(2.27 - 6.82)
Ward 8	0.32	(0.16 - 0.66)	1.72	(1.04 - 2.82)	3.45	(1.95 - 6.03)
Florida	1.92	(1.55 - 2.37)	7.31	(6.45 - 8.26)	2.01	(1.63 - 2.47)
District 1	2.10	(1.24 - 3.55)	8.21	(5.92 - 11.29)	1.92	(1.23 - 2.97)
District 2	1.75	(1.02 - 2.98)	7.29	(5.32 - 9.92)	2.13	(1.37 - 3.28)
District 3	1.93	(1.09 - 3.41)	6.14	(4.27 - 8.75)	1.91	(1.19 - 3.05)
District 4	1.74	(1.07 - 2.83)	7.04	(5.18 - 9.49)	2.15	(1.42 - 3.25)
District 7	1.90	(1.21 - 2.99)	7.44	(5.71 - 9.65)	1.79	(1.21 - 2.63)
District 8	2.04	(1.21 - 3.42)	7.32	(5.15 - 10.31)	1.50	(0.95 - 2.37)
District 9 (Palm Beach)	1.77	(1.07 - 2.92)	8.35	(6.17 - 11.20)	2.28	(1.52 - 3.40)
District 10 (Broward)	1.63	(1.02 - 2.59)	7.81	(5.81 - 10.43)	2.46	(1.70 - 3.55)
District 11	1.41	(0.86 - 2.29)	5.54	(4.14 - 7.39)	2.25	(1.51 - 3.34)
District 12	1.94	(1.13 - 3.32)	9.41	(6.85 - 12.81)	2.21	(1.45 - 3.37)
District 13	2.02	(1.21 - 3.37)	6.92	(4.87 - 9.76)	1.34	(0.83 - 2.15)
District 14	2.13	(1.28 - 3.52)	6.79	(4.78 - 9.56)	1.61	(1.02 - 2.52)
District 15	2.07	(1.20 - 3.57)	8.36	(5.98 - 11.57)	1.70	(1.08 - 2.66)
Suncoast	2.57	(1.77 - 3.73)	8.18	(6.47 - 10.29)	2.02	(1.41 - 2.89)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	1.58	(1.11 - 2.26)	4.92	(3.80 - 6.34)	1.95	(1.38 - 2.74)
Region 1	1.78	(1.03 - 3.06)	5.18	(3.47 - 7.67)	1.32	(0.80 - 2.18)
Region 2	1.81	(1.04 - 3.14)	5.24	(3.51 - 7.75)	2.02	(1.24 - 3.27)
Region 3	1.52	(0.90 - 2.55)	4.97	(3.50 - 7.02)	2.02	(1.29 - 3.14)
Region 4	1.26	(0.70 - 2.26)	4.05	(2.68 - 6.07)	2.41	(1.42 - 4.06)
Region 5	1.64	(0.92 - 2.92)	5.00	(3.36 - 7.39)	1.83	(1.09 - 3.06)
Hawaii	1.58	(1.03 - 2.42)	5.79	(4.44 - 7.50)	1.41	(0.93 - 2.14)
Hawaii Island	1.56	(0.88 - 2.76)	5.69	(3.66 - 8.75)	1.45	(0.83 - 2.53)
Honolulu	1.61	(0.97 - 2.68)	5.83	(4.32 - 7.82)	1.40	(0.87 - 2.23)
Kauai and Maui	1.45	(0.79 - 2.65)	5.61	(3.70 - 8.42)	1.42	(0.83 - 2.42)
Idaho	1.68	(1.16 - 2.44)	4.82	(3.69 - 6.26)	0.93	(0.58 - 1.48)
Region 1	1.60	(0.87 - 2.94)	6.06	(4.00 - 9.07)	0.90	(0.49 - 1.63)
Region 2	*	(* - *)	5.19	(3.36 - 7.96)	*	(* - *)
Region 3	2.00	(1.10 - 3.59)	4.91	(3.23 - 7.40)	0.85	(0.46 - 1.57)
Region 4	1.51	(0.86 - 2.62)	4.84	(3.28 - 7.08)	1.00	(0.56 - 1.80)
Region 5	2.08	(1.15 - 3.75)	4.70	(3.07 - 7.15)	0.82	(0.45 - 1.50)
Region 6	1.56	(0.83 - 2.91)	4.35	(2.79 - 6.71)	*	(* - *)
Region 7	1.51	(0.80 - 2.82)	4.03	(2.59 - 6.22)	*	(* - *)
Illinois	1.48	(1.17 - 1.87)	6.40	(5.62 - 7.29)	2.01	(1.59 - 2.53)
Region I (Cook)	1.18	(0.82 - 1.71)	5.51	(4.46 - 6.78)	2.59	(1.92 - 3.49)
Region II	1.61	(1.09 - 2.36)	7.01	(5.67 - 8.64)	1.59	(1.13 - 2.24)
Region III	1.69	(1.04 - 2.73)	7.35	(5.67 - 9.47)	1.48	(0.96 - 2.28)
Region IV	1.77	(1.08 - 2.87)	7.41	(5.51 - 9.89)	1.50	(0.99 - 2.28)
Region V	1.89	(1.18 - 3.01)	6.81	(5.20 - 8.88)	1.66	(1.10 - 2.51)
Indiana	1.84	(1.33 - 2.54)	7.05	(5.68 - 8.73)	1.64	(1.14 - 2.36)
Central	1.64	(0.95 - 2.80)	7.71	(5.57 - 10.57)	2.08	(1.27 - 3.39)
East	1.80	(0.99 - 3.24)	6.83	(4.69 - 9.86)	1.50	(0.90 - 2.48)
North Central	2.06	(1.21 - 3.48)	6.42	(4.36 - 9.35)	1.44	(0.87 - 2.37)
Northeast	1.69	(0.93 - 3.04)	7.24	(4.83 - 10.70)	1.54	(0.93 - 2.54)
Northwest	1.80	(0.99 - 3.22)	6.61	(4.49 - 9.65)	1.85	(1.11 - 3.08)
Southeast	2.08	(1.17 - 3.65)	7.05	(4.75 - 10.35)	1.24	(0.73 - 2.08)
Southwest	1.82	(0.99 - 3.33)	6.91	(4.57 - 10.33)	*	(* - *)
West	1.97	(1.09 - 3.51)	7.07	(4.80 - 10.30)	1.48	(0.89 - 2.44)
Iowa	1.89	(1.35 - 2.64)	6.07	(4.81 - 7.64)	1.35	(0.93 - 1.95)
Central	1.64	(0.91 - 2.95)	6.36	(4.29 - 9.32)	1.37	(0.82 - 2.27)
North Central	2.31	(1.29 - 4.10)	6.06	(4.04 - 8.97)	1.29	(0.77 - 2.18)
Northeast	2.01	(1.20 - 3.34)	6.45	(4.60 - 8.97)	1.40	(0.86 - 2.29)
Northwest	1.93	(1.10 - 3.38)	5.53	(3.75 - 8.08)	1.13	(0.68 - 1.89)
Southeast	1.58	(0.88 - 2.81)	5.99	(4.15 - 8.56)	1.54	(0.93 - 2.54)
Southwest	2.03	(1.15 - 3.55)	5.64	(3.67 - 8.58)	1.17	(0.67 - 2.03)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	1.72	(1.20 - 2.44)	6.04	(4.78 - 7.60)	1.31	(0.87 - 1.96)
Kansas City Metro	1.55	(0.89 - 2.69)	6.31	(4.54 - 8.71)	1.39	(0.84 - 2.29)
Northeast	1.80	(1.00 - 3.21)	5.22	(3.54 - 7.63)	1.19	(0.70 - 2.02)
South Central	1.76	(0.97 - 3.17)	6.16	(4.21 - 8.95)	1.07	(0.60 - 1.91)
Southeast	*	(* - *)	5.90	(3.94 - 8.76)	*	(* - *)
West	1.99	(1.11 - 3.56)	5.87	(3.85 - 8.86)	*	(* - *)
Wichita (Sedgwick)	1.64	(0.93 - 2.87)	6.64	(4.46 - 9.78)	1.69	(0.99 - 2.86)
Kentucky	1.86	(1.35 - 2.56)	6.64	(5.33 - 8.23)	1.91	(1.38 - 2.64)
Adanta, Cumberland River, And Lifeskills	2.15	(1.26 - 3.64)	6.38	(4.54 - 8.90)	1.48	(0.92 - 2.35)
Bluegrass, Comprehend, and North Key	1.85	(1.13 - 3.03)	6.72	(4.81 - 9.30)	2.17	(1.38 - 3.40)
Communicare and River Valley	2.02	(1.17 - 3.45)	6.57	(4.42 - 9.65)	1.74	(1.08 - 2.79)
Four Rivers and Pennyroyal	1.73	(0.96 - 3.11)	6.11	(3.97 - 9.29)	1.65	(1.01 - 2.68)
Kentucky River, Mountain, And Pathways	2.23	(1.27 - 3.87)	7.19	(4.99 - 10.26)	1.71	(1.05 - 2.77)
Seven Counties	1.38	(0.78 - 2.44)	6.71	(4.69 - 9.53)	2.25	(1.44 - 3.50)
Louisiana	1.47	(1.05 - 2.06)	5.49	(4.37 - 6.88)	2.16	(1.56 - 2.98)
Region 1	*	(* - *)	3.98	(2.61 - 6.03)	3.73	(2.19 - 6.28)
Regions 2 and 9	1.74	(1.02 - 2.98)	6.81	(4.83 - 9.53)	1.88	(1.17 - 3.00)
Region 3	2.20	(1.19 - 4.03)	6.34	(4.25 - 9.35)	2.06	(1.23 - 3.43)
Region 4	1.60	(0.92 - 2.77)	5.33	(3.60 - 7.82)	1.96	(1.19 - 3.21)
Regions 5 and 6	1.54	(0.86 - 2.72)	6.27	(4.25 - 9.16)	1.92	(1.21 - 3.05)
Regions 7 and 8	1.17	(0.64 - 2.13)	4.39	(2.98 - 6.40)	1.85	(1.13 - 3.03)
Region 10 (Jefferson)	1.33	(0.73 - 2.42)	4.80	(3.10 - 7.37)	2.03	(1.19 - 3.44)
Maine	2.19	(1.59 - 3.03)	8.91	(7.37 - 10.73)	1.48	(1.02 - 2.15)
Planning Region 1	2.04	(1.33 - 3.10)	9.88	(7.64 - 12.69)	1.56	(1.02 - 2.40)
Region 1 (Cumberland)	1.92	(1.11 - 3.31)	11.12	(8.15 - 15.00)	1.79	(1.09 - 2.93)
Region 2 (York)	2.19	(1.29 - 3.68)	7.90	(5.56 - 11.12)	1.25	(0.73 - 2.14)
Planning Region 2	2.32	(1.57 - 3.44)	8.58	(6.80 - 10.79)	1.40	(0.92 - 2.13)
Region 3	2.14	(1.23 - 3.70)	9.26	(6.80 - 12.49)	1.54	(0.90 - 2.61)
Region 4	2.11	(1.19 - 3.71)	8.20	(5.65 - 11.76)	1.35	(0.78 - 2.31)
Region 5	2.84	(1.61 - 4.95)	7.73	(5.26 - 11.21)	1.26	(0.74 - 2.13)
Planning Region 3	2.21	(1.40 - 3.46)	8.11	(6.09 - 10.71)	1.50	(0.96 - 2.34)
Region 6 (Penobscot)	2.01	(1.12 - 3.56)	8.46	(5.85 - 12.08)	1.75	(1.03 - 2.97)
Region 7	2.38	(1.35 - 4.16)	7.71	(5.29 - 11.10)	1.30	(0.77 - 2.21)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	1.24	(0.85 - 1.81)	4.99	(3.85 - 6.45)	1.66	(1.11 - 2.46)
Anne Arundel	1.45	(0.76 - 2.72)	6.63	(4.29 - 10.11)	1.40	(0.80 - 2.43)
Baltimore City	0.57	(0.31 - 1.06)	3.60	(2.36 - 5.44)	3.93	(2.21 - 6.88)
Central	1.59	(0.92 - 2.73)	5.87	(4.06 - 8.40)	1.42	(0.83 - 2.41)
Montgomery	1.16	(0.62 - 2.15)	4.76	(3.09 - 7.27)	1.02	(0.56 - 1.83)
Prince George's	*	(* - *)	2.69	(1.70 - 4.24)	1.85	(1.02 - 3.32)
Rural	1.61	(0.87 - 2.99)	6.48	(4.32 - 9.63)	1.41	(0.80 - 2.48)
Western	1.56	(0.85 - 2.86)	5.89	(3.85 - 8.92)	1.14	(0.65 - 2.00)
Massachusetts	2.00	(1.46 - 2.72)	8.39	(6.77 - 10.36)	1.98	(1.41 - 2.77)
Boston	*	(* - *)	6.82	(4.69 - 9.82)	3.19	(1.99 - 5.07)
Central	2.19	(1.27 - 3.75)	8.68	(5.88 - 12.62)	1.75	(1.07 - 2.84)
Metrowest	1.85	(1.10 - 3.08)	8.02	(5.69 - 11.20)	1.79	(1.11 - 2.89)
Northeast	1.83	(1.08 - 3.09)	8.43	(5.86 - 11.97)	1.74	(1.07 - 2.83)
Southeast	2.60	(1.56 - 4.31)	10.30	(7.31 - 14.32)	1.99	(1.22 - 3.23)
Western	1.90	(1.08 - 3.32)	8.37	(5.85 - 11.86)	1.85	(1.10 - 3.08)
Michigan	1.85	(1.51 - 2.26)	6.50	(5.78 - 7.31)	1.98	(1.60 - 2.45)
Bay	2.32	(1.41 - 3.81)	6.53	(4.62 - 9.16)	1.58	(0.99 - 2.53)
Detroit City	0.56	(0.31 - 0.99)	2.39	(1.64 - 3.48)	4.28	(2.78 - 6.52)
Genesee	1.63	(0.96 - 2.74)	7.31	(5.26 - 10.07)	2.31	(1.47 - 3.60)
Kalamazoo	2.32	(1.37 - 3.89)	7.64	(5.71 - 10.16)	2.03	(1.25 - 3.28)
Kent	1.84	(1.14 - 2.96)	6.21	(4.61 - 8.32)	2.02	(1.31 - 3.10)
Lakeshore	2.01	(1.28 - 3.15)	6.43	(4.81 - 8.56)	1.66	(1.09 - 2.54)
Macomb	1.79	(1.08 - 2.94)	7.50	(5.54 - 10.08)	1.69	(1.10 - 2.59)
Mid South	1.64	(1.02 - 2.63)	6.37	(4.75 - 8.50)	1.75	(1.16 - 2.64)
Northern	2.93	(1.87 - 4.55)	6.94	(5.17 - 9.27)	1.37	(0.87 - 2.17)
Oakland	2.18	(1.42 - 3.34)	7.20	(5.45 - 9.45)	1.84	(1.23 - 2.75)
Pathways	*	(* - *)	7.49	(5.30 - 10.47)	*	(* - *)
Saginaw	*	(* - *)	6.54	(4.51 - 9.40)	2.02	(1.28 - 3.17)
Southeast	1.65	(1.04 - 2.60)	7.45	(5.80 - 9.52)	1.86	(1.27 - 2.72)
St. Clair	2.18	(1.30 - 3.63)	7.06	(4.98 - 9.91)	1.56	(1.02 - 2.40)
Washtenaw	1.74	(1.04 - 2.90)	6.54	(4.68 - 9.08)	1.60	(1.04 - 2.44)
Western	*	(* - *)	6.11	(4.28 - 8.65)	*	(* - *)
Minnesota	2.16	(1.56 - 2.97)	6.95	(5.58 - 8.64)	1.60	(1.12 - 2.27)
Regions 1 and 2	2.46	(1.38 - 4.34)	7.43	(5.05 - 10.81)	1.54	(0.92 - 2.57)
Regions 3 and 4	2.34	(1.39 - 3.92)	7.32	(5.11 - 10.38)	1.35	(0.82 - 2.22)
Regions 5 and 6	2.41	(1.44 - 3.99)	6.98	(4.83 - 9.99)	1.27	(0.78 - 2.07)
Region 7A (Hennepin)	1.95	(1.13 - 3.34)	6.55	(4.52 - 9.39)	2.16	(1.34 - 3.47)
Region 7B (Ramsey)	1.63	(0.88 - 2.99)	6.89	(4.65 - 10.10)	*	(* - *)
Region 7C	2.04	(1.18 - 3.51)	6.88	(4.82 - 9.73)	1.31	(0.79 - 2.18)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	1.17	(0.79 - 1.72)	4.13	(3.11 - 5.47)	1.56	(1.03 - 2.37)
Region 1	1.35	(0.73 - 2.48)	4.22	(2.75 - 6.42)	1.16	(0.64 - 2.07)
Region 2	0.70	(0.37 - 1.32)	2.89	(1.84 - 4.53)	2.09	(1.14 - 3.79)
Region 3	1.05	(0.56 - 1.96)	3.86	(2.50 - 5.90)	1.41	(0.79 - 2.51)
Region 4	0.94	(0.51 - 1.74)	4.05	(2.67 - 6.09)	1.70	(0.98 - 2.94)
Region 5	*	(* - *)	2.84	(1.78 - 4.53)	*	(* - *)
Region 6	1.68	(0.93 - 3.02)	4.53	(2.93 - 6.95)	1.72	(0.95 - 3.11)
Region 7	1.54	(0.84 - 2.82)	5.88	(3.96 - 8.66)	1.46	(0.83 - 2.55)
Missouri	1.99	(1.44 - 2.73)	7.74	(6.33 - 9.44)	2.10	(1.49 - 2.93)
Central	2.68	(1.57 - 4.53)	8.52	(6.13 - 11.73)	1.99	(1.20 - 3.30)
Eastern	1.65	(1.06 - 2.54)	7.47	(5.62 - 9.85)	2.34	(1.53 - 3.57)
Eastern (St. Louis City and County)	1.25	(0.69 - 2.25)	6.76	(4.77 - 9.49)	2.65	(1.62 - 4.31)
Eastern (excluding St. Louis)	2.39	(1.39 - 4.08)	8.97	(6.21 - 12.78)	1.70	(1.03 - 2.78)
Northwest	1.86	(1.17 - 2.95)	8.14	(6.07 - 10.84)	2.32	(1.56 - 3.44)
Northwest (Jackson)	1.43	(0.80 - 2.54)	7.71	(5.38 - 10.92)	2.95	(1.88 - 4.61)
Northwest (excluding Jackson)	2.24	(1.26 - 3.95)	8.53	(5.81 - 12.36)	1.74	(1.05 - 2.88)
Southeast	2.22	(1.25 - 3.92)	7.91	(5.35 - 11.56)	1.68	(1.01 - 2.79)
Southwest	2.20	(1.24 - 3.87)	6.76	(4.72 - 9.58)	1.59	(0.96 - 2.63)
Montana	2.25	(1.64 - 3.09)	7.24	(5.89 - 8.87)	1.53	(1.08 - 2.18)
Region 1	1.97	(1.10 - 3.49)	6.02	(3.95 - 9.06)	1.33	(0.79 - 2.21)
Region 2	1.99	(1.14 - 3.46)	6.61	(4.52 - 9.56)	1.64	(0.99 - 2.70)
Region 3	2.12	(1.23 - 3.63)	6.12	(4.26 - 8.72)	1.53	(0.93 - 2.53)
Region 4	2.70	(1.65 - 4.41)	7.46	(5.49 - 10.08)	1.44	(0.89 - 2.31)
Region 5	2.19	(1.32 - 3.60)	8.29	(6.10 - 11.17)	1.62	(1.01 - 2.60)
Nebraska	1.86	(1.29 - 2.67)	6.05	(4.73 - 7.71)	1.35	(0.91 - 2.01)
Regions 1 and 2	1.90	(1.03 - 3.50)	5.56	(3.59 - 8.52)	1.04	(0.60 - 1.79)
Region 3	2.01	(1.12 - 3.59)	5.61	(3.63 - 8.57)	1.11	(0.64 - 1.92)
Region 4	2.41	(1.35 - 4.26)	4.94	(3.11 - 7.75)	0.95	(0.53 - 1.70)
Region 5	1.88	(1.09 - 3.23)	5.86	(4.19 - 8.14)	1.24	(0.74 - 2.08)
Region 6	1.58	(0.92 - 2.70)	6.75	(4.81 - 9.40)	1.73	(1.06 - 2.81)
Nevada	1.71	(1.15 - 2.53)	6.75	(5.25 - 8.66)	1.38	(0.89 - 2.13)
Clark	1.60	(0.97 - 2.64)	6.53	(4.86 - 8.72)	1.37	(0.83 - 2.26)
Rural	2.03	(1.14 - 3.58)	6.22	(4.18 - 9.16)	1.15	(0.66 - 1.99)
Washoe	1.84	(1.05 - 3.20)	8.05	(5.64 - 11.36)	1.58	(0.94 - 2.66)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	2.39	(1.75 - 3.28)	9.91	(8.21 - 11.91)	1.86	(1.29 - 2.68)
Central	2.69	(1.76 - 4.09)	9.37	(7.24 - 12.04)	1.73	(1.11 - 2.69)
Central 1	2.84	(1.63 - 4.88)	9.61	(6.92 - 13.19)	1.86	(1.11 - 3.09)
Central 2	2.55	(1.49 - 4.32)	9.07	(6.47 - 12.59)	1.61	(0.95 - 2.73)
Northern	2.97	(1.68 - 5.19)	9.57	(6.81 - 13.29)	1.61	(0.96 - 2.69)
Southern	2.13	(1.44 - 3.13)	10.28	(8.15 - 12.90)	1.98	(1.33 - 2.94)
Southern 1 (Rockingham)	2.04	(1.17 - 3.54)	8.67	(6.06 - 12.27)	1.50	(0.90 - 2.50)
Southern 2	2.18	(1.36 - 3.48)	11.09	(8.44 - 14.45)	2.27	(1.45 - 3.55)
New Jersey	1.64	(1.15 - 2.34)	6.09	(4.78 - 7.73)	1.55	(1.07 - 2.24)
Central	1.94	(1.15 - 3.28)	7.08	(4.92 - 10.08)	1.39	(0.84 - 2.29)
Metropolitan	1.28	(0.71 - 2.27)	5.08	(3.40 - 7.51)	1.64	(0.97 - 2.77)
Northern	1.69	(0.99 - 2.87)	6.44	(4.58 - 8.99)	1.49	(0.93 - 2.39)
Southern	1.68	(0.97 - 2.88)	5.90	(4.07 - 8.49)	1.74	(1.03 - 2.91)
New Mexico	2.82	(1.98 - 3.99)	9.70	(7.82 - 11.98)	2.03	(1.40 - 2.93)
Region 1	2.40	(1.42 - 4.05)	7.58	(5.28 - 10.77)	1.62	(0.96 - 2.72)
Region 2	2.91	(1.64 - 5.12)	9.55	(6.46 - 13.89)	2.12	(1.25 - 3.58)
Region 3 (Bernalillo)	2.97	(1.80 - 4.88)	10.73	(7.99 - 14.27)	2.50	(1.58 - 3.92)
Region 4	2.99	(1.67 - 5.28)	9.76	(6.73 - 13.96)	1.79	(1.05 - 3.03)
Region 5	2.89	(1.66 - 5.00)	10.07	(7.23 - 13.84)	1.76	(1.04 - 2.96)
New York	1.37	(1.07 - 1.75)	7.01	(6.17 - 7.95)	1.93	(1.52 - 2.44)
Region A	1.00	(0.70 - 1.43)	5.40	(4.46 - 6.53)	2.13	(1.60 - 2.83)
Region 1	1.07	(0.59 - 1.94)	5.21	(3.62 - 7.45)	2.15	(1.33 - 3.46)
Region 2	0.88	(0.51 - 1.51)	4.74	(3.45 - 6.48)	2.00	(1.30 - 3.07)
Region 3	1.34	(0.75 - 2.36)	8.10	(6.02 - 10.82)	3.13	(2.11 - 4.61)
Region 4	0.94	(0.53 - 1.66)	4.47	(3.20 - 6.20)	1.54	(0.96 - 2.48)
Region B	1.51	(1.05 - 2.19)	7.97	(6.39 - 9.90)	1.61	(1.16 - 2.25)
Region 5	1.57	(1.00 - 2.44)	7.80	(5.92 - 10.21)	1.60	(1.07 - 2.39)
Region 6	1.40	(0.81 - 2.41)	8.33	(6.06 - 11.36)	1.64	(1.06 - 2.54)
Region C	1.62	(1.20 - 2.17)	8.87	(7.62 - 10.30)	1.95	(1.47 - 2.58)
Region 7	1.68	(0.99 - 2.84)	8.99	(6.52 - 12.26)	1.64	(1.04 - 2.59)
Region 8	1.64	(0.95 - 2.82)	9.76	(7.37 - 12.81)	1.91	(1.21 - 3.00)
Region 9	1.43	(0.82 - 2.48)	7.86	(5.74 - 10.67)	1.85	(1.15 - 2.94)
Region 10	1.92	(1.10 - 3.31)	8.09	(5.95 - 10.92)	1.63	(1.00 - 2.65)
Region 11	1.68	(0.97 - 2.91)	8.88	(6.58 - 11.88)	2.36	(1.46 - 3.78)
Region 12	1.54	(0.92 - 2.55)	9.28	(6.91 - 12.36)	2.04	(1.31 - 3.15)
Region D	1.90	(1.32 - 2.74)	7.42	(5.92 - 9.27)	1.62	(1.14 - 2.28)
Region 13	2.00	(1.15 - 3.45)	6.82	(4.73 - 9.75)	1.50	(0.92 - 2.43)
Region 14	1.63	(0.93 - 2.83)	7.06	(4.95 - 9.97)	1.65	(1.02 - 2.67)
Region 15	2.07	(1.21 - 3.53)	8.33	(5.90 - 11.63)	1.69	(1.05 - 2.72)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	1.63	(1.16 - 2.29)	5.62	(4.40 - 7.16)	1.68	(1.19 - 2.37)
Eastern	1.58	(0.91 - 2.73)	4.77	(3.26 - 6.93)	1.83	(1.12 - 2.97)
North Central	1.41	(0.81 - 2.45)	5.29	(3.59 - 7.75)	1.71	(1.04 - 2.81)
South Central	1.59	(0.90 - 2.78)	4.78	(3.21 - 7.06)	1.52	(0.94 - 2.46)
Western	1.85	(1.12 - 3.03)	7.14	(5.05 - 10.00)	1.68	(1.08 - 2.60)
North Dakota	1.85	(1.31 - 2.62)	5.54	(4.35 - 7.03)	1.03	(0.67 - 1.59)
Badlands and West Central Lake Region and South Central	1.67	(0.95 - 2.93)	5.44	(3.68 - 7.98)	0.92	(0.52 - 1.62)
North Central and Northwest	2.01	(1.18 - 3.40)	4.53	(3.00 - 6.79)	0.97	(0.54 - 1.74)
Northeast	1.77	(0.99 - 3.15)	5.42	(3.64 - 7.98)	0.97	(0.55 - 1.71)
Southeast	1.77	(0.96 - 3.21)	5.12	(3.47 - 7.51)	1.08	(0.60 - 1.93)
Ohio	1.45	(1.15 - 1.83)	6.48	(5.72 - 7.33)	1.75	(1.39 - 2.19)
Boards 2, 46, 55, and 68	1.65	(0.96 - 2.82)	6.11	(4.31 - 8.59)	1.37	(0.86 - 2.17)
Boards 3, 52, and 85	1.67	(0.97 - 2.88)	5.42	(3.75 - 7.77)	1.14	(0.70 - 1.84)
Boards 4 and 78	1.54	(0.87 - 2.70)	8.33	(5.91 - 11.61)	1.50	(0.92 - 2.41)
Boards 5 and 60	1.71	(0.97 - 2.99)	7.02	(4.97 - 9.83)	1.56	(0.99 - 2.45)
Boards 7, 15, 41, 79, and 84	1.70	(1.00 - 2.85)	7.82	(5.57 - 10.87)	1.42	(0.90 - 2.22)
Boards 8, 13, and 83	1.73	(1.02 - 2.90)	6.85	(4.81 - 9.65)	1.16	(0.74 - 1.80)
Board 9 (Butler)	1.86	(1.08 - 3.17)	6.64	(4.62 - 9.47)	1.37	(0.85 - 2.19)
Board 12	1.52	(0.88 - 2.64)	6.33	(4.49 - 8.85)	1.61	(1.02 - 2.54)
Boards 18 and 47	1.03	(0.63 - 1.67)	6.07	(4.58 - 8.02)	1.89	(1.25 - 2.85)
Boards 20, 32, 54, and 69	1.56	(0.89 - 2.74)	6.06	(4.16 - 8.75)	1.34	(0.85 - 2.11)
Boards 21, 39, 51, 70, and 80	1.54	(0.90 - 2.61)	6.68	(4.82 - 9.18)	1.33	(0.86 - 2.04)
Boards 22, 74, and 87	1.69	(1.00 - 2.83)	6.10	(4.32 - 8.56)	1.33	(0.84 - 2.12)
Boards 23 and 45	1.73	(1.00 - 2.98)	7.32	(5.12 - 10.35)	1.28	(0.82 - 1.98)
Board 25 (Franklin)	1.44	(0.87 - 2.37)	6.11	(4.59 - 8.10)	2.46	(1.69 - 3.55)
Boards 27, 71, and 73	1.76	(1.03 - 2.99)	6.00	(4.20 - 8.52)	1.35	(0.87 - 2.09)
Boards 28, 43, and 67	1.50	(0.88 - 2.55)	7.35	(5.27 - 10.17)	1.23	(0.77 - 1.97)
Board 31 (Hamilton)	1.07	(0.64 - 1.79)	5.91	(4.35 - 7.97)	2.37	(1.50 - 3.72)
Board 48 (Lucas)	1.19	(0.68 - 2.07)	5.60	(3.97 - 7.83)	1.93	(1.18 - 3.13)
Board 50 and 76	1.34	(0.77 - 2.31)	6.85	(4.90 - 9.49)	1.94	(1.25 - 3.00)
Board 57 (Montgomery)	1.23	(0.71 - 2.13)	6.75	(4.74 - 9.52)	2.31	(1.44 - 3.67)
Board 77 (Summit)	1.77	(1.01 - 3.09)	7.48	(5.38 - 10.32)	2.18	(1.39 - 3.40)
Oklahoma	1.77	(1.25 - 2.49)	5.83	(4.53 - 7.46)	1.19	(0.78 - 1.80)
Central	1.82	(1.02 - 3.24)	5.82	(3.90 - 8.61)	*	(* - *)
East Central	1.60	(0.84 - 3.02)	4.75	(3.03 - 7.40)	*	(* - *)
Northeast	1.88	(1.06 - 3.29)	5.89	(3.92 - 8.76)	1.00	(0.57 - 1.77)
Northwest and Southwest	1.62	(0.91 - 2.86)	5.56	(3.74 - 8.19)	1.03	(0.58 - 1.82)
Oklahoma County	1.66	(0.92 - 2.98)	6.31	(4.23 - 9.32)	1.69	(0.99 - 2.89)
Southeast	1.71	(0.96 - 3.03)	5.80	(3.90 - 8.54)	1.02	(0.58 - 1.79)
Tulsa County	2.07	(1.13 - 3.77)	6.11	(4.14 - 8.91)	1.33	(0.76 - 2.31)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	1.75	(1.22 - 2.50)	6.66	(5.33 - 8.28)	1.59	(1.09 - 2.31)
Region 1 (Multnomah)	1.63	(0.91 - 2.89)	8.10	(5.77 - 11.26)	2.37	(1.47 - 3.79)
Region 2	1.68	(0.97 - 2.89)	6.07	(4.23 - 8.64)	1.23	(0.75 - 2.01)
Region 3	1.75	(1.02 - 2.99)	5.66	(3.96 - 8.03)	1.56	(0.94 - 2.58)
Region 4	1.90	(1.09 - 3.31)	7.84	(5.51 - 11.03)	1.30	(0.76 - 2.21)
Region 5	1.85	(1.00 - 3.40)	6.94	(4.54 - 10.47)	1.42	(0.82 - 2.44)
Pennsylvania	1.49	(1.18 - 1.87)	6.99	(6.19 - 7.88)	1.78	(1.43 - 2.23)
Region 1 (Allegheny)	1.31	(0.80 - 2.14)	7.94	(6.05 - 10.35)	2.28	(1.53 - 3.38)
Regions 2, 3, 8, and 9	1.58	(0.91 - 2.71)	6.26	(4.43 - 8.76)	1.43	(0.91 - 2.24)
Regions 4, 11, 42, and 48	1.61	(0.99 - 2.59)	6.63	(4.77 - 9.15)	1.40	(0.91 - 2.15)
Regions 5, 20, 26, 28, and 40	1.61	(0.97 - 2.67)	6.21	(4.53 - 8.47)	1.20	(0.77 - 1.88)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	1.87	(1.13 - 3.10)	8.19	(6.21 - 10.72)	1.38	(0.89 - 2.14)
Regions 7, 13, 22, and 37	1.47	(0.98 - 2.20)	7.25	(5.70 - 9.18)	1.65	(1.14 - 2.37)
Regions 10, 14, 15, 25, 31, 36, and 46	1.72	(1.02 - 2.88)	7.49	(5.49 - 10.15)	1.41	(0.91 - 2.19)
Regions 17, 24, 27, 43, and 47	2.09	(1.25 - 3.49)	8.78	(6.40 - 11.93)	1.57	(1.01 - 2.42)
Region 18 (Philadelphia)	0.95	(0.56 - 1.59)	5.59	(4.26 - 7.30)	3.40	(2.31 - 4.97)
Regions 19 and 23	1.66	(0.95 - 2.89)	6.91	(4.85 - 9.75)	1.71	(1.08 - 2.71)
Regions 21, 30, 32, and 49	1.29	(0.78 - 2.13)	5.76	(4.23 - 7.79)	1.29	(0.83 - 2.00)
Regions 29 and 34	1.78	(1.04 - 3.02)	8.56	(6.17 - 11.76)	1.73	(1.10 - 2.70)
Regions 33 and 38	1.45	(0.83 - 2.51)	7.11	(5.11 - 9.81)	1.45	(0.93 - 2.24)
Rhode Island	1.97	(1.33 - 2.91)	11.69	(9.63 - 14.11)	2.35	(1.59 - 3.47)
Bristol and Newport	2.39	(1.32 - 4.28)	*	(* - *)	2.37	(1.39 - 4.03)
Kent	1.97	(1.09 - 3.56)	12.20	(8.90 - 16.51)	2.15	(1.25 - 3.68)
Providence	1.79	(1.07 - 2.98)	10.95	(8.61 - 13.83)	2.48	(1.57 - 3.90)
Washington	2.42	(1.35 - 4.32)	13.51	(9.69 - 18.53)	1.99	(1.14 - 3.43)
South Carolina	2.05	(1.43 - 2.93)	6.49	(5.13 - 8.19)	1.96	(1.35 - 2.84)
Region 1	2.94	(1.73 - 4.96)	7.52	(5.34 - 10.50)	1.59	(0.96 - 2.64)
Region 2	1.75	(1.08 - 2.84)	6.12	(4.45 - 8.37)	1.98	(1.27 - 3.07)
Region 3	1.44	(0.80 - 2.57)	5.15	(3.42 - 7.69)	2.08	(1.22 - 3.51)
Region 4	1.94	(1.11 - 3.40)	6.77	(4.72 - 9.61)	2.24	(1.33 - 3.74)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	2.01	(1.39 - 2.90)	4.95	(3.82 - 6.39)	1.02	(0.64 - 1.63)
Eastern Planning Area	2.09	(1.42 - 3.06)	5.04	(3.84 - 6.59)	1.03	(0.64 - 1.66)
Region 3 (Minnehaha)	2.57	(1.46 - 4.47)	6.18	(4.27 - 8.86)	1.27	(0.72 - 2.25)
Region 4	1.77	(0.95 - 3.29)	4.45	(2.84 - 6.89)	0.93	(0.50 - 1.73)
Region 5	1.70	(0.92 - 3.13)	4.76	(3.03 - 7.39)	0.97	(0.53 - 1.79)
Region 6	2.30	(1.27 - 4.12)	4.71	(3.10 - 7.09)	0.89	(0.47 - 1.65)
Region 7	1.91	(1.05 - 3.44)	4.38	(2.84 - 6.68)	*	(* - *)
Western Planning Area	1.85	(1.13 - 3.03)	4.73	(3.40 - 6.54)	1.00	(0.58 - 1.70)
Region 1 (Pennington)	1.76	(0.96 - 3.22)	5.63	(3.79 - 8.29)	1.05	(0.58 - 1.90)
Region 2	1.90	(1.05 - 3.41)	4.10	(2.70 - 6.17)	0.96	(0.51 - 1.77)
Tennessee	1.76	(1.26 - 2.47)	5.88	(4.58 - 7.52)	1.77	(1.26 - 2.48)
Region 1	2.60	(1.42 - 4.72)	6.55	(4.30 - 9.85)	*	(* - *)
Region 2	2.12	(1.22 - 3.67)	7.04	(4.76 - 10.30)	1.53	(0.93 - 2.51)
Region 3	1.91	(1.11 - 3.28)	6.19	(4.22 - 8.98)	1.43	(0.89 - 2.29)
Region 4 (Davidson)	1.57	(0.85 - 2.89)	6.36	(4.30 - 9.30)	3.01	(1.86 - 4.84)
Region 5	1.82	(1.05 - 3.13)	5.94	(4.03 - 8.67)	1.34	(0.82 - 2.19)
Region 6	1.73	(0.98 - 3.06)	4.93	(3.21 - 7.51)	1.74	(1.04 - 2.90)
Region 7 (Shelby)	0.93	(0.52 - 1.66)	4.15	(2.70 - 6.35)	2.47	(1.45 - 4.16)
Texas	2.60	(2.14 - 3.17)	6.55	(5.76 - 7.44)	1.60	(1.27 - 2.02)
Region 1	2.94	(1.77 - 4.84)	7.66	(5.60 - 10.38)	1.47	(0.94 - 2.28)
Region 2	2.38	(1.32 - 4.25)	6.88	(4.69 - 9.99)	1.57	(0.98 - 2.49)
Region 3	2.26	(1.64 - 3.10)	5.72	(4.62 - 7.07)	1.55	(1.14 - 2.12)
Region 3a	2.48	(1.70 - 3.62)	5.89	(4.58 - 7.56)	1.60	(1.12 - 2.30)
Region 3bc	1.88	(1.12 - 3.14)	5.41	(3.90 - 7.46)	1.47	(0.95 - 2.27)
Region 4	2.47	(1.48 - 4.11)	6.09	(4.34 - 8.50)	1.39	(0.89 - 2.18)
Region 5	2.57	(1.54 - 4.25)	6.28	(4.34 - 9.02)	1.61	(1.01 - 2.57)
Region 6	2.37	(1.69 - 3.32)	5.43	(4.29 - 6.87)	1.55	(1.09 - 2.19)
Region 6a	2.39	(1.66 - 3.42)	5.26	(4.04 - 6.83)	1.54	(1.05 - 2.24)
Region 6bc	2.26	(1.31 - 3.88)	7.06	(4.94 - 9.98)	1.65	(1.03 - 2.61)
Region 7	2.73	(1.87 - 3.97)	7.98	(6.42 - 9.88)	1.92	(1.35 - 2.71)
Region 7a	3.02	(1.86 - 4.87)	8.88	(6.74 - 11.60)	2.08	(1.38 - 3.13)
Region 7bcd	2.34	(1.40 - 3.91)	6.79	(4.96 - 9.23)	1.67	(1.08 - 2.58)
Region 8	2.99	(1.94 - 4.57)	8.92	(6.59 - 11.96)	1.62	(1.07 - 2.45)
Region 9	3.43	(2.06 - 5.65)	8.34	(5.86 - 11.74)	1.59	(1.01 - 2.52)
Region 10	2.92	(1.67 - 5.06)	6.39	(4.33 - 9.32)	1.70	(1.07 - 2.71)
Region 11	3.15	(2.14 - 4.61)	6.33	(4.77 - 8.34)	1.60	(1.10 - 2.33)
Region 11abd	2.86	(1.74 - 4.68)	6.36	(4.50 - 8.91)	1.55	(1.00 - 2.41)
Region 11c (Hidalgo)	3.68	(2.17 - 6.15)	6.26	(4.21 - 9.23)	1.70	(1.06 - 2.74)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	1.30	(0.86 - 1.96)	4.72	(3.59 - 6.18)	1.21	(0.75 - 1.94)
Bear River, Northeastern, Summit, Tooele, and Wasatch	1.41	(0.75 - 2.66)	5.20	(3.39 - 7.88)	1.21	(0.68 - 2.17)
Central, Four Corners, San Juan, and Southwest	1.40	(0.76 - 2.56)	4.39	(2.80 - 6.83)	*	(* - *)
Davis County	1.31	(0.66 - 2.59)	4.16	(2.62 - 6.55)	1.05	(0.57 - 1.92)
Salt Lake County	1.13	(0.62 - 2.04)	5.20	(3.66 - 7.32)	1.38	(0.79 - 2.42)
Utah County	1.31	(0.70 - 2.46)	3.88	(2.53 - 5.90)	1.09	(0.59 - 1.99)
Weber, Morgan	1.64	(0.86 - 3.08)	5.27	(3.33 - 8.24)	1.19	(0.66 - 2.13)
Vermont	2.59	(1.89 - 3.54)	10.57	(8.75 - 12.72)	1.72	(1.20 - 2.45)
Champlain Valley	3.07	(1.95 - 4.81)	12.57	(9.82 - 15.95)	1.92	(1.19 - 3.09)
Rural Northeast	2.31	(1.39 - 3.82)	8.28	(5.88 - 11.55)	1.67	(1.02 - 2.72)
Rural Southeast	2.17	(1.28 - 3.66)	8.82	(6.20 - 12.40)	1.42	(0.85 - 2.35)
Rural Southwest	2.36	(1.37 - 4.04)	9.86	(7.08 - 13.56)	1.74	(1.06 - 2.84)
Virginia	1.57	(1.11 - 2.21)	5.84	(4.58 - 7.42)	1.88	(1.32 - 2.66)
Region 1	1.85	(1.03 - 3.31)	7.03	(4.86 - 10.06)	1.57	(0.92 - 2.67)
Region 2	1.51	(0.86 - 2.64)	5.76	(3.89 - 8.45)	1.61	(0.96 - 2.68)
Region 3	1.97	(1.14 - 3.39)	6.88	(4.78 - 9.82)	1.71	(1.05 - 2.75)
Region 4	1.31	(0.75 - 2.29)	5.28	(3.65 - 7.57)	2.20	(1.32 - 3.64)
Region 5	1.34	(0.77 - 2.32)	4.82	(3.24 - 7.13)	2.29	(1.39 - 3.73)
Washington	1.70	(1.20 - 2.41)	7.54	(6.05 - 9.35)	1.28	(0.84 - 1.93)
Region 1	2.21	(1.24 - 3.90)	7.25	(5.04 - 10.33)	1.13	(0.65 - 1.97)
Region 2	1.74	(0.93 - 3.22)	6.96	(4.58 - 10.45)	*	(* - *)
Region 3	1.69	(0.97 - 2.93)	8.26	(5.60 - 12.02)	1.21	(0.70 - 2.09)
Region 4 (King)	1.42	(0.81 - 2.47)	7.15	(5.19 - 9.77)	1.46	(0.86 - 2.47)
Region 5	1.73	(0.99 - 3.00)	8.11	(5.72 - 11.39)	1.28	(0.74 - 2.20)
Region 6	1.65	(0.89 - 3.01)	7.54	(5.18 - 10.84)	1.17	(0.67 - 2.01)
West Virginia	2.46	(1.81 - 3.35)	8.69	(7.17 - 10.50)	1.54	(1.08 - 2.19)
Eastern Highland	2.38	(1.40 - 4.03)	6.86	(4.77 - 9.78)	1.29	(0.77 - 2.15)
Northern	2.39	(1.55 - 3.66)	10.23	(7.87 - 13.19)	1.75	(1.15 - 2.65)
Northern A and B	2.53	(1.46 - 4.37)	9.18	(6.31 - 13.17)	1.48	(0.89 - 2.45)
Northern C and D	2.32	(1.35 - 3.97)	10.62	(7.84 - 14.22)	1.90	(1.18 - 3.06)
South Central	2.69	(1.84 - 3.94)	8.66	(6.77 - 11.02)	1.50	(1.00 - 2.26)
South Central I	2.48	(1.42 - 4.29)	8.80	(6.09 - 12.55)	*	(* - *)
South Central II	2.39	(1.36 - 4.17)	8.64	(5.94 - 12.40)	1.67	(1.00 - 2.77)
South Central III	3.04	(1.76 - 5.23)	8.60	(6.06 - 12.08)	1.51	(0.89 - 2.57)
Southern	2.22	(1.38 - 3.56)	8.28	(6.19 - 11.00)	1.61	(1.03 - 2.54)
Southern I and III	2.24	(1.26 - 3.94)	8.38	(5.87 - 11.81)	1.63	(0.97 - 2.72)
Southern II	2.18	(1.21 - 3.90)	8.11	(5.54 - 11.72)	*	(* - *)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	2.15	(1.54 - 2.98)	7.19	(5.83 - 8.85)	1.94	(1.38 - 2.71)
Milwaukee	1.21	(0.67 - 2.20)	5.87	(4.05 - 8.43)	2.85	(1.78 - 4.53)
Northeastern	2.56	(1.51 - 4.31)	8.09	(5.76 - 11.27)	1.69	(1.03 - 2.76)
Northern	2.09	(1.19 - 3.66)	7.19	(4.83 - 10.58)	1.57	(0.94 - 2.62)
Southeastern	2.66	(1.56 - 4.52)	7.29	(5.05 - 10.41)	1.65	(1.01 - 2.68)
Southern	2.00	(1.13 - 3.52)	7.06	(5.04 - 9.81)	2.14	(1.35 - 3.36)
Western	2.13	(1.19 - 3.78)	7.58	(5.29 - 10.75)	1.66	(1.00 - 2.74)
Wyoming	1.75	(1.25 - 2.45)	7.26	(5.82 - 9.03)	1.22	(0.84 - 1.78)
Judicial District 1 (Laramie)	1.71	(0.98 - 2.97)	8.00	(5.48 - 11.53)	1.29	(0.76 - 2.18)
Judicial District 2	*	(* - *)	7.17	(5.08 - 10.03)	*	(* - *)
Judicial District 3	1.70	(0.98 - 2.94)	6.13	(4.22 - 8.83)	1.05	(0.60 - 1.84)
Judicial District 4	*	(* - *)	7.38	(4.90 - 10.96)	*	(* - *)
Judicial District 5	1.66	(0.90 - 3.04)	6.68	(4.41 - 10.00)	0.98	(0.56 - 1.70)
Judicial District 6	1.75	(1.00 - 3.04)	6.91	(4.56 - 10.33)	*	(* - *)
Judicial District 7 (Natrona)	2.00	(1.12 - 3.54)	8.75	(5.90 - 12.77)	1.60	(0.95 - 2.68)
Judicial District 8	1.88	(1.03 - 3.41)	6.90	(4.59 - 10.26)	*	(* - *)
Judicial District 9	1.66	(0.90 - 3.05)	6.73	(4.48 - 9.99)	1.33	(0.78 - 2.28)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	7.53		11.76		3.16	
Alabama	8.54	(7.04 - 10.33)	13.61	(11.55 - 15.97)	3.06	(2.29 - 4.08)
Region 1	9.52	(7.00 - 12.83)	14.25	(10.68 - 18.76)	2.69	(1.75 - 4.11)
Region 2	8.99	(6.71 - 11.94)	14.64	(11.58 - 18.34)	3.35	(2.29 - 4.89)
Region 3	6.14	(4.22 - 8.85)	12.02	(8.93 - 16.01)	3.11	(1.99 - 4.83)
Region 4	8.83	(6.60 - 11.71)	12.85	(9.68 - 16.87)	3.08	(2.08 - 4.54)
Alaska	7.94	(6.41 - 9.81)	13.22	(11.04 - 15.75)	3.58	(2.61 - 4.89)
Gulf Coast	7.67	(5.16 - 11.25)	*	(* - *)	3.50	(2.13 - 5.68)
Rural	6.65	(4.33 - 10.09)	7.34	(4.80 - 11.07)	2.70	(1.58 - 4.57)
Southeast	8.88	(5.99 - 12.96)	*	(* - *)	3.42	(2.10 - 5.53)
Urban	8.09	(6.27 - 10.37)	14.02	(11.43 - 17.09)	3.76	(2.65 - 5.33)
Arizona	8.73	(6.99 - 10.84)	12.48	(10.40 - 14.90)	3.94	(2.95 - 5.24)
Maricopa	7.90	(6.00 - 10.34)	11.48	(9.15 - 14.31)	3.88	(2.77 - 5.43)
Pima	9.43	(6.45 - 13.59)	15.73	(11.49 - 21.17)	4.38	(2.85 - 6.69)
Rural North	10.07	(7.14 - 14.01)	12.19	(8.57 - 17.05)	3.67	(2.32 - 5.78)
Rural South	*	(* - *)	*	(* - *)	3.90	(2.36 - 6.38)
Arkansas	8.80	(7.21 - 10.72)	14.17	(11.94 - 16.75)	3.04	(2.26 - 4.08)
Areas 1 and 5	8.11	(5.69 - 11.43)	15.19	(11.24 - 20.22)	2.98	(1.94 - 4.54)
Areas 2 and 3	9.67	(6.65 - 13.85)	13.20	(9.45 - 18.15)	2.98	(1.89 - 4.67)
Areas 4 and 7	10.04	(7.31 - 13.66)	14.60	(10.76 - 19.52)	3.24	(2.05 - 5.10)
Area 6	7.51	(4.96 - 11.20)	11.87	(8.46 - 16.41)	2.78	(1.72 - 4.46)
Areas 8 and 12	9.81	(6.92 - 13.72)	15.02	(10.84 - 20.44)	3.01	(1.88 - 4.80)
Area 9	9.25	(6.58 - 12.85)	14.88	(10.96 - 19.90)	3.23	(2.13 - 4.88)
Areas 10, 11, and 13	7.23	(4.98 - 10.40)	12.32	(9.08 - 16.50)	2.89	(1.84 - 4.50)
California	7.60	(6.72 - 8.58)	10.12	(9.09 - 11.24)	3.82	(3.20 - 4.56)
Region 1	13.67	(9.76 - 18.81)	17.08	(12.58 - 22.77)	4.24	(2.66 - 6.70)
Region 2	9.83	(7.59 - 12.63)	12.79	(9.88 - 16.39)	4.38	(3.04 - 6.26)
Region 3	8.83	(6.47 - 11.96)	10.82	(8.02 - 14.43)	4.15	(2.79 - 6.14)
Region 4	6.20	(4.30 - 8.88)	9.51	(6.80 - 13.13)	3.64	(2.48 - 5.32)
Region 5	6.90	(5.05 - 9.37)	10.04	(7.53 - 13.26)	4.04	(2.84 - 5.71)
Region 6 (Santa Clara)	6.00	(4.15 - 8.61)	10.23	(7.44 - 13.91)	3.72	(2.52 - 5.45)
Region 7	7.41	(5.06 - 10.73)	10.32	(7.26 - 14.47)	4.28	(2.78 - 6.53)
Region 8	7.24	(5.19 - 10.01)	9.49	(7.04 - 12.67)	3.51	(2.35 - 5.23)
Region 9	8.30	(5.80 - 11.74)	11.58	(8.22 - 16.08)	4.17	(2.81 - 6.15)
Region 10	7.22	(5.08 - 10.17)	11.61	(8.44 - 15.77)	3.66	(2.44 - 5.46)
Region 11 (Los Angeles)	6.83	(5.46 - 8.51)	8.62	(7.12 - 10.40)	3.78	(2.90 - 4.92)
Region 12	8.80	(6.54 - 11.74)	8.43	(6.12 - 11.51)	3.37	(2.22 - 5.08)
Region 13 (Riverside)	7.20	(5.03 - 10.20)	8.68	(6.07 - 12.26)	3.26	(2.09 - 5.06)
Region 14 (Orange)	7.46	(5.55 - 9.96)	12.01	(9.30 - 15.39)	3.85	(2.69 - 5.47)
Region 15	6.70	(4.88 - 9.15)	9.76	(7.48 - 12.64)	3.62	(2.52 - 5.16)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	8.62	(7.01 - 10.55)	14.19	(11.98 - 16.74)	4.31	(3.21 - 5.77)
Region 1	8.84	(6.20 - 12.45)	12.65	(9.26 - 17.06)	4.05	(2.59 - 6.27)
Regions 2 and 7	8.58	(6.58 - 11.10)	14.69	(11.88 - 18.03)	4.36	(3.06 - 6.19)
Region 3	8.44	(5.86 - 12.02)	13.48	(9.65 - 18.52)	4.18	(2.67 - 6.48)
Region 4	9.08	(6.13 - 13.25)	*	(* - *)	5.13	(3.14 - 8.29)
Regions 5 and 6	8.52	(5.79 - 12.37)	14.00	(9.94 - 19.37)	4.09	(2.62 - 6.33)
Connecticut	5.88	(4.68 - 7.38)	12.35	(10.35 - 14.66)	2.70	(1.96 - 3.71)
Eastern	7.21	(4.94 - 10.42)	13.52	(9.68 - 18.57)	3.01	(1.88 - 4.81)
North Central	5.13	(3.55 - 7.35)	10.06	(7.60 - 13.20)	2.44	(1.56 - 3.80)
Northwestern	7.18	(4.97 - 10.27)	14.30	(10.39 - 19.37)	3.22	(2.06 - 4.98)
South Central	5.42	(3.78 - 7.71)	13.05	(9.80 - 17.19)	2.46	(1.56 - 3.86)
Southwest	5.46	(3.63 - 8.14)	12.20	(8.75 - 16.77)	2.70	(1.68 - 4.32)
Delaware	7.55	(6.16 - 9.21)	13.91	(11.77 - 16.37)	3.31	(2.48 - 4.41)
Kent	8.30	(5.88 - 11.57)	13.15	(9.64 - 17.68)	3.68	(2.36 - 5.67)
New Castle (excluding Wilmington city)	7.68	(5.90 - 9.94)	14.80	(12.06 - 18.05)	3.13	(2.17 - 4.49)
Sussex	7.24	(5.08 - 10.22)	14.31	(10.52 - 19.17)	3.51	(2.27 - 5.37)
Wilmington City	6.03	(3.95 - 9.08)	9.61	(6.53 - 13.92)	3.28	(2.06 - 5.20)
District of Columbia	4.48	(3.43 - 5.84)	6.42	(4.99 - 8.23)	2.45	(1.71 - 3.50)
Ward 1	4.42	(2.80 - 6.92)	5.58	(3.61 - 8.53)	2.79	(1.65 - 4.68)
Ward 2	*	(* - *)	7.09	(4.72 - 10.50)	2.85	(1.68 - 4.79)
Ward 3	5.12	(3.23 - 8.02)	9.09	(6.33 - 12.89)	2.82	(1.75 - 4.51)
Ward 4	3.89	(2.48 - 6.06)	5.58	(3.60 - 8.54)	2.11	(1.25 - 3.55)
Ward 5	4.35	(2.80 - 6.68)	5.40	(3.64 - 7.94)	2.08	(1.23 - 3.48)
Ward 6	4.48	(2.83 - 7.04)	7.34	(4.72 - 11.23)	2.72	(1.63 - 4.53)
Ward 7	4.24	(2.80 - 6.36)	4.44	(2.81 - 6.93)	1.90	(1.11 - 3.24)
Ward 8	4.88	(3.28 - 7.22)	5.47	(3.53 - 8.39)	2.12	(1.24 - 3.60)
Florida	7.05	(6.23 - 7.98)	12.61	(11.55 - 13.75)	3.43	(2.91 - 4.03)
District 1	10.68	(7.69 - 14.64)	17.77	(13.31 - 23.33)	4.26	(2.87 - 6.30)
District 2	7.47	(5.35 - 10.35)	12.93	(9.91 - 16.70)	3.44	(2.33 - 5.04)
District 3	7.84	(5.54 - 10.97)	13.39	(10.12 - 17.51)	3.52	(2.40 - 5.15)
District 4	8.31	(6.14 - 11.16)	15.93	(12.68 - 19.81)	3.73	(2.60 - 5.32)
District 7	6.80	(5.15 - 8.94)	13.54	(11.02 - 16.53)	3.51	(2.57 - 4.79)
District 8	7.17	(5.16 - 9.88)	12.10	(8.87 - 16.29)	3.29	(2.22 - 4.84)
District 9 (Palm Beach)	6.29	(4.54 - 8.66)	12.27	(9.37 - 15.91)	3.54	(2.44 - 5.09)
District 10 (Broward)	6.26	(4.66 - 8.36)	11.68	(9.03 - 14.99)	3.28	(2.33 - 4.61)
District 11	4.68	(3.45 - 6.31)	7.52	(5.75 - 9.77)	2.70	(1.88 - 3.86)
District 12	7.95	(5.66 - 11.05)	16.63	(12.88 - 21.21)	3.62	(2.47 - 5.27)
District 13	7.69	(5.54 - 10.57)	13.85	(10.37 - 18.25)	3.07	(2.13 - 4.40)
District 14	6.84	(4.82 - 9.61)	13.10	(9.77 - 17.34)	3.06	(2.07 - 4.49)
District 15	7.04	(4.84 - 10.14)	12.77	(9.28 - 17.32)	2.75	(1.82 - 4.15)
Suncoast	8.03	(6.41 - 10.01)	13.09	(10.84 - 15.74)	3.98	(2.98 - 5.29)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	7.63	(6.20 - 9.36)	10.44	(8.63 - 12.57)	3.81	(2.88 - 5.02)
Region 1	9.20	(6.53 - 12.81)	12.94	(9.42 - 17.52)	4.08	(2.70 - 6.13)
Region 2	9.90	(7.13 - 13.59)	12.90	(9.46 - 17.36)	4.27	(2.87 - 6.32)
Region 3	6.28	(4.51 - 8.67)	8.95	(6.70 - 11.86)	3.62	(2.49 - 5.22)
Region 4	7.69	(5.27 - 11.09)	9.48	(6.62 - 13.39)	3.59	(2.26 - 5.67)
Region 5	7.32	(5.05 - 10.50)	10.57	(7.57 - 14.57)	3.83	(2.46 - 5.92)
Hawaii	6.72	(5.27 - 8.54)	8.59	(6.85 - 10.72)	2.47	(1.71 - 3.55)
Hawaii Island	8.13	(5.48 - 11.89)	9.03	(5.96 - 13.46)	3.05	(1.82 - 5.07)
Honolulu	6.03	(4.51 - 8.02)	8.04	(6.22 - 10.34)	2.28	(1.51 - 3.44)
Kauai and Maui	8.50	(5.85 - 12.18)	11.34	(7.78 - 16.25)	2.85	(1.71 - 4.71)
Idaho	8.26	(6.82 - 9.98)	13.30	(11.37 - 15.49)	3.52	(2.68 - 4.60)
Region 1	9.21	(6.49 - 12.92)	15.37	(11.25 - 20.64)	3.58	(2.31 - 5.50)
Region 2	*	(* - *)	*	(* - *)	3.69	(2.37 - 5.70)
Region 3	8.66	(6.30 - 11.78)	12.42	(9.01 - 16.88)	3.16	(2.05 - 4.83)
Region 4	8.60	(6.28 - 11.69)	14.19	(10.98 - 18.13)	4.13	(2.85 - 5.95)
Region 5	7.29	(5.15 - 10.24)	11.82	(8.56 - 16.10)	3.22	(2.06 - 5.01)
Region 6	9.33	(6.46 - 13.29)	13.36	(9.64 - 18.22)	3.35	(2.13 - 5.23)
Region 7	6.51	(4.35 - 9.62)	9.76	(6.89 - 13.64)	2.76	(1.73 - 4.38)
Illinois	6.41	(5.64 - 7.28)	10.51	(9.55 - 11.55)	2.40	(1.95 - 2.95)
Region I (Cook)	5.67	(4.64 - 6.91)	8.89	(7.55 - 10.44)	2.45	(1.83 - 3.28)
Region II	7.25	(5.93 - 8.84)	12.30	(10.45 - 14.44)	2.54	(1.88 - 3.44)
Region III	6.33	(4.73 - 8.44)	11.37	(9.17 - 14.02)	2.17	(1.52 - 3.10)
Region IV	7.45	(5.53 - 9.97)	11.31	(8.68 - 14.61)	2.22	(1.51 - 3.25)
Region V	6.25	(4.70 - 8.26)	11.19	(8.93 - 13.95)	2.08	(1.42 - 3.05)
Indiana	8.86	(7.31 - 10.69)	15.43	(13.28 - 17.85)	3.65	(2.74 - 4.86)
Central	9.66	(7.08 - 13.04)	16.35	(12.66 - 20.84)	4.01	(2.67 - 5.97)
East	9.36	(6.45 - 13.41)	*	(* - *)	3.79	(2.42 - 5.89)
North Central	8.78	(6.17 - 12.36)	15.17	(11.16 - 20.28)	3.51	(2.32 - 5.26)
Northeast	6.56	(4.43 - 9.63)	12.32	(8.61 - 17.31)	3.04	(1.87 - 4.89)
Northwest	8.12	(5.67 - 11.49)	14.04	(10.36 - 18.75)	3.24	(2.06 - 5.04)
Southeast	9.97	(7.09 - 13.86)	*	(* - *)	4.04	(2.55 - 6.34)
Southwest	9.09	(6.18 - 13.18)	*	(* - *)	3.69	(2.33 - 5.79)
West	8.64	(5.98 - 12.33)	13.82	(10.25 - 18.38)	3.50	(2.25 - 5.40)
Iowa	5.70	(4.52 - 7.18)	8.35	(6.69 - 10.37)	1.90	(1.28 - 2.80)
Central	5.82	(3.98 - 8.44)	8.60	(5.81 - 12.57)	2.12	(1.27 - 3.53)
North Central	6.08	(4.06 - 9.01)	8.70	(5.94 - 12.55)	1.93	(1.11 - 3.34)
Northeast	5.14	(3.59 - 7.32)	8.26	(6.01 - 11.26)	1.82	(1.08 - 3.05)
Northwest	5.34	(3.66 - 7.71)	7.55	(5.02 - 11.20)	1.82	(1.07 - 3.11)
Southeast	5.53	(3.73 - 8.13)	8.33	(5.85 - 11.72)	1.82	(1.09 - 3.01)
Southwest	7.53	(5.04 - 11.11)	9.03	(5.96 - 13.46)	1.93	(1.12 - 3.30)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	6.23	(4.92 - 7.86)	10.17	(8.35 - 12.33)	2.71	(1.95 - 3.74)
Kansas City Metro	5.38	(3.76 - 7.64)	9.99	(7.46 - 13.26)	2.65	(1.71 - 4.08)
Northeast	6.43	(4.38 - 9.36)	8.87	(6.32 - 12.32)	2.58	(1.58 - 4.18)
South Central	5.96	(3.92 - 8.97)	11.02	(7.73 - 15.48)	2.90	(1.82 - 4.60)
Southeast	6.37	(4.20 - 9.54)	10.90	(7.54 - 15.51)	*	(* - *)
West	5.36	(3.48 - 8.16)	7.63	(5.07 - 11.34)	2.33	(1.39 - 3.89)
Wichita (Sedgwick)	8.40	(5.71 - 12.19)	13.00	(9.15 - 18.15)	3.07	(1.89 - 4.95)
Kentucky	10.32	(8.60 - 12.32)	17.22	(14.91 - 19.81)	4.55	(3.54 - 5.83)
Adanta, Cumberland River, And Lifeskills	10.67	(7.83 - 14.37)	14.94	(11.41 - 19.32)	3.67	(2.41 - 5.57)
Bluegrass, Comprehend, and North Key	9.96	(7.48 - 13.15)	17.09	(13.52 - 21.37)	5.60	(3.93 - 7.92)
Communicare and River Valley	10.68	(7.53 - 14.95)	15.97	(11.57 - 21.63)	3.92	(2.57 - 5.95)
Four Rivers and Pennyroyal	9.41	(6.50 - 13.43)	*	(* - *)	4.45	(2.93 - 6.71)
Kentucky River, Mountain, And Pathways	10.58	(7.53 - 14.68)	18.75	(14.11 - 24.48)	4.33	(2.87 - 6.47)
Seven Counties	10.55	(7.68 - 14.33)	18.75	(14.66 - 23.67)	4.36	(3.01 - 6.29)
Louisiana	7.35	(5.93 - 9.07)	13.65	(11.70 - 15.87)	2.98	(2.25 - 3.94)
Region 1	6.65	(4.46 - 9.80)	10.36	(7.34 - 14.42)	2.89	(1.80 - 4.62)
Regions 2 and 9	7.42	(5.31 - 10.27)	14.41	(11.27 - 18.25)	2.96	(2.00 - 4.36)
Region 3	9.12	(6.24 - 13.15)	15.32	(11.19 - 20.63)	2.96	(1.88 - 4.63)
Region 4	7.20	(5.00 - 10.26)	13.58	(9.95 - 18.25)	2.90	(1.86 - 4.50)
Regions 5 and 6	7.30	(5.01 - 10.52)	14.76	(10.81 - 19.83)	3.12	(2.03 - 4.78)
Regions 7 and 8	6.99	(4.89 - 9.90)	13.04	(9.77 - 17.20)	3.07	(2.04 - 4.59)
Region 10 (Jefferson)	7.35	(4.91 - 10.84)	*	(* - *)	2.91	(1.85 - 4.56)
Maine	7.36	(5.90 - 9.14)	13.72	(11.61 - 16.14)	2.86	(2.12 - 3.85)
Planning Region 1	6.94	(5.25 - 9.13)	13.75	(10.99 - 17.07)	2.73	(1.89 - 3.93)
Region 1 (Cumberland)	6.63	(4.64 - 9.40)	12.86	(9.59 - 17.03)	2.73	(1.78 - 4.19)
Region 2 (York)	7.36	(5.16 - 10.40)	15.17	(11.22 - 20.18)	2.72	(1.72 - 4.29)
Planning Region 2	7.53	(5.79 - 9.73)	14.11	(11.41 - 17.32)	2.88	(2.05 - 4.04)
Region 3	6.99	(4.82 - 10.03)	14.90	(11.24 - 19.50)	3.14	(2.02 - 4.87)
Region 4	7.93	(5.45 - 11.42)	13.44	(9.48 - 18.71)	2.69	(1.69 - 4.24)
Region 5	7.97	(5.40 - 11.62)	13.33	(9.51 - 18.37)	2.68	(1.70 - 4.19)
Planning Region 3	7.67	(5.64 - 10.35)	13.12	(10.21 - 16.72)	3.01	(2.05 - 4.40)
Region 6 (Penobscot)	8.74	(6.09 - 12.41)	13.93	(10.19 - 18.75)	3.06	(1.95 - 4.79)
Region 7	6.73	(4.50 - 9.95)	12.23	(8.61 - 17.08)	2.96	(1.84 - 4.73)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	5.40	(4.22 - 6.89)	9.92	(8.13 - 12.06)	2.41	(1.72 - 3.36)
Anne Arundel	5.96	(3.96 - 8.88)	12.41	(8.62 - 17.54)	2.46	(1.48 - 4.08)
Baltimore City	5.17	(3.43 - 7.74)	8.93	(6.13 - 12.84)	2.79	(1.66 - 4.66)
Central	5.65	(3.91 - 8.10)	9.88	(7.09 - 13.61)	2.27	(1.41 - 3.63)
Montgomery	3.61	(2.30 - 5.61)	8.88	(6.14 - 12.68)	2.32	(1.44 - 3.74)
Prince George's	4.55	(2.97 - 6.93)	6.61	(4.41 - 9.80)	2.00	(1.23 - 3.23)
Rural	7.17	(4.80 - 10.56)	12.62	(8.94 - 17.51)	2.72	(1.70 - 4.34)
Western	6.10	(4.06 - 9.06)	12.68	(9.08 - 17.44)	2.58	(1.59 - 4.16)
Massachusetts	8.23	(6.70 - 10.07)	14.45	(12.14 - 17.12)	3.05	(2.24 - 4.15)
Boston	7.82	(5.22 - 11.58)	11.18	(7.94 - 15.51)	3.23	(2.04 - 5.10)
Central	7.08	(4.84 - 10.25)	12.66	(8.93 - 17.64)	2.76	(1.72 - 4.41)
Metrowest	8.26	(6.06 - 11.17)	15.89	(11.84 - 20.99)	3.00	(1.96 - 4.57)
Northeast	7.84	(5.50 - 11.07)	14.68	(10.70 - 19.82)	3.04	(1.97 - 4.68)
Southeast	9.80	(7.13 - 13.32)	17.84	(13.56 - 23.12)	3.27	(2.07 - 5.15)
Western	7.95	(5.41 - 11.54)	13.61	(10.04 - 18.19)	2.94	(1.85 - 4.65)
Michigan	9.64	(8.75 - 10.61)	12.47	(11.43 - 13.60)	3.47	(2.89 - 4.16)
Bay	10.19	(7.44 - 13.78)	14.74	(10.76 - 19.87)	3.46	(2.24 - 5.32)
Detroit City	6.40	(4.73 - 8.59)	5.95	(4.34 - 8.10)	3.17	(2.10 - 4.76)
Genesee	11.12	(8.33 - 14.70)	14.13	(10.73 - 18.37)	4.29	(2.88 - 6.34)
Kalamazoo	10.58	(8.06 - 13.77)	14.80	(11.72 - 18.53)	3.50	(2.41 - 5.05)
Kent	9.92	(7.33 - 13.30)	10.23	(7.92 - 13.12)	3.33	(2.20 - 5.02)
Lakeshore	11.43	(8.93 - 14.53)	12.19	(9.69 - 15.23)	3.25	(2.24 - 4.68)
Macomb	9.32	(7.06 - 12.22)	14.07	(10.97 - 17.87)	3.67	(2.56 - 5.25)
Mid South	10.34	(8.19 - 12.97)	12.38	(9.87 - 15.42)	3.16	(2.23 - 4.45)
Northern	10.94	(8.58 - 13.85)	14.46	(11.41 - 18.16)	3.75	(2.59 - 5.40)
Oakland	10.01	(7.88 - 12.64)	12.94	(10.31 - 16.13)	2.81	(1.92 - 4.10)
Pathways	11.91	(8.24 - 16.92)	15.42	(11.51 - 20.36)	4.03	(2.68 - 6.01)
Saginaw	8.27	(5.76 - 11.74)	11.39	(8.10 - 15.79)	3.26	(2.16 - 4.89)
Southeast	8.93	(7.03 - 11.27)	13.51	(11.10 - 16.36)	4.04	(2.90 - 5.61)
St. Clair	9.16	(6.47 - 12.82)	10.42	(7.42 - 14.46)	3.02	(1.97 - 4.59)
Washtenaw	8.20	(5.96 - 11.19)	13.77	(10.50 - 17.86)	3.83	(2.64 - 5.54)
Western	8.70	(5.97 - 12.50)	11.99	(8.72 - 16.26)	3.41	(2.16 - 5.36)
Minnesota	6.02	(4.82 - 7.51)	8.89	(7.21 - 10.92)	2.73	(2.01 - 3.71)
Regions 1 and 2	7.22	(4.80 - 10.73)	10.16	(7.01 - 14.52)	2.68	(1.66 - 4.30)
Regions 3 and 4	7.08	(5.05 - 9.84)	10.15	(7.34 - 13.87)	2.49	(1.56 - 3.96)
Regions 5 and 6	5.99	(4.13 - 8.61)	9.01	(6.39 - 12.57)	2.36	(1.50 - 3.69)
Region 7A (Hennepin)	5.75	(3.95 - 8.29)	7.92	(5.53 - 11.20)	3.58	(2.32 - 5.49)
Region 7B (Ramsey)	4.77	(3.07 - 7.34)	7.97	(5.30 - 11.80)	*	(* - *)
Region 7C	5.42	(3.73 - 7.83)	8.73	(6.10 - 12.34)	2.40	(1.52 - 3.79)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	7.81	(6.33 - 9.61)	9.64	(7.95 - 11.66)	2.38	(1.71 - 3.30)
Region 1	8.76	(6.30 - 12.06)	11.35	(8.27 - 15.39)	2.31	(1.46 - 3.61)
Region 2	6.01	(4.11 - 8.70)	6.72	(4.64 - 9.63)	2.19	(1.34 - 3.57)
Region 3	7.14	(4.86 - 10.37)	9.62	(6.77 - 13.50)	2.28	(1.41 - 3.66)
Region 4	7.15	(5.03 - 10.07)	8.79	(6.28 - 12.17)	2.20	(1.37 - 3.49)
Region 5	7.67	(5.10 - 11.38)	8.16	(5.42 - 12.11)	2.10	(1.26 - 3.46)
Region 6	8.48	(5.82 - 12.20)	10.52	(7.42 - 14.73)	2.55	(1.58 - 4.10)
Region 7	9.44	(6.56 - 13.40)	11.24	(7.95 - 15.66)	2.92	(1.80 - 4.70)
Missouri	7.79	(6.37 - 9.51)	12.17	(10.21 - 14.44)	3.24	(2.46 - 4.25)
Central	8.80	(6.25 - 12.26)	13.61	(9.95 - 18.34)	3.29	(2.14 - 5.02)
Eastern	7.20	(5.46 - 9.46)	11.92	(9.25 - 15.22)	3.24	(2.29 - 4.57)
Eastern (St. Louis City and County)	5.97	(4.14 - 8.54)	11.43	(8.37 - 15.43)	3.20	(2.11 - 4.82)
Eastern (excluding St. Louis)	9.50	(6.62 - 13.45)	12.94	(9.19 - 17.91)	3.32	(2.14 - 5.12)
Northwest	7.72	(5.81 - 10.18)	12.05	(9.32 - 15.44)	3.43	(2.41 - 4.86)
Northwest (Jackson)	8.17	(5.73 - 11.53)	12.34	(9.00 - 16.69)	3.91	(2.56 - 5.92)
Northwest (excluding Jackson)	7.32	(5.00 - 10.59)	11.79	(8.22 - 16.62)	3.00	(1.89 - 4.72)
Southeast	8.25	(5.74 - 11.71)	12.15	(8.44 - 17.19)	2.92	(1.87 - 4.52)
Southwest	8.05	(5.65 - 11.33)	11.45	(8.44 - 15.34)	3.13	(2.06 - 4.73)
Montana	8.54	(6.98 - 10.41)	11.04	(9.16 - 13.25)	2.68	(1.97 - 3.65)
Region 1	8.59	(5.99 - 12.17)	10.30	(6.92 - 15.06)	2.58	(1.56 - 4.23)
Region 2	9.37	(6.57 - 13.19)	9.69	(6.72 - 13.79)	2.56	(1.59 - 4.09)
Region 3	8.32	(5.86 - 11.67)	10.48	(7.52 - 14.42)	2.72	(1.76 - 4.19)
Region 4	7.90	(5.69 - 10.87)	10.24	(7.81 - 13.33)	2.56	(1.69 - 3.87)
Region 5	8.75	(6.39 - 11.86)	12.92	(9.78 - 16.86)	2.85	(1.85 - 4.37)
Nebraska	6.64	(5.21 - 8.42)	9.19	(7.45 - 11.29)	1.91	(1.29 - 2.81)
Regions 1 and 2	6.41	(4.20 - 9.65)	9.03	(5.99 - 13.38)	2.00	(1.16 - 3.44)
Region 3	7.53	(5.08 - 11.04)	10.17	(6.93 - 14.69)	2.06	(1.20 - 3.49)
Region 4	6.37	(4.28 - 9.37)	8.22	(5.57 - 11.97)	1.80	(1.05 - 3.07)
Region 5	6.46	(4.48 - 9.23)	9.61	(7.18 - 12.74)	1.87	(1.14 - 3.06)
Region 6	6.61	(4.76 - 9.10)	8.89	(6.49 - 12.08)	1.89	(1.17 - 3.05)
Nevada	8.61	(6.87 - 10.74)	13.00	(10.80 - 15.59)	4.24	(3.10 - 5.78)
Clark	8.80	(6.71 - 11.47)	13.00	(10.50 - 15.99)	4.45	(3.12 - 6.30)
Rural	7.97	(5.59 - 11.25)	11.76	(8.31 - 16.38)	3.49	(2.20 - 5.48)
Washoe	8.44	(5.89 - 11.95)	13.87	(10.17 - 18.62)	4.00	(2.52 - 6.28)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	7.56	(6.14 - 9.27)	15.39	(13.14 - 17.95)	3.20	(2.40 - 4.25)
Central	7.59	(5.73 - 9.99)	15.36	(12.44 - 18.82)	3.48	(2.42 - 4.98)
Central 1	6.96	(4.78 - 10.02)	13.58	(10.24 - 17.80)	3.25	(2.13 - 4.93)
Central 2	8.23	(5.73 - 11.69)	17.63	(13.41 - 22.81)	3.68	(2.35 - 5.73)
Northern	8.15	(5.65 - 11.61)	17.12	(12.64 - 22.76)	3.06	(1.92 - 4.82)
Southern	7.41	(5.79 - 9.45)	14.99	(12.24 - 18.22)	3.10	(2.24 - 4.27)
Southern 1 (Rockingham)	7.25	(5.14 - 10.13)	14.48	(10.66 - 19.38)	3.11	(2.06 - 4.68)
Southern 2	7.51	(5.62 - 9.99)	15.24	(11.92 - 19.27)	3.09	(2.10 - 4.53)
New Jersey	6.07	(4.78 - 7.67)	10.04	(8.21 - 12.22)	2.32	(1.65 - 3.26)
Central	6.13	(4.28 - 8.73)	12.05	(8.80 - 16.29)	2.37	(1.48 - 3.78)
Metropolitan	5.36	(3.72 - 7.68)	8.46	(5.95 - 11.90)	2.27	(1.42 - 3.60)
Northern	5.96	(4.15 - 8.49)	9.40	(6.83 - 12.81)	2.25	(1.45 - 3.48)
Southern	6.91	(4.81 - 9.82)	11.03	(8.07 - 14.88)	2.43	(1.53 - 3.82)
New Mexico	8.30	(6.63 - 10.33)	11.87	(9.79 - 14.31)	3.80	(2.80 - 5.16)
Region 1	8.81	(6.29 - 12.21)	10.02	(6.97 - 14.21)	3.23	(2.04 - 5.09)
Region 2	8.31	(5.53 - 12.30)	12.83	(8.93 - 18.10)	3.99	(2.50 - 6.31)
Region 3 (Bernalillo)	8.31	(6.04 - 11.32)	11.28	(8.48 - 14.86)	4.01	(2.66 - 6.02)
Region 4	8.23	(5.45 - 12.23)	12.71	(8.91 - 17.81)	3.59	(2.28 - 5.62)
Region 5	7.77	(5.34 - 11.19)	13.22	(9.85 - 17.51)	4.03	(2.64 - 6.10)
New York	5.96	(5.17 - 6.87)	10.45	(9.42 - 11.57)	2.62	(2.14 - 3.20)
Region A	4.74	(3.82 - 5.85)	7.69	(6.49 - 9.09)	2.62	(2.04 - 3.37)
Region 1	5.11	(3.50 - 7.41)	6.08	(4.22 - 8.68)	2.66	(1.71 - 4.11)
Region 2	4.99	(3.68 - 6.73)	7.84	(6.01 - 10.18)	2.33	(1.61 - 3.36)
Region 3	5.32	(3.60 - 7.81)	11.45	(8.67 - 14.98)	3.82	(2.64 - 5.49)
Region 4	3.76	(2.60 - 5.42)	5.79	(4.17 - 8.00)	2.10	(1.40 - 3.14)
Region B	5.56	(4.39 - 7.02)	12.63	(10.49 - 15.13)	2.71	(2.02 - 3.64)
Region 5	6.07	(4.60 - 7.96)	13.46	(10.75 - 16.71)	2.94	(2.08 - 4.14)
Region 6	4.50	(3.11 - 6.45)	10.86	(8.03 - 14.54)	2.24	(1.51 - 3.32)
Region C	7.11	(5.99 - 8.42)	12.92	(11.36 - 14.67)	2.51	(1.96 - 3.19)
Region 7	6.14	(4.36 - 8.56)	12.00	(8.83 - 16.12)	2.42	(1.61 - 3.63)
Region 8	6.49	(4.63 - 9.04)	11.99	(9.29 - 15.35)	2.41	(1.63 - 3.56)
Region 9	7.80	(5.67 - 10.64)	14.63	(11.29 - 18.76)	2.58	(1.71 - 3.87)
Region 10	7.21	(5.07 - 10.15)	12.56	(9.55 - 16.35)	2.49	(1.64 - 3.75)
Region 11	7.60	(5.50 - 10.42)	10.79	(8.16 - 14.14)	2.37	(1.57 - 3.56)
Region 12	7.26	(5.31 - 9.84)	15.12	(11.75 - 19.25)	2.71	(1.84 - 3.96)
Region D	8.51	(6.77 - 10.63)	12.46	(10.32 - 14.97)	2.77	(2.06 - 3.71)
Region 13	7.86	(5.53 - 11.05)	13.14	(9.53 - 17.86)	2.80	(1.80 - 4.33)
Region 14	7.72	(5.33 - 11.06)	10.51	(7.63 - 14.33)	2.39	(1.58 - 3.60)
Region 15	9.78	(6.90 - 13.68)	13.97	(10.44 - 18.45)	3.10	(2.00 - 4.77)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	9.00	(7.39 - 10.93)	11.73	(9.80 - 13.98)	3.06	(2.23 - 4.18)
Eastern	7.13	(5.02 - 10.05)	10.67	(7.93 - 14.21)	3.07	(1.92 - 4.86)
North Central	9.65	(6.99 - 13.17)	12.76	(9.48 - 16.97)	3.65	(2.37 - 5.59)
South Central	8.49	(5.99 - 11.91)	9.55	(6.84 - 13.17)	2.66	(1.66 - 4.24)
Western	10.10	(7.67 - 13.20)	13.42	(10.25 - 17.40)	2.92	(1.92 - 4.44)
North Dakota	6.27	(5.00 - 7.83)	8.20	(6.58 - 10.17)	2.46	(1.71 - 3.52)
Badlands and West Central Lake Region and South Central	5.24	(3.62 - 7.51)	8.27	(5.86 - 11.54)	2.39	(1.45 - 3.92)
North Central and Northwest	6.83	(4.82 - 9.59)	7.92	(5.37 - 11.52)	2.33	(1.40 - 3.86)
Northeast	6.73	(4.67 - 9.61)	9.64	(6.71 - 13.65)	2.65	(1.61 - 4.35)
Southeast	7.04	(4.76 - 10.30)	8.77	(6.09 - 12.47)	2.72	(1.68 - 4.37)
Ohio	7.20	(6.38 - 8.12)	13.00	(11.91 - 14.17)	2.97	(2.48 - 3.55)
Boards 2, 46, 55, and 68	7.18	(5.16 - 9.91)	14.25	(10.85 - 18.48)	2.70	(1.81 - 4.01)
Boards 3, 52, and 85	6.66	(4.71 - 9.35)	11.79	(8.63 - 15.89)	2.55	(1.70 - 3.81)
Boards 4 and 78	8.56	(6.05 - 11.97)	15.73	(11.78 - 20.70)	2.93	(1.96 - 4.35)
Boards 5 and 60	7.85	(5.55 - 11.00)	12.11	(8.80 - 16.43)	3.05	(2.04 - 4.54)
Boards 7, 15, 41, 79, and 84	8.68	(6.32 - 11.82)	13.07	(9.65 - 17.47)	2.69	(1.78 - 4.06)
Boards 8, 13, and 83	9.03	(6.55 - 12.33)	14.81	(11.06 - 19.55)	3.18	(2.16 - 4.68)
Board 9 (Butler)	9.35	(6.72 - 12.86)	13.21	(9.69 - 17.75)	3.50	(2.33 - 5.22)
Board 12	6.97	(4.86 - 9.90)	13.00	(9.67 - 17.26)	3.29	(2.21 - 4.86)
Boards 18 and 47	5.89	(4.50 - 7.68)	11.91	(9.59 - 14.70)	2.73	(1.93 - 3.84)
Boards 20, 32, 54, and 69	6.90	(4.82 - 9.79)	11.52	(8.36 - 15.69)	2.66	(1.76 - 4.00)
Boards 21, 39, 51, 70, and 80	6.83	(4.85 - 9.54)	12.88	(9.76 - 16.80)	2.90	(1.97 - 4.23)
Boards 22, 74, and 87	5.90	(4.12 - 8.40)	10.91	(7.91 - 14.87)	2.60	(1.71 - 3.93)
Boards 23 and 45	7.53	(5.38 - 10.44)	15.12	(11.27 - 19.99)	3.04	(2.08 - 4.42)
Board 25 (Franklin)	7.68	(5.76 - 10.17)	13.06	(10.55 - 16.07)	3.53	(2.52 - 4.94)
Boards 27, 71, and 73	8.54	(6.22 - 11.61)	13.97	(10.49 - 18.38)	3.19	(2.19 - 4.63)
Boards 28, 43, and 67	6.44	(4.64 - 8.87)	15.10	(11.58 - 19.46)	2.70	(1.83 - 3.96)
Board 31 (Hamilton)	6.84	(5.04 - 9.23)	11.75	(9.10 - 15.06)	2.89	(1.95 - 4.27)
Board 48 (Lucas)	7.52	(5.47 - 10.24)	11.18	(8.33 - 14.84)	2.98	(1.98 - 4.47)
Board 50 and 76	6.49	(4.64 - 9.01)	13.87	(10.50 - 18.11)	3.43	(2.35 - 4.97)
Board 57 (Montgomery)	8.54	(6.16 - 11.72)	14.83	(11.19 - 19.38)	3.13	(2.10 - 4.65)
Board 77 (Summit)	5.83	(4.15 - 8.13)	12.53	(9.51 - 16.33)	2.62	(1.78 - 3.85)
Oklahoma	9.50	(7.83 - 11.49)	14.12	(11.84 - 16.74)	3.27	(2.41 - 4.41)
Central	9.50	(6.58 - 13.52)	16.31	(12.02 - 21.74)	3.51	(2.23 - 5.48)
East Central	9.45	(6.55 - 13.45)	*	(* - *)	3.12	(1.96 - 4.93)
Northeast	8.87	(6.25 - 12.46)	14.62	(10.54 - 19.94)	3.15	(1.97 - 5.00)
Northwest and Southwest	8.19	(5.71 - 11.61)	12.21	(8.56 - 17.12)	3.08	(1.94 - 4.86)
Oklahoma County	8.93	(6.19 - 12.72)	14.33	(10.48 - 19.28)	3.29	(2.10 - 5.13)
Southeast	10.19	(7.32 - 14.00)	15.89	(11.64 - 21.31)	3.44	(2.19 - 5.37)
Tulsa County	11.41	(8.14 - 15.76)	12.97	(9.59 - 17.31)	3.29	(2.07 - 5.19)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	9.41	(7.82 - 11.28)	14.20	(12.14 - 16.54)	3.64	(2.75 - 4.82)
Region 1 (Multnomah)	9.51	(6.76 - 13.22)	15.48	(11.82 - 20.01)	4.42	(2.98 - 6.52)
Region 2	9.43	(7.05 - 12.50)	15.06	(11.37 - 19.68)	3.43	(2.28 - 5.13)
Region 3	8.58	(6.30 - 11.60)	11.54	(8.84 - 14.93)	3.28	(2.13 - 4.99)
Region 4	11.76	(8.59 - 15.91)	18.78	(14.31 - 24.26)	3.99	(2.60 - 6.09)
Region 5	8.65	(6.02 - 12.28)	*	(* - *)	3.24	(2.05 - 5.07)
Pennsylvania	6.26	(5.51 - 7.11)	11.49	(10.47 - 12.61)	2.45	(2.01 - 2.97)
Region 1 (Allegheny)	5.95	(4.34 - 8.10)	13.97	(11.14 - 17.36)	2.45	(1.68 - 3.58)
Regions 2, 3, 8, and 9	7.87	(5.73 - 10.73)	11.90	(8.93 - 15.69)	2.36	(1.57 - 3.53)
Regions 4, 11, 42, and 48	6.90	(4.97 - 9.52)	10.15	(7.56 - 13.49)	2.25	(1.51 - 3.34)
Regions 5, 20, 26, 28, and 40	7.23	(5.35 - 9.72)	11.14	(8.61 - 14.30)	2.35	(1.60 - 3.43)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	6.41	(4.64 - 8.77)	11.23	(8.72 - 14.36)	2.38	(1.62 - 3.50)
Regions 7, 13, 22, and 37	5.36	(4.18 - 6.85)	11.62	(9.48 - 14.16)	2.28	(1.63 - 3.19)
Regions 10, 14, 15, 25, 31, 36, and 46	6.97	(5.11 - 9.44)	12.25	(9.24 - 16.08)	2.73	(1.87 - 3.97)
Regions 17, 24, 27, 43, and 47	7.27	(5.28 - 9.92)	13.30	(10.09 - 17.33)	2.48	(1.69 - 3.62)
Region 18 (Philadelphia)	6.18	(4.61 - 8.24)	10.60	(8.41 - 13.28)	3.00	(2.09 - 4.27)
Regions 19 and 23	7.54	(5.31 - 10.61)	13.11	(9.67 - 17.55)	2.82	(1.87 - 4.25)
Regions 21, 30, 32, and 49	4.84	(3.55 - 6.56)	8.69	(6.64 - 11.29)	2.15	(1.48 - 3.11)
Regions 29 and 34	7.60	(5.49 - 10.44)	13.86	(10.43 - 18.20)	2.62	(1.76 - 3.89)
Regions 33 and 38	5.85	(4.10 - 8.28)	10.56	(7.72 - 14.29)	2.30	(1.56 - 3.38)
Rhode Island	7.58	(6.03 - 9.49)	17.14	(14.65 - 19.96)	3.74	(2.78 - 5.01)
Bristol and Newport	7.38	(5.00 - 10.76)	*	(* - *)	4.02	(2.58 - 6.21)
Kent	8.04	(5.54 - 11.53)	21.01	(16.10 - 26.94)	4.00	(2.60 - 6.10)
Providence	7.34	(5.53 - 9.70)	15.54	(12.74 - 18.82)	3.63	(2.53 - 5.17)
Washington	8.36	(5.76 - 11.99)	*	(* - *)	3.62	(2.30 - 5.65)
South Carolina	7.73	(6.31 - 9.43)	12.32	(10.30 - 14.67)	3.28	(2.43 - 4.41)
Region 1	8.52	(6.20 - 11.61)	14.64	(11.17 - 18.96)	3.37	(2.22 - 5.09)
Region 2	7.57	(5.65 - 10.07)	11.35	(8.76 - 14.59)	3.13	(2.13 - 4.59)
Region 3	6.45	(4.44 - 9.28)	11.27	(7.92 - 15.80)	3.20	(2.01 - 5.04)
Region 4	8.00	(5.74 - 11.05)	11.81	(8.75 - 15.76)	3.40	(2.17 - 5.28)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	6.87	(5.42 - 8.68)	7.54	(6.02 - 9.40)	1.86	(1.25 - 2.77)
Eastern Planning Area	6.39	(4.96 - 8.19)	7.21	(5.66 - 9.15)	1.78	(1.18 - 2.69)
Region 3 (Minnehaha)	6.53	(4.48 - 9.44)	7.39	(5.15 - 10.51)	1.93	(1.17 - 3.19)
Region 4	5.88	(3.91 - 8.74)	6.65	(4.38 - 9.96)	1.70	(0.99 - 2.91)
Region 5	6.45	(4.40 - 9.36)	7.26	(4.82 - 10.80)	1.74	(1.00 - 3.01)
Region 6	6.76	(4.58 - 9.88)	7.50	(5.07 - 10.97)	1.75	(1.01 - 3.00)
Region 7	6.35	(4.19 - 9.51)	7.29	(4.97 - 10.58)	1.73	(1.01 - 2.94)
Western Planning Area	7.89	(5.75 - 10.74)	8.35	(6.17 - 11.22)	2.06	(1.28 - 3.30)
Region 1 (Pennington)	8.51	(5.70 - 12.53)	10.32	(7.23 - 14.53)	2.29	(1.35 - 3.84)
Region 2	7.54	(5.13 - 10.95)	6.96	(4.66 - 10.28)	1.91	(1.09 - 3.32)
Tennessee	9.38	(7.67 - 11.42)	11.07	(9.07 - 13.45)	3.01	(2.27 - 3.99)
Region 1	*	(* - *)	*	(* - *)	3.87	(2.49 - 5.96)
Region 2	12.11	(8.72 - 16.57)	*	(* - *)	3.48	(2.23 - 5.41)
Region 3	8.90	(6.30 - 12.44)	11.88	(8.67 - 16.08)	3.05	(2.00 - 4.63)
Region 4 (Davidson)	9.73	(6.68 - 13.98)	10.78	(7.61 - 15.07)	3.29	(2.12 - 5.08)
Region 5	9.09	(6.50 - 12.58)	9.11	(6.39 - 12.85)	2.54	(1.63 - 3.93)
Region 6	8.25	(5.67 - 11.84)	10.09	(6.91 - 14.52)	2.99	(1.91 - 4.65)
Region 7 (Shelby)	6.86	(4.77 - 9.77)	7.23	(4.85 - 10.65)	2.34	(1.46 - 3.73)
Texas	7.15	(6.32 - 8.07)	10.85	(9.85 - 11.94)	3.16	(2.67 - 3.74)
Region 1	7.69	(5.45 - 10.73)	12.41	(9.37 - 16.25)	3.17	(2.16 - 4.63)
Region 2	7.83	(5.46 - 11.10)	14.08	(10.24 - 19.06)	3.27	(2.22 - 4.78)
Region 3	7.10	(5.85 - 8.58)	10.38	(8.82 - 12.18)	3.38	(2.69 - 4.24)
Region 3a	7.01	(5.54 - 8.83)	10.18	(8.36 - 12.35)	3.26	(2.46 - 4.32)
Region 3bc	7.25	(5.36 - 9.74)	10.76	(8.21 - 13.97)	3.58	(2.57 - 4.98)
Region 4	9.43	(6.82 - 12.89)	14.18	(10.74 - 18.50)	3.19	(2.18 - 4.65)
Region 5	10.54	(7.54 - 14.55)	13.40	(9.73 - 18.17)	2.96	(1.98 - 4.40)
Region 6	6.79	(5.49 - 8.37)	9.33	(7.74 - 11.21)	2.78	(2.09 - 3.70)
Region 6a	6.45	(5.09 - 8.15)	8.91	(7.24 - 10.93)	2.76	(2.02 - 3.77)
Region 6bc	9.61	(6.73 - 13.53)	13.28	(9.62 - 18.07)	2.99	(2.00 - 4.44)
Region 7	7.07	(5.48 - 9.08)	14.30	(11.87 - 17.13)	3.49	(2.61 - 4.65)
Region 7a	6.90	(4.86 - 9.72)	15.50	(12.18 - 19.51)	3.68	(2.53 - 5.31)
Region 7bcd	7.29	(5.30 - 9.95)	12.71	(9.75 - 16.41)	3.19	(2.22 - 4.58)
Region 8	6.76	(5.05 - 9.01)	9.69	(7.25 - 12.83)	3.15	(2.21 - 4.48)
Region 9	8.15	(5.75 - 11.44)	11.28	(8.09 - 15.50)	3.26	(2.16 - 4.89)
Region 10	6.79	(4.62 - 9.88)	8.61	(6.00 - 12.21)	3.29	(2.13 - 5.04)
Region 11	5.89	(4.42 - 7.81)	8.78	(6.81 - 11.26)	3.01	(2.15 - 4.19)
Region 11abd	5.80	(4.00 - 8.35)	9.31	(6.77 - 12.67)	3.09	(2.06 - 4.60)
Region 11c (Hidalgo)	6.06	(4.20 - 8.66)	7.82	(5.38 - 11.22)	2.84	(1.84 - 4.37)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	7.31	(5.91 - 9.02)	12.89	(10.85 - 15.25)	3.59	(2.67 - 4.81)
Bear River, Northeastern, Summit, Tooele, and Wasatch	7.08	(4.73 - 10.46)	*	(* - *)	3.39	(2.13 - 5.35)
Central, Four Corners, San Juan, and Southwest	5.81	(3.80 - 8.79)	*	(* - *)	2.91	(1.80 - 4.67)
Davis County	6.66	(4.53 - 9.69)	12.05	(8.43 - 16.92)	3.26	(2.05 - 5.16)
Salt Lake County	8.78	(6.56 - 11.66)	13.75	(10.84 - 17.28)	4.04	(2.77 - 5.85)
Utah County	5.76	(3.97 - 8.31)	11.40	(8.43 - 15.25)	3.07	(1.94 - 4.81)
Weber, Morgan	7.79	(5.34 - 11.23)	13.39	(9.50 - 18.55)	3.86	(2.42 - 6.08)
Vermont	8.74	(7.19 - 10.58)	14.20	(12.08 - 16.62)	3.26	(2.42 - 4.38)
Champlain Valley	8.92	(6.67 - 11.83)	14.84	(11.96 - 18.28)	3.23	(2.20 - 4.70)
Rural Northeast	9.01	(6.70 - 12.02)	12.14	(8.92 - 16.31)	3.17	(2.08 - 4.80)
Rural Southeast	6.61	(4.55 - 9.51)	12.70	(9.11 - 17.44)	2.85	(1.79 - 4.51)
Rural Southwest	10.67	(7.69 - 14.62)	17.07	(12.69 - 22.56)	4.01	(2.55 - 6.28)
Virginia	7.70	(6.23 - 9.48)	11.45	(9.58 - 13.65)	2.68	(1.96 - 3.67)
Region 1	8.84	(6.08 - 12.69)	14.58	(11.00 - 19.08)	2.73	(1.72 - 4.31)
Region 2	5.93	(4.13 - 8.44)	11.12	(8.09 - 15.09)	2.82	(1.81 - 4.39)
Region 3	10.27	(7.41 - 14.07)	15.14	(11.25 - 20.07)	2.96	(1.89 - 4.60)
Region 4	6.95	(4.80 - 9.97)	8.17	(5.81 - 11.36)	2.29	(1.43 - 3.64)
Region 5	7.39	(5.24 - 10.34)	9.32	(6.75 - 12.73)	2.56	(1.63 - 3.99)
Washington	10.03	(8.32 - 12.04)	14.71	(12.50 - 17.23)	3.96	(3.00 - 5.21)
Region 1	10.61	(7.51 - 14.79)	13.90	(10.18 - 18.71)	3.86	(2.49 - 5.93)
Region 2	9.02	(6.03 - 13.28)	11.84	(8.09 - 17.02)	3.59	(2.22 - 5.75)
Region 3	10.71	(7.80 - 14.52)	15.06	(10.98 - 20.30)	3.92	(2.59 - 5.89)
Region 4 (King)	8.44	(6.20 - 11.39)	15.77	(12.29 - 20.00)	4.23	(2.88 - 6.18)
Region 5	11.68	(8.45 - 15.94)	14.06	(10.29 - 18.92)	3.98	(2.54 - 6.18)
Region 6	10.24	(7.30 - 14.18)	15.67	(11.64 - 20.77)	3.73	(2.43 - 5.68)
West Virginia	8.69	(7.15 - 10.53)	16.03	(13.81 - 18.53)	3.64	(2.77 - 4.77)
Eastern Highland	7.03	(4.81 - 10.16)	11.80	(8.53 - 16.09)	3.15	(2.00 - 4.94)
Northern	9.39	(7.09 - 12.35)	18.20	(14.63 - 22.42)	3.31	(2.32 - 4.72)
Northern A and B	10.07	(6.95 - 14.38)	*	(* - *)	3.21	(2.05 - 4.97)
Northern C and D	9.07	(6.41 - 12.69)	18.38	(14.23 - 23.40)	3.37	(2.22 - 5.09)
South Central	8.66	(6.82 - 10.94)	15.75	(12.75 - 19.30)	3.68	(2.67 - 5.07)
South Central I	7.77	(5.29 - 11.27)	*	(* - *)	3.30	(2.05 - 5.25)
South Central II	10.48	(7.41 - 14.64)	*	(* - *)	3.57	(2.29 - 5.50)
South Central III	7.97	(5.61 - 11.21)	14.24	(10.36 - 19.26)	3.99	(2.63 - 6.01)
Southern	9.78	(7.26 - 13.04)	17.71	(13.97 - 22.19)	4.53	(3.12 - 6.55)
Southern I and III	9.82	(6.78 - 14.01)	18.43	(13.79 - 24.21)	4.81	(3.11 - 7.35)
Southern II	9.70	(6.66 - 13.92)	*	(* - *)	4.00	(2.52 - 6.28)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	7.46	(6.04 - 9.19)	13.07	(11.11 - 15.31)	2.86	(2.08 - 3.93)
Milwaukee	6.81	(4.64 - 9.88)	12.40	(8.91 - 17.00)	3.26	(2.03 - 5.19)
Northeastern	6.94	(4.89 - 9.76)	14.34	(10.77 - 18.84)	2.91	(1.88 - 4.48)
Northern	7.07	(4.81 - 10.27)	12.46	(8.70 - 17.52)	2.58	(1.57 - 4.21)
Southeastern	9.33	(6.60 - 13.02)	13.42	(9.71 - 18.27)	2.83	(1.74 - 4.57)
Southern	7.76	(5.37 - 11.11)	12.66	(9.55 - 16.60)	2.69	(1.73 - 4.16)
Western	6.28	(4.27 - 9.15)	12.57	(9.27 - 16.82)	2.77	(1.74 - 4.38)
Wyoming	8.32	(6.82 - 10.12)	11.93	(9.90 - 14.30)	3.20	(2.41 - 4.25)
Judicial District 1 (Laramie)	7.56	(5.15 - 10.98)	10.87	(7.61 - 15.28)	3.30	(2.14 - 5.04)
Judicial District 2	7.62	(5.13 - 11.17)	11.14	(8.12 - 15.11)	3.23	(2.08 - 5.00)
Judicial District 3	9.31	(6.63 - 12.92)	10.83	(7.70 - 15.04)	3.03	(1.92 - 4.76)
Judicial District 4	8.40	(5.64 - 12.33)	*	(* - *)	3.14	(1.96 - 5.00)
Judicial District 5	8.19	(5.58 - 11.86)	11.98	(8.31 - 16.96)	2.59	(1.64 - 4.08)
Judicial District 6	8.40	(5.82 - 11.99)	11.56	(8.11 - 16.23)	2.99	(1.91 - 4.67)
Judicial District 7 (Natrona)	8.74	(6.14 - 12.29)	13.34	(9.35 - 18.68)	3.41	(2.19 - 5.27)
Judicial District 8	7.27	(4.89 - 10.68)	12.77	(8.98 - 17.83)	3.09	(1.92 - 4.94)
Judicial District 9	8.65	(5.88 - 12.55)	12.80	(8.89 - 18.08)	3.78	(2.41 - 5.88)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	17.64		60.60		53.10	
Alabama	15.47	(13.45 - 17.74)	51.69	(48.42 - 54.94)	38.45	(35.08 - 41.93)
Region 1	16.31	(12.91 - 20.39)	47.83	(41.96 - 53.75)	36.08	(30.75 - 41.77)
Region 2	16.43	(13.24 - 20.21)	54.16	(49.04 - 59.20)	40.88	(35.80 - 46.15)
Region 3	12.26	(9.44 - 15.78)	52.21	(45.96 - 58.40)	37.35	(31.45 - 43.65)
Region 4	15.94	(12.87 - 19.58)	51.99	(46.20 - 57.74)	38.84	(33.85 - 44.08)
Alaska	15.89	(13.80 - 18.22)	58.61	(55.06 - 62.08)	54.49	(50.82 - 58.10)
Gulf Coast	16.10	(12.39 - 20.67)	*	(* - *)	*	(* - *)
Rural	11.28	(8.12 - 15.46)	*	(* - *)	*	(* - *)
Southeast	16.13	(12.42 - 20.67)	*	(* - *)	*	(* - *)
Urban	16.68	(14.01 - 19.75)	60.35	(56.12 - 64.44)	56.32	(51.97 - 60.58)
Arizona	18.79	(16.41 - 21.43)	58.18	(54.77 - 61.52)	54.10	(50.50 - 57.65)
Maricopa	18.12	(15.26 - 21.37)	57.15	(52.96 - 61.23)	55.82	(51.47 - 60.08)
Pima	19.84	(15.50 - 25.04)	65.16	(58.59 - 71.19)	55.76	(49.02 - 62.29)
Rural North	19.49	(15.33 - 24.46)	*	(* - *)	*	(* - *)
Rural South	*	(* - *)	*	(* - *)	*	(* - *)
Arkansas	16.32	(14.27 - 18.60)	53.92	(50.46 - 57.33)	38.63	(35.37 - 41.99)
Areas 1 and 5	16.01	(12.44 - 20.36)	56.33	(49.74 - 62.70)	38.99	(33.46 - 44.80)
Areas 2 and 3	18.35	(14.28 - 23.26)	*	(* - *)	*	(* - *)
Areas 4 and 7	14.29	(11.11 - 18.18)	48.00	(41.31 - 54.75)	32.16	(26.37 - 38.55)
Area 6	15.57	(11.53 - 20.70)	*	(* - *)	*	(* - *)
Areas 8 and 12	19.80	(15.32 - 25.21)	*	(* - *)	39.68	(33.37 - 46.36)
Area 9	16.26	(12.85 - 20.37)	56.47	(49.64 - 63.06)	47.41	(41.49 - 53.41)
Areas 10, 11, and 13	15.01	(11.47 - 19.40)	52.20	(45.46 - 58.86)	33.93	(28.04 - 40.37)
California	16.25	(15.05 - 17.53)	54.69	(52.90 - 56.47)	54.79	(52.84 - 56.71)
Region 1	20.00	(15.78 - 25.01)	*	(* - *)	56.39	(49.76 - 62.80)
Region 2	18.67	(15.53 - 22.28)	59.52	(54.37 - 64.47)	61.74	(56.46 - 66.75)
Region 3	19.14	(15.31 - 23.65)	52.85	(46.85 - 58.76)	56.20	(49.90 - 62.31)
Region 4	18.29	(14.41 - 22.93)	66.86	(60.59 - 72.59)	62.52	(56.84 - 67.87)
Region 5	16.57	(13.48 - 20.19)	59.69	(54.29 - 64.87)	62.17	(57.18 - 66.91)
Region 6 (Santa Clara)	13.62	(10.50 - 17.47)	49.33	(43.05 - 55.63)	53.57	(47.87 - 59.17)
Region 7	17.97	(13.77 - 23.11)	*	(* - *)	*	(* - *)
Region 8	16.02	(12.88 - 19.74)	49.41	(43.10 - 55.74)	46.41	(40.54 - 52.39)
Region 9	17.60	(13.70 - 22.32)	*	(* - *)	54.83	(47.99 - 61.49)
Region 10	18.60	(14.75 - 23.19)	61.35	(54.62 - 67.68)	60.91	(54.45 - 67.01)
Region 11 (Los Angeles)	13.47	(11.62 - 15.55)	48.49	(45.29 - 51.71)	48.86	(45.61 - 52.12)
Region 12	17.45	(14.26 - 21.18)	55.75	(49.92 - 61.42)	49.95	(43.97 - 55.94)
Region 13 (Riverside)	16.36	(12.85 - 20.60)	51.22	(44.50 - 57.91)	49.49	(43.45 - 55.54)
Region 14 (Orange)	16.40	(13.38 - 19.95)	53.66	(48.55 - 58.69)	57.68	(52.50 - 62.70)
Region 15	17.56	(14.36 - 21.30)	61.72	(56.58 - 66.60)	57.37	(52.19 - 62.40)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	21.40	(18.82 - 24.24)	68.67	(65.51 - 71.67)	62.48	(59.05 - 65.79)
Region 1	20.84	(16.21 - 26.39)	70.20	(64.36 - 75.45)	63.02	(56.63 - 68.98)
Regions 2 and 7	21.55	(18.23 - 25.29)	67.81	(63.57 - 71.77)	62.50	(58.21 - 66.61)
Region 3	20.68	(16.13 - 26.11)	*	(* - *)	65.94	(59.25 - 72.05)
Region 4	21.37	(16.36 - 27.40)	*	(* - *)	*	(* - *)
Regions 5 and 6	22.44	(17.59 - 28.17)	*	(* - *)	*	(* - *)
Connecticut	19.75	(17.36 - 22.37)	72.38	(69.44 - 75.14)	63.04	(59.50 - 66.45)
Eastern	21.53	(16.78 - 27.19)	*	(* - *)	*	(* - *)
North Central	20.09	(16.48 - 24.26)	71.09	(66.30 - 75.45)	62.01	(56.55 - 67.18)
Northwestern	24.04	(19.57 - 29.16)	73.46	(67.39 - 78.75)	67.16	(61.12 - 72.69)
South Central	17.28	(13.67 - 21.62)	73.89	(68.71 - 78.48)	61.06	(54.95 - 66.85)
Southwest	16.96	(12.92 - 21.95)	69.13	(62.80 - 74.82)	63.56	(56.87 - 69.75)
Delaware	17.53	(15.42 - 19.87)	62.90	(59.80 - 65.91)	54.50	(51.18 - 57.78)
Kent	17.77	(13.84 - 22.53)	58.62	(52.26 - 64.71)	47.30	(40.79 - 53.89)
New Castle (excluding Wilmington city)	18.61	(15.81 - 21.78)	68.17	(64.20 - 71.89)	60.89	(56.64 - 64.98)
Sussex	16.21	(12.62 - 20.57)	51.65	(44.97 - 58.27)	46.79	(40.47 - 53.22)
Wilmington City	13.67	(10.17 - 18.14)	*	(* - *)	*	(* - *)
District of Columbia	12.68	(10.80 - 14.84)	67.27	(63.94 - 70.43)	58.25	(54.67 - 61.76)
Ward 1	12.47	(9.01 - 17.01)	*	(* - *)	*	(* - *)
Ward 2	*	(* - *)	78.16	(72.35 - 83.03)	68.16	(61.77 - 73.93)
Ward 3	20.31	(15.44 - 26.24)	81.62	(76.56 - 85.79)	75.69	(69.77 - 80.78)
Ward 4	13.37	(10.05 - 17.58)	*	(* - *)	*	(* - *)
Ward 5	11.70	(8.65 - 15.64)	*	(* - *)	*	(* - *)
Ward 6	11.59	(8.44 - 15.72)	*	(* - *)	*	(* - *)
Ward 7	11.35	(8.71 - 14.65)	*	(* - *)	*	(* - *)
Ward 8	9.86	(7.47 - 12.90)	*	(* - *)	46.13	(39.45 - 52.94)
Florida	17.37	(16.14 - 18.67)	59.32	(57.55 - 61.06)	54.48	(52.66 - 56.29)
District 1	20.00	(15.92 - 24.81)	61.11	(54.55 - 67.29)	55.04	(48.88 - 61.04)
District 2	16.01	(12.59 - 20.15)	65.73	(60.38 - 70.72)	52.70	(47.16 - 58.17)
District 3	18.25	(14.33 - 22.96)	65.99	(60.22 - 71.32)	50.84	(44.27 - 57.38)
District 4	16.16	(13.12 - 19.73)	58.68	(53.41 - 63.76)	53.00	(47.98 - 57.96)
District 7	18.53	(15.50 - 21.99)	62.06	(57.85 - 66.10)	54.99	(50.73 - 59.19)
District 8	19.01	(15.17 - 23.54)	59.37	(53.52 - 64.97)	62.44	(56.79 - 67.77)
District 9 (Palm Beach)	14.68	(11.73 - 18.21)	58.84	(53.44 - 64.04)	57.13	(51.99 - 62.11)
District 10 (Broward)	18.86	(15.68 - 22.52)	58.50	(53.41 - 63.41)	57.21	(52.43 - 61.85)
District 11	13.70	(11.29 - 16.51)	52.76	(48.44 - 57.04)	48.66	(44.62 - 52.71)
District 12	19.30	(15.43 - 23.86)	60.63	(54.85 - 66.12)	54.30	(47.60 - 60.84)
District 13	17.17	(13.57 - 21.48)	55.05	(48.54 - 61.39)	50.97	(44.84 - 57.07)
District 14	18.20	(14.60 - 22.45)	50.04	(43.76 - 56.32)	48.38	(42.33 - 54.47)
District 15	19.71	(15.60 - 24.59)	54.07	(47.48 - 60.51)	55.58	(49.20 - 61.78)
Suncoast	18.68	(16.18 - 21.46)	63.03	(59.21 - 66.69)	56.86	(53.24 - 60.40)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	15.04	(13.02 - 17.31)	52.29	(48.99 - 55.58)	48.70	(45.44 - 51.97)
Region 1	15.47	(12.03 - 19.68)	*	(* - *)	38.60	(32.62 - 44.95)
Region 2	16.14	(12.63 - 20.40)	51.59	(45.08 - 58.04)	43.96	(38.09 - 50.00)
Region 3	13.95	(11.12 - 17.35)	57.38	(52.31 - 62.29)	56.78	(52.13 - 61.31)
Region 4	15.02	(11.48 - 19.43)	*	(* - *)	45.27	(38.99 - 51.70)
Region 5	16.39	(12.57 - 21.09)	48.88	(42.27 - 55.53)	42.51	(36.10 - 49.17)
Hawaii	16.58	(14.34 - 19.09)	59.20	(55.75 - 62.56)	50.16	(46.50 - 53.82)
Hawaii Island	20.58	(16.13 - 25.89)	*	(* - *)	*	(* - *)
Honolulu	14.95	(12.47 - 17.83)	59.66	(55.68 - 63.52)	49.40	(45.16 - 53.65)
Kauai and Maui	20.15	(15.62 - 25.59)	*	(* - *)	52.60	(45.84 - 59.26)
Idaho	16.74	(14.61 - 19.10)	54.83	(51.68 - 57.94)	49.60	(46.21 - 52.98)
Region 1	19.32	(14.87 - 24.72)	*	(* - *)	57.94	(51.13 - 64.47)
Region 2	*	(* - *)	*	(* - *)	*	(* - *)
Region 3	17.22	(13.42 - 21.82)	*	(* - *)	43.21	(37.29 - 49.34)
Region 4	18.51	(14.90 - 22.77)	63.64	(58.30 - 68.66)	59.34	(53.80 - 64.65)
Region 5	16.93	(13.00 - 21.76)	*	(* - *)	43.24	(36.94 - 49.76)
Region 6	14.91	(11.33 - 19.38)	*	(* - *)	*	(* - *)
Region 7	12.20	(8.91 - 16.47)	*	(* - *)	*	(* - *)
Illinois	17.90	(16.68 - 19.19)	64.21	(62.51 - 65.87)	55.13	(53.28 - 56.95)
Region I (Cook)	17.81	(15.97 - 19.82)	62.58	(60.02 - 65.07)	56.40	(53.68 - 59.09)
Region II	17.72	(15.67 - 19.98)	65.02	(62.07 - 67.86)	59.85	(56.56 - 63.05)
Region III	17.04	(14.22 - 20.29)	66.85	(63.03 - 70.47)	47.43	(43.08 - 51.82)
Region IV	19.49	(16.21 - 23.26)	66.15	(61.38 - 70.61)	49.60	(44.54 - 54.66)
Region V	18.71	(15.74 - 22.08)	64.46	(60.20 - 68.51)	48.26	(43.58 - 52.98)
Indiana	17.33	(15.21 - 19.66)	61.59	(58.53 - 64.57)	50.00	(46.62 - 53.38)
Central	16.26	(13.02 - 20.12)	63.06	(57.23 - 68.52)	54.26	(48.59 - 59.83)
East	17.44	(13.12 - 22.80)	*	(* - *)	*	(* - *)
North Central	18.74	(14.62 - 23.70)	58.69	(51.92 - 65.15)	49.41	(42.90 - 55.94)
Northeast	14.17	(10.66 - 18.58)	*	(* - *)	*	(* - *)
Northwest	17.95	(13.88 - 22.89)	*	(* - *)	*	(* - *)
Southeast	16.93	(13.03 - 21.71)	*	(* - *)	42.20	(35.72 - 48.96)
Southwest	18.91	(14.48 - 24.31)	*	(* - *)	*	(* - *)
West	19.09	(14.66 - 24.48)	67.43	(61.30 - 73.01)	*	(* - *)
Iowa	19.81	(17.55 - 22.30)	68.90	(65.73 - 71.90)	56.99	(53.55 - 60.36)
Central	18.16	(14.13 - 23.03)	*	(* - *)	58.21	(51.43 - 64.70)
North Central	20.18	(15.80 - 25.41)	69.20	(62.73 - 74.99)	*	(* - *)
Northeast	19.83	(16.19 - 24.05)	70.71	(65.53 - 75.40)	58.64	(53.12 - 63.96)
Northwest	22.48	(17.90 - 27.84)	*	(* - *)	*	(* - *)
Southeast	18.60	(14.90 - 22.97)	68.44	(62.35 - 73.96)	56.55	(50.57 - 62.34)
Southwest	19.90	(15.44 - 25.26)	*	(* - *)	*	(* - *)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	19.92	(17.53 - 22.54)	65.92	(62.72 - 68.98)	50.33	(46.82 - 53.84)
Kansas City Metro	18.60	(15.06 - 22.76)	70.16	(65.13 - 74.75)	55.53	(50.03 - 60.89)
Northeast	20.08	(15.86 - 25.09)	65.98	(60.36 - 71.18)	48.77	(42.40 - 55.18)
South Central	21.46	(16.99 - 26.74)	*	(* - *)	*	(* - *)
Southeast	22.70	(17.68 - 28.65)	*	(* - *)	*	(* - *)
West	20.73	(15.96 - 26.48)	*	(* - *)	*	(* - *)
Wichita (Sedgwick)	18.95	(15.04 - 23.59)	67.05	(60.39 - 73.10)	52.32	(46.18 - 58.39)
Kentucky	18.81	(16.66 - 21.16)	58.49	(55.29 - 61.63)	40.36	(36.90 - 43.91)
Adanta, Cumberland River, And Lifeskills	17.70	(14.03 - 22.08)	49.47	(43.63 - 55.32)	30.84	(25.45 - 36.80)
Bluegrass, Comprehend, and North Key	18.51	(15.10 - 22.49)	63.67	(58.49 - 68.55)	46.62	(41.15 - 52.17)
Communicare and River Valley	19.64	(15.24 - 24.93)	*	(* - *)	*	(* - *)
Four Rivers and Pennyroyal	20.01	(15.50 - 25.44)	*	(* - *)	*	(* - *)
Kentucky River, Mountain, And Pathways	17.48	(13.55 - 22.27)	*	(* - *)	28.62	(22.97 - 35.02)
Seven Counties	19.87	(15.91 - 24.53)	66.11	(60.37 - 71.41)	49.31	(43.64 - 55.00)
Louisiana	18.88	(16.73 - 21.24)	61.06	(58.06 - 63.98)	48.40	(45.02 - 51.79)
Region 1	15.20	(11.52 - 19.78)	*	(* - *)	*	(* - *)
Regions 2 and 9	19.30	(15.79 - 23.37)	62.53	(57.34 - 67.44)	53.53	(48.08 - 58.90)
Region 3	20.25	(15.69 - 25.72)	*	(* - *)	*	(* - *)
Region 4	20.22	(16.03 - 25.18)	64.56	(58.19 - 70.46)	48.43	(41.73 - 55.18)
Regions 5 and 6	19.26	(15.19 - 24.12)	59.55	(52.76 - 66.00)	43.42	(37.29 - 49.75)
Regions 7 and 8	17.88	(14.25 - 22.18)	55.79	(49.84 - 61.59)	41.03	(35.32 - 46.99)
Region 10 (Jefferson)	21.09	(16.35 - 26.77)	*	(* - *)	55.43	(48.62 - 62.04)
Maine	16.95	(14.84 - 19.29)	65.57	(62.47 - 68.54)	53.04	(49.50 - 56.56)
Planning Region 1	16.90	(14.10 - 20.13)	69.21	(64.54 - 73.52)	60.69	(55.97 - 65.23)
Region 1 (Cumberland)	16.89	(13.34 - 21.15)	73.03	(67.30 - 78.09)	62.22	(56.47 - 67.65)
Region 2 (York)	16.92	(13.22 - 21.41)	*	(* - *)	*	(* - *)
Planning Region 2	16.95	(14.25 - 20.04)	63.92	(59.74 - 67.91)	50.14	(45.70 - 54.58)
Region 3	17.89	(14.08 - 22.45)	66.02	(60.36 - 71.25)	51.12	(44.80 - 57.41)
Region 4	16.20	(12.52 - 20.71)	*	(* - *)	*	(* - *)
Region 5	16.22	(12.40 - 20.93)	*	(* - *)	*	(* - *)
Planning Region 3	17.01	(13.89 - 20.67)	63.15	(58.03 - 67.99)	46.46	(40.77 - 52.24)
Region 6 (Penobscot)	16.93	(13.08 - 21.62)	66.48	(60.04 - 72.36)	*	(* - *)
Region 7	17.09	(13.08 - 22.02)	*	(* - *)	*	(* - *)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	16.98	(14.92 - 19.26)	63.46	(60.16 - 66.64)	56.78	(53.06 - 60.42)
Anne Arundel	18.11	(13.79 - 23.40)	*	(* - *)	*	(* - *)
Baltimore City	12.29	(9.28 - 16.11)	*	(* - *)	45.78	(39.16 - 52.55)
Central	20.55	(16.67 - 25.07)	70.46	(64.53 - 75.77)	63.67	(57.00 - 69.86)
Montgomery	18.19	(14.38 - 22.74)	*	(* - *)	65.06	(58.55 - 71.05)
Prince George's	11.35	(8.44 - 15.10)	*	(* - *)	*	(* - *)
Rural	19.11	(14.94 - 24.10)	*	(* - *)	*	(* - *)
Western	16.98	(12.96 - 21.93)	*	(* - *)	*	(* - *)
Massachusetts	21.94	(19.55 - 24.53)	69.92	(66.66 - 72.99)	63.68	(60.46 - 66.79)
Boston	18.49	(14.13 - 23.84)	68.71	(62.30 - 74.48)	*	(* - *)
Central	20.19	(15.90 - 25.28)	*	(* - *)	*	(* - *)
Metrowest	22.64	(18.73 - 27.08)	73.77	(68.12 - 78.74)	68.54	(63.13 - 73.50)
Northeast	21.49	(17.23 - 26.47)	69.77	(63.33 - 75.52)	63.11	(57.55 - 68.35)
Southeast	23.30	(19.06 - 28.16)	69.57	(63.34 - 75.16)	65.97	(60.46 - 71.08)
Western	23.96	(18.64 - 30.23)	69.81	(63.86 - 75.16)	*	(* - *)
Michigan	18.71	(17.50 - 19.99)	65.80	(64.22 - 67.34)	55.56	(53.76 - 57.35)
Bay	21.21	(17.11 - 26.00)	*	(* - *)	50.19	(43.72 - 56.64)
Detroit City	12.19	(9.94 - 14.87)	54.02	(49.23 - 58.74)	41.44	(36.54 - 46.52)
Genesee	19.04	(15.47 - 23.20)	66.83	(61.21 - 72.01)	54.53	(48.88 - 60.06)
Kalamazoo	18.88	(15.35 - 23.00)	73.56	(69.23 - 77.48)	55.95	(50.56 - 61.21)
Kent	20.31	(16.60 - 24.60)	60.21	(55.52 - 64.73)	55.47	(49.94 - 60.87)
Lakeshore	20.73	(17.31 - 24.62)	60.15	(55.40 - 64.73)	53.84	(49.04 - 58.57)
Macomb	20.92	(17.41 - 24.94)	67.55	(62.57 - 72.16)	61.26	(56.45 - 65.86)
Mid South	18.81	(15.88 - 22.13)	66.27	(62.05 - 70.25)	52.82	(48.22 - 57.37)
Northern	23.29	(19.70 - 27.31)	69.98	(65.24 - 74.32)	53.11	(47.83 - 58.32)
Oakland	18.33	(15.56 - 21.47)	69.62	(65.30 - 73.62)	62.84	(58.62 - 66.88)
Pathways	21.80	(16.95 - 27.58)	72.83	(66.75 - 78.16)	*	(* - *)
Saginaw	19.95	(15.43 - 25.39)	*	(* - *)	*	(* - *)
Southeast	16.29	(13.67 - 19.30)	65.21	(61.27 - 68.94)	56.78	(52.40 - 61.06)
St. Clair	19.11	(15.16 - 23.80)	*	(* - *)	55.37	(48.69 - 61.87)
Washtenaw	17.78	(14.31 - 21.88)	74.04	(69.09 - 78.44)	66.57	(61.29 - 71.46)
Western	19.55	(15.01 - 25.05)	*	(* - *)	*	(* - *)
Minnesota	19.04	(16.85 - 21.44)	70.23	(67.10 - 73.19)	62.93	(59.39 - 66.34)
Regions 1 and 2	20.62	(15.90 - 26.31)	*	(* - *)	*	(* - *)
Regions 3 and 4	19.83	(15.89 - 24.47)	68.13	(61.93 - 73.75)	55.80	(49.19 - 62.20)
Regions 5 and 6	21.64	(17.56 - 26.36)	72.75	(66.70 - 78.07)	61.76	(55.29 - 67.83)
Region 7A (Hennepin)	17.35	(13.82 - 21.56)	69.87	(63.85 - 75.28)	65.46	(59.85 - 70.68)
Region 7B (Ramsey)	17.26	(13.24 - 22.20)	*	(* - *)	*	(* - *)
Region 7C	17.46	(13.81 - 21.83)	71.13	(65.27 - 76.36)	70.51	(64.53 - 75.85)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	14.70	(12.69 - 16.96)	50.91	(47.64 - 54.17)	36.41	(32.98 - 39.98)
Region 1	14.60	(11.50 - 18.37)	47.81	(41.43 - 54.25)	30.95	(25.62 - 36.84)
Region 2	11.78	(8.88 - 15.45)	44.12	(37.56 - 50.89)	31.09	(25.47 - 37.33)
Region 3	13.30	(10.18 - 17.19)	51.55	(44.77 - 58.27)	33.42	(27.62 - 39.77)
Region 4	15.38	(11.83 - 19.75)	55.23	(49.18 - 61.14)	44.51	(38.54 - 50.64)
Region 5	14.16	(10.55 - 18.75)	*	(* - *)	*	(* - *)
Region 6	15.30	(11.50 - 20.06)	*	(* - *)	*	(* - *)
Region 7	18.22	(14.19 - 23.09)	*	(* - *)	*	(* - *)
Missouri	20.03	(17.87 - 22.37)	64.43	(61.28 - 67.46)	53.60	(50.21 - 56.96)
Central	19.29	(15.28 - 24.05)	69.25	(63.04 - 74.84)	51.56	(44.91 - 58.15)
Eastern	20.94	(17.82 - 24.43)	68.76	(64.05 - 73.11)	60.58	(55.75 - 65.21)
Eastern (St. Louis City and County)	18.83	(15.21 - 23.07)	69.57	(63.85 - 74.75)	60.70	(54.96 - 66.15)
Eastern (excluding St. Louis)	24.87	(19.64 - 30.95)	*	(* - *)	*	(* - *)
Northwest	18.55	(15.30 - 22.31)	64.69	(59.30 - 69.73)	54.73	(49.78 - 59.59)
Northwest (Jackson)	18.36	(14.26 - 23.32)	63.73	(56.99 - 69.97)	56.32	(49.94 - 62.50)
Northwest (excluding Jackson)	18.72	(14.45 - 23.89)	*	(* - *)	*	(* - *)
Southeast	21.53	(16.91 - 26.99)	*	(* - *)	*	(* - *)
Southwest	19.62	(15.55 - 24.46)	58.03	(52.21 - 63.63)	46.02	(39.32 - 52.87)
Montana	23.16	(20.74 - 25.76)	69.59	(66.64 - 72.39)	57.62	(54.03 - 61.13)
Region 1	24.78	(19.97 - 30.31)	*	(* - *)	*	(* - *)
Region 2	21.88	(17.62 - 26.84)	65.63	(59.14 - 71.57)	52.67	(46.15 - 59.09)
Region 3	22.63	(18.41 - 27.48)	68.47	(62.59 - 73.82)	56.34	(50.25 - 62.24)
Region 4	23.04	(19.23 - 27.36)	74.67	(70.26 - 78.62)	62.78	(57.34 - 67.91)
Region 5	23.81	(19.85 - 28.29)	68.44	(63.48 - 73.01)	58.33	(52.43 - 64.00)
Nebraska	20.66	(18.20 - 23.37)	69.85	(66.61 - 72.90)	56.13	(52.55 - 59.65)
Regions 1 and 2	*	(* - *)	*	(* - *)	*	(* - *)
Region 3	23.52	(18.54 - 29.35)	*	(* - *)	*	(* - *)
Region 4	21.60	(17.13 - 26.86)	*	(* - *)	*	(* - *)
Region 5	21.19	(17.24 - 25.78)	72.51	(67.47 - 77.03)	55.72	(49.58 - 61.69)
Region 6	17.85	(14.59 - 21.65)	69.74	(64.66 - 74.37)	59.03	(54.11 - 63.77)
Nevada	17.83	(15.44 - 20.51)	56.62	(53.27 - 59.92)	51.59	(47.87 - 55.30)
Clark	16.98	(14.12 - 20.29)	54.80	(50.69 - 58.85)	50.03	(45.55 - 54.50)
Rural	19.66	(15.56 - 24.53)	*	(* - *)	53.22	(46.47 - 59.85)
Washoe	19.53	(15.48 - 24.34)	63.24	(57.15 - 68.93)	57.03	(50.70 - 63.15)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	20.24	(18.00 - 22.69)	72.23	(69.17 - 75.09)	62.79	(59.35 - 66.11)
Central	20.24	(16.88 - 24.07)	75.06	(70.96 - 78.75)	59.46	(54.23 - 64.48)
Central 1	18.81	(14.64 - 23.84)	75.88	(70.60 - 80.47)	59.12	(52.36 - 65.56)
Central 2	21.66	(17.23 - 26.87)	74.01	(68.04 - 79.20)	*	(* - *)
Northern	21.49	(16.81 - 27.05)	73.75	(67.43 - 79.23)	62.32	(55.54 - 68.65)
Southern	19.97	(17.31 - 22.93)	70.32	(66.14 - 74.19)	64.46	(60.23 - 68.48)
Southern 1 (Rockingham)	20.23	(16.33 - 24.79)	73.22	(67.21 - 78.48)	67.89	(61.82 - 73.41)
Southern 2	19.81	(16.58 - 23.50)	68.87	(63.62 - 73.67)	62.32	(57.11 - 67.27)
New Jersey	19.05	(16.62 - 21.74)	63.56	(60.22 - 66.77)	59.96	(56.44 - 63.38)
Central	20.74	(16.76 - 25.37)	71.65	(65.88 - 76.78)	66.42	(60.70 - 71.70)
Metropolitan	16.09	(12.55 - 20.40)	58.46	(52.19 - 64.46)	59.81	(53.82 - 65.52)
Northern	19.39	(15.63 - 23.80)	63.31	(57.96 - 68.34)	57.34	(51.73 - 62.76)
Southern	20.06	(15.96 - 24.91)	62.46	(56.14 - 68.38)	57.01	(50.59 - 63.20)
New Mexico	20.52	(17.89 - 23.43)	58.99	(55.46 - 62.43)	50.13	(46.26 - 54.01)
Region 1	17.66	(13.82 - 22.28)	*	(* - *)	42.87	(36.97 - 48.98)
Region 2	19.23	(14.82 - 24.58)	*	(* - *)	*	(* - *)
Region 3 (Bernalillo)	24.48	(20.06 - 29.51)	63.59	(58.12 - 68.73)	57.59	(51.88 - 63.10)
Region 4	19.27	(14.72 - 24.83)	*	(* - *)	*	(* - *)
Region 5	20.23	(15.87 - 25.43)	62.42	(56.17 - 68.29)	*	(* - *)
New York	19.07	(17.74 - 20.47)	63.72	(61.98 - 65.42)	56.81	(54.82 - 58.77)
Region A	15.89	(14.19 - 17.75)	55.35	(52.73 - 57.94)	50.11	(47.25 - 52.97)
Region 1	14.09	(11.06 - 17.80)	46.47	(40.30 - 52.74)	44.22	(38.30 - 50.31)
Region 2	14.75	(12.25 - 17.66)	53.27	(48.86 - 57.64)	48.44	(43.89 - 53.02)
Region 3	19.50	(15.38 - 24.42)	73.84	(68.74 - 78.37)	61.80	(56.63 - 66.73)
Region 4	17.12	(14.00 - 20.78)	50.50	(45.67 - 55.32)	46.78	(41.80 - 51.82)
Region B	21.35	(18.88 - 24.04)	70.12	(66.66 - 73.36)	66.15	(62.76 - 69.37)
Region 5	20.65	(17.75 - 23.87)	70.64	(66.45 - 74.51)	66.54	(62.47 - 70.38)
Region 6	22.83	(18.83 - 27.38)	68.99	(63.32 - 74.13)	65.32	(59.96 - 70.32)
Region C	20.83	(18.92 - 22.88)	72.07	(69.72 - 74.31)	60.43	(57.60 - 63.19)
Region 7	20.16	(16.40 - 24.53)	69.74	(63.58 - 75.26)	61.10	(54.81 - 67.05)
Region 8	21.11	(17.16 - 25.70)	71.91	(66.87 - 76.46)	62.11	(56.56 - 67.37)
Region 9	21.04	(17.18 - 25.49)	74.81	(69.72 - 79.29)	57.91	(51.81 - 63.77)
Region 10	23.51	(18.88 - 28.87)	73.61	(68.12 - 78.45)	*	(* - *)
Region 11	19.71	(16.13 - 23.86)	70.51	(65.74 - 74.87)	59.17	(53.73 - 64.40)
Region 12	20.90	(17.28 - 25.04)	72.25	(67.40 - 76.62)	62.21	(56.93 - 67.22)
Region D	22.10	(19.24 - 25.26)	67.42	(63.41 - 71.19)	54.23	(50.18 - 58.23)
Region 13	22.00	(17.49 - 27.30)	*	(* - *)	57.31	(50.62 - 63.75)
Region 14	23.78	(19.07 - 29.24)	69.12	(62.66 - 74.92)	*	(* - *)
Region 15	20.64	(16.44 - 25.59)	65.78	(59.42 - 71.62)	51.93	(45.51 - 58.29)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	15.65	(13.62 - 17.92)	55.87	(52.64 - 59.06)	42.03	(38.52 - 45.62)
Eastern	13.75	(10.70 - 17.51)	50.52	(45.00 - 56.03)	37.07	(31.67 - 42.83)
North Central	16.79	(13.32 - 20.96)	57.78	(51.73 - 63.61)	42.94	(36.93 - 49.17)
South Central	14.62	(11.36 - 18.61)	56.60	(50.32 - 62.68)	41.80	(35.99 - 47.85)
Western	16.83	(13.67 - 20.54)	57.46	(52.07 - 62.67)	44.34	(39.22 - 49.59)
North Dakota	24.11	(21.65 - 26.76)	74.14	(71.17 - 76.90)	60.55	(57.21 - 63.79)
Badlands and West Central Lake Region and South Central	24.86	(20.57 - 29.72)	74.32	(68.79 - 79.18)	61.57	(55.95 - 66.91)
North Central and Northwest	24.60	(20.18 - 29.63)	*	(* - *)	51.34	(44.64 - 57.99)
Northeast	23.65	(19.14 - 28.84)	74.24	(68.14 - 79.52)	59.15	(53.03 - 65.00)
Southeast	21.58	(17.03 - 26.95)	76.34	(70.47 - 81.36)	59.98	(53.43 - 66.20)
Ohio	17.21	(16.04 - 18.44)	64.47	(62.84 - 66.07)	53.75	(51.96 - 55.53)
Boards 2, 46, 55, and 68	17.70	(14.23 - 21.79)	61.36	(55.33 - 67.06)	51.56	(45.80 - 57.28)
Boards 3, 52, and 85	17.08	(13.55 - 21.29)	61.50	(55.05 - 67.56)	53.65	(47.65 - 59.55)
Boards 4 and 78	18.37	(14.57 - 22.90)	*	(* - *)	50.18	(43.63 - 56.73)
Boards 5 and 60	16.95	(13.20 - 21.50)	64.47	(58.02 - 70.44)	47.17	(40.82 - 53.62)
Boards 7, 15, 41, 79, and 84	21.45	(17.44 - 26.10)	63.11	(56.42 - 69.33)	47.53	(41.25 - 53.89)
Boards 8, 13, and 83	16.47	(13.10 - 20.50)	57.20	(50.55 - 63.60)	53.88	(47.70 - 59.95)
Board 9 (Butler)	18.68	(14.76 - 23.35)	68.33	(62.10 - 73.96)	54.94	(48.26 - 61.44)
Board 12	16.63	(12.96 - 21.08)	58.88	(52.53 - 64.95)	50.88	(44.74 - 56.98)
Boards 18 and 47	17.16	(14.50 - 20.20)	69.09	(65.08 - 72.84)	57.52	(53.46 - 61.48)
Boards 20, 32, 54, and 69	18.64	(14.80 - 23.21)	62.06	(55.44 - 68.27)	53.05	(46.50 - 59.49)
Boards 21, 39, 51, 70, and 80	16.57	(12.99 - 20.91)	63.14	(57.03 - 68.86)	54.22	(48.08 - 60.24)
Boards 22, 74, and 87	18.08	(14.39 - 22.47)	68.67	(62.67 - 74.10)	51.60	(44.81 - 58.34)
Boards 23 and 45	16.82	(13.29 - 21.06)	*	(* - *)	56.29	(50.06 - 62.34)
Board 25 (Franklin)	16.44	(13.54 - 19.83)	67.38	(63.51 - 71.02)	58.18	(53.65 - 62.58)
Boards 27, 71, and 73	15.66	(12.30 - 19.73)	47.68	(41.30 - 54.14)	38.46	(32.76 - 44.49)
Boards 28, 43, and 67	17.68	(14.09 - 21.95)	69.19	(63.61 - 74.26)	55.90	(50.11 - 61.53)
Board 31 (Hamilton)	17.07	(13.95 - 20.71)	65.59	(60.84 - 70.04)	58.83	(53.42 - 64.04)
Board 48 (Lucas)	15.91	(12.69 - 19.75)	66.30	(60.60 - 71.57)	52.44	(46.78 - 58.04)
Board 50 and 76	18.06	(14.62 - 22.08)	67.48	(61.87 - 72.62)	55.60	(49.85 - 61.20)
Board 57 (Montgomery)	15.35	(12.08 - 19.32)	61.73	(55.66 - 67.46)	51.02	(45.16 - 56.85)
Board 77 (Summit)	16.71	(13.43 - 20.60)	64.40	(58.75 - 69.67)	53.89	(48.19 - 59.49)
Oklahoma	16.63	(14.56 - 18.93)	57.80	(54.47 - 61.06)	43.39	(39.88 - 46.96)
Central	15.58	(11.96 - 20.05)	*	(* - *)	*	(* - *)
East Central	15.69	(12.09 - 20.12)	*	(* - *)	*	(* - *)
Northeast	16.33	(12.50 - 21.05)	*	(* - *)	43.88	(37.46 - 50.52)
Northwest and Southwest	15.88	(12.25 - 20.34)	*	(* - *)	39.82	(33.39 - 46.62)
Oklahoma County	16.61	(12.99 - 21.00)	*	(* - *)	46.89	(40.69 - 53.19)
Southeast	17.40	(13.53 - 22.10)	*	(* - *)	36.28	(30.10 - 42.95)
Tulsa County	18.41	(14.32 - 23.36)	59.64	(53.25 - 65.71)	50.40	(43.94 - 56.85)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	17.42	(15.24 - 19.83)	65.52	(62.58 - 68.35)	57.69	(54.14 - 61.17)
Region 1 (Multnomah)	16.30	(12.58 - 20.85)	69.31	(63.81 - 74.31)	60.45	(54.26 - 66.33)
Region 2	16.38	(13.13 - 20.25)	65.53	(59.80 - 70.84)	61.00	(55.56 - 66.19)
Region 3	16.82	(13.63 - 20.57)	65.88	(61.19 - 70.27)	55.94	(50.13 - 61.59)
Region 4	19.18	(15.32 - 23.75)	62.01	(55.63 - 68.00)	*	(* - *)
Region 5	20.46	(15.90 - 25.93)	*	(* - *)	*	(* - *)
Pennsylvania	17.83	(16.66 - 19.05)	64.99	(63.40 - 66.56)	54.21	(52.30 - 56.11)
Region 1 (Allegheny)	20.31	(17.07 - 24.00)	77.19	(73.47 - 80.53)	60.55	(55.92 - 64.99)
Regions 2, 3, 8, and 9	17.97	(14.56 - 21.96)	65.10	(59.29 - 70.50)	49.37	(43.75 - 55.01)
Regions 4, 11, 42, and 48	20.23	(16.64 - 24.37)	68.00	(62.59 - 72.96)	57.26	(51.79 - 62.55)
Regions 5, 20, 26, 28, and 40	17.08	(13.75 - 21.02)	55.41	(50.38 - 60.34)	45.55	(40.07 - 51.13)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	18.23	(14.85 - 22.18)	72.45	(67.84 - 76.63)	52.41	(46.56 - 58.19)
Regions 7, 13, 22, and 37	18.51	(16.09 - 21.20)	67.82	(64.18 - 71.26)	61.51	(57.81 - 65.08)
Regions 10, 14, 15, 25, 31, 36, and 46	18.48	(15.14 - 22.36)	60.22	(54.41 - 65.76)	48.11	(42.57 - 53.70)
Regions 17, 24, 27, 43, and 47	18.65	(15.10 - 22.81)	59.93	(53.86 - 65.71)	52.71	(47.35 - 58.01)
Region 18 (Philadelphia)	14.15	(11.75 - 16.94)	58.39	(54.37 - 62.30)	46.32	(41.71 - 50.99)
Regions 19 and 23	19.32	(15.39 - 23.98)	69.26	(62.88 - 74.98)	*	(* - *)
Regions 21, 30, 32, and 49	15.54	(12.84 - 18.68)	58.05	(53.69 - 62.30)	52.23	(47.68 - 56.75)
Regions 29 and 34	21.03	(17.15 - 25.52)	68.47	(62.41 - 73.96)	55.45	(49.14 - 61.59)
Regions 33 and 38	16.49	(13.09 - 20.56)	63.98	(57.87 - 69.67)	54.42	(48.21 - 60.50)
Rhode Island	21.55	(18.96 - 24.39)	74.75	(71.59 - 77.67)	61.34	(57.65 - 64.90)
Bristol and Newport	23.26	(18.36 - 29.00)	*	(* - *)	*	(* - *)
Kent	19.82	(15.48 - 25.02)	76.56	(70.73 - 81.53)	*	(* - *)
Providence	21.68	(18.44 - 25.32)	73.05	(68.97 - 76.77)	58.00	(53.22 - 62.63)
Washington	21.25	(16.50 - 26.92)	*	(* - *)	*	(* - *)
South Carolina	13.94	(12.00 - 16.13)	58.48	(55.10 - 61.78)	44.80	(41.28 - 48.36)
Region 1	15.11	(11.96 - 18.92)	57.08	(51.19 - 62.79)	43.14	(37.45 - 49.01)
Region 2	13.69	(10.89 - 17.07)	63.35	(58.58 - 67.87)	45.67	(40.68 - 50.75)
Region 3	12.53	(9.57 - 16.24)	*	(* - *)	42.05	(35.78 - 48.60)
Region 4	14.04	(10.92 - 17.88)	58.91	(52.69 - 64.86)	47.44	(41.06 - 53.91)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	23.73	(21.11 - 26.57)	71.35	(68.23 - 74.27)	59.55	(56.15 - 62.86)
Eastern Planning Area	23.33	(20.49 - 26.43)	72.41	(69.03 - 75.55)	59.78	(56.12 - 63.33)
Region 3 (Minnehaha)	21.24	(17.05 - 26.13)	75.08	(70.06 - 79.50)	64.79	(59.30 - 69.91)
Region 4	22.20	(17.50 - 27.74)	*	(* - *)	*	(* - *)
Region 5	25.89	(20.83 - 31.69)	*	(* - *)	*	(* - *)
Region 6	24.41	(19.50 - 30.09)	68.65	(62.05 - 74.58)	55.06	(48.21 - 61.73)
Region 7	*	(* - *)	*	(* - *)	*	(* - *)
Western Planning Area	24.58	(20.69 - 28.94)	68.73	(63.80 - 73.28)	58.99	(53.87 - 63.91)
Region 1 (Pennington)	21.62	(16.91 - 27.23)	70.84	(64.71 - 76.30)	60.65	(54.03 - 66.90)
Region 2	26.24	(21.18 - 32.02)	*	(* - *)	57.84	(50.99 - 64.41)
Tennessee	13.93	(12.06 - 16.03)	48.34	(44.86 - 51.85)	37.66	(34.61 - 40.81)
Region 1	17.55	(13.10 - 23.10)	*	(* - *)	*	(* - *)
Region 2	14.76	(11.28 - 19.09)	*	(* - *)	38.33	(32.46 - 44.56)
Region 3	12.87	(9.89 - 16.59)	*	(* - *)	33.21	(28.20 - 38.62)
Region 4 (Davidson)	13.24	(9.85 - 17.58)	55.98	(49.34 - 62.41)	44.87	(38.67 - 51.23)
Region 5	15.35	(12.02 - 19.40)	44.43	(37.92 - 51.14)	37.59	(32.25 - 43.24)
Region 6	14.38	(10.94 - 18.67)	*	(* - *)	29.89	(24.10 - 36.41)
Region 7 (Shelby)	10.56	(7.86 - 14.04)	*	(* - *)	44.01	(37.76 - 50.46)
Texas	17.01	(15.78 - 18.31)	56.82	(55.15 - 58.47)	50.17	(48.42 - 51.92)
Region 1	23.84	(18.99 - 29.46)	66.51	(61.09 - 71.53)	52.43	(46.19 - 58.60)
Region 2	17.77	(13.82 - 22.56)	*	(* - *)	43.90	(37.41 - 50.61)
Region 3	15.29	(13.42 - 17.37)	55.55	(52.56 - 58.50)	52.93	(50.14 - 55.70)
Region 3a	15.16	(12.87 - 17.78)	53.21	(49.64 - 56.74)	53.91	(50.46 - 57.34)
Region 3bc	15.52	(12.73 - 18.77)	59.93	(55.18 - 64.50)	51.22	(46.70 - 55.72)
Region 4	18.06	(14.11 - 22.81)	46.34	(39.78 - 53.03)	41.66	(35.72 - 47.84)
Region 5	18.15	(14.15 - 22.98)	*	(* - *)	43.20	(36.95 - 49.68)
Region 6	16.01	(13.99 - 18.25)	55.14	(51.99 - 58.26)	52.51	(49.39 - 55.61)
Region 6a	15.84	(13.66 - 18.29)	54.79	(51.41 - 58.13)	52.79	(49.39 - 56.16)
Region 6bc	17.40	(13.46 - 22.21)	*	(* - *)	50.32	(44.21 - 56.41)
Region 7	18.69	(15.88 - 21.87)	64.84	(61.15 - 68.37)	57.25	(53.56 - 60.86)
Region 7a	18.34	(14.77 - 22.55)	67.12	(62.24 - 71.66)	61.20	(56.36 - 65.83)
Region 7bcd	19.14	(15.37 - 23.58)	61.82	(56.46 - 66.90)	51.08	(45.77 - 56.37)
Region 8	16.12	(13.26 - 19.47)	57.85	(52.64 - 62.88)	48.59	(44.06 - 53.15)
Region 9	20.13	(15.99 - 25.02)	*	(* - *)	*	(* - *)
Region 10	18.75	(14.81 - 23.47)	*	(* - *)	45.57	(38.99 - 52.30)
Region 11	17.72	(14.84 - 21.01)	51.83	(47.01 - 56.62)	39.41	(35.08 - 43.92)
Region 11abd	18.64	(14.89 - 23.08)	56.17	(50.20 - 61.96)	41.40	(35.82 - 47.21)
Region 11c (Hidalgo)	16.02	(12.44 - 20.39)	*	(* - *)	35.21	(29.55 - 41.32)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	10.93	(8.96 - 13.29)	34.29	(31.13 - 37.60)	31.05	(27.70 - 34.61)
Bear River, Northeastern, Summit, Tooele, and Wasatch	11.26	(8.15 - 15.36)	*	(* - *)	30.71	(24.96 - 37.13)
Central, Four Corners, San Juan, and Southwest	9.33	(6.62 - 12.99)	*	(* - *)	*	(* - *)
Davis County	10.44	(7.40 - 14.53)	*	(* - *)	*	(* - *)
Salt Lake County	13.56	(10.57 - 17.24)	40.77	(36.09 - 45.62)	37.16	(32.26 - 42.34)
Utah County	6.92	(4.70 - 10.06)	23.15	(18.37 - 28.73)	21.19	(16.25 - 27.16)
Weber, Morgan	10.92	(7.82 - 15.03)	*	(* - *)	*	(* - *)
Vermont	20.19	(17.91 - 22.68)	72.16	(69.16 - 74.98)	60.84	(57.37 - 64.20)
Champlain Valley	18.78	(15.57 - 22.49)	77.71	(73.69 - 81.28)	65.28	(60.27 - 69.97)
Rural Northeast	22.39	(18.44 - 26.90)	67.50	(61.62 - 72.87)	55.88	(50.01 - 61.60)
Rural Southeast	20.83	(16.84 - 25.48)	69.68	(63.55 - 75.18)	61.29	(54.94 - 67.28)
Rural Southwest	19.60	(15.48 - 24.51)	64.86	(58.29 - 70.91)	57.46	(50.70 - 63.95)
Virginia	16.59	(14.48 - 18.94)	62.58	(59.36 - 65.69)	52.63	(48.97 - 56.27)
Region 1	18.31	(14.14 - 23.39)	64.83	(58.89 - 70.33)	*	(* - *)
Region 2	16.24	(12.96 - 20.14)	65.31	(59.10 - 71.04)	62.83	(56.96 - 68.34)
Region 3	17.49	(13.63 - 22.16)	60.65	(54.12 - 66.82)	42.30	(36.15 - 48.70)
Region 4	14.97	(11.61 - 19.08)	60.59	(54.50 - 66.37)	48.66	(42.46 - 54.90)
Region 5	16.31	(12.95 - 20.34)	61.20	(55.49 - 66.61)	52.41	(46.15 - 58.60)
Washington	17.40	(15.26 - 19.77)	61.40	(58.22 - 64.50)	60.98	(57.40 - 64.44)
Region 1	17.77	(13.72 - 22.69)	64.65	(58.40 - 70.44)	*	(* - *)
Region 2	15.68	(11.80 - 20.54)	*	(* - *)	*	(* - *)
Region 3	16.71	(13.22 - 20.90)	65.18	(58.56 - 71.26)	63.60	(57.19 - 69.56)
Region 4 (King)	16.92	(13.59 - 20.86)	60.09	(54.70 - 65.23)	64.47	(58.93 - 69.64)
Region 5	19.55	(15.50 - 24.36)	65.55	(59.19 - 71.40)	62.68	(56.44 - 68.52)
Region 6	17.51	(13.62 - 22.22)	58.94	(52.33 - 65.24)	57.50	(50.76 - 63.98)
West Virginia	16.60	(14.49 - 18.94)	54.16	(51.01 - 57.28)	35.67	(32.53 - 38.93)
Eastern Highland	18.13	(14.38 - 22.61)	56.18	(49.86 - 62.31)	38.99	(33.34 - 44.94)
Northern	17.46	(14.33 - 21.11)	63.75	(58.69 - 68.53)	39.99	(35.29 - 44.89)
Northern A and B	18.98	(14.62 - 24.27)	*	(* - *)	*	(* - *)
Northern C and D	16.74	(13.02 - 21.25)	65.09	(59.16 - 70.59)	39.25	(33.80 - 44.98)
South Central	15.97	(13.37 - 18.96)	50.61	(46.03 - 55.17)	34.82	(30.87 - 38.99)
South Central I	16.39	(12.57 - 21.09)	*	(* - *)	*	(* - *)
South Central II	14.34	(10.68 - 19.00)	*	(* - *)	*	(* - *)
South Central III	16.83	(12.99 - 21.52)	50.35	(43.74 - 56.94)	35.82	(30.33 - 41.72)
Southern	14.66	(11.63 - 18.33)	43.48	(37.97 - 49.14)	27.80	(23.14 - 32.99)
Southern I and III	14.38	(10.65 - 19.13)	*	(* - *)	28.48	(22.78 - 34.97)
Southern II	15.22	(11.45 - 19.95)	*	(* - *)	*	(* - *)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	22.62	(20.20 - 25.23)	74.37	(71.30 - 77.21)	63.39	(59.92 - 66.72)
Milwaukee	17.44	(13.64 - 22.01)	72.28	(66.08 - 77.73)	61.12	(54.72 - 67.15)
Northeastern	22.89	(18.70 - 27.70)	74.71	(68.73 - 79.88)	64.95	(59.28 - 70.22)
Northern	26.18	(20.83 - 32.35)	*	(* - *)	*	(* - *)
Southeastern	24.91	(20.40 - 30.03)	72.96	(66.67 - 78.44)	66.35	(59.90 - 72.25)
Southern	20.69	(16.44 - 25.69)	75.38	(70.29 - 79.85)	63.02	(56.91 - 68.73)
Western	25.42	(20.41 - 31.17)	75.85	(70.28 - 80.66)	*	(* - *)
Wyoming	18.51	(16.34 - 20.89)	65.37	(62.12 - 68.48)	54.13	(50.69 - 57.53)
Judicial District 1 (Laramie)	18.07	(14.22 - 22.70)	*	(* - *)	54.11	(47.91 - 60.18)
Judicial District 2	17.59	(13.43 - 22.70)	73.38	(67.72 - 78.37)	*	(* - *)
Judicial District 3	17.07	(13.41 - 21.49)	*	(* - *)	49.60	(43.24 - 55.98)
Judicial District 4	18.40	(14.01 - 23.79)	*	(* - *)	*	(* - *)
Judicial District 5	19.89	(15.40 - 25.31)	*	(* - *)	*	(* - *)
Judicial District 6	19.06	(14.80 - 24.20)	*	(* - *)	*	(* - *)
Judicial District 7 (Natrona)	18.64	(14.57 - 23.53)	*	(* - *)	54.88	(48.06 - 61.52)
Judicial District 8	19.73	(15.43 - 24.88)	*	(* - *)	*	(* - *)
Judicial District 9	19.33	(14.90 - 24.69)	*	(* - *)	*	(* - *)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 10. *Binge Alcohol Use in Past Month* among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	10.79		41.04		21.28	
Alabama	9.33	(7.86 - 11.03)	34.73	(31.77 - 37.81)	17.13	(14.94 - 19.58)
Region 1	10.58	(8.03 - 13.83)	33.05	(27.76 - 38.81)	14.93	(12.08 - 18.31)
Region 2	9.69	(7.45 - 12.51)	35.78	(31.17 - 40.68)	18.65	(15.41 - 22.41)
Region 3	6.79	(4.96 - 9.24)	34.04	(28.70 - 39.81)	18.08	(14.59 - 22.18)
Region 4	9.53	(7.33 - 12.30)	35.83	(30.60 - 41.43)	17.06	(14.02 - 20.59)
Alaska	10.98	(9.27 - 12.97)	40.20	(36.89 - 43.60)	21.24	(18.79 - 23.93)
Gulf Coast	13.02	(9.67 - 17.31)	*	(* - *)	22.69	(18.11 - 28.04)
Rural	8.88	(6.34 - 12.31)	*	(* - *)	19.97	(15.87 - 24.83)
Southeast	11.81	(8.60 - 16.02)	*	(* - *)	20.50	(16.42 - 25.28)
Urban	10.87	(8.82 - 13.31)	41.11	(37.20 - 45.15)	21.31	(18.43 - 24.51)
Arizona	12.25	(10.33 - 14.48)	42.36	(38.99 - 45.81)	23.07	(20.47 - 25.90)
Maricopa	11.06	(8.91 - 13.67)	40.82	(36.77 - 45.00)	23.91	(20.83 - 27.28)
Pima	13.49	(9.94 - 18.05)	48.29	(41.62 - 55.03)	23.06	(18.90 - 27.82)
Rural North	14.74	(11.21 - 19.14)	*	(* - *)	20.79	(16.78 - 25.46)
Rural South	13.98	(10.25 - 18.79)	*	(* - *)	21.26	(16.82 - 26.50)
Arkansas	10.75	(9.16 - 12.58)	37.81	(34.65 - 41.07)	19.04	(16.85 - 21.44)
Areas 1 and 5	10.92	(8.27 - 14.30)	41.54	(35.28 - 48.09)	18.81	(15.50 - 22.64)
Areas 2 and 3	13.14	(9.90 - 17.23)	*	(* - *)	17.25	(13.66 - 21.55)
Areas 4 and 7	8.93	(6.64 - 11.91)	32.31	(26.53 - 38.70)	18.08	(14.50 - 22.31)
Area 6	10.31	(7.50 - 14.01)	*	(* - *)	19.60	(15.72 - 24.16)
Areas 8 and 12	12.65	(9.38 - 16.85)	*	(* - *)	20.22	(16.38 - 24.68)
Area 9	10.01	(7.49 - 13.26)	35.63	(29.90 - 41.80)	20.22	(16.71 - 24.24)
Areas 10, 11, and 13	10.10	(7.48 - 13.51)	36.77	(30.90 - 43.06)	19.19	(15.40 - 23.65)
California	10.00	(9.05 - 11.03)	34.64	(33.00 - 36.33)	19.87	(18.55 - 21.26)
Region 1	13.71	(10.51 - 17.70)	*	(* - *)	19.31	(15.67 - 23.56)
Region 2	12.17	(9.80 - 15.02)	40.03	(35.12 - 45.14)	21.35	(18.14 - 24.95)
Region 3	12.18	(9.51 - 15.48)	36.01	(30.70 - 41.70)	21.18	(17.77 - 25.04)
Region 4	10.19	(7.70 - 13.38)	40.84	(34.68 - 47.30)	20.46	(17.15 - 24.23)
Region 5	9.11	(7.02 - 11.74)	36.28	(31.47 - 41.39)	19.96	(16.93 - 23.37)
Region 6 (Santa Clara)	7.89	(5.87 - 10.52)	29.71	(24.52 - 35.49)	17.50	(14.47 - 21.01)
Region 7	10.38	(7.68 - 13.88)	*	(* - *)	22.08	(18.04 - 26.72)
Region 8	10.55	(8.16 - 13.53)	32.40	(27.32 - 37.92)	20.91	(17.38 - 24.93)
Region 9	10.85	(8.18 - 14.26)	*	(* - *)	21.31	(17.57 - 25.60)
Region 10	12.20	(9.24 - 15.94)	*	(* - *)	22.43	(18.42 - 27.02)
Region 11 (Los Angeles)	8.18	(6.77 - 9.84)	28.09	(25.38 - 30.97)	18.48	(16.36 - 20.80)
Region 12	10.94	(8.53 - 13.95)	35.24	(30.20 - 40.64)	20.34	(16.87 - 24.30)
Region 13 (Riverside)	11.13	(8.48 - 14.49)	30.97	(25.20 - 37.39)	19.29	(15.85 - 23.27)
Region 14 (Orange)	9.78	(7.62 - 12.46)	35.43	(30.73 - 40.43)	19.39	(16.39 - 22.78)
Region 15	10.12	(7.79 - 13.04)	42.63	(37.88 - 47.53)	21.39	(18.33 - 24.80)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	12.10	(10.29 - 14.18)	47.11	(43.79 - 50.46)	23.32	(20.81 - 26.04)
Region 1	12.75	(9.64 - 16.68)	47.88	(41.73 - 54.09)	23.70	(19.70 - 28.23)
Regions 2 and 7	11.73	(9.51 - 14.38)	46.93	(42.63 - 51.27)	23.79	(20.66 - 27.24)
Region 3	11.49	(8.56 - 15.25)	*	(* - *)	21.73	(17.85 - 26.19)
Region 4	14.21	(10.40 - 19.11)	*	(* - *)	22.97	(18.37 - 28.31)
Regions 5 and 6	12.77	(9.47 - 17.00)	*	(* - *)	22.75	(18.65 - 27.43)
Connecticut	11.78	(9.97 - 13.87)	48.02	(44.79 - 51.27)	22.28	(19.81 - 24.96)
Eastern	12.03	(8.88 - 16.10)	*	(* - *)	22.52	(18.35 - 27.31)
North Central	12.49	(9.60 - 16.10)	45.50	(40.50 - 50.59)	23.07	(19.39 - 27.21)
Northwestern	13.83	(10.69 - 17.70)	49.14	(42.84 - 55.48)	22.69	(18.68 - 27.26)
South Central	10.71	(8.16 - 13.93)	50.31	(44.57 - 56.05)	21.72	(17.86 - 26.15)
Southwest	9.93	(7.22 - 13.50)	*	(* - *)	21.32	(17.38 - 25.86)
Delaware	9.71	(8.11 - 11.57)	43.33	(40.15 - 46.56)	20.82	(18.57 - 23.26)
Kent	9.79	(7.25 - 13.08)	37.91	(31.91 - 44.30)	19.54	(15.80 - 23.91)
New Castle (excluding Wilmington city)	10.29	(8.23 - 12.79)	48.69	(44.55 - 52.84)	21.93	(19.11 - 25.03)
Sussex	9.46	(7.03 - 12.63)	37.10	(31.07 - 43.56)	18.43	(14.96 - 22.50)
Wilmington City	6.85	(4.78 - 9.72)	*	(* - *)	22.33	(17.85 - 27.55)
District of Columbia	5.82	(4.61 - 7.32)	39.86	(36.48 - 43.34)	24.35	(21.72 - 27.18)
Ward 1	6.29	(4.33 - 9.06)	*	(* - *)	26.85	(22.07 - 32.23)
Ward 2	*	(* - *)	*	(* - *)	27.90	(23.21 - 33.14)
Ward 3	10.27	(7.36 - 14.17)	52.31	(45.77 - 58.78)	24.05	(20.02 - 28.61)
Ward 4	5.95	(4.14 - 8.48)	*	(* - *)	21.60	(17.62 - 26.21)
Ward 5	5.69	(3.99 - 8.06)	35.41	(29.72 - 41.53)	22.88	(18.64 - 27.75)
Ward 6	5.26	(3.62 - 7.60)	*	(* - *)	25.38	(20.80 - 30.58)
Ward 7	4.68	(3.28 - 6.62)	*	(* - *)	22.53	(18.28 - 27.42)
Ward 8	3.95	(2.71 - 5.74)	28.16	(22.54 - 34.56)	23.64	(19.44 - 28.42)
Florida	9.62	(8.70 - 10.62)	39.01	(37.33 - 40.72)	20.54	(19.25 - 21.90)
District 1	11.56	(8.84 - 14.99)	43.61	(37.19 - 50.25)	22.05	(18.41 - 26.19)
District 2	9.31	(7.01 - 12.26)	45.62	(39.76 - 51.60)	22.82	(19.15 - 26.96)
District 3	9.57	(7.18 - 12.65)	43.92	(38.26 - 49.74)	20.71	(17.21 - 24.71)
District 4	9.18	(7.19 - 11.65)	38.55	(33.81 - 43.52)	20.49	(17.39 - 23.98)
District 7	10.38	(8.33 - 12.86)	40.02	(35.98 - 44.20)	20.66	(17.91 - 23.72)
District 8	10.51	(8.06 - 13.59)	39.88	(34.17 - 45.87)	19.93	(16.66 - 23.66)
District 9 (Palm Beach)	8.37	(6.36 - 10.94)	37.42	(32.31 - 42.83)	20.56	(17.42 - 24.11)
District 10 (Broward)	9.64	(7.64 - 12.10)	37.25	(32.67 - 42.06)	21.54	(18.57 - 24.85)
District 11	6.63	(5.16 - 8.49)	31.48	(27.78 - 35.44)	19.80	(17.23 - 22.64)
District 12	11.97	(9.10 - 15.58)	41.52	(35.79 - 47.49)	19.52	(16.02 - 23.57)
District 13	9.52	(7.14 - 12.58)	36.71	(30.94 - 42.89)	16.74	(13.62 - 20.40)
District 14	9.16	(6.88 - 12.11)	34.12	(28.63 - 40.06)	18.32	(15.03 - 22.15)
District 15	11.18	(8.37 - 14.77)	36.85	(30.90 - 43.23)	19.40	(15.87 - 23.48)
Suncoast	11.21	(9.34 - 13.39)	43.40	(39.64 - 47.23)	21.83	(19.32 - 24.57)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	8.71	(7.29 - 10.37)	33.80	(30.59 - 37.17)	20.59	(18.28 - 23.11)
Region 1	9.16	(6.76 - 12.30)	30.51	(24.89 - 36.77)	18.23	(14.81 - 22.23)
Region 2	8.91	(6.74 - 11.68)	34.94	(28.84 - 41.58)	19.51	(16.00 - 23.57)
Region 3	8.26	(6.34 - 10.70)	35.40	(30.89 - 40.19)	21.62	(18.54 - 25.06)
Region 4	8.87	(6.48 - 12.01)	*	(* - *)	20.94	(17.03 - 25.47)
Region 5	9.12	(6.73 - 12.26)	32.42	(26.47 - 38.99)	20.66	(16.65 - 25.34)
Hawaii	11.36	(9.51 - 13.50)	43.22	(39.87 - 46.63)	21.93	(19.37 - 24.73)
Hawaii Island	14.79	(11.14 - 19.38)	*	(* - *)	23.86	(19.28 - 29.14)
Honolulu	10.24	(8.26 - 12.63)	43.45	(39.69 - 47.29)	21.44	(18.59 - 24.60)
Kauai and Maui	13.23	(9.88 - 17.50)	*	(* - *)	22.62	(18.54 - 27.30)
Idaho	11.33	(9.65 - 13.26)	38.00	(34.89 - 41.21)	19.37	(17.14 - 21.82)
Region 1	13.43	(10.11 - 17.63)	*	(* - *)	20.87	(16.78 - 25.64)
Region 2	*	(* - *)	*	(* - *)	19.20	(15.30 - 23.82)
Region 3	10.56	(7.86 - 14.03)	*	(* - *)	18.14	(14.87 - 21.95)
Region 4	11.33	(8.67 - 14.69)	43.20	(37.79 - 48.77)	20.87	(17.48 - 24.72)
Region 5	11.84	(8.96 - 15.49)	*	(* - *)	18.14	(14.57 - 22.36)
Region 6	11.89	(8.83 - 15.82)	*	(* - *)	18.40	(14.74 - 22.72)
Region 7	8.84	(6.28 - 12.31)	*	(* - *)	17.71	(13.94 - 22.24)
Illinois	11.15	(10.16 - 12.23)	46.93	(45.22 - 48.65)	24.06	(22.62 - 25.57)
Region I (Cook)	10.87	(9.39 - 12.56)	43.84	(41.21 - 46.51)	25.71	(23.44 - 28.12)
Region II	10.50	(8.92 - 12.33)	47.00	(43.97 - 50.05)	22.65	(20.33 - 25.15)
Region III	12.04	(9.79 - 14.72)	51.16	(47.31 - 54.99)	22.43	(19.63 - 25.50)
Region IV	13.20	(10.62 - 16.29)	50.99	(46.13 - 55.83)	22.71	(19.44 - 26.34)
Region V	11.86	(9.58 - 14.60)	52.54	(48.27 - 56.78)	23.95	(20.68 - 27.55)
Indiana	11.02	(9.43 - 12.83)	44.15	(41.05 - 47.29)	20.35	(18.07 - 22.85)
Central	9.89	(7.54 - 12.86)	41.83	(36.28 - 47.59)	20.44	(16.95 - 24.43)
East	11.57	(8.49 - 15.57)	*	(* - *)	20.38	(16.52 - 24.88)
North Central	11.40	(8.60 - 14.96)	*	(* - *)	19.67	(16.05 - 23.89)
Northeast	9.13	(6.56 - 12.56)	*	(* - *)	19.01	(15.23 - 23.48)
Northwest	10.70	(7.95 - 14.24)	42.91	(36.68 - 49.36)	21.15	(17.21 - 25.70)
Southeast	11.20	(8.31 - 14.93)	*	(* - *)	19.05	(15.28 - 23.50)
Southwest	12.30	(9.16 - 16.32)	*	(* - *)	20.48	(16.38 - 25.29)
West	13.42	(10.08 - 17.66)	51.16	(44.67 - 57.62)	22.77	(18.64 - 27.50)
Iowa	14.02	(12.13 - 16.14)	51.20	(47.81 - 54.58)	24.67	(22.21 - 27.30)
Central	12.04	(9.03 - 15.87)	*	(* - *)	25.15	(20.91 - 29.91)
North Central	14.92	(11.27 - 19.48)	48.82	(42.13 - 55.56)	22.67	(18.62 - 27.31)
Northeast	14.19	(11.27 - 17.73)	52.67	(47.41 - 57.87)	25.52	(21.71 - 29.74)
Northwest	15.40	(11.89 - 19.71)	*	(* - *)	24.12	(19.88 - 28.92)
Southeast	13.50	(10.44 - 17.29)	52.80	(46.47 - 59.04)	25.63	(21.77 - 29.92)
Southwest	14.34	(10.80 - 18.81)	*	(* - *)	22.90	(18.62 - 27.83)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	12.82	(10.95 - 14.95)	46.57	(43.04 - 50.13)	20.52	(18.12 - 23.15)
Kansas City Metro	11.73	(9.17 - 14.88)	48.24	(42.75 - 53.77)	21.10	(17.67 - 25.00)
Northeast	13.24	(10.01 - 17.31)	47.91	(41.81 - 54.07)	20.40	(16.82 - 24.52)
South Central	14.88	(11.32 - 19.31)	*	(* - *)	20.48	(16.46 - 25.19)
Southeast	14.79	(10.88 - 19.80)	*	(* - *)	19.42	(15.38 - 24.21)
West	13.28	(9.88 - 17.62)	*	(* - *)	19.08	(15.21 - 23.67)
Wichita (Sedgwick)	11.33	(8.41 - 15.10)	*	(* - *)	21.12	(17.41 - 25.37)
Kentucky	11.48	(9.84 - 13.35)	39.97	(36.88 - 43.14)	17.85	(15.67 - 20.26)
Adanta, Cumberland River, And Lifeskills	11.25	(8.59 - 14.60)	34.55	(29.26 - 40.25)	15.64	(12.52 - 19.37)
Bluegrass, Comprehend, and North Key	10.18	(7.90 - 13.01)	41.69	(36.65 - 46.91)	18.84	(15.68 - 22.46)
Communicare and River Valley	13.04	(9.80 - 17.16)	*	(* - *)	17.75	(14.10 - 22.11)
Four Rivers and Pennyroyal	11.93	(8.87 - 15.86)	*	(* - *)	17.62	(14.03 - 21.90)
Kentucky River, Mountain, And Pathways	11.86	(8.88 - 15.67)	*	(* - *)	16.42	(13.05 - 20.46)
Seven Counties	12.10	(9.32 - 15.57)	43.28	(37.55 - 49.19)	19.27	(15.85 - 23.22)
Louisiana	10.99	(9.43 - 12.78)	40.21	(37.37 - 43.11)	23.19	(20.79 - 25.79)
Region 1	6.85	(4.92 - 9.46)	33.43	(27.30 - 40.17)	22.38	(18.18 - 27.23)
Regions 2 and 9	11.51	(8.95 - 14.67)	40.60	(35.80 - 45.59)	24.75	(20.96 - 28.98)
Region 3	12.87	(9.58 - 17.08)	*	(* - *)	24.13	(19.60 - 29.33)
Region 4	12.33	(9.33 - 16.11)	45.70	(39.45 - 52.09)	25.14	(20.62 - 30.26)
Regions 5 and 6	12.13	(9.18 - 15.87)	42.33	(36.05 - 48.87)	22.01	(18.21 - 26.35)
Regions 7 and 8	10.16	(7.63 - 13.42)	37.99	(32.67 - 43.60)	21.20	(17.52 - 25.41)
Region 10 (Jefferson)	11.56	(8.54 - 15.45)	*	(* - *)	22.88	(18.60 - 27.82)
Maine	11.01	(9.34 - 12.93)	43.99	(40.89 - 47.14)	19.63	(17.38 - 22.09)
Planning Region 1	10.64	(8.57 - 13.15)	47.53	(42.89 - 52.21)	20.47	(17.55 - 23.75)
Region 1 (Cumberland)	10.25	(7.70 - 13.51)	51.41	(45.17 - 57.60)	21.40	(17.69 - 25.64)
Region 2 (York)	11.19	(8.41 - 14.74)	41.38	(35.11 - 47.94)	19.19	(15.61 - 23.36)
Planning Region 2	11.01	(8.97 - 13.45)	42.79	(38.81 - 46.87)	19.38	(16.78 - 22.29)
Region 3	11.10	(8.31 - 14.67)	42.87	(37.33 - 48.58)	19.94	(16.46 - 23.95)
Region 4	10.59	(7.75 - 14.32)	*	(* - *)	18.50	(14.76 - 22.94)
Region 5	11.31	(8.30 - 15.23)	*	(* - *)	19.37	(15.69 - 23.68)
Planning Region 3	11.50	(9.16 - 14.35)	41.06	(35.90 - 46.42)	18.79	(15.73 - 22.28)
Region 6 (Penobscot)	11.32	(8.50 - 14.91)	*	(* - *)	19.13	(15.39 - 23.52)
Region 7	11.66	(8.59 - 15.65)	*	(* - *)	18.53	(14.75 - 23.00)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	9.38	(8.00 - 10.97)	37.88	(34.77 - 41.08)	19.58	(17.34 - 22.03)
Anne Arundel	9.86	(7.20 - 13.36)	*	(* - *)	18.95	(15.10 - 23.51)
Baltimore City	6.21	(4.50 - 8.50)	34.37	(28.54 - 40.71)	22.69	(18.31 - 27.77)
Central	11.44	(8.92 - 14.57)	39.81	(33.99 - 45.94)	19.21	(15.78 - 23.19)
Montgomery	9.69	(7.26 - 12.81)	*	(* - *)	18.63	(15.12 - 22.74)
Prince George's	5.75	(4.16 - 7.89)	29.64	(24.05 - 35.91)	19.54	(15.76 - 23.98)
Rural	11.30	(8.47 - 14.94)	*	(* - *)	20.61	(16.84 - 24.97)
Western	10.14	(7.49 - 13.60)	42.17	(35.96 - 48.64)	18.07	(14.51 - 22.27)
Massachusetts	14.46	(12.55 - 16.62)	49.80	(46.50 - 53.10)	25.91	(23.28 - 28.72)
Boston	10.69	(7.84 - 14.43)	46.47	(40.07 - 52.99)	28.82	(24.10 - 34.05)
Central	15.14	(11.56 - 19.60)	*	(* - *)	26.96	(22.22 - 32.30)
Metrowest	14.96	(11.89 - 18.65)	51.61	(45.28 - 57.89)	24.22	(20.30 - 28.62)
Northeast	13.15	(10.10 - 16.95)	*	(* - *)	25.04	(21.00 - 29.58)
Southeast	15.57	(12.31 - 19.51)	49.33	(43.02 - 55.67)	25.36	(21.46 - 29.70)
Western	16.26	(12.26 - 21.25)	53.18	(47.02 - 59.24)	27.71	(22.64 - 33.41)
Michigan	11.69	(10.77 - 12.69)	44.54	(42.97 - 46.12)	22.86	(21.45 - 24.33)
Bay	13.68	(10.68 - 17.36)	48.61	(41.94 - 55.34)	22.84	(19.01 - 27.19)
Detroit City	5.61	(4.26 - 7.34)	31.55	(27.28 - 36.15)	23.94	(20.43 - 27.86)
Genesee	10.94	(8.57 - 13.87)	46.63	(40.96 - 52.39)	22.95	(19.23 - 27.15)
Kalamazoo	13.50	(10.70 - 16.89)	53.02	(48.08 - 57.90)	24.44	(20.89 - 28.38)
Kent	12.14	(9.61 - 15.22)	40.23	(35.76 - 44.87)	22.98	(19.39 - 27.02)
Lakeshore	12.71	(10.29 - 15.61)	40.88	(36.47 - 45.44)	21.96	(18.83 - 25.46)
Macomb	14.00	(11.12 - 17.47)	47.90	(42.69 - 53.15)	24.01	(20.67 - 27.71)
Mid South	10.54	(8.42 - 13.12)	40.83	(36.50 - 45.31)	21.45	(18.41 - 24.84)
Northern	16.07	(13.10 - 19.58)	52.83	(47.99 - 57.62)	24.75	(21.37 - 28.47)
Oakland	12.09	(9.89 - 14.70)	48.35	(44.03 - 52.70)	22.05	(19.22 - 25.16)
Pathways	15.68	(11.86 - 20.46)	*	(* - *)	25.80	(21.38 - 30.77)
Saginaw	12.85	(9.67 - 16.87)	*	(* - *)	22.61	(18.68 - 27.09)
Southeast	9.64	(7.72 - 11.97)	41.95	(37.97 - 46.04)	21.19	(18.40 - 24.28)
St. Clair	13.18	(10.17 - 16.91)	48.14	(41.46 - 54.88)	23.59	(19.62 - 28.08)
Washtenaw	11.69	(9.09 - 14.91)	47.58	(42.34 - 52.87)	23.07	(19.59 - 26.97)
Western	13.40	(10.00 - 17.73)	*	(* - *)	22.35	(18.28 - 27.04)
Minnesota	12.80	(11.10 - 14.71)	48.35	(45.03 - 51.69)	25.75	(23.21 - 28.46)
Regions 1 and 2	16.31	(12.26 - 21.37)	*	(* - *)	26.17	(21.39 - 31.59)
Regions 3 and 4	14.32	(11.23 - 18.09)	49.73	(43.70 - 55.77)	25.29	(21.08 - 30.02)
Regions 5 and 6	14.18	(11.09 - 17.95)	50.28	(44.02 - 56.53)	27.37	(23.11 - 32.08)
Region 7A (Hennepin)	11.09	(8.54 - 14.28)	45.83	(39.90 - 51.88)	25.60	(21.75 - 29.87)
Region 7B (Ramsey)	10.59	(7.76 - 14.29)	*	(* - *)	26.15	(21.37 - 31.58)
Region 7C	11.04	(8.43 - 14.35)	47.68	(41.43 - 54.00)	24.33	(20.38 - 28.77)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	8.50	(7.10 - 10.16)	32.76	(29.83 - 35.84)	18.70	(16.42 - 21.21)
Region 1	8.81	(6.57 - 11.73)	32.14	(26.62 - 38.22)	15.93	(12.82 - 19.64)
Region 2	6.60	(4.73 - 9.15)	24.08	(19.35 - 29.55)	18.41	(14.66 - 22.87)
Region 3	7.88	(5.74 - 10.72)	33.10	(27.37 - 39.37)	18.66	(15.00 - 22.97)
Region 4	8.24	(6.00 - 11.20)	33.98	(28.74 - 39.65)	21.81	(17.95 - 26.24)
Region 5	8.39	(5.96 - 11.69)	*	(* - *)	18.46	(14.41 - 23.34)
Region 6	8.88	(6.38 - 12.22)	*	(* - *)	20.12	(16.18 - 24.74)
Region 7	10.75	(7.98 - 14.32)	37.80	(31.54 - 44.48)	18.50	(14.90 - 22.75)
Missouri	13.16	(11.39 - 15.16)	44.96	(41.85 - 48.11)	22.98	(20.58 - 25.57)
Central	14.04	(10.77 - 18.11)	48.88	(42.38 - 55.42)	23.35	(19.29 - 27.98)
Eastern	13.16	(10.77 - 15.99)	47.55	(42.89 - 52.25)	25.27	(21.84 - 29.04)
Eastern (St. Louis City and County)	11.72	(9.09 - 14.99)	46.31	(40.66 - 52.06)	25.86	(21.71 - 30.50)
Eastern (excluding St. Louis)	15.83	(12.04 - 20.54)	*	(* - *)	24.05	(19.73 - 28.99)
Northwest	11.52	(9.17 - 14.36)	42.71	(37.71 - 47.86)	21.76	(18.77 - 25.09)
Northwest (Jackson)	10.39	(7.74 - 13.80)	39.92	(33.74 - 46.43)	23.05	(19.26 - 27.34)
Northwest (excluding Jackson)	12.51	(9.30 - 16.62)	*	(* - *)	20.59	(16.78 - 25.02)
Southeast	14.65	(11.16 - 19.00)	*	(* - *)	21.45	(17.51 - 26.00)
Southwest	13.77	(10.57 - 17.73)	41.95	(36.43 - 47.68)	20.47	(16.76 - 24.76)
Montana	17.19	(15.07 - 19.55)	51.88	(48.74 - 55.00)	24.69	(22.13 - 27.43)
Region 1	18.47	(14.39 - 23.40)	*	(* - *)	23.22	(18.70 - 28.46)
Region 2	17.01	(13.22 - 21.63)	48.48	(41.76 - 55.25)	23.99	(19.79 - 28.75)
Region 3	17.87	(14.10 - 22.38)	51.00	(44.94 - 57.04)	24.53	(20.48 - 29.08)
Region 4	15.97	(12.85 - 19.68)	54.22	(49.39 - 58.98)	26.32	(22.50 - 30.54)
Region 5	17.46	(14.06 - 21.48)	52.61	(47.35 - 57.82)	24.21	(20.54 - 28.31)
Nebraska	13.71	(11.77 - 15.92)	50.88	(47.42 - 54.32)	23.37	(20.89 - 26.06)
Regions 1 and 2	16.90	(12.62 - 22.27)	*	(* - *)	21.07	(16.91 - 25.93)
Region 3	15.55	(11.85 - 20.13)	*	(* - *)	23.82	(19.73 - 28.46)
Region 4	14.65	(11.08 - 19.13)	*	(* - *)	21.99	(17.85 - 26.76)
Region 5	14.30	(11.11 - 18.23)	52.79	(47.59 - 57.93)	23.72	(19.96 - 27.95)
Region 6	11.45	(9.09 - 14.33)	51.13	(45.80 - 56.43)	24.15	(20.77 - 27.88)
Nevada	11.28	(9.44 - 13.41)	34.62	(31.32 - 38.08)	21.16	(18.44 - 24.16)
Clark	10.23	(8.11 - 12.83)	32.96	(29.10 - 37.07)	21.26	(18.12 - 24.79)
Rural	14.05	(10.81 - 18.07)	*	(* - *)	20.32	(16.41 - 24.89)
Washoe	12.89	(9.76 - 16.82)	39.35	(33.37 - 45.67)	21.43	(17.62 - 25.82)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	12.90	(11.11 - 14.94)	49.26	(45.95 - 52.58)	22.26	(19.83 - 24.90)
Central	13.12	(10.55 - 16.20)	51.40	(46.96 - 55.81)	22.65	(19.41 - 26.25)
Central 1	13.25	(10.00 - 17.35)	53.70	(47.92 - 59.39)	23.34	(19.29 - 27.96)
Central 2	13.00	(9.78 - 17.08)	48.46	(42.11 - 54.86)	22.01	(18.01 - 26.60)
Northern	14.89	(11.38 - 19.25)	*	(* - *)	22.47	(18.42 - 27.11)
Southern	12.37	(10.32 - 14.75)	47.40	(43.11 - 51.74)	22.04	(19.28 - 25.06)
Southern 1 (Rockingham)	12.00	(9.20 - 15.49)	49.76	(43.53 - 56.00)	22.59	(18.70 - 27.03)
Southern 2	12.59	(10.10 - 15.59)	46.22	(40.90 - 51.63)	21.69	(18.47 - 25.30)
New Jersey	10.32	(8.62 - 12.31)	40.88	(37.60 - 44.25)	20.08	(17.65 - 22.75)
Central	11.81	(8.90 - 15.49)	50.06	(43.71 - 56.41)	20.52	(16.83 - 24.77)
Metropolitan	8.27	(6.12 - 11.10)	33.81	(28.38 - 39.70)	19.17	(15.73 - 23.15)
Northern	10.84	(8.34 - 13.98)	40.67	(35.33 - 46.25)	19.97	(16.75 - 23.63)
Southern	10.31	(7.81 - 13.49)	41.19	(35.15 - 47.50)	20.84	(17.03 - 25.24)
New Mexico	13.93	(11.90 - 16.24)	40.98	(37.61 - 44.44)	22.08	(19.59 - 24.80)
Region 1	12.21	(9.39 - 15.72)	34.42	(28.71 - 40.61)	19.34	(15.63 - 23.69)
Region 2	13.60	(10.01 - 18.21)	*	(* - *)	21.83	(17.58 - 26.78)
Region 3 (Bernalillo)	16.26	(12.80 - 20.43)	44.01	(38.67 - 49.48)	23.36	(19.67 - 27.50)
Region 4	13.05	(9.67 - 17.38)	*	(* - *)	21.51	(17.49 - 26.16)
Region 5	13.59	(10.29 - 17.75)	43.00	(37.29 - 48.90)	23.39	(19.40 - 27.91)
New York	10.81	(9.88 - 11.83)	42.32	(40.57 - 44.10)	22.62	(21.18 - 24.13)
Region A	8.30	(7.19 - 9.57)	34.63	(32.11 - 37.25)	21.65	(19.76 - 23.66)
Region 1	7.88	(5.96 - 10.36)	28.92	(23.70 - 34.77)	22.59	(18.86 - 26.83)
Region 2	7.48	(5.97 - 9.34)	31.30	(27.45 - 35.42)	19.98	(17.01 - 23.31)
Region 3	10.01	(7.42 - 13.36)	49.49	(43.91 - 55.08)	27.55	(23.76 - 31.69)
Region 4	8.99	(6.91 - 11.62)	32.04	(27.76 - 36.65)	18.89	(16.03 - 22.12)
Region B	12.28	(10.51 - 14.31)	45.56	(42.11 - 49.05)	22.55	(20.19 - 25.09)
Region 5	12.65	(10.46 - 15.22)	46.38	(42.10 - 50.72)	22.79	(19.90 - 25.96)
Region 6	11.50	(9.01 - 14.57)	43.80	(38.35 - 49.41)	22.05	(18.68 - 25.82)
Region C	12.36	(10.96 - 13.91)	50.56	(48.00 - 53.11)	23.83	(21.85 - 25.93)
Region 7	11.34	(8.69 - 14.67)	48.12	(41.76 - 54.54)	22.95	(19.06 - 27.37)
Region 8	12.95	(10.07 - 16.50)	51.23	(46.02 - 56.43)	24.54	(20.98 - 28.50)
Region 9	11.94	(9.28 - 15.23)	52.82	(47.27 - 58.30)	23.84	(19.97 - 28.19)
Region 10	15.36	(11.78 - 19.78)	49.33	(43.55 - 55.14)	22.66	(18.70 - 27.18)
Region 11	11.68	(9.24 - 14.67)	50.56	(45.16 - 55.95)	23.74	(20.24 - 27.62)
Region 12	12.40	(9.85 - 15.49)	50.38	(45.08 - 55.67)	24.34	(20.89 - 28.16)
Region D	13.50	(11.40 - 15.92)	49.64	(45.51 - 53.78)	23.82	(21.19 - 26.66)
Region 13	12.96	(9.88 - 16.83)	*	(* - *)	22.61	(18.70 - 27.07)
Region 14	14.05	(10.84 - 18.01)	53.59	(46.87 - 60.19)	26.32	(22.02 - 31.11)
Region 15	13.45	(10.38 - 17.25)	47.34	(41.12 - 53.65)	22.52	(18.79 - 26.74)

See notes at end of table.

(continued)

Table 10. *Binge Alcohol Use in Past Month* among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	9.72	(8.19 - 11.50)	37.52	(34.37 - 40.78)	18.32	(16.13 - 20.73)
Eastern	9.10	(6.87 - 11.98)	35.77	(30.45 - 41.46)	18.85	(15.35 - 22.93)
North Central	9.98	(7.53 - 13.12)	38.20	(32.57 - 44.17)	18.55	(15.24 - 22.39)
South Central	9.25	(6.96 - 12.19)	38.15	(32.61 - 44.02)	19.08	(15.67 - 23.03)
Western	10.29	(8.00 - 13.14)	37.67	(32.77 - 42.84)	17.33	(14.51 - 20.57)
North Dakota	16.29	(14.16 - 18.68)	57.04	(53.80 - 60.23)	28.63	(25.78 - 31.66)
Badlands and West Central Lake Region and South Central	16.53	(13.16 - 20.55)	55.26	(49.23 - 61.13)	27.18	(22.94 - 31.88)
North Central and Northwest	16.94	(13.43 - 21.15)	*	(* - *)	26.73	(22.27 - 31.73)
Northeast	17.05	(13.27 - 21.65)	58.40	(51.83 - 64.69)	30.75	(25.85 - 36.12)
Southeast	15.12	(11.44 - 19.71)	61.04	(54.59 - 67.13)	30.12	(25.53 - 35.14)
Southeast	15.74	(12.35 - 19.85)	58.31	(53.04 - 63.39)	29.14	(25.02 - 33.63)
Ohio	11.22	(10.26 - 12.25)	44.94	(43.35 - 46.55)	21.98	(20.65 - 23.38)
Boards 2, 46, 55, and 68	12.32	(9.52 - 15.79)	42.21	(36.37 - 48.29)	20.30	(17.19 - 23.81)
Boards 3, 52, and 85	11.76	(9.06 - 15.14)	41.10	(34.81 - 47.71)	20.06	(16.65 - 23.96)
Boards 4 and 78	12.38	(9.51 - 15.96)	47.78	(41.27 - 54.37)	23.03	(19.29 - 27.25)
Boards 5 and 60	12.31	(9.27 - 16.16)	49.35	(42.61 - 56.12)	23.75	(19.87 - 28.13)
Boards 7, 15, 41, 79, and 84	13.84	(10.85 - 17.49)	44.84	(38.44 - 51.42)	21.11	(17.62 - 25.07)
Boards 8, 13, and 83	9.80	(7.48 - 12.72)	40.86	(34.59 - 47.45)	20.20	(16.79 - 24.11)
Board 9 (Butler)	12.97	(10.08 - 16.54)	47.27	(40.96 - 53.68)	22.03	(18.37 - 26.17)
Board 12	12.64	(9.66 - 16.36)	41.12	(35.28 - 47.23)	20.14	(16.76 - 24.01)
Boards 18 and 47	10.72	(8.74 - 13.09)	45.33	(41.33 - 49.39)	21.02	(18.19 - 24.15)
Boards 20, 32, 54, and 69	12.55	(9.64 - 16.17)	47.04	(40.60 - 53.57)	21.75	(18.09 - 25.92)
Boards 21, 39, 51, 70, and 80	11.06	(8.54 - 14.21)	47.02	(41.17 - 52.95)	21.67	(18.11 - 25.71)
Boards 22, 74, and 87	12.24	(9.48 - 15.66)	46.97	(40.77 - 53.26)	21.72	(18.03 - 25.93)
Boards 23 and 45	11.43	(8.83 - 14.68)	46.24	(39.66 - 52.96)	20.97	(17.66 - 24.73)
Board 25 (Franklin)	10.39	(8.23 - 13.04)	45.46	(41.29 - 49.69)	24.43	(21.34 - 27.80)
Boards 27, 71, and 73	10.79	(8.33 - 13.86)	37.00	(31.22 - 43.19)	19.68	(16.24 - 23.64)
Boards 28, 43, and 67	11.83	(9.23 - 15.04)	50.97	(45.34 - 56.58)	21.58	(18.07 - 25.56)
Board 31 (Hamilton)	9.90	(7.73 - 12.60)	45.64	(40.54 - 50.84)	25.51	(21.76 - 29.66)
Board 48 (Lucas)	10.36	(8.02 - 13.28)	44.92	(39.29 - 50.69)	23.92	(20.22 - 28.06)
Board 50 and 76	11.11	(8.63 - 14.20)	46.70	(40.91 - 52.58)	23.06	(19.43 - 27.13)
Board 57 (Montgomery)	10.33	(7.99 - 13.27)	41.40	(35.56 - 47.49)	21.54	(18.05 - 25.49)
Board 77 (Summit)	10.13	(7.83 - 13.01)	43.66	(38.19 - 49.29)	20.76	(17.42 - 24.55)
Oklahoma	11.41	(9.71 - 13.36)	38.08	(34.84 - 41.43)	17.52	(15.34 - 19.95)
Central	11.22	(8.36 - 14.89)	*	(* - *)	18.69	(14.97 - 23.09)
East Central	11.32	(8.27 - 15.29)	*	(* - *)	15.99	(12.48 - 20.26)
Northeast	12.20	(9.11 - 16.14)	38.29	(31.97 - 45.04)	16.73	(13.44 - 20.63)
Northwest and Southwest	11.47	(8.62 - 15.12)	*	(* - *)	17.06	(13.54 - 21.28)
Oklahoma County	10.05	(7.55 - 13.27)	37.75	(31.55 - 44.39)	18.78	(15.26 - 22.90)
Southeast	12.66	(9.55 - 16.59)	36.84	(30.58 - 43.59)	16.42	(13.08 - 20.42)
Tulsa County	11.39	(8.43 - 15.21)	38.49	(33.02 - 44.27)	18.50	(15.09 - 22.47)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	10.77	(9.19 - 12.59)	40.35	(37.28 - 43.50)	17.78	(15.64 - 20.14)
Region 1 (Multnomah)	9.15	(6.77 - 12.26)	40.92	(35.46 - 46.61)	19.48	(16.05 - 23.44)
Region 2	10.15	(7.88 - 12.98)	39.25	(33.65 - 45.16)	18.14	(15.07 - 21.67)
Region 3	10.95	(8.55 - 13.91)	41.68	(36.87 - 46.65)	17.36	(14.30 - 20.91)
Region 4	12.22	(9.43 - 15.68)	38.59	(32.42 - 45.15)	16.11	(12.97 - 19.85)
Region 5	12.02	(8.92 - 15.99)	*	(* - *)	17.44	(13.89 - 21.68)
Pennsylvania	10.91	(9.96 - 11.94)	46.59	(44.92 - 48.26)	21.78	(20.36 - 23.26)
Region 1 (Allegheny)	11.75	(9.49 - 14.47)	56.21	(51.62 - 60.70)	25.16	(21.70 - 28.98)
Regions 2, 3, 8, and 9	11.56	(9.05 - 14.64)	45.73	(39.87 - 51.71)	21.15	(17.78 - 24.95)
Regions 4, 11, 42, and 48	12.19	(9.70 - 15.20)	45.83	(40.43 - 51.33)	22.04	(18.65 - 25.86)
Regions 5, 20, 26, 28, and 40	10.99	(8.62 - 13.91)	40.03	(35.22 - 45.04)	18.68	(15.55 - 22.28)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	12.38	(9.70 - 15.67)	56.84	(51.96 - 61.58)	22.22	(18.57 - 26.36)
Regions 7, 13, 22, and 37	11.48	(9.61 - 13.64)	47.61	(43.83 - 51.42)	21.59	(19.00 - 24.44)
Regions 10, 14, 15, 25, 31, 36, and 46	12.39	(9.76 - 15.62)	46.77	(40.92 - 52.72)	21.07	(17.81 - 24.74)
Regions 17, 24, 27, 43, and 47	10.97	(8.55 - 13.96)	43.34	(37.71 - 49.16)	20.38	(17.22 - 23.96)
Region 18 (Philadelphia)	7.34	(5.75 - 9.32)	38.52	(34.78 - 42.39)	22.61	(19.67 - 25.86)
Regions 19 and 23	12.58	(9.50 - 16.48)	52.34	(45.81 - 58.79)	24.75	(20.32 - 29.79)
Regions 21, 30, 32, and 49	9.07	(7.19 - 11.37)	41.47	(37.31 - 45.76)	19.22	(16.57 - 22.18)
Regions 29 and 34	13.85	(10.85 - 17.52)	52.42	(46.12 - 58.65)	24.37	(20.44 - 28.79)
Regions 33 and 38	10.91	(8.34 - 14.15)	45.46	(39.47 - 51.57)	20.76	(17.31 - 24.68)
Rhode Island	13.31	(11.34 - 15.57)	54.87	(51.28 - 58.41)	25.12	(22.24 - 28.24)
Bristol and Newport	15.33	(11.74 - 19.77)	*	(* - *)	24.93	(20.46 - 30.01)
Kent	12.89	(9.69 - 16.94)	57.50	(50.87 - 63.87)	23.73	(19.61 - 28.42)
Providence	12.62	(10.19 - 15.52)	52.58	(48.19 - 56.92)	25.39	(21.85 - 29.29)
Washington	15.09	(11.49 - 19.57)	*	(* - *)	25.99	(21.23 - 31.40)
South Carolina	8.83	(7.40 - 10.51)	39.87	(36.73 - 43.09)	20.32	(17.96 - 22.90)
Region 1	10.37	(7.93 - 13.45)	41.96	(36.50 - 47.64)	20.32	(16.78 - 24.38)
Region 2	8.41	(6.51 - 10.80)	39.35	(34.85 - 44.04)	19.29	(16.31 - 22.67)
Region 3	7.78	(5.72 - 10.49)	*	(* - *)	20.52	(16.69 - 24.97)
Region 4	8.57	(6.38 - 11.41)	40.02	(34.35 - 45.98)	21.36	(17.66 - 25.60)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	16.35	(14.16 - 18.81)	54.22	(50.82 - 57.57)	25.65	(23.04 - 28.44)
Eastern Planning Area	15.79	(13.52 - 18.36)	55.20	(51.47 - 58.87)	25.82	(23.07 - 28.76)
Region 3 (Minnehaha)	13.57	(10.39 - 17.52)	57.64	(51.92 - 63.17)	26.91	(22.77 - 31.48)
Region 4	15.42	(11.79 - 19.92)	*	(* - *)	27.17	(22.50 - 32.39)
Region 5	16.71	(13.06 - 21.14)	*	(* - *)	24.86	(20.40 - 29.94)
Region 6	16.97	(12.93 - 21.96)	*	(* - *)	23.58	(19.47 - 28.26)
Region 7	17.64	(13.33 - 22.97)	53.90	(47.30 - 60.37)	25.60	(20.93 - 30.90)
Western Planning Area	17.52	(14.27 - 21.33)	51.81	(46.63 - 56.95)	25.24	(21.72 - 29.11)
Region 1 (Pennington)	15.31	(11.43 - 20.21)	52.94	(46.44 - 59.34)	23.87	(19.71 - 28.60)
Region 2	18.76	(14.61 - 23.77)	*	(* - *)	26.17	(21.58 - 31.35)
Tennessee	8.08	(6.72 - 9.69)	29.07	(25.94 - 32.40)	14.85	(12.94 - 17.00)
Region 1	10.78	(7.57 - 15.14)	*	(* - *)	14.88	(11.65 - 18.81)
Region 2	8.56	(6.26 - 11.60)	*	(* - *)	15.56	(12.43 - 19.30)
Region 3	7.50	(5.40 - 10.33)	27.44	(21.87 - 33.81)	12.34	(9.66 - 15.63)
Region 4 (Davidson)	7.13	(5.04 - 9.99)	30.42	(24.75 - 36.75)	16.17	(12.77 - 20.28)
Region 5	8.87	(6.66 - 11.71)	29.01	(23.83 - 34.81)	14.25	(11.50 - 17.53)
Region 6	9.21	(6.79 - 12.37)	*	(* - *)	14.65	(11.57 - 18.37)
Region 7 (Shelby)	5.63	(4.03 - 7.82)	*	(* - *)	16.84	(13.35 - 21.03)
Texas	9.70	(8.81 - 10.67)	38.85	(37.28 - 40.45)	22.90	(21.59 - 24.28)
Region 1	13.38	(10.16 - 17.43)	47.92	(42.39 - 53.49)	25.00	(21.04 - 29.44)
Region 2	11.12	(8.29 - 14.76)	*	(* - *)	20.36	(16.79 - 24.47)
Region 3	8.67	(7.32 - 10.24)	37.03	(34.38 - 39.76)	21.54	(19.60 - 23.62)
Region 3a	8.57	(6.94 - 10.53)	35.25	(31.99 - 38.66)	21.34	(19.02 - 23.86)
Region 3bc	8.86	(6.87 - 11.34)	40.36	(35.79 - 45.10)	21.90	(18.89 - 25.23)
Region 4	11.04	(8.37 - 14.43)	34.54	(28.87 - 40.68)	20.07	(16.57 - 24.09)
Region 5	9.96	(7.46 - 13.18)	36.41	(30.19 - 43.12)	20.53	(16.89 - 24.72)
Region 6	8.82	(7.42 - 10.46)	37.73	(34.80 - 40.75)	23.87	(21.58 - 26.32)
Region 6a	8.48	(6.98 - 10.26)	37.31	(34.18 - 40.55)	24.03	(21.53 - 26.73)
Region 6bc	11.70	(8.91 - 15.21)	41.72	(35.32 - 48.41)	22.56	(18.99 - 26.58)
Region 7	10.81	(8.97 - 12.98)	44.15	(40.51 - 47.85)	24.93	(22.26 - 27.80)
Region 7a	10.02	(7.81 - 12.78)	44.67	(39.87 - 49.56)	25.04	(21.65 - 28.75)
Region 7bcd	11.85	(9.09 - 15.31)	43.46	(38.19 - 48.88)	24.76	(21.19 - 28.71)
Region 8	9.51	(7.45 - 12.06)	39.17	(34.44 - 44.12)	22.59	(19.63 - 25.85)
Region 9	12.67	(9.61 - 16.54)	38.00	(31.66 - 44.77)	21.72	(17.81 - 26.21)
Region 10	10.29	(7.62 - 13.75)	40.42	(33.93 - 47.26)	25.92	(21.62 - 30.74)
Region 11	9.94	(7.98 - 12.31)	36.59	(32.20 - 41.23)	24.26	(21.10 - 27.73)
Region 11abd	10.36	(7.91 - 13.47)	40.25	(34.53 - 46.24)	24.84	(20.86 - 29.29)
Region 11c (Hidalgo)	9.15	(6.78 - 12.24)	29.89	(24.10 - 36.40)	23.05	(18.98 - 27.68)

See notes at end of table.

(continued)

Table 10. *Binge Alcohol Use in Past Month* among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	7.79	(6.29 - 9.60)	23.89	(21.23 - 26.78)	13.87	(11.72 - 16.35)
Bear River, Northeastern, Summit, Tooele, and Wasatch	8.18	(5.77 - 11.46)	*	(* - *)	14.15	(10.95 - 18.10)
Central, Four Corners, San Juan, and Southwest	7.89	(5.48 - 11.23)	*	(* - *)	12.30	(9.24 - 16.20)
Davis County	8.07	(5.73 - 11.26)	*	(* - *)	14.40	(11.20 - 18.33)
Salt Lake County	8.59	(6.48 - 11.31)	26.99	(22.91 - 31.50)	15.11	(12.31 - 18.42)
Utah County	5.54	(3.78 - 8.06)	15.84	(12.02 - 20.59)	10.85	(8.12 - 14.36)
Weber, Morgan	8.06	(5.69 - 11.29)	*	(* - *)	14.03	(10.78 - 18.07)
Vermont	13.24	(11.38 - 15.35)	48.59	(45.33 - 51.86)	21.32	(18.97 - 23.88)
Champlain Valley	11.85	(9.35 - 14.90)	52.61	(47.90 - 57.27)	22.75	(19.37 - 26.52)
Rural Northeast	14.83	(11.81 - 18.47)	45.94	(40.10 - 51.91)	21.48	(17.96 - 25.47)
Rural Southeast	13.80	(10.64 - 17.69)	45.20	(38.66 - 51.91)	19.37	(15.82 - 23.49)
Rural Southwest	13.63	(10.43 - 17.60)	44.04	(37.52 - 50.77)	20.54	(16.79 - 24.89)
Virginia	10.17	(8.64 - 11.93)	41.97	(38.86 - 45.15)	19.36	(17.03 - 21.93)
Region 1	11.52	(8.55 - 15.34)	46.34	(40.40 - 52.39)	20.54	(16.65 - 25.06)
Region 2	10.30	(7.85 - 13.40)	42.55	(36.67 - 48.65)	19.43	(16.13 - 23.22)
Region 3	12.26	(9.30 - 16.00)	45.63	(39.27 - 52.15)	18.62	(15.05 - 22.81)
Region 4	8.75	(6.49 - 11.68)	39.69	(34.31 - 45.32)	19.58	(16.09 - 23.61)
Region 5	8.70	(6.60 - 11.39)	37.62	(32.28 - 43.28)	18.98	(15.55 - 22.96)
Washington	10.63	(9.03 - 12.47)	40.34	(37.23 - 43.53)	18.94	(16.79 - 21.29)
Region 1	11.33	(8.46 - 15.01)	*	(* - *)	19.19	(15.47 - 23.55)
Region 2	10.72	(7.79 - 14.58)	*	(* - *)	19.48	(15.34 - 24.41)
Region 3	10.85	(8.27 - 14.11)	*	(* - *)	20.71	(17.08 - 24.87)
Region 4 (King)	8.79	(6.66 - 11.53)	38.03	(33.19 - 43.11)	17.62	(14.62 - 21.09)
Region 5	12.02	(9.13 - 15.66)	43.52	(37.24 - 50.03)	20.59	(16.85 - 24.92)
Region 6	11.10	(8.25 - 14.78)	39.60	(33.33 - 46.24)	17.62	(14.33 - 21.47)
West Virginia	11.99	(10.25 - 13.98)	39.50	(36.48 - 42.59)	16.97	(14.91 - 19.25)
Eastern Highland	12.82	(9.79 - 16.62)	39.61	(34.09 - 45.41)	17.47	(14.29 - 21.20)
Northern	12.87	(10.22 - 16.09)	47.71	(42.40 - 53.07)	19.10	(16.15 - 22.44)
Northern A and B	13.72	(10.30 - 18.04)	*	(* - *)	18.07	(14.35 - 22.50)
Northern C and D	12.48	(9.30 - 16.54)	49.58	(43.33 - 55.84)	19.66	(16.21 - 23.65)
South Central	11.49	(9.49 - 13.86)	35.82	(31.64 - 40.22)	15.87	(13.47 - 18.60)
South Central I	12.01	(8.99 - 15.87)	*	(* - *)	16.65	(13.23 - 20.75)
South Central II	10.34	(7.63 - 13.87)	*	(* - *)	15.70	(12.41 - 19.68)
South Central III	11.96	(9.08 - 15.59)	33.64	(27.82 - 40.01)	15.50	(12.42 - 19.18)
Southern	10.63	(8.23 - 13.63)	33.37	(28.52 - 38.59)	15.67	(12.87 - 18.95)
Southern I and III	10.22	(7.42 - 13.91)	33.83	(27.80 - 40.44)	15.84	(12.53 - 19.84)
Southern II	11.45	(8.40 - 15.42)	*	(* - *)	15.33	(11.99 - 19.39)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	14.55	(12.61 - 16.73)	54.64	(51.34 - 57.91)	28.04	(25.29 - 30.96)
Milwaukee	9.98	(7.47 - 13.23)	52.36	(45.74 - 58.91)	31.47	(26.50 - 36.90)
Northeastern	14.54	(11.51 - 18.22)	54.03	(47.94 - 60.01)	27.26	(23.21 - 31.72)
Northern	16.91	(12.92 - 21.84)	*	(* - *)	26.31	(21.50 - 31.77)
Southeastern	16.15	(12.58 - 20.51)	*	(* - *)	25.86	(21.42 - 30.86)
Southern	13.37	(10.09 - 17.49)	54.16	(48.50 - 59.72)	28.32	(24.10 - 32.95)
Western	17.79	(13.76 - 22.68)	60.32	(54.01 - 66.32)	29.21	(24.46 - 34.45)
Wyoming	12.87	(11.01 - 14.98)	47.89	(44.47 - 51.34)	21.97	(19.56 - 24.59)
Judicial District 1 (Laramie)	11.93	(9.01 - 15.64)	*	(* - *)	20.88	(17.25 - 25.03)
Judicial District 2	12.47	(9.14 - 16.80)	53.38	(47.22 - 59.44)	24.71	(20.19 - 29.86)
Judicial District 3	12.42	(9.49 - 16.10)	*	(* - *)	21.84	(17.73 - 26.59)
Judicial District 4	13.57	(9.91 - 18.29)	*	(* - *)	20.05	(16.05 - 24.77)
Judicial District 5	13.35	(9.94 - 17.70)	*	(* - *)	21.27	(17.25 - 25.93)
Judicial District 6	12.94	(9.74 - 16.99)	*	(* - *)	24.75	(20.17 - 29.97)
Judicial District 7 (Natrona)	12.39	(9.29 - 16.33)	*	(* - *)	20.95	(16.96 - 25.58)
Judicial District 8	13.68	(10.15 - 18.18)	*	(* - *)	20.50	(16.52 - 25.16)
Judicial District 9	14.26	(10.63 - 18.85)	*	(* - *)	23.32	(18.86 - 28.46)

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	38.26		32.33		43.82	
Alabama	43.39	(40.43 - 46.39)	39.01	(35.98 - 42.13)	48.98	(45.59 - 52.37)
Region 1	42.93	(38.06 - 47.94)	38.96	(33.72 - 44.47)	47.28	(42.03 - 52.60)
Region 2	42.55	(37.70 - 47.55)	38.96	(34.53 - 43.59)	49.95	(45.11 - 54.79)
Region 3	46.65	(41.51 - 51.86)	40.19	(35.15 - 45.45)	51.57	(45.73 - 57.37)
Region 4	42.29	(37.97 - 46.73)	37.96	(32.99 - 43.19)	47.75	(42.80 - 52.75)
Alaska	36.50	(33.32 - 39.81)	31.18	(28.09 - 34.44)	43.74	(40.31 - 47.24)
Gulf Coast	32.47	(27.48 - 37.89)	27.89	(22.75 - 33.68)	39.83	(33.89 - 46.09)
Rural	*	(* - *)	34.44	(28.36 - 41.07)	45.63	(39.06 - 52.35)
Southeast	34.70	(29.18 - 40.66)	28.53	(23.15 - 34.61)	42.27	(36.13 - 48.66)
Urban	37.05	(33.31 - 40.96)	31.45	(27.90 - 35.23)	44.46	(40.55 - 48.44)
Arizona	36.76	(33.66 - 39.98)	32.20	(29.22 - 35.35)	41.90	(38.61 - 45.27)
Maricopa	37.02	(33.22 - 40.99)	32.26	(28.63 - 36.11)	41.37	(37.48 - 45.37)
Pima	34.00	(28.53 - 39.93)	29.27	(24.38 - 34.69)	40.23	(34.80 - 45.91)
Rural North	38.54	(33.31 - 44.06)	31.86	(26.34 - 37.94)	43.85	(37.66 - 50.25)
Rural South	37.39	(31.34 - 43.86)	36.77	(30.78 - 43.21)	44.87	(38.38 - 51.54)
Arkansas	39.08	(36.17 - 42.07)	34.12	(31.17 - 37.20)	45.87	(42.67 - 49.10)
Areas 1 and 5	37.35	(32.43 - 42.55)	30.85	(25.90 - 36.28)	44.24	(39.17 - 49.43)
Areas 2 and 3	35.91	(30.61 - 41.58)	32.44	(27.04 - 38.35)	46.11	(40.16 - 52.18)
Areas 4 and 7	42.72	(37.51 - 48.10)	36.95	(31.62 - 42.61)	48.83	(43.24 - 54.45)
Area 6	37.20	(31.63 - 43.12)	31.64	(26.41 - 37.38)	44.38	(38.39 - 50.53)
Areas 8 and 12	39.44	(34.15 - 44.99)	35.56	(30.17 - 41.34)	44.89	(39.41 - 50.49)
Area 9	40.45	(35.34 - 45.77)	35.38	(30.22 - 40.91)	45.07	(40.00 - 50.24)
Areas 10, 11, and 13	40.02	(34.96 - 45.31)	37.58	(32.18 - 43.30)	48.36	(42.48 - 54.28)
California	38.74	(37.03 - 40.47)	37.20	(35.48 - 38.96)	47.27	(45.40 - 49.14)
Region 1	32.13	(27.30 - 37.37)	29.38	(24.56 - 34.70)	39.87	(34.36 - 45.65)
Region 2	35.19	(31.19 - 39.40)	33.79	(29.57 - 38.28)	42.36	(37.94 - 46.89)
Region 3	36.00	(31.38 - 40.89)	37.56	(32.68 - 42.71)	47.18	(42.27 - 52.14)
Region 4	36.13	(31.33 - 41.23)	33.63	(28.82 - 38.81)	41.60	(36.88 - 46.48)
Region 5	37.79	(33.54 - 42.23)	35.29	(30.76 - 40.10)	44.87	(40.49 - 49.33)
Region 6 (Santa Clara)	41.66	(36.64 - 46.86)	36.62	(31.79 - 41.74)	46.42	(41.48 - 51.44)
Region 7	36.53	(31.07 - 42.36)	38.17	(32.51 - 44.17)	48.08	(42.68 - 53.52)
Region 8	36.12	(31.50 - 41.01)	39.55	(34.54 - 44.78)	49.91	(45.01 - 54.81)
Region 9	35.96	(31.14 - 41.09)	34.32	(28.97 - 40.09)	44.98	(39.66 - 50.42)
Region 10	38.40	(33.48 - 43.57)	35.62	(30.42 - 41.19)	47.97	(42.63 - 53.36)
Region 11 (Los Angeles)	42.51	(39.42 - 45.66)	41.08	(38.22 - 44.00)	51.95	(48.85 - 55.03)
Region 12	36.88	(32.64 - 41.34)	36.05	(31.60 - 40.77)	48.29	(43.31 - 53.29)
Region 13 (Riverside)	38.21	(33.26 - 43.43)	38.36	(33.10 - 43.90)	47.55	(42.52 - 52.63)
Region 14 (Orange)	41.25	(36.80 - 45.85)	37.07	(32.64 - 41.73)	45.69	(41.19 - 50.26)
Region 15	36.57	(32.32 - 41.03)	33.73	(29.67 - 38.05)	46.22	(42.00 - 50.49)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	33.55	(30.60 - 36.63)	28.37	(25.53 - 31.38)	39.91	(36.70 - 43.22)
Region 1	33.11	(28.14 - 38.50)	26.23	(21.67 - 31.36)	39.47	(34.19 - 45.02)
Regions 2 and 7	34.21	(30.41 - 38.21)	29.36	(25.70 - 33.31)	39.77	(35.77 - 43.91)
Region 3	33.43	(28.27 - 39.02)	27.87	(22.90 - 33.44)	40.75	(35.07 - 46.70)
Region 4	34.74	(29.05 - 40.92)	32.25	(26.28 - 38.86)	43.54	(37.25 - 50.04)
Regions 5 and 6	30.26	(25.27 - 35.76)	24.83	(19.95 - 30.46)	38.05	(32.45 - 43.98)
Connecticut	36.02	(33.08 - 39.07)	27.86	(25.18 - 30.70)	40.76	(37.55 - 44.05)
Eastern	35.34	(29.99 - 41.09)	23.07	(18.58 - 28.26)	38.01	(32.25 - 44.13)
North Central	37.17	(32.63 - 41.94)	31.92	(27.79 - 36.35)	42.18	(37.52 - 46.97)
Northwestern	33.90	(29.21 - 38.94)	25.59	(20.99 - 30.82)	40.74	(35.44 - 46.27)
South Central	35.73	(31.19 - 40.55)	26.41	(22.36 - 30.90)	41.07	(36.04 - 46.29)
Southwest	37.14	(31.76 - 42.87)	29.57	(24.64 - 35.04)	39.93	(34.38 - 45.75)
Delaware	38.26	(35.29 - 41.33)	30.61	(27.68 - 33.70)	42.05	(38.85 - 45.32)
Kent	36.41	(31.39 - 41.75)	31.78	(26.97 - 37.02)	43.05	(37.50 - 48.78)
New Castle (excluding Wilmington city)	37.76	(34.00 - 41.68)	28.43	(24.87 - 32.28)	39.55	(35.69 - 43.54)
Sussex	36.55	(31.68 - 41.71)	31.17	(26.14 - 36.68)	44.53	(38.98 - 50.22)
Wilmington City	47.49	(41.09 - 53.98)	39.86	(33.46 - 46.63)	48.78	(42.54 - 55.04)
District of Columbia	43.28	(40.15 - 46.46)	35.99	(32.73 - 39.39)	46.78	(43.38 - 50.21)
Ward 1	43.55	(37.20 - 50.11)	38.89	(32.59 - 45.58)	45.52	(39.85 - 51.31)
Ward 2	*	(* - *)	25.74	(20.97 - 31.17)	39.00	(33.53 - 44.75)
Ward 3	33.41	(27.95 - 39.36)	23.72	(19.33 - 28.76)	39.50	(34.18 - 45.08)
Ward 4	42.74	(37.04 - 48.64)	40.21	(33.80 - 46.98)	50.18	(44.09 - 56.27)
Ward 5	43.70	(37.85 - 49.73)	40.51	(34.92 - 46.36)	50.74	(44.72 - 56.74)
Ward 6	42.54	(36.45 - 48.88)	*	(* - *)	45.26	(39.40 - 51.27)
Ward 7	48.32	(43.25 - 53.43)	46.20	(39.73 - 52.81)	54.22	(48.14 - 60.18)
Ward 8	46.25	(41.17 - 51.41)	47.12	(40.48 - 53.86)	53.63	(47.76 - 59.41)
Florida	39.61	(37.99 - 41.27)	37.05	(35.43 - 38.70)	46.67	(44.99 - 48.36)
District 1	38.02	(33.07 - 43.22)	33.79	(28.71 - 39.27)	43.28	(38.19 - 48.52)
District 2	38.89	(34.13 - 43.87)	32.46	(28.16 - 37.06)	45.39	(40.73 - 50.13)
District 3	40.47	(34.93 - 46.26)	32.63	(28.09 - 37.53)	44.81	(39.67 - 50.07)
District 4	41.91	(37.67 - 46.27)	37.15	(32.87 - 41.63)	46.76	(42.22 - 51.35)
District 7	41.18	(37.27 - 45.21)	35.18	(31.51 - 39.03)	46.37	(42.60 - 50.18)
District 8	39.76	(34.82 - 44.93)	38.19	(33.51 - 43.10)	45.46	(40.70 - 50.30)
District 9 (Palm Beach)	40.10	(35.83 - 44.51)	36.61	(32.31 - 41.13)	43.46	(38.84 - 48.20)
District 10 (Broward)	40.26	(36.15 - 44.51)	39.57	(35.39 - 43.91)	46.21	(42.01 - 50.46)
District 11	42.25	(38.65 - 45.92)	43.90	(40.06 - 47.82)	56.87	(53.21 - 60.46)
District 12	37.49	(32.64 - 42.61)	32.12	(27.97 - 36.58)	43.12	(37.96 - 48.43)
District 13	38.68	(33.95 - 43.63)	32.70	(27.68 - 38.15)	45.06	(40.08 - 50.14)
District 14	40.36	(35.76 - 45.12)	37.47	(32.53 - 42.69)	45.63	(40.52 - 50.82)
District 15	36.26	(31.41 - 41.41)	35.34	(30.51 - 40.48)	45.40	(40.28 - 50.63)
Suncoast	35.66	(32.50 - 38.95)	36.21	(32.77 - 39.80)	43.61	(40.35 - 46.92)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	42.31	(39.23 - 45.45)	39.37	(36.17 - 42.66)	48.15	(44.99 - 51.33)
Region 1	39.91	(34.93 - 45.11)	36.21	(30.84 - 41.94)	45.12	(39.76 - 50.59)
Region 2	43.64	(38.54 - 48.87)	39.85	(34.33 - 45.63)	49.99	(44.69 - 55.30)
Region 3	42.06	(37.58 - 46.67)	39.04	(34.58 - 43.70)	47.59	(43.35 - 51.86)
Region 4	44.23	(38.60 - 50.02)	43.63	(37.82 - 49.62)	50.26	(44.42 - 56.10)
Region 5	41.81	(36.35 - 47.48)	38.53	(33.15 - 44.20)	48.68	(42.75 - 54.64)
Hawaii	39.42	(36.32 - 42.61)	31.73	(28.59 - 35.05)	39.27	(35.77 - 42.88)
Hawaii Island	35.22	(29.75 - 41.12)	30.46	(24.97 - 36.56)	41.66	(35.62 - 47.95)
Honolulu	40.67	(37.03 - 44.42)	32.17	(28.59 - 35.97)	38.91	(34.99 - 42.98)
Kauai and Maui	37.60	(32.14 - 43.39)	30.30	(24.97 - 36.21)	39.02	(33.49 - 44.84)
Idaho	38.49	(35.55 - 41.52)	30.42	(27.74 - 33.25)	41.95	(38.83 - 45.14)
Region 1	33.81	(28.49 - 39.56)	27.19	(22.31 - 32.69)	37.76	(32.62 - 43.18)
Region 2	*	(* - *)	27.31	(22.39 - 32.84)	42.41	(36.31 - 48.74)
Region 3	37.19	(32.24 - 42.42)	32.05	(26.90 - 37.68)	41.42	(36.27 - 46.77)
Region 4	36.26	(31.69 - 41.09)	28.89	(24.74 - 33.43)	40.73	(36.17 - 45.45)
Region 5	40.65	(35.30 - 46.24)	32.28	(26.94 - 38.11)	45.01	(39.38 - 50.76)
Region 6	41.84	(36.15 - 47.76)	29.99	(24.86 - 35.68)	44.99	(38.78 - 51.36)
Region 7	42.50	(36.93 - 48.26)	34.98	(29.43 - 40.96)	44.69	(38.61 - 50.94)
Illinois	38.03	(36.38 - 39.70)	31.48	(29.99 - 33.02)	41.35	(39.59 - 43.15)
Region I (Cook)	41.35	(38.87 - 43.87)	35.39	(32.99 - 37.86)	44.10	(41.42 - 46.82)
Region II	35.20	(32.50 - 38.00)	28.46	(25.83 - 31.25)	39.17	(36.28 - 42.13)
Region III	36.01	(32.47 - 39.72)	26.80	(23.78 - 30.05)	38.62	(34.84 - 42.55)
Region IV	37.17	(33.03 - 41.51)	28.20	(24.48 - 32.24)	40.11	(35.84 - 44.53)
Region V	35.80	(32.08 - 39.70)	30.70	(27.07 - 34.59)	39.86	(35.79 - 44.08)
Indiana	39.17	(36.26 - 42.16)	30.77	(28.08 - 33.60)	43.65	(40.47 - 46.88)
Central	40.28	(35.53 - 45.22)	32.50	(28.10 - 37.24)	43.76	(38.89 - 48.75)
East	38.23	(32.66 - 44.12)	28.27	(23.30 - 33.83)	42.54	(36.79 - 48.51)
North Central	38.40	(33.24 - 43.85)	32.11	(26.97 - 37.72)	42.41	(37.02 - 47.99)
Northeast	40.45	(34.89 - 46.27)	30.96	(25.88 - 36.55)	44.31	(38.73 - 50.05)
Northwest	39.22	(33.90 - 44.82)	30.95	(26.05 - 36.32)	45.09	(39.36 - 50.96)
Southeast	38.63	(33.36 - 44.18)	33.73	(27.99 - 40.00)	46.75	(40.84 - 52.75)
Southwest	35.24	(29.51 - 41.43)	29.34	(23.85 - 35.50)	40.22	(34.14 - 46.62)
West	40.53	(34.88 - 46.44)	27.37	(22.73 - 32.56)	43.31	(37.73 - 49.08)
Iowa	32.52	(29.77 - 35.40)	25.16	(22.47 - 28.05)	37.48	(34.49 - 40.57)
Central	34.22	(29.17 - 39.67)	24.94	(20.43 - 30.07)	38.94	(33.74 - 44.40)
North Central	29.45	(24.78 - 34.58)	24.15	(19.69 - 29.25)	36.08	(30.77 - 41.75)
Northeast	31.60	(27.35 - 36.18)	24.43	(20.69 - 28.60)	37.23	(32.61 - 42.10)
Northwest	33.30	(28.42 - 38.57)	27.60	(22.51 - 33.36)	38.67	(33.48 - 44.13)
Southeast	33.91	(29.32 - 38.82)	25.02	(20.72 - 29.87)	36.97	(32.12 - 42.09)
Southwest	31.45	(26.57 - 36.77)	25.40	(20.29 - 31.31)	36.20	(30.69 - 42.09)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	38.82	(35.81 - 41.91)	27.24	(24.46 - 30.21)	42.21	(38.94 - 45.54)
Kansas City Metro	41.81	(37.00 - 46.78)	29.06	(24.80 - 33.73)	43.33	(38.69 - 48.08)
Northeast	37.01	(31.95 - 42.37)	23.46	(19.29 - 28.21)	40.18	(34.75 - 45.85)
South Central	36.54	(31.45 - 41.95)	25.48	(20.64 - 31.01)	40.47	(34.93 - 46.27)
Southeast	38.24	(32.51 - 44.31)	27.42	(22.52 - 32.94)	41.04	(34.81 - 47.58)
West	36.73	(31.26 - 42.56)	29.20	(23.77 - 35.29)	43.94	(38.14 - 49.90)
Wichita (Sedgwick)	39.24	(33.96 - 44.79)	28.36	(23.49 - 33.80)	43.14	(37.92 - 48.52)
Kentucky	37.71	(34.89 - 40.62)	33.75	(30.91 - 36.71)	43.12	(39.91 - 46.39)
Adanta, Cumberland River, And Lifeskills	38.80	(33.89 - 43.94)	36.11	(31.43 - 41.08)	45.88	(40.35 - 51.52)
Bluegrass, Comprehend, and North Key	37.45	(33.07 - 42.05)	33.89	(29.54 - 38.53)	42.45	(37.75 - 47.30)
Communicare and River Valley	36.02	(30.76 - 41.63)	32.26	(27.00 - 38.00)	41.09	(35.52 - 46.90)
Four Rivers and Pennyroyal	40.89	(35.19 - 46.85)	33.20	(27.28 - 39.71)	44.66	(38.36 - 51.13)
Kentucky River, Mountain, And Pathways	40.46	(35.11 - 46.05)	35.33	(29.74 - 41.35)	45.83	(39.94 - 51.83)
Seven Counties	35.08	(30.29 - 40.18)	31.57	(26.91 - 36.64)	40.62	(35.54 - 45.91)
Louisiana	39.22	(36.41 - 42.11)	35.07	(32.38 - 37.86)	44.29	(41.26 - 47.36)
Region 1	42.03	(36.42 - 47.86)	38.14	(32.54 - 44.08)	44.89	(39.07 - 50.84)
Regions 2 and 9	37.97	(33.41 - 42.76)	34.86	(30.52 - 39.46)	44.44	(39.84 - 49.14)
Region 3	36.97	(31.61 - 42.68)	33.66	(28.00 - 39.83)	40.87	(34.94 - 47.08)
Region 4	36.85	(31.70 - 42.31)	32.82	(27.86 - 38.19)	40.94	(35.16 - 46.98)
Regions 5 and 6	38.02	(32.83 - 43.49)	33.30	(28.07 - 38.97)	45.62	(40.03 - 51.32)
Regions 7 and 8	42.80	(37.97 - 47.77)	36.49	(31.79 - 41.46)	47.57	(42.56 - 52.62)
Region 10 (Jefferson)	38.34	(32.77 - 44.24)	34.97	(29.65 - 40.69)	42.14	(36.57 - 47.91)
Maine	31.82	(28.97 - 34.81)	23.85	(21.30 - 26.59)	38.64	(35.51 - 41.87)
Planning Region 1	30.40	(26.80 - 34.24)	21.79	(18.59 - 25.38)	37.59	(33.64 - 41.72)
Region 1 (Cumberland)	31.30	(26.75 - 36.23)	21.10	(17.18 - 25.63)	37.97	(33.12 - 43.07)
Region 2 (York)	29.17	(24.49 - 34.34)	22.90	(18.62 - 27.82)	37.07	(31.78 - 42.68)
Planning Region 2	32.96	(29.36 - 36.79)	24.70	(21.59 - 28.10)	38.99	(35.14 - 42.99)
Region 3	33.66	(28.83 - 38.86)	24.94	(20.90 - 29.48)	39.67	(34.37 - 45.22)
Region 4	31.92	(26.95 - 37.34)	23.87	(19.29 - 29.14)	36.99	(31.25 - 43.13)
Region 5	32.91	(27.46 - 38.85)	25.12	(20.33 - 30.59)	39.81	(34.12 - 45.79)
Planning Region 3	31.97	(28.14 - 36.07)	25.33	(21.66 - 29.40)	39.62	(35.17 - 44.26)
Region 6 (Penobscot)	33.32	(28.54 - 38.47)	26.26	(21.56 - 31.59)	40.72	(35.13 - 46.56)
Region 7	30.78	(25.75 - 36.32)	24.29	(19.47 - 29.86)	38.77	(32.99 - 44.88)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	40.15	(37.33 - 43.03)	35.56	(32.60 - 38.64)	44.85	(41.39 - 48.37)
Anne Arundel	35.61	(30.23 - 41.38)	30.70	(25.29 - 36.70)	41.50	(35.40 - 47.88)
Baltimore City	45.37	(40.01 - 50.83)	43.36	(37.76 - 49.14)	48.77	(42.73 - 54.84)
Central	39.29	(34.71 - 44.08)	34.68	(29.71 - 40.01)	44.49	(38.90 - 50.21)
Montgomery	41.45	(36.20 - 46.90)	34.20	(28.74 - 40.11)	45.15	(39.61 - 50.81)
Prince George's	45.46	(39.84 - 51.20)	40.26	(34.61 - 46.18)	48.10	(42.30 - 53.95)
Rural	37.33	(32.03 - 42.95)	33.03	(27.78 - 38.74)	42.87	(37.22 - 48.72)
Western	34.83	(29.57 - 40.49)	28.47	(23.55 - 33.95)	42.18	(36.14 - 48.46)
Massachusetts	32.63	(29.85 - 35.54)	24.81	(22.15 - 27.67)	36.24	(33.23 - 39.36)
Boston	38.26	(32.40 - 44.48)	27.78	(23.14 - 32.96)	40.46	(34.83 - 46.34)
Central	30.98	(26.15 - 36.27)	24.86	(20.10 - 30.31)	35.78	(30.35 - 41.61)
Metrowest	30.11	(25.84 - 34.75)	21.92	(17.99 - 26.43)	34.09	(29.29 - 39.24)
Northeast	33.99	(29.08 - 39.27)	27.58	(22.67 - 33.10)	37.62	(32.68 - 42.85)
Southeast	30.73	(26.39 - 35.44)	22.62	(18.40 - 27.48)	34.01	(29.46 - 38.89)
Western	34.28	(29.00 - 39.97)	24.53	(20.30 - 29.30)	38.34	(32.90 - 44.09)
Michigan	36.70	(35.11 - 38.32)	28.75	(27.36 - 30.18)	40.65	(38.94 - 42.38)
Bay	33.70	(29.00 - 38.74)	24.61	(20.36 - 29.43)	38.90	(33.87 - 44.17)
Detroit City	46.81	(42.52 - 51.13)	43.30	(38.98 - 47.71)	50.51	(45.95 - 55.06)
Genesee	36.80	(32.31 - 41.53)	30.36	(26.12 - 34.97)	41.78	(37.12 - 46.59)
Kalamazoo	36.60	(32.36 - 41.07)	26.17	(22.65 - 30.03)	38.85	(34.37 - 43.54)
Kent	37.08	(32.66 - 41.73)	30.60	(26.80 - 34.68)	43.85	(38.91 - 48.91)
Lakeshore	37.29	(33.27 - 41.49)	30.86	(27.12 - 34.86)	41.35	(37.09 - 45.75)
Macomb	34.00	(30.08 - 38.14)	26.47	(22.68 - 30.64)	37.85	(33.98 - 41.89)
Mid South	33.08	(29.56 - 36.80)	24.74	(21.59 - 28.19)	37.90	(33.70 - 42.28)
Northern	32.13	(28.39 - 36.10)	24.20	(20.76 - 28.02)	37.63	(33.48 - 41.97)
Oakland	37.69	(34.00 - 41.53)	27.44	(23.89 - 31.29)	40.66	(36.85 - 44.60)
Pathways	34.01	(28.79 - 39.65)	26.44	(22.02 - 31.40)	37.81	(32.25 - 43.72)
Saginaw	35.66	(30.40 - 41.28)	29.12	(24.30 - 34.45)	40.63	(35.45 - 46.02)
Southeast	37.31	(33.80 - 40.96)	29.22	(25.95 - 32.73)	39.98	(36.11 - 43.99)
St. Clair	36.11	(31.25 - 41.28)	25.99	(21.44 - 31.12)	40.84	(35.72 - 46.16)
Washtenaw	35.75	(31.19 - 40.59)	26.84	(23.01 - 31.04)	41.21	(36.51 - 46.08)
Western	30.93	(26.13 - 36.17)	23.63	(19.55 - 28.27)	35.95	(30.52 - 41.76)
Minnesota	35.59	(32.77 - 38.53)	24.61	(22.02 - 27.40)	38.22	(35.19 - 41.34)
Regions 1 and 2	33.35	(27.92 - 39.27)	24.26	(19.61 - 29.61)	38.29	(32.63 - 44.27)
Regions 3 and 4	32.09	(27.44 - 37.12)	23.79	(19.70 - 28.42)	37.67	(32.62 - 43.00)
Regions 5 and 6	35.76	(31.07 - 40.74)	24.03	(19.63 - 29.07)	37.73	(32.64 - 43.10)
Region 7A (Hennepin)	38.01	(33.15 - 43.13)	25.57	(21.35 - 30.30)	38.03	(33.22 - 43.08)
Region 7B (Ramsey)	36.81	(31.16 - 42.84)	24.56	(19.91 - 29.88)	39.13	(33.07 - 45.54)
Region 7C	36.72	(31.97 - 41.75)	25.02	(20.77 - 29.83)	38.82	(34.03 - 43.85)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	45.29	(42.15 - 48.47)	42.37	(39.33 - 45.47)	51.01	(47.56 - 54.45)
Region 1	45.19	(39.87 - 50.62)	43.82	(38.31 - 49.48)	53.46	(47.54 - 59.28)
Region 2	48.99	(43.30 - 54.70)	47.79	(42.10 - 53.54)	52.99	(47.19 - 58.71)
Region 3	48.75	(43.03 - 54.51)	40.96	(35.32 - 46.84)	52.99	(47.22 - 58.68)
Region 4	44.13	(38.67 - 49.73)	43.15	(38.07 - 48.37)	48.10	(42.75 - 53.50)
Region 5	45.75	(39.74 - 51.88)	45.69	(39.56 - 51.95)	52.51	(46.19 - 58.75)
Region 6	44.29	(38.46 - 50.29)	38.62	(33.08 - 44.47)	50.48	(44.39 - 56.56)
Region 7	40.09	(34.47 - 45.98)	36.99	(31.60 - 42.71)	47.13	(41.51 - 52.82)
Missouri	36.52	(33.76 - 39.37)	27.25	(24.64 - 30.03)	41.30	(38.07 - 44.61)
Central	35.10	(30.37 - 40.15)	24.63	(20.37 - 29.46)	39.24	(34.05 - 44.68)
Eastern	37.19	(33.37 - 41.19)	27.42	(23.76 - 31.40)	41.55	(37.34 - 45.89)
Eastern (St. Louis City and County)	39.12	(34.37 - 44.09)	28.95	(24.56 - 33.78)	42.15	(37.09 - 47.39)
Eastern (excluding St. Louis)	33.60	(28.60 - 38.99)	24.18	(19.62 - 29.40)	40.30	(34.59 - 46.29)
Northwest	36.90	(32.89 - 41.09)	27.43	(23.74 - 31.44)	41.13	(36.82 - 45.57)
Northwest (Jackson)	38.60	(33.45 - 44.01)	30.85	(26.03 - 36.14)	42.32	(36.87 - 47.96)
Northwest (excluding Jackson)	35.40	(30.41 - 40.72)	24.36	(19.69 - 29.71)	40.04	(34.52 - 45.84)
Southeast	34.27	(29.33 - 39.57)	27.25	(22.37 - 32.75)	40.07	(34.37 - 46.06)
Southwest	37.47	(32.22 - 43.03)	29.31	(24.76 - 34.32)	43.82	(38.22 - 49.58)
Montana	32.19	(29.38 - 35.14)	24.08	(21.55 - 26.80)	38.60	(35.41 - 41.89)
Region 1	32.15	(27.12 - 37.62)	28.91	(23.36 - 35.16)	38.95	(33.13 - 45.10)
Region 2	35.31	(30.21 - 40.76)	28.60	(23.80 - 33.93)	40.86	(35.34 - 46.62)
Region 3	33.06	(28.30 - 38.20)	26.06	(21.65 - 31.01)	38.61	(33.37 - 44.14)
Region 4	30.50	(26.31 - 35.04)	19.93	(16.60 - 23.74)	37.31	(32.63 - 42.26)
Region 5	31.33	(27.05 - 35.94)	23.42	(19.72 - 27.57)	38.43	(33.61 - 43.50)
Nebraska	35.42	(32.41 - 38.56)	23.79	(21.13 - 26.67)	39.60	(36.38 - 42.91)
Regions 1 and 2	34.02	(28.53 - 39.97)	24.91	(20.09 - 30.44)	39.68	(33.98 - 45.67)
Region 3	35.12	(29.74 - 40.90)	22.96	(18.33 - 28.35)	38.24	(32.62 - 44.18)
Region 4	35.41	(30.18 - 41.02)	24.64	(19.91 - 30.06)	38.41	(32.83 - 44.31)
Region 5	34.05	(29.36 - 39.09)	20.07	(16.64 - 24.00)	36.89	(31.97 - 42.10)
Region 6	36.78	(32.52 - 41.26)	26.30	(22.32 - 30.70)	42.13	(37.66 - 46.73)
Nevada	38.31	(35.03 - 41.71)	36.47	(33.25 - 39.81)	43.22	(39.74 - 46.76)
Clark	38.97	(35.04 - 43.05)	37.89	(34.02 - 41.91)	43.72	(39.60 - 47.93)
Rural	36.61	(31.60 - 41.92)	31.31	(26.17 - 36.95)	41.18	(35.72 - 46.85)
Washoe	37.27	(32.14 - 42.71)	34.05	(29.01 - 39.49)	42.81	(37.53 - 48.26)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	28.58	(25.83 - 31.50)	19.51	(17.17 - 22.08)	35.63	(32.60 - 38.78)
Central	28.97	(25.16 - 33.10)	20.63	(17.56 - 24.09)	35.22	(31.01 - 39.67)
Central 1	29.96	(24.86 - 35.60)	19.96	(16.41 - 24.07)	35.90	(30.52 - 41.66)
Central 2	27.98	(23.42 - 33.04)	21.48	(17.34 - 26.29)	34.59	(29.44 - 40.13)
Northern	26.85	(22.18 - 32.09)	18.22	(14.46 - 22.70)	33.72	(28.57 - 39.28)
Southern	28.77	(25.64 - 32.12)	19.21	(16.41 - 22.36)	36.24	(32.70 - 39.94)
Southern 1 (Rockingham)	26.08	(21.80 - 30.86)	16.76	(13.28 - 20.92)	31.03	(26.24 - 36.25)
Southern 2	30.39	(26.54 - 34.54)	20.44	(17.02 - 24.35)	39.50	(35.08 - 44.11)
New Jersey	37.94	(34.81 - 41.17)	33.22	(30.06 - 36.55)	46.27	(42.99 - 49.59)
Central	36.73	(31.93 - 41.81)	30.03	(25.42 - 35.09)	44.67	(39.63 - 49.82)
Metropolitan	41.59	(36.47 - 46.90)	38.75	(33.53 - 44.25)	49.00	(43.72 - 54.31)
Northern	36.02	(31.33 - 41.00)	31.96	(27.46 - 36.82)	46.43	(41.54 - 51.40)
Southern	37.82	(32.73 - 43.18)	31.18	(26.50 - 36.29)	44.62	(39.19 - 50.18)
New Mexico	40.06	(36.70 - 43.51)	37.16	(33.88 - 40.56)	49.49	(45.96 - 53.04)
Region 1	42.84	(37.46 - 48.40)	40.62	(34.90 - 46.59)	50.02	(44.26 - 55.79)
Region 2	39.38	(33.51 - 45.56)	37.97	(31.68 - 44.69)	52.35	(46.43 - 58.20)
Region 3 (Bernalillo)	37.77	(33.09 - 42.68)	34.76	(30.08 - 39.74)	47.60	(42.82 - 52.43)
Region 4	39.31	(33.39 - 45.57)	36.01	(30.08 - 42.39)	48.19	(42.29 - 54.14)
Region 5	40.94	(35.36 - 46.77)	37.94	(32.69 - 43.49)	50.41	(44.64 - 56.17)
New York	39.25	(37.49 - 41.04)	31.44	(29.76 - 33.18)	44.03	(42.19 - 45.88)
Region A	42.79	(40.29 - 45.32)	37.54	(35.05 - 40.09)	48.99	(46.40 - 51.58)
Region 1	43.98	(39.14 - 48.94)	43.03	(37.88 - 48.34)	55.37	(50.34 - 60.29)
Region 2	43.11	(39.42 - 46.88)	39.13	(35.11 - 43.31)	49.21	(45.12 - 53.30)
Region 3	38.82	(33.81 - 44.07)	29.53	(25.33 - 34.10)	42.39	(37.83 - 47.09)
Region 4	43.44	(39.00 - 47.98)	37.64	(33.50 - 41.98)	50.12	(45.74 - 54.50)
Region B	40.29	(37.30 - 43.35)	29.65	(26.83 - 32.64)	43.39	(40.36 - 46.47)
Region 5	39.67	(36.06 - 43.40)	27.78	(24.38 - 31.45)	42.30	(38.64 - 46.05)
Region 6	41.59	(36.88 - 46.46)	33.67	(29.07 - 38.61)	45.69	(40.86 - 50.59)
Region C	35.30	(32.96 - 37.72)	24.64	(22.70 - 26.68)	38.46	(36.01 - 40.97)
Region 7	33.37	(28.65 - 38.45)	25.78	(21.60 - 30.45)	38.63	(33.42 - 44.11)
Region 8	33.25	(28.76 - 38.07)	24.16	(20.50 - 28.23)	36.39	(31.76 - 41.29)
Region 9	33.93	(29.56 - 38.61)	22.65	(18.86 - 26.96)	37.15	(32.34 - 42.23)
Region 10	34.85	(30.03 - 40.01)	22.79	(19.12 - 26.94)	39.71	(34.49 - 45.18)
Region 11	40.07	(35.52 - 44.79)	26.78	(23.00 - 30.93)	40.44	(35.88 - 45.17)
Region 12	35.29	(31.00 - 39.83)	24.85	(21.19 - 28.91)	38.90	(34.58 - 43.39)
Region D	34.19	(31.08 - 37.44)	24.95	(22.18 - 27.93)	38.82	(35.59 - 42.16)
Region 13	35.47	(30.49 - 40.80)	28.56	(23.82 - 33.84)	40.04	(34.86 - 45.44)
Region 14	34.35	(29.70 - 39.31)	24.45	(20.26 - 29.19)	39.12	(34.05 - 44.44)
Region 15	32.97	(28.36 - 37.93)	22.35	(18.31 - 26.98)	37.47	(32.51 - 42.71)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	39.02	(35.98 - 42.14)	33.67	(30.72 - 36.75)	47.64	(44.31 - 50.98)
Eastern	39.62	(34.72 - 44.73)	33.17	(28.75 - 37.92)	47.74	(42.54 - 53.00)
North Central	36.63	(31.82 - 41.72)	33.16	(28.35 - 38.36)	45.77	(40.46 - 51.18)
South Central	42.26	(37.00 - 47.71)	34.22	(29.41 - 39.38)	48.58	(43.17 - 54.04)
Western	37.82	(33.39 - 42.46)	33.95	(29.41 - 38.81)	48.21	(43.73 - 52.71)
North Dakota	32.95	(30.07 - 35.96)	21.97	(19.45 - 24.71)	35.86	(32.72 - 39.14)
Badlands and West Central Lake Region and South Central	33.91	(29.49 - 38.63)	23.74	(19.57 - 28.50)	37.73	(32.81 - 42.92)
North Central and Northwest	32.61	(27.82 - 37.79)	24.87	(20.21 - 30.20)	36.62	(31.40 - 42.18)
Northeast	32.21	(27.64 - 37.15)	21.69	(17.60 - 26.43)	33.35	(28.44 - 38.64)
Southeast	34.36	(29.23 - 39.89)	21.92	(18.01 - 26.40)	36.54	(31.31 - 42.11)
Southeast	31.84	(27.36 - 36.68)	19.93	(16.46 - 23.91)	34.80	(30.18 - 39.72)
Ohio	37.48	(35.93 - 39.06)	28.19	(26.77 - 29.66)	39.56	(37.92 - 41.22)
Boards 2, 46, 55, and 68	33.32	(28.94 - 38.00)	26.45	(22.49 - 30.83)	36.64	(32.03 - 41.51)
Boards 3, 52, and 85	36.44	(31.89 - 41.25)	28.51	(23.95 - 33.56)	38.88	(33.92 - 44.08)
Boards 4 and 78	36.31	(31.43 - 41.49)	27.68	(23.21 - 32.65)	40.22	(35.13 - 45.52)
Boards 5 and 60	36.48	(31.53 - 41.73)	24.57	(20.49 - 29.17)	37.97	(32.92 - 43.29)
Boards 7, 15, 41, 79, and 84	36.69	(32.10 - 41.54)	29.35	(24.69 - 34.48)	37.58	(32.74 - 42.67)
Boards 8, 13, and 83	34.90	(30.34 - 39.75)	27.23	(22.79 - 32.17)	38.16	(33.42 - 43.15)
Board 9 (Butler)	36.89	(32.18 - 41.85)	26.66	(22.35 - 31.48)	39.33	(34.28 - 44.61)
Board 12	37.21	(32.08 - 42.64)	30.00	(25.63 - 34.76)	42.04	(36.90 - 47.35)
Boards 18 and 47	39.55	(36.00 - 43.22)	30.18	(26.86 - 33.72)	41.46	(37.81 - 45.20)
Boards 20, 32, 54, and 69	34.78	(30.18 - 39.68)	23.23	(19.14 - 27.90)	36.44	(31.51 - 41.66)
Boards 21, 39, 51, 70, and 80	33.63	(29.24 - 38.31)	25.31	(21.35 - 29.73)	37.11	(32.34 - 42.13)
Boards 22, 74, and 87	35.52	(30.95 - 40.36)	24.81	(20.57 - 29.59)	38.81	(33.82 - 44.05)
Boards 23 and 45	32.33	(27.94 - 37.06)	25.23	(20.91 - 30.10)	37.17	(32.27 - 42.36)
Board 25 (Franklin)	41.43	(37.31 - 45.66)	29.46	(26.13 - 33.03)	39.11	(35.31 - 43.04)
Boards 27, 71, and 73	34.43	(30.15 - 38.98)	26.44	(22.27 - 31.08)	39.11	(34.36 - 44.07)
Boards 28, 43, and 67	37.40	(32.75 - 42.30)	23.77	(19.97 - 28.04)	38.95	(34.27 - 43.84)
Board 31 (Hamilton)	40.53	(36.13 - 45.08)	30.19	(26.34 - 34.33)	40.80	(36.28 - 45.48)
Board 48 (Lucas)	36.52	(32.07 - 41.21)	30.49	(26.19 - 35.17)	40.92	(36.32 - 45.68)
Board 50 and 76	37.11	(32.69 - 41.75)	27.46	(23.35 - 32.00)	38.85	(34.14 - 43.77)
Board 57 (Montgomery)	40.28	(35.45 - 45.30)	31.81	(27.36 - 36.62)	41.75	(36.93 - 46.72)
Board 77 (Summit)	40.32	(35.84 - 44.97)	31.20	(26.68 - 36.11)	42.59	(37.68 - 47.65)
Oklahoma	38.22	(35.15 - 41.38)	30.96	(27.94 - 34.15)	45.98	(42.45 - 49.55)
Central	37.27	(31.98 - 42.89)	27.16	(22.30 - 32.63)	45.17	(39.15 - 51.34)
East Central	38.97	(33.35 - 44.90)	31.39	(25.76 - 37.63)	47.87	(41.35 - 54.45)
Northeast	38.60	(33.29 - 44.20)	30.12	(24.95 - 35.85)	46.18	(40.26 - 52.21)
Northwest and Southwest	38.09	(32.73 - 43.76)	30.01	(24.73 - 35.88)	44.55	(38.55 - 50.70)
Oklahoma County	41.43	(36.06 - 47.02)	34.62	(29.42 - 40.21)	47.91	(42.31 - 53.56)
Southeast	36.17	(30.95 - 41.74)	29.23	(24.22 - 34.81)	45.13	(39.13 - 51.27)
Tulsa County	36.19	(30.77 - 41.98)	31.89	(27.21 - 36.98)	44.80	(39.45 - 50.27)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	35.41	(32.46 - 38.48)	28.36	(25.61 - 31.29)	41.59	(38.33 - 44.92)
Region 1 (Multnomah)	38.61	(33.20 - 44.31)	29.47	(24.87 - 34.54)	42.20	(36.99 - 47.58)
Region 2	37.23	(32.61 - 42.08)	28.13	(23.65 - 33.09)	43.01	(38.04 - 48.12)
Region 3	34.09	(29.66 - 38.81)	29.42	(25.44 - 33.75)	41.18	(36.19 - 46.35)
Region 4	34.12	(29.32 - 39.27)	25.63	(21.19 - 30.65)	40.23	(34.76 - 45.96)
Region 5	32.68	(27.34 - 38.50)	26.31	(21.27 - 32.06)	40.61	(34.87 - 46.61)
Pennsylvania	36.43	(34.85 - 38.04)	25.76	(24.37 - 27.21)	38.61	(36.91 - 40.34)
Region 1 (Allegheny)	32.76	(29.02 - 36.72)	22.45	(19.34 - 25.90)	36.22	(32.25 - 40.38)
Regions 2, 3, 8, and 9	35.40	(31.07 - 39.98)	22.55	(18.82 - 26.77)	38.49	(33.93 - 43.26)
Regions 4, 11, 42, and 48	34.89	(30.72 - 39.30)	25.07	(21.28 - 29.29)	34.97	(30.61 - 39.60)
Regions 5, 20, 26, 28, and 40	39.41	(34.86 - 44.15)	26.45	(22.77 - 30.48)	39.56	(35.05 - 44.25)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	36.16	(31.83 - 40.72)	21.34	(18.13 - 24.94)	37.53	(32.88 - 42.43)
Regions 7, 13, 22, and 37	36.97	(33.77 - 40.30)	26.42	(23.43 - 29.65)	40.60	(37.19 - 44.11)
Regions 10, 14, 15, 25, 31, 36, and 46	33.39	(29.26 - 37.80)	24.00	(20.11 - 28.37)	36.54	(32.19 - 41.12)
Regions 17, 24, 27, 43, and 47	35.77	(31.41 - 40.37)	24.44	(20.51 - 28.85)	38.13	(33.86 - 42.60)
Region 18 (Philadelphia)	38.85	(34.94 - 42.90)	32.42	(29.04 - 35.98)	42.44	(38.33 - 46.66)
Regions 19 and 23	34.52	(29.73 - 39.64)	22.57	(18.65 - 27.05)	36.82	(31.49 - 42.50)
Regions 21, 30, 32, and 49	38.58	(34.72 - 42.57)	27.77	(24.28 - 31.55)	38.64	(34.86 - 42.55)
Regions 29 and 34	33.22	(28.66 - 38.12)	22.59	(18.62 - 27.13)	34.01	(29.34 - 39.02)
Regions 33 and 38	38.30	(33.48 - 43.37)	25.92	(21.73 - 30.61)	40.61	(35.76 - 45.65)
Rhode Island	36.32	(33.15 - 39.61)	26.99	(24.11 - 30.08)	38.57	(35.13 - 42.12)
Bristol and Newport	33.99	(28.88 - 39.50)	24.87	(20.05 - 30.40)	36.84	(31.28 - 42.78)
Kent	35.20	(29.93 - 40.86)	24.11	(19.62 - 29.25)	36.28	(30.86 - 42.07)
Providence	37.09	(33.05 - 41.31)	28.70	(25.14 - 32.55)	39.68	(35.46 - 44.07)
Washington	36.25	(30.89 - 41.98)	23.34	(18.69 - 28.75)	38.24	(32.44 - 44.39)
South Carolina	41.86	(38.82 - 44.96)	31.81	(28.85 - 34.92)	46.53	(43.14 - 49.95)
Region 1	39.61	(34.78 - 44.65)	29.96	(25.50 - 34.85)	45.83	(40.59 - 51.15)
Region 2	42.88	(38.62 - 47.25)	32.07	(28.24 - 36.17)	47.19	(42.55 - 51.87)
Region 3	44.65	(39.31 - 50.11)	34.50	(28.99 - 40.45)	48.06	(42.41 - 53.75)
Region 4	40.99	(35.96 - 46.22)	31.61	(26.85 - 36.79)	45.45	(39.92 - 51.09)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	33.05	(30.14 - 36.10)	23.61	(20.97 - 26.47)	39.04	(35.82 - 42.36)
Eastern Planning Area	32.96	(29.89 - 36.19)	23.48	(20.75 - 26.46)	38.69	(35.34 - 42.15)
Region 3 (Minnehaha)	34.72	(29.72 - 40.09)	23.49	(19.61 - 27.88)	39.37	(34.69 - 44.26)
Region 4	33.16	(28.31 - 38.39)	21.42	(17.25 - 26.29)	36.04	(30.54 - 41.93)
Region 5	29.28	(24.78 - 34.23)	23.48	(18.72 - 29.00)	36.78	(31.17 - 42.77)
Region 6	31.50	(26.54 - 36.91)	22.71	(18.36 - 27.74)	39.00	(33.51 - 44.77)
Region 7	34.74	(29.43 - 40.46)	25.99	(21.15 - 31.50)	42.39	(36.61 - 48.37)
Western Planning Area	33.24	(29.23 - 37.52)	23.92	(20.25 - 28.02)	39.90	(35.36 - 44.61)
Region 1 (Pennington)	32.13	(26.89 - 37.86)	22.36	(18.10 - 27.30)	40.21	(34.78 - 45.89)
Region 2	33.87	(29.03 - 39.07)	25.02	(20.27 - 30.47)	39.69	(33.96 - 45.71)
Tennessee	41.48	(38.41 - 44.62)	36.36	(33.20 - 39.64)	48.18	(45.12 - 51.25)
Region 1	36.85	(31.16 - 42.94)	31.73	(26.11 - 37.93)	45.11	(39.02 - 51.35)
Region 2	37.71	(32.40 - 43.34)	32.32	(26.88 - 38.29)	45.54	(40.24 - 50.93)
Region 3	40.73	(35.54 - 46.12)	34.08	(28.77 - 39.82)	48.01	(43.01 - 53.04)
Region 4 (Davidson)	42.73	(36.74 - 48.94)	36.72	(31.45 - 42.32)	46.92	(41.33 - 52.59)
Region 5	40.67	(35.70 - 45.84)	37.45	(32.09 - 43.13)	50.17	(45.25 - 55.09)
Region 6	41.22	(35.78 - 46.87)	38.95	(32.89 - 45.36)	50.01	(44.08 - 55.95)
Region 7 (Shelby)	48.76	(43.18 - 54.37)	41.95	(35.97 - 48.17)	50.29	(44.84 - 55.73)
Texas	39.65	(37.95 - 41.38)	35.98	(34.41 - 37.58)	46.83	(45.08 - 48.60)
Region 1	35.47	(30.53 - 40.74)	31.99	(27.49 - 36.86)	44.57	(39.44 - 49.83)
Region 2	37.66	(32.22 - 43.43)	32.04	(26.90 - 37.66)	44.25	(38.89 - 49.74)
Region 3	39.64	(36.95 - 42.40)	36.33	(33.83 - 38.89)	46.27	(43.61 - 48.95)
Region 3a	38.68	(35.31 - 42.15)	36.85	(33.70 - 40.12)	46.57	(43.27 - 49.91)
Region 3bc	41.29	(37.21 - 45.49)	35.34	(31.44 - 39.45)	45.74	(41.72 - 49.81)
Region 4	35.95	(31.10 - 41.11)	33.56	(28.74 - 38.75)	44.20	(39.28 - 49.25)
Region 5	41.18	(35.86 - 46.71)	35.44	(30.27 - 40.97)	44.54	(39.08 - 50.14)
Region 6	41.83	(38.93 - 44.80)	36.41	(33.48 - 39.44)	46.34	(43.30 - 49.40)
Region 6a	42.12	(38.96 - 45.34)	36.40	(33.23 - 39.69)	46.47	(43.16 - 49.81)
Region 6bc	39.46	(34.39 - 44.77)	36.49	(31.25 - 42.06)	45.30	(40.19 - 50.50)
Region 7	37.78	(34.15 - 41.56)	31.18	(28.19 - 34.33)	43.09	(39.88 - 46.37)
Region 7a	38.86	(34.13 - 43.81)	32.23	(28.20 - 36.55)	43.77	(39.72 - 47.90)
Region 7bcd	36.38	(31.54 - 41.51)	29.78	(25.70 - 34.20)	42.04	(37.37 - 46.85)
Region 8	37.23	(33.23 - 41.41)	36.84	(32.62 - 41.28)	47.86	(43.56 - 52.19)
Region 9	37.60	(32.39 - 43.11)	35.94	(30.79 - 41.44)	48.78	(42.92 - 54.69)
Region 10	38.88	(33.67 - 44.37)	40.48	(34.84 - 46.38)	54.68	(49.49 - 59.77)
Region 11	43.33	(39.55 - 47.19)	42.76	(38.68 - 46.95)	55.10	(51.01 - 59.12)
Region 11abd	44.40	(39.45 - 49.46)	42.96	(37.83 - 48.25)	54.91	(49.74 - 59.97)
Region 11c (Hidalgo)	41.36	(36.25 - 46.66)	42.41	(36.59 - 48.45)	55.50	(49.98 - 60.90)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	48.18	(44.84 - 51.54)	40.53	(37.32 - 43.82)	52.35	(48.75 - 55.93)
Bear River, Northeastern, Summit, Tooele, and Wasatch	50.24	(44.43 - 56.04)	40.75	(34.70 - 47.10)	52.25	(46.37 - 58.07)
Central, Four Corners, San Juan, and Southwest	46.24	(40.17 - 52.42)	39.89	(33.56 - 46.58)	50.87	(44.39 - 57.32)
Davis County	46.78	(40.91 - 52.74)	38.13	(32.26 - 44.36)	51.92	(46.32 - 57.48)
Salt Lake County	46.38	(41.77 - 51.06)	38.02	(33.63 - 42.62)	51.88	(47.23 - 56.50)
Utah County	53.50	(47.74 - 59.16)	45.94	(40.59 - 51.39)	56.01	(50.34 - 61.52)
Weber, Morgan	46.20	(40.03 - 52.49)	39.78	(33.65 - 46.25)	51.50	(45.49 - 57.46)
Vermont	29.82	(27.16 - 32.62)	21.98	(19.51 - 24.66)	38.72	(35.59 - 41.95)
Champlain Valley	30.43	(26.56 - 34.61)	20.18	(17.06 - 23.70)	38.60	(34.31 - 43.07)
Rural Northeast	28.31	(24.43 - 32.55)	23.20	(19.25 - 27.67)	36.82	(32.12 - 41.78)
Rural Southeast	29.71	(25.50 - 34.29)	23.50	(19.36 - 28.21)	40.66	(35.54 - 46.00)
Rural Southwest	30.67	(26.02 - 35.75)	23.96	(19.58 - 28.96)	39.10	(33.61 - 44.88)
Virginia	41.29	(38.20 - 44.45)	32.09	(29.16 - 35.17)	45.63	(42.23 - 49.06)
Region 1	38.41	(32.83 - 44.31)	29.25	(24.89 - 34.02)	43.62	(37.91 - 49.50)
Region 2	42.19	(37.31 - 47.23)	32.83	(27.85 - 38.22)	46.08	(40.86 - 51.37)
Region 3	40.43	(35.08 - 46.03)	32.95	(27.77 - 38.59)	47.40	(41.76 - 53.11)
Region 4	40.87	(35.64 - 46.32)	32.19	(27.60 - 37.16)	45.44	(39.91 - 51.09)
Region 5	43.12	(38.30 - 48.08)	32.40	(27.79 - 37.38)	45.08	(39.83 - 50.44)
Washington	34.83	(31.99 - 37.79)	27.37	(24.69 - 30.22)	41.14	(37.88 - 44.47)
Region 1	34.65	(29.49 - 40.20)	27.59	(22.86 - 32.90)	42.33	(36.46 - 48.44)
Region 2	34.42	(28.75 - 40.57)	31.50	(25.84 - 37.77)	42.99	(37.01 - 49.17)
Region 3	35.73	(30.98 - 40.78)	25.19	(20.60 - 30.41)	41.02	(35.61 - 46.65)
Region 4 (King)	33.83	(29.48 - 38.47)	27.63	(23.49 - 32.19)	40.22	(35.60 - 45.02)
Region 5	35.26	(30.43 - 40.40)	27.15	(22.74 - 32.07)	40.64	(35.34 - 46.16)
Region 6	35.44	(30.47 - 40.74)	26.46	(21.89 - 31.60)	41.54	(36.05 - 47.25)
West Virginia	34.56	(31.67 - 37.56)	32.80	(29.99 - 35.75)	43.61	(40.34 - 46.93)
Eastern Highland	34.06	(29.35 - 39.11)	34.48	(29.66 - 39.64)	43.62	(38.41 - 48.97)
Northern	33.55	(29.37 - 38.02)	30.06	(26.10 - 34.33)	41.41	(36.93 - 46.05)
Northern A and B	32.54	(27.24 - 38.32)	30.60	(25.03 - 36.79)	41.14	(35.12 - 47.43)
Northern C and D	34.04	(29.03 - 39.42)	29.86	(25.30 - 34.85)	41.56	(36.37 - 46.96)
South Central	35.12	(31.59 - 38.81)	32.98	(29.33 - 36.84)	44.19	(40.20 - 48.27)
South Central I	35.95	(30.54 - 41.74)	33.03	(27.45 - 39.12)	44.41	(38.19 - 50.81)
South Central II	36.68	(31.35 - 42.35)	32.53	(27.06 - 38.53)	44.26	(38.40 - 50.28)
South Central III	33.48	(28.66 - 38.66)	33.31	(28.37 - 38.65)	44.02	(38.85 - 49.33)
Southern	35.56	(31.17 - 40.20)	35.05	(30.66 - 39.71)	45.40	(40.45 - 50.44)
Southern I and III	35.63	(30.28 - 41.37)	34.04	(28.57 - 39.98)	45.62	(39.53 - 51.84)
Southern II	35.41	(29.83 - 41.42)	37.02	(31.25 - 43.18)	44.98	(38.74 - 51.39)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	32.01	(29.20 - 34.96)	22.66	(20.21 - 25.31)	35.75	(32.53 - 39.12)
Milwaukee	36.97	(31.80 - 42.47)	27.76	(23.09 - 32.96)	39.15	(33.85 - 44.72)
Northeastern	29.57	(25.36 - 34.16)	20.83	(17.00 - 25.27)	33.30	(28.60 - 38.36)
Northern	31.55	(26.40 - 37.20)	20.75	(16.44 - 25.85)	36.00	(30.44 - 41.96)
Southeastern	32.71	(28.04 - 37.76)	23.36	(19.18 - 28.14)	38.00	(32.67 - 43.63)
Southern	31.01	(26.22 - 36.25)	21.34	(17.63 - 25.58)	33.82	(28.97 - 39.05)
Western	30.20	(25.39 - 35.48)	21.11	(17.23 - 25.60)	34.65	(29.47 - 40.23)
Wyoming	34.69	(31.76 - 37.74)	23.59	(20.87 - 26.54)	40.09	(36.91 - 43.35)
Judicial District 1 (Laramie)	35.71	(30.44 - 41.36)	25.20	(20.73 - 30.26)	40.84	(35.68 - 46.20)
Judicial District 2	35.96	(30.17 - 42.19)	22.18	(18.14 - 26.83)	41.37	(35.57 - 47.43)
Judicial District 3	36.08	(31.05 - 41.44)	23.49	(19.00 - 28.67)	40.37	(35.08 - 45.89)
Judicial District 4	33.94	(28.44 - 39.92)	23.16	(18.37 - 28.76)	41.22	(35.03 - 47.71)
Judicial District 5	33.65	(28.28 - 39.48)	24.39	(19.53 - 30.02)	39.87	(34.14 - 45.89)
Judicial District 6	31.19	(26.29 - 36.55)	21.59	(16.92 - 27.12)	36.88	(31.31 - 42.83)
Judicial District 7 (Natrona)	35.84	(30.58 - 41.46)	25.13	(20.17 - 30.84)	40.19	(34.69 - 45.96)
Judicial District 8	33.97	(28.76 - 39.59)	23.30	(18.53 - 28.87)	39.58	(33.66 - 45.81)
Judicial District 9	33.94	(28.51 - 39.83)	23.07	(18.34 - 28.60)	39.96	(34.16 - 46.05)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	12.40		40.23		24.69	
Alabama	13.63	(11.77 - 15.73)	39.55	(36.34 - 42.85)	26.89	(24.03 - 29.95)
Region 1	15.49	(12.31 - 19.32)	42.42	(36.86 - 48.18)	27.62	(23.34 - 32.35)
Region 2	13.08	(10.40 - 16.33)	36.85	(32.11 - 41.86)	26.55	(22.56 - 30.96)
Region 3	11.35	(8.62 - 14.80)	37.37	(32.02 - 43.05)	26.23	(21.82 - 31.18)
Region 4	14.15	(11.34 - 17.52)	42.48	(37.12 - 48.02)	26.94	(22.87 - 31.45)
Alaska	13.17	(11.14 - 15.51)	43.72	(40.29 - 47.21)	25.56	(22.57 - 28.80)
Gulf Coast	15.26	(11.59 - 19.85)	*	(* - *)	26.96	(21.82 - 32.81)
Rural	*	(* - *)	*	(* - *)	28.62	(23.13 - 34.83)
Southeast	14.00	(10.22 - 18.87)	*	(* - *)	24.99	(20.15 - 30.55)
Urban	11.91	(9.62 - 14.67)	41.63	(37.63 - 45.74)	24.92	(21.62 - 28.55)
Arizona	11.97	(10.00 - 14.26)	38.18	(34.95 - 41.52)	26.23	(23.36 - 29.31)
Maricopa	10.03	(7.89 - 12.67)	35.87	(32.02 - 39.91)	26.23	(22.77 - 30.01)
Pima	14.45	(10.75 - 19.17)	41.93	(35.90 - 48.21)	25.41	(21.06 - 30.31)
Rural North	14.70	(11.14 - 19.14)	*	(* - *)	25.78	(21.21 - 30.94)
Rural South	15.44	(11.25 - 20.82)	*	(* - *)	27.81	(22.57 - 33.73)
Arkansas	14.81	(12.78 - 17.09)	48.36	(44.95 - 51.78)	30.23	(27.24 - 33.39)
Areas 1 and 5	14.63	(11.41 - 18.55)	50.38	(44.07 - 56.67)	28.77	(24.46 - 33.49)
Areas 2 and 3	18.28	(14.06 - 23.41)	49.84	(43.09 - 56.61)	31.29	(25.94 - 37.20)
Areas 4 and 7	13.58	(10.37 - 17.58)	45.92	(39.96 - 51.99)	31.90	(26.92 - 37.33)
Area 6	13.89	(10.22 - 18.59)	44.97	(38.37 - 51.74)	29.75	(24.65 - 35.42)
Areas 8 and 12	17.38	(13.37 - 22.29)	*	(* - *)	30.34	(25.54 - 35.60)
Area 9	12.64	(9.68 - 16.34)	46.33	(40.14 - 52.64)	30.03	(25.72 - 34.74)
Areas 10, 11, and 13	14.92	(11.39 - 19.30)	50.51	(44.21 - 56.80)	30.30	(25.29 - 35.83)
California	8.28	(7.40 - 9.26)	30.88	(29.30 - 32.52)	17.52	(16.11 - 19.03)
Region 1	12.04	(9.17 - 15.66)	38.27	(32.10 - 44.85)	22.77	(18.82 - 27.27)
Region 2	9.53	(7.50 - 12.03)	34.10	(29.63 - 38.87)	18.06	(15.18 - 21.34)
Region 3	8.61	(6.48 - 11.34)	32.06	(27.16 - 37.40)	19.83	(16.31 - 23.90)
Region 4	8.80	(6.52 - 11.77)	36.58	(31.04 - 42.51)	17.17	(14.25 - 20.54)
Region 5	8.52	(6.64 - 10.88)	34.28	(29.74 - 39.12)	16.03	(13.30 - 19.19)
Region 6 (Santa Clara)	8.20	(6.15 - 10.86)	29.34	(24.74 - 34.40)	14.42	(11.92 - 17.35)
Region 7	8.33	(6.07 - 11.34)	33.40	(27.52 - 39.84)	18.41	(14.97 - 22.44)
Region 8	8.10	(6.10 - 10.69)	28.39	(23.85 - 33.43)	19.18	(15.95 - 22.89)
Region 9	9.79	(7.30 - 13.01)	33.01	(27.33 - 39.22)	20.66	(17.08 - 24.78)
Region 10	8.71	(6.47 - 11.63)	32.94	(27.68 - 38.66)	16.09	(13.03 - 19.70)
Region 11 (Los Angeles)	6.77	(5.52 - 8.29)	26.29	(23.73 - 29.02)	17.06	(14.97 - 19.39)
Region 12	8.26	(6.30 - 10.77)	32.23	(27.54 - 37.32)	18.08	(15.07 - 21.54)
Region 13 (Riverside)	9.76	(7.35 - 12.84)	31.96	(26.75 - 37.66)	17.98	(14.76 - 21.72)
Region 14 (Orange)	8.51	(6.54 - 11.00)	32.06	(27.61 - 36.86)	16.94	(14.12 - 20.19)
Region 15	8.49	(6.52 - 10.97)	32.55	(28.24 - 37.18)	17.81	(15.08 - 20.92)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	14.03	(12.02 - 16.31)	44.06	(40.68 - 47.49)	25.30	(22.51 - 28.31)
Region 1	14.23	(10.79 - 18.53)	42.97	(36.95 - 49.21)	23.07	(19.06 - 27.63)
Regions 2 and 7	14.00	(11.49 - 16.96)	44.05	(39.64 - 48.56)	25.79	(22.30 - 29.62)
Region 3	13.38	(9.98 - 17.70)	45.01	(38.47 - 51.72)	24.32	(20.16 - 29.03)
Region 4	16.06	(11.88 - 21.36)	*	(* - *)	26.63	(21.66 - 32.27)
Regions 5 and 6	13.63	(10.04 - 18.25)	*	(* - *)	25.73	(21.09 - 30.99)
Connecticut	14.15	(12.15 - 16.41)	42.18	(38.92 - 45.52)	22.57	(19.76 - 25.65)
Eastern	14.88	(11.27 - 19.38)	*	(* - *)	22.52	(18.02 - 27.76)
North Central	13.42	(10.49 - 17.01)	39.00	(34.29 - 43.92)	23.88	(19.81 - 28.49)
Northwestern	18.13	(14.14 - 22.95)	48.10	(41.54 - 54.73)	24.49	(20.13 - 29.46)
South Central	13.81	(10.85 - 17.42)	42.18	(36.90 - 47.64)	21.90	(18.04 - 26.32)
Southwest	11.36	(8.42 - 15.16)	38.70	(32.52 - 45.26)	19.80	(15.89 - 24.40)
Delaware	13.20	(11.37 - 15.28)	42.00	(38.77 - 45.31)	24.71	(22.17 - 27.44)
Kent	12.51	(9.56 - 16.20)	40.25	(34.22 - 46.60)	26.77	(22.30 - 31.76)
New Castle (excluding Wilmington city)	13.11	(10.83 - 15.78)	42.99	(38.98 - 47.09)	22.98	(20.00 - 26.26)
Sussex	15.91	(12.35 - 20.25)	44.68	(38.41 - 51.13)	25.90	(21.71 - 30.58)
Wilmington City	9.97	(7.07 - 13.87)	*	(* - *)	28.32	(23.57 - 33.61)
District of Columbia	6.81	(5.51 - 8.40)	32.95	(29.86 - 36.20)	25.69	(22.80 - 28.81)
Ward 1	6.29	(4.30 - 9.10)	32.71	(27.02 - 38.96)	29.60	(24.50 - 35.26)
Ward 2	*	(* - *)	38.01	(32.19 - 44.19)	27.69	(23.04 - 32.88)
Ward 3	9.49	(6.79 - 13.12)	35.93	(30.24 - 42.04)	19.87	(16.10 - 24.26)
Ward 4	6.24	(4.34 - 8.90)	*	(* - *)	20.39	(16.35 - 25.13)
Ward 5	6.70	(4.73 - 9.42)	30.28	(25.14 - 35.97)	26.27	(21.21 - 32.03)
Ward 6	6.21	(4.26 - 8.97)	*	(* - *)	24.82	(20.21 - 30.09)
Ward 7	5.91	(4.24 - 8.17)	26.35	(21.19 - 32.25)	27.96	(23.10 - 33.39)
Ward 8	6.58	(4.76 - 9.05)	30.40	(24.81 - 36.63)	33.20	(27.61 - 39.31)
Florida	11.50	(10.52 - 12.56)	36.42	(34.77 - 38.11)	23.97	(22.49 - 25.52)
District 1	14.25	(11.09 - 18.13)	40.45	(34.67 - 46.51)	27.98	(23.75 - 32.63)
District 2	11.12	(8.60 - 14.26)	38.00	(32.89 - 43.39)	25.73	(21.92 - 29.95)
District 3	12.71	(9.63 - 16.60)	33.10	(27.95 - 38.69)	25.72	(21.61 - 30.31)
District 4	11.08	(8.78 - 13.89)	38.26	(33.61 - 43.15)	25.90	(22.35 - 29.79)
District 7	12.13	(9.82 - 14.88)	39.53	(35.56 - 43.65)	22.80	(19.79 - 26.12)
District 8	12.42	(9.61 - 15.92)	40.45	(34.82 - 46.35)	22.37	(18.95 - 26.21)
District 9 (Palm Beach)	9.57	(7.38 - 12.33)	35.35	(30.66 - 40.34)	22.85	(19.34 - 26.78)
District 10 (Broward)	9.93	(7.95 - 12.35)	31.24	(26.96 - 35.87)	24.09	(20.88 - 27.61)
District 11	7.88	(6.28 - 9.85)	28.76	(25.28 - 32.50)	21.73	(19.01 - 24.72)
District 12	12.70	(9.73 - 16.41)	40.51	(35.33 - 45.90)	23.78	(19.87 - 28.19)
District 13	12.88	(9.96 - 16.50)	34.58	(29.36 - 40.19)	25.02	(21.07 - 29.44)
District 14	12.97	(10.20 - 16.36)	38.98	(33.58 - 44.67)	25.63	(21.63 - 30.08)
District 15	11.78	(8.96 - 15.33)	36.46	(31.00 - 42.28)	23.76	(19.80 - 28.24)
Suncoast	14.08	(11.91 - 16.58)	41.14	(37.55 - 44.83)	24.71	(21.97 - 27.68)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	12.43	(10.56 - 14.59)	35.96	(32.82 - 39.23)	27.26	(24.55 - 30.15)
Region 1	14.37	(11.04 - 18.49)	37.86	(32.01 - 44.09)	30.08	(25.45 - 35.14)
Region 2	13.65	(10.57 - 17.45)	37.51	(31.78 - 43.61)	29.60	(25.12 - 34.50)
Region 3	10.93	(8.64 - 13.74)	32.61	(28.30 - 37.24)	24.03	(20.75 - 27.64)
Region 4	13.01	(9.79 - 17.09)	40.91	(34.71 - 47.41)	29.03	(24.23 - 34.34)
Region 5	12.82	(9.61 - 16.91)	37.37	(31.58 - 43.55)	30.06	(25.04 - 35.61)
Hawaii	9.03	(7.36 - 11.03)	34.69	(31.40 - 38.14)	20.57	(17.88 - 23.56)
Hawaii Island	12.42	(9.11 - 16.71)	*	(* - *)	22.88	(18.32 - 28.18)
Honolulu	8.13	(6.33 - 10.39)	33.55	(29.94 - 37.36)	19.71	(16.82 - 22.96)
Kauai and Maui	10.03	(7.36 - 13.54)	37.04	(30.72 - 43.83)	22.64	(18.43 - 27.50)
Idaho	11.34	(9.61 - 13.33)	39.17	(36.09 - 42.33)	21.54	(19.12 - 24.16)
Region 1	12.30	(9.28 - 16.12)	40.60	(34.15 - 47.39)	23.32	(19.25 - 27.96)
Region 2	*	(* - *)	*	(* - *)	22.44	(18.11 - 27.46)
Region 3	11.66	(8.87 - 15.20)	40.08	(33.91 - 46.57)	23.35	(19.47 - 27.75)
Region 4	10.50	(8.04 - 13.62)	40.19	(35.15 - 45.44)	20.68	(17.36 - 24.46)
Region 5	13.48	(10.19 - 17.61)	40.53	(34.62 - 46.73)	22.41	(18.46 - 26.91)
Region 6	11.65	(8.58 - 15.62)	38.90	(32.56 - 45.63)	20.27	(16.55 - 24.58)
Region 7	9.05	(6.56 - 12.37)	33.10	(27.73 - 38.95)	18.41	(14.84 - 22.60)
Illinois	11.96	(10.93 - 13.08)	43.96	(42.29 - 45.64)	26.38	(24.78 - 28.03)
Region I (Cook)	10.03	(8.68 - 11.57)	40.68	(38.14 - 43.26)	27.24	(24.92 - 29.70)
Region II	11.40	(9.71 - 13.34)	45.29	(42.27 - 48.35)	24.82	(22.39 - 27.41)
Region III	15.25	(12.68 - 18.24)	47.69	(43.76 - 51.64)	26.78	(23.47 - 30.37)
Region IV	16.51	(13.41 - 20.16)	49.83	(45.16 - 54.50)	26.55	(22.85 - 30.61)
Region V	14.73	(12.00 - 17.95)	46.12	(42.06 - 50.23)	26.62	(22.99 - 30.60)
Indiana	14.35	(12.40 - 16.56)	44.24	(41.06 - 47.47)	27.41	(24.83 - 30.16)
Central	12.80	(9.96 - 16.31)	45.33	(39.93 - 50.83)	27.00	(23.14 - 31.23)
East	15.57	(11.65 - 20.49)	45.45	(38.91 - 52.15)	28.58	(23.80 - 33.89)
North Central	16.43	(12.56 - 21.22)	46.88	(40.62 - 53.25)	28.61	(24.15 - 33.54)
Northeast	11.63	(8.61 - 15.54)	*	(* - *)	25.03	(20.70 - 29.93)
Northwest	11.72	(8.62 - 15.74)	38.72	(32.81 - 44.98)	25.68	(21.21 - 30.72)
Southeast	14.91	(11.31 - 19.40)	*	(* - *)	27.49	(22.86 - 32.66)
Southwest	15.69	(11.91 - 20.40)	*	(* - *)	28.87	(23.97 - 34.32)
West	17.63	(13.49 - 22.71)	43.82	(37.83 - 49.99)	28.71	(24.13 - 33.77)
Iowa	13.32	(11.45 - 15.44)	42.45	(39.07 - 45.90)	25.32	(22.58 - 28.28)
Central	12.20	(9.15 - 16.09)	42.27	(35.90 - 48.92)	26.23	(21.85 - 31.14)
North Central	14.74	(11.16 - 19.22)	42.02	(35.92 - 48.37)	25.57	(21.14 - 30.57)
Northeast	13.92	(11.05 - 17.39)	44.15	(38.90 - 49.53)	25.11	(21.31 - 29.33)
Northwest	14.35	(10.98 - 18.55)	42.84	(36.37 - 49.57)	23.74	(19.53 - 28.53)
Southeast	11.96	(9.12 - 15.52)	40.17	(34.19 - 46.45)	25.62	(21.38 - 30.38)
Southwest	12.99	(9.67 - 17.23)	*	(* - *)	26.10	(21.51 - 31.28)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	14.63	(12.50 - 17.04)	41.58	(38.37 - 44.87)	26.15	(23.29 - 29.23)
Kansas City Metro	13.07	(10.19 - 16.62)	43.33	(38.25 - 48.55)	24.99	(21.18 - 29.23)
Northeast	15.55	(11.97 - 19.96)	39.35	(33.97 - 45.00)	26.75	(22.41 - 31.59)
South Central	16.78	(12.91 - 21.52)	42.22	(35.96 - 48.74)	26.60	(21.97 - 31.81)
Southeast	17.78	(13.35 - 23.29)	*	(* - *)	29.43	(24.01 - 35.50)
West	14.12	(10.43 - 18.84)	*	(* - *)	24.78	(20.29 - 29.88)
Wichita (Sedgwick)	13.55	(10.34 - 17.57)	41.03	(34.83 - 47.53)	26.79	(22.52 - 31.55)
Kentucky	18.49	(16.23 - 20.98)	50.76	(47.48 - 54.03)	33.01	(30.03 - 36.13)
Adanta, Cumberland River, And Lifeskills	19.99	(15.98 - 24.72)	51.03	(45.29 - 56.74)	33.19	(28.17 - 38.63)
Bluegrass, Comprehend, and North Key	15.83	(12.64 - 19.65)	47.90	(42.83 - 53.01)	30.83	(26.61 - 35.41)
Communicare and River Valley	19.44	(15.06 - 24.72)	*	(* - *)	35.96	(30.54 - 41.77)
Four Rivers and Pennyroyal	19.66	(15.24 - 24.99)	*	(* - *)	32.62	(27.42 - 38.28)
Kentucky River, Mountain, And Pathways	22.54	(17.87 - 28.03)	56.35	(49.68 - 62.79)	36.21	(30.68 - 42.12)
Seven Counties	17.37	(13.66 - 21.83)	50.69	(45.02 - 56.34)	32.57	(27.97 - 37.53)
Louisiana	13.65	(11.76 - 15.78)	41.40	(38.49 - 44.38)	28.13	(25.43 - 30.99)
Region 1	10.05	(7.36 - 13.59)	35.19	(29.51 - 41.32)	30.62	(25.53 - 36.22)
Regions 2 and 9	12.53	(9.80 - 15.90)	40.86	(36.20 - 45.69)	25.51	(21.81 - 29.59)
Region 3	15.73	(11.86 - 20.58)	46.22	(39.55 - 53.04)	29.35	(24.36 - 34.90)
Region 4	14.72	(11.29 - 18.98)	42.64	(36.75 - 48.76)	28.45	(23.64 - 33.81)
Regions 5 and 6	15.71	(12.04 - 20.24)	44.68	(38.51 - 51.03)	31.15	(26.37 - 36.37)
Regions 7 and 8	14.25	(11.05 - 18.18)	42.21	(36.93 - 47.68)	27.03	(22.99 - 31.49)
Region 10 (Jefferson)	13.54	(10.15 - 17.84)	39.45	(33.11 - 46.17)	27.87	(23.14 - 33.14)
Maine	13.27	(11.29 - 15.55)	44.32	(41.17 - 47.51)	25.42	(22.62 - 28.43)
Planning Region 1	11.48	(9.20 - 14.24)	45.02	(40.57 - 49.54)	23.97	(20.74 - 27.53)
Region 1 (Cumberland)	10.67	(8.00 - 14.10)	45.49	(39.74 - 51.37)	22.68	(18.91 - 26.96)
Region 2 (York)	12.58	(9.53 - 16.43)	44.26	(38.28 - 50.41)	25.77	(21.42 - 30.66)
Planning Region 2	14.17	(11.65 - 17.13)	44.38	(40.31 - 48.53)	26.16	(22.80 - 29.84)
Region 3	15.26	(11.69 - 19.68)	44.19	(38.76 - 49.76)	27.62	(23.02 - 32.76)
Region 4	14.15	(10.58 - 18.66)	*	(* - *)	26.78	(21.95 - 32.22)
Region 5	12.47	(9.21 - 16.67)	44.67	(38.03 - 51.51)	23.52	(19.24 - 28.42)
Planning Region 3	14.33	(11.55 - 17.65)	43.32	(38.61 - 48.15)	26.35	(22.50 - 30.59)
Region 6 (Penobscot)	13.92	(10.67 - 17.96)	43.78	(37.88 - 49.86)	27.05	(22.17 - 32.55)
Region 7	14.69	(10.98 - 19.38)	*	(* - *)	25.80	(21.32 - 30.85)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	11.04	(9.33 - 13.02)	35.95	(32.65 - 39.38)	22.91	(20.24 - 25.82)
Anne Arundel	12.56	(9.18 - 16.95)	*	(* - *)	23.69	(19.26 - 28.78)
Baltimore City	8.97	(6.57 - 12.12)	30.81	(25.45 - 36.75)	31.41	(25.89 - 37.52)
Central	12.48	(9.70 - 15.92)	36.17	(30.64 - 42.10)	22.29	(18.39 - 26.75)
Montgomery	10.15	(7.51 - 13.58)	*	(* - *)	15.56	(12.51 - 19.19)
Prince George's	7.97	(5.73 - 10.98)	30.49	(24.96 - 36.64)	22.93	(18.78 - 27.68)
Rural	12.54	(9.32 - 16.67)	42.06	(35.78 - 48.60)	25.44	(20.89 - 30.60)
Western	12.48	(9.26 - 16.61)	39.02	(32.85 - 45.57)	23.46	(19.05 - 28.53)
Massachusetts	11.51	(9.74 - 13.54)	39.83	(36.37 - 43.41)	20.24	(17.77 - 22.95)
Boston	9.89	(7.16 - 13.51)	40.51	(34.24 - 47.10)	22.77	(18.37 - 27.87)
Central	13.22	(9.98 - 17.31)	*	(* - *)	21.02	(17.06 - 25.63)
Metrowest	9.90	(7.49 - 12.98)	36.39	(30.62 - 42.58)	16.86	(13.72 - 20.53)
Northeast	10.16	(7.53 - 13.58)	38.75	(32.48 - 45.42)	20.68	(17.01 - 24.91)
Southeast	13.22	(10.17 - 17.02)	41.89	(35.90 - 48.13)	21.35	(17.85 - 25.32)
Western	12.89	(9.60 - 17.10)	40.36	(34.80 - 46.17)	21.15	(17.14 - 25.81)
Michigan	13.39	(12.37 - 14.48)	43.80	(42.13 - 45.49)	27.55	(25.96 - 29.20)
Bay	16.90	(13.36 - 21.16)	46.51	(40.34 - 52.80)	29.43	(24.93 - 34.38)
Detroit City	7.57	(5.91 - 9.64)	36.05	(31.73 - 40.61)	33.73	(29.43 - 38.32)
Genesee	12.53	(9.87 - 15.79)	46.42	(40.89 - 52.04)	28.89	(24.65 - 33.53)
Kalamazoo	15.61	(12.66 - 19.11)	45.26	(40.58 - 50.02)	29.36	(25.21 - 33.88)
Kent	12.88	(10.27 - 16.03)	42.01	(37.49 - 46.68)	25.77	(22.03 - 29.91)
Lakeshore	15.26	(12.41 - 18.63)	43.51	(39.11 - 48.02)	27.49	(23.98 - 31.30)
Macomb	12.23	(9.73 - 15.26)	43.64	(38.72 - 48.68)	26.23	(22.71 - 30.09)
Mid South	15.95	(13.25 - 19.08)	46.14	(41.94 - 50.40)	28.20	(24.74 - 31.93)
Northern	17.86	(14.76 - 21.43)	47.95	(43.41 - 52.52)	27.05	(23.33 - 31.13)
Oakland	11.51	(9.41 - 14.00)	40.55	(36.19 - 45.06)	23.87	(20.73 - 27.32)
Pathways	18.27	(14.09 - 23.37)	51.30	(45.07 - 57.50)	28.86	(24.28 - 33.91)
Saginaw	12.52	(9.38 - 16.51)	42.18	(35.91 - 48.71)	27.56	(23.26 - 32.31)
Southeast	12.48	(10.28 - 15.06)	46.11	(42.26 - 50.00)	28.77	(25.46 - 32.33)
St. Clair	14.43	(11.25 - 18.32)	47.77	(41.41 - 54.19)	30.10	(25.64 - 34.97)
Washtenaw	10.75	(8.32 - 13.79)	41.69	(36.45 - 47.12)	20.60	(17.25 - 24.41)
Western	16.15	(12.08 - 21.26)	38.55	(32.32 - 45.18)	27.81	(22.92 - 33.29)
Minnesota	14.31	(12.33 - 16.54)	47.76	(44.48 - 51.05)	23.78	(21.13 - 26.64)
Regions 1 and 2	16.83	(12.65 - 22.04)	47.14	(40.44 - 53.94)	24.06	(19.68 - 29.07)
Regions 3 and 4	16.77	(13.26 - 21.00)	49.74	(43.72 - 55.77)	25.80	(21.66 - 30.42)
Regions 5 and 6	15.96	(12.54 - 20.09)	48.24	(42.17 - 54.36)	24.21	(20.02 - 28.96)
Region 7A (Hennepin)	12.82	(9.88 - 16.49)	45.97	(40.20 - 51.85)	23.00	(19.28 - 27.19)
Region 7B (Ramsey)	12.29	(9.06 - 16.47)	47.38	(40.68 - 54.17)	24.07	(19.70 - 29.05)
Region 7C	11.74	(8.91 - 15.31)	48.20	(42.29 - 54.15)	22.42	(18.56 - 26.82)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	12.63	(10.77 - 14.74)	41.48	(38.25 - 44.78)	28.07	(25.10 - 31.25)
Region 1	15.35	(11.97 - 19.49)	44.59	(38.66 - 50.68)	30.59	(25.92 - 35.70)
Region 2	9.71	(7.22 - 12.94)	34.98	(29.45 - 40.95)	28.06	(23.22 - 33.47)
Region 3	11.57	(8.70 - 15.23)	42.26	(35.96 - 48.81)	26.07	(21.74 - 30.93)
Region 4	12.21	(9.24 - 15.98)	38.86	(33.51 - 44.50)	24.79	(20.57 - 29.56)
Region 5	11.05	(7.93 - 15.18)	37.46	(31.11 - 44.26)	27.06	(21.93 - 32.89)
Region 6	13.39	(10.02 - 17.66)	42.67	(36.26 - 49.34)	27.45	(22.71 - 32.76)
Region 7	13.72	(10.33 - 18.00)	46.75	(40.31 - 53.29)	30.87	(25.70 - 36.58)
Missouri	17.90	(15.72 - 20.32)	47.31	(44.05 - 50.59)	30.03	(27.10 - 33.14)
Central	21.53	(17.25 - 26.53)	50.81	(44.66 - 56.94)	29.32	(24.64 - 34.48)
Eastern	16.47	(13.68 - 19.70)	47.00	(42.38 - 51.68)	28.76	(25.06 - 32.76)
Eastern (St. Louis City and County)	14.54	(11.48 - 18.24)	44.86	(39.33 - 50.52)	28.65	(24.31 - 33.43)
Eastern (excluding St. Louis)	20.08	(15.69 - 25.34)	*	(* - *)	28.97	(24.13 - 34.34)
Northwest	16.68	(13.58 - 20.33)	46.98	(41.96 - 52.05)	29.27	(25.44 - 33.41)
Northwest (Jackson)	14.89	(11.39 - 19.23)	45.40	(39.38 - 51.55)	29.72	(24.98 - 34.93)
Northwest (excluding Jackson)	18.27	(13.98 - 23.51)	*	(* - *)	28.86	(24.17 - 34.06)
Southeast	19.80	(15.33 - 25.19)	*	(* - *)	34.94	(29.33 - 41.00)
Southwest	18.44	(14.46 - 23.23)	44.47	(38.86 - 50.23)	30.86	(25.84 - 36.37)
Montana	15.84	(13.75 - 18.18)	44.11	(40.98 - 47.29)	25.47	(22.69 - 28.48)
Region 1	19.78	(15.34 - 25.12)	*	(* - *)	26.18	(21.40 - 31.60)
Region 2	17.37	(13.55 - 22.00)	46.49	(40.18 - 52.92)	26.86	(22.36 - 31.90)
Region 3	15.94	(12.40 - 20.27)	44.17	(38.29 - 50.22)	25.67	(21.42 - 30.43)
Region 4	13.51	(10.63 - 17.03)	41.38	(36.64 - 46.28)	23.92	(20.07 - 28.24)
Region 5	15.64	(12.48 - 19.43)	44.75	(39.72 - 49.90)	25.73	(21.74 - 30.17)
Nebraska	15.36	(13.13 - 17.88)	43.38	(40.08 - 46.74)	22.85	(20.22 - 25.71)
Regions 1 and 2	17.41	(13.12 - 22.74)	*	(* - *)	22.31	(17.93 - 27.40)
Region 3	17.88	(13.67 - 23.05)	*	(* - *)	23.68	(19.37 - 28.59)
Region 4	17.67	(13.60 - 22.64)	*	(* - *)	22.13	(17.92 - 27.02)
Region 5	15.72	(12.35 - 19.79)	43.04	(38.09 - 48.13)	23.03	(19.15 - 27.43)
Region 6	12.85	(10.04 - 16.31)	42.65	(37.65 - 47.81)	22.84	(19.34 - 26.76)
Nevada	12.47	(10.37 - 14.93)	35.78	(32.50 - 39.19)	30.47	(27.17 - 33.97)
Clark	12.36	(9.91 - 15.31)	33.60	(29.74 - 37.68)	31.50	(27.66 - 35.62)
Rural	13.22	(10.02 - 17.23)	44.49	(37.94 - 51.25)	29.58	(24.50 - 35.22)
Washoe	12.22	(9.17 - 16.12)	38.95	(33.38 - 44.82)	26.71	(22.26 - 31.69)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	11.02	(9.34 - 12.95)	40.66	(37.51 - 43.89)	24.26	(21.63 - 27.10)
Region 1 (Multnomah)	10.18	(7.64 - 13.44)	40.60	(35.21 - 46.22)	26.06	(21.99 - 30.58)
Region 2	10.03	(7.70 - 12.96)	41.12	(35.75 - 46.71)	21.21	(17.66 - 25.26)
Region 3	10.80	(8.52 - 13.60)	39.55	(34.87 - 44.43)	24.20	(20.33 - 28.55)
Region 4	13.66	(10.42 - 17.71)	43.10	(37.21 - 49.19)	26.44	(21.92 - 31.51)
Region 5	11.50	(8.49 - 15.40)	*	(* - *)	24.56	(20.22 - 29.48)
Pennsylvania	14.30	(13.23 - 15.44)	44.92	(43.26 - 46.60)	26.41	(24.87 - 28.01)
Region 1 (Allegheny)	15.05	(12.37 - 18.20)	46.32	(42.11 - 50.58)	26.38	(22.96 - 30.11)
Regions 2, 3, 8, and 9	15.53	(12.44 - 19.22)	46.50	(41.02 - 52.07)	26.26	(22.49 - 30.41)
Regions 4, 11, 42, and 48	16.14	(13.14 - 19.68)	48.81	(43.48 - 54.17)	27.40	(23.61 - 31.54)
Regions 5, 20, 26, 28, and 40	16.09	(13.04 - 19.70)	45.41	(40.65 - 50.24)	25.73	(22.06 - 29.77)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	18.20	(14.84 - 22.13)	44.94	(40.31 - 49.66)	26.79	(22.83 - 31.15)
Regions 7, 13, 22, and 37	12.34	(10.36 - 14.62)	41.55	(37.88 - 45.32)	22.86	(20.18 - 25.78)
Regions 10, 14, 15, 25, 31, 36, and 46	16.90	(13.64 - 20.74)	46.56	(41.08 - 52.13)	29.32	(25.46 - 33.50)
Regions 17, 24, 27, 43, and 47	17.05	(13.89 - 20.74)	49.92	(44.47 - 55.38)	27.50	(23.76 - 31.59)
Region 18 (Philadelphia)	9.92	(7.94 - 12.32)	38.16	(34.46 - 42.01)	31.27	(27.34 - 35.48)
Regions 19 and 23	14.79	(11.34 - 19.05)	48.25	(42.10 - 54.45)	27.72	(23.26 - 32.67)
Regions 21, 30, 32, and 49	12.91	(10.56 - 15.69)	46.98	(42.83 - 51.17)	24.41	(21.27 - 27.86)
Regions 29 and 34	18.57	(14.87 - 22.94)	51.77	(45.88 - 57.62)	29.56	(25.27 - 34.24)
Regions 33 and 38	14.05	(10.95 - 17.86)	45.70	(39.92 - 51.60)	24.50	(20.84 - 28.57)
Rhode Island	13.36	(11.31 - 15.72)	44.47	(41.11 - 47.88)	24.64	(21.74 - 27.79)
Bristol and Newport	15.03	(11.49 - 19.43)	*	(* - *)	22.35	(18.22 - 27.11)
Kent	16.02	(12.23 - 20.72)	52.31	(45.91 - 58.63)	26.11	(21.57 - 31.23)
Providence	12.06	(9.59 - 15.07)	40.64	(36.51 - 44.91)	25.33	(21.71 - 29.32)
Washington	14.82	(11.17 - 19.39)	*	(* - *)	21.77	(17.67 - 26.51)
South Carolina	12.50	(10.71 - 14.54)	42.69	(39.48 - 45.95)	26.23	(23.48 - 29.17)
Region 1	14.75	(11.62 - 18.56)	44.69	(39.32 - 50.20)	26.90	(22.78 - 31.45)
Region 2	11.86	(9.50 - 14.71)	43.59	(39.10 - 48.19)	25.27	(21.70 - 29.20)
Region 3	11.16	(8.45 - 14.59)	40.75	(34.32 - 47.51)	27.82	(23.23 - 32.93)
Region 4	12.02	(9.30 - 15.40)	40.97	(35.48 - 46.70)	25.51	(21.28 - 30.27)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	18.73	(16.42 - 21.29)	49.83	(46.62 - 53.05)	27.30	(24.48 - 30.31)
Eastern Planning Area	17.56	(15.10 - 20.34)	48.96	(45.36 - 52.56)	26.24	(23.33 - 29.37)
Region 3 (Minnehaha)	15.50	(12.21 - 19.48)	50.07	(44.67 - 55.48)	26.92	(22.89 - 31.37)
Region 4	17.29	(13.27 - 22.21)	48.51	(41.91 - 55.16)	25.57	(21.02 - 30.73)
Region 5	19.29	(15.14 - 24.25)	*	(* - *)	27.25	(22.46 - 32.62)
Region 6	18.80	(14.55 - 23.96)	48.77	(42.48 - 55.10)	24.87	(20.41 - 29.94)
Region 7	18.30	(13.86 - 23.76)	47.17	(40.47 - 53.97)	26.40	(21.88 - 31.46)
Western Planning Area	21.17	(17.54 - 25.34)	51.98	(47.09 - 56.83)	29.89	(25.60 - 34.57)
Region 1 (Pennington)	17.62	(13.47 - 22.73)	50.60	(44.48 - 56.70)	28.30	(23.65 - 33.46)
Region 2	23.16	(18.41 - 28.71)	52.95	(46.26 - 59.54)	30.98	(25.34 - 37.26)
Tennessee	14.68	(12.66 - 16.95)	39.63	(36.18 - 43.18)	28.00	(25.30 - 30.87)
Region 1	*	(* - *)	*	(* - *)	31.28	(26.19 - 36.87)
Region 2	17.44	(13.51 - 22.23)	44.73	(38.11 - 51.54)	32.46	(27.50 - 37.86)
Region 3	14.81	(11.51 - 18.86)	40.86	(34.80 - 47.20)	27.27	(23.09 - 31.90)
Region 4 (Davidson)	12.01	(8.81 - 16.17)	34.97	(29.21 - 41.19)	26.97	(22.59 - 31.85)
Region 5	14.36	(11.16 - 18.28)	39.80	(33.95 - 45.95)	25.54	(21.49 - 30.06)
Region 6	17.91	(13.88 - 22.79)	*	(* - *)	30.38	(25.18 - 36.12)
Region 7 (Shelby)	8.84	(6.46 - 11.98)	30.48	(24.72 - 36.91)	23.62	(19.53 - 28.27)
Texas	11.01	(9.99 - 12.13)	37.94	(36.31 - 39.59)	25.45	(23.90 - 27.06)
Region 1	12.46	(9.47 - 16.22)	38.30	(33.03 - 43.86)	26.27	(22.23 - 30.75)
Region 2	12.05	(8.91 - 16.11)	40.33	(34.05 - 46.95)	27.31	(22.82 - 32.33)
Region 3	10.42	(8.94 - 12.12)	37.45	(34.68 - 40.31)	25.40	(23.21 - 27.73)
Region 3a	10.32	(8.53 - 12.44)	38.04	(34.70 - 41.50)	25.33	(22.62 - 28.25)
Region 3bc	10.60	(8.40 - 13.31)	36.35	(32.07 - 40.85)	25.53	(22.20 - 29.17)
Region 4	14.19	(11.02 - 18.09)	44.04	(38.15 - 50.10)	29.95	(25.72 - 34.55)
Region 5	14.43	(11.03 - 18.65)	40.97	(34.93 - 47.29)	31.13	(26.40 - 36.28)
Region 6	10.29	(8.74 - 12.06)	35.87	(33.02 - 38.84)	24.82	(22.32 - 27.49)
Region 6a	9.93	(8.31 - 11.82)	35.12	(32.08 - 38.29)	24.42	(21.75 - 27.30)
Region 6bc	13.30	(10.10 - 17.31)	43.01	(36.92 - 49.31)	27.96	(23.68 - 32.68)
Region 7	11.69	(9.67 - 14.06)	41.00	(37.52 - 44.58)	25.31	(22.53 - 28.32)
Region 7a	11.55	(8.94 - 14.80)	40.57	(36.03 - 45.28)	22.96	(19.61 - 26.68)
Region 7bcd	11.86	(9.25 - 15.10)	41.57	(36.37 - 46.97)	28.99	(24.89 - 33.47)
Region 8	10.10	(7.90 - 12.84)	38.55	(33.93 - 43.38)	24.02	(20.82 - 27.54)
Region 9	14.86	(11.22 - 19.42)	39.42	(33.36 - 45.82)	27.06	(22.42 - 32.26)
Region 10	10.32	(7.68 - 13.73)	35.95	(30.40 - 41.90)	23.08	(19.32 - 27.33)
Region 11	10.29	(8.25 - 12.77)	34.89	(30.86 - 39.15)	23.49	(20.46 - 26.82)
Region 11abd	10.71	(8.16 - 13.93)	35.74	(30.70 - 41.13)	23.50	(19.78 - 27.68)
Region 11c (Hidalgo)	9.52	(6.99 - 12.85)	33.33	(27.82 - 39.34)	23.47	(19.62 - 27.82)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	6.61	(5.08 - 8.56)	24.51	(21.57 - 27.71)	17.28	(14.67 - 20.25)
Bear River, Northeastern, Summit, Tooele, and Wasatch	7.65	(5.26 - 11.02)	*	(* - *)	17.62	(13.98 - 21.97)
Central, Four Corners, San Juan, and Southwest	6.86	(4.58 - 10.15)	*	(* - *)	16.98	(13.24 - 21.51)
Davis County	6.20	(4.14 - 9.19)	24.86	(19.65 - 30.92)	15.69	(12.20 - 19.95)
Salt Lake County	7.44	(5.41 - 10.14)	26.32	(22.36 - 30.72)	18.64	(15.33 - 22.48)
Utah County	4.05	(2.61 - 6.24)	18.18	(14.33 - 22.79)	14.20	(10.98 - 18.18)
Weber, Morgan	7.22	(5.02 - 10.28)	*	(* - *)	17.62	(13.82 - 22.20)
Vermont	14.01	(12.07 - 16.20)	45.65	(42.40 - 48.93)	23.07	(20.49 - 25.88)
Champlain Valley	12.84	(10.25 - 15.96)	44.61	(40.29 - 49.01)	21.16	(17.91 - 24.84)
Rural Northeast	14.83	(11.85 - 18.42)	47.25	(41.52 - 53.04)	24.77	(20.87 - 29.14)
Rural Southeast	14.32	(11.12 - 18.25)	45.46	(39.34 - 51.72)	22.16	(18.43 - 26.40)
Rural Southwest	15.32	(11.87 - 19.55)	46.68	(40.44 - 53.02)	26.08	(21.54 - 31.20)
Virginia	13.67	(11.67 - 15.95)	42.68	(39.53 - 45.90)	23.74	(21.11 - 26.59)
Region 1	17.31	(13.23 - 22.33)	48.44	(42.42 - 54.51)	24.23	(20.04 - 28.97)
Region 2	10.88	(8.27 - 14.18)	37.14	(31.65 - 42.98)	18.34	(15.13 - 22.06)
Region 3	16.88	(13.12 - 21.46)	45.97	(39.92 - 52.15)	26.83	(22.41 - 31.77)
Region 4	12.55	(9.53 - 16.35)	42.56	(37.25 - 48.03)	25.18	(21.01 - 29.86)
Region 5	12.55	(9.75 - 16.02)	42.32	(37.02 - 47.79)	26.00	(21.86 - 30.62)
Washington	10.38	(8.71 - 12.32)	40.93	(37.70 - 44.24)	22.13	(19.56 - 24.93)
Region 1	11.30	(8.35 - 15.12)	40.57	(34.60 - 46.84)	23.97	(19.59 - 28.99)
Region 2	10.31	(7.36 - 14.26)	*	(* - *)	22.81	(18.47 - 27.83)
Region 3	10.18	(7.64 - 13.43)	41.83	(35.65 - 48.27)	21.42	(17.71 - 25.67)
Region 4 (King)	8.55	(6.41 - 11.32)	37.28	(32.38 - 42.46)	19.44	(16.08 - 23.31)
Region 5	11.92	(8.93 - 15.73)	44.81	(38.67 - 51.11)	24.30	(20.04 - 29.14)
Region 6	11.03	(8.21 - 14.67)	44.57	(38.17 - 51.17)	24.02	(19.95 - 28.63)
West Virginia	16.73	(14.49 - 19.23)	49.66	(46.45 - 52.87)	29.25	(26.30 - 32.39)
Eastern Highland	16.75	(13.12 - 21.15)	47.22	(41.48 - 53.03)	28.67	(24.29 - 33.49)
Northern	16.80	(13.54 - 20.65)	52.25	(47.37 - 57.08)	29.28	(25.51 - 33.37)
Northern A and B	17.74	(13.41 - 23.10)	*	(* - *)	29.79	(24.61 - 35.54)
Northern C and D	16.35	(12.56 - 21.01)	53.31	(47.43 - 59.10)	29.01	(24.57 - 33.88)
South Central	16.52	(13.74 - 19.73)	48.20	(43.94 - 52.47)	29.10	(25.63 - 32.82)
South Central I	16.62	(12.61 - 21.58)	*	(* - *)	29.64	(24.36 - 35.52)
South Central II	17.96	(13.77 - 23.09)	50.07	(43.53 - 56.61)	31.26	(26.09 - 36.94)
South Central III	15.45	(11.92 - 19.79)	44.66	(38.60 - 50.89)	27.39	(23.10 - 32.14)
Southern	16.99	(13.57 - 21.07)	51.02	(45.76 - 56.27)	30.18	(25.74 - 35.02)
Southern I and III	16.62	(12.55 - 21.68)	51.09	(44.53 - 57.61)	30.31	(25.14 - 36.02)
Southern II	17.71	(13.40 - 23.04)	*	(* - *)	29.92	(24.59 - 35.86)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	15.58	(13.58 - 17.82)	46.66	(43.32 - 50.03)	24.28	(21.54 - 27.24)
Milwaukee	11.80	(8.98 - 15.35)	45.67	(39.18 - 52.31)	27.24	(22.71 - 32.29)
Northeastern	15.89	(12.61 - 19.82)	47.68	(41.80 - 53.63)	23.31	(19.39 - 27.75)
Northern	19.43	(14.94 - 24.88)	*	(* - *)	23.85	(19.45 - 28.88)
Southeastern	17.35	(13.68 - 21.74)	50.44	(44.22 - 56.65)	23.58	(19.46 - 28.26)
Southern	14.85	(11.43 - 19.08)	44.53	(38.97 - 50.22)	24.39	(20.37 - 28.90)
Western	15.73	(12.08 - 20.22)	41.80	(35.92 - 47.91)	23.44	(19.11 - 28.42)
Wyoming	13.36	(11.47 - 15.50)	42.86	(39.59 - 46.19)	25.72	(23.00 - 28.64)
Judicial District 1 (Laramie)	13.65	(10.30 - 17.88)	44.02	(37.77 - 50.48)	26.36	(22.16 - 31.04)
Judicial District 2	12.59	(9.21 - 16.99)	39.43	(33.77 - 45.40)	24.92	(20.43 - 30.03)
Judicial District 3	12.93	(9.88 - 16.73)	45.28	(39.19 - 51.51)	24.66	(20.38 - 29.49)
Judicial District 4	12.93	(9.57 - 17.26)	*	(* - *)	24.19	(19.55 - 29.53)
Judicial District 5	14.45	(10.87 - 18.95)	*	(* - *)	25.50	(20.93 - 30.69)
Judicial District 6	13.31	(9.99 - 17.52)	44.03	(37.41 - 50.88)	26.59	(21.89 - 31.89)
Judicial District 7 (Natrona)	13.81	(10.47 - 18.00)	*	(* - *)	27.23	(22.74 - 32.23)
Judicial District 8	14.23	(10.55 - 18.93)	*	(* - *)	26.07	(21.41 - 31.35)
Judicial District 9	12.45	(9.22 - 16.60)	*	(* - *)	25.19	(20.60 - 30.41)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 13. Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	14.74		44.86		29.26	
Alabama	17.34	(15.15 - 19.77)	46.29	(43.16 - 49.44)	34.11	(31.01 - 37.35)
Region 1	19.37	(15.49 - 23.94)	48.81	(42.92 - 54.74)	35.61	(30.74 - 40.80)
Region 2	17.76	(14.23 - 21.95)	44.95	(40.33 - 49.66)	32.98	(28.50 - 37.78)
Region 3	13.70	(10.43 - 17.80)	42.40	(36.74 - 48.26)	33.59	(28.44 - 39.16)
Region 4	17.49	(14.20 - 21.37)	49.23	(43.88 - 54.60)	34.20	(29.67 - 39.05)
Alaska	16.40	(14.03 - 19.07)	48.60	(45.25 - 51.97)	31.32	(28.04 - 34.79)
Gulf Coast	18.01	(13.50 - 23.61)	*	(* - *)	33.85	(27.86 - 40.40)
Rural	*	(* - *)	*	(* - *)	*	(* - *)
Southeast	*	(* - *)	*	(* - *)	31.75	(26.17 - 37.91)
Urban	14.37	(11.81 - 17.37)	46.27	(42.27 - 50.32)	29.88	(26.22 - 33.81)
Arizona	14.29	(12.12 - 16.78)	40.44	(37.09 - 43.88)	29.59	(26.54 - 32.83)
Maricopa	11.85	(9.46 - 14.73)	37.71	(33.60 - 42.01)	29.32	(25.74 - 33.17)
Pima	17.08	(12.63 - 22.70)	43.52	(37.30 - 49.96)	28.57	(23.73 - 33.96)
Rural North	18.37	(14.07 - 23.62)	*	(* - *)	29.80	(24.82 - 35.31)
Rural South	*	(* - *)	*	(* - *)	32.10	(26.25 - 38.57)
Arkansas	18.47	(16.19 - 20.98)	54.37	(51.12 - 57.59)	37.53	(34.41 - 40.75)
Areas 1 and 5	17.58	(13.60 - 22.42)	56.10	(49.81 - 62.21)	36.44	(31.53 - 41.65)
Areas 2 and 3	21.53	(16.69 - 27.33)	56.99	(50.27 - 63.47)	38.52	(32.61 - 44.78)
Areas 4 and 7	17.94	(13.93 - 22.81)	51.54	(45.37 - 57.68)	39.03	(33.41 - 44.94)
Area 6	16.24	(11.87 - 21.83)	50.04	(43.36 - 56.72)	37.02	(30.97 - 43.51)
Areas 8 and 12	21.39	(16.46 - 27.30)	57.11	(50.66 - 63.32)	38.34	(32.91 - 44.08)
Area 9	16.67	(12.87 - 21.31)	51.80	(45.74 - 57.81)	36.93	(32.28 - 41.84)
Areas 10, 11, and 13	19.59	(15.07 - 25.07)	57.11	(50.85 - 63.16)	37.17	(31.25 - 43.50)
California	10.22	(9.20 - 11.33)	34.29	(32.58 - 36.05)	20.77	(19.26 - 22.36)
Region 1	16.24	(12.29 - 21.14)	44.52	(38.00 - 51.23)	27.35	(22.65 - 32.61)
Region 2	13.26	(10.54 - 16.56)	39.68	(35.05 - 44.49)	23.30	(19.84 - 27.17)
Region 3	12.30	(9.32 - 16.07)	38.01	(32.77 - 43.53)	24.37	(20.44 - 28.79)
Region 4	10.29	(7.58 - 13.82)	40.09	(34.51 - 45.94)	20.79	(17.25 - 24.84)
Region 5	9.97	(7.64 - 12.91)	37.44	(32.53 - 42.63)	18.75	(15.61 - 22.34)
Region 6 (Santa Clara)	9.12	(6.70 - 12.28)	31.65	(26.78 - 36.96)	17.26	(14.20 - 20.83)
Region 7	11.54	(8.23 - 15.95)	34.71	(28.87 - 41.05)	21.20	(17.19 - 25.84)
Region 8	10.57	(7.93 - 13.97)	31.78	(27.11 - 36.84)	23.11	(19.40 - 27.29)
Region 9	11.48	(8.45 - 15.40)	37.89	(31.85 - 44.32)	25.57	(21.25 - 30.42)
Region 10	11.30	(8.35 - 15.13)	37.93	(32.21 - 44.01)	19.82	(16.23 - 23.97)
Region 11 (Los Angeles)	8.33	(6.85 - 10.10)	28.55	(25.79 - 31.48)	19.17	(16.97 - 21.58)
Region 12	9.11	(6.92 - 11.90)	36.73	(31.86 - 41.89)	22.10	(18.37 - 26.35)
Region 13 (Riverside)	10.87	(8.03 - 14.55)	35.58	(29.95 - 41.63)	22.03	(18.21 - 26.39)
Region 14 (Orange)	9.84	(7.57 - 12.69)	35.16	(30.62 - 39.97)	19.86	(16.67 - 23.49)
Region 15	10.14	(7.76 - 13.14)	35.53	(31.13 - 40.18)	20.62	(17.50 - 24.14)

See notes at end of table.

(continued)

Table 13. Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	17.66	(15.33 - 20.27)	49.96	(46.56 - 53.36)	29.72	(26.88 - 32.71)
Region 1	20.28	(15.60 - 25.94)	49.33	(43.34 - 55.35)	28.23	(23.67 - 33.29)
Regions 2 and 7	17.12	(14.17 - 20.54)	49.91	(45.46 - 54.36)	29.52	(26.00 - 33.31)
Region 3	17.07	(12.95 - 22.17)	50.31	(43.90 - 56.71)	29.67	(25.02 - 34.77)
Region 4	*	(* - *)	*	(* - *)	32.74	(26.87 - 39.21)
Regions 5 and 6	16.96	(12.55 - 22.54)	50.62	(43.91 - 57.31)	30.78	(25.64 - 36.45)
Connecticut	16.41	(14.15 - 18.95)	46.06	(42.87 - 49.29)	26.12	(23.16 - 29.32)
Eastern	16.07	(11.90 - 21.34)	*	(* - *)	25.92	(20.85 - 31.73)
North Central	15.26	(11.95 - 19.29)	42.81	(38.00 - 47.75)	27.12	(23.06 - 31.61)
Northwestern	21.67	(16.85 - 27.41)	54.00	(47.50 - 60.38)	29.12	(24.25 - 34.51)
South Central	16.43	(12.80 - 20.84)	46.35	(41.06 - 51.74)	25.49	(21.10 - 30.44)
Southwest	13.34	(9.89 - 17.75)	41.68	(35.48 - 48.15)	22.89	(18.54 - 27.90)
Delaware	15.63	(13.53 - 18.00)	46.37	(43.10 - 49.68)	28.53	(25.81 - 31.41)
Kent	14.40	(10.91 - 18.78)	42.79	(36.85 - 48.94)	31.09	(26.06 - 36.62)
New Castle (excluding Wilmington city)	15.95	(13.24 - 19.10)	48.36	(44.02 - 52.72)	26.83	(23.58 - 30.35)
Sussex	17.97	(13.99 - 22.78)	48.57	(42.52 - 54.65)	29.46	(24.78 - 34.61)
Wilmington City	11.79	(8.22 - 16.65)	*	(* - *)	31.71	(26.26 - 37.72)
District of Columbia	9.18	(7.48 - 11.22)	37.14	(33.86 - 40.54)	28.18	(25.19 - 31.37)
Ward 1	8.79	(5.95 - 12.78)	35.72	(29.71 - 42.23)	31.01	(25.83 - 36.71)
Ward 2	*	(* - *)	42.81	(36.69 - 49.15)	29.85	(25.00 - 35.20)
Ward 3	12.77	(9.14 - 17.58)	39.37	(33.44 - 45.62)	22.74	(18.66 - 27.41)
Ward 4	7.46	(5.15 - 10.68)	*	(* - *)	22.70	(18.37 - 27.71)
Ward 5	8.92	(6.28 - 12.52)	36.13	(30.35 - 42.35)	29.68	(24.37 - 35.60)
Ward 6	7.97	(5.40 - 11.62)	*	(* - *)	27.60	(22.59 - 33.24)
Ward 7	8.04	(5.81 - 11.02)	*	(* - *)	30.27	(25.06 - 36.04)
Ward 8	8.65	(6.32 - 11.74)	32.18	(26.22 - 38.78)	35.79	(30.18 - 41.82)
Florida	13.62	(12.52 - 14.79)	41.78	(40.11 - 43.47)	28.33	(26.75 - 29.98)
District 1	17.66	(13.72 - 22.42)	48.07	(41.82 - 54.37)	33.22	(28.51 - 38.30)
District 2	13.54	(10.35 - 17.52)	45.75	(40.48 - 51.12)	30.79	(26.38 - 35.58)
District 3	16.28	(12.11 - 21.54)	39.48	(34.19 - 45.03)	31.51	(26.71 - 36.73)
District 4	13.84	(11.01 - 17.25)	45.45	(40.81 - 50.18)	30.81	(26.73 - 35.22)
District 7	13.89	(11.39 - 16.82)	44.78	(40.79 - 48.84)	27.33	(24.04 - 30.88)
District 8	15.33	(11.76 - 19.74)	47.23	(41.47 - 53.07)	26.88	(23.00 - 31.15)
District 9 (Palm Beach)	10.78	(8.34 - 13.83)	40.92	(36.12 - 45.91)	26.76	(22.85 - 31.06)
District 10 (Broward)	11.65	(9.26 - 14.54)	36.08	(31.65 - 40.76)	27.49	(24.05 - 31.22)
District 11	9.16	(7.22 - 11.56)	31.59	(27.95 - 35.47)	24.75	(21.75 - 28.00)
District 12	14.78	(11.27 - 19.14)	47.55	(42.11 - 53.04)	28.38	(23.91 - 33.32)
District 13	15.17	(11.59 - 19.62)	43.42	(37.64 - 49.38)	30.66	(26.07 - 35.67)
District 14	14.87	(11.54 - 18.96)	42.87	(37.15 - 48.78)	30.18	(25.69 - 35.09)
District 15	14.44	(10.87 - 18.94)	44.09	(38.25 - 50.10)	29.56	(25.02 - 34.54)
Suncoast	16.47	(14.13 - 19.11)	45.10	(41.42 - 48.83)	29.24	(26.20 - 32.48)

See notes at end of table.

(continued)

Table 13. Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	15.17	(13.00 - 17.63)	41.67	(38.44 - 44.97)	32.39	(29.56 - 35.37)
Region 1	19.29	(14.87 - 24.63)	45.77	(39.75 - 51.92)	37.02	(31.98 - 42.36)
Region 2	17.01	(13.13 - 21.76)	42.69	(36.72 - 48.89)	35.65	(30.49 - 41.17)
Region 3	12.75	(9.99 - 16.16)	37.74	(33.13 - 42.58)	28.79	(25.25 - 32.62)
Region 4	15.54	(11.57 - 20.57)	46.37	(40.12 - 52.73)	33.05	(27.75 - 38.82)
Region 5	15.58	(11.63 - 20.56)	43.60	(37.58 - 49.82)	34.51	(29.22 - 40.20)
Hawaii	12.22	(10.22 - 14.54)	37.30	(34.08 - 40.63)	23.20	(20.44 - 26.21)
Hawaii Island	16.02	(11.78 - 21.43)	*	(* - *)	26.88	(21.79 - 32.66)
Honolulu	11.02	(8.85 - 13.64)	36.84	(33.18 - 40.67)	21.95	(18.93 - 25.30)
Kauai and Maui	14.15	(10.53 - 18.75)	*	(* - *)	25.95	(21.26 - 31.26)
Idaho	13.70	(11.66 - 16.03)	43.37	(40.27 - 46.52)	25.77	(23.17 - 28.56)
Region 1	15.43	(11.46 - 20.45)	47.10	(40.71 - 53.59)	27.51	(22.90 - 32.66)
Region 2	*	(* - *)	48.13	(41.65 - 54.68)	27.45	(22.57 - 32.94)
Region 3	14.73	(11.28 - 19.01)	42.01	(36.08 - 48.18)	27.97	(23.56 - 32.85)
Region 4	12.62	(9.64 - 16.36)	43.91	(38.68 - 49.27)	25.62	(21.76 - 29.90)
Region 5	15.69	(11.86 - 20.47)	44.32	(38.05 - 50.77)	25.93	(21.48 - 30.93)
Region 6	13.78	(10.19 - 18.38)	42.58	(36.07 - 49.35)	23.68	(19.40 - 28.57)
Region 7	10.44	(7.32 - 14.69)	37.97	(31.60 - 44.80)	21.46	(17.33 - 26.25)
Illinois	14.02	(12.89 - 15.25)	48.02	(46.30 - 49.75)	30.98	(29.38 - 32.62)
Region I (Cook)	12.54	(10.97 - 14.31)	43.63	(40.99 - 46.30)	30.88	(28.46 - 33.41)
Region II	13.70	(11.84 - 15.80)	49.45	(46.39 - 52.53)	30.60	(27.94 - 33.40)
Region III	17.13	(14.14 - 20.62)	53.35	(49.34 - 57.33)	31.90	(28.41 - 35.61)
Region IV	16.60	(13.56 - 20.16)	54.46	(49.60 - 59.23)	31.14	(27.17 - 35.40)
Region V	15.80	(12.80 - 19.35)	52.55	(48.37 - 56.70)	31.34	(27.46 - 35.51)
Indiana	16.68	(14.48 - 19.15)	49.53	(46.43 - 52.63)	32.38	(29.55 - 35.35)
Central	14.17	(10.94 - 18.16)	50.29	(44.65 - 55.92)	30.82	(26.38 - 35.63)
East	18.32	(13.62 - 24.18)	*	(* - *)	34.09	(28.70 - 39.92)
North Central	19.90	(15.19 - 25.64)	51.22	(44.81 - 57.59)	35.03	(29.98 - 40.45)
Northeast	13.58	(10.03 - 18.15)	*	(* - *)	29.92	(25.08 - 35.25)
Northwest	14.02	(10.43 - 18.58)	44.81	(38.82 - 50.96)	30.86	(25.74 - 36.50)
Southeast	16.34	(12.38 - 21.27)	48.63	(41.98 - 55.34)	32.42	(27.18 - 38.15)
Southwest	17.82	(13.22 - 23.59)	*	(* - *)	33.81	(28.33 - 39.76)
West	*	(* - *)	49.82	(43.51 - 56.14)	33.76	(28.48 - 39.48)
Iowa	14.91	(12.80 - 17.29)	49.86	(46.55 - 53.16)	29.18	(26.51 - 31.99)
Central	14.17	(10.60 - 18.69)	48.80	(42.39 - 55.25)	30.08	(25.50 - 35.10)
North Central	15.53	(11.61 - 20.47)	47.69	(41.31 - 54.16)	28.88	(24.17 - 34.09)
Northeast	15.46	(12.16 - 19.46)	50.78	(45.55 - 56.01)	29.02	(24.80 - 33.65)
Northwest	15.86	(11.89 - 20.85)	51.83	(45.26 - 58.34)	27.66	(23.14 - 32.70)
Southeast	14.10	(10.72 - 18.33)	49.14	(43.07 - 55.23)	29.83	(25.38 - 34.71)
Southwest	13.94	(10.16 - 18.83)	*	(* - *)	29.54	(24.43 - 35.21)

See notes at end of table.

(continued)

Table 13. Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	16.72	(14.46 - 19.25)	48.10	(44.89 - 51.31)	31.53	(28.52 - 34.69)
Kansas City Metro	16.40	(12.96 - 20.52)	49.03	(43.83 - 54.25)	30.22	(25.98 - 34.84)
Northeast	16.79	(12.77 - 21.75)	44.82	(39.33 - 50.45)	32.09	(27.23 - 37.37)
South Central	18.09	(13.72 - 23.48)	51.21	(44.53 - 57.86)	32.77	(27.44 - 38.59)
Southeast	*	(* - *)	*	(* - *)	35.30	(29.48 - 41.59)
West	15.57	(11.39 - 20.93)	*	(* - *)	30.26	(25.17 - 35.90)
Wichita (Sedgwick)	15.43	(11.73 - 20.04)	47.79	(41.43 - 54.21)	31.52	(26.87 - 36.57)
Kentucky	24.18	(21.64 - 26.92)	57.26	(54.12 - 60.35)	38.52	(35.43 - 41.70)
Adanta, Cumberland River, And Lifeskills	27.05	(22.14 - 32.61)	58.86	(53.45 - 64.06)	39.27	(34.02 - 44.77)
Bluegrass, Comprehend, and North Key	19.49	(15.95 - 23.60)	53.67	(48.59 - 58.68)	34.89	(30.30 - 39.77)
Communicare and River Valley	*	(* - *)	58.12	(51.43 - 64.52)	41.54	(35.64 - 47.69)
Four Rivers and Pennyroyal	*	(* - *)	*	(* - *)	38.88	(32.99 - 45.10)
Kentucky River, Mountain, And Pathways	27.56	(22.03 - 33.88)	62.48	(56.21 - 68.36)	42.16	(36.27 - 48.28)
Seven Counties	25.04	(20.27 - 30.50)	58.49	(52.85 - 63.91)	38.89	(33.85 - 44.18)
Louisiana	16.11	(14.08 - 18.37)	46.67	(43.76 - 49.59)	32.46	(29.63 - 35.42)
Region 1	12.06	(8.79 - 16.33)	39.22	(33.05 - 45.75)	33.61	(28.12 - 39.59)
Regions 2 and 9	14.14	(11.09 - 17.86)	45.57	(40.60 - 50.63)	29.44	(25.41 - 33.81)
Region 3	17.94	(13.35 - 23.69)	51.04	(44.44 - 57.61)	34.30	(28.58 - 40.51)
Region 4	16.57	(12.78 - 21.22)	48.14	(42.07 - 54.26)	32.99	(27.65 - 38.81)
Regions 5 and 6	18.26	(14.05 - 23.40)	49.83	(43.71 - 55.95)	36.34	(31.16 - 41.86)
Regions 7 and 8	18.65	(14.61 - 23.49)	49.58	(44.20 - 54.98)	32.48	(27.71 - 37.64)
Region 10 (Jefferson)	15.70	(11.52 - 21.03)	*	(* - *)	30.89	(25.81 - 36.46)
Maine	14.43	(12.35 - 16.81)	50.26	(47.10 - 53.42)	30.31	(27.31 - 33.49)
Planning Region 1	13.47	(10.87 - 16.58)	50.92	(46.47 - 55.35)	28.79	(25.19 - 32.69)
Region 1 (Cumberland)	12.54	(9.50 - 16.37)	51.89	(46.18 - 57.54)	27.01	(22.75 - 31.73)
Region 2 (York)	14.74	(11.08 - 19.34)	49.39	(42.97 - 55.82)	31.28	(26.17 - 36.88)
Planning Region 2	15.08	(12.42 - 18.19)	50.33	(46.22 - 54.44)	31.22	(27.50 - 35.19)
Region 3	16.58	(12.67 - 21.39)	50.29	(44.77 - 55.80)	32.73	(27.73 - 38.15)
Region 4	14.48	(10.67 - 19.37)	*	(* - *)	32.39	(26.86 - 38.45)
Region 5	13.30	(9.62 - 18.11)	50.06	(43.41 - 56.71)	28.01	(23.14 - 33.46)
Planning Region 3	14.75	(11.72 - 18.40)	49.31	(44.29 - 54.36)	31.10	(26.79 - 35.75)
Region 6 (Penobscot)	14.17	(10.69 - 18.56)	49.32	(42.99 - 55.67)	31.49	(26.09 - 37.44)
Region 7	15.26	(11.12 - 20.59)	*	(* - *)	30.79	(25.51 - 36.63)

See notes at end of table.

(continued)

Table 13. Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	12.57	(10.72 - 14.69)	41.23	(38.20 - 44.34)	26.71	(23.74 - 29.91)
Anne Arundel	14.57	(10.62 - 19.67)	*	(* - *)	29.14	(24.00 - 34.89)
Baltimore City	9.84	(7.09 - 13.51)	36.13	(30.52 - 42.14)	34.79	(28.88 - 41.21)
Central	13.86	(10.76 - 17.69)	41.61	(36.22 - 47.20)	26.12	(21.46 - 31.38)
Montgomery	11.42	(8.37 - 15.40)	41.72	(35.56 - 48.16)	18.80	(15.25 - 22.96)
Prince George's	9.25	(6.63 - 12.76)	33.43	(27.77 - 39.62)	25.59	(21.02 - 30.77)
Rural	15.38	(11.30 - 20.61)	48.93	(42.60 - 55.29)	30.16	(25.01 - 35.87)
Western	13.70	(10.08 - 18.36)	45.02	(38.84 - 51.36)	27.52	(22.75 - 32.88)
Massachusetts	14.20	(12.15 - 16.53)	44.21	(40.99 - 47.49)	24.20	(21.57 - 27.05)
Boston	13.33	(9.45 - 18.49)	42.35	(36.15 - 48.81)	25.60	(20.95 - 30.88)
Central	15.13	(11.26 - 20.02)	*	(* - *)	25.86	(21.24 - 31.10)
Metrowest	12.73	(9.83 - 16.33)	40.11	(34.41 - 46.08)	20.73	(17.19 - 24.78)
Northeast	12.02	(8.94 - 15.96)	42.16	(35.90 - 48.67)	24.57	(20.47 - 29.18)
Southeast	16.90	(13.16 - 21.43)	48.19	(42.36 - 54.06)	25.69	(21.61 - 30.25)
Western	15.34	(11.38 - 20.36)	47.13	(41.31 - 53.03)	24.98	(20.45 - 30.12)
Michigan	15.53	(14.40 - 16.72)	48.45	(46.82 - 50.08)	31.92	(30.27 - 33.63)
Bay	18.47	(14.42 - 23.34)	52.58	(46.37 - 58.71)	34.54	(29.47 - 39.98)
Detroit City	8.99	(7.00 - 11.48)	39.57	(35.06 - 44.27)	36.53	(32.10 - 41.19)
Genesee	13.85	(10.72 - 17.71)	50.05	(44.45 - 55.66)	32.75	(28.35 - 37.47)
Kalamazoo	18.64	(14.92 - 23.04)	51.48	(46.72 - 56.20)	34.58	(30.16 - 39.28)
Kent	15.52	(12.35 - 19.32)	45.82	(41.26 - 50.45)	29.58	(25.52 - 33.99)
Lakeshore	17.40	(14.23 - 21.10)	47.50	(43.01 - 52.04)	31.28	(27.37 - 35.47)
Macomb	15.00	(11.93 - 18.70)	48.22	(43.18 - 53.30)	30.57	(26.63 - 34.81)
Mid South	18.20	(15.24 - 21.60)	51.86	(47.65 - 56.05)	33.31	(29.37 - 37.49)
Northern	21.10	(17.41 - 25.34)	54.06	(49.40 - 58.64)	32.29	(28.19 - 36.70)
Oakland	13.23	(10.84 - 16.04)	45.82	(41.48 - 50.22)	28.17	(24.82 - 31.79)
Pathways	*	(* - *)	59.07	(52.68 - 65.17)	34.77	(29.20 - 40.79)
Saginaw	14.80	(11.06 - 19.54)	46.60	(40.03 - 53.28)	32.20	(27.44 - 37.36)
Southeast	14.47	(11.97 - 17.39)	49.86	(45.84 - 53.89)	32.93	(29.48 - 36.59)
St. Clair	16.94	(13.00 - 21.78)	51.48	(45.38 - 57.54)	34.60	(29.74 - 39.81)
Washtenaw	12.24	(9.38 - 15.82)	43.63	(38.31 - 49.10)	24.80	(21.02 - 29.02)
Western	17.15	(12.74 - 22.68)	46.81	(40.30 - 53.43)	33.42	(28.02 - 39.29)
Minnesota	16.90	(14.72 - 19.33)	50.80	(47.60 - 54.01)	28.92	(26.18 - 31.83)
Regions 1 and 2	*	(* - *)	51.59	(44.79 - 58.33)	28.86	(23.70 - 34.63)
Regions 3 and 4	20.25	(16.08 - 25.17)	53.94	(48.08 - 59.70)	33.14	(28.02 - 38.70)
Regions 5 and 6	18.93	(14.95 - 23.68)	51.80	(45.87 - 57.68)	29.67	(25.10 - 34.69)
Region 7A (Hennepin)	14.96	(11.47 - 19.28)	47.84	(41.96 - 53.78)	27.47	(23.41 - 31.93)
Region 7B (Ramsey)	15.66	(11.56 - 20.87)	49.51	(42.82 - 56.21)	28.13	(23.06 - 33.84)
Region 7C	13.72	(10.54 - 17.67)	50.93	(44.98 - 56.86)	27.06	(22.93 - 31.63)

See notes at end of table.

(continued)

Table 13. Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	15.81	(13.62 - 18.28)	48.19	(45.09 - 51.29)	34.58	(31.46 - 37.85)
Region 1	19.13	(15.10 - 23.94)	49.74	(43.82 - 55.67)	37.08	(31.96 - 42.52)
Region 2	12.09	(8.92 - 16.18)	41.62	(35.73 - 47.76)	34.63	(29.24 - 40.44)
Region 3	13.93	(10.20 - 18.74)	48.62	(42.35 - 54.93)	32.22	(27.24 - 37.65)
Region 4	15.63	(11.95 - 20.19)	46.11	(40.50 - 51.83)	31.06	(26.37 - 36.17)
Region 5	13.03	(9.47 - 17.66)	*	(* - *)	32.57	(26.62 - 39.13)
Region 6	16.32	(12.02 - 21.78)	48.73	(42.10 - 55.41)	32.80	(27.32 - 38.79)
Region 7	18.18	(13.64 - 23.81)	55.77	(49.31 - 62.04)	39.03	(33.36 - 45.01)
Missouri	20.95	(18.65 - 23.46)	52.33	(49.15 - 55.49)	35.83	(32.83 - 38.95)
Central	24.90	(19.99 - 30.57)	55.42	(49.38 - 61.30)	35.18	(29.77 - 41.01)
Eastern	19.63	(16.52 - 23.17)	51.79	(47.03 - 56.52)	34.27	(30.37 - 38.40)
Eastern (St. Louis City and County)	16.76	(13.30 - 20.90)	49.57	(43.85 - 55.29)	33.70	(29.06 - 38.68)
Eastern (excluding St. Louis)	24.98	(19.68 - 31.16)	*	(* - *)	35.45	(30.01 - 41.29)
Northwest	18.90	(15.29 - 23.13)	51.87	(46.95 - 56.75)	34.75	(30.59 - 39.15)
Northwest (Jackson)	16.55	(12.46 - 21.65)	49.16	(42.96 - 55.39)	34.62	(29.37 - 40.28)
Northwest (excluding Jackson)	20.97	(16.00 - 26.99)	54.30	(47.53 - 60.90)	34.86	(29.69 - 40.41)
Southeast	22.96	(18.01 - 28.80)	*	(* - *)	40.76	(34.77 - 47.03)
Southwest	22.21	(17.52 - 27.74)	48.79	(43.18 - 54.44)	37.79	(32.35 - 43.55)
Montana	20.82	(18.35 - 23.52)	53.12	(50.09 - 56.14)	32.53	(29.52 - 35.69)
Region 1	22.78	(17.70 - 28.82)	*	(* - *)	33.69	(28.02 - 39.88)
Region 2	22.06	(17.34 - 27.63)	55.17	(48.87 - 61.30)	35.22	(29.86 - 40.98)
Region 3	19.99	(15.66 - 25.17)	51.26	(45.47 - 57.01)	33.14	(28.26 - 38.40)
Region 4	18.52	(14.84 - 22.86)	51.91	(47.16 - 56.62)	30.08	(25.86 - 34.67)
Region 5	21.98	(17.83 - 26.78)	53.91	(48.83 - 58.90)	32.45	(27.85 - 37.42)
Nebraska	17.53	(15.14 - 20.20)	48.22	(44.87 - 51.59)	27.49	(24.53 - 30.67)
Regions 1 and 2	*	(* - *)	*	(* - *)	26.94	(21.84 - 32.74)
Region 3	*	(* - *)	52.84	(46.11 - 59.46)	28.93	(23.82 - 34.64)
Region 4	18.95	(14.46 - 24.44)	48.77	(42.04 - 55.55)	26.42	(21.77 - 31.66)
Region 5	18.53	(14.62 - 23.21)	48.34	(43.34 - 53.36)	27.62	(23.21 - 32.51)
Region 6	15.01	(11.99 - 18.63)	46.14	(41.02 - 51.35)	27.44	(23.56 - 31.70)
Nevada	15.34	(12.99 - 18.04)	41.20	(37.99 - 44.48)	34.31	(30.97 - 37.80)
Clark	14.99	(12.19 - 18.30)	38.22	(34.40 - 42.19)	35.07	(31.11 - 39.24)
Rural	16.76	(12.79 - 21.64)	51.43	(44.95 - 57.87)	34.68	(29.26 - 40.54)
Washoe	15.44	(11.78 - 19.98)	46.67	(40.93 - 52.50)	30.65	(25.89 - 35.86)

See notes at end of table.

(continued)

Table 13. Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	15.73	(13.67 - 18.03)	50.46	(47.23 - 53.69)	30.06	(27.25 - 33.03)
Central	16.90	(13.74 - 20.62)	51.15	(46.73 - 55.55)	31.92	(28.02 - 36.09)
Central 1	17.10	(12.99 - 22.18)	48.59	(43.02 - 54.19)	33.44	(28.40 - 38.90)
Central 2	16.71	(12.64 - 21.76)	54.42	(48.30 - 60.40)	30.52	(25.57 - 35.97)
Northern	17.34	(13.00 - 22.77)	49.59	(43.10 - 56.09)	29.63	(24.73 - 35.05)
Southern	14.81	(12.44 - 17.56)	50.30	(46.14 - 54.47)	29.29	(26.00 - 32.80)
Southern 1 (Rockingham)	14.85	(11.48 - 19.01)	51.30	(44.94 - 57.62)	29.34	(24.76 - 34.38)
Southern 2	14.79	(11.91 - 18.23)	49.80	(44.61 - 54.99)	29.25	(25.27 - 33.57)
New Jersey	14.23	(12.13 - 16.63)	43.79	(40.45 - 47.20)	24.92	(22.25 - 27.80)
Central	15.80	(12.28 - 20.10)	50.17	(44.36 - 55.97)	27.68	(23.30 - 32.53)
Metropolitan	10.91	(8.12 - 14.52)	36.22	(30.79 - 42.02)	22.50	(18.52 - 27.05)
Northern	15.48	(12.15 - 19.50)	44.92	(39.63 - 50.32)	23.12	(19.33 - 27.40)
Southern	14.53	(10.95 - 19.04)	45.51	(39.84 - 51.31)	27.55	(23.14 - 32.43)
New Mexico	15.74	(13.41 - 18.39)	44.88	(41.50 - 48.31)	27.46	(24.57 - 30.55)
Region 1	16.40	(12.69 - 20.93)	45.74	(39.60 - 52.01)	27.23	(22.65 - 32.35)
Region 2	15.01	(10.87 - 20.36)	*	(* - *)	23.48	(18.88 - 28.80)
Region 3 (Bernalillo)	16.41	(12.83 - 20.74)	43.99	(38.80 - 49.32)	27.60	(23.60 - 32.00)
Region 4	15.40	(11.33 - 20.60)	45.20	(38.62 - 51.96)	32.62	(27.22 - 38.52)
Region 5	14.92	(11.14 - 19.70)	44.79	(39.16 - 50.55)	27.48	(22.94 - 32.54)
New York	12.68	(11.57 - 13.88)	43.25	(41.46 - 45.07)	27.76	(26.13 - 29.45)
Region A	9.71	(8.34 - 11.28)	36.05	(33.53 - 38.65)	25.84	(23.65 - 28.16)
Region 1	9.82	(7.28 - 13.12)	33.17	(28.16 - 38.60)	27.77	(23.41 - 32.59)
Region 2	9.63	(7.62 - 12.10)	36.43	(32.52 - 40.52)	26.12	(22.56 - 30.03)
Region 3	12.16	(9.00 - 16.24)	42.51	(37.63 - 47.54)	28.88	(24.96 - 33.14)
Region 4	8.48	(6.50 - 10.99)	32.72	(28.55 - 37.19)	22.27	(19.01 - 25.90)
Region B	11.44	(9.71 - 13.43)	44.54	(40.97 - 48.17)	24.94	(22.42 - 27.64)
Region 5	11.37	(9.32 - 13.79)	43.57	(39.21 - 48.03)	25.70	(22.52 - 29.17)
Region 6	11.59	(8.84 - 15.06)	46.63	(41.18 - 52.16)	23.32	(19.85 - 27.21)
Region C	15.94	(14.21 - 17.84)	51.48	(48.93 - 54.03)	31.00	(28.65 - 33.45)
Region 7	15.03	(11.68 - 19.14)	48.67	(42.77 - 54.62)	27.71	(23.34 - 32.54)
Region 8	16.78	(13.24 - 21.04)	54.81	(49.73 - 59.80)	30.96	(26.52 - 35.79)
Region 9	14.87	(11.66 - 18.78)	52.20	(46.86 - 57.50)	30.95	(26.56 - 35.72)
Region 10	21.35	(16.51 - 27.15)	50.88	(45.44 - 56.29)	32.93	(27.90 - 38.38)
Region 11	14.82	(11.66 - 18.66)	49.41	(44.31 - 54.52)	32.66	(28.41 - 37.21)
Region 12	15.69	(12.48 - 19.55)	52.30	(47.06 - 57.49)	31.17	(26.94 - 35.75)
Region D	17.96	(15.25 - 21.03)	52.15	(48.18 - 56.09)	34.30	(31.04 - 37.72)
Region 13	19.09	(14.66 - 24.48)	52.22	(45.81 - 58.56)	33.23	(28.33 - 38.52)
Region 14	16.65	(12.70 - 21.51)	50.61	(44.35 - 56.85)	34.80	(29.78 - 40.18)
Region 15	18.21	(14.10 - 23.20)	53.75	(47.67 - 59.73)	34.77	(29.85 - 40.05)

See notes at end of table.

(continued)

Table 13. Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	18.65	(16.30 - 21.25)	49.57	(46.34 - 52.80)	34.76	(31.68 - 37.97)
Eastern	17.55	(13.84 - 21.99)	49.05	(43.76 - 54.36)	35.92	(30.86 - 41.31)
North Central	17.99	(14.14 - 22.61)	47.08	(41.38 - 52.85)	34.45	(29.75 - 39.48)
South Central	16.76	(13.05 - 21.25)	48.50	(42.99 - 54.04)	32.36	(27.63 - 37.48)
Western	21.27	(17.52 - 25.57)	52.70	(47.47 - 57.88)	35.96	(31.57 - 40.61)
North Dakota	20.67	(18.21 - 23.36)	50.01	(46.77 - 53.25)	31.73	(28.87 - 34.74)
Badlands and West Central Lake Region and South Central	21.02	(16.94 - 25.78)	53.30	(47.46 - 59.05)	30.32	(26.02 - 34.99)
North Central and Northwest	23.03	(18.45 - 28.36)	51.36	(44.81 - 57.87)	31.79	(26.96 - 37.06)
Northeast	21.02	(16.69 - 26.13)	49.16	(42.91 - 55.44)	32.42	(27.50 - 37.75)
Southeast	20.89	(16.17 - 26.55)	50.15	(44.07 - 56.22)	33.61	(28.66 - 38.95)
Ohio	17.15	(15.94 - 18.42)	51.54	(49.87 - 53.21)	34.77	(33.08 - 36.51)
Boards 2, 46, 55, and 68	21.07	(16.78 - 26.13)	55.78	(50.18 - 61.24)	38.31	(33.50 - 43.37)
Boards 3, 52, and 85	17.83	(13.92 - 22.55)	52.91	(46.85 - 58.88)	32.81	(28.13 - 37.87)
Boards 4 and 78	19.02	(14.66 - 24.30)	53.66	(47.30 - 59.91)	36.41	(31.29 - 41.87)
Boards 5 and 60	20.14	(15.77 - 25.35)	54.03	(47.95 - 60.00)	40.45	(35.28 - 45.85)
Boards 7, 15, 41, 79, and 84	20.74	(16.49 - 25.76)	54.76	(48.79 - 60.60)	37.71	(32.70 - 43.00)
Boards 8, 13, and 83	17.94	(14.17 - 22.45)	53.80	(48.06 - 59.45)	36.19	(31.37 - 41.30)
Board 9 (Butler)	19.35	(15.34 - 24.11)	52.04	(46.29 - 57.73)	36.54	(31.28 - 42.14)
Board 12	16.59	(12.63 - 21.50)	49.21	(43.40 - 55.04)	33.89	(29.30 - 38.81)
Boards 18 and 47	15.05	(12.47 - 18.05)	51.19	(47.02 - 55.35)	32.17	(28.79 - 35.75)
Boards 20, 32, 54, and 69	16.03	(12.32 - 20.60)	51.39	(45.45 - 57.29)	33.15	(28.31 - 38.37)
Boards 21, 39, 51, 70, and 80	18.30	(14.46 - 22.89)	57.90	(52.31 - 63.29)	34.32	(29.53 - 39.46)
Boards 22, 74, and 87	18.44	(14.29 - 23.45)	52.29	(46.45 - 58.06)	33.18	(28.44 - 38.29)
Boards 23 and 45	16.15	(12.51 - 20.60)	54.61	(48.31 - 60.77)	33.29	(28.69 - 38.22)
Board 25 (Franklin)	15.61	(12.77 - 18.93)	45.67	(41.69 - 49.70)	36.03	(32.18 - 40.07)
Boards 27, 71, and 73	21.27	(17.06 - 26.20)	56.74	(50.98 - 62.33)	39.56	(34.48 - 44.88)
Boards 28, 43, and 67	15.88	(12.37 - 20.14)	49.60	(44.22 - 54.98)	30.59	(26.47 - 35.06)
Board 31 (Hamilton)	15.19	(12.07 - 18.94)	48.89	(44.10 - 53.69)	33.73	(29.39 - 38.35)
Board 48 (Lucas)	16.64	(13.30 - 20.63)	47.12	(41.86 - 52.44)	33.30	(28.67 - 38.27)
Board 50 and 76	17.25	(13.78 - 21.38)	53.97	(48.57 - 59.27)	35.00	(30.50 - 39.77)
Board 57 (Montgomery)	14.84	(11.43 - 19.03)	50.18	(44.50 - 55.85)	36.22	(31.39 - 41.34)
Board 77 (Summit)	16.47	(13.01 - 20.63)	52.79	(47.49 - 58.03)	33.73	(29.39 - 38.37)
Oklahoma	18.26	(15.82 - 20.99)	52.25	(48.94 - 55.54)	34.29	(31.22 - 37.50)
Central	17.01	(12.88 - 22.14)	49.85	(43.13 - 56.58)	31.65	(26.49 - 37.30)
East Central	19.88	(15.02 - 25.84)	*	(* - *)	36.34	(30.77 - 42.31)
Northeast	18.61	(14.22 - 23.97)	53.72	(47.30 - 60.03)	33.93	(28.68 - 39.60)
Northwest and Southwest	16.94	(12.86 - 22.00)	50.64	(43.91 - 57.36)	34.43	(29.07 - 40.23)
Oklahoma County	17.99	(13.80 - 23.11)	53.13	(46.76 - 59.39)	33.09	(28.10 - 38.50)
Southeast	19.40	(14.86 - 24.93)	55.88	(49.37 - 62.20)	37.78	(32.19 - 43.72)
Tulsa County	18.28	(13.90 - 23.67)	49.25	(43.59 - 54.93)	32.91	(28.13 - 38.06)

See notes at end of table.

(continued)

Table 13. Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	13.70	(11.74 - 15.93)	45.75	(42.72 - 48.81)	29.04	(26.10 - 32.16)
Region 1 (Multnomah)	13.24	(9.87 - 17.54)	43.83	(38.29 - 49.53)	30.34	(25.70 - 35.41)
Region 2	12.58	(9.71 - 16.14)	46.47	(41.10 - 51.93)	25.86	(21.83 - 30.35)
Region 3	12.82	(9.99 - 16.30)	44.07	(39.25 - 49.00)	28.76	(24.51 - 33.42)
Region 4	17.44	(13.46 - 22.29)	50.61	(44.56 - 56.65)	32.11	(27.02 - 37.67)
Region 5	14.42	(10.69 - 19.18)	*	(* - *)	29.81	(24.83 - 35.31)
Pennsylvania	16.50	(15.30 - 17.77)	50.26	(48.68 - 51.85)	31.93	(30.36 - 33.55)
Region 1 (Allegheny)	16.52	(13.53 - 20.01)	52.54	(48.09 - 56.94)	31.87	(27.91 - 36.11)
Regions 2, 3, 8, and 9	18.40	(14.62 - 22.90)	54.01	(48.44 - 59.48)	32.68	(28.40 - 37.26)
Regions 4, 11, 42, and 48	19.41	(15.94 - 23.43)	54.67	(49.43 - 59.80)	34.79	(30.58 - 39.25)
Regions 5, 20, 26, 28, and 40	19.50	(15.78 - 23.85)	51.70	(47.06 - 56.31)	31.38	(27.11 - 36.00)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	21.53	(17.43 - 26.29)	52.28	(47.66 - 56.86)	33.41	(28.97 - 38.16)
Regions 7, 13, 22, and 37	14.21	(12.01 - 16.74)	46.19	(42.53 - 49.89)	27.27	(24.34 - 30.42)
Regions 10, 14, 15, 25, 31, 36, and 46	19.35	(15.61 - 23.74)	52.35	(46.83 - 57.82)	36.91	(32.26 - 41.82)
Regions 17, 24, 27, 43, and 47	19.16	(15.45 - 23.50)	56.14	(50.61 - 61.51)	34.65	(30.56 - 38.99)
Region 18 (Philadelphia)	11.63	(9.34 - 14.40)	41.60	(37.87 - 45.42)	35.43	(31.60 - 39.47)
Regions 19 and 23	16.66	(12.73 - 21.51)	54.56	(48.33 - 60.66)	33.59	(28.44 - 39.16)
Regions 21, 30, 32, and 49	14.26	(11.63 - 17.37)	50.53	(46.29 - 54.76)	28.73	(25.21 - 32.53)
Regions 29 and 34	22.43	(18.07 - 27.50)	57.80	(52.09 - 63.32)	36.13	(31.30 - 41.25)
Regions 33 and 38	15.64	(12.16 - 19.90)	50.82	(44.95 - 56.67)	29.48	(25.15 - 34.21)
Rhode Island	15.94	(13.57 - 18.64)	49.11	(45.67 - 52.55)	28.43	(25.34 - 31.74)
Bristol and Newport	18.10	(13.72 - 23.48)	*	(* - *)	28.39	(23.45 - 33.90)
Kent	17.12	(12.97 - 22.25)	58.04	(51.54 - 64.27)	30.87	(25.94 - 36.29)
Providence	14.63	(11.78 - 18.02)	44.70	(40.56 - 48.91)	27.92	(24.04 - 32.15)
Washington	18.66	(14.19 - 24.16)	*	(* - *)	27.57	(22.53 - 33.26)
South Carolina	15.67	(13.58 - 18.01)	48.41	(45.14 - 51.70)	31.48	(28.52 - 34.59)
Region 1	19.27	(15.32 - 23.94)	50.54	(45.02 - 56.05)	34.01	(29.04 - 39.35)
Region 2	15.09	(12.23 - 18.47)	49.32	(44.57 - 54.07)	29.69	(25.78 - 33.92)
Region 3	14.04	(10.62 - 18.34)	48.45	(42.10 - 54.86)	32.91	(27.96 - 38.28)
Region 4	14.07	(10.75 - 18.20)	45.34	(39.67 - 51.13)	29.89	(25.21 - 35.03)

See notes at end of table.

(continued)

Table 13. Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	22.47	(19.83 - 25.35)	56.03	(52.77 - 59.23)	32.28	(29.21 - 35.52)
Eastern Planning Area	20.12	(17.39 - 23.16)	54.83	(51.24 - 58.37)	30.72	(27.54 - 34.09)
Region 3 (Minnehaha)	18.02	(14.09 - 22.75)	55.38	(49.68 - 60.95)	30.39	(25.93 - 35.26)
Region 4	19.25	(14.65 - 24.88)	54.39	(47.84 - 60.79)	30.37	(25.27 - 36.00)
Region 5	22.70	(17.76 - 28.52)	*	(* - *)	32.45	(27.10 - 38.29)
Region 6	20.59	(15.72 - 26.50)	54.87	(48.36 - 61.21)	29.37	(24.15 - 35.19)
Region 7	21.49	(16.44 - 27.58)	52.14	(45.64 - 58.57)	31.47	(26.31 - 37.13)
Western Planning Area	27.39	(22.81 - 32.49)	58.95	(53.96 - 63.77)	36.12	(31.40 - 41.12)
Region 1 (Pennington)	*	(* - *)	56.67	(50.59 - 62.56)	32.61	(27.46 - 38.21)
Region 2	*	(* - *)	*	(* - *)	38.52	(32.13 - 45.32)
Tennessee	17.95	(15.68 - 20.48)	46.23	(42.74 - 49.75)	33.36	(30.52 - 36.33)
Region 1	*	(* - *)	*	(* - *)	37.38	(31.47 - 43.69)
Region 2	21.61	(16.91 - 27.20)	51.24	(44.47 - 57.96)	37.74	(32.44 - 43.34)
Region 3	17.71	(13.80 - 22.43)	49.05	(42.70 - 55.44)	33.49	(28.88 - 38.44)
Region 4 (Davidson)	15.53	(11.31 - 20.96)	41.43	(35.31 - 47.82)	31.11	(26.01 - 36.71)
Region 5	17.94	(14.05 - 22.64)	45.85	(39.78 - 52.05)	31.10	(26.70 - 35.87)
Region 6	22.05	(17.22 - 27.79)	*	(* - *)	36.33	(30.81 - 42.24)
Region 7 (Shelby)	10.21	(7.39 - 13.94)	35.91	(29.82 - 42.49)	27.80	(23.03 - 33.15)
Texas	12.93	(11.83 - 14.13)	41.62	(39.99 - 43.27)	30.06	(28.44 - 31.73)
Region 1	15.56	(11.88 - 20.12)	44.21	(38.98 - 49.58)	30.62	(26.01 - 35.65)
Region 2	13.03	(9.58 - 17.48)	*	(* - *)	31.62	(26.63 - 37.08)
Region 3	12.14	(10.48 - 14.03)	41.20	(38.43 - 44.02)	29.75	(27.44 - 32.17)
Region 3a	11.93	(9.82 - 14.42)	41.85	(38.49 - 45.30)	29.64	(26.75 - 32.70)
Region 3bc	12.51	(9.97 - 15.57)	39.97	(35.52 - 44.58)	29.94	(26.41 - 33.74)
Region 4	16.81	(13.17 - 21.22)	48.67	(42.99 - 54.38)	35.66	(30.95 - 40.67)
Region 5	17.90	(13.80 - 22.89)	47.42	(41.41 - 53.51)	37.66	(32.39 - 43.24)
Region 6	11.44	(9.77 - 13.35)	38.73	(35.72 - 41.84)	29.70	(27.04 - 32.50)
Region 6a	10.94	(9.19 - 12.99)	37.89	(34.66 - 41.24)	29.20	(26.35 - 32.23)
Region 6bc	15.57	(11.69 - 20.45)	46.75	(40.53 - 53.08)	33.59	(28.73 - 38.82)
Region 7	15.23	(12.63 - 18.25)	46.08	(42.51 - 49.69)	30.13	(27.01 - 33.45)
Region 7a	14.55	(11.32 - 18.50)	44.21	(39.59 - 48.93)	27.58	(23.78 - 31.74)
Region 7bcd	16.12	(12.50 - 20.54)	48.57	(43.31 - 53.87)	34.10	(29.64 - 38.87)
Region 8	11.80	(9.33 - 14.82)	41.21	(36.49 - 46.10)	28.67	(25.15 - 32.46)
Region 9	16.86	(12.73 - 21.99)	44.88	(38.83 - 51.08)	32.00	(26.91 - 37.56)
Region 10	11.71	(8.64 - 15.69)	38.37	(32.49 - 44.61)	26.29	(22.02 - 31.06)
Region 11	12.12	(9.73 - 14.99)	37.17	(33.03 - 41.50)	26.94	(23.46 - 30.72)
Region 11abd	12.33	(9.35 - 16.08)	38.37	(33.18 - 43.84)	27.19	(22.86 - 32.00)
Region 11c (Hidalgo)	11.73	(8.59 - 15.83)	34.95	(29.10 - 41.30)	26.41	(21.91 - 31.45)

See notes at end of table.

(continued)

Table 13. Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	8.25	(6.55 - 10.33)	25.48	(22.64 - 28.54)	20.14	(17.44 - 23.13)
Bear River, Northeastern, Summit, Tooele, and Wasatch	9.73	(6.83 - 13.68)	*	(* - *)	21.22	(17.12 - 25.98)
Central, Four Corners, San Juan, and Southwest	8.84	(6.06 - 12.72)	*	(* - *)	20.50	(16.23 - 25.55)
Davis County	7.06	(4.68 - 10.52)	23.66	(18.50 - 29.73)	18.90	(15.06 - 23.45)
Salt Lake County	9.19	(6.91 - 12.13)	28.94	(24.80 - 33.47)	21.05	(17.54 - 25.04)
Utah County	5.54	(3.61 - 8.41)	16.60	(12.99 - 20.98)	16.86	(13.18 - 21.32)
Weber, Morgan	8.62	(5.79 - 12.67)	*	(* - *)	20.64	(16.45 - 25.58)
Vermont	16.78	(14.62 - 19.19)	51.52	(48.36 - 54.67)	27.87	(25.08 - 30.84)
Champlain Valley	15.60	(12.71 - 19.02)	50.23	(45.89 - 54.57)	25.01	(21.29 - 29.15)
Rural Northeast	17.03	(13.54 - 21.19)	52.30	(46.66 - 57.89)	30.04	(25.58 - 34.91)
Rural Southeast	17.23	(13.36 - 21.94)	51.43	(45.50 - 57.33)	28.08	(23.73 - 32.90)
Rural Southwest	18.75	(14.57 - 23.80)	54.45	(48.24 - 60.53)	30.82	(25.86 - 36.26)
Virginia	15.04	(12.89 - 17.48)	47.44	(44.24 - 50.66)	28.83	(26.03 - 31.79)
Region 1	19.28	(14.70 - 24.88)	53.36	(47.47 - 59.16)	29.76	(24.85 - 35.18)
Region 2	12.02	(9.05 - 15.78)	41.78	(35.95 - 47.85)	22.67	(18.89 - 26.96)
Region 3	18.40	(14.37 - 23.25)	52.53	(46.66 - 58.34)	32.29	(27.44 - 37.57)
Region 4	14.41	(10.90 - 18.80)	47.17	(41.68 - 52.74)	30.49	(25.87 - 35.53)
Region 5	13.34	(10.26 - 17.17)	45.90	(40.52 - 51.38)	31.19	(26.45 - 36.36)
Washington	12.61	(10.64 - 14.88)	44.54	(41.50 - 47.62)	25.45	(22.72 - 28.38)
Region 1	13.11	(9.61 - 17.63)	45.21	(39.09 - 51.48)	27.19	(22.35 - 32.63)
Region 2	12.42	(8.75 - 17.33)	*	(* - *)	26.33	(21.35 - 32.00)
Region 3	12.72	(9.64 - 16.62)	45.50	(39.16 - 51.98)	24.69	(20.32 - 29.65)
Region 4 (King)	10.08	(7.57 - 13.30)	39.57	(34.65 - 44.72)	22.00	(18.50 - 25.94)
Region 5	15.48	(11.55 - 20.43)	49.53	(43.47 - 55.61)	27.98	(23.16 - 33.37)
Region 6	13.12	(9.60 - 17.67)	48.35	(42.17 - 54.57)	28.43	(23.67 - 33.72)
West Virginia	19.86	(17.38 - 22.60)	56.36	(53.31 - 59.37)	37.46	(34.30 - 40.74)
Eastern Highland	20.11	(15.82 - 25.21)	55.38	(49.76 - 60.86)	37.37	(32.22 - 42.83)
Northern	19.37	(15.62 - 23.78)	58.31	(53.39 - 63.08)	38.30	(33.98 - 42.82)
Northern A and B	*	(* - *)	*	(* - *)	37.72	(32.00 - 43.81)
Northern C and D	18.80	(14.35 - 24.25)	59.44	(53.52 - 65.09)	38.62	(33.41 - 44.10)
South Central	19.83	(16.74 - 23.34)	54.52	(50.24 - 58.74)	36.30	(32.41 - 40.38)
South Central I	19.82	(15.12 - 25.55)	*	(* - *)	36.94	(30.85 - 43.47)
South Central II	21.67	(16.66 - 27.67)	56.35	(49.78 - 62.71)	38.18	(32.39 - 44.32)
South Central III	18.56	(14.38 - 23.63)	50.91	(44.87 - 56.92)	34.72	(29.72 - 40.08)
Southern	20.33	(16.28 - 25.09)	57.91	(52.83 - 62.83)	38.69	(33.90 - 43.71)
Southern I and III	*	(* - *)	57.65	(51.32 - 63.73)	38.72	(32.86 - 44.92)
Southern II	*	(* - *)	58.43	(51.67 - 64.88)	38.63	(32.64 - 44.99)

See notes at end of table.

(continued)

Table 13. Any Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	17.95	(15.76 - 20.36)	51.05	(47.85 - 54.24)	29.36	(26.47 - 32.43)
Milwaukee	13.65	(10.23 - 17.97)	47.91	(41.57 - 54.33)	31.57	(26.55 - 37.06)
Northeastern	17.24	(13.59 - 21.63)	51.60	(45.63 - 57.52)	28.16	(23.78 - 32.99)
Northern	20.56	(15.75 - 26.37)	*	(* - *)	28.31	(23.26 - 33.98)
Southeastern	20.52	(16.23 - 25.60)	54.43	(48.08 - 60.64)	29.75	(24.91 - 35.10)
Southern	18.19	(14.02 - 23.25)	50.54	(45.52 - 55.56)	29.46	(24.92 - 34.45)
Western	18.65	(14.30 - 23.97)	47.43	(41.54 - 53.39)	28.63	(23.86 - 33.92)
Wyoming	16.92	(14.57 - 19.56)	52.22	(48.86 - 55.56)	32.48	(29.56 - 35.55)
Judicial District 1 (Laramie)	18.17	(13.80 - 23.54)	52.58	(46.08 - 59.00)	31.65	(26.96 - 36.76)
Judicial District 2	*	(* - *)	48.27	(42.69 - 53.89)	30.81	(25.60 - 36.56)
Judicial District 3	16.53	(12.59 - 21.39)	52.49	(45.94 - 58.96)	32.39	(27.48 - 37.73)
Judicial District 4	*	(* - *)	*	(* - *)	30.94	(25.40 - 37.09)
Judicial District 5	18.44	(13.81 - 24.19)	55.06	(48.30 - 61.64)	32.24	(26.88 - 38.11)
Judicial District 6	16.19	(12.18 - 21.19)	*	(* - *)	33.58	(28.14 - 39.50)
Judicial District 7 (Natrona)	16.18	(12.10 - 21.30)	*	(* - *)	34.94	(29.62 - 40.66)
Judicial District 8	17.98	(13.50 - 23.53)	*	(* - *)	34.52	(28.75 - 40.80)
Judicial District 9	16.39	(12.14 - 21.76)	*	(* - *)	31.34	(26.08 - 37.12)

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	64.95		66.90		74.17	
Alabama	63.48	(60.56 - 66.30)	64.83	(61.73 - 67.82)	71.34	(68.40 - 74.11)
Region 1	62.12	(57.28 - 66.73)	62.70	(57.67 - 67.46)	68.80	(64.14 - 73.10)
Region 2	64.24	(59.83 - 68.42)	64.98	(60.45 - 69.26)	72.56	(68.17 - 76.55)
Region 3	66.33	(61.51 - 70.82)	67.61	(62.82 - 72.06)	71.93	(67.00 - 76.38)
Region 4	61.57	(57.07 - 65.88)	64.39	(59.50 - 69.00)	72.40	(68.07 - 76.35)
Alaska	67.66	(64.57 - 70.61)	66.13	(62.91 - 69.22)	71.53	(68.29 - 74.57)
Gulf Coast	66.46	(61.35 - 71.22)	64.51	(58.58 - 70.03)	70.36	(64.69 - 75.46)
Rural	59.59	(53.37 - 65.51)	59.85	(53.30 - 66.07)	69.27	(63.28 - 74.67)
Southeast	69.23	(64.04 - 73.97)	67.27	(61.57 - 72.50)	72.55	(67.13 - 77.38)
Urban	69.17	(65.53 - 72.59)	67.37	(63.64 - 70.89)	71.92	(68.15 - 75.40)
Arizona	65.08	(61.96 - 68.07)	69.93	(66.77 - 72.91)	76.47	(73.55 - 79.15)
Maricopa	66.92	(63.19 - 70.44)	71.38	(67.66 - 74.82)	77.27	(73.88 - 80.34)
Pima	62.87	(57.12 - 68.28)	68.79	(63.48 - 73.64)	77.33	(72.62 - 81.43)
Rural North	63.28	(57.96 - 68.28)	66.21	(60.29 - 71.67)	72.27	(66.85 - 77.11)
Rural South	60.82	(54.75 - 66.58)	66.98	(60.92 - 72.52)	75.50	(70.29 - 80.05)
Arkansas	62.61	(59.59 - 65.54)	62.14	(58.95 - 65.23)	72.08	(69.17 - 74.81)
Areas 1 and 5	62.20	(57.28 - 66.88)	61.98	(56.57 - 67.11)	72.28	(67.95 - 76.23)
Areas 2 and 3	61.87	(56.40 - 67.05)	60.02	(54.21 - 65.57)	69.98	(64.63 - 74.84)
Areas 4 and 7	60.58	(55.50 - 65.44)	61.78	(56.46 - 66.83)	70.49	(65.48 - 75.05)
Area 6	62.42	(56.74 - 67.78)	61.46	(55.89 - 66.76)	72.80	(67.60 - 77.46)
Areas 8 and 12	64.36	(58.82 - 69.54)	63.81	(58.20 - 69.07)	72.14	(67.18 - 76.62)
Area 9	63.52	(58.65 - 68.12)	61.97	(56.62 - 67.03)	73.65	(69.19 - 77.67)
Areas 10, 11, and 13	63.89	(58.51 - 68.95)	64.21	(58.93 - 69.16)	72.85	(67.97 - 77.24)
California	67.45	(65.85 - 69.00)	72.55	(70.88 - 74.15)	79.47	(77.94 - 80.93)
Region 1	65.16	(60.17 - 69.85)	68.42	(63.38 - 73.06)	75.26	(70.79 - 79.25)
Region 2	64.90	(60.89 - 68.70)	71.29	(67.29 - 74.98)	77.94	(74.35 - 81.16)
Region 3	67.53	(63.10 - 71.67)	70.76	(66.27 - 74.88)	77.13	(73.23 - 80.62)
Region 4	69.98	(65.51 - 74.09)	75.22	(70.80 - 79.18)	81.08	(77.62 - 84.12)
Region 5	68.68	(64.71 - 72.40)	73.54	(69.37 - 77.33)	81.97	(78.71 - 84.84)
Region 6 (Santa Clara)	69.79	(65.38 - 73.86)	74.96	(70.72 - 78.77)	81.25	(77.94 - 84.17)
Region 7	70.52	(65.72 - 74.90)	73.49	(68.74 - 77.76)	79.28	(75.20 - 82.84)
Region 8	64.51	(60.18 - 68.62)	72.20	(67.83 - 76.18)	78.47	(74.79 - 81.75)
Region 9	66.59	(61.75 - 71.10)	71.66	(66.89 - 75.99)	76.56	(72.12 - 80.49)
Region 10	70.44	(66.03 - 74.49)	74.08	(69.63 - 78.08)	80.05	(76.22 - 83.40)
Region 11 (Los Angeles)	67.24	(64.56 - 69.81)	73.37	(70.75 - 75.83)	80.14	(77.71 - 82.37)
Region 12	66.46	(62.35 - 70.33)	71.81	(67.48 - 75.77)	78.46	(74.70 - 81.80)
Region 13 (Riverside)	67.81	(63.13 - 72.15)	73.40	(68.85 - 77.50)	77.98	(74.00 - 81.50)
Region 14 (Orange)	68.00	(63.89 - 71.85)	71.47	(67.39 - 75.23)	78.96	(75.45 - 82.10)
Region 15	68.41	(64.25 - 72.29)	70.48	(66.26 - 74.38)	79.97	(76.71 - 82.87)

See notes at end of table.

(continued)

Table 14. *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)*

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	65.57	(62.48 - 68.54)	63.36	(60.18 - 66.42)	74.34	(71.40 - 77.07)
Region 1	65.52	(60.14 - 70.54)	63.77	(58.58 - 68.67)	72.28	(67.38 - 76.71)
Regions 2 and 7	65.65	(61.76 - 69.35)	63.99	(59.95 - 67.85)	75.91	(72.42 - 79.10)
Region 3	66.68	(61.31 - 71.64)	60.80	(54.91 - 66.40)	71.74	(66.61 - 76.36)
Region 4	61.66	(55.75 - 67.24)	62.95	(56.78 - 68.71)	73.57	(68.16 - 78.35)
Regions 5 and 6	66.03	(60.50 - 71.15)	63.11	(57.29 - 68.57)	72.24	(66.98 - 76.95)
Connecticut	65.07	(62.08 - 67.95)	67.96	(64.81 - 70.95)	74.34	(71.40 - 77.08)
Eastern	65.35	(60.12 - 70.23)	64.74	(59.00 - 70.08)	73.14	(68.15 - 77.60)
North Central	64.94	(60.44 - 69.20)	69.36	(64.88 - 73.50)	74.14	(69.92 - 77.96)
Northwestern	67.04	(62.15 - 71.59)	69.12	(63.56 - 74.17)	74.58	(69.94 - 78.71)
South Central	63.33	(58.73 - 67.70)	67.34	(62.58 - 71.76)	74.71	(70.08 - 78.83)
Southwest	65.38	(60.16 - 70.26)	68.33	(63.02 - 73.20)	74.69	(69.85 - 78.98)
Delaware	65.34	(62.42 - 68.14)	67.70	(64.57 - 70.68)	75.72	(73.07 - 78.18)
Kent	65.09	(60.12 - 69.75)	66.75	(61.75 - 71.39)	73.66	(68.96 - 77.87)
New Castle (excluding Wilmington city)	65.30	(61.60 - 68.83)	68.34	(64.48 - 71.96)	76.67	(73.42 - 79.63)
Sussex	65.61	(60.80 - 70.12)	63.60	(58.09 - 68.77)	74.31	(69.86 - 78.31)
Wilmington City	65.45	(59.71 - 70.78)	72.21	(66.72 - 77.11)	77.08	(72.42 - 81.16)
District of Columbia	62.63	(59.24 - 65.90)	74.08	(70.75 - 77.15)	77.37	(74.47 - 80.02)
Ward 1	61.32	(55.21 - 67.10)	74.31	(68.97 - 79.02)	78.20	(73.89 - 81.96)
Ward 2	*	(* - *)	72.61	(67.34 - 77.33)	78.53	(74.28 - 82.24)
Ward 3	65.32	(59.35 - 70.85)	74.70	(69.67 - 79.14)	79.61	(75.31 - 83.33)
Ward 4	65.40	(59.79 - 70.62)	76.17	(70.95 - 80.72)	79.04	(74.46 - 82.99)
Ward 5	61.44	(55.69 - 66.89)	73.62	(68.69 - 78.02)	74.85	(69.64 - 79.43)
Ward 6	63.60	(57.55 - 69.25)	74.51	(68.99 - 79.33)	78.24	(73.71 - 82.18)
Ward 7	63.09	(58.20 - 67.74)	74.28	(68.92 - 79.00)	75.34	(70.20 - 79.85)
Ward 8	60.38	(55.34 - 65.21)	73.89	(68.47 - 78.67)	73.02	(67.98 - 77.52)
Florida	65.23	(63.63 - 66.80)	70.46	(68.80 - 72.07)	75.67	(74.12 - 77.14)
District 1	63.38	(58.68 - 67.84)	68.07	(63.03 - 72.72)	73.78	(69.44 - 77.70)
District 2	65.29	(60.68 - 69.62)	70.62	(66.27 - 74.62)	73.95	(69.83 - 77.70)
District 3	65.65	(60.33 - 70.60)	72.95	(68.60 - 76.91)	71.71	(67.05 - 75.95)
District 4	66.15	(62.01 - 70.06)	69.87	(65.75 - 73.70)	72.50	(68.65 - 76.04)
District 7	66.26	(62.74 - 69.61)	70.16	(66.53 - 73.55)	78.10	(75.02 - 80.90)
District 8	64.18	(59.53 - 68.58)	66.76	(62.08 - 71.13)	75.92	(71.85 - 79.58)
District 9 (Palm Beach)	66.20	(61.91 - 70.25)	71.03	(66.89 - 74.84)	74.77	(70.66 - 78.48)
District 10 (Broward)	66.23	(62.43 - 69.84)	71.04	(67.04 - 74.75)	75.41	(71.89 - 78.62)
District 11	66.78	(63.36 - 70.04)	76.03	(72.72 - 79.04)	80.39	(77.53 - 82.97)
District 12	63.20	(58.54 - 67.63)	68.33	(63.91 - 72.43)	74.06	(69.61 - 78.07)
District 13	66.29	(61.70 - 70.59)	68.70	(63.86 - 73.15)	71.88	(67.30 - 76.05)
District 14	62.84	(58.36 - 67.10)	67.70	(63.02 - 72.05)	71.13	(66.30 - 75.52)
District 15	65.28	(60.44 - 69.82)	69.00	(64.05 - 73.56)	74.00	(69.49 - 78.06)
Suncoast	62.90	(59.62 - 66.06)	67.49	(64.16 - 70.64)	75.89	(72.90 - 78.64)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	67.65	(64.68 - 70.48)	70.00	(66.96 - 72.87)	74.56	(71.83 - 77.10)
Region 1	64.63	(59.71 - 69.26)	64.82	(59.50 - 69.79)	70.25	(65.52 - 74.59)
Region 2	67.58	(62.74 - 72.06)	70.14	(65.08 - 74.74)	73.94	(69.46 - 77.97)
Region 3	70.10	(65.87 - 74.01)	72.61	(68.59 - 76.30)	77.29	(73.85 - 80.40)
Region 4	67.10	(62.04 - 71.79)	68.85	(63.51 - 73.72)	74.02	(69.19 - 78.33)
Region 5	64.40	(59.20 - 69.29)	68.04	(62.82 - 72.85)	71.55	(66.66 - 75.97)
Hawaii	67.13	(63.88 - 70.21)	69.45	(66.19 - 72.52)	72.76	(69.55 - 75.74)
Hawaii Island	64.72	(58.92 - 70.12)	66.02	(59.90 - 71.66)	72.72	(67.44 - 77.43)
Honolulu	67.66	(63.96 - 71.15)	70.64	(67.09 - 73.95)	72.73	(69.02 - 76.15)
Kauai and Maui	66.85	(61.67 - 71.64)	65.48	(59.58 - 70.94)	72.91	(67.79 - 77.48)
Idaho	67.31	(64.40 - 70.10)	69.10	(66.12 - 71.94)	75.31	(72.48 - 77.94)
Region 1	65.63	(60.18 - 70.70)	65.24	(59.55 - 70.53)	73.29	(68.36 - 77.71)
Region 2	*	(* - *)	72.90	(67.80 - 77.46)	75.00	(69.96 - 79.45)
Region 3	66.11	(61.15 - 70.75)	66.79	(61.43 - 71.75)	74.96	(70.46 - 78.97)
Region 4	67.66	(63.19 - 71.82)	70.66	(66.32 - 74.65)	77.09	(73.08 - 80.67)
Region 5	66.76	(61.96 - 71.24)	68.96	(63.63 - 73.82)	75.00	(70.32 - 79.15)
Region 6	68.34	(63.25 - 73.02)	70.04	(64.84 - 74.77)	73.90	(68.90 - 78.35)
Region 7	68.06	(62.94 - 72.78)	68.36	(63.00 - 73.27)	76.01	(71.11 - 80.31)
Illinois	64.83	(63.24 - 66.39)	65.42	(63.77 - 67.04)	72.80	(71.16 - 74.38)
Region I (Cook)	66.12	(63.73 - 68.43)	68.78	(66.35 - 71.12)	74.91	(72.54 - 77.14)
Region II	66.56	(63.98 - 69.04)	63.99	(61.16 - 66.73)	73.40	(70.74 - 75.90)
Region III	59.82	(56.02 - 63.51)	60.54	(56.93 - 64.03)	70.88	(67.36 - 74.18)
Region IV	63.77	(59.60 - 67.75)	61.79	(57.34 - 66.06)	68.27	(64.00 - 72.26)
Region V	60.46	(56.52 - 64.27)	63.13	(59.30 - 66.80)	67.22	(63.07 - 71.12)
Indiana	64.13	(61.15 - 67.00)	65.51	(62.56 - 68.35)	71.35	(68.50 - 74.04)
Central	66.21	(61.81 - 70.35)	66.91	(62.16 - 71.34)	73.21	(69.07 - 76.98)
East	62.78	(57.12 - 68.12)	62.17	(56.35 - 67.66)	70.92	(65.65 - 75.68)
North Central	62.16	(56.64 - 67.39)	65.95	(60.75 - 70.79)	70.35	(65.58 - 74.71)
Northeast	66.50	(61.40 - 71.23)	67.33	(61.87 - 72.35)	70.92	(65.90 - 75.48)
Northwest	62.40	(56.90 - 67.60)	64.82	(59.41 - 69.88)	72.95	(68.06 - 77.34)
Southeast	64.56	(59.38 - 69.41)	64.21	(58.58 - 69.46)	71.07	(66.04 - 75.63)
Southwest	62.87	(57.28 - 68.15)	63.77	(57.88 - 69.27)	68.04	(62.59 - 73.03)
West	63.48	(57.94 - 68.69)	66.03	(60.81 - 70.88)	70.20	(65.28 - 74.70)
Iowa	63.67	(60.69 - 66.55)	61.21	(57.92 - 64.41)	68.11	(65.08 - 70.99)
Central	64.41	(59.28 - 69.23)	62.77	(57.02 - 68.18)	68.87	(63.55 - 73.73)
North Central	62.50	(57.23 - 67.49)	61.63	(55.99 - 66.98)	68.27	(63.07 - 73.05)
Northeast	64.11	(59.49 - 68.48)	61.62	(56.97 - 66.07)	66.53	(61.93 - 70.84)
Northwest	63.17	(58.00 - 68.06)	58.93	(52.85 - 64.75)	69.85	(65.10 - 74.21)
Southeast	64.28	(59.34 - 68.94)	61.68	(56.34 - 66.76)	67.70	(63.11 - 71.98)
Southwest	62.35	(56.85 - 67.55)	59.04	(52.97 - 64.85)	68.37	(62.88 - 73.39)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	62.74	(59.65 - 65.73)	64.90	(61.63 - 68.04)	73.78	(70.88 - 76.49)
Kansas City Metro	64.09	(59.48 - 68.44)	65.75	(61.02 - 70.18)	74.69	(70.66 - 78.33)
Northeast	63.70	(58.50 - 68.59)	66.70	(61.76 - 71.30)	72.54	(67.71 - 76.89)
South Central	63.00	(57.73 - 67.99)	64.19	(58.29 - 69.70)	73.20	(68.21 - 77.67)
Southeast	58.62	(52.46 - 64.53)	60.75	(54.87 - 66.33)	71.56	(66.18 - 76.39)
West	60.92	(55.08 - 66.45)	63.07	(56.88 - 68.87)	74.30	(69.44 - 78.64)
Wichita (Sedgwick)	62.19	(57.17 - 66.96)	64.52	(58.81 - 69.84)	74.60	(70.15 - 78.58)
Kentucky	60.73	(57.82 - 63.58)	56.02	(52.79 - 59.19)	64.31	(61.10 - 67.40)
Adanta, Cumberland River, And Lifeskills	57.93	(52.81 - 62.88)	52.15	(47.10 - 57.15)	62.58	(57.41 - 67.48)
Bluegrass, Comprehend, and North Key	61.81	(57.57 - 65.88)	58.47	(53.65 - 63.14)	65.37	(60.74 - 69.72)
Communicare and River Valley	57.71	(52.13 - 63.10)	54.24	(48.22 - 60.13)	61.05	(55.22 - 66.57)
Four Rivers and Pennyroyal	60.15	(54.68 - 65.38)	55.24	(48.94 - 61.38)	64.77	(59.15 - 70.01)
Kentucky River, Mountain, And Pathways	60.75	(55.34 - 65.90)	51.49	(45.81 - 57.13)	63.53	(57.71 - 68.98)
Seven Counties	63.61	(58.73 - 68.23)	59.66	(54.55 - 64.57)	66.18	(61.41 - 70.65)
Louisiana	61.25	(58.33 - 64.08)	65.48	(62.61 - 68.24)	70.98	(68.11 - 73.69)
Region 1	62.08	(56.64 - 67.24)	71.34	(66.08 - 76.09)	72.99	(67.96 - 77.49)
Regions 2 and 9	62.73	(58.06 - 67.18)	66.24	(61.82 - 70.39)	70.57	(66.17 - 74.62)
Region 3	60.59	(55.22 - 65.72)	61.10	(55.30 - 66.61)	69.03	(63.62 - 73.97)
Region 4	59.45	(54.18 - 64.51)	63.56	(58.22 - 68.58)	67.85	(62.31 - 72.92)
Regions 5 and 6	61.23	(56.13 - 66.09)	62.38	(57.15 - 67.34)	68.49	(63.59 - 73.02)
Regions 7 and 8	60.06	(54.97 - 64.94)	65.85	(61.27 - 70.16)	72.88	(68.49 - 76.86)
Region 10 (Jefferson)	62.02	(56.53 - 67.21)	65.04	(59.31 - 70.37)	74.11	(69.34 - 78.36)
Maine	64.10	(61.21 - 66.89)	63.89	(60.92 - 66.75)	71.41	(68.53 - 74.13)
Planning Region 1	66.86	(63.10 - 70.41)	66.57	(62.70 - 70.23)	72.67	(69.14 - 75.94)
Region 1 (Cumberland)	68.50	(63.68 - 72.94)	68.18	(63.38 - 72.63)	73.67	(69.43 - 77.52)
Region 2 (York)	64.62	(59.84 - 69.13)	64.01	(58.69 - 69.01)	71.28	(66.35 - 75.75)
Planning Region 2	62.75	(59.09 - 66.27)	62.65	(58.94 - 66.21)	70.34	(66.75 - 73.70)
Region 3	62.35	(57.24 - 67.21)	63.67	(58.83 - 68.24)	69.92	(64.95 - 74.46)
Region 4	61.33	(56.05 - 66.35)	61.58	(55.81 - 67.04)	69.20	(63.90 - 74.03)
Region 5	64.80	(59.35 - 69.90)	61.86	(56.14 - 67.27)	71.98	(66.94 - 76.52)
Planning Region 3	62.42	(58.39 - 66.28)	62.14	(57.98 - 66.13)	71.28	(67.07 - 75.15)
Region 6 (Penobscot)	62.68	(57.61 - 67.49)	62.52	(57.31 - 67.46)	71.37	(66.25 - 76.00)
Region 7	62.18	(56.69 - 67.38)	61.71	(55.80 - 67.30)	71.21	(65.85 - 76.03)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	66.68	(63.85 - 69.39)	66.71	(63.55 - 69.73)	75.24	(72.18 - 78.07)
Anne Arundel	66.31	(60.61 - 71.57)	62.38	(56.28 - 68.11)	74.58	(69.23 - 79.27)
Baltimore City	62.48	(57.50 - 67.22)	69.61	(64.28 - 74.46)	74.66	(69.62 - 79.11)
Central	68.41	(64.08 - 72.45)	68.48	(63.48 - 73.08)	75.66	(70.88 - 79.88)
Montgomery	69.63	(64.75 - 74.11)	69.18	(64.02 - 73.90)	78.63	(74.24 - 82.45)
Prince George's	64.65	(59.14 - 69.79)	67.12	(61.76 - 72.08)	76.52	(71.84 - 80.64)
Rural	66.18	(61.12 - 70.89)	63.93	(58.59 - 68.95)	71.34	(66.21 - 75.98)
Western	67.05	(62.08 - 71.66)	62.45	(56.84 - 67.74)	73.12	(67.96 - 77.73)
Massachusetts	67.40	(64.36 - 70.29)	71.39	(68.11 - 74.46)	78.12	(75.34 - 80.66)
Boston	68.44	(62.71 - 73.66)	73.89	(69.01 - 78.25)	79.76	(75.67 - 83.31)
Central	66.78	(61.48 - 71.70)	68.73	(62.90 - 74.03)	75.70	(70.82 - 79.99)
Metrowest	69.83	(65.59 - 73.75)	73.94	(69.11 - 78.25)	79.57	(75.67 - 82.98)
Northeast	66.11	(61.02 - 70.85)	70.72	(65.38 - 75.55)	78.10	(73.83 - 81.85)
Southeast	66.55	(61.78 - 71.00)	68.76	(63.45 - 73.62)	77.52	(73.15 - 81.36)
Western	66.53	(61.11 - 71.55)	70.57	(65.53 - 75.15)	77.25	(72.33 - 81.51)
Michigan	65.52	(63.96 - 67.05)	65.44	(63.85 - 67.00)	72.91	(71.31 - 74.46)
Bay	63.99	(59.26 - 68.46)	61.39	(55.90 - 66.60)	69.77	(65.10 - 74.06)
Detroit City	64.71	(60.72 - 68.50)	70.00	(66.14 - 73.59)	74.93	(71.12 - 78.39)
Genesee	62.47	(58.08 - 66.66)	64.26	(59.51 - 68.75)	72.40	(67.98 - 76.42)
Kalamazoo	65.36	(61.06 - 69.42)	65.61	(61.48 - 69.51)	72.75	(68.92 - 76.28)
Kent	67.79	(63.71 - 71.61)	67.18	(63.26 - 70.88)	74.51	(70.43 - 78.20)
Lakeshore	64.68	(60.71 - 68.46)	63.85	(59.79 - 67.72)	73.16	(69.39 - 76.62)
Macomb	66.01	(61.96 - 69.84)	65.88	(61.56 - 69.96)	72.68	(68.92 - 76.13)
Mid South	61.18	(57.28 - 64.94)	63.52	(59.68 - 67.19)	70.18	(66.34 - 73.75)
Northern	64.50	(60.47 - 68.34)	63.31	(59.02 - 67.40)	70.40	(66.34 - 74.16)
Oakland	69.89	(66.47 - 73.11)	69.14	(65.25 - 72.78)	75.00	(71.61 - 78.10)
Pathways	62.80	(57.62 - 67.71)	63.52	(58.37 - 68.38)	72.29	(67.55 - 76.57)
Saginaw	63.35	(58.01 - 68.37)	65.59	(60.37 - 70.46)	72.11	(67.44 - 76.35)
Southeast	67.30	(63.94 - 70.49)	63.49	(59.93 - 66.91)	73.47	(70.02 - 76.66)
St. Clair	64.32	(59.57 - 68.81)	59.38	(54.07 - 64.47)	70.27	(65.63 - 74.52)
Washtenaw	70.27	(65.83 - 74.36)	68.51	(64.14 - 72.58)	76.67	(72.89 - 80.06)
Western	60.79	(55.68 - 65.67)	63.37	(58.38 - 68.08)	72.06	(67.14 - 76.50)
Minnesota	64.56	(61.59 - 67.42)	61.56	(58.27 - 64.75)	72.86	(69.97 - 75.56)
Regions 1 and 2	62.19	(56.43 - 67.62)	61.60	(55.60 - 67.27)	73.07	(67.93 - 77.66)
Regions 3 and 4	62.38	(57.60 - 66.92)	58.95	(53.44 - 64.24)	70.13	(65.25 - 74.59)
Regions 5 and 6	61.57	(56.67 - 66.24)	59.82	(54.56 - 64.87)	70.91	(65.97 - 75.40)
Region 7A (Hennepin)	67.78	(63.04 - 72.18)	64.79	(59.65 - 69.62)	75.04	(70.93 - 78.74)
Region 7B (Ramsey)	63.55	(57.93 - 68.83)	62.66	(56.66 - 68.29)	74.30	(69.23 - 78.78)
Region 7C	67.98	(63.31 - 72.31)	61.10	(55.74 - 66.19)	73.49	(69.07 - 77.48)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	61.78	(58.78 - 64.70)	64.67	(61.62 - 67.62)	71.49	(68.35 - 74.43)
Region 1	61.33	(56.58 - 65.88)	63.23	(58.13 - 68.04)	69.21	(64.41 - 73.62)
Region 2	62.41	(57.24 - 67.31)	68.08	(62.91 - 72.85)	72.68	(67.79 - 77.08)
Region 3	62.06	(56.63 - 67.21)	63.86	(58.32 - 69.05)	71.97	(67.00 - 76.46)
Region 4	62.94	(57.84 - 67.77)	67.79	(62.92 - 72.30)	73.66	(69.03 - 77.82)
Region 5	62.69	(57.21 - 67.86)	67.04	(61.27 - 72.33)	71.78	(66.05 - 76.88)
Region 6	60.47	(54.84 - 65.83)	62.65	(56.95 - 68.01)	71.41	(66.32 - 76.00)
Region 7	60.62	(55.28 - 65.71)	60.95	(55.68 - 65.97)	70.59	(65.22 - 75.45)
Missouri	62.81	(59.92 - 65.61)	63.60	(60.57 - 66.53)	70.31	(67.36 - 73.10)
Central	61.21	(56.15 - 66.05)	63.76	(58.61 - 68.62)	68.82	(63.98 - 73.28)
Eastern	64.15	(60.34 - 67.80)	65.24	(61.19 - 69.08)	71.84	(68.14 - 75.28)
Eastern (St. Louis City and County)	64.66	(59.96 - 69.09)	67.64	(62.85 - 72.10)	73.04	(68.70 - 76.98)
Eastern (excluding St. Louis)	63.21	(57.88 - 68.24)	60.18	(54.44 - 65.65)	69.37	(64.08 - 74.19)
Northwest	63.48	(59.40 - 67.37)	64.73	(60.51 - 68.74)	70.95	(66.97 - 74.64)
Northwest (Jackson)	64.72	(59.41 - 69.69)	66.90	(61.55 - 71.85)	71.57	(66.60 - 76.06)
Northwest (excluding Jackson)	62.38	(57.02 - 67.46)	62.79	(57.27 - 68.00)	70.39	(65.24 - 75.07)
Southeast	59.72	(54.40 - 64.82)	59.42	(53.55 - 65.03)	66.18	(60.72 - 71.25)
Southwest	62.48	(57.32 - 67.37)	61.20	(56.16 - 66.01)	70.34	(65.19 - 75.02)
Montana	65.74	(62.77 - 68.59)	67.56	(64.55 - 70.43)	74.19	(71.23 - 76.95)
Region 1	62.65	(57.11 - 67.87)	66.36	(60.38 - 71.86)	71.18	(65.78 - 76.04)
Region 2	61.79	(56.71 - 66.63)	64.56	(58.96 - 69.78)	73.64	(68.74 - 78.02)
Region 3	65.93	(61.11 - 70.44)	68.68	(63.58 - 73.36)	74.71	(70.28 - 78.68)
Region 4	66.70	(62.29 - 70.84)	67.25	(63.13 - 71.13)	75.38	(71.30 - 79.05)
Region 5	67.92	(63.37 - 72.14)	68.86	(64.48 - 72.92)	74.01	(69.50 - 78.05)
Nebraska	64.52	(61.42 - 67.49)	63.93	(60.60 - 67.12)	72.13	(69.11 - 74.95)
Regions 1 and 2	62.19	(56.48 - 67.58)	60.59	(54.67 - 66.22)	72.92	(67.63 - 77.63)
Region 3	63.51	(58.23 - 68.49)	62.45	(56.35 - 68.18)	70.79	(65.57 - 75.51)
Region 4	62.95	(57.71 - 67.90)	60.80	(55.02 - 66.29)	71.54	(66.34 - 76.22)
Region 5	65.44	(60.54 - 70.04)	65.12	(60.65 - 69.34)	72.09	(67.60 - 76.17)
Region 6	65.54	(61.32 - 69.52)	65.19	(60.41 - 69.68)	72.56	(68.46 - 76.32)
Nevada	65.03	(61.59 - 68.31)	65.64	(62.34 - 68.80)	73.92	(70.75 - 76.87)
Clark	63.91	(59.73 - 67.88)	65.75	(61.90 - 69.40)	74.06	(70.35 - 77.46)
Rural	66.91	(61.81 - 71.64)	62.06	(56.14 - 67.64)	71.78	(66.54 - 76.49)
Washoe	67.75	(62.84 - 72.30)	67.63	(62.49 - 72.38)	75.20	(70.46 - 79.40)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	61.51	(58.34 - 64.58)	63.56	(60.26 - 66.73)	71.47	(68.44 - 74.32)
Central	58.74	(54.20 - 63.13)	62.16	(57.80 - 66.33)	70.41	(66.26 - 74.24)
Central 1	57.41	(51.82 - 62.82)	62.01	(56.77 - 66.98)	69.00	(63.69 - 73.86)
Central 2	60.06	(54.35 - 65.51)	62.36	(56.65 - 67.74)	71.70	(66.56 - 76.32)
Northern	59.41	(53.92 - 64.68)	63.13	(57.51 - 68.42)	70.62	(65.41 - 75.34)
Southern	63.29	(59.74 - 66.70)	64.42	(60.55 - 68.10)	72.16	(68.66 - 75.41)
Southern 1 (Rockingham)	60.84	(55.45 - 65.97)	63.88	(58.40 - 69.02)	70.94	(66.04 - 75.41)
Southern 2	64.76	(60.68 - 68.64)	64.68	(60.13 - 68.99)	72.92	(68.75 - 76.72)
New Jersey	64.17	(60.99 - 67.23)	67.07	(63.76 - 70.22)	76.89	(73.92 - 79.61)
Central	65.34	(60.58 - 69.81)	66.46	(61.42 - 71.15)	75.29	(70.82 - 79.27)
Metropolitan	65.25	(60.28 - 69.91)	69.24	(64.40 - 73.69)	77.70	(73.40 - 81.49)
Northern	62.81	(58.00 - 67.38)	66.68	(61.77 - 71.25)	78.04	(74.05 - 81.58)
Southern	63.66	(58.78 - 68.28)	65.50	(60.33 - 70.32)	75.88	(71.13 - 80.06)
New Mexico	63.22	(60.05 - 66.27)	68.50	(65.24 - 71.59)	76.55	(73.57 - 79.29)
Region 1	60.48	(55.47 - 65.27)	64.35	(58.74 - 69.60)	74.48	(69.78 - 78.68)
Region 2	65.68	(60.25 - 70.73)	69.51	(63.68 - 74.78)	80.31	(75.84 - 84.13)
Region 3 (Bernalillo)	66.07	(61.55 - 70.32)	70.68	(66.30 - 74.71)	76.83	(72.65 - 80.54)
Region 4	59.13	(53.31 - 64.69)	65.93	(60.14 - 71.28)	74.91	(70.00 - 79.26)
Region 5	63.51	(58.22 - 68.49)	69.83	(64.96 - 74.28)	76.10	(71.46 - 80.20)
New York	65.21	(63.50 - 66.88)	69.01	(67.23 - 70.73)	75.97	(74.30 - 77.56)
Region A	66.24	(63.90 - 68.50)	71.15	(68.88 - 73.32)	77.87	(75.79 - 79.82)
Region 1	66.02	(61.46 - 70.30)	73.05	(68.73 - 76.98)	77.86	(73.95 - 81.33)
Region 2	66.52	(62.85 - 70.01)	68.61	(64.95 - 72.06)	77.07	(73.68 - 80.14)
Region 3	62.32	(57.59 - 66.83)	73.23	(69.08 - 77.01)	78.89	(75.39 - 82.01)
Region 4	67.99	(64.08 - 71.66)	71.83	(68.08 - 75.30)	78.11	(74.80 - 81.09)
Region B	68.43	(65.66 - 71.07)	69.00	(66.01 - 71.84)	77.69	(75.04 - 80.12)
Region 5	68.56	(65.18 - 71.75)	68.01	(64.31 - 71.49)	77.92	(74.58 - 80.94)
Region 6	68.15	(63.95 - 72.08)	71.14	(66.86 - 75.07)	77.18	(73.41 - 80.56)
Region C	63.06	(60.82 - 65.25)	66.87	(64.55 - 69.12)	73.33	(71.12 - 75.43)
Region 7	64.36	(59.67 - 68.78)	65.19	(60.09 - 69.96)	74.74	(70.26 - 78.75)
Region 8	63.10	(58.62 - 67.37)	68.22	(64.00 - 72.16)	73.86	(69.78 - 77.56)
Region 9	62.02	(57.59 - 66.25)	68.34	(63.98 - 72.39)	73.12	(68.85 - 77.00)
Region 10	63.67	(58.88 - 68.20)	67.92	(63.38 - 72.16)	72.78	(68.00 - 77.08)
Region 11	62.47	(58.10 - 66.64)	66.25	(62.01 - 70.24)	71.74	(67.63 - 75.51)
Region 12	63.27	(58.98 - 67.35)	65.70	(61.19 - 69.95)	73.71	(69.73 - 77.33)
Region D	60.32	(57.03 - 63.51)	64.51	(61.24 - 67.65)	70.37	(67.30 - 73.27)
Region 13	61.25	(56.16 - 66.11)	66.15	(61.07 - 70.88)	71.89	(67.29 - 76.08)
Region 14	61.15	(55.87 - 66.18)	64.72	(59.58 - 69.53)	68.92	(64.16 - 73.31)
Region 15	58.76	(53.86 - 63.49)	62.86	(57.69 - 67.76)	70.40	(65.79 - 74.62)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	62.41	(59.32 - 65.41)	61.67	(58.34 - 64.90)	69.87	(66.85 - 72.72)
Eastern	63.40	(58.49 - 68.06)	64.54	(59.60 - 69.19)	70.48	(65.58 - 74.95)
North Central	61.86	(57.12 - 66.39)	62.03	(56.80 - 67.00)	71.56	(66.95 - 75.76)
South Central	64.84	(59.88 - 69.51)	62.53	(57.21 - 67.57)	70.22	(65.59 - 74.47)
Western	60.30	(55.76 - 64.67)	58.74	(53.94 - 63.37)	68.12	(63.75 - 72.18)
North Dakota	64.14	(61.17 - 67.00)	64.32	(61.13 - 67.39)	69.59	(66.57 - 72.45)
Badlands and West Central Lake Region and South Central	65.26	(60.69 - 69.58)	66.18	(60.98 - 71.02)	69.33	(64.61 - 73.68)
North Central and Northwest	61.81	(56.75 - 66.63)	62.92	(57.27 - 68.23)	69.56	(64.42 - 74.24)
Northeast	61.57	(56.66 - 66.24)	61.67	(56.15 - 66.90)	68.86	(64.01 - 73.32)
Southeast	64.65	(59.59 - 69.41)	64.42	(59.05 - 69.45)	69.72	(64.65 - 74.36)
Ohio	66.06	(61.33 - 70.48)	64.85	(60.30 - 69.15)	70.35	(65.79 - 74.54)
Boards 2, 46, 55, and 68	63.45	(61.86 - 65.01)	62.27	(60.68 - 63.82)	70.77	(69.15 - 72.34)
Boards 3, 52, and 85	60.19	(55.62 - 64.59)	57.97	(53.22 - 62.58)	66.81	(62.27 - 71.05)
Boards 4 and 78	63.32	(58.69 - 67.72)	60.57	(55.57 - 65.36)	70.19	(65.64 - 74.37)
Boards 5 and 60	62.55	(57.56 - 67.28)	61.89	(56.86 - 66.68)	68.44	(63.89 - 72.67)
Boards 7, 15, 41, 79, and 84	60.98	(56.07 - 65.68)	58.10	(52.90 - 63.12)	66.37	(61.31 - 71.08)
Boards 8, 13, and 83	61.01	(56.46 - 65.36)	60.36	(55.27 - 65.24)	66.87	(62.08 - 71.34)
Board 9 (Butler)	64.06	(59.45 - 68.42)	60.40	(55.48 - 65.12)	69.14	(64.64 - 73.30)
Board 12	62.55	(57.83 - 67.04)	62.06	(56.99 - 66.87)	71.05	(66.43 - 75.28)
Boards 18 and 47	65.62	(60.71 - 70.22)	64.25	(59.43 - 68.80)	71.57	(67.14 - 75.62)
Boards 20, 32, 54, and 69	63.64	(60.02 - 67.12)	62.06	(58.18 - 65.79)	73.29	(69.90 - 76.42)
Boards 21, 39, 51, 70, and 80	62.48	(57.83 - 66.91)	59.20	(54.18 - 64.03)	68.06	(63.34 - 72.45)
Boards 22, 74, and 87	63.66	(59.02 - 68.06)	59.91	(55.39 - 64.27)	69.49	(64.97 - 73.66)
Boards 23 and 45	62.66	(57.76 - 67.31)	61.79	(56.83 - 66.53)	71.03	(66.32 - 75.32)
Board 25 (Franklin)	63.83	(59.40 - 68.03)	62.09	(57.03 - 66.90)	70.07	(65.66 - 74.13)
Boards 27, 71, and 73	66.40	(62.50 - 70.10)	67.28	(63.61 - 70.75)	71.20	(67.25 - 74.85)
Boards 28, 43, and 67	62.25	(57.60 - 66.68)	56.44	(51.40 - 61.34)	65.43	(60.61 - 69.95)
Board 31 (Hamilton)	64.89	(60.62 - 68.93)	62.31	(57.49 - 66.90)	72.30	(67.99 - 76.23)
Board 48 (Lucas)	63.70	(59.37 - 67.82)	63.33	(59.28 - 67.19)	74.64	(70.79 - 78.13)
Board 50 and 76	63.52	(59.07 - 67.76)	66.73	(62.02 - 71.12)	74.53	(70.21 - 78.42)
Board 57 (Montgomery)	63.60	(59.16 - 67.82)	61.88	(57.07 - 66.46)	70.39	(66.19 - 74.27)
Board 77 (Summit)	61.89	(57.12 - 66.45)	64.33	(59.57 - 68.82)	70.58	(66.06 - 74.72)
Oklahoma	65.11	(60.58 - 69.39)	62.65	(58.04 - 67.03)	72.74	(68.61 - 76.51)
Central	61.03	(57.94 - 64.03)	60.33	(56.89 - 63.66)	70.11	(66.91 - 73.13)
East Central	62.25	(57.02 - 67.21)	59.72	(53.99 - 65.20)	69.97	(64.64 - 74.81)
Northeast	60.83	(55.28 - 66.11)	59.74	(53.31 - 65.85)	69.23	(63.60 - 74.33)
Northwest and Southwest	61.39	(56.01 - 66.50)	58.52	(52.80 - 64.03)	69.51	(64.31 - 74.25)
Oklahoma County	60.04	(54.91 - 64.97)	59.60	(53.80 - 65.16)	69.88	(64.55 - 74.72)
Southeast	61.59	(56.38 - 66.55)	61.87	(56.26 - 67.18)	72.59	(67.67 - 77.02)
Tulsa County	58.82	(53.55 - 63.90)	56.64	(50.84 - 62.26)	68.08	(62.82 - 72.92)
	62.26	(56.73 - 67.49)	64.22	(59.15 - 69.00)	70.53	(65.56 - 75.06)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	69.67	(66.85 - 72.34)	71.16	(68.13 - 74.01)	74.90	(71.91 - 77.68)
Region 1 (Multnomah)	70.18	(65.23 - 74.71)	71.49	(66.93 - 75.64)	76.14	(71.84 - 79.97)
Region 2	71.06	(66.87 - 74.92)	72.68	(67.95 - 76.95)	76.20	(71.87 - 80.04)
Region 3	69.75	(65.66 - 73.56)	71.88	(67.61 - 75.78)	74.58	(70.16 - 78.55)
Region 4	68.43	(63.64 - 72.85)	67.84	(62.80 - 72.50)	72.95	(67.80 - 77.55)
Region 5	67.54	(62.31 - 72.37)	68.76	(62.92 - 74.06)	73.61	(68.67 - 78.02)
Pennsylvania	63.85	(62.30 - 65.36)	63.46	(61.83 - 65.06)	72.85	(71.18 - 74.46)
Region 1 (Allegheny)	62.50	(58.71 - 66.14)	65.85	(61.95 - 69.54)	71.32	(67.52 - 74.83)
Regions 2, 3, 8, and 9	61.53	(57.12 - 65.75)	58.16	(53.23 - 62.93)	70.60	(66.29 - 74.56)
Regions 4, 11, 42, and 48	63.67	(59.65 - 67.50)	62.99	(58.49 - 67.27)	72.87	(68.74 - 76.64)
Regions 5, 20, 26, 28, and 40	64.35	(60.32 - 68.18)	59.96	(55.53 - 64.23)	69.76	(65.34 - 73.83)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	61.73	(57.28 - 65.99)	63.51	(59.54 - 67.30)	71.86	(67.60 - 75.77)
Regions 7, 13, 22, and 37	67.67	(64.53 - 70.66)	66.19	(62.90 - 69.34)	77.12	(74.23 - 79.78)
Regions 10, 14, 15, 25, 31, 36, and 46	58.98	(54.76 - 63.08)	58.51	(53.79 - 63.09)	70.15	(66.05 - 73.95)
Regions 17, 24, 27, 43, and 47	62.63	(58.05 - 66.99)	59.03	(54.26 - 63.64)	68.95	(64.75 - 72.85)
Region 18 (Philadelphia)	63.53	(59.76 - 67.14)	69.47	(65.98 - 72.75)	73.71	(69.92 - 77.17)
Regions 19 and 23	62.19	(57.28 - 66.86)	61.98	(56.97 - 66.75)	72.52	(67.79 - 76.79)
Regions 21, 30, 32, and 49	64.49	(60.86 - 67.95)	60.52	(56.61 - 64.29)	72.18	(68.51 - 75.57)
Regions 29 and 34	63.04	(58.51 - 67.36)	58.74	(53.70 - 63.60)	72.87	(68.54 - 76.80)
Regions 33 and 38	63.81	(59.20 - 68.17)	63.95	(59.31 - 68.34)	74.78	(70.70 - 78.46)
Rhode Island	67.81	(64.61 - 70.85)	73.25	(70.16 - 76.13)	76.00	(72.90 - 78.85)
Bristol and Newport	69.78	(65.03 - 74.14)	71.18	(65.39 - 76.35)	77.62	(73.15 - 81.54)
Kent	66.49	(61.26 - 71.34)	68.89	(63.42 - 73.88)	73.75	(68.80 - 78.16)
Providence	67.33	(63.28 - 71.13)	74.63	(71.09 - 77.87)	76.11	(72.25 - 79.58)
Washington	69.66	(64.58 - 74.30)	72.69	(67.29 - 77.50)	76.84	(72.10 - 80.99)
South Carolina	62.84	(59.89 - 65.70)	62.39	(59.15 - 65.52)	72.72	(69.76 - 75.50)
Region 1	63.19	(58.37 - 67.76)	62.31	(57.32 - 67.06)	72.60	(68.20 - 76.60)
Region 2	64.05	(59.94 - 67.97)	63.07	(58.76 - 67.17)	72.14	(68.09 - 75.86)
Region 3	62.90	(57.76 - 67.75)	58.65	(52.51 - 64.52)	73.32	(68.48 - 77.66)
Region 4	61.16	(56.19 - 65.90)	64.06	(58.92 - 68.89)	73.09	(68.34 - 77.37)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	62.16	(59.12 - 65.10)	58.94	(55.62 - 62.18)	69.44	(66.34 - 72.37)
Eastern Planning Area	62.33	(59.13 - 65.42)	59.65	(56.13 - 63.08)	69.30	(66.07 - 72.36)
Region 3 (Minnehaha)	63.69	(58.92 - 68.21)	59.47	(54.30 - 64.44)	70.17	(65.68 - 74.31)
Region 4	62.12	(56.97 - 67.01)	59.99	(54.34 - 65.38)	69.00	(64.02 - 73.58)
Region 5	61.59	(56.19 - 66.72)	57.78	(51.82 - 63.51)	68.22	(62.67 - 73.29)
Region 6	61.53	(56.27 - 66.54)	59.97	(54.34 - 65.34)	69.90	(64.67 - 74.65)
Region 7	61.90	(56.45 - 67.06)	60.65	(54.99 - 66.03)	68.63	(63.33 - 73.49)
Western Planning Area	61.81	(57.59 - 65.85)	57.20	(52.70 - 61.59)	69.77	(65.51 - 73.71)
Region 1 (Pennington)	64.89	(59.40 - 70.02)	59.15	(53.57 - 64.51)	70.53	(65.25 - 75.31)
Region 2	60.07	(54.92 - 65.01)	55.83	(50.09 - 61.42)	69.25	(63.88 - 74.13)
Tennessee	63.50	(60.51 - 66.40)	62.88	(59.34 - 66.30)	69.60	(66.69 - 72.37)
Region 1	62.60	(57.07 - 67.81)	61.27	(54.75 - 67.40)	67.34	(61.86 - 72.39)
Region 2	62.24	(57.10 - 67.12)	59.66	(53.62 - 65.42)	66.05	(60.88 - 70.86)
Region 3	63.65	(58.67 - 68.36)	61.22	(55.53 - 66.62)	69.78	(65.22 - 73.98)
Region 4 (Davidson)	65.14	(59.58 - 70.31)	67.35	(61.87 - 72.40)	73.19	(68.37 - 77.52)
Region 5	63.79	(59.13 - 68.20)	63.12	(57.78 - 68.16)	69.36	(64.78 - 73.60)
Region 6	59.51	(54.02 - 64.77)	59.18	(53.09 - 65.00)	67.82	(62.46 - 72.74)
Region 7 (Shelby)	66.38	(61.24 - 71.15)	67.75	(62.20 - 72.85)	74.54	(69.81 - 78.76)
Texas	62.84	(61.23 - 64.41)	68.31	(66.66 - 69.91)	75.11	(73.61 - 76.55)
Region 1	61.22	(56.32 - 65.89)	67.14	(62.55 - 71.43)	73.05	(68.76 - 76.95)
Region 2	59.76	(54.50 - 64.80)	63.67	(58.12 - 68.87)	73.38	(68.85 - 77.46)
Region 3	63.72	(61.05 - 66.31)	67.68	(65.16 - 70.10)	74.94	(72.72 - 77.03)
Region 3a	62.79	(59.45 - 66.01)	67.96	(64.85 - 70.91)	77.11	(74.35 - 79.65)
Region 3bc	65.32	(61.36 - 69.08)	67.16	(63.14 - 70.95)	71.18	(67.44 - 74.65)
Region 4	60.51	(55.76 - 65.08)	64.45	(59.49 - 69.11)	71.26	(66.95 - 75.22)
Region 5	61.20	(56.08 - 66.08)	65.09	(59.80 - 70.04)	71.66	(66.99 - 75.91)
Region 6	65.40	(62.72 - 67.99)	69.94	(67.18 - 72.55)	75.77	(73.17 - 78.19)
Region 6a	65.58	(62.67 - 68.39)	70.23	(67.26 - 73.04)	76.12	(73.31 - 78.72)
Region 6bc	63.85	(58.99 - 68.45)	67.14	(62.14 - 71.79)	72.98	(68.63 - 76.92)
Region 7	61.73	(58.16 - 65.19)	67.27	(64.10 - 70.30)	73.62	(70.74 - 76.32)
Region 7a	64.39	(59.85 - 68.68)	67.72	(63.57 - 71.61)	75.83	(72.21 - 79.11)
Region 7bcd	58.26	(53.24 - 63.11)	66.67	(62.10 - 70.96)	70.18	(65.83 - 74.19)
Region 8	61.96	(58.02 - 65.75)	69.28	(65.13 - 73.13)	76.41	(73.03 - 79.48)
Region 9	60.83	(55.91 - 65.54)	65.98	(60.91 - 70.71)	73.86	(69.62 - 77.69)
Region 10	62.18	(57.35 - 66.79)	71.31	(66.46 - 75.71)	79.65	(75.87 - 82.98)
Region 11	60.39	(56.68 - 64.00)	70.63	(67.06 - 73.97)	78.30	(75.06 - 81.22)
Region 11abd	62.13	(57.46 - 66.58)	70.34	(65.80 - 74.50)	78.03	(73.95 - 81.63)
Region 11c (Hidalgo)	57.19	(51.89 - 62.34)	71.18	(66.27 - 75.65)	78.86	(74.82 - 82.41)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	74.04	(70.94 - 76.92)	74.03	(71.01 - 76.84)	77.36	(74.40 - 80.06)
Bear River, Northeastern, Summit, Tooele, and Wasatch	74.08	(69.07 - 78.53)	75.55	(70.47 - 80.00)	77.00	(72.53 - 80.94)
Central, Four Corners, San Juan, and Southwest	71.32	(66.08 - 76.05)	73.30	(67.83 - 78.14)	75.97	(71.11 - 80.23)
Davis County	75.64	(70.91 - 79.82)	74.17	(69.00 - 78.75)	77.56	(72.86 - 81.66)
Salt Lake County	73.59	(69.43 - 77.38)	71.90	(67.75 - 75.71)	77.66	(73.81 - 81.10)
Utah County	75.62	(71.01 - 79.71)	77.04	(72.80 - 80.79)	78.34	(74.14 - 82.02)
Weber, Morgan	74.27	(69.38 - 78.62)	73.68	(68.04 - 78.64)	76.51	(71.78 - 80.67)
Vermont	64.63	(61.79 - 67.37)	64.06	(60.89 - 67.10)	73.22	(70.37 - 75.89)
Champlain Valley	66.34	(62.34 - 70.13)	65.59	(61.56 - 69.41)	73.62	(69.72 - 77.19)
Rural Northeast	63.67	(59.35 - 67.79)	63.41	(58.15 - 68.37)	71.46	(67.03 - 75.52)
Rural Southeast	64.52	(59.71 - 69.06)	63.73	(58.32 - 68.80)	74.98	(70.36 - 79.10)
Rural Southwest	61.88	(56.72 - 66.77)	60.63	(54.87 - 66.11)	72.50	(67.41 - 77.07)
Virginia	66.46	(63.52 - 69.29)	68.11	(65.07 - 71.01)	73.95	(70.99 - 76.71)
Region 1	66.86	(61.65 - 71.69)	69.47	(64.50 - 74.03)	70.69	(65.53 - 75.36)
Region 2	70.76	(66.33 - 74.82)	72.28	(67.41 - 76.67)	78.13	(74.03 - 81.74)
Region 3	61.84	(56.71 - 66.71)	62.18	(56.93 - 67.17)	71.37	(66.37 - 75.89)
Region 4	65.31	(60.22 - 70.08)	66.29	(61.22 - 71.01)	73.46	(68.80 - 77.65)
Region 5	66.14	(61.46 - 70.52)	68.60	(63.92 - 72.94)	73.76	(69.15 - 77.90)
Washington	67.91	(64.94 - 70.74)	66.58	(63.44 - 69.58)	73.78	(70.89 - 76.48)
Region 1	66.21	(60.82 - 71.22)	66.17	(60.60 - 71.33)	72.06	(66.99 - 76.62)
Region 2	65.75	(60.32 - 70.79)	66.33	(60.26 - 71.90)	74.23	(69.20 - 78.69)
Region 3	68.95	(64.23 - 73.31)	67.11	(61.83 - 71.99)	74.32	(69.77 - 78.39)
Region 4 (King)	68.28	(63.76 - 72.47)	67.40	(62.73 - 71.75)	75.98	(71.90 - 79.63)
Region 5	67.33	(62.28 - 72.01)	65.35	(60.11 - 70.23)	72.36	(67.71 - 76.57)
Region 6	69.72	(64.69 - 74.31)	66.28	(60.99 - 71.19)	71.59	(66.80 - 75.95)
West Virginia	60.85	(57.86 - 63.75)	59.06	(55.85 - 62.18)	69.56	(66.53 - 72.42)
Eastern Highland	62.20	(57.50 - 66.69)	60.75	(55.72 - 65.56)	69.44	(64.70 - 73.79)
Northern	60.35	(56.05 - 64.49)	59.89	(55.38 - 64.24)	69.31	(65.20 - 73.14)
Northern A and B	59.63	(53.81 - 65.19)	58.81	(52.75 - 64.60)	69.06	(63.34 - 74.26)
Northern C and D	60.68	(55.51 - 65.63)	60.30	(55.06 - 65.31)	69.45	(64.76 - 73.76)
South Central	60.93	(57.19 - 64.54)	58.36	(54.36 - 62.26)	70.20	(66.53 - 73.63)
South Central I	60.82	(55.38 - 65.99)	56.67	(50.58 - 62.56)	68.94	(63.37 - 74.02)
South Central II	59.46	(53.82 - 64.87)	58.02	(52.23 - 63.60)	69.54	(64.51 - 74.14)
South Central III	62.02	(56.87 - 66.92)	59.65	(54.27 - 64.80)	71.37	(66.73 - 75.60)
Southern	59.75	(55.28 - 64.07)	57.21	(52.56 - 61.75)	68.77	(64.37 - 72.85)
Southern I and III	60.23	(54.73 - 65.49)	57.29	(51.69 - 62.72)	69.41	(64.10 - 74.25)
Southern II	58.82	(53.15 - 64.26)	57.06	(50.99 - 62.93)	67.52	(61.86 - 72.71)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	65.34	(62.43 - 68.14)	64.74	(61.63 - 67.72)	73.11	(70.11 - 75.92)
Milwaukee	65.27	(60.38 - 69.85)	67.65	(62.25 - 72.62)	74.40	(69.86 - 78.47)
Northeastern	64.90	(60.33 - 69.22)	63.35	(58.23 - 68.19)	72.72	(68.19 - 76.83)
Northern	62.89	(57.41 - 68.06)	60.98	(54.87 - 66.76)	73.48	(68.25 - 78.13)
Southeastern	65.91	(60.94 - 70.55)	65.05	(59.54 - 70.18)	73.47	(68.77 - 77.69)
Southern	66.64	(61.68 - 71.26)	65.50	(60.71 - 70.00)	72.13	(67.35 - 76.45)
Western	65.18	(60.11 - 69.93)	63.83	(58.64 - 68.71)	72.72	(67.80 - 77.14)
Wyoming	65.69	(62.75 - 68.51)	62.72	(59.41 - 65.91)	70.90	(67.93 - 73.70)
Judicial District 1 (Laramie)	65.81	(60.66 - 70.61)	63.69	(58.29 - 68.77)	71.14	(66.51 - 75.37)
Judicial District 2	66.03	(60.42 - 71.22)	67.47	(62.39 - 72.16)	73.45	(68.41 - 77.94)
Judicial District 3	66.58	(61.63 - 71.19)	61.37	(55.66 - 66.79)	69.11	(64.18 - 73.65)
Judicial District 4	65.73	(60.25 - 70.82)	61.03	(54.73 - 66.97)	71.38	(65.99 - 76.23)
Judicial District 5	64.07	(58.69 - 69.11)	62.66	(56.86 - 68.12)	72.58	(67.28 - 77.31)
Judicial District 6	64.67	(59.44 - 69.57)	57.95	(51.71 - 63.96)	68.70	(63.54 - 73.45)
Judicial District 7 (Natrona)	66.06	(60.90 - 70.87)	61.71	(55.61 - 67.47)	69.73	(64.63 - 74.39)
Judicial District 8	65.30	(60.14 - 70.12)	61.18	(54.95 - 67.06)	70.38	(64.90 - 75.33)
Judicial District 9	66.13	(60.91 - 70.99)	62.25	(56.40 - 67.77)	72.18	(67.20 - 76.66)

*Low precision; no estimate reported.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	2.09		6.92		2.96	
Alabama	1.92	(1.32 - 2.78)	6.01	(4.74 - 7.59)	2.56	(1.91 - 3.42)
Region 1	2.45	(1.48 - 4.02)	6.94	(4.88 - 9.78)	2.32	(1.57 - 3.41)
Region 2	1.76	(1.01 - 3.03)	5.42	(3.83 - 7.63)	2.74	(1.85 - 4.04)
Region 3	1.45	(0.80 - 2.61)	5.68	(3.91 - 8.19)	2.91	(1.89 - 4.45)
Region 4	1.93	(1.15 - 3.23)	6.10	(4.21 - 8.77)	2.34	(1.57 - 3.48)
Alaska	2.36	(1.62 - 3.41)	6.88	(5.43 - 8.69)	3.23	(2.41 - 4.30)
Gulf Coast	2.24	(1.24 - 4.01)	7.27	(4.83 - 10.82)	3.04	(1.96 - 4.67)
Rural	2.66	(1.43 - 4.88)	6.41	(4.14 - 9.79)	4.08	(2.53 - 6.49)
Southeast	2.57	(1.41 - 4.64)	7.52	(5.04 - 11.07)	3.32	(2.16 - 5.08)
Urban	2.28	(1.46 - 3.56)	6.82	(5.17 - 8.94)	3.11	(2.21 - 4.38)
Arizona	3.06	(2.11 - 4.41)	8.59	(6.92 - 10.62)	3.42	(2.58 - 4.53)
Maricopa	2.90	(1.86 - 4.49)	8.35	(6.45 - 10.73)	3.64	(2.62 - 5.03)
Pima	3.07	(1.73 - 5.41)	9.12	(6.42 - 12.81)	3.52	(2.34 - 5.27)
Rural North	3.35	(1.97 - 5.65)	9.07	(6.14 - 13.20)	2.97	(1.94 - 4.52)
Rural South	3.49	(1.91 - 6.31)	8.73	(5.86 - 12.82)	2.67	(1.74 - 4.08)
Arkansas	1.95	(1.37 - 2.78)	6.30	(4.98 - 7.94)	2.56	(1.92 - 3.40)
Areas 1 and 5	2.02	(1.18 - 3.42)	6.16	(4.19 - 8.97)	2.37	(1.57 - 3.57)
Areas 2 and 3	2.16	(1.22 - 3.79)	6.72	(4.52 - 9.86)	1.96	(1.25 - 3.05)
Areas 4 and 7	1.88	(1.10 - 3.20)	6.13	(4.18 - 8.91)	2.84	(1.88 - 4.26)
Area 6	2.01	(1.12 - 3.60)	6.29	(4.23 - 9.25)	2.52	(1.60 - 3.93)
Areas 8 and 12	1.98	(1.12 - 3.48)	6.67	(4.48 - 9.80)	2.49	(1.62 - 3.80)
Area 9	1.74	(1.01 - 3.00)	5.98	(4.11 - 8.63)	2.95	(1.96 - 4.43)
Areas 10, 11, and 13	1.97	(1.12 - 3.44)	6.60	(4.54 - 9.51)	2.71	(1.76 - 4.16)
California	2.17	(1.75 - 2.70)	6.07	(5.32 - 6.92)	3.20	(2.69 - 3.81)
Region 1	2.93	(1.75 - 4.89)	7.55	(5.26 - 10.72)	2.93	(1.97 - 4.32)
Region 2	2.31	(1.46 - 3.62)	7.41	(5.46 - 9.98)	3.42	(2.41 - 4.84)
Region 3	2.34	(1.45 - 3.77)	5.94	(4.25 - 8.26)	2.79	(1.95 - 3.98)
Region 4	2.15	(1.27 - 3.62)	6.53	(4.58 - 9.23)	3.76	(2.65 - 5.31)
Region 5	2.08	(1.30 - 3.31)	6.53	(4.77 - 8.87)	3.08	(2.16 - 4.38)
Region 6 (Santa Clara)	2.03	(1.21 - 3.38)	5.36	(3.71 - 7.68)	2.99	(2.11 - 4.22)
Region 7	2.39	(1.41 - 4.02)	6.36	(4.35 - 9.22)	3.47	(2.37 - 5.04)
Region 8	2.16	(1.29 - 3.58)	5.69	(4.06 - 7.94)	2.86	(1.98 - 4.12)
Region 9	2.25	(1.35 - 3.73)	6.63	(4.66 - 9.36)	2.96	(2.05 - 4.26)
Region 10	2.84	(1.74 - 4.62)	7.42	(5.13 - 10.61)	3.24	(2.24 - 4.66)
Region 11 (Los Angeles)	1.79	(1.22 - 2.62)	4.92	(3.85 - 6.26)	3.36	(2.58 - 4.36)
Region 12	2.37	(1.46 - 3.83)	6.88	(4.96 - 9.47)	2.99	(2.05 - 4.34)
Region 13 (Riverside)	2.65	(1.59 - 4.40)	5.95	(4.07 - 8.62)	2.67	(1.80 - 3.93)
Region 14 (Orange)	2.12	(1.35 - 3.31)	6.44	(4.72 - 8.74)	3.10	(2.18 - 4.39)
Region 15	2.39	(1.50 - 3.79)	6.68	(5.01 - 8.86)	3.26	(2.35 - 4.50)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	2.78	(1.96 - 3.92)	9.09	(7.37 - 11.16)	3.39	(2.55 - 4.48)
Region 1	2.60	(1.48 - 4.51)	8.68	(6.05 - 12.31)	2.79	(1.83 - 4.24)
Regions 2 and 7	2.72	(1.77 - 4.15)	9.15	(6.97 - 11.91)	3.66	(2.61 - 5.10)
Region 3	3.17	(1.81 - 5.52)	9.48	(6.59 - 13.45)	3.01	(1.97 - 4.58)
Region 4	3.10	(1.75 - 5.41)	9.63	(6.50 - 14.04)	2.96	(1.93 - 4.52)
Regions 5 and 6	2.59	(1.48 - 4.50)	8.52	(5.88 - 12.19)	3.36	(2.20 - 5.08)
Connecticut	1.77	(1.18 - 2.65)	6.99	(5.57 - 8.74)	2.95	(2.17 - 4.00)
Eastern	1.91	(1.04 - 3.49)	6.57	(4.40 - 9.71)	2.85	(1.82 - 4.44)
North Central	1.81	(1.04 - 3.12)	6.64	(4.74 - 9.21)	3.30	(2.15 - 5.02)
Northwestern	1.88	(1.06 - 3.31)	6.96	(4.80 - 10.00)	2.63	(1.70 - 4.05)
South Central	1.69	(0.95 - 2.96)	7.63	(5.50 - 10.51)	2.81	(1.81 - 4.33)
Southwest	1.64	(0.89 - 2.98)	7.01	(4.79 - 10.17)	2.97	(1.93 - 4.55)
Delaware	1.68	(1.14 - 2.48)	6.64	(5.26 - 8.33)	2.65	(1.99 - 3.53)
Kent	1.66	(0.93 - 2.93)	6.53	(4.47 - 9.44)	2.62	(1.72 - 3.99)
New Castle (excluding Wilmington city)	1.79	(1.12 - 2.85)	6.96	(5.26 - 9.16)	2.64	(1.85 - 3.75)
Sussex	1.59	(0.88 - 2.88)	6.03	(4.07 - 8.85)	2.10	(1.38 - 3.16)
Wilmington City	*	(* - *)	5.97	(3.89 - 9.04)	4.15	(2.73 - 6.26)
District of Columbia	1.44	(0.94 - 2.21)	7.34	(5.80 - 9.25)	5.06	(3.92 - 6.50)
Ward 1	1.67	(0.89 - 3.11)	7.66	(5.13 - 11.28)	5.81	(3.96 - 8.45)
Ward 2	*	(* - *)	8.19	(5.55 - 11.93)	5.38	(3.69 - 7.79)
Ward 3	2.54	(1.38 - 4.64)	10.05	(7.06 - 14.10)	4.90	(3.33 - 7.15)
Ward 4	1.37	(0.74 - 2.54)	6.36	(4.23 - 9.45)	4.16	(2.74 - 6.28)
Ward 5	1.26	(0.66 - 2.39)	7.18	(5.01 - 10.20)	4.80	(3.13 - 7.31)
Ward 6	*	(* - *)	7.17	(4.72 - 10.73)	5.38	(3.57 - 8.03)
Ward 7	1.09	(0.59 - 2.00)	5.42	(3.56 - 8.17)	4.91	(3.27 - 7.31)
Ward 8	1.16	(0.63 - 2.15)	4.70	(3.09 - 7.08)	5.37	(3.58 - 7.97)
Florida	1.74	(1.38 - 2.19)	6.68	(5.89 - 7.58)	2.66	(2.23 - 3.18)
District 1	1.65	(0.99 - 2.74)	6.18	(4.28 - 8.84)	2.57	(1.75 - 3.75)
District 2	1.67	(0.98 - 2.83)	8.61	(6.26 - 11.74)	3.39	(2.30 - 4.97)
District 3	1.77	(1.05 - 2.95)	7.45	(5.35 - 10.28)	2.70	(1.85 - 3.92)
District 4	1.86	(1.16 - 2.97)	6.79	(4.96 - 9.24)	2.88	(2.04 - 4.07)
District 7	1.60	(1.01 - 2.52)	6.08	(4.60 - 8.00)	2.77	(2.01 - 3.80)
District 8	1.66	(0.99 - 2.76)	6.21	(4.38 - 8.74)	2.25	(1.53 - 3.30)
District 9 (Palm Beach)	1.52	(0.91 - 2.52)	6.92	(5.05 - 9.42)	2.32	(1.59 - 3.37)
District 10 (Broward)	1.60	(1.01 - 2.52)	5.62	(4.12 - 7.63)	2.85	(2.01 - 4.04)
District 11	1.49	(0.95 - 2.34)	5.48	(4.07 - 7.33)	2.73	(1.98 - 3.76)
District 12	1.62	(0.96 - 2.73)	7.01	(5.07 - 9.62)	2.17	(1.43 - 3.28)
District 13	1.77	(1.05 - 2.96)	6.15	(4.26 - 8.81)	1.89	(1.25 - 2.85)
District 14	2.03	(1.21 - 3.36)	7.16	(5.06 - 10.04)	2.32	(1.58 - 3.40)
District 15	1.99	(1.16 - 3.38)	7.30	(5.13 - 10.28)	2.26	(1.50 - 3.40)
Suncoast	2.17	(1.45 - 3.25)	8.03	(6.36 - 10.09)	2.96	(2.17 - 4.01)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	1.45	(0.97 - 2.17)	4.85	(3.69 - 6.34)	2.98	(2.24 - 3.95)
Region 1	1.97	(1.09 - 3.52)	5.05	(3.27 - 7.71)	2.51	(1.66 - 3.79)
Region 2	1.53	(0.85 - 2.77)	5.02	(3.36 - 7.44)	3.06	(2.02 - 4.61)
Region 3	1.31	(0.75 - 2.27)	4.81	(3.35 - 6.87)	3.09	(2.15 - 4.42)
Region 4	1.39	(0.77 - 2.51)	4.75	(3.08 - 7.25)	3.04	(1.96 - 4.67)
Region 5	1.34	(0.73 - 2.43)	4.67	(3.06 - 7.08)	2.95	(1.93 - 4.49)
Hawaii	2.93	(2.02 - 4.23)	8.04	(6.39 - 10.09)	2.85	(2.07 - 3.92)
Hawaii Island	3.75	(2.19 - 6.35)	8.38	(5.67 - 12.23)	2.99	(1.91 - 4.66)
Honolulu	2.75	(1.79 - 4.21)	7.97	(6.18 - 10.22)	2.78	(1.94 - 3.97)
Kauai and Maui	3.01	(1.72 - 5.19)	8.21	(5.54 - 11.99)	3.05	(1.97 - 4.71)
Idaho	2.95	(2.11 - 4.12)	7.05	(5.65 - 8.76)	2.96	(2.25 - 3.88)
Region 1	2.87	(1.65 - 4.92)	7.47	(5.12 - 10.76)	2.95	(1.93 - 4.49)
Region 2	*	(* - *)	9.12	(6.31 - 13.01)	3.40	(2.21 - 5.18)
Region 3	2.76	(1.64 - 4.61)	6.22	(4.22 - 9.08)	2.63	(1.73 - 3.98)
Region 4	3.02	(1.82 - 4.97)	7.14	(5.13 - 9.87)	3.12	(2.13 - 4.55)
Region 5	3.16	(1.87 - 5.29)	7.51	(5.19 - 10.76)	2.97	(1.96 - 4.48)
Region 6	3.14	(1.83 - 5.36)	7.00	(4.76 - 10.18)	2.82	(1.85 - 4.26)
Region 7	2.47	(1.39 - 4.35)	5.78	(3.87 - 8.57)	2.80	(1.80 - 4.31)
Illinois	2.17	(1.76 - 2.68)	8.05	(7.19 - 9.01)	3.19	(2.68 - 3.79)
Region I (Cook)	2.21	(1.63 - 2.99)	7.24	(6.01 - 8.71)	3.68	(2.90 - 4.65)
Region II	1.87	(1.31 - 2.67)	7.76	(6.37 - 9.42)	2.91	(2.21 - 3.84)
Region III	2.56	(1.69 - 3.87)	9.66	(7.66 - 12.11)	2.89	(2.13 - 3.92)
Region IV	2.52	(1.61 - 3.94)	8.91	(6.68 - 11.80)	2.45	(1.69 - 3.54)
Region V	2.25	(1.48 - 3.43)	9.91	(7.79 - 12.52)	2.77	(1.98 - 3.88)
Indiana	2.26	(1.63 - 3.13)	7.65	(6.20 - 9.41)	2.78	(2.11 - 3.65)
Central	2.40	(1.48 - 3.86)	7.03	(5.03 - 9.73)	2.83	(1.90 - 4.19)
East	2.10	(1.18 - 3.71)	7.63	(5.19 - 11.08)	2.51	(1.63 - 3.85)
North Central	2.04	(1.18 - 3.49)	6.69	(4.52 - 9.79)	2.76	(1.84 - 4.14)
Northeast	1.98	(1.10 - 3.53)	6.90	(4.62 - 10.18)	2.73	(1.77 - 4.21)
Northwest	1.91	(1.08 - 3.37)	6.61	(4.50 - 9.62)	2.93	(1.92 - 4.44)
Southeast	2.64	(1.53 - 4.53)	7.48	(5.11 - 10.83)	2.39	(1.58 - 3.61)
Southwest	2.62	(1.49 - 4.57)	8.77	(6.05 - 12.54)	2.75	(1.78 - 4.22)
West	2.40	(1.36 - 4.22)	10.03	(7.05 - 14.08)	3.26	(2.13 - 4.98)
Iowa	2.68	(1.94 - 3.71)	8.01	(6.48 - 9.88)	2.70	(2.05 - 3.56)
Central	2.46	(1.40 - 4.26)	8.10	(5.67 - 11.46)	2.73	(1.83 - 4.07)
North Central	3.27	(1.92 - 5.50)	8.05	(5.51 - 11.62)	2.71	(1.79 - 4.09)
Northeast	2.25	(1.33 - 3.77)	8.18	(5.99 - 11.08)	2.74	(1.84 - 4.06)
Northwest	2.69	(1.57 - 4.57)	7.77	(5.28 - 11.28)	2.48	(1.61 - 3.80)
Southeast	2.79	(1.70 - 4.55)	7.74	(5.45 - 10.90)	2.94	(1.98 - 4.34)
Southwest	3.23	(1.89 - 5.47)	8.50	(5.69 - 12.51)	2.45	(1.60 - 3.72)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	2.36	(1.65 - 3.36)	7.11	(5.65 - 8.92)	2.53	(1.88 - 3.39)
Kansas City Metro	2.22	(1.33 - 3.68)	7.33	(5.36 - 9.95)	2.77	(1.86 - 4.09)
Northeast	2.79	(1.60 - 4.82)	6.64	(4.57 - 9.55)	2.50	(1.61 - 3.85)
South Central	2.42	(1.39 - 4.20)	7.13	(4.84 - 10.38)	2.20	(1.43 - 3.38)
Southeast	2.23	(1.28 - 3.86)	7.34	(5.00 - 10.65)	*	(* - *)
West	2.54	(1.44 - 4.45)	7.22	(4.81 - 10.71)	2.28	(1.48 - 3.51)
Wichita (Sedgwick)	1.97	(1.13 - 3.41)	7.10	(4.79 - 10.38)	2.65	(1.77 - 3.94)
Kentucky	1.77	(1.22 - 2.56)	5.92	(4.67 - 7.47)	2.58	(1.93 - 3.44)
Adanta, Cumberland River, And Lifeskills	1.78	(1.03 - 3.05)	5.68	(3.91 - 8.17)	2.27	(1.50 - 3.43)
Bluegrass, Comprehend, and North Key	1.73	(1.03 - 2.90)	6.10	(4.38 - 8.43)	2.88	(1.93 - 4.27)
Communicare and River Valley	1.80	(1.01 - 3.20)	5.76	(3.84 - 8.55)	2.46	(1.61 - 3.74)
Four Rivers and Pennyroyal	1.78	(1.00 - 3.15)	6.14	(4.05 - 9.20)	2.27	(1.47 - 3.49)
Kentucky River, Mountain, And Pathways	2.08	(1.18 - 3.66)	6.09	(4.08 - 9.01)	2.31	(1.49 - 3.55)
Seven Counties	1.59	(0.92 - 2.75)	5.71	(3.94 - 8.19)	2.78	(1.84 - 4.17)
Louisiana	2.29	(1.61 - 3.23)	6.93	(5.62 - 8.51)	3.27	(2.51 - 4.25)
Region 1	2.02	(1.12 - 3.61)	7.05	(4.82 - 10.20)	4.42	(2.92 - 6.64)
Regions 2 and 9	2.15	(1.30 - 3.52)	7.35	(5.30 - 10.10)	3.17	(2.19 - 4.58)
Region 3	2.88	(1.60 - 5.13)	6.45	(4.38 - 9.39)	2.99	(1.91 - 4.66)
Region 4	2.25	(1.28 - 3.91)	6.75	(4.70 - 9.61)	3.06	(2.01 - 4.64)
Regions 5 and 6	2.31	(1.33 - 3.99)	6.84	(4.70 - 9.84)	2.82	(1.86 - 4.25)
Regions 7 and 8	2.30	(1.37 - 3.86)	6.52	(4.60 - 9.14)	3.03	(2.04 - 4.46)
Region 10 (Jefferson)	2.39	(1.35 - 4.20)	7.27	(4.96 - 10.54)	3.54	(2.40 - 5.18)
Maine	2.42	(1.74 - 3.37)	7.99	(6.54 - 9.73)	2.76	(2.10 - 3.62)
Planning Region 1	2.49	(1.63 - 3.78)	8.21	(6.27 - 10.69)	2.93	(2.11 - 4.06)
Region 1 (Cumberland)	2.55	(1.49 - 4.32)	9.16	(6.57 - 12.64)	3.13	(2.09 - 4.65)
Region 2 (York)	2.41	(1.41 - 4.11)	6.70	(4.60 - 9.67)	2.66	(1.76 - 3.99)
Planning Region 2	2.39	(1.60 - 3.55)	7.66	(6.01 - 9.71)	2.66	(1.94 - 3.63)
Region 3	2.38	(1.39 - 4.05)	7.96	(5.75 - 10.94)	2.87	(1.92 - 4.28)
Region 4	2.26	(1.30 - 3.89)	7.37	(5.07 - 10.60)	2.50	(1.64 - 3.78)
Region 5	2.53	(1.44 - 4.39)	7.38	(5.02 - 10.73)	2.48	(1.62 - 3.79)
Planning Region 3	2.39	(1.54 - 3.68)	8.18	(6.17 - 10.78)	2.67	(1.87 - 3.79)
Region 6 (Penobscot)	2.38	(1.36 - 4.14)	8.25	(5.89 - 11.45)	2.86	(1.87 - 4.35)
Region 7	2.39	(1.37 - 4.15)	8.11	(5.56 - 11.70)	2.52	(1.63 - 3.88)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	1.88	(1.31 - 2.72)	6.02	(4.70 - 7.70)	3.33	(2.54 - 4.37)
Anne Arundel	2.37	(1.33 - 4.17)	6.11	(4.03 - 9.17)	2.88	(1.89 - 4.37)
Baltimore City	1.49	(0.83 - 2.65)	5.75	(3.84 - 8.52)	4.97	(3.30 - 7.41)
Central	2.18	(1.29 - 3.67)	6.54	(4.46 - 9.48)	2.97	(1.96 - 4.48)
Montgomery	1.86	(1.05 - 3.26)	6.12	(4.10 - 9.05)	2.97	(1.97 - 4.46)
Prince George's	1.28	(0.70 - 2.32)	4.80	(3.16 - 7.22)	3.90	(2.60 - 5.82)
Rural	2.00	(1.14 - 3.47)	6.44	(4.36 - 9.43)	2.92	(1.91 - 4.44)
Western	2.02	(1.13 - 3.57)	6.63	(4.50 - 9.67)	3.15	(2.05 - 4.81)
Massachusetts	2.40	(1.70 - 3.39)	8.02	(6.45 - 9.94)	3.47	(2.67 - 4.48)
Boston	2.30	(1.28 - 4.12)	7.78	(5.41 - 11.06)	4.78	(3.19 - 7.08)
Central	2.29	(1.29 - 4.03)	7.16	(4.81 - 10.54)	3.01	(1.95 - 4.61)
Metrowest	2.48	(1.49 - 4.10)	8.58	(5.95 - 12.22)	3.69	(2.55 - 5.31)
Northeast	2.00	(1.15 - 3.48)	7.34	(5.06 - 10.52)	3.10	(2.08 - 4.60)
Southeast	2.79	(1.70 - 4.55)	8.33	(5.91 - 11.61)	3.15	(2.15 - 4.59)
Western	2.45	(1.38 - 4.33)	8.71	(6.22 - 12.08)	3.38	(2.23 - 5.09)
Michigan	2.18	(1.78 - 2.67)	7.40	(6.61 - 8.28)	3.28	(2.77 - 3.89)
Bay	2.75	(1.72 - 4.38)	7.52	(5.29 - 10.59)	2.78	(1.87 - 4.11)
Detroit City	1.45	(0.88 - 2.37)	6.36	(4.71 - 8.55)	5.07	(3.59 - 7.13)
Genesee	2.01	(1.25 - 3.22)	6.91	(5.00 - 9.47)	3.25	(2.25 - 4.68)
Kalamazoo	2.72	(1.65 - 4.43)	10.72	(8.12 - 14.04)	3.56	(2.44 - 5.18)
Kent	2.13	(1.31 - 3.42)	8.00	(6.10 - 10.43)	3.82	(2.67 - 5.45)
Lakeshore	2.43	(1.56 - 3.77)	7.99	(6.01 - 10.56)	2.81	(1.99 - 3.95)
Macomb	2.04	(1.28 - 3.22)	7.17	(5.35 - 9.54)	3.26	(2.32 - 4.56)
Mid South	2.18	(1.41 - 3.34)	7.08	(5.45 - 9.16)	3.17	(2.29 - 4.36)
Northern	2.46	(1.62 - 3.73)	8.42	(6.26 - 11.23)	2.68	(1.88 - 3.83)
Oakland	2.39	(1.60 - 3.55)	7.30	(5.54 - 9.58)	2.96	(2.17 - 4.03)
Pathways	*	(* - *)	7.62	(5.42 - 10.62)	3.25	(2.19 - 4.81)
Saginaw	*	(* - *)	6.95	(4.79 - 9.98)	3.08	(2.09 - 4.52)
Southeast	2.16	(1.43 - 3.26)	6.69	(5.16 - 8.64)	3.40	(2.47 - 4.68)
St. Clair	2.05	(1.21 - 3.45)	7.12	(5.00 - 10.04)	2.60	(1.75 - 3.85)
Washtenaw	1.99	(1.21 - 3.26)	6.00	(4.26 - 8.38)	3.01	(2.08 - 4.34)
Western	2.14	(1.25 - 3.66)	7.73	(5.37 - 11.01)	2.89	(1.89 - 4.39)
Minnesota	2.32	(1.66 - 3.24)	7.92	(6.45 - 9.69)	3.00	(2.29 - 3.94)
Regions 1 and 2	2.48	(1.42 - 4.28)	8.56	(6.04 - 12.02)	2.74	(1.80 - 4.17)
Regions 3 and 4	3.07	(1.83 - 5.09)	8.56	(6.08 - 11.91)	2.93	(1.93 - 4.43)
Regions 5 and 6	2.38	(1.41 - 4.01)	9.14	(6.54 - 12.65)	2.64	(1.71 - 4.06)
Region 7A (Hennepin)	1.82	(1.04 - 3.16)	6.93	(4.78 - 9.94)	3.28	(2.21 - 4.83)
Region 7B (Ramsey)	2.09	(1.19 - 3.64)	8.26	(5.62 - 11.99)	3.80	(2.53 - 5.68)
Region 7C	2.12	(1.23 - 3.61)	6.73	(4.65 - 9.64)	2.83	(1.88 - 4.25)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	1.38	(0.89 - 2.13)	4.66	(3.54 - 6.11)	3.14	(2.34 - 4.20)
Region 1	1.57	(0.85 - 2.89)	4.59	(3.01 - 6.94)	2.58	(1.66 - 3.99)
Region 2	1.09	(0.58 - 2.04)	4.04	(2.62 - 6.19)	3.89	(2.48 - 6.04)
Region 3	1.42	(0.77 - 2.62)	5.05	(3.30 - 7.64)	2.88	(1.86 - 4.45)
Region 4	1.20	(0.65 - 2.21)	4.38	(2.89 - 6.58)	3.78	(2.49 - 5.69)
Region 5	*	(* - *)	5.19	(3.31 - 8.04)	3.07	(1.93 - 4.87)
Region 6	1.40	(0.74 - 2.64)	4.78	(3.12 - 7.25)	2.94	(1.91 - 4.49)
Region 7	1.56	(0.83 - 2.89)	4.98	(3.26 - 7.55)	2.91	(1.90 - 4.43)
Missouri	1.99	(1.39 - 2.84)	7.22	(5.82 - 8.91)	2.98	(2.28 - 3.89)
Central	2.07	(1.19 - 3.58)	6.95	(4.81 - 9.94)	2.87	(1.93 - 4.26)
Eastern	1.74	(1.10 - 2.75)	7.38	(5.53 - 9.78)	3.33	(2.37 - 4.67)
Eastern (St. Louis City and County)	1.60	(0.92 - 2.80)	7.81	(5.51 - 10.97)	3.70	(2.49 - 5.46)
Eastern (excluding St. Louis)	2.00	(1.12 - 3.54)	6.47	(4.37 - 9.48)	2.58	(1.70 - 3.89)
Northwest	2.14	(1.34 - 3.41)	7.31	(5.42 - 9.79)	3.03	(2.17 - 4.20)
Northwest (Jackson)	1.97	(1.09 - 3.55)	7.38	(5.14 - 10.49)	3.41	(2.28 - 5.08)
Northwest (excluding Jackson)	2.29	(1.30 - 4.00)	7.25	(4.86 - 10.67)	2.68	(1.77 - 4.04)
Southeast	2.10	(1.19 - 3.68)	6.92	(4.56 - 10.39)	2.54	(1.70 - 3.78)
Southwest	2.20	(1.26 - 3.80)	7.19	(5.16 - 9.95)	2.53	(1.70 - 3.76)
Montana	4.23	(3.09 - 5.75)	9.67	(7.98 - 11.67)	3.17	(2.35 - 4.27)
Region 1	4.51	(2.67 - 7.52)	9.46	(6.35 - 13.87)	2.87	(1.83 - 4.50)
Region 2	4.54	(2.77 - 7.35)	8.82	(6.18 - 12.44)	2.99	(1.91 - 4.66)
Region 3	3.58	(2.15 - 5.90)	9.05	(6.51 - 12.44)	2.93	(1.95 - 4.38)
Region 4	3.97	(2.52 - 6.20)	8.75	(6.52 - 11.65)	3.18	(2.15 - 4.67)
Region 5	4.61	(2.94 - 7.15)	11.33	(8.60 - 14.80)	3.51	(2.31 - 5.28)
Nebraska	2.53	(1.78 - 3.59)	8.67	(7.01 - 10.68)	3.11	(2.32 - 4.15)
Regions 1 and 2	2.85	(1.60 - 5.04)	8.53	(5.85 - 12.29)	2.44	(1.60 - 3.69)
Region 3	2.71	(1.53 - 4.76)	7.66	(5.14 - 11.27)	2.60	(1.71 - 3.94)
Region 4	2.89	(1.69 - 4.88)	7.49	(5.03 - 11.00)	2.66	(1.72 - 4.11)
Region 5	2.80	(1.69 - 4.60)	9.02	(6.70 - 12.05)	3.41	(2.26 - 5.12)
Region 6	2.09	(1.26 - 3.44)	9.10	(6.67 - 12.30)	3.45	(2.35 - 5.02)
Nevada	2.27	(1.53 - 3.36)	7.65	(6.06 - 9.62)	3.11	(2.29 - 4.22)
Clark	2.09	(1.29 - 3.38)	7.40	(5.63 - 9.67)	3.20	(2.26 - 4.50)
Rural	2.18	(1.27 - 3.71)	7.84	(5.44 - 11.17)	2.43	(1.58 - 3.72)
Washoe	3.09	(1.79 - 5.27)	8.55	(6.02 - 12.00)	3.33	(2.21 - 5.00)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	2.24	(1.58 - 3.17)	8.00	(6.43 - 9.93)	2.96	(2.23 - 3.92)
Central	2.35	(1.51 - 3.63)	7.88	(5.99 - 10.29)	2.86	(2.04 - 3.99)
Central 1	2.55	(1.49 - 4.33)	7.88	(5.66 - 10.86)	3.10	(2.07 - 4.61)
Central 2	2.15	(1.23 - 3.73)	7.88	(5.47 - 11.22)	2.64	(1.73 - 4.00)
Northern	2.24	(1.29 - 3.86)	7.94	(5.49 - 11.36)	2.92	(1.90 - 4.47)
Southern	2.18	(1.46 - 3.26)	8.09	(6.19 - 10.50)	3.02	(2.18 - 4.15)
Southern 1 (Rockingham)	2.11	(1.25 - 3.55)	8.24	(5.65 - 11.88)	2.93	(1.93 - 4.44)
Southern 2	2.23	(1.37 - 3.60)	8.01	(5.87 - 10.84)	3.07	(2.12 - 4.42)
New Jersey	1.84	(1.24 - 2.74)	6.08	(4.75 - 7.76)	2.51	(1.83 - 3.44)
Central	2.04	(1.18 - 3.52)	7.23	(5.04 - 10.27)	2.26	(1.49 - 3.41)
Metropolitan	1.77	(1.01 - 3.10)	5.64	(3.87 - 8.16)	2.77	(1.81 - 4.21)
Northern	1.71	(0.98 - 2.98)	5.56	(3.85 - 7.98)	2.42	(1.58 - 3.70)
Southern	1.89	(1.07 - 3.33)	6.29	(4.39 - 8.92)	2.64	(1.71 - 4.06)
New Mexico	2.78	(1.90 - 4.05)	9.80	(7.85 - 12.17)	3.45	(2.55 - 4.64)
Region 1	2.66	(1.54 - 4.57)	7.81	(5.42 - 11.13)	3.21	(2.08 - 4.92)
Region 2	2.58	(1.42 - 4.66)	10.32	(7.00 - 14.96)	3.62	(2.35 - 5.53)
Region 3 (Bernalillo)	3.29	(2.00 - 5.38)	10.54	(7.78 - 14.14)	3.79	(2.59 - 5.52)
Region 4	2.66	(1.48 - 4.74)	9.89	(6.93 - 13.92)	3.13	(2.02 - 4.82)
Region 5	2.48	(1.40 - 4.36)	10.06	(7.23 - 13.83)	3.21	(2.12 - 4.84)
New York	2.04	(1.61 - 2.59)	6.48	(5.68 - 7.39)	3.11	(2.59 - 3.74)
Region A	1.90	(1.39 - 2.60)	5.60	(4.62 - 6.78)	3.61	(2.88 - 4.51)
Region 1	2.26	(1.36 - 3.75)	5.47	(3.78 - 7.85)	3.42	(2.34 - 4.99)
Region 2	1.68	(1.05 - 2.69)	5.42	(4.01 - 7.29)	3.60	(2.57 - 5.04)
Region 3	2.35	(1.35 - 4.06)	7.48	(5.40 - 10.27)	4.88	(3.46 - 6.85)
Region 4	1.72	(1.03 - 2.85)	4.58	(3.29 - 6.36)	2.79	(1.92 - 4.02)
Region B	2.02	(1.44 - 2.84)	5.95	(4.71 - 7.49)	2.65	(2.01 - 3.48)
Region 5	1.86	(1.20 - 2.86)	5.40	(3.99 - 7.26)	2.39	(1.70 - 3.37)
Region 6	2.38	(1.46 - 3.84)	7.14	(5.13 - 9.85)	3.18	(2.19 - 4.58)
Region C	2.24	(1.70 - 2.96)	7.90	(6.77 - 9.21)	2.82	(2.25 - 3.52)
Region 7	2.15	(1.32 - 3.49)	8.09	(5.80 - 11.16)	2.87	(1.97 - 4.17)
Region 8	2.14	(1.31 - 3.46)	7.89	(5.84 - 10.58)	2.88	(2.00 - 4.14)
Region 9	2.54	(1.54 - 4.14)	9.24	(6.82 - 12.40)	2.82	(1.89 - 4.18)
Region 10	2.51	(1.49 - 4.19)	6.84	(4.80 - 9.64)	2.69	(1.82 - 3.97)
Region 11	2.08	(1.31 - 3.28)	7.26	(5.41 - 9.69)	2.78	(1.92 - 4.01)
Region 12	2.19	(1.37 - 3.48)	7.77	(5.82 - 10.30)	2.81	(1.94 - 4.04)
Region D	2.07	(1.45 - 2.94)	7.64	(6.09 - 9.53)	2.79	(2.11 - 3.68)
Region 13	2.07	(1.23 - 3.45)	7.41	(5.20 - 10.47)	2.93	(1.93 - 4.43)
Region 14	2.10	(1.25 - 3.51)	7.86	(5.53 - 11.06)	2.96	(1.99 - 4.39)
Region 15	2.03	(1.22 - 3.36)	7.58	(5.44 - 10.48)	2.51	(1.70 - 3.70)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	1.76	(1.20 - 2.58)	5.82	(4.58 - 7.37)	2.72	(2.01 - 3.66)
Eastern	1.66	(0.95 - 2.88)	5.47	(3.84 - 7.76)	2.91	(1.91 - 4.42)
North Central	1.79	(1.03 - 3.09)	5.80	(3.99 - 8.37)	2.71	(1.77 - 4.13)
South Central	1.64	(0.91 - 2.93)	5.80	(3.96 - 8.40)	2.69	(1.76 - 4.08)
Western	1.89	(1.14 - 3.14)	6.10	(4.31 - 8.56)	2.63	(1.78 - 3.85)
North Dakota	3.16	(2.30 - 4.32)	8.80	(7.15 - 10.79)	3.03	(2.30 - 3.97)
Badlands and West Central Lake Region and South Central	3.23	(2.03 - 5.11)	9.08	(6.52 - 12.49)	2.83	(1.89 - 4.21)
North Central and Northwest	2.92	(1.77 - 4.77)	8.23	(5.51 - 12.11)	2.54	(1.68 - 3.80)
Northeast	3.07	(1.87 - 5.01)	8.42	(5.94 - 11.80)	2.82	(1.88 - 4.21)
Southeast	3.23	(1.91 - 5.39)	9.89	(7.16 - 13.52)	3.34	(2.21 - 5.01)
Ohio	3.27	(1.99 - 5.33)	8.39	(6.21 - 11.26)	3.55	(2.45 - 5.12)
Boards 2, 46, 55, and 68	1.75	(1.39 - 2.20)	7.56	(6.73 - 8.48)	2.74	(2.27 - 3.31)
Boards 3, 52, and 85	1.70	(1.00 - 2.89)	6.70	(4.87 - 9.14)	2.22	(1.50 - 3.29)
Boards 4 and 78	1.76	(1.02 - 3.02)	6.30	(4.39 - 8.97)	2.22	(1.49 - 3.29)
Boards 5 and 60	1.91	(1.13 - 3.20)	7.52	(5.40 - 10.37)	2.58	(1.77 - 3.76)
Boards 7, 15, 41, 79, and 84	1.96	(1.14 - 3.36)	8.21	(5.87 - 11.37)	2.52	(1.73 - 3.67)
Boards 8, 13, and 83	2.22	(1.34 - 3.67)	7.77	(5.52 - 10.83)	2.53	(1.72 - 3.71)
Board 9 (Butler)	1.81	(1.08 - 3.02)	6.56	(4.55 - 9.38)	2.26	(1.54 - 3.31)
Board 12	2.24	(1.36 - 3.66)	8.40	(6.04 - 11.56)	2.42	(1.63 - 3.58)
Boards 18 and 47	1.82	(1.08 - 3.07)	7.44	(5.37 - 10.21)	2.78	(1.92 - 4.02)
Boards 20, 32, 54, and 69	1.44	(0.91 - 2.26)	7.98	(6.10 - 10.38)	2.97	(2.12 - 4.14)
Boards 21, 39, 51, 70, and 80	2.13	(1.29 - 3.50)	7.36	(5.20 - 10.33)	2.36	(1.60 - 3.48)
Boards 22, 74, and 87	1.70	(1.01 - 2.85)	7.07	(5.11 - 9.70)	2.51	(1.68 - 3.73)
Boards 23 and 45	1.82	(1.08 - 3.04)	7.06	(5.06 - 9.78)	2.59	(1.74 - 3.85)
Board 25 (Franklin)	1.81	(1.08 - 3.03)	6.89	(4.75 - 9.89)	2.40	(1.63 - 3.52)
Boards 27, 71, and 73	1.85	(1.17 - 2.94)	8.48	(6.53 - 10.94)	3.29	(2.37 - 4.53)
Boards 28, 43, and 67	2.01	(1.22 - 3.32)	6.81	(4.83 - 9.52)	2.44	(1.67 - 3.56)
Board 31 (Hamilton)	1.78	(1.07 - 2.94)	8.48	(6.25 - 11.40)	2.93	(1.99 - 4.29)
Board 48 (Lucas)	1.24	(0.73 - 2.10)	6.51	(4.79 - 8.80)	2.96	(2.04 - 4.28)
Board 50 and 76	1.65	(1.01 - 2.69)	7.63	(5.59 - 10.33)	2.95	(2.03 - 4.26)
Board 57 (Montgomery)	1.99	(1.21 - 3.23)	7.73	(5.62 - 10.54)	2.83	(1.93 - 4.12)
Board 77 (Summit)	1.63	(0.98 - 2.71)	7.58	(5.45 - 10.46)	2.87	(1.97 - 4.16)
Oklahoma	1.62	(0.99 - 2.66)	7.90	(5.79 - 10.70)	2.93	(1.99 - 4.28)
Central	2.33	(1.64 - 3.30)	7.03	(5.59 - 8.81)	2.64	(1.97 - 3.51)
East Central	2.24	(1.26 - 3.95)	6.80	(4.62 - 9.91)	2.58	(1.66 - 3.99)
Northeast	2.13	(1.20 - 3.76)	6.18	(4.11 - 9.21)	2.13	(1.40 - 3.24)
Northwest and Southwest	2.34	(1.36 - 4.00)	7.09	(4.85 - 10.25)	2.19	(1.44 - 3.32)
Oklahoma County	2.53	(1.50 - 4.23)	7.66	(5.17 - 11.21)	2.40	(1.56 - 3.67)
Southeast	2.12	(1.20 - 3.74)	6.90	(4.74 - 9.95)	3.35	(2.23 - 5.00)
Tulsa County	2.51	(1.46 - 4.30)	7.42	(5.12 - 10.64)	2.23	(1.43 - 3.47)
	2.43	(1.40 - 4.18)	6.97	(4.85 - 9.91)	3.16	(2.10 - 4.73)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	2.24	(1.58 - 3.19)	7.89	(6.43 - 9.65)	3.07	(2.36 - 3.99)
Region 1 (Multnomah)	2.34	(1.33 - 4.09)	8.63	(6.28 - 11.74)	3.89	(2.72 - 5.55)
Region 2	1.94	(1.14 - 3.31)	7.44	(5.36 - 10.24)	3.31	(2.29 - 4.78)
Region 3	2.31	(1.41 - 3.76)	7.78	(5.71 - 10.51)	2.92	(1.98 - 4.27)
Region 4	2.02	(1.17 - 3.46)	8.00	(5.59 - 11.31)	2.29	(1.50 - 3.47)
Region 5	2.78	(1.58 - 4.83)	7.62	(5.05 - 11.33)	2.62	(1.72 - 3.97)
Pennsylvania	1.94	(1.55 - 2.41)	7.18	(6.37 - 8.08)	2.53	(2.10 - 3.04)
Region 1 (Allegheny)	2.05	(1.31 - 3.21)	8.28	(6.29 - 10.82)	2.80	(1.97 - 3.96)
Regions 2, 3, 8, and 9	1.77	(1.06 - 2.96)	6.69	(4.83 - 9.21)	2.24	(1.51 - 3.30)
Regions 4, 11, 42, and 48	1.91	(1.19 - 3.04)	7.42	(5.42 - 10.08)	2.21	(1.54 - 3.16)
Regions 5, 20, 26, 28, and 40	2.05	(1.28 - 3.26)	6.44	(4.75 - 8.69)	2.18	(1.50 - 3.15)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	2.14	(1.33 - 3.43)	8.67	(6.67 - 11.21)	2.45	(1.72 - 3.50)
Regions 7, 13, 22, and 37	2.36	(1.61 - 3.43)	6.97	(5.43 - 8.90)	2.48	(1.78 - 3.46)
Regions 10, 14, 15, 25, 31, 36, and 46	1.98	(1.24 - 3.15)	7.17	(5.23 - 9.77)	2.27	(1.58 - 3.25)
Regions 17, 24, 27, 43, and 47	1.74	(1.05 - 2.86)	6.74	(4.77 - 9.44)	2.12	(1.45 - 3.10)
Region 18 (Philadelphia)	1.60	(1.02 - 2.52)	6.75	(5.20 - 8.71)	3.49	(2.48 - 4.88)
Regions 19 and 23	2.08	(1.24 - 3.46)	7.50	(5.32 - 10.47)	2.59	(1.73 - 3.85)
Regions 21, 30, 32, and 49	1.53	(0.95 - 2.47)	6.75	(5.08 - 8.91)	2.35	(1.69 - 3.25)
Regions 29 and 34	2.06	(1.24 - 3.40)	7.66	(5.51 - 10.54)	2.61	(1.77 - 3.82)
Regions 33 and 38	1.67	(1.00 - 2.78)	6.45	(4.53 - 9.09)	2.25	(1.53 - 3.30)
Rhode Island	2.23	(1.46 - 3.41)	10.19	(8.20 - 12.59)	3.37	(2.47 - 4.57)
Bristol and Newport	2.31	(1.31 - 4.02)	11.25	(7.74 - 16.05)	3.20	(2.06 - 4.92)
Kent	1.97	(1.06 - 3.65)	8.95	(6.17 - 12.81)	2.93	(1.91 - 4.49)
Providence	2.35	(1.43 - 3.86)	10.03	(7.70 - 12.97)	3.59	(2.49 - 5.13)
Washington	1.88	(1.01 - 3.45)	11.26	(7.88 - 15.86)	3.08	(1.98 - 4.74)
South Carolina	2.14	(1.49 - 3.06)	7.36	(5.85 - 9.22)	3.26	(2.46 - 4.31)
Region 1	2.44	(1.46 - 4.05)	7.81	(5.61 - 10.78)	2.95	(1.97 - 4.42)
Region 2	1.86	(1.12 - 3.08)	7.39	(5.40 - 10.04)	3.37	(2.36 - 4.80)
Region 3	1.74	(0.99 - 3.04)	5.79	(3.82 - 8.70)	3.32	(2.16 - 5.05)
Region 4	2.42	(1.40 - 4.13)	7.87	(5.51 - 11.13)	3.42	(2.28 - 5.09)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	4.05	(2.94 - 5.56)	9.12	(7.47 - 11.09)	3.95	(2.93 - 5.29)
Eastern Planning Area	3.75	(2.66 - 5.27)	9.10	(7.32 - 11.25)	3.84	(2.82 - 5.19)
Region 3 (Minnehaha)	3.69	(2.24 - 6.02)	8.93	(6.52 - 12.11)	4.25	(2.89 - 6.22)
Region 4	3.62	(2.15 - 6.03)	9.03	(6.20 - 12.98)	3.78	(2.48 - 5.72)
Region 5	3.86	(2.30 - 6.41)	10.33	(7.21 - 14.58)	3.64	(2.32 - 5.68)
Region 6	3.58	(2.11 - 6.00)	8.11	(5.48 - 11.83)	3.25	(2.10 - 4.99)
Region 7	4.06	(2.35 - 6.95)	9.21	(6.48 - 12.94)	4.03	(2.60 - 6.17)
Western Planning Area	4.67	(3.04 - 7.12)	9.18	(7.00 - 11.94)	4.21	(2.92 - 6.03)
Region 1 (Pennington)	3.46	(1.94 - 6.09)	9.67	(6.95 - 13.29)	4.00	(2.64 - 6.01)
Region 2	5.35	(3.21 - 8.78)	8.83	(6.10 - 12.63)	4.35	(2.81 - 6.70)
Tennessee	1.76	(1.19 - 2.62)	5.60	(4.26 - 7.33)	2.52	(1.84 - 3.45)
Region 1	*	(* - *)	6.03	(3.92 - 9.16)	2.15	(1.35 - 3.40)
Region 2	1.94	(1.08 - 3.45)	6.11	(4.00 - 9.23)	2.39	(1.54 - 3.68)
Region 3	1.60	(0.89 - 2.85)	5.38	(3.54 - 8.10)	2.19	(1.43 - 3.34)
Region 4 (Davidson)	1.40	(0.76 - 2.57)	6.06	(4.07 - 8.93)	3.35	(2.15 - 5.17)
Region 5	2.20	(1.25 - 3.85)	5.67	(3.79 - 8.42)	2.21	(1.43 - 3.41)
Region 6	2.08	(1.17 - 3.69)	6.25	(4.10 - 9.42)	2.48	(1.55 - 3.95)
Region 7 (Shelby)	1.10	(0.59 - 2.04)	4.19	(2.69 - 6.45)	3.21	(2.02 - 5.06)
Texas	1.85	(1.47 - 2.33)	6.36	(5.60 - 7.21)	2.59	(2.15 - 3.13)
Region 1	2.84	(1.67 - 4.80)	8.58	(6.28 - 11.63)	2.47	(1.66 - 3.67)
Region 2	1.96	(1.16 - 3.30)	7.50	(5.19 - 10.71)	2.29	(1.57 - 3.33)
Region 3	1.58	(1.12 - 2.24)	5.78	(4.69 - 7.10)	2.60	(2.03 - 3.32)
Region 3a	1.57	(1.01 - 2.44)	5.38	(4.10 - 7.03)	2.45	(1.77 - 3.36)
Region 3bc	1.60	(0.99 - 2.58)	6.53	(4.84 - 8.76)	2.86	(2.05 - 3.97)
Region 4	1.92	(1.16 - 3.17)	5.98	(4.10 - 8.64)	2.01	(1.34 - 2.99)
Region 5	2.22	(1.31 - 3.71)	6.34	(4.36 - 9.14)	2.23	(1.49 - 3.32)
Region 6	1.63	(1.12 - 2.35)	5.84	(4.71 - 7.22)	2.83	(2.14 - 3.72)
Region 6a	1.56	(1.04 - 2.35)	5.69	(4.49 - 7.19)	2.87	(2.13 - 3.85)
Region 6bc	2.16	(1.26 - 3.65)	7.25	(5.10 - 10.22)	2.51	(1.71 - 3.67)
Region 7	1.95	(1.33 - 2.86)	7.85	(6.34 - 9.67)	3.04	(2.26 - 4.08)
Region 7a	1.95	(1.17 - 3.25)	8.70	(6.59 - 11.40)	3.16	(2.19 - 4.53)
Region 7bcd	1.95	(1.21 - 3.12)	6.72	(4.94 - 9.07)	2.86	(1.99 - 4.10)
Region 8	1.94	(1.20 - 3.15)	6.23	(4.53 - 8.52)	2.41	(1.68 - 3.44)
Region 9	2.20	(1.31 - 3.65)	7.20	(4.99 - 10.29)	2.17	(1.46 - 3.20)
Region 10	2.14	(1.29 - 3.52)	6.59	(4.60 - 9.35)	2.57	(1.74 - 3.77)
Region 11	2.14	(1.45 - 3.15)	5.78	(4.37 - 7.60)	2.35	(1.71 - 3.23)
Region 11abd	2.16	(1.35 - 3.43)	6.15	(4.39 - 8.55)	2.44	(1.67 - 3.54)
Region 11c (Hidalgo)	2.11	(1.25 - 3.56)	5.10	(3.43 - 7.53)	2.17	(1.45 - 3.26)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	1.78	(1.19 - 2.64)	5.26	(4.12 - 6.70)	2.93	(2.20 - 3.90)
Bear River, Northeastern, Summit, Tooele, and Wasatch	1.73	(0.95 - 3.15)	5.00	(3.33 - 7.44)	2.69	(1.77 - 4.06)
Central, Four Corners, San Juan, and Southwest	1.67	(0.90 - 3.07)	5.61	(3.61 - 8.62)	2.25	(1.45 - 3.48)
Davis County	1.82	(1.01 - 3.26)	5.66	(3.75 - 8.45)	2.64	(1.73 - 4.00)
Salt Lake County	1.90	(1.14 - 3.16)	5.56	(3.99 - 7.71)	3.37	(2.34 - 4.84)
Utah County	1.47	(0.80 - 2.70)	4.30	(2.89 - 6.35)	2.79	(1.82 - 4.27)
Weber, Morgan	2.07	(1.14 - 3.75)	6.08	(4.02 - 9.11)	2.70	(1.76 - 4.12)
Vermont	2.67	(1.94 - 3.67)	7.32	(5.87 - 9.09)	2.89	(2.15 - 3.86)
Champlain Valley	2.74	(1.74 - 4.29)	7.26	(5.43 - 9.66)	2.94	(2.02 - 4.28)
Rural Northeast	2.65	(1.65 - 4.21)	7.39	(5.20 - 10.41)	3.12	(2.07 - 4.68)
Rural Southeast	2.36	(1.41 - 3.94)	6.66	(4.55 - 9.64)	2.62	(1.71 - 4.00)
Rural Southwest	2.97	(1.79 - 4.87)	8.17	(5.69 - 11.59)	2.79	(1.82 - 4.26)
Virginia	2.34	(1.66 - 3.28)	7.31	(5.91 - 9.00)	2.98	(2.24 - 3.94)
Region 1	2.50	(1.44 - 4.30)	8.38	(5.93 - 11.71)	2.81	(1.84 - 4.28)
Region 2	2.96	(1.80 - 4.83)	6.89	(4.80 - 9.81)	3.44	(2.30 - 5.12)
Region 3	2.85	(1.68 - 4.80)	9.39	(6.64 - 13.11)	2.51	(1.64 - 3.81)
Region 4	1.85	(1.07 - 3.18)	7.11	(5.08 - 9.85)	2.95	(1.97 - 4.42)
Region 5	1.61	(0.89 - 2.87)	5.72	(3.99 - 8.12)	2.96	(1.96 - 4.43)
Washington	2.00	(1.38 - 2.89)	8.03	(6.45 - 9.97)	2.79	(2.09 - 3.73)
Region 1	2.24	(1.27 - 3.91)	9.28	(6.48 - 13.12)	2.57	(1.66 - 3.96)
Region 2	1.89	(1.03 - 3.44)	7.07	(4.60 - 10.72)	2.51	(1.63 - 3.86)
Region 3	2.02	(1.17 - 3.45)	8.96	(6.21 - 12.78)	2.68	(1.75 - 4.08)
Region 4 (King)	1.78	(1.04 - 3.05)	7.13	(5.10 - 9.89)	3.06	(2.08 - 4.49)
Region 5	2.07	(1.17 - 3.61)	7.89	(5.49 - 11.20)	2.82	(1.83 - 4.31)
Region 6	2.12	(1.24 - 3.60)	8.41	(5.97 - 11.74)	2.70	(1.75 - 4.14)
West Virginia	2.44	(1.73 - 3.43)	6.93	(5.58 - 8.59)	2.59	(1.96 - 3.41)
Eastern Highland	2.40	(1.40 - 4.08)	6.35	(4.42 - 9.05)	2.39	(1.60 - 3.56)
Northern	2.56	(1.62 - 4.02)	8.29	(6.19 - 11.00)	2.81	(1.97 - 4.00)
Northern A and B	2.64	(1.53 - 4.54)	6.89	(4.65 - 10.09)	2.58	(1.67 - 3.96)
Northern C and D	2.51	(1.43 - 4.38)	8.81	(6.28 - 12.21)	2.94	(1.94 - 4.43)
South Central	2.41	(1.61 - 3.59)	6.41	(4.83 - 8.47)	2.48	(1.79 - 3.43)
South Central I	2.64	(1.53 - 4.50)	6.66	(4.46 - 9.82)	2.39	(1.55 - 3.68)
South Central II	2.26	(1.27 - 3.97)	6.83	(4.61 - 10.00)	2.46	(1.59 - 3.79)
South Central III	2.37	(1.37 - 4.08)	5.93	(3.97 - 8.77)	2.55	(1.67 - 3.87)
Southern	2.35	(1.48 - 3.72)	6.42	(4.67 - 8.75)	2.72	(1.89 - 3.89)
Southern I and III	2.42	(1.40 - 4.14)	6.37	(4.34 - 9.25)	2.81	(1.85 - 4.24)
Southern II	2.23	(1.26 - 3.94)	6.51	(4.35 - 9.63)	*	(* - *)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	2.44	(1.72 - 3.45)	8.88	(7.23 - 10.86)	3.72	(2.83 - 4.87)
Milwaukee	1.90	(1.09 - 3.29)	8.60	(5.97 - 12.25)	4.51	(3.04 - 6.62)
Northeastern	2.33	(1.39 - 3.88)	9.34	(6.72 - 12.83)	3.69	(2.47 - 5.48)
Northern	2.69	(1.53 - 4.70)	9.27	(6.29 - 13.45)	3.23	(2.11 - 4.91)
Southeastern	2.89	(1.73 - 4.79)	8.20	(5.77 - 11.52)	3.38	(2.26 - 5.02)
Southern	2.42	(1.40 - 4.13)	8.97	(6.53 - 12.21)	3.92	(2.70 - 5.65)
Western	2.51	(1.43 - 4.37)	9.02	(6.45 - 12.49)	3.38	(2.25 - 5.05)
Wyoming	2.66	(1.93 - 3.65)	7.71	(6.14 - 9.65)	3.01	(2.27 - 3.99)
Judicial District 1 (Laramie)	2.32	(1.34 - 4.00)	7.18	(4.87 - 10.47)	3.00	(1.99 - 4.49)
Judicial District 2	2.64	(1.49 - 4.63)	7.91	(5.51 - 11.22)	3.88	(2.53 - 5.90)
Judicial District 3	2.90	(1.74 - 4.78)	7.96	(5.48 - 11.42)	2.88	(1.87 - 4.42)
Judicial District 4	2.86	(1.65 - 4.89)	8.86	(5.95 - 12.99)	2.70	(1.71 - 4.24)
Judicial District 5	2.58	(1.52 - 4.35)	7.70	(5.08 - 11.50)	2.67	(1.72 - 4.13)
Judicial District 6	3.06	(1.80 - 5.16)	8.02	(5.44 - 11.66)	2.99	(1.93 - 4.58)
Judicial District 7 (Natrona)	2.71	(1.59 - 4.59)	7.36	(4.96 - 10.78)	2.90	(1.88 - 4.44)
Judicial District 8	2.34	(1.35 - 4.02)	8.05	(5.44 - 11.75)	2.50	(1.60 - 3.88)
Judicial District 9	2.48	(1.42 - 4.30)	7.32	(4.95 - 10.71)	3.49	(2.30 - 5.27)

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 16. Any Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	2.95		5.42		1.20	
Alabama	2.95	(2.17 - 4.01)	4.92	(3.77 - 6.40)	1.12	(0.76 - 1.63)
Region 1	4.11	(2.55 - 6.56)	5.41	(3.56 - 8.13)	1.02	(0.59 - 1.74)
Region 2	2.62	(1.65 - 4.14)	5.28	(3.66 - 7.56)	1.23	(0.74 - 2.02)
Region 3	2.25	(1.36 - 3.70)	4.08	(2.64 - 6.26)	1.23	(0.69 - 2.16)
Region 4	2.65	(1.70 - 4.12)	4.62	(3.10 - 6.83)	0.99	(0.59 - 1.67)
Alaska	3.22	(2.37 - 4.36)	6.11	(4.74 - 7.85)	1.33	(0.89 - 1.98)
Gulf Coast	3.26	(1.99 - 5.28)	6.33	(4.14 - 9.54)	1.14	(0.66 - 1.98)
Rural	1.98	(1.12 - 3.47)	3.59	(2.19 - 5.82)	*	(* - *)
Southeast	3.29	(2.00 - 5.37)	7.60	(4.94 - 11.53)	1.24	(0.70 - 2.19)
Urban	3.44	(2.37 - 4.97)	6.33	(4.71 - 8.45)	1.41	(0.90 - 2.20)
Arizona	3.96	(2.93 - 5.34)	5.74	(4.40 - 7.46)	0.98	(0.63 - 1.50)
Maricopa	3.72	(2.56 - 5.38)	5.53	(4.01 - 7.58)	0.97	(0.58 - 1.60)
Pima	4.24	(2.52 - 7.05)	5.95	(3.94 - 8.91)	1.04	(0.59 - 1.83)
Rural North	3.98	(2.46 - 6.39)	6.50	(4.15 - 10.04)	0.91	(0.50 - 1.66)
Rural South	4.74	(2.81 - 7.91)	5.89	(3.74 - 9.16)	*	(* - *)
Arkansas	3.02	(2.29 - 3.99)	6.02	(4.59 - 7.85)	1.31	(0.90 - 1.91)
Areas 1 and 5	2.83	(1.74 - 4.56)	6.50	(4.31 - 9.71)	1.23	(0.73 - 2.07)
Areas 2 and 3	3.79	(2.31 - 6.15)	5.83	(3.72 - 9.01)	1.08	(0.61 - 1.89)
Areas 4 and 7	3.61	(2.26 - 5.73)	6.14	(4.00 - 9.31)	1.51	(0.88 - 2.58)
Area 6	2.96	(1.75 - 4.97)	5.13	(3.30 - 7.91)	*	(* - *)
Areas 8 and 12	3.04	(1.85 - 4.95)	6.59	(4.34 - 9.89)	1.42	(0.83 - 2.45)
Area 9	2.59	(1.61 - 4.16)	6.03	(3.88 - 9.24)	1.47	(0.84 - 2.55)
Areas 10, 11, and 13	2.62	(1.58 - 4.31)	5.19	(3.44 - 7.75)	1.27	(0.73 - 2.20)
California	3.07	(2.58 - 3.65)	5.73	(4.97 - 6.59)	1.24	(0.96 - 1.60)
Region 1	3.97	(2.55 - 6.12)	7.21	(4.89 - 10.52)	1.29	(0.78 - 2.13)
Region 2	3.33	(2.30 - 4.79)	6.58	(4.83 - 8.90)	1.28	(0.80 - 2.02)
Region 3	3.27	(2.12 - 5.00)	6.11	(4.26 - 8.69)	1.15	(0.72 - 1.83)
Region 4	2.66	(1.69 - 4.16)	6.75	(4.66 - 9.69)	1.35	(0.84 - 2.15)
Region 5	3.36	(2.23 - 5.05)	7.06	(5.18 - 9.57)	1.23	(0.78 - 1.92)
Region 6 (Santa Clara)	2.99	(1.88 - 4.73)	6.72	(4.72 - 9.49)	1.18	(0.73 - 1.93)
Region 7	3.55	(2.18 - 5.73)	5.76	(3.85 - 8.53)	*	(* - *)
Region 8	3.05	(1.97 - 4.71)	5.12	(3.54 - 7.34)	1.32	(0.80 - 2.16)
Region 9	2.85	(1.75 - 4.59)	5.66	(3.75 - 8.45)	*	(* - *)
Region 10	3.67	(2.31 - 5.78)	7.07	(4.86 - 10.18)	1.26	(0.77 - 2.06)
Region 11 (Los Angeles)	2.81	(2.05 - 3.83)	4.87	(3.79 - 6.23)	1.29	(0.89 - 1.89)
Region 12	2.76	(1.79 - 4.24)	4.45	(3.04 - 6.48)	1.10	(0.67 - 1.79)
Region 13 (Riverside)	3.58	(2.29 - 5.56)	5.46	(3.72 - 7.96)	1.06	(0.64 - 1.74)
Region 14 (Orange)	2.79	(1.81 - 4.28)	5.81	(4.21 - 7.97)	1.12	(0.70 - 1.80)
Region 15	3.17	(2.08 - 4.81)	5.78	(4.16 - 7.98)	1.22	(0.78 - 1.92)

See notes at end of table.

(continued)

Table 16. Any Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	3.06	(2.28 - 4.09)	6.17	(4.81 - 7.87)	1.29	(0.87 - 1.91)
Region 1	2.85	(1.76 - 4.59)	5.69	(3.77 - 8.51)	1.13	(0.66 - 1.93)
Regions 2 and 7	3.21	(2.18 - 4.69)	6.46	(4.77 - 8.69)	1.35	(0.84 - 2.17)
Region 3	3.03	(1.82 - 4.99)	6.14	(4.03 - 9.25)	1.31	(0.77 - 2.23)
Region 4	3.08	(1.81 - 5.18)	5.89	(3.65 - 9.37)	*	(* - *)
Regions 5 and 6	2.61	(1.54 - 4.40)	5.52	(3.45 - 8.72)	1.14	(0.65 - 1.98)
Connecticut	2.95	(2.18 - 3.98)	6.24	(4.86 - 7.98)	1.17	(0.79 - 1.74)
Eastern	3.23	(1.97 - 5.25)	5.99	(3.88 - 9.13)	1.17	(0.67 - 2.07)
North Central	2.99	(1.89 - 4.70)	5.61	(3.95 - 7.90)	1.24	(0.73 - 2.13)
Northwestern	3.00	(1.85 - 4.81)	7.17	(4.84 - 10.51)	1.13	(0.67 - 1.90)
South Central	2.70	(1.67 - 4.34)	6.18	(4.29 - 8.83)	1.10	(0.63 - 1.92)
Southwest	2.96	(1.79 - 4.85)	6.70	(4.45 - 9.96)	1.19	(0.68 - 2.09)
Delaware	2.76	(2.05 - 3.71)	5.78	(4.46 - 7.48)	1.25	(0.86 - 1.81)
Kent	2.85	(1.74 - 4.63)	5.74	(3.82 - 8.55)	1.24	(0.72 - 2.12)
New Castle (excluding Wilmington city)	2.86	(1.95 - 4.19)	5.89	(4.34 - 7.95)	1.22	(0.77 - 1.93)
Sussex	2.65	(1.64 - 4.24)	6.01	(3.88 - 9.20)	1.07	(0.63 - 1.81)
Wilmington City	2.29	(1.34 - 3.91)	4.91	(3.06 - 7.78)	1.85	(1.06 - 3.21)
District of Columbia	2.09	(1.51 - 2.90)	6.24	(4.78 - 8.10)	2.25	(1.60 - 3.17)
Ward 1	2.14	(1.24 - 3.67)	5.84	(3.77 - 8.94)	2.20	(1.31 - 3.70)
Ward 2	*	(* - *)	6.58	(4.33 - 9.88)	2.07	(1.24 - 3.41)
Ward 3	2.63	(1.53 - 4.49)	6.01	(3.96 - 9.02)	1.39	(0.83 - 2.32)
Ward 4	2.01	(1.17 - 3.44)	6.05	(3.90 - 9.27)	1.81	(1.04 - 3.14)
Ward 5	1.97	(1.13 - 3.41)	7.25	(4.90 - 10.62)	2.70	(1.53 - 4.71)
Ward 6	*	(* - *)	7.44	(4.68 - 11.63)	2.33	(1.35 - 4.00)
Ward 7	2.21	(1.30 - 3.73)	5.65	(3.59 - 8.79)	3.15	(1.78 - 5.50)
Ward 8	1.71	(1.01 - 2.89)	5.03	(3.25 - 7.70)	2.86	(1.67 - 4.83)
Florida	2.90	(2.43 - 3.45)	5.68	(4.93 - 6.53)	1.36	(1.06 - 1.74)
District 1	2.86	(1.81 - 4.49)	5.59	(3.77 - 8.22)	1.41	(0.88 - 2.25)
District 2	2.40	(1.49 - 3.85)	6.14	(4.28 - 8.73)	1.41	(0.86 - 2.31)
District 3	2.66	(1.62 - 4.36)	5.33	(3.63 - 7.75)	1.28	(0.77 - 2.11)
District 4	2.93	(1.93 - 4.41)	6.36	(4.61 - 8.70)	1.65	(1.05 - 2.57)
District 7	3.29	(2.26 - 4.77)	5.71	(4.22 - 7.68)	1.30	(0.85 - 1.99)
District 8	2.77	(1.74 - 4.38)	5.27	(3.57 - 7.70)	1.00	(0.61 - 1.64)
District 9 (Palm Beach)	2.74	(1.78 - 4.18)	5.75	(4.02 - 8.16)	1.34	(0.84 - 2.13)
District 10 (Broward)	3.22	(2.21 - 4.67)	5.91	(4.29 - 8.10)	1.45	(0.96 - 2.18)
District 11	2.20	(1.46 - 3.30)	4.57	(3.29 - 6.30)	1.62	(1.04 - 2.51)
District 12	2.80	(1.73 - 4.50)	5.76	(3.99 - 8.24)	1.11	(0.69 - 1.78)
District 13	2.62	(1.68 - 4.07)	5.74	(3.92 - 8.31)	0.88	(0.54 - 1.43)
District 14	3.36	(2.10 - 5.32)	4.30	(2.85 - 6.42)	1.21	(0.73 - 2.00)
District 15	2.84	(1.76 - 4.56)	5.99	(4.07 - 8.72)	1.00	(0.61 - 1.63)
Suncoast	3.32	(2.39 - 4.62)	6.57	(5.02 - 8.56)	1.44	(0.97 - 2.13)

See notes at end of table.

(continued)

Table 16. Any Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	2.64	(1.92 - 3.63)	3.63	(2.64 - 4.97)	1.33	(0.90 - 1.97)
Region 1	2.51	(1.52 - 4.12)	3.07	(1.93 - 4.86)	1.06	(0.62 - 1.82)
Region 2	2.90	(1.77 - 4.72)	3.43	(2.14 - 5.44)	1.21	(0.70 - 2.10)
Region 3	2.69	(1.73 - 4.15)	3.97	(2.67 - 5.86)	1.49	(0.93 - 2.38)
Region 4	2.40	(1.41 - 4.04)	3.63	(2.26 - 5.77)	1.32	(0.74 - 2.36)
Region 5	2.60	(1.54 - 4.34)	3.40	(2.12 - 5.41)	1.27	(0.72 - 2.23)
Hawaii	2.77	(1.95 - 3.92)	5.93	(4.51 - 7.76)	1.18	(0.74 - 1.89)
Hawaii Island	2.96	(1.73 - 5.03)	5.35	(3.34 - 8.47)	1.05	(0.55 - 1.97)
Honolulu	2.57	(1.70 - 3.89)	5.47	(4.00 - 7.43)	1.12	(0.67 - 1.89)
Kauai and Maui	3.45	(1.98 - 5.94)	*	(* - *)	1.55	(0.80 - 2.99)
Idaho	2.93	(2.15 - 3.98)	3.94	(2.94 - 5.25)	0.95	(0.63 - 1.42)
Region 1	2.70	(1.58 - 4.58)	4.63	(2.93 - 7.25)	0.85	(0.47 - 1.52)
Region 2	*	(* - *)	4.75	(3.05 - 7.34)	*	(* - *)
Region 3	3.12	(1.93 - 4.99)	3.76	(2.43 - 5.77)	0.95	(0.54 - 1.65)
Region 4	2.92	(1.80 - 4.69)	4.24	(2.79 - 6.39)	1.03	(0.61 - 1.73)
Region 5	3.60	(2.16 - 5.93)	3.57	(2.26 - 5.58)	1.02	(0.58 - 1.79)
Region 6	2.80	(1.67 - 4.66)	3.38	(2.13 - 5.32)	*	(* - *)
Region 7	2.57	(1.47 - 4.45)	3.30	(2.05 - 5.27)	*	(* - *)
Illinois	2.77	(2.30 - 3.34)	5.00	(4.27 - 5.85)	1.25	(0.95 - 1.63)
Region I (Cook)	3.11	(2.35 - 4.11)	5.22	(4.16 - 6.52)	1.64	(1.15 - 2.33)
Region II	2.82	(2.08 - 3.82)	4.99	(3.89 - 6.39)	0.97	(0.65 - 1.43)
Region III	2.06	(1.35 - 3.15)	4.72	(3.43 - 6.48)	0.92	(0.56 - 1.49)
Region IV	2.09	(1.34 - 3.26)	4.30	(2.96 - 6.19)	0.85	(0.51 - 1.43)
Region V	2.50	(1.63 - 3.81)	4.91	(3.58 - 6.68)	1.07	(0.67 - 1.69)
Indiana	2.86	(2.17 - 3.76)	5.25	(4.04 - 6.80)	1.15	(0.80 - 1.66)
Central	2.74	(1.76 - 4.23)	5.95	(4.04 - 8.69)	1.28	(0.76 - 2.15)
East	2.80	(1.63 - 4.77)	4.72	(3.00 - 7.36)	*	(* - *)
North Central	3.25	(2.03 - 5.17)	5.18	(3.40 - 7.82)	1.14	(0.67 - 1.92)
Northeast	2.49	(1.50 - 4.12)	4.89	(3.12 - 7.57)	1.04	(0.61 - 1.76)
Northwest	2.54	(1.55 - 4.15)	4.72	(3.09 - 7.13)	1.13	(0.65 - 1.95)
Southeast	3.22	(1.97 - 5.23)	5.46	(3.53 - 8.37)	1.12	(0.65 - 1.90)
Southwest	2.96	(1.79 - 4.85)	4.96	(3.15 - 7.71)	*	(* - *)
West	2.90	(1.74 - 4.78)	5.24	(3.42 - 7.94)	*	(* - *)
Iowa	2.31	(1.63 - 3.26)	4.07	(2.99 - 5.52)	1.01	(0.67 - 1.52)
Central	2.37	(1.39 - 4.02)	4.50	(2.86 - 7.04)	1.13	(0.65 - 1.95)
North Central	2.35	(1.38 - 3.96)	3.86	(2.41 - 6.14)	1.02	(0.58 - 1.79)
Northeast	2.26	(1.38 - 3.67)	4.05	(2.65 - 6.15)	0.98	(0.57 - 1.65)
Northwest	2.16	(1.27 - 3.64)	3.79	(2.35 - 6.08)	0.89	(0.50 - 1.58)
Southeast	2.44	(1.46 - 4.06)	4.20	(2.71 - 6.46)	1.07	(0.61 - 1.88)
Southwest	2.26	(1.31 - 3.89)	3.77	(2.26 - 6.23)	0.94	(0.53 - 1.67)

See notes at end of table.

(continued)

Table 16. Any Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	2.49	(1.80 - 3.44)	4.57	(3.45 - 6.04)	0.95	(0.62 - 1.47)
Kansas City Metro	2.42	(1.49 - 3.90)	4.88	(3.33 - 7.11)	1.04	(0.60 - 1.79)
Northeast	2.52	(1.54 - 4.09)	4.11	(2.72 - 6.16)	0.90	(0.50 - 1.61)
South Central	2.61	(1.54 - 4.39)	5.02	(3.22 - 7.73)	0.91	(0.51 - 1.62)
Southeast	2.36	(1.33 - 4.16)	4.17	(2.57 - 6.72)	*	(* - *)
West	2.72	(1.62 - 4.54)	3.96	(2.47 - 6.29)	*	(* - *)
Wichita (Sedgwick)	2.37	(1.43 - 3.90)	4.82	(3.10 - 7.43)	1.00	(0.55 - 1.79)
Kentucky	2.93	(2.17 - 3.94)	5.64	(4.39 - 7.21)	1.55	(1.06 - 2.25)
Adanta, Cumberland River, And Lifeskills	2.61	(1.60 - 4.24)	4.63	(3.14 - 6.79)	1.34	(0.79 - 2.26)
Bluegrass, Comprehend, and North Key	2.86	(1.83 - 4.45)	5.42	(3.76 - 7.76)	1.72	(1.05 - 2.80)
Communicare and River Valley	2.77	(1.67 - 4.56)	5.16	(3.35 - 7.86)	1.35	(0.76 - 2.38)
Four Rivers and Pennyroyal	3.26	(1.96 - 5.39)	6.37	(4.03 - 9.94)	1.62	(0.92 - 2.85)
Kentucky River, Mountain, And Pathways	3.13	(1.89 - 5.14)	5.93	(3.96 - 8.80)	1.43	(0.83 - 2.45)
Seven Counties	3.10	(1.94 - 4.92)	6.55	(4.48 - 9.49)	1.62	(0.99 - 2.64)
Louisiana	2.53	(1.86 - 3.41)	5.22	(4.04 - 6.71)	1.57	(1.11 - 2.21)
Region 1	2.33	(1.38 - 3.90)	5.70	(3.71 - 8.68)	2.20	(1.29 - 3.73)
Regions 2 and 9	2.48	(1.56 - 3.92)	5.21	(3.63 - 7.41)	1.50	(0.94 - 2.39)
Region 3	2.39	(1.42 - 3.98)	5.18	(3.34 - 7.94)	*	(* - *)
Region 4	2.40	(1.40 - 4.10)	4.51	(2.93 - 6.86)	1.44	(0.85 - 2.44)
Regions 5 and 6	2.41	(1.45 - 3.98)	5.29	(3.43 - 8.06)	1.38	(0.82 - 2.32)
Regions 7 and 8	2.86	(1.76 - 4.62)	5.02	(3.34 - 7.46)	1.59	(0.97 - 2.61)
Region 10 (Jefferson)	2.66	(1.57 - 4.47)	5.90	(3.78 - 9.10)	1.50	(0.87 - 2.58)
Maine	3.07	(2.34 - 4.03)	6.14	(4.85 - 7.74)	0.99	(0.68 - 1.45)
Planning Region 1	3.06	(2.14 - 4.35)	6.17	(4.56 - 8.31)	1.05	(0.67 - 1.66)
Region 1 (Cumberland)	2.71	(1.69 - 4.33)	6.22	(4.29 - 8.93)	1.10	(0.65 - 1.86)
Region 2 (York)	3.52	(2.24 - 5.50)	6.11	(4.09 - 9.03)	0.99	(0.57 - 1.71)
Planning Region 2	3.09	(2.21 - 4.32)	5.86	(4.39 - 7.80)	0.94	(0.62 - 1.43)
Region 3	3.13	(1.96 - 4.96)	5.72	(3.93 - 8.27)	1.02	(0.60 - 1.74)
Region 4	3.18	(1.94 - 5.16)	5.91	(3.80 - 9.07)	0.88	(0.50 - 1.54)
Region 5	2.96	(1.81 - 4.81)	6.09	(4.05 - 9.06)	0.88	(0.51 - 1.50)
Planning Region 3	3.07	(2.11 - 4.45)	6.47	(4.68 - 8.88)	0.98	(0.62 - 1.55)
Region 6 (Penobscot)	3.17	(1.99 - 5.03)	6.62	(4.43 - 9.79)	1.08	(0.63 - 1.86)
Region 7	2.98	(1.80 - 4.89)	6.31	(4.14 - 9.50)	*	(* - *)

See notes at end of table.

(continued)

Table 16. Any Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	2.85	(2.14 - 3.79)	5.86	(4.54 - 7.54)	1.20	(0.81 - 1.78)
Anne Arundel	3.03	(1.83 - 4.99)	6.81	(4.46 - 10.28)	*	(* - *)
Baltimore City	2.31	(1.41 - 3.76)	5.62	(3.67 - 8.51)	1.87	(1.05 - 3.31)
Central	3.25	(2.08 - 5.03)	6.16	(4.10 - 9.16)	1.12	(0.67 - 1.89)
Montgomery	2.38	(1.43 - 3.95)	4.85	(3.10 - 7.52)	0.95	(0.55 - 1.63)
Prince George's	2.45	(1.46 - 4.07)	4.93	(3.17 - 7.58)	1.45	(0.81 - 2.56)
Rural	3.26	(1.96 - 5.36)	7.27	(4.88 - 10.71)	1.17	(0.68 - 2.03)
Western	3.11	(1.90 - 5.04)	5.90	(3.88 - 8.86)	0.99	(0.57 - 1.71)
Massachusetts	3.32	(2.49 - 4.41)	7.88	(6.23 - 9.91)	1.27	(0.87 - 1.84)
Boston	3.19	(1.89 - 5.34)	7.73	(5.26 - 11.22)	1.77	(1.03 - 3.01)
Central	3.30	(2.03 - 5.31)	7.08	(4.67 - 10.59)	1.12	(0.64 - 1.94)
Metrowest	3.28	(2.11 - 5.07)	7.86	(5.43 - 11.25)	1.17	(0.71 - 1.93)
Northeast	3.26	(2.06 - 5.13)	8.20	(5.52 - 12.00)	1.22	(0.72 - 2.05)
Southeast	3.44	(2.18 - 5.40)	8.40	(5.86 - 11.92)	1.29	(0.75 - 2.19)
Western	3.41	(2.05 - 5.61)	7.72	(5.35 - 11.03)	1.20	(0.68 - 2.09)
Michigan	3.22	(2.74 - 3.78)	5.72	(4.99 - 6.55)	1.30	(1.00 - 1.69)
Bay	3.16	(1.99 - 5.00)	4.55	(3.07 - 6.69)	1.03	(0.64 - 1.66)
Detroit City	2.72	(1.77 - 4.15)	6.78	(4.75 - 9.58)	2.59	(1.54 - 4.30)
Genesee	3.16	(2.05 - 4.87)	6.16	(4.35 - 8.64)	1.45	(0.91 - 2.32)
Kalamazoo	3.33	(2.17 - 5.07)	5.39	(3.86 - 7.46)	1.31	(0.83 - 2.07)
Kent	3.48	(2.29 - 5.26)	5.66	(4.10 - 7.77)	1.37	(0.86 - 2.19)
Lakeshore	3.51	(2.40 - 5.11)	4.64	(3.32 - 6.45)	1.16	(0.73 - 1.84)
Macomb	2.86	(1.86 - 4.36)	5.54	(3.95 - 7.71)	1.07	(0.67 - 1.71)
Mid South	2.77	(1.88 - 4.06)	5.40	(3.95 - 7.34)	1.08	(0.69 - 1.70)
Northern	3.23	(2.19 - 4.76)	5.21	(3.77 - 7.15)	0.95	(0.60 - 1.53)
Oakland	4.36	(3.09 - 6.13)	7.02	(5.24 - 9.34)	1.36	(0.85 - 2.17)
Pathways	3.34	(2.06 - 5.36)	6.03	(4.16 - 8.66)	*	(* - *)
Saginaw	2.77	(1.70 - 4.48)	4.94	(3.26 - 7.42)	*	(* - *)
Southeast	3.21	(2.22 - 4.61)	5.88	(4.43 - 7.77)	1.22	(0.79 - 1.89)
St. Clair	2.90	(1.77 - 4.72)	5.87	(3.98 - 8.58)	0.99	(0.61 - 1.61)
Washtenaw	2.86	(1.82 - 4.48)	5.39	(3.79 - 7.60)	1.25	(0.77 - 2.00)
Western	2.96	(1.83 - 4.76)	5.40	(3.71 - 7.79)	*	(* - *)
Minnesota	2.85	(2.12 - 3.82)	5.13	(3.93 - 6.68)	0.95	(0.64 - 1.41)
Regions 1 and 2	3.19	(1.93 - 5.22)	5.09	(3.24 - 7.91)	0.81	(0.46 - 1.42)
Regions 3 and 4	3.09	(1.92 - 4.92)	6.03	(4.03 - 8.92)	0.93	(0.52 - 1.66)
Regions 5 and 6	2.56	(1.56 - 4.20)	4.45	(2.90 - 6.77)	0.82	(0.47 - 1.43)
Region 7A (Hennepin)	2.97	(1.88 - 4.67)	5.32	(3.58 - 7.85)	1.14	(0.67 - 1.93)
Region 7B (Ramsey)	2.51	(1.50 - 4.15)	4.83	(3.07 - 7.52)	*	(* - *)
Region 7C	2.80	(1.71 - 4.55)	5.02	(3.26 - 7.66)	0.85	(0.50 - 1.44)

See notes at end of table.

(continued)

Table 16. Any Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	2.40	(1.74 - 3.29)	4.19	(3.13 - 5.58)	1.23	(0.83 - 1.83)
Region 1	2.39	(1.44 - 3.94)	3.74	(2.40 - 5.79)	1.03	(0.59 - 1.79)
Region 2	2.13	(1.26 - 3.55)	3.74	(2.37 - 5.85)	1.49	(0.83 - 2.66)
Region 3	2.08	(1.22 - 3.53)	3.79	(2.41 - 5.92)	1.12	(0.63 - 2.00)
Region 4	2.23	(1.33 - 3.72)	4.38	(2.91 - 6.55)	1.28	(0.74 - 2.23)
Region 5	2.17	(1.25 - 3.75)	3.54	(2.17 - 5.72)	*	(* - *)
Region 6	2.66	(1.57 - 4.47)	4.33	(2.77 - 6.72)	1.17	(0.67 - 2.05)
Region 7	3.09	(1.84 - 5.16)	5.58	(3.58 - 8.60)	1.39	(0.79 - 2.46)
Missouri	2.97	(2.25 - 3.91)	5.51	(4.28 - 7.08)	1.05	(0.73 - 1.52)
Central	3.06	(1.92 - 4.85)	5.96	(4.07 - 8.67)	1.02	(0.60 - 1.71)
Eastern	2.92	(2.02 - 4.22)	5.04	(3.54 - 7.12)	1.06	(0.66 - 1.69)
Eastern (St. Louis City and County)	2.64	(1.65 - 4.20)	4.85	(3.20 - 7.29)	1.12	(0.65 - 1.92)
Eastern (excluding St. Louis)	3.45	(2.12 - 5.56)	5.43	(3.49 - 8.34)	*	(* - *)
Northwest	2.96	(2.00 - 4.36)	5.64	(4.03 - 7.83)	1.16	(0.75 - 1.79)
Northwest (Jackson)	3.12	(1.89 - 5.12)	6.05	(4.02 - 9.00)	1.35	(0.80 - 2.29)
Northwest (excluding Jackson)	2.81	(1.71 - 4.60)	5.27	(3.45 - 7.95)	0.99	(0.59 - 1.66)
Southeast	2.67	(1.60 - 4.41)	5.29	(3.41 - 8.11)	*	(* - *)
Southwest	3.26	(2.01 - 5.23)	6.06	(4.11 - 8.84)	0.96	(0.56 - 1.65)
Montana	3.30	(2.49 - 4.37)	5.37	(4.18 - 6.88)	1.01	(0.69 - 1.48)
Region 1	3.12	(1.93 - 4.99)	5.60	(3.60 - 8.62)	*	(* - *)
Region 2	3.46	(2.12 - 5.59)	5.74	(3.78 - 8.62)	1.10	(0.64 - 1.89)
Region 3	2.96	(1.79 - 4.83)	4.42	(2.89 - 6.71)	0.94	(0.55 - 1.61)
Region 4	3.32	(2.16 - 5.08)	5.21	(3.65 - 7.39)	1.00	(0.61 - 1.64)
Region 5	3.48	(2.29 - 5.25)	5.87	(4.13 - 8.28)	1.04	(0.60 - 1.79)
Nebraska	3.16	(2.33 - 4.26)	4.87	(3.69 - 6.41)	1.10	(0.75 - 1.61)
Regions 1 and 2	3.62	(2.16 - 6.00)	4.65	(2.93 - 7.29)	1.04	(0.59 - 1.82)
Region 3	2.91	(1.74 - 4.83)	4.41	(2.78 - 6.95)	0.99	(0.56 - 1.74)
Region 4	3.82	(2.33 - 6.22)	4.22	(2.63 - 6.69)	1.01	(0.57 - 1.76)
Region 5	3.16	(1.95 - 5.06)	4.29	(2.88 - 6.36)	1.14	(0.66 - 1.94)
Region 6	2.88	(1.83 - 4.49)	5.68	(3.88 - 8.23)	1.16	(0.70 - 1.92)
Nevada	3.15	(2.26 - 4.37)	5.05	(3.78 - 6.72)	1.17	(0.75 - 1.82)
Clark	3.19	(2.12 - 4.78)	5.03	(3.61 - 6.98)	1.22	(0.74 - 2.01)
Rural	2.45	(1.45 - 4.10)	4.76	(3.03 - 7.41)	0.95	(0.54 - 1.69)
Washoe	3.64	(2.28 - 5.75)	5.34	(3.54 - 7.98)	1.13	(0.65 - 1.97)

See notes at end of table.

(continued)

Table 16. Any Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	3.17	(2.35 - 4.26)	6.70	(5.22 - 8.58)	1.23	(0.83 - 1.82)
Central	3.30	(2.22 - 4.86)	5.85	(4.24 - 8.03)	1.20	(0.75 - 1.91)
Central 1	3.00	(1.82 - 4.91)	5.36	(3.55 - 8.00)	1.24	(0.70 - 2.18)
Central 2	3.59	(2.19 - 5.83)	6.49	(4.32 - 9.64)	1.16	(0.67 - 2.00)
Northern	3.14	(1.90 - 5.15)	6.57	(4.39 - 9.73)	1.11	(0.63 - 1.95)
Southern	3.12	(2.20 - 4.39)	7.20	(5.36 - 9.60)	1.27	(0.81 - 1.96)
Southern 1 (Rockingham)	3.14	(1.93 - 5.05)	7.02	(4.70 - 10.37)	1.28	(0.73 - 2.23)
Southern 2	3.10	(2.06 - 4.66)	7.29	(5.17 - 10.17)	1.26	(0.76 - 2.06)
New Jersey	2.98	(2.22 - 3.99)	5.36	(4.10 - 6.99)	1.02	(0.68 - 1.53)
Central	3.27	(2.05 - 5.17)	5.81	(3.96 - 8.44)	0.88	(0.51 - 1.51)
Metropolitan	2.71	(1.68 - 4.34)	5.38	(3.58 - 8.02)	1.21	(0.69 - 2.11)
Northern	3.10	(2.02 - 4.75)	5.13	(3.43 - 7.59)	0.98	(0.58 - 1.67)
Southern	2.83	(1.74 - 4.56)	5.25	(3.54 - 7.72)	1.01	(0.58 - 1.75)
New Mexico	3.51	(2.60 - 4.73)	7.57	(5.87 - 9.73)	1.20	(0.78 - 1.85)
Region 1	3.18	(1.96 - 5.11)	6.59	(4.34 - 9.87)	1.08	(0.61 - 1.91)
Region 2	3.36	(2.02 - 5.55)	7.59	(4.84 - 11.73)	1.12	(0.62 - 2.02)
Region 3 (Bernalillo)	3.81	(2.46 - 5.87)	8.34	(5.96 - 11.54)	1.31	(0.77 - 2.22)
Region 4	3.11	(1.85 - 5.18)	6.21	(4.05 - 9.40)	1.18	(0.65 - 2.11)
Region 5	3.84	(2.38 - 6.14)	8.14	(5.63 - 11.62)	1.25	(0.69 - 2.24)
New York	3.17	(2.65 - 3.80)	5.85	(5.08 - 6.72)	1.32	(1.01 - 1.73)
Region A	2.62	(2.01 - 3.42)	4.97	(4.08 - 6.05)	1.57	(1.14 - 2.16)
Region 1	3.06	(1.96 - 4.74)	4.61	(3.15 - 6.71)	1.84	(1.10 - 3.07)
Region 2	2.26	(1.48 - 3.44)	4.98	(3.59 - 6.87)	1.48	(0.91 - 2.41)
Region 3	3.08	(1.99 - 4.74)	6.26	(4.45 - 8.75)	1.79	(1.12 - 2.83)
Region 4	2.60	(1.64 - 4.10)	4.26	(2.96 - 6.08)	1.36	(0.86 - 2.16)
Region B	3.38	(2.52 - 4.53)	6.91	(5.46 - 8.70)	1.02	(0.70 - 1.49)
Region 5	3.54	(2.48 - 5.03)	6.99	(5.23 - 9.28)	0.97	(0.61 - 1.52)
Region 6	3.05	(1.99 - 4.64)	6.74	(4.84 - 9.30)	1.14	(0.71 - 1.81)
Region C	3.68	(2.93 - 4.60)	6.62	(5.54 - 7.90)	1.24	(0.90 - 1.71)
Region 7	3.39	(2.20 - 5.19)	7.01	(4.88 - 9.97)	1.23	(0.74 - 2.03)
Region 8	3.72	(2.41 - 5.68)	6.83	(4.98 - 9.30)	1.35	(0.83 - 2.18)
Region 9	3.84	(2.51 - 5.83)	6.33	(4.50 - 8.82)	1.19	(0.73 - 1.95)
Region 10	3.77	(2.41 - 5.84)	5.68	(4.03 - 7.94)	1.11	(0.65 - 1.90)
Region 11	3.90	(2.56 - 5.88)	7.69	(5.57 - 10.54)	1.30	(0.78 - 2.16)
Region 12	3.47	(2.38 - 5.04)	5.87	(4.25 - 8.07)	1.20	(0.75 - 1.90)
Region D	3.46	(2.55 - 4.66)	5.77	(4.52 - 7.33)	1.12	(0.78 - 1.61)
Region 13	3.64	(2.34 - 5.63)	5.90	(4.02 - 8.58)	1.07	(0.63 - 1.79)
Region 14	3.24	(2.06 - 5.07)	5.45	(3.73 - 7.91)	1.14	(0.70 - 1.87)
Region 15	3.50	(2.20 - 5.50)	5.99	(4.09 - 8.69)	1.15	(0.71 - 1.88)

See notes at end of table.

(continued)

Table 16. Any Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	3.30	(2.49 - 4.37)	4.75	(3.58 - 6.27)	1.29	(0.90 - 1.86)
Eastern	2.93	(1.87 - 4.57)	4.44	(2.95 - 6.64)	1.29	(0.78 - 2.12)
North Central	3.46	(2.22 - 5.35)	5.57	(3.74 - 8.22)	1.39	(0.83 - 2.32)
South Central	2.57	(1.58 - 4.16)	4.28	(2.78 - 6.54)	1.17	(0.67 - 2.02)
Western	4.00	(2.65 - 5.98)	4.70	(3.16 - 6.94)	1.32	(0.78 - 2.20)
North Dakota	3.06	(2.25 - 4.15)	3.70	(2.69 - 5.07)	0.92	(0.58 - 1.46)
Badlands and West Central Lake Region and South Central	2.51	(1.55 - 4.04)	3.56	(2.26 - 5.55)	0.74	(0.40 - 1.37)
North Central and Northwest	3.02	(1.89 - 4.79)	3.33	(2.02 - 5.44)	0.84	(0.46 - 1.55)
Northeast	2.87	(1.73 - 4.73)	3.83	(2.37 - 6.14)	0.85	(0.46 - 1.54)
Southeast	2.78	(1.65 - 4.65)	3.56	(2.25 - 5.60)	0.95	(0.52 - 1.72)
Ohio	4.00	(2.53 - 6.25)	3.93	(2.58 - 5.94)	1.20	(0.67 - 2.15)
Boards 2, 46, 55, and 68	2.85	(2.41 - 3.37)	5.49	(4.80 - 6.28)	1.27	(0.99 - 1.62)
Boards 3, 52, and 85	2.44	(1.52 - 3.88)	4.59	(3.09 - 6.78)	1.09	(0.66 - 1.80)
Boards 4 and 78	2.93	(1.87 - 4.56)	4.61	(3.08 - 6.83)	0.99	(0.60 - 1.62)
Boards 5 and 60	3.06	(1.98 - 4.70)	6.41	(4.42 - 9.22)	1.15	(0.72 - 1.82)
Boards 7, 15, 41, 79, and 84	3.23	(2.03 - 5.10)	5.47	(3.74 - 7.95)	1.26	(0.78 - 2.02)
Boards 8, 13, and 83	2.79	(1.80 - 4.32)	5.92	(4.05 - 8.58)	1.13	(0.71 - 1.80)
Board 9 (Butler)	3.38	(2.20 - 5.18)	6.16	(4.25 - 8.87)	1.30	(0.80 - 2.08)
Board 12	3.85	(2.49 - 5.90)	5.38	(3.72 - 7.74)	1.22	(0.75 - 1.98)
Boards 18 and 47	3.01	(1.92 - 4.69)	6.30	(4.36 - 9.00)	1.23	(0.75 - 2.02)
Boards 20, 32, 54, and 69	2.64	(1.84 - 3.77)	5.29	(3.97 - 7.00)	1.32	(0.86 - 2.02)
Boards 21, 39, 51, 70, and 80	2.91	(1.78 - 4.72)	5.25	(3.56 - 7.67)	1.17	(0.71 - 1.91)
Boards 22, 74, and 87	2.43	(1.52 - 3.86)	5.36	(3.69 - 7.71)	1.05	(0.63 - 1.75)
Boards 23 and 45	2.65	(1.65 - 4.23)	4.52	(3.06 - 6.62)	1.00	(0.60 - 1.67)
Board 25 (Franklin)	2.65	(1.64 - 4.23)	4.91	(3.30 - 7.23)	1.01	(0.62 - 1.63)
Boards 27, 71, and 73	3.14	(2.08 - 4.71)	5.61	(4.14 - 7.56)	1.55	(1.01 - 2.39)
Boards 28, 43, and 67	2.80	(1.82 - 4.29)	5.34	(3.71 - 7.64)	1.18	(0.74 - 1.90)
Board 31 (Hamilton)	2.68	(1.74 - 4.13)	5.80	(4.06 - 8.23)	0.99	(0.62 - 1.59)
Board 48 (Lucas)	2.80	(1.85 - 4.22)	5.80	(4.23 - 7.91)	1.54	(0.96 - 2.45)
Board 50 and 76	2.42	(1.52 - 3.85)	4.60	(3.17 - 6.63)	1.26	(0.76 - 2.08)
Board 57 (Montgomery)	2.65	(1.71 - 4.09)	5.26	(3.64 - 7.54)	1.25	(0.77 - 2.01)
Board 77 (Summit)	3.04	(1.95 - 4.71)	6.54	(4.58 - 9.25)	1.61	(1.00 - 2.58)
Oklahoma	2.97	(1.92 - 4.56)	6.18	(4.37 - 8.68)	1.36	(0.86 - 2.16)
Central	3.12	(2.30 - 4.21)	5.16	(3.89 - 6.82)	1.10	(0.75 - 1.62)
East Central	2.85	(1.69 - 4.77)	5.81	(3.69 - 9.05)	*	(* - *)
Northeast	2.70	(1.62 - 4.48)	4.49	(2.82 - 7.07)	*	(* - *)
Northwest and Southwest	3.08	(1.84 - 5.10)	5.17	(3.32 - 7.95)	1.01	(0.58 - 1.76)
Oklahoma County	3.16	(1.93 - 5.13)	4.64	(2.95 - 7.23)	1.07	(0.62 - 1.85)
Southeast	2.79	(1.66 - 4.63)	5.68	(3.71 - 8.61)	1.23	(0.70 - 2.16)
Tulsa County	2.96	(1.79 - 4.85)	4.63	(2.95 - 7.18)	0.96	(0.54 - 1.69)
	4.16	(2.49 - 6.87)	5.35	(3.55 - 7.99)	1.35	(0.78 - 2.34)

See notes at end of table.

(continued)

Table 16. Any Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	2.50	(1.82 - 3.42)	5.85	(4.58 - 7.45)	1.33	(0.89 - 1.98)
Region 1 (Multnomah)	2.76	(1.68 - 4.50)	7.68	(5.42 - 10.79)	1.66	(0.96 - 2.84)
Region 2	2.14	(1.29 - 3.54)	5.86	(3.99 - 8.54)	1.20	(0.69 - 2.07)
Region 3	2.49	(1.53 - 4.02)	4.74	(3.21 - 6.95)	1.33	(0.77 - 2.32)
Region 4	2.70	(1.66 - 4.35)	6.11	(4.11 - 9.00)	1.22	(0.70 - 2.12)
Region 5	2.60	(1.58 - 4.27)	5.53	(3.46 - 8.72)	1.17	(0.67 - 2.04)
Pennsylvania	2.70	(2.25 - 3.24)	4.84	(4.19 - 5.60)	0.99	(0.75 - 1.31)
Region 1 (Allegheny)	2.58	(1.70 - 3.88)	5.86	(4.27 - 7.97)	1.06	(0.66 - 1.72)
Regions 2, 3, 8, and 9	2.70	(1.72 - 4.24)	4.03	(2.78 - 5.81)	0.88	(0.53 - 1.45)
Regions 4, 11, 42, and 48	2.79	(1.79 - 4.34)	5.45	(3.81 - 7.75)	0.84	(0.51 - 1.38)
Regions 5, 20, 26, 28, and 40	2.97	(1.97 - 4.45)	4.08	(2.87 - 5.77)	0.86	(0.52 - 1.41)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	2.60	(1.68 - 3.99)	4.48	(3.19 - 6.25)	0.89	(0.55 - 1.43)
Regions 7, 13, 22, and 37	2.93	(2.10 - 4.07)	4.85	(3.64 - 6.43)	0.94	(0.62 - 1.44)
Regions 10, 14, 15, 25, 31, 36, and 46	2.67	(1.67 - 4.24)	4.37	(3.00 - 6.32)	1.01	(0.60 - 1.69)
Regions 17, 24, 27, 43, and 47	2.20	(1.35 - 3.57)	4.42	(2.92 - 6.62)	0.80	(0.48 - 1.34)
Region 18 (Philadelphia)	2.72	(1.81 - 4.06)	5.67	(4.22 - 7.56)	1.54	(0.98 - 2.40)
Regions 19 and 23	2.64	(1.63 - 4.24)	4.27	(2.88 - 6.29)	*	(* - *)
Regions 21, 30, 32, and 49	2.26	(1.49 - 3.43)	4.23	(3.00 - 5.92)	0.84	(0.52 - 1.35)
Regions 29 and 34	2.97	(1.88 - 4.64)	5.15	(3.57 - 7.37)	0.99	(0.60 - 1.63)
Regions 33 and 38	3.19	(2.07 - 4.90)	4.48	(3.04 - 6.57)	0.94	(0.56 - 1.57)
Rhode Island	3.56	(2.60 - 4.85)	8.33	(6.53 - 10.58)	1.61	(1.04 - 2.47)
Bristol and Newport	4.01	(2.40 - 6.61)	*	(* - *)	1.64	(0.90 - 2.97)
Kent	3.02	(1.79 - 5.04)	9.30	(6.31 - 13.51)	1.36	(0.77 - 2.39)
Providence	3.66	(2.50 - 5.33)	7.91	(5.92 - 10.49)	1.73	(1.05 - 2.84)
Washington	3.28	(1.98 - 5.39)	8.07	(5.36 - 11.99)	1.30	(0.74 - 2.29)
South Carolina	2.60	(1.89 - 3.56)	4.46	(3.34 - 5.94)	1.18	(0.80 - 1.73)
Region 1	3.36	(2.13 - 5.26)	4.97	(3.26 - 7.50)	1.19	(0.70 - 2.00)
Region 2	2.15	(1.32 - 3.48)	4.24	(2.87 - 6.21)	1.15	(0.69 - 1.90)
Region 3	2.19	(1.28 - 3.71)	4.00	(2.54 - 6.25)	1.16	(0.68 - 2.00)
Region 4	2.65	(1.62 - 4.32)	4.53	(2.99 - 6.81)	1.21	(0.71 - 2.06)

See notes at end of table.

(continued)

Table 16. Any Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	3.12	(2.32 - 4.18)	4.11	(3.07 - 5.49)	0.93	(0.63 - 1.39)
Eastern Planning Area	3.17	(2.31 - 4.33)	3.99	(2.92 - 5.43)	0.91	(0.60 - 1.38)
Region 3 (Minnehaha)	3.60	(2.22 - 5.78)	4.08	(2.66 - 6.20)	1.01	(0.58 - 1.76)
Region 4	2.79	(1.68 - 4.61)	4.23	(2.66 - 6.66)	0.87	(0.49 - 1.55)
Region 5	2.88	(1.76 - 4.67)	3.94	(2.49 - 6.19)	*	(* - *)
Region 6	2.86	(1.74 - 4.67)	3.97	(2.56 - 6.11)	0.82	(0.46 - 1.47)
Region 7	3.47	(2.06 - 5.78)	3.66	(2.29 - 5.80)	*	(* - *)
Western Planning Area	3.02	(2.02 - 4.50)	4.42	(3.07 - 6.32)	0.99	(0.61 - 1.61)
Region 1 (Pennington)	3.18	(1.90 - 5.25)	4.30	(2.81 - 6.53)	1.02	(0.58 - 1.80)
Region 2	2.94	(1.79 - 4.77)	4.50	(2.85 - 7.02)	0.97	(0.54 - 1.72)
Tennessee	2.95	(2.21 - 3.94)	4.77	(3.53 - 6.41)	1.32	(0.92 - 1.91)
Region 1	3.14	(1.87 - 5.22)	4.80	(3.04 - 7.48)	*	(* - *)
Region 2	3.15	(1.94 - 5.09)	5.21	(3.33 - 8.06)	1.13	(0.67 - 1.89)
Region 3	2.93	(1.82 - 4.67)	4.60	(2.95 - 7.11)	1.27	(0.76 - 2.11)
Region 4 (Davidson)	2.96	(1.76 - 4.94)	5.33	(3.43 - 8.20)	1.85	(1.06 - 3.19)
Region 5	3.07	(1.93 - 4.87)	4.54	(2.91 - 7.02)	1.10	(0.64 - 1.88)
Region 6	2.90	(1.74 - 4.80)	4.44	(2.76 - 7.06)	1.33	(0.78 - 2.27)
Region 7 (Shelby)	2.55	(1.57 - 4.12)	4.52	(2.85 - 7.09)	1.70	(0.96 - 3.00)
Texas	2.90	(2.43 - 3.47)	5.11	(4.44 - 5.87)	0.92	(0.68 - 1.24)
Region 1	3.82	(2.43 - 5.93)	5.86	(4.10 - 8.32)	0.94	(0.55 - 1.61)
Region 2	3.06	(1.90 - 4.89)	6.17	(4.14 - 9.11)	*	(* - *)
Region 3	2.64	(1.98 - 3.50)	4.98	(4.01 - 6.17)	0.94	(0.65 - 1.36)
Region 3a	2.70	(1.90 - 3.81)	4.87	(3.72 - 6.35)	0.93	(0.61 - 1.44)
Region 3bc	2.53	(1.64 - 3.89)	5.19	(3.72 - 7.20)	0.95	(0.59 - 1.52)
Region 4	3.35	(2.14 - 5.20)	5.41	(3.70 - 7.84)	0.88	(0.52 - 1.49)
Region 5	4.00	(2.48 - 6.39)	6.57	(4.38 - 9.75)	1.07	(0.59 - 1.91)
Region 6	2.28	(1.62 - 3.21)	4.52	(3.52 - 5.80)	0.88	(0.57 - 1.37)
Region 6a	2.18	(1.49 - 3.18)	4.37	(3.32 - 5.75)	0.87	(0.54 - 1.40)
Region 6bc	3.10	(1.93 - 4.95)	5.97	(4.05 - 8.71)	0.94	(0.56 - 1.57)
Region 7	3.04	(2.21 - 4.17)	6.25	(4.87 - 7.99)	1.04	(0.69 - 1.58)
Region 7a	3.20	(2.10 - 4.83)	6.57	(4.74 - 9.02)	1.09	(0.66 - 1.79)
Region 7bcd	2.84	(1.83 - 4.37)	5.82	(4.11 - 8.19)	0.97	(0.58 - 1.61)
Region 8	3.34	(2.24 - 4.96)	5.49	(3.94 - 7.61)	0.87	(0.54 - 1.40)
Region 9	3.21	(2.02 - 5.06)	4.86	(3.21 - 7.31)	*	(* - *)
Region 10	3.42	(2.11 - 5.50)	4.40	(2.94 - 6.55)	*	(* - *)
Region 11	3.22	(2.26 - 4.56)	3.85	(2.86 - 5.18)	0.80	(0.52 - 1.25)
Region 11abd	3.16	(2.00 - 4.96)	3.98	(2.75 - 5.73)	0.80	(0.48 - 1.35)
Region 11c (Hidalgo)	3.33	(2.06 - 5.34)	3.62	(2.36 - 5.51)	*	(* - *)

See notes at end of table.

(continued)

Table 16. Any Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	2.55	(1.89 - 3.43)	3.98	(2.98 - 5.30)	1.08	(0.73 - 1.59)
Bear River, Northeastern, Summit, Tooele, and Wasatch	2.79	(1.72 - 4.49)	3.88	(2.43 - 6.15)	1.17	(0.68 - 2.00)
Central, Four Corners, San Juan, and Southwest	2.39	(1.43 - 3.99)	3.79	(2.33 - 6.12)	*	(* - *)
Davis County	2.43	(1.40 - 4.16)	4.35	(2.70 - 6.93)	1.03	(0.59 - 1.81)
Salt Lake County	2.53	(1.63 - 3.92)	4.32	(2.99 - 6.21)	1.11	(0.67 - 1.83)
Utah County	2.33	(1.42 - 3.83)	3.27	(2.07 - 5.12)	1.07	(0.60 - 1.91)
Weber, Morgan	3.08	(1.86 - 5.07)	4.41	(2.73 - 7.04)	*	(* - *)
Vermont	3.47	(2.61 - 4.62)	7.34	(5.92 - 9.07)	1.11	(0.75 - 1.64)
Champlain Valley	3.77	(2.52 - 5.59)	7.90	(5.95 - 10.42)	1.15	(0.69 - 1.91)
Rural Northeast	3.64	(2.40 - 5.49)	7.16	(5.03 - 10.10)	1.15	(0.68 - 1.95)
Rural Southeast	2.77	(1.65 - 4.60)	6.59	(4.31 - 9.96)	1.01	(0.57 - 1.78)
Rural Southwest	3.41	(2.07 - 5.58)	6.75	(4.56 - 9.88)	1.07	(0.62 - 1.86)
Virginia	2.63	(1.94 - 3.57)	5.63	(4.31 - 7.32)	1.31	(0.89 - 1.93)
Region 1	3.00	(1.78 - 5.03)	6.21	(4.18 - 9.15)	1.17	(0.67 - 2.03)
Region 2	2.65	(1.66 - 4.21)	5.66	(3.76 - 8.43)	1.30	(0.77 - 2.17)
Region 3	2.81	(1.71 - 4.60)	5.66	(3.74 - 8.48)	1.22	(0.71 - 2.08)
Region 4	2.71	(1.69 - 4.33)	5.64	(3.80 - 8.29)	1.37	(0.80 - 2.34)
Region 5	2.20	(1.34 - 3.60)	5.24	(3.53 - 7.71)	1.44	(0.84 - 2.44)
Washington	2.80	(2.06 - 3.79)	7.27	(5.74 - 9.17)	1.33	(0.91 - 1.93)
Region 1	2.91	(1.74 - 4.81)	6.88	(4.71 - 9.94)	1.24	(0.73 - 2.10)
Region 2	2.84	(1.66 - 4.83)	5.98	(3.89 - 9.08)	*	(* - *)
Region 3	2.72	(1.69 - 4.34)	7.84	(5.28 - 11.48)	1.28	(0.76 - 2.15)
Region 4 (King)	2.78	(1.76 - 4.36)	7.59	(5.40 - 10.57)	1.40	(0.84 - 2.34)
Region 5	2.63	(1.58 - 4.33)	7.62	(5.22 - 10.99)	1.45	(0.85 - 2.48)
Region 6	2.94	(1.80 - 4.77)	6.89	(4.64 - 10.12)	1.22	(0.72 - 2.06)
West Virginia	3.05	(2.29 - 4.05)	6.46	(5.10 - 8.16)	1.15	(0.81 - 1.65)
Eastern Highland	3.02	(1.87 - 4.84)	5.04	(3.32 - 7.56)	1.09	(0.64 - 1.83)
Northern	2.95	(1.94 - 4.48)	7.66	(5.57 - 10.44)	1.11	(0.71 - 1.76)
Northern A and B	2.98	(1.76 - 5.02)	5.77	(3.74 - 8.78)	*	(* - *)
Northern C and D	2.94	(1.76 - 4.86)	8.36	(5.84 - 11.85)	1.15	(0.67 - 1.97)
South Central	3.04	(2.17 - 4.25)	6.05	(4.48 - 8.12)	1.16	(0.76 - 1.76)
South Central I	3.23	(1.97 - 5.27)	5.80	(3.73 - 8.90)	*	(* - *)
South Central II	3.41	(2.07 - 5.57)	6.41	(4.24 - 9.60)	1.20	(0.69 - 2.06)
South Central III	2.66	(1.61 - 4.36)	5.90	(3.91 - 8.82)	1.19	(0.70 - 2.03)
Southern	3.25	(2.14 - 4.90)	6.89	(4.93 - 9.56)	1.28	(0.80 - 2.04)
Southern I and III	3.20	(1.90 - 5.33)	6.91	(4.61 - 10.22)	*	(* - *)
Southern II	3.34	(2.03 - 5.44)	6.87	(4.46 - 10.42)	*	(* - *)

See notes at end of table.

(continued)

Table 16. Any Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	3.04	(2.29 - 4.03)	4.52	(3.41 - 5.96)	1.04	(0.69 - 1.54)
Milwaukee	2.80	(1.73 - 4.50)	4.34	(2.74 - 6.80)	1.35	(0.76 - 2.37)
Northeastern	2.88	(1.81 - 4.57)	4.50	(2.93 - 6.85)	0.96	(0.56 - 1.65)
Northern	3.14	(1.91 - 5.13)	4.52	(2.85 - 7.10)	*	(* - *)
Southeastern	3.00	(1.87 - 4.79)	4.13	(2.62 - 6.45)	0.92	(0.52 - 1.62)
Southern	3.38	(2.15 - 5.27)	4.95	(3.32 - 7.32)	1.13	(0.65 - 1.97)
Western	3.14	(1.92 - 5.10)	4.61	(3.07 - 6.87)	*	(* - *)
Wyoming	2.87	(2.14 - 3.83)	4.91	(3.72 - 6.46)	1.08	(0.72 - 1.61)
Judicial District 1 (Laramie)	2.90	(1.75 - 4.76)	5.51	(3.54 - 8.50)	1.19	(0.68 - 2.09)
Judicial District 2	2.69	(1.58 - 4.56)	4.61	(3.02 - 6.96)	*	(* - *)
Judicial District 3	3.00	(1.84 - 4.86)	4.02	(2.56 - 6.26)	1.03	(0.59 - 1.80)
Judicial District 4	2.72	(1.61 - 4.56)	6.28	(3.98 - 9.77)	*	(* - *)
Judicial District 5	2.78	(1.60 - 4.78)	5.06	(3.12 - 8.09)	0.93	(0.51 - 1.69)
Judicial District 6	3.01	(1.80 - 5.00)	4.66	(2.92 - 7.35)	*	(* - *)
Judicial District 7 (Natrona)	3.05	(1.86 - 4.97)	4.89	(3.11 - 7.59)	1.02	(0.57 - 1.81)
Judicial District 8	2.59	(1.55 - 4.31)	4.49	(2.77 - 7.20)	*	(* - *)
Judicial District 9	2.75	(1.62 - 4.64)	5.27	(3.33 - 8.24)	*	(* - *)

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	5.92		17.31		6.22	
Alabama	4.89	(3.83 - 6.23)	13.28	(11.36 - 15.45)	4.84	(3.85 - 6.07)
Region 1	6.78	(4.68 - 9.72)	13.53	(10.34 - 17.53)	4.47	(3.23 - 6.15)
Region 2	4.13	(2.79 - 6.06)	14.12	(11.32 - 17.49)	5.16	(3.76 - 7.03)
Region 3	3.38	(2.22 - 5.13)	12.10	(9.20 - 15.75)	5.21	(3.76 - 7.19)
Region 4	5.04	(3.49 - 7.22)	12.83	(9.98 - 16.35)	4.56	(3.28 - 6.32)
Alaska	6.07	(4.81 - 7.63)	17.59	(15.24 - 20.23)	6.99	(5.64 - 8.64)
Gulf Coast	6.57	(4.38 - 9.73)	19.70	(14.97 - 25.49)	6.69	(4.81 - 9.24)
Rural	6.15	(3.87 - 9.63)	*	(* - *)	7.32	(5.11 - 10.40)
Southeast	7.16	(4.73 - 10.70)	*	(* - *)	6.98	(5.06 - 9.55)
Urban	5.78	(4.31 - 7.72)	16.67	(13.97 - 19.78)	7.00	(5.42 - 9.00)
Arizona	7.17	(5.66 - 9.06)	19.18	(16.62 - 22.02)	8.02	(6.58 - 9.74)
Maricopa	6.69	(5.00 - 8.92)	18.89	(15.91 - 22.28)	8.58	(6.84 - 10.71)
Pima	6.58	(4.26 - 10.03)	19.79	(15.32 - 25.17)	7.91	(5.83 - 10.65)
Rural North	8.80	(5.98 - 12.77)	*	(* - *)	6.88	(5.00 - 9.40)
Rural South	8.68	(5.57 - 13.28)	*	(* - *)	6.53	(4.61 - 9.18)
Arkansas	5.46	(4.40 - 6.76)	15.68	(13.45 - 18.20)	5.41	(4.37 - 6.68)
Areas 1 and 5	5.89	(4.06 - 8.47)	15.54	(11.90 - 20.04)	5.45	(3.98 - 7.43)
Areas 2 and 3	5.71	(3.79 - 8.52)	14.35	(10.54 - 19.23)	4.46	(3.11 - 6.35)
Areas 4 and 7	5.11	(3.45 - 7.51)	14.98	(11.42 - 19.41)	5.53	(3.93 - 7.73)
Area 6	5.94	(3.87 - 9.01)	18.11	(13.81 - 23.39)	5.70	(4.05 - 7.96)
Areas 8 and 12	5.61	(3.73 - 8.37)	16.94	(12.76 - 22.15)	5.31	(3.82 - 7.33)
Area 9	4.78	(3.24 - 7.00)	14.64	(11.14 - 19.01)	5.70	(4.19 - 7.71)
Areas 10, 11, and 13	5.33	(3.54 - 7.97)	16.57	(12.68 - 21.36)	5.69	(4.05 - 7.93)
California	5.95	(5.20 - 6.81)	15.24	(13.97 - 16.62)	6.17	(5.45 - 6.99)
Region 1	8.50	(5.84 - 12.23)	19.76	(15.34 - 25.06)	6.29	(4.63 - 8.49)
Region 2	5.89	(4.25 - 8.11)	17.88	(14.45 - 21.91)	6.66	(5.11 - 8.62)
Region 3	6.50	(4.64 - 9.03)	14.95	(11.70 - 18.91)	5.79	(4.35 - 7.67)
Region 4	5.56	(3.75 - 8.19)	18.00	(14.02 - 22.80)	7.01	(5.34 - 9.15)
Region 5	6.37	(4.57 - 8.83)	16.30	(13.06 - 20.16)	5.90	(4.50 - 7.72)
Region 6 (Santa Clara)	6.32	(4.35 - 9.11)	14.60	(11.33 - 18.61)	6.02	(4.58 - 7.86)
Region 7	6.58	(4.35 - 9.86)	16.50	(12.35 - 21.72)	7.05	(5.22 - 9.46)
Region 8	5.66	(3.97 - 8.00)	14.03	(10.95 - 17.81)	5.83	(4.37 - 7.73)
Region 9	6.71	(4.56 - 9.76)	16.39	(12.41 - 21.34)	6.42	(4.78 - 8.55)
Region 10	7.63	(5.31 - 10.83)	18.72	(14.77 - 23.43)	6.56	(4.96 - 8.64)
Region 11 (Los Angeles)	4.35	(3.33 - 5.67)	12.26	(10.32 - 14.50)	6.06	(4.94 - 7.41)
Region 12	6.68	(4.78 - 9.26)	16.15	(12.87 - 20.07)	5.81	(4.35 - 7.72)
Region 13 (Riverside)	8.01	(5.58 - 11.37)	15.84	(12.12 - 20.42)	5.39	(4.02 - 7.18)
Region 14 (Orange)	6.28	(4.55 - 8.61)	14.97	(12.04 - 18.47)	5.92	(4.50 - 7.74)
Region 15	6.83	(4.92 - 9.41)	17.47	(14.28 - 21.20)	6.49	(5.05 - 8.30)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	7.27	(5.85 - 9.00)	21.40	(18.84 - 24.22)	8.31	(6.83 - 10.07)
Region 1	7.43	(5.00 - 10.90)	21.56	(17.04 - 26.89)	7.22	(5.28 - 9.80)
Regions 2 and 7	7.01	(5.26 - 9.28)	21.41	(18.09 - 25.14)	9.03	(7.11 - 11.40)
Region 3	7.93	(5.37 - 11.56)	20.11	(15.65 - 25.46)	7.11	(5.21 - 9.65)
Region 4	8.09	(5.23 - 12.33)	*	(* - *)	7.73	(5.50 - 10.76)
Regions 5 and 6	6.96	(4.64 - 10.31)	23.73	(18.44 - 29.99)	7.69	(5.63 - 10.42)
Connecticut	6.10	(4.88 - 7.61)	19.95	(17.54 - 22.59)	5.89	(4.73 - 7.32)
Eastern	6.68	(4.49 - 9.83)	22.18	(17.23 - 28.05)	5.90	(4.20 - 8.22)
North Central	5.31	(3.67 - 7.63)	18.07	(14.63 - 22.12)	6.18	(4.51 - 8.40)
Northwestern	6.54	(4.53 - 9.36)	20.45	(16.07 - 25.66)	5.57	(4.04 - 7.64)
South Central	6.76	(4.70 - 9.63)	21.65	(17.65 - 26.28)	5.72	(4.12 - 7.89)
Southwest	5.65	(3.76 - 8.42)	18.16	(13.96 - 23.29)	5.96	(4.30 - 8.21)
Delaware	4.96	(3.93 - 6.25)	18.09	(15.73 - 20.72)	5.76	(4.69 - 7.06)
Kent	4.52	(2.97 - 6.82)	15.11	(11.51 - 19.57)	5.29	(3.76 - 7.40)
New Castle (excluding Wilmington city)	5.51	(4.12 - 7.33)	20.23	(17.16 - 23.69)	5.96	(4.65 - 7.61)
Sussex	4.59	(3.08 - 6.80)	15.62	(11.94 - 20.19)	5.00	(3.61 - 6.89)
Wilmington City	3.48	(2.13 - 5.64)	15.02	(11.04 - 20.11)	7.25	(5.12 - 10.17)
District of Columbia	3.26	(2.43 - 4.35)	16.40	(14.06 - 19.05)	8.59	(7.02 - 10.47)
Ward 1	3.57	(2.20 - 5.74)	17.69	(13.36 - 23.06)	10.69	(7.82 - 14.45)
Ward 2	*	(* - *)	18.51	(14.26 - 23.68)	10.38	(7.68 - 13.89)
Ward 3	6.46	(4.15 - 9.92)	21.67	(16.98 - 27.22)	8.99	(6.72 - 11.93)
Ward 4	2.91	(1.82 - 4.63)	14.26	(10.38 - 19.27)	7.14	(5.13 - 9.87)
Ward 5	2.83	(1.73 - 4.58)	15.48	(11.87 - 19.93)	7.41	(5.24 - 10.37)
Ward 6	2.87	(1.74 - 4.70)	16.87	(12.35 - 22.62)	8.75	(6.34 - 11.94)
Ward 7	2.38	(1.48 - 3.80)	11.71	(8.53 - 15.87)	7.32	(5.25 - 10.13)
Ward 8	2.67	(1.68 - 4.24)	10.40	(7.42 - 14.38)	7.81	(5.58 - 10.83)
Florida	5.60	(4.90 - 6.40)	16.68	(15.43 - 18.01)	5.89	(5.21 - 6.64)
District 1	5.78	(4.00 - 8.28)	17.26	(13.43 - 21.90)	6.05	(4.58 - 7.95)
District 2	5.47	(3.75 - 7.92)	22.54	(18.33 - 27.39)	7.00	(5.21 - 9.35)
District 3	6.00	(4.03 - 8.84)	21.20	(17.19 - 25.85)	6.59	(4.89 - 8.82)
District 4	5.65	(4.09 - 7.76)	15.71	(12.68 - 19.30)	5.86	(4.51 - 7.58)
District 7	5.52	(4.11 - 7.38)	17.72	(14.88 - 20.95)	6.03	(4.73 - 7.66)
District 8	5.29	(3.67 - 7.56)	14.84	(11.57 - 18.83)	4.83	(3.63 - 6.41)
District 9 (Palm Beach)	5.69	(4.08 - 7.88)	16.52	(13.18 - 20.51)	5.36	(4.10 - 7.00)
District 10 (Broward)	5.18	(3.74 - 7.12)	14.69	(11.87 - 18.03)	6.04	(4.70 - 7.75)
District 11	4.28	(3.11 - 5.85)	12.33	(10.01 - 15.10)	5.43	(4.21 - 6.97)
District 12	5.34	(3.65 - 7.74)	16.07	(12.71 - 20.11)	5.14	(3.80 - 6.92)
District 13	5.08	(3.49 - 7.33)	13.83	(10.62 - 17.80)	4.63	(3.37 - 6.31)
District 14	6.04	(4.24 - 8.54)	14.76	(11.30 - 19.04)	4.81	(3.51 - 6.56)
District 15	5.71	(3.87 - 8.35)	16.27	(12.59 - 20.78)	5.31	(3.92 - 7.15)
Suncoast	7.13	(5.58 - 9.06)	19.77	(16.90 - 23.00)	7.07	(5.65 - 8.80)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	4.39	(3.39 - 5.67)	13.75	(11.62 - 16.20)	5.88	(4.77 - 7.22)
Region 1	5.46	(3.66 - 8.08)	12.62	(9.32 - 16.86)	5.09	(3.66 - 7.05)
Region 2	4.51	(2.98 - 6.78)	14.16	(10.64 - 18.60)	6.17	(4.48 - 8.45)
Region 3	4.20	(2.88 - 6.10)	14.73	(11.67 - 18.43)	6.30	(4.83 - 8.18)
Region 4	4.00	(2.56 - 6.20)	12.48	(9.27 - 16.60)	5.49	(3.93 - 7.60)
Region 5	4.18	(2.69 - 6.44)	12.72	(9.46 - 16.90)	5.39	(3.85 - 7.50)
Hawaii	6.33	(4.96 - 8.05)	18.53	(15.92 - 21.45)	5.83	(4.60 - 7.36)
Hawaii Island	7.13	(4.75 - 10.57)	17.39	(12.87 - 23.08)	5.91	(4.21 - 8.25)
Honolulu	6.04	(4.52 - 8.03)	18.74	(15.79 - 22.10)	5.73	(4.35 - 7.50)
Kauai and Maui	6.89	(4.63 - 10.12)	18.24	(13.88 - 23.60)	6.24	(4.46 - 8.66)
Idaho	7.28	(5.92 - 8.92)	17.24	(14.96 - 19.78)	6.11	(5.03 - 7.41)
Region 1	7.35	(5.00 - 10.67)	17.57	(13.34 - 22.79)	6.16	(4.46 - 8.44)
Region 2	*	(* - *)	21.29	(16.60 - 26.87)	6.49	(4.69 - 8.91)
Region 3	7.77	(5.40 - 11.06)	14.58	(10.82 - 19.37)	5.75	(4.23 - 7.77)
Region 4	7.80	(5.49 - 10.97)	19.54	(15.86 - 23.83)	6.37	(4.79 - 8.42)
Region 5	7.88	(5.45 - 11.27)	16.28	(12.32 - 21.20)	6.01	(4.44 - 8.10)
Region 6	7.15	(4.83 - 10.47)	17.33	(13.22 - 22.40)	6.36	(4.60 - 8.74)
Region 7	5.25	(3.31 - 8.24)	13.48	(9.81 - 18.23)	5.50	(3.84 - 7.83)
Illinois	5.94	(5.23 - 6.74)	19.76	(18.40 - 21.19)	7.36	(6.55 - 8.28)
Region I (Cook)	5.82	(4.80 - 7.04)	18.80	(16.80 - 20.98)	8.31	(7.03 - 9.79)
Region II	5.89	(4.73 - 7.32)	19.72	(17.44 - 22.22)	7.10	(5.90 - 8.52)
Region III	6.11	(4.55 - 8.15)	22.66	(19.45 - 26.22)	6.73	(5.27 - 8.56)
Region IV	6.71	(4.90 - 9.12)	19.63	(16.32 - 23.42)	5.66	(4.28 - 7.46)
Region V	5.83	(4.34 - 7.78)	20.53	(17.54 - 23.89)	6.01	(4.61 - 7.81)
Indiana	6.53	(5.30 - 8.02)	18.48	(16.17 - 21.03)	6.30	(5.19 - 7.63)
Central	6.88	(4.90 - 9.59)	17.20	(13.70 - 21.37)	6.30	(4.67 - 8.44)
East	6.62	(4.34 - 9.97)	20.08	(15.43 - 25.70)	6.18	(4.46 - 8.50)
North Central	6.99	(4.71 - 10.26)	17.69	(13.56 - 22.74)	6.17	(4.53 - 8.36)
Northeast	5.26	(3.40 - 8.04)	16.13	(12.28 - 20.89)	6.17	(4.49 - 8.42)
Northwest	5.54	(3.70 - 8.20)	16.97	(13.12 - 21.66)	6.41	(4.61 - 8.87)
Southeast	6.95	(4.71 - 10.16)	17.73	(13.37 - 23.13)	5.82	(4.21 - 7.98)
Southwest	7.22	(4.81 - 10.71)	*	(* - *)	6.12	(4.33 - 8.58)
West	6.45	(4.23 - 9.72)	21.89	(17.26 - 27.36)	7.25	(5.30 - 9.85)
Iowa	7.53	(6.19 - 9.13)	21.29	(18.75 - 24.08)	6.38	(5.25 - 7.73)
Central	7.68	(5.32 - 10.97)	21.31	(16.75 - 26.70)	6.47	(4.76 - 8.74)
North Central	8.08	(5.58 - 11.58)	21.80	(17.10 - 27.37)	5.94	(4.29 - 8.19)
Northeast	7.28	(5.22 - 10.06)	23.75	(19.60 - 28.46)	6.63	(4.94 - 8.85)
Northwest	8.21	(5.73 - 11.64)	19.28	(14.92 - 24.55)	5.83	(4.26 - 7.95)
Southeast	6.66	(4.58 - 9.59)	20.08	(15.83 - 25.12)	6.72	(5.08 - 8.85)
Southwest	7.91	(5.30 - 11.65)	*	(* - *)	6.32	(4.59 - 8.63)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	6.28	(4.99 - 7.86)	19.54	(17.12 - 22.20)	5.85	(4.73 - 7.21)
Kansas City Metro	6.22	(4.36 - 8.80)	23.03	(18.96 - 27.68)	6.35	(4.69 - 8.53)
Northeast	7.15	(4.82 - 10.50)	18.59	(14.71 - 23.21)	5.87	(4.21 - 8.13)
South Central	6.32	(4.19 - 9.43)	16.77	(12.61 - 21.95)	5.11	(3.66 - 7.09)
Southeast	6.32	(4.10 - 9.61)	19.33	(14.79 - 24.86)	5.54	(3.98 - 7.66)
West	5.90	(3.80 - 9.06)	16.67	(12.38 - 22.07)	5.24	(3.73 - 7.33)
Wichita (Sedgwick)	5.59	(3.71 - 8.34)	18.00	(13.90 - 22.99)	6.04	(4.42 - 8.22)
Kentucky	5.34	(4.24 - 6.69)	14.80	(12.76 - 17.11)	5.31	(4.28 - 6.56)
Adanta, Cumberland River, And Lifeskills	5.70	(3.83 - 8.40)	13.51	(10.53 - 17.16)	4.79	(3.48 - 6.57)
Bluegrass, Comprehend, and North Key	5.16	(3.59 - 7.38)	17.52	(14.10 - 21.57)	5.78	(4.28 - 7.77)
Communicare and River Valley	5.65	(3.71 - 8.52)	13.21	(9.68 - 17.78)	4.98	(3.55 - 6.94)
Four Rivers and Pennyroyal	6.57	(4.36 - 9.78)	14.54	(10.72 - 19.43)	4.86	(3.45 - 6.82)
Kentucky River, Mountain, And Pathways	5.28	(3.45 - 7.98)	12.52	(9.18 - 16.85)	4.91	(3.45 - 6.94)
Seven Counties	4.55	(3.00 - 6.85)	14.03	(10.72 - 18.15)	5.69	(4.12 - 7.81)
Louisiana	6.15	(4.98 - 7.57)	16.89	(14.81 - 19.20)	6.69	(5.51 - 8.12)
Region 1	4.64	(3.00 - 7.11)	15.92	(12.07 - 20.72)	7.31	(5.27 - 10.05)
Regions 2 and 9	6.89	(4.88 - 9.66)	19.45	(15.97 - 23.48)	7.19	(5.40 - 9.50)
Region 3	6.78	(4.49 - 10.10)	15.57	(11.76 - 20.34)	6.57	(4.70 - 9.10)
Region 4	6.83	(4.65 - 9.93)	16.80	(12.93 - 21.55)	6.60	(4.76 - 9.09)
Regions 5 and 6	6.23	(4.24 - 9.05)	15.91	(12.28 - 20.37)	5.93	(4.32 - 8.08)
Regions 7 and 8	5.38	(3.62 - 7.93)	14.73	(11.41 - 18.81)	6.19	(4.57 - 8.34)
Region 10 (Jefferson)	6.17	(4.09 - 9.21)	18.60	(14.13 - 24.07)	6.93	(5.08 - 9.40)
Maine	5.90	(4.72 - 7.34)	17.59	(15.31 - 20.12)	5.83	(4.75 - 7.13)
Planning Region 1	5.93	(4.40 - 7.96)	19.12	(15.92 - 22.79)	6.07	(4.73 - 7.75)
Region 1 (Cumberland)	5.97	(4.05 - 8.73)	21.19	(16.83 - 26.33)	6.19	(4.54 - 8.39)
Region 2 (York)	5.88	(3.93 - 8.70)	15.84	(12.08 - 20.50)	5.89	(4.26 - 8.10)
Planning Region 2	5.80	(4.38 - 7.63)	16.33	(13.64 - 19.41)	5.70	(4.50 - 7.20)
Region 3	5.78	(3.87 - 8.55)	16.39	(12.87 - 20.64)	6.03	(4.39 - 8.23)
Region 4	5.54	(3.66 - 8.32)	16.38	(12.26 - 21.55)	5.41	(3.85 - 7.56)
Region 5	6.07	(4.02 - 9.07)	16.15	(12.28 - 20.94)	5.48	(3.99 - 7.49)
Planning Region 3	6.01	(4.42 - 8.12)	17.37	(14.10 - 21.22)	5.69	(4.36 - 7.39)
Region 6 (Penobscot)	6.17	(4.20 - 8.97)	17.87	(13.80 - 22.82)	5.92	(4.29 - 8.13)
Region 7	5.87	(3.86 - 8.84)	16.81	(12.63 - 22.03)	5.50	(3.95 - 7.63)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	5.16	(4.08 - 6.50)	15.32	(13.18 - 17.74)	6.02	(4.89 - 7.38)
Anne Arundel	5.77	(3.69 - 8.89)	17.14	(12.69 - 22.75)	5.70	(4.09 - 7.90)
Baltimore City	3.31	(2.09 - 5.19)	14.43	(10.88 - 18.89)	7.72	(5.54 - 10.66)
Central	6.32	(4.43 - 8.95)	16.51	(12.98 - 20.78)	5.90	(4.30 - 8.04)
Montgomery	5.53	(3.73 - 8.12)	15.21	(11.44 - 19.95)	5.43	(3.91 - 7.48)
Prince George's	3.43	(2.17 - 5.37)	12.31	(9.00 - 16.62)	6.14	(4.39 - 8.52)
Rural	5.61	(3.65 - 8.51)	17.21	(13.19 - 22.14)	5.88	(4.22 - 8.15)
Western	5.45	(3.57 - 8.23)	15.26	(11.75 - 19.57)	5.72	(4.07 - 7.99)
Massachusetts	6.77	(5.47 - 8.34)	19.16	(16.70 - 21.87)	6.78	(5.64 - 8.15)
Boston	5.28	(3.41 - 8.09)	18.01	(13.94 - 22.95)	8.11	(6.00 - 10.89)
Central	6.92	(4.65 - 10.19)	19.29	(14.73 - 24.86)	6.41	(4.70 - 8.68)
Metrowest	6.74	(4.76 - 9.45)	20.96	(16.66 - 26.03)	7.12	(5.34 - 9.43)
Northeast	6.49	(4.48 - 9.32)	17.63	(13.52 - 22.64)	6.28	(4.66 - 8.41)
Southeast	7.81	(5.54 - 10.89)	19.06	(15.05 - 23.85)	6.39	(4.79 - 8.49)
Western	6.75	(4.51 - 9.99)	19.77	(15.73 - 24.55)	6.75	(4.90 - 9.24)
Michigan	6.22	(5.54 - 6.99)	17.72	(16.51 - 19.00)	6.78	(6.02 - 7.63)
Bay	7.47	(5.29 - 10.44)	18.95	(14.75 - 24.02)	6.31	(4.69 - 8.46)
Detroit City	3.36	(2.32 - 4.85)	14.00	(11.17 - 17.40)	8.09	(6.20 - 10.48)
Genesee	5.93	(4.18 - 8.36)	17.11	(13.56 - 21.37)	6.78	(5.09 - 8.98)
Kalamazoo	7.33	(5.22 - 10.20)	24.24	(20.32 - 28.64)	7.37	(5.62 - 9.62)
Kent	7.16	(5.18 - 9.83)	18.77	(15.59 - 22.42)	7.39	(5.61 - 9.68)
Lakeshore	6.63	(4.91 - 8.90)	17.98	(15.00 - 21.40)	6.52	(5.07 - 8.33)
Macomb	6.60	(4.84 - 8.94)	17.17	(13.88 - 21.05)	6.77	(5.30 - 8.60)
Mid South	6.55	(4.93 - 8.66)	18.23	(15.23 - 21.67)	6.61	(5.15 - 8.44)
Northern	7.52	(5.61 - 10.02)	21.29	(17.71 - 25.37)	6.67	(5.10 - 8.66)
Oakland	6.37	(4.86 - 8.30)	17.51	(14.65 - 20.78)	6.33	(4.91 - 8.14)
Pathways	7.78	(5.26 - 11.37)	22.04	(17.53 - 27.32)	6.83	(5.06 - 9.16)
Saginaw	6.03	(4.09 - 8.80)	17.03	(12.93 - 22.10)	6.37	(4.72 - 8.54)
Southeast	5.34	(3.98 - 7.13)	14.74	(12.24 - 17.65)	7.02	(5.54 - 8.86)
St. Clair	6.97	(4.79 - 10.05)	16.61	(12.77 - 21.32)	5.81	(4.37 - 7.69)
Washtenaw	5.87	(4.08 - 8.38)	15.84	(12.53 - 19.81)	6.16	(4.61 - 8.19)
Western	5.90	(3.88 - 8.89)	16.08	(12.29 - 20.75)	5.85	(4.23 - 8.05)
Minnesota	6.80	(5.57 - 8.29)	20.92	(18.51 - 23.55)	7.01	(5.82 - 8.43)
Regions 1 and 2	7.63	(5.08 - 11.31)	21.82	(17.04 - 27.49)	6.90	(5.06 - 9.33)
Regions 3 and 4	8.14	(5.78 - 11.34)	23.24	(18.81 - 28.35)	6.77	(5.05 - 9.03)
Regions 5 and 6	7.57	(5.34 - 10.62)	25.09	(20.32 - 30.54)	6.64	(4.88 - 8.97)
Region 7A (Hennepin)	5.70	(3.95 - 8.16)	18.22	(14.35 - 22.84)	7.20	(5.42 - 9.51)
Region 7B (Ramsey)	5.98	(3.96 - 8.93)	20.12	(15.61 - 25.54)	8.08	(5.89 - 10.99)
Region 7C	5.94	(4.13 - 8.45)	17.74	(13.72 - 22.64)	6.88	(5.12 - 9.20)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	3.65	(2.76 - 4.81)	12.79	(10.82 - 15.04)	5.39	(4.28 - 6.76)
Region 1	4.17	(2.71 - 6.36)	12.13	(9.10 - 15.99)	4.58	(3.28 - 6.38)
Region 2	2.92	(1.80 - 4.69)	11.38	(8.38 - 15.27)	5.84	(4.09 - 8.29)
Region 3	3.55	(2.24 - 5.57)	13.31	(9.90 - 17.65)	5.04	(3.59 - 7.03)
Region 4	3.16	(1.98 - 5.01)	13.65	(10.37 - 17.75)	6.38	(4.52 - 8.92)
Region 5	3.36	(2.12 - 5.29)	11.46	(8.18 - 15.82)	5.15	(3.47 - 7.57)
Region 6	3.84	(2.39 - 6.12)	13.56	(10.06 - 18.04)	5.49	(3.88 - 7.72)
Region 7	4.37	(2.76 - 6.84)	13.48	(10.01 - 17.92)	5.35	(3.80 - 7.48)
Missouri	6.74	(5.46 - 8.29)	19.75	(17.38 - 22.36)	6.72	(5.55 - 8.12)
Central	7.72	(5.30 - 11.12)	22.29	(17.81 - 27.52)	6.67	(4.92 - 8.99)
Eastern	6.52	(4.91 - 8.61)	20.66	(17.18 - 24.63)	7.34	(5.72 - 9.36)
Eastern (St. Louis City and County)	6.03	(4.21 - 8.56)	21.02	(16.91 - 25.81)	7.78	(5.83 - 10.31)
Eastern (excluding St. Louis)	7.43	(5.02 - 10.85)	19.89	(15.09 - 25.77)	6.42	(4.64 - 8.82)
Northwest	6.75	(4.88 - 9.25)	19.91	(16.46 - 23.88)	6.80	(5.31 - 8.67)
Northwest (Jackson)	5.80	(3.87 - 8.60)	18.70	(14.65 - 23.56)	7.37	(5.46 - 9.90)
Northwest (excluding Jackson)	7.58	(5.06 - 11.21)	21.00	(16.31 - 26.62)	6.28	(4.57 - 8.56)
Southeast	6.46	(4.28 - 9.64)	17.01	(12.72 - 22.37)	5.85	(4.22 - 8.06)
Southwest	6.58	(4.48 - 9.57)	16.97	(13.34 - 21.33)	5.89	(4.28 - 8.07)
Montana	10.52	(8.70 - 12.67)	23.17	(20.72 - 25.81)	7.70	(6.28 - 9.40)
Region 1	11.02	(7.78 - 15.39)	*	(* - *)	6.89	(4.92 - 9.57)
Region 2	11.92	(8.53 - 16.42)	20.95	(16.46 - 26.29)	7.10	(5.13 - 9.75)
Region 3	10.13	(7.19 - 14.10)	21.06	(16.90 - 25.93)	7.64	(5.63 - 10.29)
Region 4	10.22	(7.57 - 13.65)	24.20	(20.52 - 28.29)	7.73	(5.84 - 10.16)
Region 5	10.12	(7.46 - 13.59)	24.77	(20.78 - 29.24)	8.24	(6.17 - 10.92)
Nebraska	8.55	(6.87 - 10.60)	24.62	(21.90 - 27.56)	7.41	(6.09 - 9.00)
Regions 1 and 2	*	(* - *)	*	(* - *)	6.07	(4.33 - 8.45)
Region 3	9.84	(6.72 - 14.18)	23.98	(18.67 - 30.24)	6.83	(4.99 - 9.27)
Region 4	9.49	(6.53 - 13.61)	21.64	(16.70 - 27.56)	6.38	(4.62 - 8.75)
Region 5	8.57	(6.01 - 12.06)	26.93	(22.69 - 31.64)	8.00	(6.00 - 10.58)
Region 6	6.83	(4.84 - 9.55)	23.78	(19.82 - 28.26)	8.00	(6.16 - 10.32)
Nevada	6.37	(5.00 - 8.09)	17.38	(14.96 - 20.09)	7.14	(5.79 - 8.79)
Clark	5.91	(4.35 - 7.98)	16.55	(13.76 - 19.78)	7.33	(5.73 - 9.34)
Rural	6.97	(4.76 - 10.08)	17.72	(13.67 - 22.66)	6.04	(4.43 - 8.19)
Washoe	7.69	(5.34 - 10.94)	20.59	(16.39 - 25.54)	7.27	(5.46 - 9.61)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	7.12	(5.77 - 8.75)	22.56	(20.07 - 25.27)	6.75	(5.52 - 8.23)
Central	7.72	(5.76 - 10.29)	23.14	(19.61 - 27.08)	6.52	(5.02 - 8.43)
Central 1	8.29	(5.67 - 11.97)	24.15	(19.67 - 29.29)	6.65	(4.81 - 9.12)
Central 2	7.16	(4.89 - 10.35)	21.84	(17.27 - 27.22)	6.41	(4.61 - 8.84)
Northern	8.21	(5.51 - 12.04)	23.20	(18.37 - 28.85)	6.78	(4.92 - 9.27)
Southern	6.59	(5.10 - 8.48)	22.10	(18.98 - 25.56)	6.85	(5.42 - 8.61)
Southern 1 (Rockingham)	6.03	(4.08 - 8.82)	23.25	(18.68 - 28.55)	6.59	(4.86 - 8.88)
Southern 2	6.93	(5.12 - 9.30)	21.52	(17.86 - 25.69)	7.01	(5.31 - 9.21)
New Jersey	5.57	(4.34 - 7.11)	15.80	(13.57 - 18.32)	5.19	(4.09 - 6.58)
Central	6.13	(4.27 - 8.72)	18.04	(14.15 - 22.72)	4.93	(3.52 - 6.87)
Metropolitan	4.82	(3.28 - 7.04)	14.34	(11.03 - 18.43)	5.38	(3.90 - 7.39)
Northern	5.58	(3.83 - 8.07)	14.35	(11.18 - 18.23)	4.92	(3.54 - 6.80)
Southern	5.78	(3.89 - 8.51)	17.65	(13.80 - 22.29)	5.70	(4.08 - 7.90)
New Mexico	7.94	(6.36 - 9.88)	22.68	(19.95 - 25.67)	8.02	(6.47 - 9.92)
Region 1	8.07	(5.66 - 11.40)	19.49	(15.28 - 24.53)	7.46	(5.43 - 10.17)
Region 2	8.32	(5.56 - 12.29)	*	(* - *)	8.20	(5.94 - 11.21)
Region 3 (Bernalillo)	9.01	(6.54 - 12.28)	25.96	(21.64 - 30.81)	8.43	(6.34 - 11.13)
Region 4	6.83	(4.42 - 10.41)	18.83	(14.23 - 24.49)	7.41	(5.32 - 10.22)
Region 5	6.93	(4.62 - 10.27)	22.22	(17.81 - 27.36)	8.20	(5.95 - 11.19)
New York	5.61	(4.87 - 6.46)	15.91	(14.64 - 17.27)	5.70	(4.97 - 6.54)
Region A	4.54	(3.67 - 5.59)	12.63	(11.03 - 14.42)	5.89	(4.95 - 6.98)
Region 1	5.22	(3.60 - 7.50)	12.55	(9.64 - 16.19)	6.11	(4.55 - 8.15)
Region 2	4.00	(2.86 - 5.57)	11.96	(9.65 - 14.75)	5.63	(4.30 - 7.35)
Region 3	4.89	(3.27 - 7.26)	16.21	(12.80 - 20.32)	7.92	(6.11 - 10.19)
Region 4	4.64	(3.25 - 6.59)	10.97	(8.52 - 14.01)	4.61	(3.40 - 6.22)
Region B	6.32	(5.07 - 7.85)	17.50	(15.14 - 20.14)	5.36	(4.35 - 6.59)
Region 5	6.21	(4.70 - 8.16)	17.85	(14.90 - 21.25)	5.14	(3.96 - 6.64)
Region 6	6.56	(4.66 - 9.15)	16.73	(13.31 - 20.82)	5.83	(4.40 - 7.70)
Region C	6.21	(5.18 - 7.43)	19.38	(17.48 - 21.43)	5.71	(4.81 - 6.76)
Region 7	5.76	(3.99 - 8.25)	18.79	(14.71 - 23.68)	5.65	(4.17 - 7.62)
Region 8	6.60	(4.67 - 9.24)	19.54	(16.05 - 23.57)	5.72	(4.32 - 7.54)
Region 9	6.07	(4.29 - 8.54)	20.65	(16.81 - 25.12)	5.59	(4.10 - 7.59)
Region 10	8.67	(6.02 - 12.34)	18.99	(15.22 - 23.43)	5.63	(4.09 - 7.71)
Region 11	5.06	(3.51 - 7.24)	17.85	(14.51 - 21.77)	5.53	(4.14 - 7.35)
Region 12	6.43	(4.62 - 8.90)	20.22	(16.49 - 24.55)	5.99	(4.59 - 7.79)
Region D	6.78	(5.29 - 8.64)	18.72	(16.01 - 21.76)	5.66	(4.62 - 6.92)
Region 13	6.73	(4.56 - 9.83)	17.52	(13.45 - 22.52)	5.76	(4.20 - 7.86)
Region 14	6.60	(4.50 - 9.58)	19.94	(15.45 - 25.34)	5.77	(4.24 - 7.80)
Region 15	6.98	(4.79 - 10.06)	18.42	(14.53 - 23.07)	5.48	(4.05 - 7.38)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	5.37	(4.24 - 6.79)	15.37	(13.13 - 17.91)	5.13	(4.04 - 6.50)
Eastern	4.37	(2.95 - 6.43)	14.28	(11.02 - 18.30)	5.21	(3.70 - 7.31)
North Central	5.84	(4.02 - 8.43)	15.06	(11.60 - 19.33)	5.19	(3.66 - 7.31)
South Central	5.15	(3.44 - 7.62)	15.98	(12.43 - 20.31)	5.22	(3.74 - 7.23)
Western	5.84	(4.17 - 8.12)	15.84	(12.54 - 19.82)	4.99	(3.70 - 6.71)
North Dakota	10.15	(8.35 - 12.28)	26.73	(23.99 - 29.66)	7.31	(5.96 - 8.94)
Badlands and West Central Lake Region and South Central	10.32	(7.49 - 14.05)	26.55	(21.92 - 31.75)	6.72	(4.97 - 9.04)
North Central and Northwest	9.41	(6.71 - 13.06)	21.65	(17.04 - 27.09)	6.13	(4.47 - 8.35)
Northeast	10.46	(7.44 - 14.50)	25.03	(19.98 - 30.87)	7.64	(5.57 - 10.40)
Southeast	10.00	(6.97 - 14.14)	28.09	(22.99 - 33.81)	7.55	(5.56 - 10.18)
Ohio	10.32	(7.54 - 13.97)	28.73	(24.71 - 33.11)	8.38	(6.35 - 10.99)
Boards 2, 46, 55, and 68	5.75	(5.06 - 6.51)	18.07	(16.83 - 19.38)	5.97	(5.27 - 6.76)
Boards 3, 52, and 85	5.95	(4.19 - 8.38)	17.49	(13.87 - 21.81)	5.20	(3.86 - 6.96)
Boards 4 and 78	6.06	(4.14 - 8.80)	16.74	(12.96 - 21.34)	5.31	(3.93 - 7.16)
Boards 5 and 60	7.15	(4.92 - 10.28)	19.74	(15.47 - 24.84)	5.84	(4.31 - 7.86)
Boards 7, 15, 41, 79, and 84	6.25	(4.32 - 8.96)	18.49	(14.52 - 23.23)	6.09	(4.61 - 8.02)
Boards 8, 13, and 83	7.37	(5.15 - 10.42)	17.79	(13.98 - 22.38)	5.53	(4.18 - 7.29)
Board 9 (Butler)	5.55	(3.89 - 7.85)	15.58	(12.04 - 19.93)	5.06	(3.78 - 6.73)
Board 12	6.90	(4.86 - 9.71)	19.36	(15.36 - 24.11)	5.38	(4.00 - 7.20)
Boards 18 and 47	5.73	(3.83 - 8.49)	16.86	(13.16 - 21.35)	5.69	(4.23 - 7.61)
Boards 20, 32, 54, and 69	5.49	(4.10 - 7.33)	17.89	(15.09 - 21.09)	5.95	(4.64 - 7.60)
Boards 21, 39, 51, 70, and 80	6.98	(4.86 - 9.95)	18.13	(14.20 - 22.86)	5.38	(4.01 - 7.19)
Boards 22, 74, and 87	6.41	(4.50 - 9.07)	17.57	(13.93 - 21.92)	5.51	(4.16 - 7.26)
Boards 23 and 45	5.64	(3.85 - 8.19)	18.83	(14.81 - 23.63)	5.62	(4.13 - 7.60)
Board 25 (Franklin)	5.46	(3.68 - 8.03)	18.27	(14.15 - 23.28)	6.25	(4.67 - 8.32)
Boards 27, 71, and 73	5.24	(3.79 - 7.20)	18.96	(16.07 - 22.23)	7.21	(5.72 - 9.04)
Boards 28, 43, and 67	5.48	(3.82 - 7.79)	14.33	(11.05 - 18.38)	5.59	(4.16 - 7.49)
Board 31 (Hamilton)	5.52	(3.82 - 7.92)	20.30	(16.54 - 24.66)	5.85	(4.40 - 7.73)
Board 48 (Lucas)	4.71	(3.33 - 6.64)	16.52	(13.29 - 20.35)	6.03	(4.62 - 7.84)
Board 50 and 76	5.39	(3.80 - 7.58)	17.92	(14.32 - 22.17)	6.57	(4.96 - 8.64)
Board 57 (Montgomery)	5.44	(3.80 - 7.75)	18.46	(14.79 - 22.81)	6.05	(4.55 - 8.00)
Board 77 (Summit)	5.61	(3.83 - 8.13)	19.55	(15.64 - 24.16)	6.67	(5.05 - 8.77)
Oklahoma	5.58	(3.86 - 8.01)	20.35	(16.47 - 24.89)	6.38	(4.73 - 8.56)
Central	6.05	(4.82 - 7.57)	17.17	(14.72 - 19.94)	5.63	(4.50 - 7.01)
East Central	5.39	(3.49 - 8.26)	17.73	(13.46 - 22.98)	5.64	(3.99 - 7.91)
Northwest and Southwest	6.15	(4.06 - 9.20)	14.30	(10.35 - 19.43)	4.86	(3.42 - 6.88)
Oklahoma County	5.95	(3.93 - 8.92)	17.16	(13.08 - 22.19)	5.15	(3.75 - 7.02)
Southeast	6.20	(4.13 - 9.21)	17.81	(13.42 - 23.25)	5.12	(3.62 - 7.20)
Tulsa County	5.31	(3.56 - 7.84)	17.75	(13.55 - 22.90)	6.63	(4.88 - 8.97)
	6.84	(4.60 - 10.05)	17.29	(13.09 - 22.49)	5.10	(3.62 - 7.14)
	6.58	(4.41 - 9.71)	17.19	(13.32 - 21.91)	6.36	(4.59 - 8.74)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	5.70	(4.56 - 7.09)	17.83	(15.66 - 20.24)	6.06	(4.91 - 7.46)
Region 1 (Multnomah)	5.43	(3.62 - 8.08)	20.24	(16.34 - 24.80)	7.58	(5.67 - 10.07)
Region 2	5.82	(4.09 - 8.23)	17.72	(14.02 - 22.14)	6.24	(4.63 - 8.35)
Region 3	5.39	(3.78 - 7.62)	17.13	(13.96 - 20.85)	5.80	(4.28 - 7.81)
Region 4	5.67	(3.84 - 8.31)	16.64	(12.99 - 21.08)	5.03	(3.60 - 7.00)
Region 5	6.68	(4.41 - 10.00)	16.98	(12.63 - 22.44)	5.13	(3.64 - 7.18)
Pennsylvania	5.47	(4.80 - 6.23)	18.53	(17.25 - 19.87)	5.63	(4.96 - 6.39)
Region 1 (Allegheny)	5.71	(4.16 - 7.78)	22.97	(19.54 - 26.80)	6.27	(4.86 - 8.06)
Regions 2, 3, 8, and 9	5.32	(3.75 - 7.51)	18.24	(14.40 - 22.84)	5.25	(3.96 - 6.94)
Regions 4, 11, 42, and 48	6.24	(4.45 - 8.69)	20.10	(16.43 - 24.35)	5.58	(4.20 - 7.38)
Regions 5, 20, 26, 28, and 40	5.62	(3.99 - 7.87)	16.14	(13.16 - 19.65)	4.83	(3.60 - 6.44)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	6.18	(4.38 - 8.66)	23.41	(19.76 - 27.51)	5.58	(4.17 - 7.41)
Regions 7, 13, 22, and 37	6.30	(4.88 - 8.10)	16.92	(14.31 - 19.89)	5.35	(4.27 - 6.69)
Regions 10, 14, 15, 25, 31, 36, and 46	5.21	(3.64 - 7.40)	18.43	(14.58 - 23.02)	5.63	(4.29 - 7.36)
Regions 17, 24, 27, 43, and 47	4.81	(3.34 - 6.87)	16.25	(12.81 - 20.39)	4.98	(3.76 - 6.57)
Region 18 (Philadelphia)	3.60	(2.55 - 5.07)	16.43	(13.81 - 19.45)	6.80	(5.39 - 8.54)
Regions 19 and 23	6.93	(4.74 - 10.02)	21.06	(16.75 - 26.14)	6.10	(4.46 - 8.31)
Regions 21, 30, 32, and 49	4.70	(3.42 - 6.42)	17.22	(14.31 - 20.58)	5.30	(4.12 - 6.80)
Regions 29 and 34	7.73	(5.47 - 10.82)	21.39	(17.16 - 26.34)	6.12	(4.58 - 8.13)
Regions 33 and 38	4.56	(3.06 - 6.73)	15.80	(12.05 - 20.45)	5.12	(3.77 - 6.92)
Rhode Island	6.74	(5.28 - 8.58)	24.11	(21.18 - 27.30)	7.39	(5.97 - 9.12)
Bristol and Newport	8.15	(5.49 - 11.96)	*	(* - *)	7.62	(5.51 - 10.45)
Kent	6.08	(3.99 - 9.17)	22.18	(17.56 - 27.61)	7.25	(5.26 - 9.91)
Providence	6.49	(4.74 - 8.82)	22.35	(18.98 - 26.14)	7.34	(5.67 - 9.47)
Washington	7.32	(4.76 - 11.09)	*	(* - *)	7.56	(5.40 - 10.49)
South Carolina	4.93	(3.86 - 6.27)	17.56	(15.20 - 20.20)	6.65	(5.39 - 8.18)
Region 1	5.64	(3.89 - 8.12)	18.02	(14.27 - 22.50)	6.26	(4.62 - 8.43)
Region 2	4.89	(3.44 - 6.90)	18.27	(15.00 - 22.07)	6.72	(5.10 - 8.82)
Region 3	3.75	(2.44 - 5.73)	14.68	(11.01 - 19.31)	6.50	(4.68 - 8.96)
Region 4	5.07	(3.38 - 7.54)	18.15	(14.27 - 22.80)	7.08	(5.20 - 9.56)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	10.16	(8.33 - 12.34)	25.49	(22.90 - 28.25)	7.78	(6.32 - 9.55)
Eastern Planning Area	9.55	(7.68 - 11.82)	25.45	(22.61 - 28.51)	7.70	(6.20 - 9.52)
Region 3 (Minnehaha)	9.81	(7.00 - 13.59)	25.92	(21.63 - 30.73)	8.48	(6.38 - 11.18)
Region 4	9.58	(6.61 - 13.69)	25.23	(20.09 - 31.17)	7.77	(5.63 - 10.61)
Region 5	9.68	(6.85 - 13.50)	26.20	(20.82 - 32.41)	6.92	(4.95 - 9.60)
Region 6	10.04	(6.98 - 14.23)	24.82	(19.83 - 30.59)	7.03	(5.09 - 9.64)
Region 7	8.59	(5.75 - 12.65)	24.88	(19.67 - 30.93)	7.75	(5.54 - 10.74)
Western Planning Area	11.45	(8.68 - 14.95)	25.58	(21.55 - 30.08)	8.00	(6.08 - 10.46)
Region 1 (Pennington)	9.06	(6.09 - 13.29)	25.50	(20.54 - 31.19)	7.76	(5.65 - 10.58)
Region 2	12.79	(9.12 - 17.64)	25.64	(20.21 - 31.95)	8.17	(5.77 - 11.44)
Tennessee	4.74	(3.71 - 6.04)	14.55	(12.36 - 17.06)	5.09	(4.11 - 6.29)
Region 1	5.96	(3.87 - 9.07)	15.14	(11.14 - 20.25)	4.79	(3.45 - 6.62)
Region 2	4.97	(3.23 - 7.57)	15.48	(11.46 - 20.57)	4.95	(3.57 - 6.83)
Region 3	4.81	(3.22 - 7.14)	15.00	(11.37 - 19.53)	4.77	(3.45 - 6.57)
Region 4 (Davidson)	4.14	(2.64 - 6.43)	15.39	(11.78 - 19.85)	6.18	(4.46 - 8.51)
Region 5	5.02	(3.38 - 7.38)	14.08	(10.64 - 18.41)	4.60	(3.31 - 6.35)
Region 6	5.10	(3.32 - 7.77)	14.18	(10.41 - 19.04)	5.14	(3.67 - 7.15)
Region 7 (Shelby)	3.61	(2.33 - 5.56)	13.07	(9.67 - 17.43)	5.71	(4.12 - 7.85)
Texas	5.57	(4.87 - 6.36)	16.28	(15.07 - 17.56)	6.20	(5.51 - 6.96)
Region 1	9.40	(6.45 - 13.50)	20.66	(16.58 - 25.43)	6.15	(4.50 - 8.35)
Region 2	5.52	(3.67 - 8.23)	16.34	(12.53 - 21.05)	5.54	(4.11 - 7.42)
Region 3	4.86	(3.86 - 6.09)	15.30	(13.38 - 17.44)	6.02	(5.05 - 7.16)
Region 3a	4.92	(3.72 - 6.48)	15.20	(12.88 - 17.85)	5.95	(4.79 - 7.38)
Region 3bc	4.74	(3.37 - 6.64)	15.49	(12.58 - 18.92)	6.14	(4.80 - 7.81)
Region 4	6.18	(4.27 - 8.87)	13.86	(10.66 - 17.82)	5.21	(3.85 - 7.02)
Region 5	6.64	(4.48 - 9.74)	15.17	(11.55 - 19.69)	5.26	(3.87 - 7.11)
Region 6	4.71	(3.71 - 5.96)	15.14	(13.08 - 17.46)	6.47	(5.30 - 7.88)
Region 6a	4.45	(3.39 - 5.83)	14.89	(12.70 - 17.38)	6.56	(5.28 - 8.12)
Region 6bc	6.88	(4.70 - 9.96)	17.52	(13.56 - 22.34)	5.80	(4.33 - 7.72)
Region 7	6.53	(5.00 - 8.50)	21.59	(18.80 - 24.66)	7.21	(5.84 - 8.87)
Region 7a	6.31	(4.42 - 8.93)	22.70	(19.10 - 26.75)	7.66	(5.89 - 9.89)
Region 7bcd	6.82	(4.81 - 9.59)	20.12	(16.50 - 24.30)	6.51	(4.98 - 8.47)
Region 8	5.01	(3.55 - 7.04)	15.50	(12.41 - 19.20)	6.32	(4.92 - 8.08)
Region 9	7.29	(5.04 - 10.43)	17.07	(13.19 - 21.80)	5.72	(4.23 - 7.68)
Region 10	6.27	(4.25 - 9.16)	16.29	(12.50 - 20.94)	6.22	(4.57 - 8.42)
Region 11	6.18	(4.61 - 8.23)	13.92	(11.36 - 16.95)	5.84	(4.62 - 7.36)
Region 11abd	6.46	(4.49 - 9.22)	14.94	(11.62 - 19.00)	5.93	(4.49 - 7.79)
Region 11c (Hidalgo)	5.66	(3.78 - 8.39)	12.06	(8.92 - 16.11)	5.65	(4.11 - 7.72)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	4.65	(3.57 - 6.04)	12.10	(10.15 - 14.36)	5.32	(4.16 - 6.79)
Bear River, Northeastern, Summit, Tooele, and Wasatch	4.78	(3.05 - 7.40)	13.13	(9.51 - 17.85)	5.37	(3.74 - 7.65)
Central, Four Corners, San Juan, and Southwest	4.12	(2.57 - 6.54)	10.89	(7.67 - 15.23)	4.25	(2.89 - 6.22)
Davis County	4.93	(3.16 - 7.60)	12.52	(9.07 - 17.03)	4.80	(3.33 - 6.87)
Salt Lake County	5.35	(3.71 - 7.65)	12.87	(10.22 - 16.09)	5.94	(4.39 - 7.99)
Utah County	3.47	(2.18 - 5.49)	10.57	(7.90 - 14.01)	4.92	(3.44 - 6.98)
Weber, Morgan	4.45	(2.83 - 6.93)	12.46	(8.83 - 17.28)	5.11	(3.50 - 7.39)
Vermont	6.35	(5.15 - 7.82)	19.90	(17.37 - 22.69)	5.99	(4.88 - 7.34)
Champlain Valley	6.58	(4.84 - 8.89)	20.97	(17.57 - 24.83)	6.26	(4.76 - 8.21)
Rural Northeast	5.93	(4.13 - 8.44)	18.78	(14.82 - 23.50)	6.05	(4.51 - 8.07)
Rural Southeast	5.91	(4.09 - 8.47)	18.99	(14.77 - 24.07)	5.64	(4.09 - 7.74)
Rural Southwest	7.01	(4.81 - 10.11)	19.34	(15.05 - 24.50)	5.78	(4.18 - 7.94)
Virginia	5.65	(4.46 - 7.12)	17.75	(15.39 - 20.39)	5.95	(4.85 - 7.29)
Region 1	7.07	(4.73 - 10.44)	20.07	(15.88 - 25.03)	5.83	(4.17 - 8.11)
Region 2	6.41	(4.40 - 9.23)	19.35	(15.14 - 24.38)	7.22	(5.31 - 9.76)
Region 3	6.90	(4.72 - 9.98)	20.79	(16.24 - 26.23)	5.50	(4.00 - 7.52)
Region 4	4.65	(3.10 - 6.92)	16.19	(12.75 - 20.35)	5.41	(3.94 - 7.38)
Region 5	3.83	(2.47 - 5.88)	13.65	(10.44 - 17.65)	5.34	(3.86 - 7.34)
Washington	5.93	(4.71 - 7.45)	18.52	(16.25 - 21.03)	6.34	(5.21 - 7.70)
Region 1	6.47	(4.29 - 9.64)	20.30	(15.93 - 25.51)	5.85	(4.23 - 8.04)
Region 2	6.26	(4.05 - 9.56)	17.32	(12.95 - 22.79)	5.86	(4.24 - 8.05)
Region 3	5.39	(3.63 - 7.94)	19.06	(14.67 - 24.39)	6.03	(4.40 - 8.22)
Region 4 (King)	5.06	(3.46 - 7.35)	18.04	(14.63 - 22.04)	6.87	(5.17 - 9.08)
Region 5	6.41	(4.34 - 9.36)	18.00	(14.11 - 22.67)	6.36	(4.66 - 8.61)
Region 6	6.64	(4.49 - 9.71)	18.57	(14.57 - 23.36)	6.25	(4.61 - 8.44)
West Virginia	6.40	(5.22 - 7.83)	16.87	(14.73 - 19.25)	5.41	(4.40 - 6.64)
Eastern Highland	6.58	(4.55 - 9.42)	15.71	(12.23 - 19.94)	4.98	(3.55 - 6.93)
Northern	6.74	(4.97 - 9.07)	19.85	(16.34 - 23.91)	5.63	(4.31 - 7.31)
Northern A and B	6.75	(4.52 - 9.98)	17.07	(12.74 - 22.48)	5.37	(3.87 - 7.42)
Northern C and D	6.73	(4.63 - 9.70)	20.89	(16.68 - 25.84)	5.76	(4.20 - 7.86)
South Central	6.20	(4.70 - 8.15)	15.78	(13.06 - 18.94)	5.39	(4.26 - 6.80)
South Central I	6.79	(4.48 - 10.17)	15.74	(11.81 - 20.66)	5.12	(3.64 - 7.16)
South Central II	5.35	(3.45 - 8.22)	15.89	(11.91 - 20.89)	5.40	(3.82 - 7.58)
South Central III	6.41	(4.34 - 9.37)	15.72	(12.03 - 20.28)	5.55	(4.09 - 7.48)
Southern	6.07	(4.37 - 8.36)	15.46	(12.44 - 19.06)	5.65	(4.26 - 7.45)
Southern I and III	5.85	(3.81 - 8.86)	15.30	(11.66 - 19.82)	5.76	(4.11 - 8.03)
Southern II	6.50	(4.35 - 9.62)	15.79	(11.77 - 20.86)	5.41	(3.87 - 7.53)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	8.15	(6.62 - 10.00)	24.70	(22.00 - 27.61)	8.47	(6.99 - 10.22)
Milwaukee	6.22	(4.18 - 9.15)	24.64	(19.64 - 30.42)	10.07	(7.58 - 13.27)
Northeastern	8.26	(5.88 - 11.49)	25.53	(20.84 - 30.86)	7.91	(5.90 - 10.53)
Northern	9.25	(6.34 - 13.31)	*	(* - *)	7.45	(5.43 - 10.14)
Southeastern	9.04	(6.40 - 12.61)	22.33	(17.75 - 27.70)	7.78	(5.78 - 10.39)
Southern	7.51	(5.16 - 10.81)	24.34	(19.92 - 29.38)	9.54	(7.18 - 12.57)
Western	9.18	(6.28 - 13.22)	26.29	(21.41 - 31.83)	7.69	(5.62 - 10.44)
Wyoming	8.22	(6.78 - 9.94)	22.32	(19.76 - 25.10)	7.07	(5.85 - 8.51)
Judicial District 1 (Laramie)	7.23	(4.90 - 10.54)	19.46	(15.12 - 24.69)	6.60	(4.83 - 8.95)
Judicial District 2	8.81	(5.92 - 12.93)	28.39	(23.57 - 33.75)	8.61	(6.37 - 11.54)
Judicial District 3	8.72	(6.15 - 12.24)	22.17	(17.40 - 27.79)	6.78	(4.95 - 9.21)
Judicial District 4	7.80	(5.14 - 11.67)	22.52	(17.33 - 28.72)	6.55	(4.75 - 8.98)
Judicial District 5	7.16	(4.76 - 10.65)	18.15	(13.62 - 23.76)	6.39	(4.55 - 8.92)
Judicial District 6	8.90	(6.17 - 12.68)	21.42	(16.49 - 27.33)	6.89	(4.98 - 9.47)
Judicial District 7 (Natrona)	8.54	(5.85 - 12.31)	21.78	(16.75 - 27.81)	7.46	(5.50 - 10.03)
Judicial District 8	7.34	(4.97 - 10.72)	18.80	(14.28 - 24.35)	6.55	(4.70 - 9.07)
Judicial District 9	9.07	(6.09 - 13.29)	23.30	(18.09 - 29.46)	7.82	(5.73 - 10.59)

*Low precision; no estimate reported.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 18. Any Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	5.35		8.10		1.77	
Alabama	5.19	(4.10 - 6.56)	7.16	(5.80 - 8.79)	1.76	(1.24 - 2.48)
Region 1	6.44	(4.46 - 9.22)	7.42	(5.40 - 10.13)	1.62	(1.00 - 2.62)
Region 2	5.03	(3.49 - 7.21)	7.59	(5.66 - 10.09)	1.91	(1.19 - 3.05)
Region 3	4.19	(2.77 - 6.28)	6.06	(4.26 - 8.55)	1.79	(1.07 - 2.98)
Region 4	4.82	(3.38 - 6.82)	7.26	(5.28 - 9.90)	1.69	(1.07 - 2.66)
Alaska	6.08	(4.85 - 7.61)	9.00	(7.35 - 10.97)	1.84	(1.27 - 2.67)
Gulf Coast	6.32	(4.19 - 9.41)	9.66	(6.86 - 13.46)	1.74	(1.01 - 2.98)
Rural	4.64	(2.89 - 7.38)	5.95	(4.04 - 8.67)	1.73	(0.97 - 3.06)
Southeast	5.99	(3.90 - 9.12)	10.68	(7.59 - 14.83)	1.66	(0.98 - 2.83)
Urban	6.33	(4.82 - 8.28)	9.21	(7.32 - 11.53)	1.91	(1.25 - 2.91)
Arizona	7.14	(5.67 - 8.96)	7.73	(6.19 - 9.61)	1.92	(1.35 - 2.72)
Maricopa	6.96	(5.27 - 9.13)	7.36	(5.66 - 9.52)	1.92	(1.27 - 2.88)
Pima	6.87	(4.55 - 10.25)	8.55	(6.02 - 11.99)	1.95	(1.18 - 3.21)
Rural North	7.17	(4.86 - 10.48)	8.50	(5.95 - 12.00)	1.77	(1.05 - 2.98)
Rural South	8.32	(5.38 - 12.64)	7.86	(5.40 - 11.32)	*	(* - *)
Arkansas	4.97	(3.90 - 6.30)	8.75	(7.10 - 10.74)	1.87	(1.33 - 2.61)
Areas 1 and 5	4.39	(2.88 - 6.65)	8.49	(6.10 - 11.71)	1.65	(1.03 - 2.64)
Areas 2 and 3	5.77	(3.79 - 8.68)	8.56	(6.09 - 11.90)	1.68	(1.01 - 2.77)
Areas 4 and 7	5.25	(3.47 - 7.86)	8.59	(6.21 - 11.78)	1.95	(1.18 - 3.22)
Area 6	5.05	(3.25 - 7.76)	7.72	(5.48 - 10.78)	*	(* - *)
Areas 8 and 12	5.03	(3.32 - 7.55)	9.03	(6.54 - 12.34)	2.02	(1.24 - 3.28)
Area 9	5.10	(3.39 - 7.59)	9.98	(7.33 - 13.44)	2.10	(1.32 - 3.34)
Areas 10, 11, and 13	4.68	(3.04 - 7.12)	8.33	(6.00 - 11.46)	1.91	(1.14 - 3.18)
California	5.37	(4.67 - 6.17)	7.90	(7.02 - 8.88)	1.96	(1.57 - 2.46)
Region 1	6.79	(4.63 - 9.84)	10.20	(7.51 - 13.71)	1.92	(1.22 - 3.01)
Region 2	6.87	(4.99 - 9.39)	9.27	(7.24 - 11.80)	2.16	(1.42 - 3.29)
Region 3	5.24	(3.60 - 7.55)	8.50	(6.40 - 11.20)	1.88	(1.22 - 2.89)
Region 4	4.79	(3.20 - 7.11)	9.66	(7.20 - 12.85)	2.04	(1.30 - 3.18)
Region 5	5.22	(3.68 - 7.35)	9.77	(7.50 - 12.62)	1.93	(1.28 - 2.91)
Region 6 (Santa Clara)	5.01	(3.40 - 7.34)	8.17	(6.10 - 10.86)	1.91	(1.22 - 2.97)
Region 7	6.00	(3.97 - 8.96)	8.09	(5.98 - 10.87)	2.08	(1.34 - 3.21)
Region 8	5.26	(3.67 - 7.48)	7.58	(5.69 - 10.03)	2.03	(1.33 - 3.10)
Region 9	5.34	(3.63 - 7.79)	8.42	(6.20 - 11.34)	1.91	(1.20 - 3.00)
Region 10	6.06	(4.23 - 8.62)	8.92	(6.66 - 11.87)	2.05	(1.32 - 3.18)
Region 11 (Los Angeles)	4.95	(3.84 - 6.36)	7.03	(5.76 - 8.55)	1.96	(1.42 - 2.72)
Region 12	5.50	(3.87 - 7.74)	6.47	(4.80 - 8.66)	1.89	(1.22 - 2.93)
Region 13 (Riverside)	5.68	(3.90 - 8.19)	7.15	(5.21 - 9.72)	1.84	(1.18 - 2.85)
Region 14 (Orange)	4.80	(3.36 - 6.81)	7.65	(5.89 - 9.89)	1.94	(1.29 - 2.92)
Region 15	5.19	(3.69 - 7.24)	7.28	(5.49 - 9.60)	1.87	(1.25 - 2.79)

See notes at end of table.

(continued)

Table 18. Any Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	5.18	(4.03 - 6.64)	9.74	(8.02 - 11.78)	1.85	(1.31 - 2.62)
Region 1	5.37	(3.51 - 8.13)	10.28	(7.55 - 13.84)	1.73	(1.06 - 2.82)
Regions 2 and 7	5.14	(3.71 - 7.07)	9.98	(7.84 - 12.62)	1.93	(1.28 - 2.90)
Region 3	5.40	(3.49 - 8.26)	8.73	(6.25 - 12.06)	1.83	(1.12 - 2.99)
Region 4	5.80	(3.71 - 8.95)	8.93	(6.25 - 12.59)	*	(* - *)
Regions 5 and 6	4.47	(2.85 - 6.97)	9.53	(6.88 - 13.07)	1.54	(0.92 - 2.59)
Connecticut	5.72	(4.51 - 7.23)	10.00	(8.25 - 12.07)	1.64	(1.13 - 2.38)
Eastern	6.42	(4.23 - 9.61)	9.52	(6.79 - 13.20)	1.67	(0.97 - 2.88)
North Central	5.74	(3.98 - 8.23)	9.60	(7.31 - 12.50)	1.75	(1.07 - 2.87)
Northwestern	5.50	(3.63 - 8.24)	11.07	(8.08 - 15.00)	1.61	(0.95 - 2.72)
South Central	5.14	(3.48 - 7.52)	9.79	(7.35 - 12.92)	1.45	(0.88 - 2.39)
Southwest	6.13	(4.07 - 9.12)	10.37	(7.60 - 14.00)	1.71	(1.01 - 2.89)
Delaware	4.87	(3.80 - 6.23)	8.20	(6.65 - 10.08)	1.89	(1.36 - 2.64)
Kent	4.62	(3.04 - 6.97)	7.76	(5.60 - 10.67)	1.82	(1.13 - 2.94)
New Castle (excluding Wilmington city)	4.99	(3.64 - 6.80)	8.60	(6.67 - 11.02)	1.89	(1.26 - 2.81)
Sussex	5.05	(3.38 - 7.49)	7.55	(5.39 - 10.47)	1.75	(1.08 - 2.82)
Wilmington City	4.34	(2.70 - 6.90)	7.78	(5.47 - 10.94)	2.42	(1.46 - 3.98)
District of Columbia	4.21	(3.21 - 5.51)	8.89	(7.22 - 10.90)	3.03	(2.18 - 4.21)
Ward 1	4.24	(2.65 - 6.71)	8.17	(5.78 - 11.43)	3.30	(2.02 - 5.35)
Ward 2	*	(* - *)	9.06	(6.55 - 12.41)	2.77	(1.72 - 4.45)
Ward 3	5.09	(3.18 - 8.03)	8.41	(5.98 - 11.72)	2.06	(1.27 - 3.35)
Ward 4	4.25	(2.64 - 6.78)	9.01	(6.41 - 12.52)	2.89	(1.74 - 4.76)
Ward 5	3.74	(2.36 - 5.89)	9.78	(7.20 - 13.16)	3.46	(2.09 - 5.68)
Ward 6	3.92	(2.41 - 6.32)	10.23	(7.14 - 14.45)	2.98	(1.82 - 4.83)
Ward 7	4.04	(2.64 - 6.13)	8.70	(6.13 - 12.21)	3.69	(2.20 - 6.11)
Ward 8	4.19	(2.80 - 6.24)	8.16	(5.77 - 11.42)	3.57	(2.19 - 5.78)
Florida	5.41	(4.73 - 6.17)	8.43	(7.52 - 9.43)	1.95	(1.57 - 2.41)
District 1	5.43	(3.70 - 7.90)	9.14	(6.75 - 12.26)	1.93	(1.27 - 2.93)
District 2	4.47	(2.99 - 6.64)	9.70	(7.42 - 12.59)	1.95	(1.27 - 3.00)
District 3	4.82	(3.23 - 7.11)	9.08	(6.88 - 11.89)	1.84	(1.18 - 2.86)
District 4	6.13	(4.40 - 8.47)	8.95	(6.91 - 11.52)	2.22	(1.47 - 3.32)
District 7	5.60	(4.08 - 7.63)	8.80	(6.92 - 11.12)	1.88	(1.27 - 2.76)
District 8	5.06	(3.50 - 7.28)	8.01	(5.98 - 10.65)	1.58	(1.01 - 2.47)
District 9 (Palm Beach)	5.12	(3.59 - 7.25)	8.52	(6.48 - 11.12)	1.90	(1.27 - 2.85)
District 10 (Broward)	6.27	(4.69 - 8.34)	8.36	(6.49 - 10.72)	2.15	(1.43 - 3.21)
District 11	3.81	(2.72 - 5.32)	6.77	(5.26 - 8.68)	2.12	(1.46 - 3.07)
District 12	4.64	(3.11 - 6.87)	9.47	(7.17 - 12.41)	1.65	(1.05 - 2.59)
District 13	4.55	(3.07 - 6.69)	7.92	(5.88 - 10.59)	1.46	(0.91 - 2.33)
District 14	5.50	(3.82 - 7.86)	6.97	(5.10 - 9.45)	1.72	(1.11 - 2.67)
District 15	5.04	(3.33 - 7.56)	8.40	(6.23 - 11.23)	1.53	(0.95 - 2.47)
Suncoast	6.85	(5.31 - 8.79)	9.02	(7.25 - 11.16)	2.12	(1.47 - 3.05)

See notes at end of table.

(continued)

Table 18. Any Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	4.92	(3.87 - 6.25)	6.18	(4.84 - 7.85)	1.89	(1.35 - 2.64)
Region 1	4.58	(2.95 - 7.04)	5.43	(3.74 - 7.83)	1.56	(0.94 - 2.58)
Region 2	5.11	(3.41 - 7.60)	5.91	(4.12 - 8.42)	1.83	(1.14 - 2.91)
Region 3	5.15	(3.67 - 7.20)	6.61	(4.85 - 8.96)	2.05	(1.33 - 3.13)
Region 4	4.57	(2.95 - 7.01)	6.12	(4.23 - 8.79)	1.89	(1.16 - 3.06)
Region 5	4.74	(3.10 - 7.18)	5.95	(4.21 - 8.35)	1.79	(1.09 - 2.93)
Hawaii	5.47	(4.22 - 7.05)	7.80	(6.20 - 9.78)	1.74	(1.15 - 2.64)
Hawaii Island	6.89	(4.55 - 10.30)	8.82	(6.05 - 12.69)	1.73	(0.95 - 3.12)
Honolulu	5.02	(3.67 - 6.83)	7.04	(5.42 - 9.11)	1.70	(1.07 - 2.69)
Kauai and Maui	6.18	(3.99 - 9.44)	11.26	(7.93 - 15.74)	1.94	(1.12 - 3.34)
Idaho	5.60	(4.47 - 7.00)	6.92	(5.49 - 8.69)	1.40	(0.99 - 1.96)
Region 1	5.01	(3.25 - 7.64)	8.24	(5.76 - 11.67)	1.25	(0.73 - 2.14)
Region 2	*	(* - *)	7.95	(5.54 - 11.28)	*	(* - *)
Region 3	6.10	(4.21 - 8.76)	6.04	(4.20 - 8.62)	1.46	(0.89 - 2.39)
Region 4	5.59	(3.83 - 8.09)	7.38	(5.41 - 9.99)	1.46	(0.93 - 2.30)
Region 5	6.78	(4.54 - 10.02)	6.24	(4.40 - 8.78)	1.45	(0.88 - 2.37)
Region 6	5.60	(3.65 - 8.51)	6.40	(4.49 - 9.05)	1.36	(0.82 - 2.25)
Region 7	4.62	(2.96 - 7.15)	6.30	(4.34 - 9.06)	1.28	(0.75 - 2.19)
Illinois	4.95	(4.28 - 5.73)	7.66	(6.80 - 8.62)	1.62	(1.27 - 2.06)
Region I (Cook)	5.63	(4.56 - 6.95)	7.44	(6.20 - 8.90)	2.10	(1.54 - 2.86)
Region II	4.91	(3.85 - 6.24)	8.41	(6.94 - 10.15)	1.33	(0.92 - 1.91)
Region III	3.84	(2.69 - 5.46)	7.04	(5.50 - 8.97)	1.13	(0.71 - 1.78)
Region IV	3.81	(2.60 - 5.55)	7.68	(5.86 - 10.01)	1.13	(0.71 - 1.79)
Region V	4.34	(3.08 - 6.07)	7.38	(5.75 - 9.41)	1.32	(0.87 - 2.01)
Indiana	4.89	(3.89 - 6.13)	7.88	(6.42 - 9.63)	1.65	(1.19 - 2.28)
Central	4.46	(3.03 - 6.53)	8.35	(6.18 - 11.18)	1.72	(1.09 - 2.71)
East	4.88	(3.11 - 7.56)	7.63	(5.41 - 10.67)	1.63	(0.99 - 2.69)
North Central	5.17	(3.42 - 7.75)	7.27	(5.18 - 10.11)	1.62	(1.01 - 2.57)
Northeast	4.37	(2.77 - 6.85)	7.83	(5.46 - 11.11)	1.52	(0.92 - 2.52)
Northwest	4.62	(3.05 - 6.94)	8.11	(5.87 - 11.10)	1.65	(0.99 - 2.72)
Southeast	5.56	(3.75 - 8.16)	8.37	(5.94 - 11.67)	1.64	(0.99 - 2.70)
Southwest	5.54	(3.55 - 8.53)	7.81	(5.55 - 10.88)	*	(* - *)
West	5.11	(3.33 - 7.76)	7.54	(5.38 - 10.46)	1.64	(1.00 - 2.68)
Iowa	4.48	(3.47 - 5.76)	6.69	(5.30 - 8.43)	1.45	(1.01 - 2.07)
Central	4.53	(2.91 - 6.98)	6.96	(4.88 - 9.82)	1.62	(0.98 - 2.66)
North Central	4.63	(3.02 - 7.04)	6.32	(4.39 - 9.02)	1.40	(0.84 - 2.34)
Northeast	4.34	(2.96 - 6.31)	6.95	(5.02 - 9.54)	1.48	(0.90 - 2.41)
Northwest	4.53	(2.95 - 6.89)	6.13	(4.29 - 8.68)	1.31	(0.77 - 2.20)
Southeast	4.32	(2.81 - 6.58)	6.98	(5.01 - 9.67)	1.46	(0.90 - 2.35)
Southwest	4.79	(3.12 - 7.27)	6.25	(4.28 - 9.04)	1.35	(0.79 - 2.28)

See notes at end of table.

(continued)

Table 18. Any Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	4.74	(3.63 - 6.15)	6.61	(5.22 - 8.35)	1.36	(0.95 - 1.96)
Kansas City Metro	4.97	(3.40 - 7.21)	7.11	(5.24 - 9.58)	1.50	(0.95 - 2.37)
Northeast	4.68	(3.04 - 7.14)	5.95	(4.13 - 8.51)	1.27	(0.75 - 2.15)
South Central	4.77	(3.01 - 7.48)	6.92	(4.82 - 9.84)	1.36	(0.81 - 2.29)
Southeast	4.53	(2.84 - 7.15)	6.78	(4.73 - 9.63)	*	(* - *)
West	4.63	(2.93 - 7.23)	5.94	(4.06 - 8.61)	1.25	(0.73 - 2.15)
Wichita (Sedgwick)	4.53	(2.93 - 6.93)	6.65	(4.61 - 9.50)	1.36	(0.82 - 2.25)
Kentucky	4.79	(3.75 - 6.11)	8.53	(6.96 - 10.42)	2.08	(1.48 - 2.90)
Adanta, Cumberland River, And Lifeskills	4.26	(2.82 - 6.39)	7.22	(5.19 - 9.96)	1.78	(1.08 - 2.91)
Bluegrass, Comprehend, and North Key	4.56	(3.11 - 6.63)	7.75	(5.80 - 10.28)	2.18	(1.38 - 3.44)
Communicare and River Valley	4.80	(3.15 - 7.24)	8.18	(5.86 - 11.30)	1.97	(1.20 - 3.22)
Four Rivers and Pennyroyal	5.20	(3.39 - 7.90)	9.15	(6.45 - 12.83)	2.15	(1.32 - 3.50)
Kentucky River, Mountain, And Pathways	5.04	(3.30 - 7.64)	9.92	(7.21 - 13.51)	2.04	(1.25 - 3.31)
Seven Counties	5.22	(3.51 - 7.68)	9.93	(7.40 - 13.20)	2.21	(1.40 - 3.50)
Louisiana	4.92	(3.89 - 6.21)	7.95	(6.53 - 9.64)	2.32	(1.68 - 3.20)
Region 1	4.80	(3.10 - 7.37)	8.40	(5.98 - 11.69)	2.99	(1.82 - 4.89)
Regions 2 and 9	4.98	(3.40 - 7.23)	8.11	(6.11 - 10.69)	2.33	(1.51 - 3.56)
Region 3	6.48	(4.20 - 9.87)	7.77	(5.45 - 10.97)	2.50	(1.50 - 4.15)
Region 4	4.48	(2.89 - 6.86)	7.25	(5.27 - 9.89)	2.14	(1.29 - 3.52)
Regions 5 and 6	4.52	(2.98 - 6.80)	7.93	(5.72 - 10.91)	2.05	(1.29 - 3.25)
Regions 7 and 8	4.86	(3.26 - 7.21)	7.43	(5.44 - 10.06)	2.22	(1.40 - 3.49)
Region 10 (Jefferson)	4.69	(3.04 - 7.17)	9.11	(6.46 - 12.70)	2.11	(1.29 - 3.45)
Maine	5.90	(4.71 - 7.36)	10.15	(8.45 - 12.15)	1.72	(1.23 - 2.41)
Planning Region 1	5.82	(4.34 - 7.77)	10.26	(8.13 - 12.87)	1.70	(1.15 - 2.50)
Region 1 (Cumberland)	5.60	(3.81 - 8.14)	10.95	(8.32 - 14.28)	1.73	(1.09 - 2.73)
Region 2 (York)	6.13	(4.17 - 8.91)	9.17	(6.70 - 12.42)	1.65	(1.01 - 2.67)
Planning Region 2	5.97	(4.47 - 7.92)	9.76	(7.81 - 12.14)	1.76	(1.19 - 2.59)
Region 3	5.45	(3.58 - 8.21)	10.11	(7.58 - 13.36)	1.87	(1.14 - 3.08)
Region 4	6.52	(4.34 - 9.69)	9.44	(6.79 - 12.97)	1.62	(0.96 - 2.71)
Region 5	6.23	(4.08 - 9.41)	9.47	(6.83 - 13.00)	1.72	(1.03 - 2.87)
Planning Region 3	5.90	(4.30 - 8.03)	10.56	(8.25 - 13.41)	1.71	(1.12 - 2.61)
Region 6 (Penobscot)	6.50	(4.30 - 9.70)	11.22	(8.34 - 14.94)	1.92	(1.17 - 3.13)
Region 7	5.37	(3.48 - 8.21)	9.82	(7.03 - 13.54)	1.55	(0.90 - 2.66)

See notes at end of table.

(continued)

Table 18. Any Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	4.79	(3.73 - 6.12)	8.46	(6.86 - 10.40)	1.60	(1.11 - 2.32)
Anne Arundel	5.25	(3.33 - 8.17)	9.91	(7.05 - 13.75)	1.50	(0.89 - 2.52)
Baltimore City	3.97	(2.53 - 6.18)	7.82	(5.56 - 10.89)	2.01	(1.20 - 3.36)
Central	5.12	(3.51 - 7.42)	8.98	(6.66 - 11.99)	1.50	(0.89 - 2.51)
Montgomery	4.49	(2.95 - 6.79)	7.37	(5.20 - 10.35)	1.38	(0.80 - 2.35)
Prince George's	4.07	(2.61 - 6.29)	6.95	(4.86 - 9.85)	1.89	(1.11 - 3.19)
Rural	5.17	(3.34 - 7.92)	9.97	(7.24 - 13.57)	1.65	(0.98 - 2.76)
Western	5.44	(3.58 - 8.18)	9.10	(6.55 - 12.51)	1.45	(0.85 - 2.47)
Massachusetts	6.46	(5.14 - 8.09)	11.33	(9.33 - 13.70)	1.95	(1.39 - 2.72)
Boston	5.99	(3.81 - 9.31)	9.77	(7.07 - 13.36)	2.35	(1.44 - 3.82)
Central	6.44	(4.31 - 9.51)	10.93	(7.89 - 14.95)	1.78	(1.09 - 2.90)
Metrowest	6.45	(4.53 - 9.10)	11.48	(8.47 - 15.38)	1.86	(1.17 - 2.95)
Northeast	6.13	(4.13 - 9.00)	12.34	(8.98 - 16.72)	1.96	(1.23 - 3.11)
Southeast	7.27	(4.99 - 10.48)	12.10	(9.07 - 15.96)	2.06	(1.27 - 3.33)
Western	6.19	(4.04 - 9.39)	11.27	(8.29 - 15.13)	1.73	(1.06 - 2.82)
Michigan	6.10	(5.41 - 6.88)	8.09	(7.26 - 9.01)	1.87	(1.50 - 2.35)
Bay	6.67	(4.64 - 9.51)	7.41	(5.41 - 10.05)	1.73	(1.09 - 2.75)
Detroit City	4.41	(3.07 - 6.29)	9.16	(6.99 - 11.91)	3.04	(1.94 - 4.75)
Genesee	6.69	(4.70 - 9.43)	8.92	(6.63 - 11.90)	2.05	(1.31 - 3.18)
Kalamazoo	6.14	(4.37 - 8.56)	7.38	(5.67 - 9.56)	1.84	(1.23 - 2.75)
Kent	5.79	(4.12 - 8.09)	7.35	(5.71 - 9.42)	1.79	(1.17 - 2.73)
Lakeshore	7.46	(5.52 - 10.00)	7.20	(5.54 - 9.32)	1.82	(1.19 - 2.76)
Macomb	5.80	(4.17 - 8.00)	9.05	(7.04 - 11.56)	1.76	(1.16 - 2.65)
Mid South	5.88	(4.35 - 7.92)	7.76	(6.10 - 9.82)	1.56	(1.03 - 2.34)
Northern	7.10	(5.26 - 9.52)	7.86	(6.05 - 10.15)	1.63	(1.06 - 2.49)
Oakland	7.60	(5.82 - 9.87)	8.97	(7.01 - 11.40)	2.01	(1.34 - 3.00)
Pathways	6.50	(4.31 - 9.68)	8.20	(6.05 - 11.03)	*	(* - *)
Saginaw	5.93	(3.93 - 8.84)	8.39	(6.13 - 11.39)	1.76	(1.12 - 2.76)
Southeast	4.92	(3.64 - 6.64)	8.06	(6.36 - 10.18)	1.73	(1.15 - 2.61)
St. Clair	5.84	(3.99 - 8.48)	8.18	(5.94 - 11.16)	1.54	(0.98 - 2.41)
Washtenaw	5.63	(3.92 - 8.02)	7.23	(5.46 - 9.53)	1.84	(1.18 - 2.86)
Western	5.75	(3.78 - 8.66)	7.74	(5.75 - 10.35)	*	(* - *)
Minnesota	5.03	(3.99 - 6.32)	7.49	(6.05 - 9.23)	1.42	(0.99 - 2.04)
Regions 1 and 2	6.11	(3.93 - 9.37)	8.19	(5.83 - 11.40)	1.35	(0.78 - 2.32)
Regions 3 and 4	5.30	(3.59 - 7.74)	7.79	(5.64 - 10.67)	1.40	(0.85 - 2.31)
Regions 5 and 6	4.72	(3.18 - 6.96)	6.78	(4.85 - 9.38)	1.35	(0.80 - 2.24)
Region 7A (Hennepin)	5.18	(3.51 - 7.59)	7.84	(5.63 - 10.81)	1.54	(0.93 - 2.56)
Region 7B (Ramsey)	4.67	(2.99 - 7.21)	7.03	(4.89 - 10.01)	*	(* - *)
Region 7C	4.60	(3.06 - 6.85)	7.43	(5.37 - 10.21)	1.35	(0.82 - 2.22)

See notes at end of table.

(continued)

Table 18. Any Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	4.22	(3.25 - 5.48)	6.67	(5.31 - 8.34)	1.77	(1.22 - 2.55)
Region 1	4.40	(2.89 - 6.64)	6.30	(4.46 - 8.83)	1.57	(0.93 - 2.63)
Region 2	3.60	(2.33 - 5.51)	6.42	(4.52 - 9.06)	1.90	(1.12 - 3.22)
Region 3	3.74	(2.37 - 5.86)	6.10	(4.31 - 8.56)	1.69	(1.01 - 2.84)
Region 4	4.32	(2.83 - 6.55)	7.22	(5.20 - 9.95)	1.89	(1.14 - 3.13)
Region 5	3.99	(2.50 - 6.31)	5.97	(4.10 - 8.60)	*	(* - *)
Region 6	4.37	(2.78 - 6.81)	6.74	(4.71 - 9.57)	1.72	(1.01 - 2.92)
Region 7	5.00	(3.26 - 7.58)	7.59	(5.37 - 10.62)	1.84	(1.09 - 3.08)
Missouri	5.35	(4.22 - 6.78)	9.14	(7.55 - 11.04)	1.63	(1.17 - 2.27)
Central	5.84	(3.89 - 8.69)	9.27	(6.79 - 12.53)	1.61	(0.99 - 2.59)
Eastern	5.15	(3.73 - 7.07)	9.54	(7.43 - 12.18)	1.65	(1.10 - 2.48)
Eastern (St. Louis City and County)	4.68	(3.16 - 6.89)	9.64	(7.14 - 12.89)	1.68	(1.06 - 2.67)
Eastern (excluding St. Louis)	6.02	(3.91 - 9.17)	9.33	(6.73 - 12.81)	1.59	(0.97 - 2.58)
Northwest	5.49	(3.99 - 7.52)	9.10	(7.03 - 11.69)	1.79	(1.19 - 2.67)
Northwest (Jackson)	6.12	(4.01 - 9.22)	9.73	(7.09 - 13.22)	2.13	(1.31 - 3.43)
Northwest (excluding Jackson)	4.94	(3.24 - 7.48)	8.53	(6.03 - 11.92)	1.48	(0.89 - 2.48)
Southeast	5.14	(3.37 - 7.77)	8.93	(6.31 - 12.48)	1.47	(0.88 - 2.42)
Southwest	5.36	(3.58 - 7.95)	8.37	(6.21 - 11.20)	1.48	(0.90 - 2.44)
Montana	6.84	(5.46 - 8.54)	8.63	(7.14 - 10.40)	1.58	(1.12 - 2.23)
Region 1	6.46	(4.31 - 9.57)	8.36	(5.86 - 11.79)	1.46	(0.88 - 2.42)
Region 2	6.61	(4.46 - 9.69)	7.78	(5.64 - 10.63)	1.59	(0.99 - 2.54)
Region 3	6.32	(4.30 - 9.20)	7.72	(5.63 - 10.50)	1.47	(0.90 - 2.40)
Region 4	7.06	(4.99 - 9.88)	8.83	(6.75 - 11.48)	1.53	(0.96 - 2.44)
Region 5	7.25	(5.10 - 10.21)	9.48	(7.28 - 12.26)	1.72	(1.08 - 2.75)
Nebraska	5.38	(4.23 - 6.82)	7.35	(5.90 - 9.13)	1.44	(0.99 - 2.07)
Regions 1 and 2	5.78	(3.75 - 8.81)	7.60	(5.35 - 10.68)	1.34	(0.79 - 2.28)
Region 3	5.53	(3.60 - 8.40)	7.20	(5.04 - 10.17)	1.37	(0.82 - 2.29)
Region 4	6.61	(4.39 - 9.84)	6.32	(4.29 - 9.23)	1.39	(0.82 - 2.37)
Region 5	5.41	(3.69 - 7.87)	6.82	(5.00 - 9.24)	1.48	(0.90 - 2.41)
Region 6	4.76	(3.31 - 6.80)	8.03	(6.00 - 10.66)	1.48	(0.92 - 2.36)
Nevada	5.64	(4.34 - 7.31)	7.60	(6.03 - 9.55)	1.76	(1.18 - 2.63)
Clark	5.56	(4.04 - 7.62)	7.27	(5.55 - 9.48)	1.82	(1.16 - 2.86)
Rural	5.01	(3.26 - 7.63)	8.32	(5.95 - 11.52)	1.57	(0.93 - 2.64)
Washoe	6.56	(4.38 - 9.72)	8.50	(6.13 - 11.68)	1.67	(1.00 - 2.77)

See notes at end of table.

(continued)

Table 18. Any Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	6.55	(5.26 - 8.14)	10.31	(8.55 - 12.40)	1.72	(1.21 - 2.44)
Central	6.80	(5.00 - 9.18)	9.10	(7.11 - 11.58)	1.70	(1.11 - 2.58)
Central 1	6.98	(4.70 - 10.25)	8.61	(6.38 - 11.52)	1.82	(1.09 - 3.04)
Central 2	6.61	(4.42 - 9.79)	9.72	(7.06 - 13.25)	1.58	(0.96 - 2.59)
Northern	6.19	(4.04 - 9.37)	10.50	(7.69 - 14.18)	1.51	(0.91 - 2.49)
Southern	6.51	(5.00 - 8.44)	10.93	(8.78 - 13.54)	1.77	(1.19 - 2.65)
Southern 1 (Rockingham)	6.77	(4.67 - 9.73)	10.34	(7.62 - 13.89)	1.88	(1.13 - 3.11)
Southern 2	6.36	(4.62 - 8.68)	11.23	(8.68 - 14.42)	1.71	(1.08 - 2.71)
New Jersey	5.39	(4.26 - 6.81)	8.31	(6.72 - 10.22)	1.65	(1.16 - 2.36)
Central	5.45	(3.76 - 7.83)	9.43	(7.01 - 12.56)	1.49	(0.92 - 2.41)
Metropolitan	4.92	(3.29 - 7.28)	7.92	(5.71 - 10.87)	1.96	(1.21 - 3.18)
Northern	5.43	(3.75 - 7.79)	7.86	(5.80 - 10.56)	1.52	(0.94 - 2.46)
Southern	5.80	(3.93 - 8.46)	8.37	(6.16 - 11.28)	1.69	(1.01 - 2.81)
New Mexico	6.34	(4.98 - 8.03)	11.12	(9.06 - 13.57)	2.17	(1.50 - 3.12)
Region 1	6.26	(4.26 - 9.11)	9.28	(6.74 - 12.65)	2.14	(1.29 - 3.51)
Region 2	6.43	(4.21 - 9.70)	11.55	(8.23 - 15.96)	2.12	(1.24 - 3.60)
Region 3 (Bernalillo)	6.56	(4.57 - 9.33)	12.21	(9.28 - 15.91)	2.16	(1.37 - 3.40)
Region 4	5.46	(3.60 - 8.21)	9.76	(6.96 - 13.52)	1.97	(1.15 - 3.34)
Region 5	6.64	(4.37 - 9.95)	11.66	(8.58 - 15.66)	2.37	(1.42 - 3.92)
New York	5.32	(4.60 - 6.14)	8.68	(7.75 - 9.71)	1.87	(1.48 - 2.36)
Region A	4.55	(3.66 - 5.65)	7.05	(5.97 - 8.30)	2.00	(1.50 - 2.66)
Region 1	5.74	(3.93 - 8.32)	7.41	(5.54 - 9.85)	2.47	(1.59 - 3.80)
Region 2	3.96	(2.75 - 5.66)	6.83	(5.15 - 9.00)	1.90	(1.21 - 2.95)
Region 3	4.98	(3.37 - 7.30)	8.43	(6.45 - 10.95)	2.06	(1.35 - 3.12)
Region 4	4.34	(2.99 - 6.24)	6.10	(4.69 - 7.90)	1.83	(1.19 - 2.80)
Region B	5.39	(4.26 - 6.82)	10.54	(8.79 - 12.59)	1.70	(1.22 - 2.37)
Region 5	5.53	(4.15 - 7.34)	10.62	(8.47 - 13.22)	1.64	(1.11 - 2.43)
Region 6	5.11	(3.53 - 7.34)	10.37	(7.94 - 13.44)	1.83	(1.18 - 2.83)
Region C	6.14	(5.12 - 7.33)	10.09	(8.79 - 11.55)	1.85	(1.41 - 2.43)
Region 7	5.35	(3.67 - 7.75)	10.65	(8.02 - 14.00)	1.80	(1.15 - 2.82)
Region 8	6.38	(4.41 - 9.16)	10.47	(8.11 - 13.42)	2.00	(1.30 - 3.08)
Region 9	6.30	(4.46 - 8.83)	9.13	(7.05 - 11.76)	1.78	(1.15 - 2.75)
Region 10	6.70	(4.54 - 9.78)	8.92	(6.86 - 11.50)	1.71	(1.08 - 2.69)
Region 11	6.06	(4.31 - 8.44)	11.30	(8.93 - 14.21)	1.92	(1.25 - 2.93)
Region 12	6.22	(4.52 - 8.50)	9.61	(7.44 - 12.33)	1.83	(1.21 - 2.74)
Region D	5.83	(4.55 - 7.45)	8.88	(7.35 - 10.69)	1.72	(1.27 - 2.34)
Region 13	5.84	(3.91 - 8.64)	9.69	(7.27 - 12.81)	1.66	(1.06 - 2.59)
Region 14	5.55	(3.68 - 8.29)	8.10	(6.04 - 10.79)	1.72	(1.09 - 2.71)
Region 15	6.09	(4.16 - 8.82)	9.01	(6.76 - 11.93)	1.79	(1.16 - 2.74)

See notes at end of table.

(continued)

Table 18. Any Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	5.70	(4.53 - 7.16)	7.60	(6.13 - 9.39)	1.92	(1.39 - 2.66)
Eastern	5.08	(3.46 - 7.41)	7.23	(5.26 - 9.86)	1.86	(1.17 - 2.94)
North Central	5.82	(3.96 - 8.47)	8.36	(6.14 - 11.29)	1.97	(1.24 - 3.09)
South Central	5.02	(3.37 - 7.42)	6.98	(5.02 - 9.63)	1.85	(1.15 - 2.98)
Western	6.54	(4.64 - 9.14)	7.77	(5.76 - 10.41)	1.98	(1.27 - 3.07)
North Dakota	5.69	(4.48 - 7.20)	6.63	(5.25 - 8.35)	1.34	(0.93 - 1.94)
Badlands and West Central Lake Region and South Central	4.86	(3.26 - 7.20)	7.57	(5.39 - 10.52)	1.18	(0.71 - 1.94)
North Central and Northwest	5.40	(3.69 - 7.83)	6.35	(4.38 - 9.13)	1.26	(0.74 - 2.15)
Northeast	5.00	(3.30 - 7.51)	6.77	(4.79 - 9.50)	1.21	(0.71 - 2.06)
Southeast	5.50	(3.62 - 8.27)	6.07	(4.30 - 8.49)	1.40	(0.84 - 2.31)
Southeast	7.41	(5.13 - 10.60)	6.37	(4.58 - 8.81)	1.64	(1.00 - 2.67)
Ohio	5.49	(4.83 - 6.23)	8.16	(7.31 - 9.10)	1.71	(1.36 - 2.14)
Boards 2, 46, 55, and 68	5.53	(3.84 - 7.92)	7.43	(5.56 - 9.87)	1.65	(1.05 - 2.58)
Boards 3, 52, and 85	5.31	(3.62 - 7.74)	7.78	(5.74 - 10.47)	1.45	(0.93 - 2.25)
Boards 4 and 78	5.73	(3.88 - 8.40)	9.28	(7.01 - 12.20)	1.60	(1.01 - 2.51)
Boards 5 and 60	5.63	(3.80 - 8.28)	7.39	(5.43 - 9.99)	1.75	(1.11 - 2.75)
Boards 7, 15, 41, 79, and 84	6.20	(4.32 - 8.82)	9.06	(6.80 - 11.97)	1.63	(1.05 - 2.50)
Boards 8, 13, and 83	6.54	(4.55 - 9.32)	8.94	(6.66 - 11.90)	1.89	(1.22 - 2.89)
Board 9 (Butler)	6.20	(4.28 - 8.89)	7.57	(5.67 - 10.05)	1.66	(1.06 - 2.59)
Board 12	5.52	(3.72 - 8.12)	9.51	(7.21 - 12.44)	1.67	(1.06 - 2.63)
Boards 18 and 47	5.13	(3.83 - 6.84)	7.20	(5.62 - 9.18)	1.68	(1.14 - 2.47)
Boards 20, 32, 54, and 69	5.13	(3.45 - 7.55)	8.28	(6.13 - 11.10)	1.65	(1.05 - 2.59)
Boards 21, 39, 51, 70, and 80	5.22	(3.60 - 7.51)	8.53	(6.41 - 11.26)	1.49	(0.94 - 2.34)
Boards 22, 74, and 87	4.93	(3.31 - 7.29)	7.87	(5.89 - 10.46)	1.45	(0.91 - 2.31)
Boards 23 and 45	4.92	(3.28 - 7.32)	8.60	(6.33 - 11.57)	1.42	(0.90 - 2.25)
Board 25 (Franklin)	6.21	(4.58 - 8.37)	7.85	(6.18 - 9.93)	1.93	(1.30 - 2.88)
Boards 27, 71, and 73	5.87	(4.06 - 8.41)	7.87	(5.89 - 10.46)	1.63	(1.04 - 2.54)
Boards 28, 43, and 67	5.11	(3.55 - 7.31)	8.40	(6.37 - 11.01)	1.43	(0.90 - 2.28)
Board 31 (Hamilton)	4.89	(3.42 - 6.95)	8.20	(6.41 - 10.44)	1.81	(1.17 - 2.80)
Board 48 (Lucas)	4.69	(3.26 - 6.71)	6.67	(5.01 - 8.83)	1.62	(1.04 - 2.51)
Board 50 and 76	4.92	(3.46 - 6.97)	8.65	(6.48 - 11.46)	1.67	(1.07 - 2.60)
Board 57 (Montgomery)	6.28	(4.33 - 9.03)	9.11	(6.87 - 11.98)	2.31	(1.45 - 3.67)
Board 77 (Summit)	5.83	(4.07 - 8.30)	10.24	(7.88 - 13.22)	1.87	(1.21 - 2.87)
Oklahoma	5.75	(4.55 - 7.24)	7.44	(5.93 - 9.29)	1.65	(1.15 - 2.35)
Central	4.84	(3.09 - 7.49)	7.97	(5.69 - 11.08)	1.59	(0.95 - 2.65)
East Central	4.94	(3.22 - 7.52)	6.59	(4.55 - 9.46)	1.46	(0.85 - 2.51)
Northeast	5.76	(3.82 - 8.59)	7.58	(5.34 - 10.65)	1.62	(0.98 - 2.67)
Northwest and Southwest	5.56	(3.73 - 8.20)	6.64	(4.58 - 9.53)	1.52	(0.92 - 2.52)
Oklahoma County	5.72	(3.76 - 8.62)	7.85	(5.56 - 10.96)	1.72	(1.06 - 2.80)
Southeast	5.91	(3.92 - 8.83)	7.56	(5.37 - 10.56)	1.55	(0.93 - 2.59)
Tulsa County	7.10	(4.68 - 10.62)	7.60	(5.48 - 10.45)	1.95	(1.16 - 3.27)

See notes at end of table.

(continued)

Table 18. Any Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	5.64	(4.48 - 7.07)	8.80	(7.24 - 10.67)	1.70	(1.21 - 2.39)
Region 1 (Multnomah)	5.27	(3.50 - 7.86)	10.38	(7.74 - 13.78)	1.94	(1.22 - 3.06)
Region 2	5.08	(3.48 - 7.36)	9.13	(6.81 - 12.15)	1.62	(1.02 - 2.58)
Region 3	5.99	(4.20 - 8.47)	7.21	(5.27 - 9.77)	1.69	(1.03 - 2.78)
Region 4	5.54	(3.75 - 8.11)	9.88	(7.28 - 13.28)	1.56	(0.95 - 2.56)
Region 5	6.37	(4.25 - 9.44)	9.01	(6.35 - 12.63)	1.66	(1.00 - 2.76)
Pennsylvania	5.02	(4.37 - 5.75)	7.81	(6.95 - 8.76)	1.43	(1.12 - 1.81)
Region 1 (Allegheny)	4.77	(3.45 - 6.56)	9.91	(7.71 - 12.65)	1.39	(0.90 - 2.15)
Regions 2, 3, 8, and 9	5.12	(3.54 - 7.35)	6.79	(5.03 - 9.10)	1.29	(0.82 - 2.02)
Regions 4, 11, 42, and 48	4.91	(3.44 - 6.97)	9.07	(6.82 - 11.97)	1.31	(0.84 - 2.04)
Regions 5, 20, 26, 28, and 40	5.34	(3.76 - 7.55)	6.82	(5.19 - 8.91)	1.25	(0.81 - 1.93)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	4.81	(3.29 - 6.97)	7.07	(5.44 - 9.13)	1.25	(0.80 - 1.97)
Regions 7, 13, 22, and 37	5.81	(4.50 - 7.49)	7.42	(5.91 - 9.28)	1.50	(1.03 - 2.18)
Regions 10, 14, 15, 25, 31, 36, and 46	4.74	(3.24 - 6.88)	8.08	(6.04 - 10.74)	1.48	(0.93 - 2.33)
Regions 17, 24, 27, 43, and 47	4.38	(2.98 - 6.39)	7.90	(5.95 - 10.43)	1.18	(0.74 - 1.87)
Region 18 (Philadelphia)	4.81	(3.53 - 6.52)	7.73	(6.14 - 9.68)	2.03	(1.35 - 3.03)
Regions 19 and 23	4.96	(3.30 - 7.40)	7.62	(5.66 - 10.18)	*	(* - *)
Regions 21, 30, 32, and 49	4.34	(3.08 - 6.07)	7.05	(5.45 - 9.07)	1.30	(0.87 - 1.95)
Regions 29 and 34	5.14	(3.48 - 7.53)	9.07	(6.82 - 11.97)	1.30	(0.83 - 2.05)
Regions 33 and 38	5.44	(3.75 - 7.84)	7.37	(5.45 - 9.89)	1.34	(0.83 - 2.13)
Rhode Island	6.65	(5.22 - 8.43)	12.34	(10.20 - 14.85)	2.16	(1.47 - 3.16)
Bristol and Newport	6.48	(4.34 - 9.57)	14.58	(10.57 - 19.77)	2.09	(1.24 - 3.50)
Kent	5.73	(3.75 - 8.67)	12.85	(9.53 - 17.11)	1.91	(1.13 - 3.21)
Providence	6.93	(5.13 - 9.31)	11.49	(9.15 - 14.34)	2.29	(1.47 - 3.54)
Washington	6.53	(4.32 - 9.77)	14.01	(10.34 - 18.71)	1.98	(1.18 - 3.32)
South Carolina	4.82	(3.77 - 6.15)	7.61	(6.13 - 9.41)	1.76	(1.25 - 2.46)
Region 1	5.94	(4.07 - 8.60)	8.33	(6.16 - 11.19)	1.68	(1.03 - 2.71)
Region 2	4.36	(3.04 - 6.20)	7.71	(5.81 - 10.16)	1.79	(1.16 - 2.74)
Region 3	3.82	(2.46 - 5.88)	7.07	(4.93 - 10.04)	1.71	(1.04 - 2.80)
Region 4	4.95	(3.33 - 7.30)	7.14	(5.13 - 9.85)	1.84	(1.13 - 2.98)

See notes at end of table.

(continued)

Table 18. Any Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	5.75	(4.52 - 7.29)	6.72	(5.37 - 8.37)	1.26	(0.86 - 1.85)
Eastern Planning Area	5.68	(4.39 - 7.30)	6.53	(5.16 - 8.23)	1.22	(0.82 - 1.81)
Region 3 (Minnehaha)	6.42	(4.41 - 9.26)	6.43	(4.64 - 8.86)	1.35	(0.82 - 2.22)
Region 4	4.75	(3.00 - 7.44)	6.94	(4.87 - 9.80)	1.17	(0.68 - 2.01)
Region 5	5.03	(3.27 - 7.66)	6.82	(4.69 - 9.80)	1.09	(0.63 - 1.89)
Region 6	5.36	(3.52 - 8.08)	6.53	(4.58 - 9.24)	1.12	(0.67 - 1.89)
Region 7	6.47	(4.22 - 9.79)	6.06	(4.23 - 8.60)	1.31	(0.76 - 2.24)
Western Planning Area	5.91	(4.23 - 8.19)	7.19	(5.40 - 9.53)	1.36	(0.85 - 2.19)
Region 1 (Pennington)	5.89	(3.82 - 8.99)	6.93	(4.94 - 9.64)	1.37	(0.82 - 2.28)
Region 2	5.92	(3.94 - 8.79)	7.38	(5.18 - 10.40)	1.36	(0.76 - 2.42)
Tennessee	4.93	(3.88 - 6.24)	7.58	(6.03 - 9.49)	1.91	(1.39 - 2.63)
Region 1	6.00	(3.87 - 9.20)	8.77	(6.20 - 12.26)	1.88	(1.17 - 3.03)
Region 2	5.34	(3.58 - 7.91)	8.97	(6.39 - 12.46)	1.70	(1.06 - 2.72)
Region 3	4.78	(3.16 - 7.15)	7.65	(5.43 - 10.68)	1.81	(1.12 - 2.90)
Region 4 (Davidson)	4.97	(3.18 - 7.67)	6.99	(4.93 - 9.82)	2.34	(1.45 - 3.76)
Region 5	4.93	(3.33 - 7.25)	7.11	(5.08 - 9.85)	1.66	(1.04 - 2.66)
Region 6	4.84	(3.17 - 7.32)	7.02	(4.93 - 9.90)	1.91	(1.18 - 3.07)
Region 7 (Shelby)	4.20	(2.78 - 6.30)	6.79	(4.78 - 9.55)	2.40	(1.51 - 3.79)
Texas	5.08	(4.40 - 5.85)	7.40	(6.58 - 8.31)	1.46	(1.15 - 1.87)
Region 1	6.35	(4.32 - 9.26)	7.87	(5.93 - 10.38)	1.42	(0.91 - 2.22)
Region 2	5.01	(3.30 - 7.55)	8.36	(6.11 - 11.36)	1.32	(0.82 - 2.13)
Region 3	4.88	(3.89 - 6.10)	7.23	(6.07 - 8.59)	1.43	(1.04 - 1.96)
Region 3a	5.29	(4.00 - 6.97)	7.23	(5.85 - 8.91)	1.46	(1.00 - 2.14)
Region 3bc	4.17	(2.89 - 5.97)	7.22	(5.51 - 9.40)	1.37	(0.90 - 2.10)
Region 4	5.85	(4.03 - 8.40)	7.23	(5.31 - 9.76)	1.36	(0.86 - 2.13)
Region 5	6.92	(4.64 - 10.21)	8.31	(6.01 - 11.39)	1.74	(1.06 - 2.83)
Region 6	4.30	(3.34 - 5.52)	7.04	(5.79 - 8.54)	1.42	(1.00 - 2.00)
Region 6a	4.17	(3.16 - 5.50)	6.83	(5.51 - 8.44)	1.42	(0.97 - 2.05)
Region 6bc	5.31	(3.55 - 7.87)	9.05	(6.70 - 12.14)	1.43	(0.91 - 2.25)
Region 7	5.03	(3.78 - 6.65)	8.36	(6.81 - 10.22)	1.60	(1.11 - 2.29)
Region 7a	5.22	(3.57 - 7.58)	8.49	(6.55 - 10.95)	1.68	(1.08 - 2.61)
Region 7bcd	4.77	(3.25 - 6.95)	8.19	(6.27 - 10.62)	1.46	(0.93 - 2.29)
Region 8	4.95	(3.53 - 6.89)	7.74	(5.91 - 10.08)	1.45	(0.94 - 2.22)
Region 9	5.84	(3.90 - 8.64)	7.61	(5.54 - 10.36)	*	(* - *)
Region 10	5.97	(4.05 - 8.71)	6.63	(4.80 - 9.10)	1.65	(1.03 - 2.64)
Region 11	5.65	(4.18 - 7.60)	6.47	(5.07 - 8.24)	1.52	(1.02 - 2.25)
Region 11abd	5.48	(3.74 - 7.96)	6.55	(4.85 - 8.80)	1.45	(0.91 - 2.30)
Region 11c (Hidalgo)	5.97	(4.09 - 8.66)	6.33	(4.59 - 8.67)	1.67	(1.02 - 2.73)

See notes at end of table.

(continued)

Table 18. Any Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	4.63	(3.62 - 5.92)	6.48	(5.18 - 8.08)	1.63	(1.15 - 2.31)
Bear River, Northeastern, Summit, Tooele, and Wasatch	5.18	(3.31 - 8.01)	6.94	(4.86 - 9.81)	1.86	(1.13 - 3.07)
Central, Four Corners, San Juan, and Southwest	4.05	(2.58 - 6.31)	6.43	(4.42 - 9.25)	1.34	(0.80 - 2.24)
Davis County	4.15	(2.65 - 6.43)	7.17	(4.99 - 10.21)	1.55	(0.92 - 2.60)
Salt Lake County	4.97	(3.46 - 7.09)	6.64	(4.97 - 8.81)	1.69	(1.08 - 2.66)
Utah County	4.03	(2.59 - 6.24)	5.50	(3.91 - 7.69)	1.54	(0.92 - 2.55)
Weber, Morgan	5.19	(3.34 - 7.97)	7.15	(4.97 - 10.19)	1.71	(1.01 - 2.87)
Vermont	7.30	(5.93 - 8.95)	10.93	(9.08 - 13.10)	1.57	(1.11 - 2.22)
Champlain Valley	7.93	(5.88 - 10.63)	11.04	(8.68 - 13.94)	1.59	(1.01 - 2.50)
Rural Northeast	7.20	(5.16 - 9.95)	11.11	(8.42 - 14.53)	1.58	(0.98 - 2.55)
Rural Southeast	6.30	(4.29 - 9.18)	10.79	(7.94 - 14.50)	1.53	(0.93 - 2.48)
Rural Southwest	7.16	(4.96 - 10.24)	10.47	(7.79 - 13.93)	1.56	(0.95 - 2.56)
Virginia	5.18	(4.10 - 6.52)	8.39	(6.81 - 10.29)	1.78	(1.27 - 2.48)
Region 1	6.04	(3.99 - 9.03)	8.77	(6.39 - 11.93)	1.66	(1.00 - 2.75)
Region 2	5.00	(3.42 - 7.26)	8.25	(5.96 - 11.31)	1.76	(1.10 - 2.80)
Region 3	5.19	(3.46 - 7.72)	9.37	(6.86 - 12.67)	1.67	(1.03 - 2.69)
Region 4	5.06	(3.39 - 7.50)	9.02	(6.65 - 12.12)	1.85	(1.15 - 2.97)
Region 5	4.87	(3.33 - 7.08)	7.20	(5.19 - 9.92)	1.92	(1.20 - 3.04)
Washington	5.27	(4.14 - 6.69)	10.25	(8.51 - 12.31)	1.84	(1.31 - 2.57)
Region 1	5.64	(3.69 - 8.54)	10.50	(7.76 - 14.05)	1.80	(1.10 - 2.92)
Region 2	5.39	(3.44 - 8.34)	9.00	(6.43 - 12.45)	1.80	(1.09 - 2.94)
Region 3	5.02	(3.41 - 7.33)	11.00	(8.14 - 14.72)	1.76	(1.10 - 2.80)
Region 4 (King)	5.60	(3.85 - 8.07)	10.46	(8.01 - 13.54)	1.92	(1.20 - 3.06)
Region 5	4.64	(3.03 - 7.03)	9.53	(7.01 - 12.83)	1.90	(1.18 - 3.04)
Region 6	5.28	(3.48 - 7.93)	10.42	(7.57 - 14.19)	1.75	(1.07 - 2.85)
West Virginia	5.37	(4.23 - 6.79)	9.63	(8.01 - 11.53)	1.74	(1.26 - 2.42)
Eastern Highland	5.50	(3.67 - 8.16)	8.00	(5.75 - 11.01)	1.66	(1.01 - 2.71)
Northern	5.24	(3.73 - 7.32)	10.73	(8.40 - 13.60)	1.69	(1.12 - 2.52)
Northern A and B	5.71	(3.69 - 8.73)	9.05	(6.44 - 12.57)	1.59	(0.97 - 2.61)
Northern C and D	5.03	(3.30 - 7.59)	11.35	(8.60 - 14.84)	1.74	(1.07 - 2.79)
South Central	5.35	(4.02 - 7.09)	9.14	(7.27 - 11.44)	1.71	(1.18 - 2.49)
South Central I	5.78	(3.79 - 8.72)	8.67	(6.15 - 12.08)	*	(* - *)
South Central II	5.54	(3.66 - 8.30)	9.47	(6.85 - 12.96)	1.67	(1.01 - 2.75)
South Central III	4.93	(3.25 - 7.42)	9.15	(6.76 - 12.28)	1.76	(1.10 - 2.80)
Southern	5.43	(3.80 - 7.69)	10.60	(8.13 - 13.70)	1.99	(1.27 - 3.10)
Southern I and III	5.37	(3.39 - 8.40)	10.51	(7.64 - 14.29)	2.07	(1.22 - 3.49)
Southern II	5.54	(3.62 - 8.37)	10.76	(7.74 - 14.76)	*	(* - *)

See notes at end of table.

(continued)

Table 18. Any Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	6.46	(5.21 - 8.00)	7.26	(5.84 - 8.99)	1.67	(1.16 - 2.39)
Milwaukee	5.73	(3.84 - 8.47)	6.28	(4.40 - 8.90)	1.88	(1.12 - 3.15)
Northeastern	6.29	(4.36 - 8.98)	6.77	(4.90 - 9.29)	1.57	(0.97 - 2.53)
Northern	6.04	(3.94 - 9.15)	7.04	(4.92 - 9.99)	1.47	(0.85 - 2.52)
Southeastern	7.14	(4.94 - 10.22)	7.36	(5.20 - 10.32)	1.64	(0.97 - 2.74)
Southern	7.13	(4.83 - 10.43)	8.46	(6.30 - 11.26)	1.81	(1.11 - 2.94)
Western	6.09	(4.05 - 9.06)	7.47	(5.40 - 10.24)	1.57	(0.93 - 2.64)
Wyoming	5.01	(3.92 - 6.38)	8.07	(6.47 - 10.02)	1.47	(1.03 - 2.10)
Judicial District 1 (Laramie)	5.36	(3.51 - 8.09)	8.79	(6.21 - 12.31)	1.62	(0.97 - 2.68)
Judicial District 2	4.83	(3.06 - 7.54)	7.36	(5.32 - 10.09)	*	(* - *)
Judicial District 3	5.45	(3.63 - 8.11)	7.34	(5.23 - 10.21)	1.56	(0.92 - 2.62)
Judicial District 4	4.88	(3.12 - 7.56)	8.85	(6.13 - 12.63)	*	(* - *)
Judicial District 5	4.69	(3.03 - 7.19)	7.95	(5.47 - 11.42)	1.25	(0.72 - 2.17)
Judicial District 6	5.24	(3.43 - 7.95)	7.71	(5.36 - 10.98)	1.43	(0.85 - 2.40)
Judicial District 7 (Natrona)	4.90	(3.21 - 7.42)	9.24	(6.56 - 12.86)	1.43	(0.87 - 2.35)
Judicial District 8	4.59	(2.91 - 7.17)	7.00	(4.84 - 10.03)	1.33	(0.78 - 2.24)
Judicial District 9	4.59	(2.90 - 7.17)	8.13	(5.64 - 11.59)	1.50	(0.87 - 2.57)

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 19. Dependence on or Abuse of Any Illicit Drug or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	8.87		21.22		7.26	
Alabama	7.45	(6.12 - 9.05)	16.72	(14.53 - 19.17)	5.68	(4.60 - 7.00)
Region 1	9.27	(6.85 - 12.43)	17.38	(13.73 - 21.76)	5.20	(3.84 - 7.01)
Region 2	6.93	(5.04 - 9.47)	17.94	(14.66 - 21.77)	6.11	(4.57 - 8.13)
Region 3	5.81	(4.10 - 8.18)	14.48	(11.30 - 18.38)	5.92	(4.25 - 8.19)
Region 4	7.46	(5.59 - 9.90)	16.27	(12.95 - 20.25)	5.50	(4.07 - 7.40)
Alaska	9.30	(7.64 - 11.28)	22.49	(19.85 - 25.37)	8.18	(6.73 - 9.92)
Gulf Coast	9.83	(7.04 - 13.55)	22.70	(17.88 - 28.37)	7.76	(5.74 - 10.40)
Rural	8.14	(5.54 - 11.81)	21.50	(16.65 - 27.31)	8.46	(6.05 - 11.70)
Southeast	9.76	(6.98 - 13.50)	25.24	(19.84 - 31.53)	8.10	(5.88 - 11.06)
Urban	9.35	(7.37 - 11.79)	22.23	(19.05 - 25.77)	8.23	(6.49 - 10.39)
Arizona	10.70	(8.86 - 12.86)	22.75	(20.07 - 25.68)	8.97	(7.43 - 10.79)
Maricopa	10.11	(7.94 - 12.80)	23.03	(19.85 - 26.55)	9.48	(7.63 - 11.73)
Pima	10.11	(7.16 - 14.08)	22.23	(17.65 - 27.61)	8.93	(6.74 - 11.75)
Rural North	12.63	(9.28 - 16.96)	23.09	(18.00 - 29.11)	7.60	(5.63 - 10.19)
Rural South	12.40	(8.80 - 17.21)	*	(* - *)	7.88	(5.77 - 10.69)
Arkansas	8.30	(6.87 - 10.01)	20.43	(18.00 - 23.10)	6.46	(5.37 - 7.75)
Areas 1 and 5	8.34	(6.07 - 11.37)	20.74	(16.65 - 25.53)	6.20	(4.68 - 8.19)
Areas 2 and 3	9.13	(6.50 - 12.68)	18.68	(14.46 - 23.78)	5.62	(4.11 - 7.62)
Areas 4 and 7	7.77	(5.60 - 10.69)	20.12	(15.96 - 25.04)	6.63	(4.92 - 8.86)
Area 6	8.82	(6.03 - 12.72)	22.23	(17.85 - 27.34)	6.60	(4.83 - 8.97)
Areas 8 and 12	9.00	(6.36 - 12.60)	21.39	(16.61 - 27.11)	6.66	(4.95 - 8.91)
Area 9	7.80	(5.67 - 10.65)	19.52	(15.39 - 24.44)	6.84	(5.16 - 9.00)
Areas 10, 11, and 13	7.83	(5.51 - 11.00)	20.88	(16.57 - 25.95)	6.80	(4.96 - 9.26)
California	8.83	(7.93 - 9.82)	19.51	(18.17 - 20.91)	7.30	(6.53 - 8.16)
Region 1	12.24	(8.98 - 16.46)	23.41	(18.60 - 29.02)	7.81	(5.86 - 10.34)
Region 2	10.24	(8.04 - 12.94)	22.87	(19.21 - 26.99)	8.08	(6.30 - 10.30)
Region 3	9.09	(6.86 - 11.95)	19.42	(15.60 - 23.90)	7.04	(5.42 - 9.11)
Region 4	7.74	(5.62 - 10.58)	21.10	(17.02 - 25.85)	8.44	(6.53 - 10.85)
Region 5	8.87	(6.76 - 11.57)	21.49	(17.77 - 25.75)	7.26	(5.66 - 9.28)
Region 6 (Santa Clara)	8.65	(6.36 - 11.66)	19.89	(16.12 - 24.28)	6.84	(5.27 - 8.82)
Region 7	9.48	(6.72 - 13.21)	21.07	(16.59 - 26.37)	8.21	(6.22 - 10.76)
Region 8	8.46	(6.28 - 11.29)	18.17	(14.65 - 22.33)	7.17	(5.47 - 9.36)
Region 9	9.58	(6.93 - 13.10)	19.56	(15.42 - 24.48)	7.59	(5.85 - 9.80)
Region 10	10.41	(7.74 - 13.87)	22.84	(18.45 - 27.90)	7.67	(5.86 - 9.97)
Region 11 (Los Angeles)	7.40	(6.01 - 9.08)	16.70	(14.61 - 19.02)	7.09	(5.89 - 8.51)
Region 12	9.36	(7.16 - 12.16)	19.41	(15.89 - 23.49)	6.83	(5.24 - 8.86)
Region 13 (Riverside)	10.29	(7.57 - 13.84)	19.32	(15.22 - 24.21)	6.47	(4.89 - 8.53)
Region 14 (Orange)	8.54	(6.49 - 11.15)	20.03	(16.73 - 23.80)	6.79	(5.28 - 8.69)
Region 15	9.44	(7.18 - 12.31)	20.63	(17.15 - 24.60)	7.46	(5.91 - 9.37)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Any Illicit Drug or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	9.63	(7.98 - 11.58)	25.72	(22.92 - 28.74)	9.31	(7.82 - 11.04)
Region 1	10.24	(7.28 - 14.22)	26.07	(21.30 - 31.48)	8.05	(6.02 - 10.67)
Regions 2 and 7	9.16	(7.14 - 11.69)	26.14	(22.44 - 30.21)	10.15	(8.17 - 12.53)
Region 3	10.48	(7.50 - 14.45)	24.54	(19.59 - 30.27)	8.16	(6.09 - 10.84)
Region 4	10.98	(7.67 - 15.47)	*	(* - *)	8.84	(6.50 - 11.90)
Regions 5 and 6	9.20	(6.41 - 13.02)	26.22	(21.03 - 32.16)	8.11	(6.10 - 10.70)
Connecticut	9.65	(8.06 - 11.52)	23.93	(21.35 - 26.72)	7.22	(5.95 - 8.74)
Eastern	10.76	(7.79 - 14.68)	25.19	(19.83 - 31.42)	7.05	(5.14 - 9.59)
North Central	8.92	(6.67 - 11.85)	22.98	(19.18 - 27.28)	7.96	(6.00 - 10.49)
Northwestern	9.74	(7.23 - 13.00)	25.44	(20.65 - 30.90)	6.87	(5.12 - 9.16)
South Central	10.17	(7.57 - 13.52)	24.27	(20.17 - 28.91)	6.76	(4.95 - 9.17)
Southwest	9.27	(6.63 - 12.81)	22.55	(17.85 - 28.05)	7.11	(5.20 - 9.65)
Delaware	7.80	(6.43 - 9.42)	21.84	(19.35 - 24.56)	6.97	(5.77 - 8.39)
Kent	7.39	(5.30 - 10.23)	19.15	(14.95 - 24.20)	6.49	(4.76 - 8.80)
New Castle (excluding Wilmington city)	8.11	(6.36 - 10.28)	23.90	(20.61 - 27.52)	7.10	(5.63 - 8.92)
Sussex	8.08	(5.87 - 11.03)	19.67	(15.51 - 24.64)	6.31	(4.68 - 8.47)
Wilmington City	6.31	(4.28 - 9.21)	18.30	(13.92 - 23.68)	8.55	(6.21 - 11.67)
District of Columbia	5.97	(4.77 - 7.43)	21.06	(18.40 - 23.98)	10.50	(8.84 - 12.42)
Ward 1	6.08	(4.11 - 8.91)	21.45	(16.86 - 26.89)	12.55	(9.54 - 16.35)
Ward 2	*	(* - *)	22.96	(18.17 - 28.59)	12.07	(9.19 - 15.70)
Ward 3	8.45	(5.86 - 12.05)	25.28	(20.33 - 30.98)	10.16	(7.71 - 13.27)
Ward 4	5.56	(3.77 - 8.15)	18.69	(14.23 - 24.15)	9.15	(6.73 - 12.34)
Ward 5	5.49	(3.77 - 7.91)	20.00	(15.89 - 24.87)	9.49	(7.06 - 12.64)
Ward 6	5.94	(3.99 - 8.77)	22.67	(17.53 - 28.80)	10.71	(8.04 - 14.12)
Ward 7	5.40	(3.73 - 7.76)	17.35	(13.21 - 22.45)	9.87	(7.31 - 13.21)
Ward 8	5.73	(4.03 - 8.08)	16.32	(12.46 - 21.09)	10.06	(7.60 - 13.20)
Florida	8.68	(7.81 - 9.64)	20.97	(19.59 - 22.42)	7.10	(6.38 - 7.90)
District 1	9.16	(6.75 - 12.33)	22.70	(18.19 - 27.96)	7.39	(5.68 - 9.55)
District 2	8.11	(5.88 - 11.08)	26.66	(22.25 - 31.59)	8.39	(6.38 - 10.95)
District 3	8.69	(6.31 - 11.86)	24.98	(20.60 - 29.94)	7.64	(5.82 - 9.95)
District 4	9.59	(7.37 - 12.38)	21.38	(17.84 - 25.41)	7.22	(5.66 - 9.16)
District 7	8.53	(6.71 - 10.80)	22.74	(19.48 - 26.36)	7.18	(5.78 - 8.89)
District 8	7.93	(5.81 - 10.74)	19.57	(15.61 - 24.24)	5.83	(4.41 - 7.67)
District 9 (Palm Beach)	8.39	(6.35 - 10.99)	20.59	(17.01 - 24.69)	6.74	(5.20 - 8.70)
District 10 (Broward)	8.98	(7.00 - 11.44)	18.98	(15.75 - 22.70)	7.30	(5.72 - 9.28)
District 11	6.52	(5.01 - 8.44)	15.79	(13.15 - 18.83)	6.22	(4.89 - 7.88)
District 12	8.43	(6.07 - 11.60)	21.05	(17.08 - 25.65)	6.48	(4.91 - 8.51)
District 13	8.48	(6.23 - 11.45)	17.66	(14.00 - 22.04)	5.59	(4.16 - 7.47)
District 14	8.98	(6.65 - 12.03)	17.87	(14.11 - 22.37)	5.74	(4.28 - 7.67)
District 15	8.65	(6.26 - 11.84)	20.95	(16.69 - 25.95)	6.27	(4.70 - 8.32)
Suncoast	10.58	(8.63 - 12.90)	23.64	(20.67 - 26.89)	8.71	(7.11 - 10.63)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Any Illicit Drug or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	7.29	(5.93 - 8.95)	17.94	(15.65 - 20.49)	7.12	(5.88 - 8.60)
Region 1	7.77	(5.56 - 10.75)	16.09	(12.47 - 20.53)	6.16	(4.57 - 8.27)
Region 2	7.49	(5.29 - 10.50)	17.70	(13.65 - 22.64)	7.42	(5.50 - 9.94)
Region 3	7.41	(5.49 - 9.94)	19.44	(16.03 - 23.37)	7.56	(5.82 - 9.76)
Region 4	6.88	(4.80 - 9.78)	16.33	(12.46 - 21.10)	6.73	(4.91 - 9.14)
Region 5	6.74	(4.70 - 9.59)	17.13	(13.29 - 21.80)	6.73	(4.94 - 9.11)
Hawaii	9.32	(7.65 - 11.31)	23.00	(20.22 - 26.04)	6.75	(5.41 - 8.39)
Hawaii Island	11.78	(8.54 - 16.03)	21.81	(16.88 - 27.71)	7.01	(5.05 - 9.66)
Honolulu	8.75	(6.91 - 11.02)	22.91	(19.80 - 26.35)	6.61	(5.14 - 8.45)
Kauai and Maui	9.68	(6.95 - 13.33)	24.46	(19.30 - 30.48)	7.19	(5.22 - 9.83)
Idaho	9.94	(8.32 - 11.83)	19.60	(17.23 - 22.20)	6.74	(5.63 - 8.04)
Region 1	10.07	(7.18 - 13.95)	20.43	(15.97 - 25.76)	6.87	(5.07 - 9.25)
Region 2	*	(* - *)	23.26	(18.42 - 28.92)	7.34	(5.39 - 9.92)
Region 3	10.74	(7.87 - 14.50)	17.27	(13.33 - 22.07)	6.42	(4.84 - 8.49)
Region 4	10.22	(7.68 - 13.49)	21.97	(18.00 - 26.52)	7.11	(5.48 - 9.17)
Region 5	11.31	(8.27 - 15.28)	18.20	(14.16 - 23.09)	6.65	(4.95 - 8.89)
Region 6	9.35	(6.75 - 12.83)	19.70	(15.41 - 24.83)	6.75	(4.97 - 9.11)
Region 7	7.54	(5.09 - 11.03)	15.58	(11.74 - 20.39)	5.70	(4.06 - 7.95)
Illinois	8.61	(7.73 - 9.57)	23.46	(22.06 - 24.93)	8.15	(7.28 - 9.11)
Region I (Cook)	8.98	(7.68 - 10.48)	22.58	(20.37 - 24.95)	9.54	(8.19 - 11.09)
Region II	8.37	(6.95 - 10.04)	24.34	(21.83 - 27.04)	7.46	(6.16 - 9.01)
Region III	8.11	(6.29 - 10.41)	24.84	(21.71 - 28.26)	7.15	(5.68 - 8.97)
Region IV	8.90	(6.81 - 11.54)	23.43	(19.84 - 27.46)	6.28	(4.82 - 8.15)
Region V	8.09	(6.19 - 10.50)	23.20	(19.97 - 26.78)	6.60	(5.14 - 8.45)
Indiana	9.04	(7.57 - 10.76)	22.08	(19.69 - 24.66)	7.06	(5.92 - 8.41)
Central	9.54	(7.16 - 12.60)	21.17	(17.26 - 25.69)	7.18	(5.45 - 9.41)
East	8.79	(6.19 - 12.35)	23.05	(18.26 - 28.66)	7.14	(5.34 - 9.50)
North Central	9.37	(6.81 - 12.77)	21.66	(17.24 - 26.83)	6.87	(5.13 - 9.14)
Northeast	7.50	(5.17 - 10.74)	20.03	(15.42 - 25.60)	6.75	(4.99 - 9.06)
Northwest	8.17	(5.79 - 11.40)	20.85	(16.69 - 25.73)	7.13	(5.30 - 9.53)
Southeast	9.33	(6.70 - 12.86)	21.39	(16.69 - 26.98)	6.42	(4.78 - 8.58)
Southwest	10.01	(7.01 - 14.10)	24.01	(18.71 - 30.24)	7.23	(5.31 - 9.78)
West	9.12	(6.43 - 12.78)	24.64	(19.92 - 30.05)	7.76	(5.73 - 10.41)
Iowa	9.47	(7.98 - 11.19)	23.81	(21.15 - 26.69)	7.22	(6.02 - 8.64)
Central	9.22	(6.67 - 12.60)	25.02	(20.00 - 30.83)	7.32	(5.50 - 9.67)
North Central	10.36	(7.46 - 14.21)	22.66	(17.93 - 28.21)	6.62	(4.91 - 8.86)
Northeast	8.89	(6.71 - 11.69)	25.97	(21.94 - 30.47)	7.58	(5.80 - 9.84)
Northwest	10.18	(7.44 - 13.79)	21.91	(17.32 - 27.31)	6.69	(4.96 - 8.96)
Southeast	9.02	(6.55 - 12.30)	23.15	(18.67 - 28.33)	7.59	(5.76 - 9.92)
Southwest	9.93	(7.18 - 13.57)	22.10	(17.00 - 28.21)	6.99	(5.16 - 9.40)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Any Illicit Drug or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	8.71	(7.21 - 10.49)	21.81	(19.31 - 24.54)	6.57	(5.41 - 7.96)
Kansas City Metro	8.46	(6.25 - 11.35)	25.38	(21.28 - 29.96)	6.95	(5.29 - 9.10)
Northeast	9.56	(6.95 - 13.03)	20.49	(16.37 - 25.33)	6.66	(4.92 - 8.95)
South Central	9.15	(6.53 - 12.67)	19.41	(15.24 - 24.41)	5.84	(4.27 - 7.95)
Southeast	8.94	(6.27 - 12.59)	20.23	(15.81 - 25.51)	6.26	(4.51 - 8.64)
West	8.18	(5.73 - 11.56)	18.61	(14.37 - 23.75)	5.93	(4.31 - 8.09)
Wichita (Sedgwick)	8.12	(5.84 - 11.17)	21.14	(16.71 - 26.37)	6.94	(5.17 - 9.27)
Kentucky	8.04	(6.63 - 9.71)	19.37	(17.02 - 21.96)	6.87	(5.68 - 8.28)
Adanta, Cumberland River, And Lifeskills	7.28	(5.25 - 10.01)	16.75	(13.30 - 20.89)	5.85	(4.29 - 7.91)
Bluegrass, Comprehend, and North Key	7.90	(5.92 - 10.47)	21.74	(18.04 - 25.94)	7.59	(5.84 - 9.82)
Communicare and River Valley	8.13	(5.77 - 11.34)	17.62	(13.53 - 22.63)	6.30	(4.55 - 8.66)
Four Rivers and Pennyroyal	9.47	(6.59 - 13.44)	20.49	(15.53 - 26.54)	6.61	(4.83 - 8.99)
Kentucky River, Mountain, And Pathways	8.10	(5.74 - 11.32)	17.57	(13.61 - 22.38)	6.35	(4.63 - 8.63)
Seven Counties	8.12	(5.88 - 11.11)	19.39	(15.57 - 23.88)	7.45	(5.59 - 9.85)
Louisiana	8.68	(7.23 - 10.38)	20.66	(18.41 - 23.10)	8.06	(6.82 - 9.50)
Region 1	7.94	(5.59 - 11.17)	19.79	(15.39 - 25.08)	9.24	(6.85 - 12.36)
Regions 2 and 9	9.03	(6.83 - 11.84)	22.70	(19.18 - 26.67)	8.48	(6.63 - 10.80)
Region 3	9.67	(6.79 - 13.59)	21.03	(16.44 - 26.50)	8.08	(5.99 - 10.81)
Region 4	8.62	(6.18 - 11.92)	20.92	(16.60 - 26.01)	7.81	(5.86 - 10.33)
Regions 5 and 6	8.57	(6.09 - 11.94)	19.29	(15.15 - 24.24)	7.06	(5.24 - 9.47)
Regions 7 and 8	8.39	(6.08 - 11.46)	18.28	(14.52 - 22.74)	7.52	(5.76 - 9.76)
Region 10 (Jefferson)	8.57	(5.95 - 12.20)	22.64	(17.79 - 28.37)	8.16	(6.09 - 10.86)
Maine	9.70	(8.12 - 11.54)	21.65	(19.24 - 24.26)	7.03	(5.82 - 8.47)
Planning Region 1	9.56	(7.57 - 12.01)	24.02	(20.59 - 27.82)	7.25	(5.75 - 9.10)
Region 1 (Cumberland)	9.27	(6.81 - 12.50)	25.66	(21.20 - 30.68)	7.42	(5.57 - 9.82)
Region 2 (York)	9.94	(7.32 - 13.38)	21.43	(17.13 - 26.47)	7.00	(5.21 - 9.36)
Planning Region 2	9.75	(7.77 - 12.18)	19.97	(17.07 - 23.22)	6.83	(5.48 - 8.49)
Region 3	9.26	(6.69 - 12.68)	20.37	(16.50 - 24.88)	7.15	(5.35 - 9.49)
Region 4	10.04	(7.24 - 13.76)	19.34	(15.04 - 24.50)	6.41	(4.67 - 8.74)
Region 5	10.25	(7.29 - 14.22)	19.89	(15.60 - 25.02)	6.75	(4.99 - 9.07)
Planning Region 3	9.80	(7.54 - 12.64)	20.91	(17.46 - 24.85)	7.04	(5.49 - 8.98)
Region 6 (Penobscot)	10.16	(7.36 - 13.87)	22.23	(17.91 - 27.25)	7.41	(5.50 - 9.93)
Region 7	9.48	(6.65 - 13.34)	19.45	(14.91 - 24.95)	6.75	(4.94 - 9.15)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Any Illicit Drug or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	7.86	(6.49 - 9.50)	19.32	(16.88 - 22.03)	6.95	(5.69 - 8.46)
Anne Arundel	8.87	(6.30 - 12.36)	21.35	(16.36 - 27.36)	6.62	(4.83 - 9.01)
Baltimore City	6.13	(4.25 - 8.74)	17.87	(13.88 - 22.69)	9.55	(6.96 - 12.99)
Central	8.81	(6.60 - 11.68)	20.00	(16.06 - 24.63)	6.85	(5.12 - 9.13)
Montgomery	7.62	(5.36 - 10.71)	18.69	(14.46 - 23.82)	5.85	(4.27 - 7.98)
Prince George's	5.84	(4.03 - 8.41)	16.25	(12.36 - 21.07)	6.85	(4.97 - 9.36)
Rural	8.77	(6.25 - 12.16)	22.30	(17.61 - 27.83)	6.98	(5.16 - 9.36)
Western	8.83	(6.27 - 12.30)	20.37	(16.10 - 25.42)	6.59	(4.77 - 9.02)
Massachusetts	10.41	(8.84 - 12.23)	24.33	(21.60 - 27.27)	7.98	(6.67 - 9.53)
Boston	9.45	(6.64 - 13.28)	23.42	(18.78 - 28.79)	9.53	(7.12 - 12.64)
Central	10.65	(7.79 - 14.40)	24.55	(19.37 - 30.58)	7.68	(5.68 - 10.30)
Metrowest	10.33	(7.82 - 13.51)	26.16	(21.34 - 31.64)	7.89	(6.00 - 10.33)
Northeast	9.90	(7.28 - 13.32)	23.53	(18.67 - 29.20)	7.72	(5.83 - 10.17)
Southeast	11.22	(8.49 - 14.69)	23.64	(19.13 - 28.84)	7.64	(5.73 - 10.12)
Western	10.62	(7.69 - 14.50)	24.32	(19.77 - 29.53)	8.02	(5.98 - 10.68)
Michigan	9.58	(8.71 - 10.52)	21.69	(20.43 - 23.01)	7.87	(7.04 - 8.78)
Bay	10.29	(7.70 - 13.62)	21.58	(17.21 - 26.70)	7.04	(5.30 - 9.30)
Detroit City	6.33	(4.77 - 8.35)	20.40	(16.91 - 24.40)	10.34	(8.02 - 13.24)
Genesee	9.65	(7.28 - 12.69)	21.67	(17.74 - 26.18)	8.26	(6.41 - 10.58)
Kalamazoo	9.89	(7.44 - 13.02)	27.38	(23.52 - 31.62)	8.26	(6.39 - 10.62)
Kent	9.94	(7.59 - 12.92)	22.19	(18.70 - 26.13)	8.02	(6.20 - 10.32)
Lakeshore	11.31	(8.85 - 14.35)	21.14	(17.77 - 24.95)	7.31	(5.73 - 9.27)
Macomb	10.43	(8.10 - 13.33)	22.69	(19.02 - 26.84)	8.22	(6.48 - 10.37)
Mid South	9.69	(7.66 - 12.19)	21.82	(18.60 - 25.41)	7.35	(5.80 - 9.27)
Northern	11.45	(9.03 - 14.41)	23.46	(19.96 - 27.37)	7.59	(5.95 - 9.64)
Oakland	10.21	(8.19 - 12.65)	21.81	(18.52 - 25.50)	7.30	(5.79 - 9.18)
Pathways	11.52	(8.43 - 15.55)	24.76	(20.12 - 30.07)	7.94	(5.97 - 10.49)
Saginaw	9.80	(7.14 - 13.32)	20.23	(15.81 - 25.51)	7.41	(5.59 - 9.75)
Southeast	8.04	(6.29 - 10.21)	19.27	(16.44 - 22.47)	8.13	(6.47 - 10.19)
St. Clair	9.85	(7.18 - 13.37)	19.29	(15.27 - 24.07)	6.50	(4.87 - 8.61)
Washtenaw	8.65	(6.38 - 11.63)	19.89	(16.20 - 24.19)	7.15	(5.47 - 9.30)
Western	9.82	(7.08 - 13.46)	19.81	(15.73 - 24.65)	7.01	(5.15 - 9.48)
Minnesota	9.69	(8.21 - 11.41)	24.40	(21.79 - 27.21)	7.94	(6.63 - 9.48)
Regions 1 and 2	11.42	(8.08 - 15.90)	23.49	(18.71 - 29.07)	7.86	(5.83 - 10.52)
Regions 3 and 4	11.51	(8.68 - 15.13)	27.58	(22.64 - 33.12)	7.74	(5.78 - 10.30)
Regions 5 and 6	9.95	(7.46 - 13.17)	27.11	(22.43 - 32.36)	7.64	(5.74 - 10.11)
Region 7A (Hennepin)	9.04	(6.73 - 12.03)	22.31	(18.09 - 27.18)	8.20	(6.20 - 10.76)
Region 7B (Ramsey)	8.24	(5.78 - 11.63)	23.61	(18.62 - 29.46)	8.95	(6.53 - 12.14)
Region 7C	8.35	(6.06 - 11.40)	22.19	(17.69 - 27.44)	7.62	(5.71 - 10.09)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Any Illicit Drug or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	6.23	(5.00 - 7.74)	16.40	(14.23 - 18.82)	6.35	(5.17 - 7.79)
Region 1	6.58	(4.65 - 9.22)	15.54	(12.14 - 19.68)	5.40	(3.92 - 7.40)
Region 2	5.03	(3.46 - 7.27)	15.23	(11.70 - 19.60)	6.74	(4.84 - 9.33)
Region 3	5.81	(4.02 - 8.32)	16.05	(12.30 - 20.67)	5.97	(4.33 - 8.20)
Region 4	6.05	(4.20 - 8.62)	17.66	(14.02 - 22.01)	7.12	(5.24 - 9.60)
Region 5	5.98	(4.06 - 8.72)	14.36	(10.77 - 18.91)	6.16	(4.30 - 8.76)
Region 6	6.58	(4.50 - 9.52)	16.70	(12.76 - 21.56)	6.35	(4.59 - 8.72)
Region 7	7.48	(5.21 - 10.63)	18.21	(14.21 - 23.05)	6.85	(5.05 - 9.23)
Missouri	9.68	(8.15 - 11.46)	24.06	(21.45 - 26.88)	7.73	(6.48 - 9.18)
Central	10.87	(8.01 - 14.60)	26.62	(21.89 - 31.95)	7.68	(5.77 - 10.15)
Eastern	9.60	(7.62 - 12.04)	25.21	(21.42 - 29.42)	8.33	(6.64 - 10.40)
Eastern (St. Louis City and County)	8.82	(6.58 - 11.74)	25.03	(20.55 - 30.11)	8.88	(6.81 - 11.51)
Eastern (excluding St. Louis)	11.05	(8.08 - 14.95)	25.60	(20.25 - 31.79)	7.19	(5.33 - 9.62)
Northwest	9.71	(7.54 - 12.41)	24.04	(20.20 - 28.35)	8.03	(6.38 - 10.06)
Northwest (Jackson)	9.23	(6.68 - 12.63)	23.48	(18.91 - 28.76)	9.05	(6.88 - 11.81)
Northwest (excluding Jackson)	10.13	(7.19 - 14.09)	24.55	(19.48 - 30.43)	7.11	(5.26 - 9.54)
Southeast	8.61	(6.19 - 11.86)	20.68	(15.89 - 26.46)	6.56	(4.81 - 8.88)
Southwest	9.62	(6.93 - 13.19)	21.46	(17.50 - 26.04)	6.83	(5.11 - 9.07)
Montana	13.77	(11.81 - 16.01)	26.06	(23.42 - 28.89)	8.39	(6.96 - 10.09)
Region 1	14.73	(10.87 - 19.66)	*	(* - *)	7.63	(5.49 - 10.49)
Region 2	14.00	(10.47 - 18.48)	24.06	(19.33 - 29.52)	8.02	(5.99 - 10.68)
Region 3	13.25	(9.95 - 17.42)	24.36	(19.77 - 29.62)	8.25	(6.27 - 10.78)
Region 4	13.12	(10.27 - 16.62)	27.31	(23.36 - 31.64)	8.32	(6.37 - 10.80)
Region 5	14.25	(11.13 - 18.06)	27.32	(23.09 - 32.00)	8.97	(6.86 - 11.63)
Nebraska	10.87	(9.14 - 12.87)	26.15	(23.30 - 29.22)	7.87	(6.52 - 9.47)
Regions 1 and 2	13.82	(9.83 - 19.08)	26.07	(20.70 - 32.27)	6.72	(4.85 - 9.25)
Region 3	12.38	(9.03 - 16.74)	*	(* - *)	7.35	(5.45 - 9.85)
Region 4	12.20	(8.88 - 16.52)	22.67	(17.69 - 28.57)	6.79	(4.96 - 9.22)
Region 5	10.84	(8.13 - 14.32)	27.76	(23.55 - 32.40)	8.38	(6.30 - 11.07)
Region 6	9.03	(6.86 - 11.81)	26.18	(21.96 - 30.89)	8.42	(6.55 - 10.77)
Nevada	9.59	(7.81 - 11.71)	21.72	(19.06 - 24.64)	8.13	(6.68 - 9.87)
Clark	9.12	(7.03 - 11.75)	21.09	(17.95 - 24.62)	8.35	(6.62 - 10.48)
Rural	9.66	(7.01 - 13.17)	21.85	(17.27 - 27.24)	6.92	(5.12 - 9.28)
Washoe	11.39	(8.40 - 15.28)	24.25	(19.72 - 29.45)	8.24	(6.23 - 10.82)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Any Illicit Drug or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	10.75	(9.03 - 12.76)	26.84	(24.12 - 29.74)	7.92	(6.57 - 9.51)
Central	11.44	(8.95 - 14.50)	25.96	(22.44 - 29.81)	7.58	(5.91 - 9.67)
Central 1	11.51	(8.38 - 15.61)	26.40	(21.86 - 31.51)	7.72	(5.70 - 10.37)
Central 2	11.37	(8.25 - 15.46)	25.39	(20.66 - 30.78)	7.45	(5.42 - 10.15)
Northern	12.17	(8.75 - 16.69)	25.59	(20.52 - 31.42)	7.92	(5.79 - 10.75)
Southern	10.12	(8.20 - 12.43)	27.62	(24.19 - 31.34)	8.08	(6.54 - 9.93)
Southern 1 (Rockingham)	10.22	(7.47 - 13.82)	28.67	(23.55 - 34.39)	7.98	(5.96 - 10.62)
Southern 2	10.06	(7.81 - 12.87)	27.09	(22.93 - 31.70)	8.13	(6.33 - 10.39)
New Jersey	8.76	(7.21 - 10.60)	19.82	(17.26 - 22.66)	6.14	(4.99 - 7.54)
Central	9.48	(7.04 - 12.65)	21.96	(17.68 - 26.95)	5.76	(4.27 - 7.71)
Metropolitan	7.77	(5.59 - 10.70)	18.79	(14.79 - 23.57)	6.68	(4.93 - 8.98)
Northern	8.77	(6.41 - 11.88)	18.41	(14.88 - 22.56)	5.67	(4.21 - 7.59)
Southern	9.07	(6.63 - 12.27)	21.15	(16.97 - 26.04)	6.70	(4.96 - 9.00)
New Mexico	11.80	(9.80 - 14.14)	26.75	(23.72 - 30.01)	9.17	(7.59 - 11.05)
Region 1	11.86	(8.87 - 15.67)	23.68	(18.95 - 29.17)	8.29	(6.21 - 10.98)
Region 2	12.36	(8.84 - 17.03)	26.67	(21.09 - 33.10)	9.19	(6.89 - 12.15)
Region 3 (Bernalillo)	12.86	(9.74 - 16.80)	29.06	(24.47 - 34.13)	9.89	(7.62 - 12.75)
Region 4	9.89	(6.82 - 14.12)	24.24	(19.08 - 30.28)	8.32	(6.16 - 11.15)
Region 5	11.24	(8.18 - 15.25)	27.58	(22.76 - 32.97)	9.45	(7.08 - 12.50)
New York	8.53	(7.64 - 9.51)	20.22	(18.80 - 21.72)	6.91	(6.12 - 7.80)
Region A	7.03	(5.96 - 8.29)	16.57	(14.75 - 18.57)	7.29	(6.24 - 8.50)
Region 1	8.14	(6.00 - 10.96)	16.32	(12.80 - 20.58)	8.05	(6.16 - 10.47)
Region 2	6.35	(4.88 - 8.23)	15.98	(13.19 - 19.24)	7.01	(5.45 - 8.97)
Region 3	7.87	(5.74 - 10.71)	20.90	(17.12 - 25.26)	9.76	(7.77 - 12.19)
Region 4	6.79	(5.06 - 9.05)	14.40	(11.62 - 17.70)	5.42	(4.12 - 7.10)
Region B	9.25	(7.66 - 11.14)	22.28	(19.53 - 25.30)	6.09	(5.01 - 7.37)
Region 5	9.34	(7.38 - 11.74)	22.69	(19.32 - 26.45)	5.78	(4.55 - 7.31)
Region 6	9.07	(6.83 - 11.95)	21.40	(17.49 - 25.93)	6.74	(5.13 - 8.79)
Region C	9.60	(8.32 - 11.05)	24.21	(22.15 - 26.40)	6.98	(6.01 - 8.10)
Region 7	9.07	(6.70 - 12.16)	23.71	(19.13 - 29.01)	6.70	(5.09 - 8.77)
Region 8	9.83	(7.30 - 13.11)	24.61	(20.75 - 28.94)	7.14	(5.53 - 9.18)
Region 9	9.26	(7.02 - 12.12)	24.52	(20.24 - 29.36)	6.74	(5.13 - 8.82)
Region 10	11.87	(8.80 - 15.84)	22.77	(18.74 - 27.38)	6.83	(5.13 - 9.04)
Region 11	9.09	(6.85 - 11.96)	24.15	(20.31 - 28.47)	6.87	(5.26 - 8.92)
Region 12	9.66	(7.39 - 12.53)	24.75	(20.74 - 29.24)	7.37	(5.73 - 9.44)
Region D	9.97	(8.20 - 12.08)	22.29	(19.46 - 25.40)	6.96	(5.79 - 8.33)
Region 13	10.36	(7.54 - 14.06)	21.55	(17.21 - 26.63)	6.87	(5.21 - 9.02)
Region 14	9.65	(7.02 - 13.12)	23.07	(18.59 - 28.25)	7.01	(5.29 - 9.23)
Region 15	9.95	(7.38 - 13.28)	22.10	(17.80 - 27.09)	6.98	(5.29 - 9.15)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Any Illicit Drug or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	8.16	(6.71 - 9.89)	18.77	(16.29 - 21.53)	6.29	(5.16 - 7.66)
Eastern	7.25	(5.25 - 9.92)	17.44	(13.79 - 21.82)	6.26	(4.65 - 8.39)
North Central	8.51	(6.22 - 11.54)	18.83	(14.91 - 23.51)	6.35	(4.68 - 8.56)
South Central	7.30	(5.16 - 10.24)	19.90	(15.84 - 24.69)	6.40	(4.75 - 8.58)
Western	9.14	(6.94 - 11.95)	18.71	(15.09 - 22.97)	6.20	(4.74 - 8.07)
North Dakota	12.70	(10.83 - 14.85)	27.96	(25.09 - 31.02)	7.91	(6.51 - 9.59)
Badlands and West Central Lake Region and South Central	12.17	(9.38 - 15.64)	27.29	(22.50 - 32.66)	7.16	(5.28 - 9.63)
North Central and Northwest	11.84	(8.92 - 15.55)	23.09	(18.31 - 28.67)	6.75	(4.94 - 9.17)
Northeast	12.24	(9.13 - 16.23)	26.73	(21.69 - 32.47)	8.14	(6.09 - 10.78)
Southeast	12.30	(9.00 - 16.58)	30.01	(24.84 - 35.75)	8.34	(6.23 - 11.08)
Southeast	14.46	(11.16 - 18.54)	29.57	(25.23 - 34.32)	9.12	(7.00 - 11.80)
Ohio	8.75	(7.90 - 9.68)	21.78	(20.42 - 23.21)	7.09	(6.31 - 7.96)
Boards 2, 46, 55, and 68	8.55	(6.33 - 11.46)	20.98	(16.95 - 25.67)	6.26	(4.78 - 8.16)
Boards 3, 52, and 85	8.65	(6.33 - 11.71)	20.27	(16.14 - 25.14)	5.86	(4.37 - 7.81)
Boards 4 and 78	10.22	(7.43 - 13.88)	23.34	(18.67 - 28.75)	7.16	(5.37 - 9.48)
Boards 5 and 60	9.22	(6.73 - 12.50)	20.80	(16.62 - 25.72)	7.22	(5.45 - 9.50)
Boards 7, 15, 41, 79, and 84	10.84	(8.20 - 14.20)	21.29	(17.01 - 26.30)	6.53	(4.96 - 8.56)
Boards 8, 13, and 83	9.57	(7.18 - 12.63)	20.65	(16.61 - 25.38)	6.23	(4.73 - 8.17)
Board 9 (Butler)	10.45	(7.79 - 13.88)	22.56	(18.21 - 27.61)	6.48	(4.89 - 8.53)
Board 12	8.55	(6.19 - 11.69)	21.16	(17.17 - 25.80)	6.79	(5.17 - 8.86)
Boards 18 and 47	8.41	(6.62 - 10.63)	21.13	(18.15 - 24.45)	7.02	(5.56 - 8.83)
Boards 20, 32, 54, and 69	10.21	(7.48 - 13.78)	21.59	(17.33 - 26.58)	6.47	(4.90 - 8.48)
Boards 21, 39, 51, 70, and 80	9.27	(6.94 - 12.28)	22.00	(17.91 - 26.71)	6.44	(4.94 - 8.36)
Boards 22, 74, and 87	8.58	(6.30 - 11.58)	22.94	(18.58 - 27.97)	6.67	(5.01 - 8.84)
Boards 23 and 45	7.99	(5.81 - 10.90)	22.63	(17.97 - 28.09)	7.07	(5.38 - 9.25)
Board 25 (Franklin)	8.51	(6.60 - 10.91)	23.48	(20.33 - 26.96)	8.42	(6.68 - 10.57)
Boards 27, 71, and 73	9.32	(6.99 - 12.33)	17.81	(14.23 - 22.06)	6.48	(4.91 - 8.51)
Boards 28, 43, and 67	8.35	(6.17 - 11.19)	23.76	(19.66 - 28.41)	6.56	(4.99 - 8.57)
Board 31 (Hamilton)	7.23	(5.46 - 9.52)	19.87	(16.56 - 23.65)	7.34	(5.67 - 9.46)
Board 48 (Lucas)	7.88	(5.94 - 10.37)	21.13	(17.23 - 25.63)	7.85	(6.06 - 10.11)
Board 50 and 76	8.02	(6.01 - 10.62)	21.28	(17.41 - 25.74)	7.21	(5.51 - 9.39)
Board 57 (Montgomery)	8.95	(6.59 - 12.05)	23.95	(19.64 - 28.86)	8.53	(6.57 - 11.02)
Board 77 (Summit)	8.64	(6.42 - 11.52)	24.50	(20.28 - 29.27)	7.69	(5.91 - 9.96)
Oklahoma	9.60	(8.04 - 11.43)	20.92	(18.31 - 23.80)	6.72	(5.53 - 8.14)
Central	7.98	(5.58 - 11.28)	21.29	(16.61 - 26.86)	6.32	(4.58 - 8.66)
East Central	9.26	(6.59 - 12.88)	17.60	(13.35 - 22.86)	5.71	(4.14 - 7.83)
Northeast	9.88	(7.15 - 13.49)	20.93	(16.50 - 26.18)	6.15	(4.52 - 8.32)
Northwest and Southwest	9.75	(7.00 - 13.42)	20.54	(16.00 - 25.97)	6.13	(4.45 - 8.39)
Oklahoma County	8.79	(6.33 - 12.08)	22.08	(17.34 - 27.67)	7.91	(5.93 - 10.48)
Southeast	10.37	(7.54 - 14.09)	21.01	(16.45 - 26.42)	6.13	(4.52 - 8.27)
Tulsa County	10.94	(7.86 - 15.03)	21.59	(17.56 - 26.25)	7.88	(5.88 - 10.49)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Any Illicit Drug or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	9.48	(7.92 - 11.30)	21.84	(19.45 - 24.43)	7.27	(6.06 - 8.71)
Region 1 (Multnomah)	9.18	(6.60 - 12.64)	25.18	(20.91 - 29.99)	9.38	(7.15 - 12.23)
Region 2	8.88	(6.64 - 11.78)	21.88	(17.67 - 26.77)	7.06	(5.31 - 9.32)
Region 3	9.53	(7.19 - 12.52)	20.37	(16.94 - 24.29)	7.01	(5.37 - 9.11)
Region 4	9.68	(7.17 - 12.95)	20.72	(16.55 - 25.62)	6.26	(4.64 - 8.40)
Region 5	10.66	(7.71 - 14.56)	21.30	(16.45 - 27.12)	6.12	(4.48 - 8.31)
Pennsylvania	8.38	(7.55 - 9.30)	22.05	(20.66 - 23.52)	6.50	(5.76 - 7.33)
Region 1 (Allegheny)	7.83	(6.05 - 10.08)	26.27	(22.63 - 30.26)	7.29	(5.72 - 9.26)
Regions 2, 3, 8, and 9	8.30	(6.23 - 10.96)	20.86	(16.91 - 25.46)	5.88	(4.46 - 7.70)
Regions 4, 11, 42, and 48	9.29	(7.15 - 12.00)	24.16	(20.15 - 28.69)	6.39	(4.91 - 8.28)
Regions 5, 20, 26, 28, and 40	8.52	(6.45 - 11.19)	19.46	(16.17 - 23.25)	5.34	(4.12 - 6.90)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	9.01	(6.85 - 11.78)	25.52	(21.79 - 29.63)	6.09	(4.65 - 7.94)
Regions 7, 13, 22, and 37	9.49	(7.75 - 11.57)	20.85	(18.02 - 24.01)	6.21	(4.98 - 7.73)
Regions 10, 14, 15, 25, 31, 36, and 46	8.11	(6.07 - 10.76)	22.47	(18.41 - 27.11)	6.62	(5.08 - 8.59)
Regions 17, 24, 27, 43, and 47	7.31	(5.38 - 9.86)	19.66	(15.91 - 24.04)	5.55	(4.23 - 7.26)
Region 18 (Philadelphia)	7.01	(5.40 - 9.06)	20.83	(17.92 - 24.07)	8.32	(6.67 - 10.32)
Regions 19 and 23	9.63	(6.98 - 13.14)	24.49	(19.95 - 29.67)	7.10	(5.33 - 9.41)
Regions 21, 30, 32, and 49	7.12	(5.41 - 9.33)	19.75	(16.68 - 23.22)	5.93	(4.66 - 7.51)
Regions 29 and 34	10.37	(7.79 - 13.68)	25.35	(20.82 - 30.48)	7.19	(5.47 - 9.39)
Regions 33 and 38	8.38	(6.15 - 11.32)	20.28	(16.25 - 25.02)	5.89	(4.47 - 7.73)
Rhode Island	10.37	(8.51 - 12.57)	27.97	(25.04 - 31.09)	8.65	(7.13 - 10.45)
Bristol and Newport	11.67	(8.40 - 15.99)	*	(* - *)	8.84	(6.54 - 11.85)
Kent	9.78	(7.04 - 13.44)	26.92	(21.93 - 32.57)	8.42	(6.34 - 11.11)
Providence	10.09	(7.83 - 12.91)	26.19	(22.76 - 29.93)	8.65	(6.80 - 10.95)
Washington	11.08	(7.84 - 15.45)	*	(* - *)	8.72	(6.33 - 11.88)
South Carolina	7.82	(6.42 - 9.48)	21.05	(18.49 - 23.87)	7.39	(6.13 - 8.88)
Region 1	9.17	(6.83 - 12.23)	22.32	(18.15 - 27.13)	7.08	(5.29 - 9.42)
Region 2	7.61	(5.76 - 10.01)	21.16	(17.66 - 25.13)	7.33	(5.67 - 9.42)
Region 3	5.86	(4.05 - 8.40)	18.10	(13.86 - 23.29)	7.23	(5.30 - 9.78)
Region 4	8.06	(5.84 - 11.02)	21.57	(17.41 - 26.41)	7.88	(5.93 - 10.40)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Any Illicit Drug or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	12.85	(10.90 - 15.10)	28.11	(25.31 - 31.09)	8.07	(6.64 - 9.77)
Eastern Planning Area	12.07	(10.08 - 14.38)	27.60	(24.61 - 30.82)	7.93	(6.49 - 9.66)
Region 3 (Minnehaha)	12.63	(9.61 - 16.43)	28.41	(23.95 - 33.33)	8.52	(6.51 - 11.08)
Region 4	11.85	(8.65 - 16.03)	28.29	(23.00 - 34.24)	7.88	(5.83 - 10.58)
Region 5	11.88	(8.71 - 15.99)	27.71	(22.20 - 34.00)	7.41	(5.37 - 10.13)
Region 6	11.85	(8.65 - 16.02)	26.11	(21.07 - 31.87)	7.50	(5.56 - 10.06)
Region 7	11.83	(8.48 - 16.29)	26.66	(21.25 - 32.87)	7.98	(5.84 - 10.82)
Western Planning Area	14.50	(11.44 - 18.21)	29.35	(25.12 - 33.97)	8.40	(6.47 - 10.82)
Region 1 (Pennington)	12.06	(8.71 - 16.47)	29.61	(24.55 - 35.23)	8.08	(5.97 - 10.83)
Region 2	15.87	(11.87 - 20.89)	29.16	(23.58 - 35.46)	8.62	(6.21 - 11.83)
Tennessee	7.73	(6.40 - 9.31)	18.36	(15.83 - 21.18)	6.38	(5.29 - 7.67)
Region 1	9.36	(6.49 - 13.33)	18.79	(14.25 - 24.37)	6.17	(4.51 - 8.37)
Region 2	7.92	(5.70 - 10.90)	19.77	(15.40 - 25.00)	6.17	(4.58 - 8.27)
Region 3	7.54	(5.43 - 10.37)	18.80	(14.58 - 23.89)	6.07	(4.57 - 8.02)
Region 4 (Davidson)	7.62	(5.33 - 10.78)	19.25	(15.01 - 24.34)	8.11	(5.96 - 10.95)
Region 5	8.01	(5.80 - 10.97)	17.48	(13.66 - 22.09)	5.46	(4.06 - 7.29)
Region 6	8.17	(5.85 - 11.30)	17.79	(13.52 - 23.05)	6.51	(4.74 - 8.88)
Region 7 (Shelby)	6.40	(4.49 - 9.06)	17.00	(13.09 - 21.80)	7.16	(5.25 - 9.69)
Texas	8.55	(7.69 - 9.50)	19.99	(18.70 - 21.35)	7.00	(6.25 - 7.83)
Region 1	12.89	(9.25 - 17.70)	23.97	(19.75 - 28.77)	7.08	(5.33 - 9.35)
Region 2	8.56	(6.18 - 11.73)	19.98	(15.56 - 25.28)	6.42	(4.83 - 8.48)
Region 3	7.87	(6.56 - 9.43)	18.93	(16.87 - 21.18)	6.72	(5.69 - 7.91)
Region 3a	8.38	(6.70 - 10.44)	19.44	(16.94 - 22.20)	6.81	(5.56 - 8.31)
Region 3bc	7.01	(5.22 - 9.34)	17.99	(14.89 - 21.57)	6.55	(5.13 - 8.34)
Region 4	9.81	(7.26 - 13.12)	17.05	(13.41 - 21.43)	5.95	(4.46 - 7.90)
Region 5	11.33	(8.29 - 15.30)	20.03	(15.82 - 25.02)	6.61	(4.99 - 8.72)
Region 6	7.33	(6.02 - 8.90)	18.87	(16.67 - 21.28)	7.17	(5.97 - 8.59)
Region 6a	6.95	(5.55 - 8.67)	18.60	(16.25 - 21.21)	7.23	(5.92 - 8.80)
Region 6bc	10.53	(7.66 - 14.31)	21.42	(17.09 - 26.50)	6.72	(5.08 - 8.84)
Region 7	8.94	(7.19 - 11.06)	24.92	(22.02 - 28.07)	8.31	(6.80 - 10.12)
Region 7a	8.80	(6.51 - 11.81)	25.31	(21.53 - 29.50)	8.75	(6.84 - 11.11)
Region 7bcd	9.11	(6.80 - 12.11)	24.41	(20.37 - 28.96)	7.63	(5.88 - 9.83)
Region 8	8.23	(6.31 - 10.67)	19.80	(16.42 - 23.67)	7.12	(5.68 - 8.88)
Region 9	10.55	(7.68 - 14.34)	20.66	(16.34 - 25.77)	6.60	(4.92 - 8.80)
Region 10	9.67	(7.06 - 13.11)	20.28	(16.02 - 25.32)	7.39	(5.58 - 9.73)
Region 11	8.95	(7.07 - 11.27)	17.72	(14.96 - 20.87)	6.41	(5.10 - 8.02)
Region 11abd	9.12	(6.78 - 12.17)	18.16	(14.70 - 22.23)	6.48	(4.94 - 8.46)
Region 11c (Hidalgo)	8.63	(6.24 - 11.83)	16.92	(13.19 - 21.45)	6.25	(4.62 - 8.41)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Any Illicit Drug or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	6.97	(5.58 - 8.67)	15.44	(13.20 - 18.00)	6.14	(4.83 - 7.78)
Bear River, Northeastern, Summit, Tooele, and Wasatch	7.58	(5.21 - 10.92)	16.17	(12.21 - 21.11)	5.96	(4.21 - 8.40)
Central, Four Corners, San Juan, and Southwest	6.02	(4.04 - 8.89)	13.10	(9.50 - 17.81)	4.82	(3.34 - 6.91)
Davis County	6.93	(4.81 - 9.88)	16.99	(12.94 - 21.98)	5.74	(4.09 - 7.99)
Salt Lake County	7.84	(5.82 - 10.50)	16.77	(13.66 - 20.43)	7.00	(5.23 - 9.32)
Utah County	5.46	(3.68 - 8.02)	13.09	(9.97 - 17.00)	5.16	(3.62 - 7.30)
Weber, Morgan	7.05	(4.84 - 10.18)	16.15	(12.15 - 21.15)	6.19	(4.36 - 8.70)
Vermont	10.75	(9.10 - 12.66)	24.65	(22.02 - 27.49)	7.24	(6.03 - 8.66)
Champlain Valley	11.20	(8.80 - 14.15)	25.84	(22.21 - 29.84)	7.21	(5.61 - 9.23)
Rural Northeast	10.40	(7.93 - 13.51)	24.15	(19.95 - 28.91)	7.52	(5.76 - 9.77)
Rural Southeast	10.00	(7.36 - 13.45)	22.41	(18.02 - 27.50)	7.06	(5.27 - 9.38)
Rural Southwest	11.14	(8.27 - 14.86)	24.33	(19.51 - 29.91)	7.12	(5.27 - 9.56)
Virginia	8.54	(7.09 - 10.25)	21.81	(19.26 - 24.60)	6.92	(5.71 - 8.36)
Region 1	10.39	(7.46 - 14.28)	23.96	(19.40 - 29.21)	6.67	(4.85 - 9.09)
Region 2	9.32	(6.93 - 12.43)	23.86	(19.39 - 28.98)	7.99	(6.01 - 10.54)
Region 3	9.18	(6.64 - 12.57)	24.11	(19.29 - 29.69)	6.81	(5.07 - 9.09)
Region 4	7.48	(5.34 - 10.39)	20.85	(16.83 - 25.54)	6.51	(4.81 - 8.76)
Region 5	6.90	(5.01 - 9.44)	17.54	(13.88 - 21.92)	6.26	(4.64 - 8.40)
Washington	8.85	(7.32 - 10.65)	23.49	(20.84 - 26.37)	7.71	(6.45 - 9.19)
Region 1	9.06	(6.44 - 12.60)	23.95	(19.12 - 29.55)	7.16	(5.26 - 9.68)
Region 2	9.20	(6.49 - 12.89)	22.14	(17.21 - 28.02)	7.24	(5.34 - 9.74)
Region 3	8.37	(6.03 - 11.50)	24.47	(19.65 - 30.03)	7.34	(5.52 - 9.69)
Region 4 (King)	8.40	(6.18 - 11.33)	23.34	(19.31 - 27.93)	8.21	(6.35 - 10.55)
Region 5	8.89	(6.44 - 12.15)	23.81	(19.12 - 29.23)	7.96	(5.97 - 10.55)
Region 6	9.52	(6.90 - 13.00)	22.83	(18.09 - 28.38)	7.60	(5.70 - 10.06)
West Virginia	9.10	(7.55 - 10.92)	21.12	(18.73 - 23.72)	6.52	(5.40 - 7.85)
Eastern Highland	9.15	(6.66 - 12.43)	18.41	(14.72 - 22.78)	5.83	(4.30 - 7.87)
Northern	9.61	(7.46 - 12.30)	24.30	(20.42 - 28.66)	6.71	(5.27 - 8.51)
Northern A and B	10.14	(7.24 - 14.03)	22.13	(17.32 - 27.83)	6.35	(4.62 - 8.65)
Northern C and D	9.37	(6.82 - 12.74)	25.11	(20.47 - 30.40)	6.91	(5.20 - 9.13)
South Central	8.86	(7.02 - 11.12)	20.07	(17.00 - 23.53)	6.49	(5.20 - 8.06)
South Central I	9.36	(6.64 - 13.04)	19.30	(14.89 - 24.65)	5.98	(4.37 - 8.13)
South Central II	8.70	(6.14 - 12.20)	20.85	(16.23 - 26.37)	6.41	(4.74 - 8.62)
South Central III	8.64	(6.32 - 11.70)	19.88	(15.78 - 24.73)	6.84	(5.07 - 9.16)
Southern	8.75	(6.53 - 11.63)	20.99	(17.39 - 25.11)	7.10	(5.51 - 9.12)
Southern I and III	8.48	(5.78 - 12.26)	21.17	(16.80 - 26.31)	7.32	(5.39 - 9.86)
Southern II	9.28	(6.48 - 13.12)	20.64	(15.88 - 26.37)	6.69	(4.92 - 9.03)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Any Illicit Drug or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	11.33	(9.62 - 13.29)	27.20	(24.57 - 30.00)	8.99	(7.47 - 10.78)
Milwaukee	9.68	(7.02 - 13.19)	27.72	(22.56 - 33.55)	11.27	(8.60 - 14.63)
Northeastern	11.29	(8.62 - 14.65)	28.30	(23.57 - 33.57)	8.23	(6.20 - 10.84)
Northern	12.56	(9.22 - 16.89)	27.15	(21.59 - 33.52)	7.85	(5.75 - 10.63)
Southeastern	12.07	(9.16 - 15.73)	25.17	(20.22 - 30.87)	8.18	(6.15 - 10.81)
Southern	11.25	(8.25 - 15.16)	27.23	(22.77 - 32.20)	10.00	(7.54 - 13.13)
Western	11.65	(8.55 - 15.69)	27.43	(22.50 - 32.98)	8.11	(6.05 - 10.78)
Wyoming	10.94	(9.25 - 12.88)	25.10	(22.40 - 28.00)	8.00	(6.68 - 9.55)
Judicial District 1 (Laramie)	10.22	(7.44 - 13.86)	23.25	(18.57 - 28.70)	8.00	(6.09 - 10.46)
Judicial District 2	10.90	(7.83 - 14.97)	30.14	(25.35 - 35.42)	9.86	(7.30 - 13.20)
Judicial District 3	11.57	(8.58 - 15.44)	25.05	(20.12 - 30.71)	7.69	(5.81 - 10.12)
Judicial District 4	10.67	(7.55 - 14.87)	*	(* - *)	7.45	(5.41 - 10.17)
Judicial District 5	9.77	(6.95 - 13.55)	20.80	(15.98 - 26.61)	7.06	(5.08 - 9.73)
Judicial District 6	12.22	(9.05 - 16.31)	24.47	(19.25 - 30.57)	7.56	(5.57 - 10.17)
Judicial District 7 (Natrona)	11.10	(8.15 - 14.93)	24.95	(19.80 - 30.92)	8.32	(6.21 - 11.06)
Judicial District 8	10.11	(7.15 - 14.11)	21.52	(16.70 - 27.27)	7.28	(5.27 - 9.97)
Judicial District 9	11.34	(8.10 - 15.66)	25.67	(20.23 - 31.99)	8.55	(6.30 - 11.49)

*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	5.63		16.74		5.84	
Alabama	4.68	(3.69 - 5.93)	12.72	(10.84 - 14.86)	4.56	(3.63 - 5.73)
Region 1	6.46	(4.56 - 9.10)	12.46	(9.47 - 16.22)	4.25	(3.05 - 5.89)
Region 2	3.92	(2.61 - 5.85)	13.71	(10.92 - 17.06)	4.83	(3.53 - 6.58)
Region 3	3.22	(2.08 - 4.95)	11.98	(9.05 - 15.69)	4.85	(3.43 - 6.82)
Region 4	4.90	(3.45 - 6.91)	12.23	(9.38 - 15.80)	4.35	(3.16 - 5.95)
Alaska	5.39	(4.22 - 6.85)	16.92	(14.51 - 19.65)	6.27	(5.00 - 7.83)
Gulf Coast	5.98	(3.99 - 8.86)	19.51	(14.70 - 25.42)	5.81	(4.07 - 8.24)
Rural	5.15	(3.34 - 7.86)	*	(* - *)	5.76	(4.04 - 8.15)
Southeast	5.96	(3.91 - 8.99)	18.71	(14.13 - 24.34)	6.17	(4.38 - 8.62)
Urban	5.22	(3.88 - 7.00)	16.33	(13.55 - 19.54)	6.46	(4.96 - 8.36)
Arizona	6.85	(5.38 - 8.68)	18.75	(16.28 - 21.49)	7.80	(6.38 - 9.51)
Maricopa	6.34	(4.70 - 8.49)	18.70	(15.69 - 22.14)	8.40	(6.65 - 10.56)
Pima	6.38	(4.14 - 9.71)	18.98	(14.71 - 24.13)	7.62	(5.69 - 10.12)
Rural North	8.44	(5.69 - 12.34)	19.59	(14.85 - 25.38)	6.58	(4.72 - 9.10)
Rural South	8.37	(5.53 - 12.49)	17.84	(13.24 - 23.60)	6.32	(4.47 - 8.88)
Arkansas	5.42	(4.33 - 6.75)	15.47	(13.33 - 17.88)	5.13	(4.10 - 6.41)
Areas 1 and 5	5.92	(4.10 - 8.49)	15.40	(11.87 - 19.75)	5.05	(3.70 - 6.86)
Areas 2 and 3	5.68	(3.79 - 8.43)	13.80	(10.19 - 18.43)	4.41	(3.08 - 6.29)
Areas 4 and 7	4.97	(3.37 - 7.28)	14.49	(11.05 - 18.76)	5.26	(3.76 - 7.31)
Area 6	5.83	(3.82 - 8.80)	18.43	(14.11 - 23.72)	5.43	(3.82 - 7.67)
Areas 8 and 12	5.50	(3.69 - 8.11)	16.53	(12.35 - 21.78)	5.14	(3.60 - 7.29)
Area 9	4.82	(3.28 - 7.04)	14.52	(11.02 - 18.90)	5.35	(3.92 - 7.27)
Areas 10, 11, and 13	5.20	(3.49 - 7.69)	16.50	(12.66 - 21.22)	5.38	(3.81 - 7.55)
California	5.57	(4.86 - 6.37)	14.90	(13.71 - 16.17)	5.95	(5.25 - 6.74)
Region 1	8.56	(6.04 - 11.99)	18.39	(14.09 - 23.63)	5.98	(4.45 - 8.00)
Region 2	5.93	(4.33 - 8.07)	17.68	(14.32 - 21.62)	6.42	(4.93 - 8.33)
Region 3	5.92	(4.18 - 8.31)	14.63	(11.34 - 18.67)	5.61	(4.20 - 7.45)
Region 4	5.16	(3.54 - 7.47)	17.09	(13.26 - 21.75)	6.62	(5.02 - 8.69)
Region 5	6.51	(4.75 - 8.87)	15.90	(12.62 - 19.83)	5.67	(4.33 - 7.39)
Region 6 (Santa Clara)	6.39	(4.48 - 9.04)	14.60	(11.26 - 18.73)	5.83	(4.41 - 7.66)
Region 7	6.79	(4.58 - 9.96)	16.03	(12.09 - 20.94)	6.72	(5.01 - 8.96)
Region 8	5.43	(3.81 - 7.69)	13.66	(10.64 - 17.36)	5.71	(4.32 - 7.51)
Region 9	6.95	(4.83 - 9.90)	16.03	(12.12 - 20.92)	6.12	(4.60 - 8.10)
Region 10	7.73	(5.44 - 10.88)	18.45	(14.41 - 23.32)	6.19	(4.59 - 8.30)
Region 11 (Los Angeles)	3.76	(2.80 - 5.02)	11.85	(10.10 - 13.87)	5.92	(4.84 - 7.23)
Region 12	6.63	(4.82 - 9.06)	16.28	(12.89 - 20.34)	5.63	(4.17 - 7.56)
Region 13 (Riverside)	6.74	(4.62 - 9.73)	15.60	(11.87 - 20.22)	5.20	(3.82 - 7.05)
Region 14 (Orange)	5.95	(4.32 - 8.14)	15.16	(12.25 - 18.62)	5.66	(4.34 - 7.35)
Region 15	5.59	(4.02 - 7.74)	16.83	(13.78 - 20.39)	6.15	(4.82 - 7.83)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	6.89	(5.54 - 8.53)	20.98	(18.46 - 23.74)	7.80	(6.42 - 9.44)
Region 1	7.14	(4.89 - 10.31)	20.90	(16.55 - 26.03)	6.66	(4.86 - 9.05)
Regions 2 and 7	6.68	(5.03 - 8.81)	21.01	(17.73 - 24.71)	8.49	(6.69 - 10.72)
Region 3	7.34	(4.97 - 10.72)	20.40	(15.68 - 26.09)	6.71	(4.91 - 9.11)
Region 4	7.53	(4.91 - 11.38)	*	(* - *)	7.24	(5.17 - 10.05)
Regions 5 and 6	6.59	(4.33 - 9.91)	22.67	(17.68 - 28.58)	7.17	(5.22 - 9.78)
Connecticut	5.80	(4.62 - 7.27)	18.79	(16.40 - 21.44)	5.51	(4.38 - 6.92)
Eastern	5.43	(3.52 - 8.28)	21.10	(16.12 - 27.12)	5.48	(3.84 - 7.74)
North Central	5.23	(3.66 - 7.42)	16.38	(13.15 - 20.22)	5.77	(4.20 - 7.88)
Northwestern	6.15	(4.21 - 8.89)	18.98	(14.64 - 24.22)	5.13	(3.67 - 7.14)
South Central	6.67	(4.71 - 9.35)	20.61	(16.61 - 25.27)	5.38	(3.87 - 7.43)
Southwest	5.53	(3.72 - 8.15)	17.91	(13.75 - 23.00)	5.65	(3.99 - 7.95)
Delaware	4.82	(3.79 - 6.10)	17.16	(14.88 - 19.70)	5.11	(4.04 - 6.45)
Kent	4.25	(2.84 - 6.32)	13.93	(10.58 - 18.13)	4.79	(3.35 - 6.79)
New Castle (excluding Wilmington city)	5.34	(3.98 - 7.13)	19.63	(16.57 - 23.11)	5.25	(3.98 - 6.91)
Sussex	4.59	(3.12 - 6.71)	14.02	(10.57 - 18.37)	4.55	(3.21 - 6.43)
Wilmington City	3.40	(2.14 - 5.37)	13.70	(9.98 - 18.52)	6.21	(4.37 - 8.76)
District of Columbia	2.96	(2.12 - 4.12)	16.38	(13.95 - 19.14)	8.21	(6.69 - 10.02)
Ward 1	3.24	(1.96 - 5.30)	16.73	(12.53 - 21.99)	10.33	(7.50 - 14.06)
Ward 2	*	(* - *)	19.68	(15.11 - 25.21)	10.05	(7.45 - 13.42)
Ward 3	5.62	(3.57 - 8.76)	22.03	(17.21 - 27.75)	8.67	(6.49 - 11.50)
Ward 4	2.71	(1.68 - 4.35)	13.38	(9.74 - 18.10)	7.02	(4.98 - 9.82)
Ward 5	2.58	(1.57 - 4.22)	14.79	(11.25 - 19.21)	7.01	(5.01 - 9.72)
Ward 6	2.63	(1.57 - 4.39)	16.41	(12.09 - 21.89)	8.35	(6.08 - 11.36)
Ward 7	2.21	(1.36 - 3.57)	11.24	(8.17 - 15.27)	6.78	(4.83 - 9.44)
Ward 8	2.45	(1.53 - 3.92)	11.00	(7.97 - 15.01)	7.08	(5.10 - 9.74)
Florida	5.20	(4.55 - 5.93)	16.09	(14.86 - 17.39)	5.61	(4.93 - 6.38)
District 1	5.47	(3.81 - 7.79)	17.85	(14.01 - 22.47)	5.83	(4.34 - 7.78)
District 2	5.12	(3.51 - 7.41)	22.19	(18.07 - 26.94)	6.47	(4.84 - 8.59)
District 3	5.42	(3.73 - 7.80)	21.00	(17.04 - 25.61)	6.13	(4.60 - 8.13)
District 4	5.05	(3.62 - 7.00)	15.26	(12.26 - 18.84)	5.50	(4.18 - 7.21)
District 7	5.32	(4.00 - 7.05)	16.99	(14.26 - 20.11)	5.80	(4.58 - 7.31)
District 8	4.81	(3.32 - 6.91)	14.15	(10.97 - 18.07)	4.64	(3.42 - 6.27)
District 9 (Palm Beach)	5.47	(3.96 - 7.52)	15.37	(12.20 - 19.18)	5.12	(3.85 - 6.78)
District 10 (Broward)	5.05	(3.70 - 6.85)	14.17	(11.42 - 17.44)	5.71	(4.42 - 7.36)
District 11	4.32	(3.19 - 5.82)	12.02	(9.76 - 14.71)	5.11	(3.94 - 6.59)
District 12	5.16	(3.58 - 7.38)	15.43	(12.05 - 19.55)	5.01	(3.73 - 6.70)
District 13	5.06	(3.52 - 7.22)	12.83	(9.62 - 16.91)	4.62	(3.41 - 6.24)
District 14	4.84	(3.24 - 7.16)	13.39	(10.17 - 17.42)	4.66	(3.38 - 6.40)
District 15	5.58	(3.79 - 8.13)	15.48	(11.88 - 19.93)	5.17	(3.79 - 7.00)
Suncoast	6.04	(4.66 - 7.80)	18.91	(16.11 - 22.07)	6.72	(5.33 - 8.44)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	4.30	(3.35 - 5.52)	13.85	(11.77 - 16.24)	5.44	(4.36 - 6.78)
Region 1	5.29	(3.59 - 7.74)	11.90	(8.74 - 16.00)	4.83	(3.45 - 6.73)
Region 2	4.50	(3.01 - 6.65)	14.21	(10.74 - 18.59)	5.61	(4.03 - 7.78)
Region 3	4.10	(2.86 - 5.83)	14.92	(11.92 - 18.53)	5.78	(4.37 - 7.62)
Region 4	3.89	(2.58 - 5.82)	12.90	(9.55 - 17.21)	5.13	(3.61 - 7.24)
Region 5	4.17	(2.75 - 6.29)	13.00	(9.75 - 17.13)	5.08	(3.63 - 7.06)
Hawaii	6.13	(4.78 - 7.83)	18.30	(15.81 - 21.08)	5.55	(4.40 - 6.98)
Hawaii Island	6.90	(4.66 - 10.10)	16.56	(12.40 - 21.75)	5.64	(4.01 - 7.88)
Honolulu	5.85	(4.36 - 7.82)	18.84	(15.98 - 22.09)	5.46	(4.19 - 7.08)
Kauai and Maui	6.67	(4.51 - 9.78)	16.62	(12.43 - 21.88)	5.90	(4.19 - 8.24)
Idaho	7.10	(5.78 - 8.69)	16.67	(14.48 - 19.11)	5.85	(4.81 - 7.10)
Region 1	7.24	(4.94 - 10.50)	16.53	(12.56 - 21.45)	5.95	(4.30 - 8.18)
Region 2	*	(* - *)	21.22	(16.57 - 26.74)	6.18	(4.48 - 8.46)
Region 3	7.71	(5.40 - 10.90)	13.90	(10.33 - 18.44)	5.51	(4.02 - 7.50)
Region 4	7.43	(5.39 - 10.17)	18.55	(14.96 - 22.78)	6.12	(4.63 - 8.05)
Region 5	7.66	(5.32 - 10.89)	14.98	(11.34 - 19.54)	5.71	(4.23 - 7.67)
Region 6	6.82	(4.68 - 9.85)	16.93	(12.87 - 21.95)	6.03	(4.42 - 8.17)
Region 7	5.40	(3.48 - 8.27)	14.26	(10.52 - 19.04)	5.24	(3.70 - 7.36)
Illinois	5.66	(4.95 - 6.47)	19.37	(18.09 - 20.71)	7.00	(6.19 - 7.91)
Region I (Cook)	5.64	(4.62 - 6.88)	18.58	(16.60 - 20.73)	7.91	(6.67 - 9.36)
Region II	5.40	(4.29 - 6.76)	19.53	(17.25 - 22.02)	6.72	(5.51 - 8.17)
Region III	5.97	(4.44 - 7.99)	21.61	(18.71 - 24.83)	6.31	(4.94 - 8.01)
Region IV	6.30	(4.66 - 8.46)	18.78	(15.55 - 22.50)	5.42	(4.12 - 7.10)
Region V	5.74	(4.27 - 7.68)	19.97	(16.87 - 23.47)	5.78	(4.45 - 7.47)
Indiana	5.95	(4.77 - 7.40)	17.54	(15.40 - 19.91)	5.72	(4.68 - 6.97)
Central	6.24	(4.42 - 8.74)	16.21	(12.75 - 20.38)	5.70	(4.19 - 7.70)
East	6.19	(4.13 - 9.17)	18.36	(14.09 - 23.57)	5.73	(4.12 - 7.92)
North Central	6.20	(4.19 - 9.07)	16.88	(12.90 - 21.78)	5.65	(4.14 - 7.65)
Northeast	5.00	(3.31 - 7.51)	15.20	(11.26 - 20.20)	5.55	(3.98 - 7.69)
Northwest	5.24	(3.49 - 7.80)	16.97	(13.09 - 21.72)	5.89	(4.28 - 8.06)
Southeast	6.28	(4.29 - 9.09)	16.28	(12.31 - 21.22)	5.25	(3.85 - 7.12)
Southwest	6.09	(4.04 - 9.08)	19.19	(14.49 - 24.96)	5.58	(4.02 - 7.70)
West	6.05	(4.00 - 9.05)	21.20	(16.65 - 26.59)	6.43	(4.67 - 8.79)
Iowa	6.78	(5.51 - 8.33)	20.17	(17.76 - 22.81)	5.95	(4.83 - 7.30)
Central	6.48	(4.46 - 9.31)	19.64	(15.42 - 24.67)	6.06	(4.40 - 8.30)
North Central	7.48	(5.17 - 10.71)	20.96	(16.35 - 26.45)	5.46	(3.94 - 7.53)
Northeast	6.76	(4.89 - 9.29)	22.69	(18.60 - 27.39)	6.18	(4.60 - 8.26)
Northwest	7.32	(5.17 - 10.27)	17.69	(13.60 - 22.68)	5.41	(3.89 - 7.47)
Southeast	6.18	(4.23 - 8.95)	19.64	(15.47 - 24.61)	6.32	(4.70 - 8.44)
Southwest	6.86	(4.64 - 10.03)	18.18	(13.52 - 24.01)	5.85	(4.21 - 8.07)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	6.02	(4.82 - 7.50)	18.81	(16.42 - 21.47)	5.52	(4.46 - 6.81)
Kansas City Metro	5.89	(4.10 - 8.40)	22.54	(18.54 - 27.13)	5.92	(4.44 - 7.86)
Northeast	6.82	(4.69 - 9.82)	17.71	(13.89 - 22.31)	5.55	(4.01 - 7.62)
South Central	6.14	(4.12 - 9.05)	15.85	(11.90 - 20.81)	4.84	(3.46 - 6.74)
Southeast	6.19	(4.14 - 9.14)	17.88	(13.57 - 23.18)	5.26	(3.76 - 7.32)
West	5.86	(3.84 - 8.82)	15.98	(11.78 - 21.33)	5.06	(3.60 - 7.06)
Wichita (Sedgwick)	5.29	(3.59 - 7.73)	17.43	(13.26 - 22.57)	5.70	(4.19 - 7.70)
Kentucky	5.24	(4.19 - 6.53)	14.34	(12.41 - 16.51)	5.10	(4.09 - 6.34)
Adanta, Cumberland River, And Lifeskills	5.60	(3.87 - 8.03)	12.96	(10.12 - 16.45)	4.60	(3.32 - 6.35)
Bluegrass, Comprehend, and North Key	5.11	(3.61 - 7.19)	17.28	(13.95 - 21.21)	5.58	(4.10 - 7.55)
Communicare and River Valley	5.54	(3.72 - 8.19)	12.94	(9.49 - 17.42)	4.77	(3.43 - 6.59)
Four Rivers and Pennyroyal	6.32	(4.29 - 9.22)	14.68	(10.60 - 19.98)	4.76	(3.37 - 6.68)
Kentucky River, Mountain, And Pathways	5.30	(3.57 - 7.80)	11.87	(8.79 - 15.85)	4.66	(3.22 - 6.69)
Seven Counties	4.41	(3.02 - 6.41)	13.00	(9.90 - 16.88)	5.44	(3.95 - 7.46)
Louisiana	5.52	(4.43 - 6.85)	16.17	(14.23 - 18.33)	6.27	(5.17 - 7.58)
Region 1	3.92	(2.51 - 6.05)	14.95	(11.37 - 19.42)	6.66	(4.85 - 9.07)
Regions 2 and 9	6.30	(4.51 - 8.73)	18.99	(15.57 - 22.95)	6.73	(5.07 - 8.89)
Region 3	5.63	(3.70 - 8.47)	14.84	(11.15 - 19.47)	6.16	(4.42 - 8.52)
Region 4	6.35	(4.32 - 9.25)	16.22	(12.41 - 20.93)	6.21	(4.52 - 8.49)
Regions 5 and 6	5.87	(3.98 - 8.57)	15.70	(11.98 - 20.32)	5.63	(4.18 - 7.54)
Regions 7 and 8	4.62	(3.06 - 6.93)	14.01	(10.86 - 17.88)	5.80	(4.33 - 7.73)
Region 10 (Jefferson)	5.71	(3.83 - 8.44)	16.70	(12.51 - 21.93)	6.53	(4.74 - 8.95)
Maine	5.80	(4.64 - 7.23)	16.86	(14.69 - 19.27)	5.38	(4.32 - 6.69)
Planning Region 1	5.79	(4.34 - 7.69)	18.86	(15.68 - 22.51)	5.59	(4.30 - 7.23)
Region 1 (Cumberland)	5.91	(4.10 - 8.43)	21.18	(16.90 - 26.20)	5.65	(4.10 - 7.74)
Region 2 (York)	5.63	(3.83 - 8.22)	15.18	(11.53 - 19.74)	5.51	(3.98 - 7.56)
Planning Region 2	5.68	(4.28 - 7.50)	15.17	(12.64 - 18.09)	5.24	(4.05 - 6.76)
Region 3	5.73	(3.93 - 8.28)	15.65	(12.25 - 19.78)	5.56	(4.05 - 7.59)
Region 4	5.39	(3.60 - 7.99)	14.22	(10.45 - 19.06)	4.97	(3.44 - 7.13)
Region 5	5.89	(3.93 - 8.73)	15.26	(11.50 - 19.97)	5.03	(3.57 - 7.04)
Planning Region 3	6.00	(4.40 - 8.14)	16.64	(13.46 - 20.38)	5.31	(3.99 - 7.04)
Region 6 (Penobscot)	6.06	(4.11 - 8.84)	17.28	(13.32 - 22.12)	5.49	(3.95 - 7.60)
Region 7	5.95	(4.01 - 8.76)	15.92	(11.92 - 20.94)	5.17	(3.63 - 7.31)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	4.95	(3.91 - 6.26)	14.62	(12.51 - 17.01)	5.44	(4.38 - 6.75)
Anne Arundel	5.66	(3.71 - 8.55)	16.40	(12.08 - 21.88)	5.27	(3.69 - 7.47)
Baltimore City	2.83	(1.77 - 4.50)	13.39	(10.03 - 17.65)	6.49	(4.66 - 8.98)
Central	6.12	(4.27 - 8.70)	16.12	(12.45 - 20.63)	5.38	(3.86 - 7.47)
Montgomery	5.31	(3.58 - 7.81)	15.01	(11.34 - 19.60)	5.03	(3.63 - 6.92)
Prince George's	3.49	(2.27 - 5.34)	12.13	(8.84 - 16.43)	5.54	(3.97 - 7.68)
Rural	5.18	(3.49 - 7.63)	15.44	(11.66 - 20.17)	5.38	(3.87 - 7.45)
Western	5.38	(3.60 - 7.97)	14.16	(10.81 - 18.35)	5.24	(3.68 - 7.42)
Massachusetts	6.61	(5.31 - 8.20)	18.73	(16.32 - 21.41)	6.21	(5.08 - 7.56)
Boston	5.31	(3.50 - 7.99)	17.95	(13.93 - 22.82)	7.29	(5.37 - 9.84)
Central	6.90	(4.67 - 10.10)	18.89	(14.36 - 24.44)	5.84	(4.19 - 8.09)
Metrowest	6.60	(4.74 - 9.11)	20.86	(16.55 - 25.94)	6.59	(4.95 - 8.72)
Northeast	6.48	(4.51 - 9.22)	17.23	(13.17 - 22.22)	5.76	(4.24 - 7.79)
Southeast	7.47	(5.24 - 10.54)	18.24	(14.23 - 23.08)	5.76	(4.22 - 7.82)
Western	6.37	(4.27 - 9.40)	18.83	(14.77 - 23.71)	6.24	(4.51 - 8.57)
Michigan	6.02	(5.32 - 6.80)	16.77	(15.64 - 17.97)	6.39	(5.64 - 7.22)
Bay	7.31	(5.24 - 10.13)	17.71	(13.68 - 22.62)	5.91	(4.38 - 7.94)
Detroit City	3.34	(2.35 - 4.74)	13.61	(10.89 - 16.87)	7.31	(5.54 - 9.59)
Genesee	5.51	(3.93 - 7.68)	16.04	(12.69 - 20.06)	6.33	(4.73 - 8.44)
Kalamazoo	7.09	(5.11 - 9.76)	22.59	(18.75 - 26.97)	6.73	(5.07 - 8.90)
Kent	6.76	(4.89 - 9.27)	18.18	(15.12 - 21.69)	6.90	(5.23 - 9.05)
Lakeshore	6.04	(4.44 - 8.17)	16.49	(13.47 - 20.03)	6.22	(4.78 - 8.05)
Macomb	6.51	(4.77 - 8.81)	15.48	(12.35 - 19.24)	6.44	(4.98 - 8.29)
Mid South	6.38	(4.82 - 8.39)	17.55	(14.68 - 20.86)	6.25	(4.85 - 8.04)
Northern	7.18	(5.38 - 9.53)	19.07	(15.78 - 22.85)	6.24	(4.74 - 8.18)
Oakland	6.30	(4.80 - 8.22)	17.13	(14.34 - 20.34)	6.01	(4.70 - 7.67)
Pathways	7.19	(4.88 - 10.48)	19.98	(15.75 - 25.02)	6.17	(4.55 - 8.32)
Saginaw	5.87	(4.02 - 8.50)	15.49	(11.68 - 20.26)	6.04	(4.47 - 8.12)
Southeast	5.28	(3.98 - 6.97)	13.93	(11.50 - 16.78)	6.76	(5.33 - 8.54)
St. Clair	6.66	(4.70 - 9.37)	16.10	(12.31 - 20.77)	5.52	(4.06 - 7.47)
Washtenaw	5.83	(4.13 - 8.18)	16.27	(12.74 - 20.55)	5.94	(4.49 - 7.82)
Western	5.89	(4.02 - 8.56)	15.86	(12.15 - 20.45)	5.60	(4.05 - 7.68)
Minnesota	6.30	(5.13 - 7.72)	19.79	(17.39 - 22.44)	6.44	(5.27 - 7.86)
Regions 1 and 2	7.23	(4.86 - 10.62)	20.31	(15.62 - 25.99)	6.31	(4.59 - 8.61)
Regions 3 and 4	7.50	(5.31 - 10.51)	21.52	(17.25 - 26.51)	6.05	(4.40 - 8.27)
Regions 5 and 6	7.04	(4.98 - 9.85)	23.72	(18.92 - 29.31)	6.12	(4.46 - 8.33)
Region 7A (Hennepin)	5.08	(3.49 - 7.33)	17.48	(13.59 - 22.19)	6.58	(4.88 - 8.81)
Region 7B (Ramsey)	5.69	(3.75 - 8.56)	19.38	(14.79 - 24.98)	7.53	(5.42 - 10.38)
Region 7C	5.54	(3.83 - 7.95)	16.89	(13.07 - 21.55)	6.43	(4.74 - 8.68)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	3.53	(2.70 - 4.62)	12.66	(10.78 - 14.81)	5.11	(4.03 - 6.45)
Region 1	4.31	(2.90 - 6.36)	11.96	(9.10 - 15.57)	4.49	(3.22 - 6.24)
Region 2	2.72	(1.73 - 4.27)	10.93	(8.14 - 14.51)	5.45	(3.83 - 7.70)
Region 3	3.44	(2.24 - 5.24)	13.37	(10.00 - 17.63)	4.85	(3.43 - 6.82)
Region 4	3.00	(1.91 - 4.69)	13.24	(10.15 - 17.08)	5.79	(4.12 - 8.08)
Region 5	3.42	(2.16 - 5.37)	11.31	(8.10 - 15.56)	4.83	(3.33 - 6.95)
Region 6	3.83	(2.49 - 5.85)	13.94	(10.36 - 18.49)	5.17	(3.58 - 7.41)
Region 7	3.90	(2.51 - 6.02)	13.53	(10.10 - 17.91)	5.18	(3.70 - 7.22)
Missouri	6.54	(5.34 - 7.99)	19.05	(16.69 - 21.65)	6.31	(5.18 - 7.66)
Central	7.46	(5.31 - 10.39)	21.88	(17.37 - 27.18)	6.28	(4.63 - 8.46)
Eastern	6.23	(4.74 - 8.15)	19.86	(16.49 - 23.72)	6.87	(5.35 - 8.79)
Eastern (St. Louis City and County)	5.70	(4.04 - 7.98)	20.27	(16.10 - 25.19)	7.32	(5.45 - 9.77)
Eastern (excluding St. Louis)	7.24	(4.95 - 10.47)	19.00	(14.60 - 24.35)	5.94	(4.31 - 8.14)
Northwest	6.55	(4.86 - 8.78)	19.25	(15.85 - 23.17)	6.35	(4.95 - 8.11)
Northwest (Jackson)	5.79	(3.92 - 8.47)	17.90	(13.99 - 22.63)	7.01	(5.22 - 9.37)
Northwest (excluding Jackson)	7.22	(4.96 - 10.41)	20.45	(15.81 - 26.02)	5.74	(4.15 - 7.88)
Southeast	6.35	(4.34 - 9.19)	15.81	(11.75 - 20.94)	5.46	(3.92 - 7.57)
Southwest	6.59	(4.56 - 9.44)	16.47	(12.99 - 20.65)	5.63	(4.07 - 7.75)
Montana	9.55	(7.90 - 11.50)	22.00	(19.53 - 24.69)	7.15	(5.74 - 8.86)
Region 1	10.08	(7.08 - 14.16)	*	(* - *)	6.40	(4.52 - 8.99)
Region 2	10.58	(7.73 - 14.32)	19.47	(15.25 - 24.51)	6.55	(4.69 - 9.08)
Region 3	9.39	(6.73 - 12.96)	20.22	(16.07 - 25.13)	7.06	(5.23 - 9.48)
Region 4	9.16	(6.76 - 12.31)	23.08	(19.52 - 27.07)	7.28	(5.38 - 9.79)
Region 5	9.25	(6.80 - 12.46)	23.55	(19.47 - 28.19)	7.61	(5.65 - 10.17)
Nebraska	8.08	(6.54 - 9.94)	23.03	(20.37 - 25.92)	6.95	(5.66 - 8.50)
Regions 1 and 2	*	(* - *)	*	(* - *)	5.68	(3.86 - 8.29)
Region 3	9.36	(6.42 - 13.47)	21.84	(16.76 - 27.94)	6.45	(4.68 - 8.85)
Region 4	9.08	(6.32 - 12.88)	20.23	(15.29 - 26.28)	5.86	(4.22 - 8.09)
Region 5	7.92	(5.64 - 11.02)	25.20	(21.04 - 29.87)	7.40	(5.47 - 9.93)
Region 6	6.64	(4.82 - 9.09)	22.55	(18.65 - 26.98)	7.57	(5.84 - 9.76)
Nevada	6.19	(4.89 - 7.81)	16.93	(14.64 - 19.50)	6.96	(5.64 - 8.57)
Clark	5.72	(4.23 - 7.70)	16.41	(13.73 - 19.49)	7.19	(5.66 - 9.10)
Rural	6.83	(4.78 - 9.67)	17.55	(13.41 - 22.63)	5.86	(4.25 - 8.03)
Washoe	7.46	(5.20 - 10.58)	18.70	(14.81 - 23.32)	6.91	(5.13 - 9.25)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	6.97	(5.62 - 8.63)	21.62	(19.14 - 24.31)	6.44	(5.22 - 7.92)
Central	7.47	(5.56 - 9.97)	21.79	(18.48 - 25.50)	6.12	(4.70 - 7.94)
Central 1	7.88	(5.47 - 11.24)	22.92	(18.76 - 27.68)	6.19	(4.47 - 8.51)
Central 2	7.05	(4.76 - 10.33)	20.35	(15.93 - 25.62)	6.06	(4.34 - 8.41)
Northern	7.83	(5.37 - 11.29)	21.79	(17.15 - 27.27)	6.38	(4.60 - 8.79)
Southern	6.55	(5.05 - 8.46)	21.48	(18.38 - 24.94)	6.60	(5.19 - 8.36)
Southern 1 (Rockingham)	5.99	(4.09 - 8.69)	22.36	(17.86 - 27.60)	6.30	(4.54 - 8.69)
Southern 2	6.89	(5.06 - 9.31)	21.04	(17.27 - 25.38)	6.78	(5.16 - 8.87)
New Jersey	5.36	(4.20 - 6.82)	15.39	(13.16 - 17.92)	4.78	(3.75 - 6.07)
Central	5.81	(4.02 - 8.32)	17.64	(13.79 - 22.28)	4.54	(3.25 - 6.31)
Metropolitan	4.51	(3.09 - 6.54)	14.09	(10.69 - 18.34)	4.88	(3.47 - 6.82)
Northern	5.49	(3.83 - 7.79)	14.35	(11.16 - 18.28)	4.62	(3.33 - 6.37)
Southern	5.65	(3.84 - 8.24)	16.41	(12.72 - 20.91)	5.20	(3.75 - 7.17)
New Mexico	7.60	(6.09 - 9.44)	21.75	(19.09 - 24.67)	7.40	(5.94 - 9.18)
Region 1	7.52	(5.29 - 10.58)	18.72	(14.52 - 23.80)	6.57	(4.70 - 9.10)
Region 2	7.93	(5.41 - 11.49)	21.40	(16.41 - 27.42)	7.39	(5.36 - 10.12)
Region 3 (Bernalillo)	8.50	(6.17 - 11.61)	24.95	(20.64 - 29.81)	7.89	(5.94 - 10.40)
Region 4	6.70	(4.50 - 9.86)	18.17	(13.70 - 23.69)	6.96	(4.96 - 9.69)
Region 5	6.90	(4.71 - 10.01)	22.07	(17.67 - 27.21)	7.75	(5.58 - 10.68)
New York	5.36	(4.67 - 6.14)	15.57	(14.30 - 16.93)	5.32	(4.61 - 6.13)
Region A	4.24	(3.36 - 5.35)	12.48	(10.90 - 14.25)	5.47	(4.59 - 6.51)
Region 1	4.58	(3.05 - 6.80)	12.63	(9.64 - 16.37)	5.64	(4.19 - 7.56)
Region 2	3.73	(2.64 - 5.24)	12.01	(9.66 - 14.83)	5.23	(4.00 - 6.81)
Region 3	4.32	(2.77 - 6.67)	15.79	(12.45 - 19.81)	7.27	(5.64 - 9.33)
Region 4	4.74	(3.32 - 6.73)	10.63	(8.24 - 13.60)	4.38	(3.19 - 5.98)
Region B	6.29	(5.02 - 7.86)	17.46	(15.05 - 20.16)	5.03	(4.07 - 6.19)
Region 5	6.20	(4.71 - 8.11)	17.94	(14.92 - 21.42)	4.79	(3.71 - 6.17)
Region 6	6.48	(4.61 - 9.05)	16.44	(13.05 - 20.49)	5.52	(4.11 - 7.39)
Region C	5.86	(4.93 - 6.96)	18.70	(16.88 - 20.67)	5.35	(4.50 - 6.33)
Region 7	5.16	(3.57 - 7.38)	18.20	(14.41 - 22.71)	5.36	(3.95 - 7.25)
Region 8	6.36	(4.51 - 8.90)	18.74	(15.29 - 22.77)	5.35	(4.03 - 7.05)
Region 9	5.41	(3.80 - 7.64)	20.39	(16.46 - 24.98)	5.24	(3.90 - 7.01)
Region 10	8.22	(5.76 - 11.59)	19.07	(15.29 - 23.51)	5.27	(3.81 - 7.24)
Region 11	5.05	(3.60 - 7.04)	16.71	(13.51 - 20.49)	5.22	(3.88 - 6.98)
Region 12	6.17	(4.51 - 8.40)	19.26	(15.65 - 23.45)	5.55	(4.21 - 7.28)
Region D	6.49	(5.15 - 8.16)	17.85	(15.27 - 20.76)	5.25	(4.24 - 6.48)
Region 13	6.60	(4.58 - 9.43)	16.58	(12.76 - 21.27)	5.25	(3.87 - 7.09)
Region 14	6.49	(4.46 - 9.35)	19.31	(15.22 - 24.18)	5.36	(3.93 - 7.27)
Region 15	6.40	(4.48 - 9.07)	17.36	(13.61 - 21.87)	5.14	(3.78 - 6.94)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	5.11	(3.97 - 6.56)	14.71	(12.52 - 17.22)	4.65	(3.62 - 5.96)
Eastern	4.26	(2.86 - 6.31)	13.83	(10.64 - 17.79)	4.56	(3.25 - 6.35)
North Central	5.31	(3.61 - 7.73)	14.03	(10.65 - 18.27)	4.69	(3.29 - 6.64)
South Central	4.88	(3.29 - 7.18)	16.09	(12.37 - 20.66)	4.82	(3.40 - 6.80)
Western	5.69	(4.04 - 7.96)	14.71	(11.58 - 18.51)	4.55	(3.32 - 6.21)
North Dakota	9.50	(7.86 - 11.44)	25.85	(22.99 - 28.94)	6.73	(5.40 - 8.35)
Badlands and West Central Lake Region and South Central	9.52	(7.03 - 12.78)	25.37	(20.60 - 30.82)	6.12	(4.52 - 8.23)
North Central and Northwest	9.16	(6.57 - 12.63)	20.81	(16.09 - 26.47)	5.71	(4.04 - 8.00)
Northeast	9.70	(6.92 - 13.44)	24.70	(19.75 - 30.41)	6.95	(5.03 - 9.53)
Southeast	9.38	(6.63 - 13.10)	27.50	(22.38 - 33.31)	6.99	(5.13 - 9.45)
Southeast	9.65	(7.10 - 12.99)	27.60	(23.26 - 32.41)	7.76	(5.87 - 10.20)
Ohio	5.46	(4.79 - 6.22)	17.26	(16.03 - 18.57)	5.58	(4.87 - 6.38)
Boards 2, 46, 55, and 68	5.63	(3.95 - 7.98)	16.85	(13.44 - 20.92)	4.93	(3.62 - 6.67)
Boards 3, 52, and 85	5.75	(4.01 - 8.18)	16.33	(12.65 - 20.82)	4.94	(3.65 - 6.64)
Boards 4 and 78	6.70	(4.66 - 9.55)	18.76	(14.62 - 23.74)	5.37	(3.93 - 7.28)
Boards 5 and 60	6.05	(4.20 - 8.64)	18.37	(14.35 - 23.21)	5.63	(4.18 - 7.55)
Boards 7, 15, 41, 79, and 84	6.71	(4.77 - 9.38)	16.34	(12.67 - 20.82)	5.06	(3.74 - 6.80)
Boards 8, 13, and 83	5.25	(3.61 - 7.58)	14.93	(11.38 - 19.35)	4.73	(3.48 - 6.40)
Board 9 (Butler)	6.46	(4.62 - 8.98)	19.28	(15.13 - 24.25)	5.10	(3.76 - 6.87)
Board 12	5.69	(3.90 - 8.24)	16.63	(13.08 - 20.90)	5.36	(3.99 - 7.17)
Boards 18 and 47	5.40	(4.07 - 7.15)	17.12	(14.42 - 20.21)	5.68	(4.42 - 7.27)
Boards 20, 32, 54, and 69	6.76	(4.73 - 9.58)	17.61	(13.73 - 22.30)	4.98	(3.62 - 6.82)
Boards 21, 39, 51, 70, and 80	6.00	(4.24 - 8.44)	16.57	(12.98 - 20.90)	5.19	(3.88 - 6.91)
Boards 22, 74, and 87	5.52	(3.80 - 7.96)	18.06	(14.22 - 22.67)	5.33	(3.94 - 7.16)
Boards 23 and 45	5.33	(3.68 - 7.67)	18.10	(13.96 - 23.14)	5.91	(4.38 - 7.94)
Board 25 (Franklin)	4.86	(3.58 - 6.57)	18.13	(15.25 - 21.41)	6.62	(5.15 - 8.47)
Boards 27, 71, and 73	5.36	(3.74 - 7.64)	13.69	(10.49 - 17.67)	5.23	(3.89 - 7.00)
Boards 28, 43, and 67	5.35	(3.71 - 7.66)	19.44	(15.70 - 23.82)	5.44	(4.10 - 7.19)
Board 31 (Hamilton)	4.06	(2.78 - 5.91)	15.59	(12.51 - 19.25)	5.64	(4.27 - 7.43)
Board 48 (Lucas)	5.18	(3.68 - 7.25)	17.06	(13.56 - 21.25)	6.18	(4.66 - 8.15)
Board 50 and 76	5.12	(3.67 - 7.11)	17.06	(13.40 - 21.46)	5.66	(4.23 - 7.53)
Board 57 (Montgomery)	5.37	(3.72 - 7.70)	18.34	(14.39 - 23.09)	6.14	(4.64 - 8.09)
Board 77 (Summit)	5.28	(3.74 - 7.41)	18.75	(15.03 - 23.14)	5.89	(4.37 - 7.89)
Oklahoma	5.78	(4.59 - 7.25)	16.47	(14.13 - 19.12)	5.21	(4.17 - 6.50)
Central	5.21	(3.39 - 7.91)	17.08	(12.78 - 22.44)	5.15	(3.67 - 7.19)
East Central	5.90	(3.92 - 8.78)	13.25	(9.63 - 17.95)	4.46	(3.09 - 6.39)
Northeast	5.51	(3.71 - 8.12)	16.76	(12.72 - 21.75)	4.86	(3.47 - 6.76)
Northwest and Southwest	5.97	(4.06 - 8.68)	17.31	(13.18 - 22.41)	4.72	(3.34 - 6.62)
Oklahoma County	5.11	(3.42 - 7.57)	16.90	(12.83 - 21.94)	6.12	(4.49 - 8.29)
Southeast	6.36	(4.39 - 9.14)	16.31	(12.27 - 21.35)	4.78	(3.41 - 6.66)
Tulsa County	6.40	(4.32 - 9.39)	16.66	(13.02 - 21.07)	5.90	(4.29 - 8.08)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	5.56	(4.43 - 6.96)	16.94	(14.88 - 19.21)	5.68	(4.63 - 6.96)
Region 1 (Multnomah)	5.07	(3.40 - 7.50)	19.63	(15.83 - 24.07)	7.15	(5.36 - 9.49)
Region 2	5.44	(3.86 - 7.60)	16.78	(13.27 - 20.99)	5.73	(4.27 - 7.66)
Region 3	5.34	(3.72 - 7.60)	16.46	(13.32 - 20.18)	5.45	(4.04 - 7.30)
Region 4	5.85	(4.00 - 8.47)	14.88	(11.49 - 19.04)	4.78	(3.49 - 6.50)
Region 5	6.76	(4.59 - 9.87)	15.87	(11.62 - 21.30)	4.85	(3.47 - 6.75)
Pennsylvania	5.24	(4.60 - 5.97)	17.86	(16.61 - 19.19)	5.28	(4.61 - 6.04)
Region 1 (Allegheny)	5.43	(4.00 - 7.33)	22.26	(18.88 - 26.04)	5.90	(4.58 - 7.58)
Regions 2, 3, 8, and 9	5.37	(3.77 - 7.59)	18.19	(14.52 - 22.55)	5.02	(3.78 - 6.65)
Regions 4, 11, 42, and 48	5.84	(4.29 - 7.92)	18.59	(15.08 - 22.70)	5.15	(3.87 - 6.81)
Regions 5, 20, 26, 28, and 40	5.61	(4.00 - 7.83)	15.44	(12.52 - 18.90)	4.60	(3.41 - 6.18)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	5.89	(4.16 - 8.28)	23.14	(19.51 - 27.21)	5.06	(3.80 - 6.72)
Regions 7, 13, 22, and 37	5.90	(4.60 - 7.54)	15.89	(13.49 - 18.62)	5.07	(3.98 - 6.44)
Regions 10, 14, 15, 25, 31, 36, and 46	5.25	(3.66 - 7.46)	18.35	(14.62 - 22.78)	5.18	(3.87 - 6.90)
Regions 17, 24, 27, 43, and 47	4.83	(3.41 - 6.82)	15.27	(11.85 - 19.45)	4.70	(3.54 - 6.22)
Region 18 (Philadelphia)	3.14	(2.16 - 4.54)	16.58	(13.96 - 19.58)	6.26	(4.88 - 7.98)
Regions 19 and 23	6.66	(4.59 - 9.58)	20.67	(16.23 - 25.94)	5.71	(4.22 - 7.69)
Regions 21, 30, 32, and 49	4.71	(3.43 - 6.43)	16.01	(13.27 - 19.19)	4.98	(3.85 - 6.43)
Regions 29 and 34	7.08	(5.05 - 9.85)	20.10	(15.89 - 25.09)	5.78	(4.29 - 7.75)
Regions 33 and 38	4.73	(3.21 - 6.90)	15.44	(12.00 - 19.65)	4.91	(3.66 - 6.56)
Rhode Island	6.56	(5.14 - 8.34)	23.02	(20.23 - 26.06)	6.55	(5.24 - 8.15)
Bristol and Newport	7.45	(5.08 - 10.81)	*	(* - *)	6.66	(4.75 - 9.28)
Kent	5.93	(3.99 - 8.74)	19.79	(15.41 - 25.05)	6.61	(4.82 - 8.99)
Providence	6.44	(4.71 - 8.76)	21.60	(18.29 - 25.31)	6.46	(4.90 - 8.48)
Washington	6.96	(4.70 - 10.19)	*	(* - *)	6.74	(4.73 - 9.52)
South Carolina	4.47	(3.51 - 5.67)	16.71	(14.48 - 19.21)	6.13	(4.91 - 7.64)
Region 1	5.00	(3.45 - 7.19)	16.77	(13.18 - 21.11)	5.81	(4.22 - 7.95)
Region 2	4.69	(3.34 - 6.54)	17.71	(14.60 - 21.33)	6.13	(4.61 - 8.10)
Region 3	3.33	(2.20 - 5.02)	13.69	(10.20 - 18.14)	6.19	(4.47 - 8.53)
Region 4	4.47	(3.04 - 6.53)	17.42	(13.74 - 21.85)	6.44	(4.69 - 8.77)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	9.04	(7.39 - 11.00)	23.44	(20.76 - 26.35)	6.86	(5.57 - 8.43)
Eastern Planning Area	8.57	(6.88 - 10.64)	23.73	(20.86 - 26.86)	6.93	(5.59 - 8.57)
Region 3 (Minnehaha)	8.80	(6.32 - 12.14)	23.12	(18.98 - 27.86)	7.66	(5.75 - 10.13)
Region 4	8.49	(5.89 - 12.11)	24.84	(19.67 - 30.86)	7.00	(5.11 - 9.52)
Region 5	9.02	(6.34 - 12.68)	24.10	(18.81 - 30.32)	6.24	(4.50 - 8.61)
Region 6	8.78	(6.07 - 12.54)	23.30	(18.35 - 29.12)	6.33	(4.55 - 8.75)
Region 7	7.74	(5.20 - 11.36)	23.53	(18.65 - 29.23)	6.93	(4.95 - 9.61)
Western Planning Area	10.00	(7.60 - 13.06)	22.73	(18.88 - 27.11)	6.70	(5.14 - 8.69)
Region 1 (Pennington)	8.34	(5.77 - 11.90)	22.31	(17.74 - 27.65)	6.78	(4.93 - 9.25)
Region 2	10.94	(7.80 - 15.13)	23.03	(17.88 - 29.15)	6.65	(4.75 - 9.23)
Tennessee	4.65	(3.65 - 5.92)	14.11	(12.00 - 16.51)	4.84	(3.88 - 6.01)
Region 1	5.78	(3.74 - 8.83)	14.27	(10.43 - 19.24)	4.60	(3.25 - 6.49)
Region 2	4.81	(3.21 - 7.14)	14.94	(11.13 - 19.76)	4.73	(3.39 - 6.55)
Region 3	4.84	(3.27 - 7.11)	14.27	(10.71 - 18.75)	4.69	(3.40 - 6.42)
Region 4 (Davidson)	4.15	(2.67 - 6.39)	15.25	(11.63 - 19.75)	5.89	(4.22 - 8.17)
Region 5	4.88	(3.29 - 7.17)	13.64	(10.34 - 17.77)	4.31	(3.13 - 5.91)
Region 6	5.02	(3.32 - 7.51)	13.33	(9.78 - 17.91)	4.93	(3.49 - 6.92)
Region 7 (Shelby)	3.56	(2.35 - 5.37)	13.23	(9.85 - 17.55)	5.24	(3.75 - 7.28)
Texas	5.35	(4.68 - 6.11)	16.05	(14.91 - 17.25)	5.94	(5.24 - 6.73)
Region 1	9.14	(6.23 - 13.21)	20.04	(16.12 - 24.63)	5.81	(4.23 - 7.93)
Region 2	5.56	(3.76 - 8.17)	15.12	(11.42 - 19.75)	5.22	(3.87 - 7.02)
Region 3	4.66	(3.71 - 5.82)	14.91	(13.11 - 16.91)	5.78	(4.82 - 6.92)
Region 3a	4.54	(3.47 - 5.91)	14.68	(12.53 - 17.12)	5.68	(4.54 - 7.08)
Region 3bc	4.86	(3.46 - 6.80)	15.34	(12.39 - 18.84)	5.95	(4.66 - 7.57)
Region 4	6.14	(4.33 - 8.64)	13.14	(10.04 - 17.00)	5.10	(3.77 - 6.86)
Region 5	6.61	(4.54 - 9.53)	14.29	(10.90 - 18.52)	5.08	(3.69 - 6.94)
Region 6	4.08	(3.17 - 5.22)	14.94	(12.90 - 17.23)	6.25	(5.12 - 7.60)
Region 6a	3.86	(2.92 - 5.08)	14.69	(12.52 - 17.18)	6.34	(5.13 - 7.83)
Region 6bc	5.89	(4.03 - 8.54)	17.24	(13.36 - 21.97)	5.47	(4.06 - 7.33)
Region 7	6.37	(4.89 - 8.25)	21.43	(18.65 - 24.49)	6.87	(5.57 - 8.44)
Region 7a	6.23	(4.40 - 8.76)	22.24	(18.60 - 26.37)	7.30	(5.64 - 9.39)
Region 7bcd	6.55	(4.69 - 9.09)	20.34	(16.58 - 24.71)	6.19	(4.69 - 8.13)
Region 8	5.12	(3.68 - 7.10)	15.43	(12.30 - 19.17)	6.10	(4.75 - 7.80)
Region 9	7.22	(4.99 - 10.35)	16.31	(12.40 - 21.15)	5.43	(3.96 - 7.41)
Region 10	6.31	(4.38 - 9.02)	17.23	(13.31 - 22.01)	5.77	(4.25 - 7.79)
Region 11	6.12	(4.68 - 7.95)	14.39	(11.81 - 17.42)	5.55	(4.40 - 6.97)
Region 11abd	6.30	(4.54 - 8.70)	15.16	(11.90 - 19.13)	5.65	(4.27 - 7.44)
Region 11c (Hidalgo)	5.77	(4.00 - 8.24)	12.97	(9.71 - 17.11)	5.33	(3.92 - 7.21)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	4.56	(3.48 - 5.96)	11.92	(10.05 - 14.10)	4.81	(3.70 - 6.24)
Bear River, Northeastern, Summit, Tooele, and Wasatch	4.60	(2.99 - 7.01)	12.63	(9.24 - 17.02)	4.75	(3.24 - 6.90)
Central, Four Corners, San Juan, and Southwest	4.18	(2.64 - 6.53)	10.83	(7.66 - 15.08)	3.85	(2.61 - 5.65)
Davis County	4.80	(3.11 - 7.35)	12.81	(9.31 - 17.39)	4.38	(3.02 - 6.31)
Salt Lake County	5.17	(3.62 - 7.32)	12.53	(9.92 - 15.71)	5.39	(3.95 - 7.32)
Utah County	3.49	(2.20 - 5.49)	10.67	(7.97 - 14.14)	4.47	(3.01 - 6.59)
Weber, Morgan	4.46	(2.86 - 6.87)	12.05	(8.67 - 16.49)	4.58	(3.11 - 6.68)
Vermont	6.29	(5.09 - 7.74)	19.20	(16.73 - 21.93)	5.70	(4.61 - 7.01)
Champlain Valley	6.38	(4.69 - 8.62)	21.02	(17.55 - 24.96)	5.92	(4.49 - 7.78)
Rural Northeast	5.97	(4.30 - 8.22)	17.66	(13.91 - 22.16)	5.77	(4.26 - 7.76)
Rural Southeast	6.01	(4.17 - 8.58)	17.48	(13.42 - 22.43)	5.41	(3.93 - 7.40)
Rural Southwest	6.90	(4.78 - 9.87)	17.86	(13.78 - 22.84)	5.47	(3.90 - 7.63)
Virginia	5.41	(4.29 - 6.81)	17.06	(14.78 - 19.62)	5.60	(4.50 - 6.95)
Region 1	6.71	(4.55 - 9.78)	19.05	(15.05 - 23.81)	5.45	(3.88 - 7.61)
Region 2	6.09	(4.25 - 8.67)	19.06	(14.99 - 23.92)	6.75	(4.93 - 9.16)
Region 3	6.53	(4.45 - 9.48)	19.18	(14.94 - 24.26)	5.21	(3.77 - 7.17)
Region 4	4.46	(2.99 - 6.61)	15.50	(12.06 - 19.71)	5.07	(3.63 - 7.03)
Region 5	3.82	(2.50 - 5.77)	13.41	(10.09 - 17.62)	5.09	(3.66 - 7.05)
Washington	5.70	(4.50 - 7.20)	17.36	(15.09 - 19.90)	5.78	(4.70 - 7.11)
Region 1	6.10	(4.10 - 8.98)	18.05	(13.88 - 23.13)	5.28	(3.81 - 7.29)
Region 2	6.08	(4.00 - 9.13)	16.30	(12.05 - 21.68)	5.37	(3.78 - 7.57)
Region 3	5.24	(3.55 - 7.68)	17.84	(13.73 - 22.86)	5.55	(4.04 - 7.59)
Region 4 (King)	5.04	(3.44 - 7.32)	17.32	(14.04 - 21.18)	6.34	(4.74 - 8.44)
Region 5	5.98	(4.11 - 8.61)	16.98	(12.99 - 21.90)	5.79	(4.28 - 7.78)
Region 6	6.29	(4.31 - 9.11)	17.39	(13.38 - 22.29)	5.57	(4.08 - 7.56)
West Virginia	6.18	(4.98 - 7.66)	15.87	(13.74 - 18.27)	5.07	(4.08 - 6.29)
Eastern Highland	6.50	(4.60 - 9.11)	14.59	(11.30 - 18.64)	4.66	(3.35 - 6.45)
Northern	6.36	(4.62 - 8.70)	19.06	(15.54 - 23.16)	5.17	(3.94 - 6.75)
Northern A and B	6.22	(4.11 - 9.30)	15.77	(11.60 - 21.07)	5.01	(3.53 - 7.07)
Northern C and D	6.43	(4.37 - 9.37)	20.29	(16.09 - 25.25)	5.26	(3.85 - 7.14)
South Central	6.00	(4.56 - 7.85)	14.76	(12.16 - 17.80)	5.06	(3.94 - 6.49)
South Central I	6.36	(4.34 - 9.25)	14.52	(10.63 - 19.53)	4.76	(3.34 - 6.72)
South Central II	5.16	(3.37 - 7.84)	14.78	(11.11 - 19.41)	5.10	(3.64 - 7.10)
South Central III	6.34	(4.39 - 9.08)	14.87	(11.15 - 19.57)	5.22	(3.79 - 7.16)
Southern	5.90	(4.27 - 8.10)	14.32	(11.37 - 17.89)	5.41	(4.03 - 7.23)
Southern I and III	5.87	(3.92 - 8.69)	14.40	(10.81 - 18.93)	5.60	(3.96 - 7.86)
Southern II	5.97	(3.92 - 8.99)	14.18	(10.58 - 18.75)	5.04	(3.51 - 7.17)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	7.84	(6.44 - 9.52)	23.43	(20.88 - 26.19)	7.77	(6.34 - 9.50)
Milwaukee	6.10	(4.19 - 8.81)	23.61	(18.77 - 29.25)	9.30	(6.92 - 12.40)
Northeastern	7.98	(5.77 - 10.95)	24.30	(19.78 - 29.47)	7.38	(5.48 - 9.86)
Northern	8.93	(6.18 - 12.73)	*	(* - *)	6.75	(4.85 - 9.33)
Southeastern	8.81	(6.38 - 12.05)	21.79	(17.12 - 27.32)	7.28	(5.35 - 9.84)
Southern	7.11	(4.92 - 10.17)	22.19	(18.13 - 26.87)	8.63	(6.42 - 11.52)
Western	8.57	(6.05 - 12.01)	24.85	(20.11 - 30.29)	6.83	(4.92 - 9.40)
Wyoming	7.77	(6.33 - 9.50)	22.53	(19.87 - 25.43)	6.82	(5.55 - 8.35)
Judicial District 1 (Laramie)	7.05	(4.95 - 9.97)	19.98	(15.37 - 25.56)	6.51	(4.73 - 8.89)
Judicial District 2	8.29	(5.72 - 11.86)	30.05	(24.91 - 35.74)	8.34	(6.06 - 11.37)
Judicial District 3	7.74	(5.43 - 10.91)	22.05	(17.19 - 27.82)	6.42	(4.67 - 8.77)
Judicial District 4	7.46	(4.95 - 11.11)	*	(* - *)	6.34	(4.50 - 8.85)
Judicial District 5	6.91	(4.55 - 10.37)	*	(* - *)	6.20	(4.38 - 8.71)
Judicial District 6	8.31	(5.78 - 11.80)	21.93	(17.05 - 27.74)	6.62	(4.78 - 9.10)
Judicial District 7 (Natrona)	8.24	(5.67 - 11.84)	21.34	(16.33 - 27.39)	7.12	(5.15 - 9.76)
Judicial District 8	7.24	(4.88 - 10.61)	18.31	(13.89 - 23.73)	6.37	(4.52 - 8.90)
Judicial District 9	8.55	(5.85 - 12.32)	22.50	(17.38 - 28.61)	7.52	(5.48 - 10.23)

*Low precision; no estimate reported.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but not receiving treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	5.01		7.52		1.53	
Alabama	4.76	(3.75 - 6.03)	6.54	(5.25 - 8.11)	1.34	(0.95 - 1.89)
Region 1	5.78	(3.94 - 8.40)	6.90	(4.96 - 9.53)	1.18	(0.74 - 1.86)
Region 2	4.57	(3.16 - 6.56)	6.77	(5.04 - 9.04)	1.46	(0.92 - 2.32)
Region 3	3.98	(2.68 - 5.87)	5.61	(4.00 - 7.83)	1.43	(0.87 - 2.33)
Region 4	4.51	(3.17 - 6.38)	6.66	(4.82 - 9.14)	1.32	(0.82 - 2.11)
Alaska	5.29	(4.13 - 6.75)	8.57	(6.94 - 10.52)	2.12	(1.48 - 3.03)
Gulf Coast	5.71	(3.87 - 8.35)	9.21	(6.51 - 12.87)	2.07	(1.26 - 3.37)
Rural	4.13	(2.67 - 6.36)	5.87	(4.02 - 8.50)	1.84	(1.02 - 3.29)
Southeast	4.91	(3.25 - 7.35)	10.03	(7.12 - 13.96)	1.90	(1.13 - 3.20)
Urban	5.49	(4.05 - 7.39)	8.76	(6.90 - 11.05)	2.22	(1.46 - 3.35)
Arizona	6.76	(5.31 - 8.57)	7.25	(5.81 - 9.02)	1.79	(1.24 - 2.56)
Maricopa	6.62	(4.92 - 8.84)	6.82	(5.20 - 8.90)	1.70	(1.11 - 2.58)
Pima	6.55	(4.32 - 9.82)	8.10	(5.77 - 11.26)	1.97	(1.18 - 3.29)
Rural North	6.75	(4.52 - 9.98)	8.18	(5.76 - 11.49)	1.80	(1.07 - 3.04)
Rural South	7.70	(4.97 - 11.75)	7.53	(5.13 - 10.93)	*	(* - *)
Arkansas	4.76	(3.73 - 6.06)	8.23	(6.65 - 10.13)	1.61	(1.17 - 2.21)
Areas 1 and 5	4.30	(2.83 - 6.48)	8.01	(5.78 - 11.00)	1.46	(0.90 - 2.36)
Areas 2 and 3	5.48	(3.65 - 8.16)	8.19	(5.82 - 11.42)	1.26	(0.77 - 2.05)
Areas 4 and 7	5.04	(3.37 - 7.47)	8.05	(5.73 - 11.19)	1.84	(1.13 - 2.99)
Area 6	4.82	(3.08 - 7.45)	6.87	(4.82 - 9.70)	*	(* - *)
Areas 8 and 12	4.65	(3.07 - 6.99)	8.40	(5.92 - 11.79)	1.59	(0.97 - 2.57)
Area 9	4.90	(3.30 - 7.22)	9.40	(6.81 - 12.86)	1.96	(1.24 - 3.09)
Areas 10, 11, and 13	4.46	(2.96 - 6.67)	8.04	(5.73 - 11.18)	1.62	(0.97 - 2.67)
California	5.07	(4.41 - 5.83)	7.49	(6.63 - 8.45)	1.80	(1.45 - 2.24)
Region 1	6.32	(4.27 - 9.25)	9.82	(7.20 - 13.25)	2.04	(1.26 - 3.29)
Region 2	6.32	(4.58 - 8.65)	8.88	(6.77 - 11.57)	2.08	(1.36 - 3.16)
Region 3	5.01	(3.47 - 7.17)	8.08	(6.01 - 10.78)	1.97	(1.24 - 3.14)
Region 4	4.51	(3.06 - 6.62)	9.13	(6.79 - 12.16)	1.72	(1.11 - 2.65)
Region 5	5.03	(3.63 - 6.92)	9.42	(7.22 - 12.22)	1.74	(1.14 - 2.63)
Region 6 (Santa Clara)	4.60	(3.16 - 6.66)	7.47	(5.49 - 10.10)	1.53	(0.99 - 2.36)
Region 7	5.79	(3.93 - 8.46)	7.68	(5.51 - 10.61)	1.79	(1.16 - 2.77)
Region 8	4.98	(3.49 - 7.07)	7.16	(5.32 - 9.55)	2.02	(1.29 - 3.14)
Region 9	5.13	(3.48 - 7.51)	8.12	(5.89 - 11.10)	1.96	(1.22 - 3.11)
Region 10	5.75	(4.01 - 8.17)	8.23	(6.01 - 11.17)	1.63	(1.07 - 2.48)
Region 11 (Los Angeles)	4.74	(3.68 - 6.09)	6.67	(5.43 - 8.19)	1.83	(1.31 - 2.54)
Region 12	5.15	(3.65 - 7.23)	6.17	(4.62 - 8.20)	1.98	(1.28 - 3.07)
Region 13 (Riverside)	5.45	(3.77 - 7.83)	6.85	(5.04 - 9.25)	1.62	(1.05 - 2.48)
Region 14 (Orange)	4.61	(3.28 - 6.45)	7.00	(5.29 - 9.19)	1.62	(1.07 - 2.43)
Region 15	4.72	(3.33 - 6.66)	6.99	(5.27 - 9.22)	1.66	(1.10 - 2.50)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2003 and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	5.00	(3.92 - 6.35)	9.27	(7.66 - 11.18)	1.68	(1.19 - 2.37)
Region 1	5.09	(3.40 - 7.57)	9.66	(7.17 - 12.89)	1.51	(0.93 - 2.44)
Regions 2 and 7	5.00	(3.64 - 6.84)	9.55	(7.50 - 12.08)	1.71	(1.13 - 2.58)
Region 3	5.16	(3.42 - 7.71)	8.26	(5.86 - 11.52)	1.79	(1.09 - 2.92)
Region 4	5.31	(3.44 - 8.11)	8.57	(5.95 - 12.18)	*	(* - *)
Regions 5 and 6	4.43	(2.80 - 6.94)	9.01	(6.47 - 12.41)	1.42	(0.82 - 2.46)
Connecticut	5.18	(4.06 - 6.58)	8.96	(7.34 - 10.88)	1.55	(1.09 - 2.21)
Eastern	5.72	(3.79 - 8.56)	8.62	(6.07 - 12.10)	1.75	(1.04 - 2.95)
North Central	5.19	(3.60 - 7.44)	8.68	(6.56 - 11.40)	1.81	(1.12 - 2.89)
Northwestern	4.88	(3.29 - 7.20)	9.42	(6.83 - 12.87)	1.40	(0.85 - 2.29)
South Central	4.86	(3.28 - 7.13)	9.04	(6.70 - 12.09)	1.43	(0.85 - 2.40)
Southwest	5.47	(3.68 - 8.04)	9.15	(6.65 - 12.47)	1.36	(0.82 - 2.24)
Delaware	4.21	(3.28 - 5.39)	7.16	(5.76 - 8.87)	1.62	(1.15 - 2.27)
Kent	3.93	(2.60 - 5.90)	6.82	(4.89 - 9.44)	1.94	(1.16 - 3.25)
New Castle (excluding Wilmington city)	4.36	(3.19 - 5.93)	7.28	(5.61 - 9.41)	1.40	(0.93 - 2.10)
Sussex	4.20	(2.81 - 6.25)	7.03	(5.01 - 9.78)	1.71	(1.03 - 2.82)
Wilmington City	3.90	(2.47 - 6.11)	7.26	(5.02 - 10.38)	2.13	(1.28 - 3.54)
District of Columbia	3.97	(3.01 - 5.21)	8.39	(6.71 - 10.44)	2.02	(1.41 - 2.88)
Ward 1	4.12	(2.60 - 6.46)	7.85	(5.49 - 11.11)	2.49	(1.51 - 4.06)
Ward 2	*	(* - *)	8.48	(6.04 - 11.80)	1.97	(1.19 - 3.27)
Ward 3	4.74	(3.04 - 7.32)	7.49	(5.28 - 10.53)	1.31	(0.78 - 2.20)
Ward 4	4.15	(2.68 - 6.36)	8.67	(6.07 - 12.25)	1.74	(1.04 - 2.91)
Ward 5	3.65	(2.33 - 5.67)	9.39	(6.75 - 12.93)	2.16	(1.26 - 3.68)
Ward 6	3.88	(2.42 - 6.16)	9.52	(6.62 - 13.51)	1.91	(1.15 - 3.16)
Ward 7	3.77	(2.48 - 5.71)	8.54	(6.03 - 11.98)	2.43	(1.41 - 4.16)
Ward 8	3.63	(2.39 - 5.48)	7.74	(5.44 - 10.91)	2.49	(1.50 - 4.10)
Florida	4.96	(4.34 - 5.67)	7.80	(6.91 - 8.79)	1.78	(1.43 - 2.20)
District 1	5.05	(3.53 - 7.18)	8.35	(6.24 - 11.10)	1.82	(1.19 - 2.75)
District 2	4.28	(2.87 - 6.34)	9.12	(6.96 - 11.87)	1.88	(1.21 - 2.91)
District 3	4.61	(3.11 - 6.78)	8.58	(6.44 - 11.34)	1.85	(1.14 - 2.97)
District 4	5.70	(4.14 - 7.81)	8.07	(6.18 - 10.47)	1.98	(1.32 - 2.96)
District 7	5.18	(3.84 - 6.94)	8.12	(6.39 - 10.26)	1.80	(1.21 - 2.67)
District 8	4.65	(3.21 - 6.69)	7.11	(5.30 - 9.48)	1.34	(0.86 - 2.10)
District 9 (Palm Beach)	4.79	(3.41 - 6.69)	7.74	(5.83 - 10.21)	1.62	(1.08 - 2.43)
District 10 (Broward)	5.72	(4.20 - 7.73)	7.51	(5.74 - 9.79)	1.86	(1.25 - 2.78)
District 11	3.75	(2.69 - 5.20)	6.25	(4.79 - 8.13)	1.90	(1.29 - 2.79)
District 12	4.13	(2.74 - 6.20)	8.76	(6.54 - 11.65)	1.41	(0.87 - 2.29)
District 13	4.44	(3.07 - 6.37)	7.78	(5.69 - 10.54)	1.33	(0.83 - 2.12)
District 14	5.26	(3.67 - 7.48)	6.75	(4.92 - 9.19)	1.50	(0.96 - 2.34)
District 15	4.76	(3.25 - 6.93)	7.98	(5.88 - 10.74)	1.46	(0.89 - 2.37)
Suncoast	5.75	(4.41 - 7.45)	8.48	(6.77 - 10.56)	2.00	(1.39 - 2.89)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2003 and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	4.74	(3.72 - 6.03)	5.94	(4.67 - 7.54)	1.62	(1.17 - 2.24)
Region 1	4.45	(2.99 - 6.58)	5.28	(3.66 - 7.54)	1.33	(0.81 - 2.15)
Region 2	4.86	(3.29 - 7.14)	5.64	(3.94 - 8.01)	1.56	(0.98 - 2.47)
Region 3	4.98	(3.53 - 6.99)	6.30	(4.58 - 8.61)	1.65	(1.08 - 2.52)
Region 4	4.39	(2.89 - 6.63)	5.98	(4.15 - 8.54)	1.78	(1.09 - 2.90)
Region 5	4.55	(3.00 - 6.86)	5.83	(4.11 - 8.21)	1.71	(1.05 - 2.77)
Hawaii	5.14	(3.91 - 6.73)	7.14	(5.62 - 9.03)	1.61	(1.03 - 2.51)
Hawaii Island	6.37	(4.16 - 9.63)	8.07	(5.59 - 11.54)	1.65	(0.91 - 2.96)
Honolulu	4.78	(3.46 - 6.56)	6.50	(4.93 - 8.52)	1.55	(0.94 - 2.54)
Kauai and Maui	5.67	(3.71 - 8.56)	10.02	(7.07 - 14.00)	1.87	(1.06 - 3.29)
Idaho	5.17	(4.12 - 6.48)	6.57	(5.29 - 8.14)	1.33	(0.96 - 1.85)
Region 1	4.64	(3.06 - 6.99)	7.96	(5.65 - 11.12)	1.08	(0.64 - 1.83)
Region 2	*	(* - *)	7.64	(5.36 - 10.79)	*	(* - *)
Region 3	5.64	(3.87 - 8.13)	5.74	(4.03 - 8.12)	1.46	(0.89 - 2.39)
Region 4	5.25	(3.60 - 7.59)	6.97	(5.11 - 9.43)	1.39	(0.88 - 2.18)
Region 5	5.90	(4.01 - 8.60)	5.79	(4.04 - 8.21)	1.33	(0.80 - 2.19)
Region 6	5.20	(3.48 - 7.70)	6.09	(4.24 - 8.67)	1.35	(0.82 - 2.22)
Region 7	4.44	(2.95 - 6.64)	5.97	(4.13 - 8.57)	1.33	(0.77 - 2.28)
Illinois	4.63	(4.00 - 5.36)	7.05	(6.24 - 7.95)	1.44	(1.12 - 1.85)
Region I (Cook)	5.30	(4.28 - 6.56)	6.99	(5.82 - 8.38)	1.98	(1.43 - 2.73)
Region II	4.42	(3.46 - 5.63)	7.37	(6.08 - 8.90)	1.04	(0.71 - 1.51)
Region III	3.78	(2.65 - 5.36)	6.56	(5.10 - 8.41)	1.01	(0.62 - 1.64)
Region IV	3.69	(2.57 - 5.27)	7.08	(5.35 - 9.32)	0.99	(0.61 - 1.59)
Region V	4.13	(2.92 - 5.80)	6.98	(5.41 - 8.97)	1.08	(0.71 - 1.65)
Indiana	4.50	(3.53 - 5.73)	7.12	(5.77 - 8.77)	1.44	(1.04 - 1.99)
Central	4.13	(2.77 - 6.11)	7.23	(5.32 - 9.75)	1.62	(1.01 - 2.58)
East	4.57	(2.93 - 7.05)	7.14	(5.05 - 9.99)	1.37	(0.85 - 2.20)
North Central	4.54	(3.00 - 6.81)	6.55	(4.65 - 9.16)	1.32	(0.83 - 2.11)
Northeast	4.11	(2.68 - 6.25)	7.20	(5.06 - 10.13)	1.40	(0.84 - 2.33)
Northwest	4.31	(2.82 - 6.53)	7.30	(5.17 - 10.21)	1.35	(0.81 - 2.23)
Southeast	5.13	(3.38 - 7.70)	7.82	(5.50 - 11.01)	1.39	(0.85 - 2.26)
Southwest	5.08	(3.31 - 7.72)	7.29	(5.08 - 10.35)	*	(* - *)
West	4.76	(3.11 - 7.22)	6.84	(4.83 - 9.59)	1.39	(0.86 - 2.25)
Iowa	3.98	(3.03 - 5.20)	6.29	(4.95 - 7.97)	1.31	(0.91 - 1.90)
Central	3.91	(2.56 - 5.93)	6.49	(4.54 - 9.20)	1.44	(0.87 - 2.39)
North Central	3.96	(2.55 - 6.12)	5.93	(4.09 - 8.54)	1.24	(0.74 - 2.06)
Northeast	3.95	(2.67 - 5.80)	6.48	(4.67 - 8.90)	1.23	(0.75 - 2.02)
Northwest	4.10	(2.65 - 6.29)	5.96	(4.12 - 8.54)	1.20	(0.71 - 2.01)
Southeast	3.92	(2.62 - 5.82)	6.50	(4.54 - 9.23)	1.47	(0.90 - 2.38)
Southwest	4.07	(2.61 - 6.31)	5.97	(4.10 - 8.62)	1.24	(0.71 - 2.16)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2003 and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	4.29	(3.31 - 5.55)	6.33	(5.02 - 7.96)	1.10	(0.76 - 1.60)
Kansas City Metro	4.42	(3.00 - 6.46)	6.77	(4.95 - 9.19)	1.13	(0.70 - 1.83)
Northeast	4.25	(2.82 - 6.35)	5.77	(4.07 - 8.11)	1.06	(0.63 - 1.79)
South Central	4.36	(2.82 - 6.69)	6.53	(4.55 - 9.29)	1.15	(0.68 - 1.93)
Southeast	4.06	(2.57 - 6.36)	6.68	(4.65 - 9.49)	*	(* - *)
West	4.29	(2.79 - 6.53)	5.70	(3.88 - 8.29)	*	(* - *)
Wichita (Sedgwick)	4.16	(2.74 - 6.25)	6.32	(4.40 - 9.00)	1.08	(0.65 - 1.77)
Kentucky	4.64	(3.65 - 5.90)	7.86	(6.42 - 9.59)	1.81	(1.32 - 2.50)
Adanta, Cumberland River, And Lifeskills	4.18	(2.77 - 6.25)	6.90	(4.98 - 9.48)	1.46	(0.90 - 2.36)
Bluegrass, Comprehend, and North Key	4.46	(3.07 - 6.42)	7.14	(5.32 - 9.52)	2.10	(1.35 - 3.23)
Communicare and River Valley	4.64	(3.06 - 6.97)	7.61	(5.41 - 10.59)	1.55	(0.95 - 2.50)
Four Rivers and Pennyroyal	5.06	(3.26 - 7.79)	8.72	(6.10 - 12.31)	1.69	(1.05 - 2.72)
Kentucky River, Mountain, And Pathways	4.87	(3.26 - 7.23)	8.67	(6.23 - 11.95)	1.68	(1.02 - 2.74)
Seven Counties	4.97	(3.36 - 7.28)	9.05	(6.75 - 12.05)	2.00	(1.26 - 3.15)
Louisiana	4.33	(3.40 - 5.49)	7.05	(5.74 - 8.64)	2.08	(1.51 - 2.86)
Region 1	4.32	(2.82 - 6.57)	7.59	(5.34 - 10.69)	2.78	(1.69 - 4.54)
Regions 2 and 9	4.57	(3.14 - 6.61)	7.17	(5.35 - 9.54)	2.07	(1.33 - 3.21)
Region 3	4.94	(3.26 - 7.42)	7.07	(5.00 - 9.90)	2.10	(1.28 - 3.44)
Region 4	3.96	(2.57 - 6.04)	6.53	(4.61 - 9.19)	1.91	(1.16 - 3.14)
Regions 5 and 6	4.02	(2.64 - 6.08)	7.32	(5.25 - 10.13)	1.82	(1.12 - 2.94)
Regions 7 and 8	4.33	(2.95 - 6.32)	6.45	(4.67 - 8.84)	1.95	(1.22 - 3.12)
Region 10 (Jefferson)	3.99	(2.57 - 6.13)	7.61	(5.32 - 10.77)	2.00	(1.22 - 3.25)
Maine	5.63	(4.49 - 7.03)	9.20	(7.68 - 11.00)	1.64	(1.17 - 2.29)
Planning Region 1	5.60	(4.17 - 7.47)	9.30	(7.30 - 11.79)	1.55	(1.02 - 2.33)
Region 1 (Cumberland)	5.40	(3.68 - 7.86)	10.06	(7.52 - 13.33)	1.68	(1.03 - 2.75)
Region 2 (York)	5.86	(4.00 - 8.51)	8.11	(5.84 - 11.16)	1.36	(0.83 - 2.21)
Planning Region 2	5.64	(4.30 - 7.37)	8.75	(7.03 - 10.85)	1.70	(1.16 - 2.50)
Region 3	5.15	(3.46 - 7.59)	8.77	(6.51 - 11.72)	2.05	(1.23 - 3.39)
Region 4	6.17	(4.18 - 9.01)	8.85	(6.35 - 12.21)	1.52	(0.90 - 2.57)
Region 5	5.88	(3.97 - 8.64)	8.62	(6.24 - 11.79)	1.38	(0.85 - 2.22)
Planning Region 3	5.66	(4.14 - 7.68)	9.71	(7.56 - 12.39)	1.67	(1.09 - 2.55)
Region 6 (Penobscot)	6.08	(4.12 - 8.88)	10.15	(7.49 - 13.63)	1.92	(1.14 - 3.20)
Region 7	5.29	(3.49 - 7.93)	9.21	(6.63 - 12.66)	1.49	(0.89 - 2.47)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2003 and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	4.57	(3.62 - 5.76)	7.82	(6.29 - 9.68)	1.40	(0.99 - 1.97)
Anne Arundel	4.91	(3.22 - 7.41)	9.09	(6.38 - 12.79)	1.39	(0.83 - 2.32)
Baltimore City	3.85	(2.52 - 5.83)	7.41	(5.20 - 10.44)	2.15	(1.24 - 3.71)
Central	4.88	(3.39 - 6.98)	8.37	(6.05 - 11.47)	1.33	(0.81 - 2.19)
Montgomery	4.31	(2.86 - 6.45)	6.51	(4.57 - 9.21)	1.00	(0.60 - 1.67)
Prince George's	3.98	(2.65 - 5.95)	6.45	(4.55 - 9.07)	1.37	(0.83 - 2.23)
Rural	4.88	(3.26 - 7.23)	9.09	(6.50 - 12.58)	1.62	(0.96 - 2.74)
Western	5.18	(3.46 - 7.71)	8.52	(6.14 - 11.70)	1.20	(0.73 - 1.97)
Massachusetts	6.09	(4.85 - 7.62)	10.15	(8.36 - 12.27)	1.52	(1.10 - 2.11)
Boston	5.76	(3.81 - 8.62)	8.95	(6.46 - 12.26)	2.32	(1.42 - 3.75)
Central	5.86	(4.00 - 8.51)	9.95	(7.01 - 13.92)	1.40	(0.85 - 2.29)
Metrowest	6.12	(4.28 - 8.68)	9.87	(7.30 - 13.21)	1.33	(0.85 - 2.07)
Northeast	5.85	(4.03 - 8.41)	10.91	(8.00 - 14.70)	1.40	(0.88 - 2.22)
Southeast	6.76	(4.71 - 9.61)	10.97	(8.17 - 14.56)	1.57	(0.99 - 2.47)
Western	5.93	(3.93 - 8.85)	10.35	(7.68 - 13.81)	1.41	(0.87 - 2.28)
Michigan	5.77	(5.09 - 6.52)	7.61	(6.81 - 8.49)	1.43	(1.13 - 1.82)
Bay	6.19	(4.35 - 8.74)	7.13	(5.15 - 9.79)	1.22	(0.78 - 1.90)
Detroit City	4.32	(3.06 - 6.06)	8.69	(6.51 - 11.51)	2.67	(1.70 - 4.17)
Genesee	6.16	(4.37 - 8.62)	8.50	(6.36 - 11.28)	1.49	(0.95 - 2.31)
Kalamazoo	5.84	(4.10 - 8.26)	7.10	(5.37 - 9.33)	1.44	(0.94 - 2.19)
Kent	5.60	(3.98 - 7.81)	6.85	(5.25 - 8.89)	1.61	(1.06 - 2.43)
Lakeshore	6.75	(4.98 - 9.09)	6.75	(5.14 - 8.81)	1.31	(0.87 - 1.97)
Macomb	5.65	(4.00 - 7.92)	8.33	(6.43 - 10.73)	1.27	(0.83 - 1.93)
Mid South	5.53	(4.11 - 7.41)	7.24	(5.69 - 9.17)	1.18	(0.76 - 1.82)
Northern	6.46	(4.75 - 8.74)	7.44	(5.73 - 9.62)	1.20	(0.78 - 1.83)
Oakland	7.31	(5.63 - 9.45)	8.37	(6.46 - 10.77)	1.35	(0.89 - 2.04)
Pathways	6.02	(4.10 - 8.76)	8.05	(5.90 - 10.91)	*	(* - *)
Saginaw	5.67	(3.84 - 8.30)	8.02	(5.72 - 11.15)	1.25	(0.78 - 2.01)
Southeast	4.75	(3.50 - 6.42)	7.50	(5.94 - 9.43)	1.50	(0.98 - 2.28)
St. Clair	5.33	(3.64 - 7.73)	7.89	(5.79 - 10.67)	1.02	(0.62 - 1.66)
Washtenaw	5.36	(3.75 - 7.62)	6.70	(5.02 - 8.90)	1.25	(0.81 - 1.91)
Western	5.46	(3.64 - 8.11)	7.29	(5.28 - 9.97)	*	(* - *)
Minnesota	4.79	(3.81 - 6.01)	7.04	(5.70 - 8.65)	1.30	(0.92 - 1.83)
Regions 1 and 2	5.77	(3.80 - 8.67)	7.96	(5.67 - 11.06)	1.30	(0.76 - 2.20)
Regions 3 and 4	4.91	(3.38 - 7.10)	7.26	(5.26 - 9.93)	1.19	(0.73 - 1.93)
Regions 5 and 6	4.46	(3.06 - 6.48)	6.47	(4.64 - 8.96)	1.25	(0.75 - 2.08)
Region 7A (Hennepin)	4.98	(3.37 - 7.28)	7.41	(5.38 - 10.12)	1.43	(0.91 - 2.25)
Region 7B (Ramsey)	4.51	(2.97 - 6.79)	6.47	(4.57 - 9.09)	*	(* - *)
Region 7C	4.50	(3.05 - 6.59)	6.83	(4.89 - 9.48)	1.18	(0.71 - 1.97)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2003 and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	4.05	(3.12 - 5.24)	6.20	(4.94 - 7.75)	1.58	(1.12 - 2.21)
Region 1	4.16	(2.79 - 6.15)	5.97	(4.25 - 8.34)	1.32	(0.82 - 2.12)
Region 2	3.59	(2.33 - 5.51)	5.92	(4.13 - 8.41)	1.84	(1.10 - 3.05)
Region 3	3.68	(2.34 - 5.74)	5.74	(4.01 - 8.15)	1.42	(0.82 - 2.44)
Region 4	4.18	(2.76 - 6.30)	6.69	(4.79 - 9.28)	1.64	(1.02 - 2.65)
Region 5	3.85	(2.45 - 5.99)	5.61	(3.84 - 8.12)	*	(* - *)
Region 6	4.14	(2.71 - 6.29)	6.17	(4.30 - 8.78)	1.53	(0.92 - 2.53)
Region 7	4.62	(3.03 - 6.97)	6.93	(4.90 - 9.72)	1.78	(1.07 - 2.95)
Missouri	4.93	(3.96 - 6.13)	8.44	(6.92 - 10.26)	1.58	(1.15 - 2.17)
Central	5.19	(3.56 - 7.52)	8.53	(6.23 - 11.58)	1.47	(0.92 - 2.36)
Eastern	4.78	(3.55 - 6.41)	8.82	(6.78 - 11.40)	1.62	(1.07 - 2.45)
Eastern (St. Louis City and County)	4.43	(3.06 - 6.38)	8.96	(6.57 - 12.11)	1.78	(1.09 - 2.88)
Eastern (excluding St. Louis)	5.42	(3.62 - 8.03)	8.52	(6.09 - 11.79)	1.29	(0.79 - 2.09)
Northwest	5.12	(3.76 - 6.93)	8.38	(6.48 - 10.77)	1.76	(1.18 - 2.62)
Northwest (Jackson)	5.66	(3.80 - 8.36)	9.19	(6.68 - 12.52)	2.33	(1.41 - 3.81)
Northwest (excluding Jackson)	4.64	(3.04 - 7.03)	7.64	(5.38 - 10.75)	1.25	(0.77 - 2.02)
Southeast	4.80	(3.21 - 7.12)	8.39	(5.86 - 11.87)	1.38	(0.84 - 2.25)
Southwest	4.87	(3.25 - 7.21)	7.66	(5.66 - 10.30)	1.47	(0.88 - 2.43)
Montana	5.99	(4.85 - 7.38)	8.19	(6.75 - 9.90)	1.40	(1.00 - 1.95)
Region 1	5.95	(4.08 - 8.61)	8.17	(5.73 - 11.52)	1.22	(0.72 - 2.05)
Region 2	5.99	(4.13 - 8.62)	7.38	(5.28 - 10.22)	1.66	(1.01 - 2.72)
Region 3	5.39	(3.73 - 7.72)	7.39	(5.40 - 10.05)	1.39	(0.86 - 2.26)
Region 4	6.03	(4.33 - 8.36)	8.30	(6.25 - 10.94)	1.26	(0.80 - 1.98)
Region 5	6.37	(4.54 - 8.87)	8.98	(6.76 - 11.82)	1.45	(0.93 - 2.24)
Nebraska	5.01	(3.91 - 6.38)	6.47	(5.16 - 8.08)	1.34	(0.92 - 1.93)
Regions 1 and 2	5.37	(3.47 - 8.21)	6.86	(4.80 - 9.72)	1.24	(0.73 - 2.10)
Region 3	5.23	(3.43 - 7.90)	6.46	(4.50 - 9.18)	1.29	(0.77 - 2.16)
Region 4	6.11	(4.04 - 9.14)	5.81	(3.99 - 8.38)	1.17	(0.68 - 1.98)
Region 5	4.71	(3.22 - 6.83)	6.11	(4.44 - 8.37)	1.25	(0.76 - 2.05)
Region 6	4.62	(3.23 - 6.56)	6.82	(5.06 - 9.14)	1.49	(0.93 - 2.36)
Nevada	5.01	(3.87 - 6.47)	7.34	(5.86 - 9.16)	1.61	(1.12 - 2.30)
Clark	4.91	(3.56 - 6.74)	7.07	(5.42 - 9.18)	1.68	(1.10 - 2.54)
Rural	4.66	(3.09 - 6.97)	7.77	(5.55 - 10.78)	1.20	(0.74 - 1.94)
Washoe	5.74	(3.91 - 8.34)	8.19	(5.88 - 11.30)	1.67	(1.03 - 2.68)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2003 and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	6.20	(4.97 - 7.71)	9.59	(7.92 - 11.58)	1.35	(0.95 - 1.92)
Central	6.38	(4.68 - 8.63)	8.68	(6.78 - 11.04)	1.43	(0.94 - 2.18)
Central 1	6.57	(4.42 - 9.67)	8.27	(6.05 - 11.21)	1.54	(0.94 - 2.52)
Central 2	6.18	(4.17 - 9.05)	9.19	(6.71 - 12.46)	1.33	(0.79 - 2.21)
Northern	5.83	(3.82 - 8.81)	9.68	(7.06 - 13.14)	1.31	(0.77 - 2.22)
Southern	6.19	(4.79 - 7.98)	10.07	(8.03 - 12.56)	1.32	(0.89 - 1.95)
Southern 1 (Rockingham)	6.21	(4.31 - 8.88)	9.51	(7.00 - 12.78)	1.24	(0.75 - 2.04)
Southern 2	6.18	(4.51 - 8.41)	10.36	(7.91 - 13.44)	1.37	(0.87 - 2.14)
New Jersey	5.09	(4.01 - 6.44)	7.53	(6.06 - 9.34)	1.28	(0.90 - 1.81)
Central	5.18	(3.55 - 7.49)	8.69	(6.35 - 11.78)	1.06	(0.66 - 1.71)
Metropolitan	4.62	(3.13 - 6.78)	7.15	(5.06 - 10.02)	1.53	(0.95 - 2.48)
Northern	5.13	(3.61 - 7.23)	7.20	(5.28 - 9.75)	1.17	(0.73 - 1.88)
Southern	5.44	(3.77 - 7.79)	7.37	(5.34 - 10.08)	1.38	(0.86 - 2.21)
New Mexico	5.87	(4.54 - 7.56)	9.89	(8.02 - 12.14)	1.98	(1.39 - 2.81)
Region 1	5.56	(3.76 - 8.15)	8.39	(6.03 - 11.55)	1.95	(1.19 - 3.20)
Region 2	6.00	(3.90 - 9.12)	10.03	(6.99 - 14.20)	1.68	(1.00 - 2.80)
Region 3 (Bernalillo)	6.12	(4.26 - 8.71)	10.58	(8.00 - 13.86)	1.97	(1.24 - 3.11)
Region 4	5.24	(3.33 - 8.17)	8.90	(6.23 - 12.56)	2.11	(1.25 - 3.53)
Region 5	6.19	(4.08 - 9.29)	10.70	(7.83 - 14.46)	2.21	(1.32 - 3.67)
New York	4.98	(4.32 - 5.73)	8.23	(7.30 - 9.28)	1.49	(1.18 - 1.88)
Region A	4.34	(3.55 - 5.29)	6.78	(5.72 - 8.03)	1.60	(1.19 - 2.14)
Region 1	5.35	(3.74 - 7.62)	7.20	(5.31 - 9.68)	1.87	(1.22 - 2.87)
Region 2	3.81	(2.71 - 5.33)	6.50	(4.95 - 8.50)	1.54	(0.99 - 2.37)
Region 3	4.73	(3.33 - 6.69)	8.05	(6.05 - 10.64)	1.65	(1.11 - 2.44)
Region 4	4.16	(2.93 - 5.86)	5.98	(4.50 - 7.91)	1.49	(0.96 - 2.31)
Region B	5.21	(4.12 - 6.57)	9.93	(8.22 - 11.95)	1.23	(0.88 - 1.72)
Region 5	5.34	(4.00 - 7.11)	10.07	(8.01 - 12.60)	1.17	(0.78 - 1.75)
Region 6	4.94	(3.48 - 6.95)	9.62	(7.32 - 12.56)	1.36	(0.88 - 2.08)
Region C	5.59	(4.66 - 6.69)	9.42	(8.15 - 10.86)	1.57	(1.19 - 2.07)
Region 7	5.13	(3.63 - 7.22)	9.79	(7.33 - 12.95)	1.55	(0.99 - 2.41)
Region 8	5.85	(4.11 - 8.26)	9.72	(7.56 - 12.41)	1.70	(1.07 - 2.70)
Region 9	5.52	(3.90 - 7.75)	8.71	(6.66 - 11.33)	1.57	(1.01 - 2.44)
Region 10	6.29	(4.32 - 9.07)	8.38	(6.28 - 11.08)	1.50	(0.94 - 2.38)
Region 11	5.36	(3.80 - 7.52)	10.30	(7.94 - 13.25)	1.65	(1.07 - 2.54)
Region 12	5.70	(4.15 - 7.77)	9.21	(7.05 - 11.93)	1.45	(0.94 - 2.23)
Region D	5.29	(4.16 - 6.72)	8.48	(6.92 - 10.36)	1.31	(0.95 - 1.81)
Region 13	5.45	(3.73 - 7.91)	9.38	(6.90 - 12.63)	1.30	(0.80 - 2.10)
Region 14	5.19	(3.57 - 7.49)	7.86	(5.79 - 10.59)	1.34	(0.86 - 2.07)
Region 15	5.25	(3.64 - 7.52)	8.38	(6.21 - 11.22)	1.30	(0.83 - 2.03)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2003 and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	5.13	(4.05 - 6.47)	6.97	(5.57 - 8.70)	1.69	(1.21 - 2.37)
Eastern	4.47	(3.02 - 6.58)	6.69	(4.83 - 9.19)	1.64	(1.01 - 2.66)
North Central	5.12	(3.50 - 7.42)	7.40	(5.28 - 10.28)	1.69	(1.05 - 2.71)
South Central	4.66	(3.16 - 6.83)	6.46	(4.63 - 8.95)	1.65	(1.03 - 2.66)
Western	5.90	(4.26 - 8.10)	7.26	(5.31 - 9.85)	1.75	(1.12 - 2.72)
North Dakota	5.13	(4.08 - 6.42)	6.35	(5.09 - 7.89)	1.21	(0.84 - 1.74)
Badlands and West Central Lake Region and South Central	4.61	(3.18 - 6.63)	7.20	(5.14 - 9.98)	1.09	(0.65 - 1.82)
North Central and Northwest	4.81	(3.28 - 6.98)	6.21	(4.30 - 8.89)	1.19	(0.70 - 2.00)
Northeast	4.60	(3.12 - 6.73)	6.35	(4.50 - 8.90)	1.07	(0.61 - 1.88)
Southeast	5.08	(3.41 - 7.51)	5.87	(4.19 - 8.18)	1.24	(0.75 - 2.04)
Ohio	6.34	(4.40 - 9.05)	6.11	(4.46 - 8.31)	1.43	(0.86 - 2.36)
Boards 2, 46, 55, and 68	5.08	(4.47 - 5.78)	7.46	(6.64 - 8.38)	1.41	(1.12 - 1.77)
Boards 3, 52, and 85	5.23	(3.74 - 7.27)	6.98	(5.19 - 9.32)	1.26	(0.82 - 1.94)
Boards 4 and 78	5.05	(3.51 - 7.22)	7.18	(5.25 - 9.75)	1.08	(0.69 - 1.68)
Boards 5 and 60	5.39	(3.71 - 7.77)	8.88	(6.58 - 11.87)	1.26	(0.80 - 1.97)
Boards 7, 15, 41, 79, and 84	5.27	(3.62 - 7.62)	6.67	(4.84 - 9.11)	1.41	(0.90 - 2.22)
Boards 8, 13, and 83	5.81	(4.03 - 8.29)	8.35	(6.16 - 11.23)	1.22	(0.77 - 1.92)
Board 9 (Butler)	5.82	(4.10 - 8.21)	8.02	(5.91 - 10.79)	1.43	(0.94 - 2.17)
Board 12	5.53	(3.87 - 7.85)	6.93	(5.13 - 9.29)	1.62	(1.02 - 2.58)
Boards 18 and 47	5.21	(3.57 - 7.55)	8.74	(6.55 - 11.56)	1.42	(0.91 - 2.19)
Boards 20, 32, 54, and 69	4.87	(3.63 - 6.50)	6.53	(5.11 - 8.31)	1.36	(0.91 - 2.04)
Boards 21, 39, 51, 70, and 80	4.90	(3.32 - 7.17)	7.70	(5.64 - 10.42)	1.23	(0.79 - 1.90)
Boards 22, 74, and 87	4.78	(3.31 - 6.84)	8.04	(5.99 - 10.71)	1.13	(0.69 - 1.85)
Boards 23 and 45	4.69	(3.21 - 6.79)	7.06	(5.18 - 9.56)	1.16	(0.68 - 1.96)
Board 25 (Franklin)	4.77	(3.27 - 6.92)	7.99	(5.83 - 10.87)	1.10	(0.67 - 1.83)
Boards 27, 71, and 73	5.34	(3.91 - 7.26)	7.20	(5.53 - 9.33)	1.67	(1.12 - 2.47)
Boards 28, 43, and 67	5.42	(3.80 - 7.66)	7.43	(5.53 - 9.93)	1.36	(0.88 - 2.10)
Board 31 (Hamilton)	4.88	(3.36 - 7.02)	7.60	(5.66 - 10.13)	1.04	(0.66 - 1.65)
Board 48 (Lucas)	4.65	(3.31 - 6.49)	7.23	(5.51 - 9.42)	1.65	(1.07 - 2.54)
Board 50 and 76	4.45	(3.12 - 6.32)	5.95	(4.44 - 7.94)	1.74	(1.07 - 2.82)
Board 57 (Montgomery)	4.49	(3.13 - 6.39)	7.93	(5.95 - 10.50)	1.27	(0.82 - 1.97)
Board 77 (Summit)	5.79	(4.01 - 8.30)	8.12	(6.02 - 10.87)	2.03	(1.24 - 3.31)
Oklahoma	5.23	(3.69 - 7.36)	9.57	(7.34 - 12.38)	1.56	(1.01 - 2.40)
Central	5.36	(4.25 - 6.74)	6.95	(5.55 - 8.66)	1.56	(1.12 - 2.19)
East Central	4.67	(3.09 - 6.98)	7.43	(5.20 - 10.50)	1.33	(0.80 - 2.20)
Northeast	4.66	(3.03 - 7.09)	6.20	(4.26 - 8.94)	1.36	(0.77 - 2.39)
Northwest and Southwest	5.24	(3.48 - 7.83)	7.17	(5.09 - 10.00)	1.42	(0.86 - 2.34)
Oklahoma County	5.35	(3.54 - 8.02)	6.28	(4.35 - 9.00)	1.48	(0.89 - 2.42)
Southeast	5.32	(3.60 - 7.81)	7.05	(4.94 - 9.97)	1.61	(0.98 - 2.61)
Tulsa County	5.39	(3.64 - 7.92)	7.33	(5.24 - 10.16)	1.53	(0.92 - 2.55)
	6.51	(4.40 - 9.52)	7.07	(5.02 - 9.86)	2.05	(1.23 - 3.38)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2003 and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	5.34	(4.27 - 6.67)	8.52	(7.04 - 10.29)	1.61	(1.15 - 2.24)
Region 1 (Multnomah)	5.04	(3.43 - 7.36)	10.14	(7.54 - 13.49)	1.92	(1.20 - 3.04)
Region 2	4.98	(3.49 - 7.07)	8.77	(6.51 - 11.73)	1.41	(0.90 - 2.21)
Region 3	5.60	(3.92 - 7.96)	6.85	(5.05 - 9.24)	1.63	(1.00 - 2.63)
Region 4	5.22	(3.62 - 7.47)	9.72	(7.24 - 12.93)	1.53	(0.92 - 2.54)
Region 5	5.88	(3.96 - 8.65)	8.92	(6.34 - 12.42)	1.51	(0.92 - 2.48)
Pennsylvania	4.74	(4.11 - 5.46)	7.15	(6.34 - 8.05)	1.17	(0.91 - 1.50)
Region 1 (Allegheny)	4.50	(3.22 - 6.25)	9.12	(7.16 - 11.54)	1.07	(0.69 - 1.67)
Regions 2, 3, 8, and 9	4.89	(3.42 - 6.96)	6.21	(4.54 - 8.45)	0.97	(0.62 - 1.52)
Regions 4, 11, 42, and 48	4.81	(3.36 - 6.83)	8.13	(6.11 - 10.73)	1.00	(0.63 - 1.59)
Regions 5, 20, 26, 28, and 40	4.86	(3.45 - 6.79)	6.47	(4.92 - 8.47)	0.96	(0.62 - 1.49)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	4.71	(3.34 - 6.60)	6.68	(5.07 - 8.75)	1.01	(0.65 - 1.57)
Regions 7, 13, 22, and 37	5.30	(4.10 - 6.83)	6.52	(5.13 - 8.26)	1.14	(0.77 - 1.70)
Regions 10, 14, 15, 25, 31, 36, and 46	4.64	(3.19 - 6.71)	7.63	(5.72 - 10.12)	1.22	(0.76 - 1.95)
Regions 17, 24, 27, 43, and 47	4.27	(2.95 - 6.15)	7.24	(5.37 - 9.68)	0.90	(0.57 - 1.41)
Region 18 (Philadelphia)	4.49	(3.26 - 6.15)	7.08	(5.53 - 9.02)	2.01	(1.29 - 3.12)
Regions 19 and 23	4.74	(3.20 - 6.96)	7.16	(5.27 - 9.66)	*	(* - *)
Regions 21, 30, 32, and 49	4.14	(2.95 - 5.78)	6.43	(4.89 - 8.40)	1.14	(0.75 - 1.73)
Regions 29 and 34	4.84	(3.37 - 6.90)	8.51	(6.40 - 11.22)	1.00	(0.62 - 1.60)
Regions 33 and 38	5.21	(3.61 - 7.48)	6.74	(4.93 - 9.15)	1.02	(0.65 - 1.58)
Rhode Island	6.16	(4.87 - 7.78)	11.02	(9.09 - 13.31)	1.58	(1.08 - 2.30)
Bristol and Newport	6.00	(4.00 - 8.92)	12.29	(8.76 - 16.97)	1.46	(0.88 - 2.44)
Kent	5.41	(3.55 - 8.17)	11.04	(8.07 - 14.94)	1.52	(0.90 - 2.55)
Providence	6.38	(4.76 - 8.49)	10.62	(8.39 - 13.37)	1.68	(1.08 - 2.60)
Washington	6.18	(4.14 - 9.12)	11.87	(8.68 - 16.04)	1.32	(0.79 - 2.20)
South Carolina	4.46	(3.49 - 5.69)	7.03	(5.63 - 8.76)	1.45	(1.02 - 2.05)
Region 1	5.15	(3.57 - 7.38)	7.84	(5.72 - 10.67)	1.42	(0.87 - 2.31)
Region 2	4.19	(2.99 - 5.84)	7.04	(5.20 - 9.48)	1.38	(0.87 - 2.18)
Region 3	3.64	(2.39 - 5.50)	6.67	(4.64 - 9.51)	1.52	(0.92 - 2.49)
Region 4	4.67	(3.17 - 6.83)	6.47	(4.58 - 9.08)	1.50	(0.93 - 2.42)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2003 and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	5.04	(3.94 - 6.42)	6.21	(4.94 - 7.79)	1.15	(0.77 - 1.71)
Eastern Planning Area	5.00	(3.84 - 6.49)	6.08	(4.77 - 7.72)	1.09	(0.71 - 1.66)
Region 3 (Minnehaha)	5.23	(3.53 - 7.67)	5.96	(4.26 - 8.28)	1.25	(0.73 - 2.14)
Region 4	4.43	(2.84 - 6.87)	6.52	(4.61 - 9.16)	0.96	(0.51 - 1.82)
Region 5	4.68	(3.10 - 7.01)	6.37	(4.39 - 9.16)	1.04	(0.57 - 1.87)
Region 6	4.71	(3.13 - 7.05)	5.93	(4.13 - 8.44)	1.02	(0.56 - 1.88)
Region 7	5.83	(3.81 - 8.83)	5.72	(3.92 - 8.28)	*	(* - *)
Western Planning Area	5.11	(3.70 - 7.03)	6.54	(4.91 - 8.67)	1.30	(0.81 - 2.08)
Region 1 (Pennington)	5.20	(3.48 - 7.71)	6.16	(4.30 - 8.75)	1.65	(0.93 - 2.89)
Region 2	5.06	(3.39 - 7.50)	6.81	(4.79 - 9.61)	1.07	(0.61 - 1.85)
Tennessee	4.65	(3.67 - 5.86)	7.25	(5.77 - 9.07)	1.69	(1.25 - 2.30)
Region 1	5.23	(3.39 - 7.97)	8.14	(5.65 - 11.59)	1.56	(0.96 - 2.54)
Region 2	5.05	(3.40 - 7.42)	8.78	(6.25 - 12.19)	1.47	(0.92 - 2.32)
Region 3	4.51	(2.98 - 6.77)	7.38	(5.23 - 10.32)	1.72	(1.09 - 2.68)
Region 4 (Davidson)	4.67	(3.04 - 7.12)	6.62	(4.59 - 9.47)	2.20	(1.35 - 3.54)
Region 5	4.73	(3.18 - 7.00)	6.80	(4.81 - 9.54)	1.38	(0.88 - 2.16)
Region 6	4.48	(2.99 - 6.67)	6.80	(4.70 - 9.75)	1.62	(1.03 - 2.56)
Region 7 (Shelby)	4.08	(2.70 - 6.10)	6.31	(4.39 - 9.01)	2.21	(1.34 - 3.60)
Texas	4.77	(4.14 - 5.49)	6.85	(6.06 - 7.74)	1.30	(1.02 - 1.66)
Region 1	6.02	(4.13 - 8.71)	7.45	(5.57 - 9.89)	1.32	(0.83 - 2.11)
Region 2	4.83	(3.26 - 7.10)	7.61	(5.54 - 10.37)	1.26	(0.79 - 2.01)
Region 3	4.58	(3.65 - 5.73)	6.71	(5.60 - 8.02)	1.25	(0.91 - 1.71)
Region 3a	4.87	(3.70 - 6.38)	6.68	(5.36 - 8.29)	1.25	(0.86 - 1.82)
Region 3bc	4.09	(2.91 - 5.71)	6.77	(5.14 - 8.86)	1.25	(0.83 - 1.89)
Region 4	5.27	(3.68 - 7.50)	6.66	(4.82 - 9.12)	1.28	(0.80 - 2.04)
Region 5	6.43	(4.25 - 9.61)	7.84	(5.68 - 10.73)	1.48	(0.91 - 2.41)
Region 6	4.10	(3.19 - 5.27)	6.58	(5.38 - 8.03)	1.17	(0.82 - 1.67)
Region 6a	3.99	(3.02 - 5.26)	6.40	(5.13 - 7.96)	1.18	(0.80 - 1.73)
Region 6bc	5.02	(3.41 - 7.34)	8.31	(6.03 - 11.33)	1.14	(0.72 - 1.80)
Region 7	4.75	(3.61 - 6.23)	7.86	(6.41 - 9.60)	1.40	(0.97 - 2.00)
Region 7a	4.94	(3.47 - 7.00)	7.99	(6.17 - 10.29)	1.41	(0.91 - 2.19)
Region 7bcd	4.50	(3.12 - 6.44)	7.69	(5.80 - 10.14)	1.37	(0.88 - 2.12)
Region 8	4.54	(3.23 - 6.36)	6.69	(5.01 - 8.87)	1.20	(0.79 - 1.83)
Region 9	5.39	(3.69 - 7.81)	7.13	(5.17 - 9.76)	*	(* - *)
Region 10	5.60	(3.84 - 8.11)	6.11	(4.39 - 8.44)	1.67	(1.05 - 2.66)
Region 11	5.34	(4.01 - 7.08)	6.05	(4.71 - 7.75)	1.60	(1.07 - 2.38)
Region 11abd	5.25	(3.65 - 7.49)	6.18	(4.53 - 8.38)	1.51	(0.95 - 2.41)
Region 11c (Hidalgo)	5.51	(3.74 - 8.05)	5.81	(4.15 - 8.08)	1.77	(1.09 - 2.88)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2003 and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	4.11	(3.20 - 5.28)	5.72	(4.54 - 7.19)	1.59	(1.12 - 2.26)
Bear River, Northeastern, Summit, Tooele, and Wasatch	4.38	(2.84 - 6.70)	6.19	(4.29 - 8.87)	1.59	(0.93 - 2.71)
Central, Four Corners, San Juan, and Southwest	3.75	(2.39 - 5.85)	5.66	(3.84 - 8.26)	1.33	(0.76 - 2.32)
Davis County	3.80	(2.43 - 5.88)	5.97	(4.15 - 8.53)	1.43	(0.86 - 2.35)
Salt Lake County	4.37	(3.09 - 6.16)	6.00	(4.42 - 8.09)	1.71	(1.09 - 2.69)
Utah County	3.74	(2.48 - 5.59)	4.69	(3.29 - 6.64)	1.47	(0.88 - 2.44)
Weber, Morgan	4.39	(2.83 - 6.75)	6.52	(4.46 - 9.44)	1.74	(1.03 - 2.92)
Vermont	6.69	(5.42 - 8.23)	10.42	(8.65 - 12.51)	1.42	(1.00 - 2.01)
Champlain Valley	7.08	(5.25 - 9.48)	10.62	(8.30 - 13.48)	1.46	(0.93 - 2.29)
Rural Northeast	6.74	(4.90 - 9.21)	10.56	(7.99 - 13.83)	1.42	(0.88 - 2.28)
Rural Southeast	5.98	(4.16 - 8.52)	10.29	(7.55 - 13.87)	1.41	(0.87 - 2.28)
Rural Southwest	6.55	(4.51 - 9.42)	9.77	(7.15 - 13.20)	1.35	(0.83 - 2.18)
Virginia	4.91	(3.88 - 6.20)	7.56	(6.16 - 9.24)	1.40	(1.00 - 1.97)
Region 1	5.68	(3.78 - 8.44)	7.69	(5.62 - 10.45)	1.30	(0.78 - 2.16)
Region 2	4.80	(3.29 - 6.95)	7.31	(5.22 - 10.15)	1.29	(0.79 - 2.10)
Region 3	4.88	(3.32 - 7.12)	8.31	(6.14 - 11.17)	1.38	(0.85 - 2.23)
Region 4	4.72	(3.17 - 6.99)	8.26	(6.10 - 11.09)	1.53	(0.93 - 2.50)
Region 5	4.69	(3.21 - 6.81)	6.76	(4.90 - 9.26)	1.52	(0.95 - 2.42)
Washington	5.05	(4.01 - 6.34)	9.43	(7.82 - 11.33)	1.74	(1.27 - 2.40)
Region 1	5.24	(3.54 - 7.68)	9.70	(7.12 - 13.09)	1.80	(1.11 - 2.90)
Region 2	5.15	(3.40 - 7.75)	8.29	(5.92 - 11.48)	1.94	(1.17 - 3.20)
Region 3	4.86	(3.32 - 7.06)	9.88	(7.19 - 13.42)	1.56	(0.97 - 2.51)
Region 4 (King)	5.35	(3.74 - 7.58)	9.67	(7.39 - 12.57)	1.73	(1.09 - 2.73)
Region 5	4.53	(3.04 - 6.72)	8.88	(6.44 - 12.13)	1.75	(1.10 - 2.77)
Region 6	5.07	(3.38 - 7.55)	9.59	(7.04 - 12.94)	1.80	(1.10 - 2.92)
West Virginia	5.03	(3.98 - 6.35)	8.82	(7.30 - 10.61)	1.32	(0.95 - 1.82)
Eastern Highland	5.19	(3.55 - 7.53)	7.39	(5.34 - 10.14)	1.26	(0.78 - 2.02)
Northern	4.98	(3.56 - 6.91)	9.81	(7.52 - 12.69)	1.22	(0.81 - 1.83)
Northern A and B	5.33	(3.51 - 8.00)	8.00	(5.61 - 11.27)	*	(* - *)
Northern C and D	4.81	(3.17 - 7.24)	10.48	(7.74 - 14.04)	1.29	(0.80 - 2.09)
South Central	4.94	(3.72 - 6.55)	8.39	(6.60 - 10.60)	1.25	(0.85 - 1.83)
South Central I	5.20	(3.43 - 7.82)	7.69	(5.38 - 10.90)	*	(* - *)
South Central II	5.12	(3.42 - 7.59)	8.88	(6.35 - 12.29)	1.29	(0.79 - 2.12)
South Central III	4.65	(3.10 - 6.93)	8.39	(6.07 - 11.47)	1.24	(0.76 - 2.03)
Southern	5.09	(3.62 - 7.11)	9.62	(7.45 - 12.34)	1.65	(1.07 - 2.52)
Southern I and III	5.03	(3.29 - 7.63)	9.45	(6.92 - 12.78)	1.69	(1.02 - 2.79)
Southern II	5.20	(3.42 - 7.83)	9.96	(7.10 - 13.80)	*	(* - *)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2003 and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)					
	12-17		18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	6.08	(4.85 - 7.60)	6.92	(5.58 - 8.56)	1.24	(0.87 - 1.76)
Milwaukee	5.44	(3.69 - 7.95)	5.91	(4.14 - 8.38)	1.64	(0.98 - 2.72)
Northeastern	6.05	(4.28 - 8.49)	6.55	(4.69 - 9.08)	1.15	(0.71 - 1.87)
Northern	5.57	(3.66 - 8.41)	6.79	(4.67 - 9.78)	*	(* - *)
Southeastern	6.68	(4.69 - 9.42)	6.80	(4.79 - 9.57)	1.12	(0.69 - 1.82)
Southern	6.62	(4.49 - 9.64)	8.12	(6.05 - 10.83)	1.31	(0.80 - 2.15)
Western	5.74	(3.92 - 8.33)	7.22	(5.24 - 9.87)	1.08	(0.65 - 1.80)
Wyoming	4.60	(3.62 - 5.84)	7.80	(6.33 - 9.57)	1.32	(0.93 - 1.87)
Judicial District 1 (Laramie)	4.86	(3.23 - 7.26)	8.53	(6.12 - 11.78)	1.57	(0.95 - 2.58)
Judicial District 2	4.58	(2.94 - 7.06)	7.14	(5.18 - 9.77)	*	(* - *)
Judicial District 3	4.64	(3.10 - 6.87)	6.87	(4.92 - 9.52)	1.26	(0.75 - 2.12)
Judicial District 4	4.59	(2.97 - 7.04)	8.63	(6.07 - 12.14)	*	(* - *)
Judicial District 5	4.37	(2.85 - 6.63)	7.68	(5.36 - 10.88)	1.01	(0.55 - 1.84)
Judicial District 6	4.86	(3.25 - 7.21)	7.48	(5.21 - 10.63)	1.28	(0.77 - 2.14)
Judicial District 7 (Natrona)	4.62	(3.07 - 6.91)	8.99	(6.35 - 12.57)	1.44	(0.86 - 2.41)
Judicial District 8	4.22	(2.74 - 6.44)	6.79	(4.75 - 9.61)	*	(* - *)
Judicial District 9	4.40	(2.83 - 6.77)	7.88	(5.53 - 11.11)	1.34	(0.79 - 2.25)

*Low precision; no estimate reported.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but not receiving treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), inhalants, hallucinogens, heroin, or prescription-type psychotherapeutic (nonmedical use).

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs

State/Substate Region	AGE GROUP (Years)			
	18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
National	13.45		8.46	
Alabama	13.51	(11.70 - 15.56)	8.46	(6.95 - 10.26)
Region 1	16.03	(12.79 - 19.90)	8.93	(6.56 - 12.04)
Region 2	12.66	(10.27 - 15.50)	8.79	(6.57 - 11.68)
Region 3	12.54	(9.80 - 15.90)	7.84	(5.66 - 10.77)
Region 4	12.78	(10.19 - 15.91)	7.86	(5.86 - 10.47)
Alaska	12.71	(10.86 - 14.82)	7.33	(5.83 - 9.18)
Gulf Coast	13.58	(10.48 - 17.43)	7.52	(5.18 - 10.80)
Rural	11.47	(8.62 - 15.10)	6.47	(4.37 - 9.48)
Southeast	13.39	(10.40 - 17.08)	7.76	(5.40 - 11.05)
Urban	12.71	(10.55 - 15.23)	7.34	(5.57 - 9.62)
Arizona	14.60	(12.61 - 16.84)	9.44	(7.77 - 11.44)
Maricopa	14.24	(11.85 - 17.02)	10.08	(8.00 - 12.64)
Pima	16.38	(12.99 - 20.45)	9.41	(6.81 - 12.88)
Rural North	14.76	(11.52 - 18.73)	7.81	(5.46 - 11.05)
Rural South	13.72	(10.58 - 17.61)	7.96	(5.50 - 11.38)
Arkansas	14.53	(12.71 - 16.57)	9.43	(7.85 - 11.30)
Areas 1 and 5	14.33	(11.47 - 17.77)	10.13	(7.52 - 13.52)
Areas 2 and 3	15.86	(12.52 - 19.88)	9.38	(6.61 - 13.15)
Areas 4 and 7	14.43	(11.46 - 18.01)	9.77	(7.17 - 13.18)
Area 6	13.47	(10.63 - 16.92)	9.69	(6.84 - 13.57)
Areas 8 and 12	13.87	(10.83 - 17.61)	8.29	(5.89 - 11.54)
Area 9	15.04	(12.01 - 18.66)	9.61	(7.20 - 12.72)
Areas 10, 11, and 13	14.57	(11.55 - 18.22)	8.44	(6.01 - 11.74)
California	12.77	(11.65 - 13.98)	7.76	(6.85 - 8.77)
Region 1	14.01	(11.07 - 17.57)	8.46	(6.09 - 11.64)
Region 2	13.55	(11.08 - 16.47)	8.48	(6.44 - 11.10)
Region 3	14.37	(11.63 - 17.63)	8.27	(6.09 - 11.13)
Region 4	13.89	(11.13 - 17.22)	8.17	(6.05 - 10.95)
Region 5	14.38	(11.72 - 17.52)	8.11	(6.06 - 10.76)
Region 6 (Santa Clara)	12.89	(10.32 - 15.99)	8.01	(6.03 - 10.56)
Region 7	11.92	(9.33 - 15.10)	8.84	(6.37 - 12.14)
Region 8	11.72	(9.35 - 14.60)	8.94	(6.62 - 11.97)
Region 9	12.22	(9.63 - 15.40)	10.00	(7.13 - 13.85)
Region 10	12.88	(10.19 - 16.15)	8.81	(6.37 - 12.06)
Region 11 (Los Angeles)	11.75	(10.06 - 13.68)	6.63	(5.24 - 8.36)
Region 12	12.76	(10.29 - 15.72)	7.92	(5.88 - 10.59)
Region 13 (Riverside)	12.23	(9.74 - 15.26)	7.94	(5.76 - 10.84)
Region 14 (Orange)	12.97	(10.52 - 15.88)	7.38	(5.56 - 9.74)
Region 15	13.53	(11.09 - 16.39)	7.70	(5.82 - 10.14)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)			
	18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Colorado	13.43	(11.69 - 15.38)	8.44	(6.95 - 10.22)
Region 1	13.24	(10.49 - 16.59)	7.68	(5.55 - 10.55)
Regions 2 and 7	13.16	(10.95 - 15.73)	8.53	(6.62 - 10.93)
Region 3	14.15	(11.14 - 17.81)	8.11	(5.82 - 11.21)
Region 4	15.00	(11.55 - 19.26)	9.44	(6.52 - 13.49)
Regions 5 and 6	13.30	(10.43 - 16.80)	8.70	(6.14 - 12.19)
Connecticut	13.65	(11.86 - 15.66)	8.01	(6.55 - 9.76)
Eastern	14.03	(10.98 - 17.75)	8.63	(6.12 - 12.04)
North Central	14.01	(11.43 - 17.07)	8.56	(6.38 - 11.40)
Northwestern	14.20	(11.19 - 17.84)	8.59	(6.32 - 11.58)
South Central	13.21	(10.63 - 16.31)	7.20	(5.21 - 9.88)
Southwest	12.88	(10.20 - 16.13)	7.31	(5.18 - 10.22)
Delaware	13.19	(11.33 - 15.30)	8.91	(7.37 - 10.73)
Kent	13.56	(10.64 - 17.15)	11.51	(8.34 - 15.68)
New Castle (excluding Wilmington city)	13.34	(11.01 - 16.08)	8.13	(6.36 - 10.35)
Sussex	12.81	(10.06 - 16.17)	8.89	(6.49 - 12.08)
Wilmington City	12.34	(9.42 - 16.01)	9.02	(6.35 - 12.68)
District of Columbia	13.03	(11.20 - 15.11)	8.74	(7.23 - 10.53)
Ward 1	12.16	(9.50 - 15.43)	9.87	(7.14 - 13.48)
Ward 2	14.09	(11.06 - 17.78)	10.61	(7.77 - 14.32)
Ward 3	16.36	(12.83 - 20.63)	9.48	(6.89 - 12.91)
Ward 4	12.15	(9.36 - 15.62)	7.04	(4.97 - 9.87)
Ward 5	11.34	(8.75 - 14.57)	7.34	(5.16 - 10.34)
Ward 6	12.99	(10.05 - 16.63)	9.31	(6.59 - 12.99)
Ward 7	12.17	(9.38 - 15.63)	7.64	(5.46 - 10.59)
Ward 8	11.22	(8.66 - 14.40)	8.44	(6.08 - 11.62)
Florida	12.48	(11.44 - 13.61)	8.26	(7.40 - 9.21)
District 1	12.45	(9.95 - 15.48)	10.14	(7.52 - 13.54)
District 2	12.94	(10.45 - 15.91)	9.32	(6.98 - 12.35)
District 3	13.07	(10.52 - 16.12)	8.96	(6.45 - 12.31)
District 4	12.82	(10.48 - 15.59)	8.65	(6.61 - 11.23)
District 7	13.43	(11.20 - 16.02)	7.70	(5.99 - 9.86)
District 8	12.03	(9.70 - 14.83)	7.03	(5.14 - 9.54)
District 9 (Palm Beach)	12.11	(9.79 - 14.90)	8.04	(6.02 - 10.67)
District 10 (Broward)	12.51	(10.23 - 15.21)	9.01	(7.00 - 11.52)
District 11	11.10	(9.14 - 13.41)	7.13	(5.57 - 9.07)
District 12	13.39	(10.83 - 16.45)	7.89	(5.71 - 10.81)
District 13	12.13	(9.63 - 15.15)	8.37	(6.15 - 11.29)
District 14	11.47	(9.09 - 14.39)	8.02	(5.90 - 10.82)
District 15	12.21	(9.70 - 15.24)	9.27	(6.70 - 12.68)
Suncoast	12.99	(11.01 - 15.26)	8.67	(7.00 - 10.68)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)			
	18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Georgia	13.24	(11.41 - 15.30)	9.72	(8.09 - 11.65)
Region 1	13.97	(11.06 - 17.50)	10.55	(7.74 - 14.22)
Region 2	14.51	(11.49 - 18.15)	10.57	(7.81 - 14.15)
Region 3	12.97	(10.42 - 16.02)	9.38	(7.22 - 12.11)
Region 4	12.27	(9.60 - 15.55)	9.30	(6.69 - 12.79)
Region 5	12.83	(10.07 - 16.22)	9.36	(6.71 - 12.92)
Hawaii	11.85	(10.00 - 14.00)	6.86	(5.47 - 8.57)
Hawaii Island	12.96	(10.00 - 16.64)	7.59	(5.33 - 10.69)
Honolulu	11.54	(9.49 - 13.97)	6.60	(5.04 - 8.61)
Kauai and Maui	12.71	(9.77 - 16.37)	7.46	(5.33 - 10.34)
Idaho	15.09	(13.21 - 17.18)	9.32	(7.79 - 11.10)
Region 1	15.09	(11.97 - 18.86)	9.11	(6.70 - 12.28)
Region 2	14.95	(11.68 - 18.94)	8.81	(6.21 - 12.35)
Region 3	15.43	(12.20 - 19.33)	9.41	(7.03 - 12.50)
Region 4	15.68	(12.78 - 19.09)	9.71	(7.28 - 12.83)
Region 5	15.49	(12.23 - 19.42)	8.80	(6.38 - 12.04)
Region 6	14.29	(11.23 - 18.02)	9.40	(6.83 - 12.82)
Region 7	14.12	(11.25 - 17.58)	9.35	(6.79 - 12.73)
Illinois	11.60	(10.57 - 12.73)	7.83	(6.94 - 8.84)
Region I (Cook)	10.87	(9.43 - 12.51)	7.78	(6.49 - 9.32)
Region II	11.86	(10.20 - 13.73)	8.01	(6.59 - 9.69)
Region III	13.05	(10.88 - 15.58)	9.07	(7.13 - 11.47)
Region IV	12.23	(10.04 - 14.81)	6.58	(4.89 - 8.79)
Region V	11.85	(9.77 - 14.30)	7.06	(5.33 - 9.31)
Indiana	14.11	(12.41 - 15.99)	9.07	(7.56 - 10.84)
Central	13.88	(11.15 - 17.13)	8.68	(6.41 - 11.64)
East	14.16	(11.14 - 17.84)	9.15	(6.52 - 12.71)
North Central	14.06	(11.02 - 17.77)	9.96	(7.29 - 13.48)
Northeast	14.01	(10.96 - 17.75)	8.53	(6.16 - 11.71)
Northwest	13.21	(10.39 - 16.65)	8.18	(5.86 - 11.32)
Southeast	14.16	(11.20 - 17.75)	9.36	(6.76 - 12.83)
Southwest	15.17	(11.91 - 19.12)	9.70	(6.92 - 13.43)
West	14.53	(11.59 - 18.07)	9.37	(6.75 - 12.86)
Iowa	13.26	(11.49 - 15.25)	7.98	(6.56 - 9.67)
Central	14.06	(11.14 - 17.59)	9.26	(6.68 - 12.70)
North Central	13.56	(10.66 - 17.09)	7.11	(5.11 - 9.83)
Northeast	13.62	(11.01 - 16.72)	8.01	(5.89 - 10.79)
Northwest	12.47	(9.69 - 15.92)	7.21	(5.17 - 9.97)
Southeast	12.49	(9.80 - 15.79)	7.97	(5.83 - 10.80)
Southwest	13.62	(10.57 - 17.39)	8.03	(5.76 - 11.07)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)			
	18-25		26 or older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Kansas	14.00	(12.11 - 16.14)	8.33	(6.90 - 10.02)
Kansas City Metro	14.59	(11.76 - 17.96)	8.19	(6.14 - 10.85)
Northeast	13.23	(10.47 - 16.58)	9.02	(6.59 - 12.23)
South Central	14.57	(11.44 - 18.37)	7.84	(5.57 - 10.91)
Southeast	14.12	(10.91 - 18.08)	8.71	(6.14 - 12.21)
West	12.71	(9.86 - 16.24)	7.37	(5.17 - 10.39)
Wichita (Sedgwick)	14.28	(11.27 - 17.92)	8.72	(6.40 - 11.78)
Kentucky	15.27	(13.37 - 17.39)	10.45	(8.77 - 12.41)
Adanta, Cumberland River, and Lifeskills	15.33	(12.46 - 18.71)	10.73	(8.00 - 14.25)
Bluegrass, Comprehend, and North Key	14.80	(12.06 - 18.04)	9.22	(6.94 - 12.14)
Communicare and River Valley	15.61	(12.23 - 19.71)	10.33	(7.49 - 14.09)
Four Rivers and Pennyroyal	15.20	(11.83 - 19.33)	10.26	(7.35 - 14.16)
Kentucky River, Mountain, and Pathways	15.95	(12.68 - 19.87)	12.04	(8.77 - 16.32)
Seven Counties	15.41	(12.41 - 18.99)	11.08	(8.28 - 14.67)
Louisiana	14.37	(12.66 - 16.27)	7.95	(6.61 - 9.54)
Region 1	13.92	(10.87 - 17.66)	7.78	(5.52 - 10.87)
Regions 2 and 9	13.38	(10.91 - 16.30)	7.65	(5.67 - 10.25)
Region 3	16.04	(12.62 - 20.18)	8.90	(6.36 - 12.32)
Region 4	13.72	(10.80 - 17.28)	7.38	(5.27 - 10.23)
Regions 5 and 6	13.45	(10.61 - 16.90)	7.62	(5.47 - 10.52)
Regions 7 and 8	15.92	(12.87 - 19.53)	7.95	(5.82 - 10.76)
Region 10 (Jefferson)	15.04	(11.86 - 18.89)	9.14	(6.48 - 12.72)
Maine	16.45	(14.54 - 18.55)	8.99	(7.45 - 10.82)
Planning Region 1	15.93	(13.42 - 18.80)	8.63	(6.72 - 11.03)
Region 1 (Cumberland)	16.02	(12.90 - 19.71)	8.14	(5.91 - 11.11)
Region 2 (York)	15.78	(12.57 - 19.63)	9.32	(6.75 - 12.73)
Planning Region 2	17.08	(14.74 - 19.71)	9.05	(7.20 - 11.31)
Region 3	16.75	(13.73 - 20.27)	10.05	(7.33 - 13.61)
Region 4	16.84	(13.24 - 21.20)	8.28	(5.90 - 11.52)
Region 5	17.95	(14.27 - 22.33)	8.31	(5.91 - 11.56)
Planning Region 3	16.24	(13.58 - 19.30)	9.43	(7.25 - 12.18)
Region 6 (Penobscot)	16.74	(13.38 - 20.75)	10.52	(7.60 - 14.40)
Region 7	15.68	(12.48 - 19.52)	8.58	(6.07 - 12.00)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)			
	18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Maryland	12.74	(11.06 - 14.64)	7.59	(6.17 - 9.30)
Anne Arundel	11.82	(9.13 - 15.18)	7.52	(5.30 - 10.56)
Baltimore City	12.37	(9.74 - 15.60)	7.62	(5.33 - 10.78)
Central	13.71	(10.99 - 16.98)	7.58	(5.41 - 10.52)
Montgomery	11.52	(8.97 - 14.68)	7.08	(5.03 - 9.89)
Prince George's	12.18	(9.44 - 15.57)	7.90	(5.67 - 10.91)
Rural	12.83	(10.01 - 16.29)	7.50	(5.35 - 10.44)
Western	14.39	(11.40 - 17.99)	8.15	(5.74 - 11.45)
Massachusetts	14.69	(12.78 - 16.83)	7.69	(6.29 - 9.38)
Boston	14.78	(11.76 - 18.41)	8.64	(6.15 - 12.02)
Central	14.90	(11.56 - 19.00)	7.51	(5.34 - 10.48)
Metrowest	15.62	(12.49 - 19.36)	7.44	(5.40 - 10.16)
Northeast	14.72	(11.68 - 18.39)	7.94	(5.78 - 10.81)
Southeast	13.87	(11.03 - 17.29)	7.75	(5.70 - 10.47)
Western	13.92	(11.02 - 17.42)	7.01	(4.93 - 9.88)
Michigan	13.17	(12.15 - 14.26)	8.11	(7.19 - 9.12)
Bay	12.87	(10.32 - 15.95)	8.01	(5.81 - 10.94)
Detroit City	12.31	(10.13 - 14.87)	8.69	(6.53 - 11.46)
Genesee	14.63	(11.80 - 18.00)	7.99	(5.92 - 10.71)
Kalamazoo	13.32	(11.01 - 16.02)	8.56	(6.43 - 11.30)
Kent	11.62	(9.41 - 14.28)	8.64	(6.50 - 11.40)
Lakeshore	12.95	(10.81 - 15.44)	7.50	(5.74 - 9.74)
Macomb	13.49	(10.99 - 16.46)	8.32	(6.46 - 10.65)
Mid South	13.03	(10.78 - 15.66)	7.20	(5.44 - 9.48)
Northern	14.22	(11.71 - 17.17)	9.74	(7.37 - 12.75)
Oakland	12.87	(10.57 - 15.59)	7.44	(5.72 - 9.63)
Pathways	13.48	(10.77 - 16.75)	8.33	(5.93 - 11.58)
Saginaw	12.22	(9.56 - 15.49)	7.35	(5.33 - 10.07)
Southeast	13.89	(11.68 - 16.44)	8.33	(6.53 - 10.57)
St. Clair	13.08	(10.54 - 16.11)	7.94	(5.76 - 10.86)
Washtenaw	13.27	(10.69 - 16.37)	7.33	(5.41 - 9.87)
Western	13.09	(10.42 - 16.31)	7.28	(5.15 - 10.20)
Minnesota	12.84	(11.13 - 14.78)	7.88	(6.53 - 9.48)
Regions 1 and 2	13.32	(10.36 - 16.95)	8.08	(5.70 - 11.33)
Regions 3 and 4	12.73	(10.11 - 15.91)	7.50	(5.44 - 10.25)
Regions 5 and 6	12.79	(10.10 - 16.07)	7.32	(5.29 - 10.04)
Region 7A (Hennepin)	12.62	(9.92 - 15.94)	8.11	(5.97 - 10.92)
Region 7B (Ramsey)	13.35	(10.37 - 17.02)	9.41	(6.67 - 13.13)
Region 7C	12.70	(10.00 - 16.00)	7.60	(5.62 - 10.21)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)			
	18-25		26 or older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	13.95	(12.18 - 15.93)	7.92	(6.50 - 9.61)
Region 1	14.30	(11.37 - 17.83)	8.32	(6.05 - 11.35)
Region 2	14.18	(11.25 - 17.71)	6.98	(4.96 - 9.74)
Region 3	14.45	(11.32 - 18.27)	7.80	(5.63 - 10.72)
Region 4	12.56	(9.95 - 15.73)	7.62	(5.45 - 10.55)
Region 5	14.34	(11.18 - 18.22)	8.04	(5.52 - 11.57)
Region 6	13.98	(10.95 - 17.67)	8.09	(5.68 - 11.40)
Region 7	14.17	(11.28 - 17.66)	8.48	(6.12 - 11.63)
Missouri	15.46	(13.55 - 17.58)	10.19	(8.56 - 12.10)
Central	15.76	(12.62 - 19.50)	10.33	(7.60 - 13.88)
Eastern	15.42	(12.87 - 18.37)	10.03	(7.99 - 12.52)
Eastern (St. Louis City and County)	15.65	(12.62 - 19.25)	9.58	(7.20 - 12.64)
Eastern (excluding St. Louis)	14.92	(11.70 - 18.84)	10.95	(8.04 - 14.75)
Northwest	14.86	(12.34 - 17.79)	9.40	(7.29 - 12.04)
Northwest (Jackson)	15.33	(12.25 - 19.01)	9.81	(7.22 - 13.20)
Northwest (excluding Jackson)	14.43	(11.24 - 18.34)	9.03	(6.39 - 12.61)
Southeast	15.96	(12.54 - 20.09)	11.35	(8.20 - 15.50)
Southwest	15.80	(12.78 - 19.38)	10.80	(7.94 - 14.53)
Montana	14.48	(12.66 - 16.50)	8.39	(6.90 - 10.18)
Region 1	14.47	(11.32 - 18.33)	7.71	(5.40 - 10.91)
Region 2	15.66	(12.39 - 19.60)	8.65	(6.20 - 11.95)
Region 3	14.09	(11.27 - 17.48)	8.13	(5.91 - 11.09)
Region 4	14.42	(11.94 - 17.31)	8.41	(6.19 - 11.33)
Region 5	14.20	(11.49 - 17.42)	8.63	(6.40 - 11.55)
Nebraska	13.52	(11.70 - 15.57)	6.95	(5.57 - 8.64)
Regions 1 and 2	14.98	(11.75 - 18.91)	6.90	(4.79 - 9.85)
Region 3	14.01	(10.89 - 17.85)	6.74	(4.70 - 9.56)
Region 4	13.45	(10.44 - 17.17)	6.84	(4.74 - 9.77)
Region 5	12.18	(9.75 - 15.11)	6.97	(5.06 - 9.52)
Region 6	14.02	(11.35 - 17.20)	7.06	(5.25 - 9.44)
Nevada	12.74	(10.86 - 14.90)	9.82	(8.02 - 11.97)
Clark	12.22	(10.01 - 14.84)	10.19	(8.05 - 12.81)
Rural	13.74	(10.84 - 17.26)	8.98	(6.51 - 12.25)
Washoe	14.23	(11.40 - 17.63)	8.97	(6.50 - 12.25)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)			
	18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New Hampshire	15.52	(13.60 - 17.65)	8.24	(6.80 - 9.97)
Central	14.94	(12.66 - 17.56)	8.18	(6.28 - 10.58)
Central 1	15.31	(12.41 - 18.75)	8.77	(6.30 - 12.07)
Central 2	14.47	(11.57 - 17.95)	7.64	(5.40 - 10.70)
Northern	15.70	(12.47 - 19.57)	7.93	(5.65 - 11.03)
Southern	15.78	(13.40 - 18.51)	8.35	(6.68 - 10.39)
Southern 1 (Rockingham)	15.77	(12.57 - 19.61)	7.72	(5.63 - 10.49)
Southern 2	15.79	(12.97 - 19.09)	8.74	(6.69 - 11.34)
New Jersey	12.75	(10.96 - 14.78)	7.78	(6.33 - 9.52)
Central	13.00	(10.30 - 16.29)	7.33	(5.34 - 9.99)
Metropolitan	13.04	(10.33 - 16.34)	8.23	(5.96 - 11.26)
Northern	12.13	(9.70 - 15.07)	7.83	(5.72 - 10.63)
Southern	13.04	(10.30 - 16.38)	7.66	(5.55 - 10.47)
New Mexico	14.24	(12.28 - 16.45)	9.09	(7.37 - 11.16)
Region 1	12.87	(9.95 - 16.50)	8.48	(5.97 - 11.92)
Region 2	13.66	(10.52 - 17.55)	9.15	(6.47 - 12.79)
Region 3 (Bernalillo)	15.51	(12.62 - 18.90)	9.35	(6.90 - 12.55)
Region 4	13.98	(10.92 - 17.72)	9.37	(6.61 - 13.14)
Region 5	14.07	(11.26 - 17.44)	9.03	(6.45 - 12.51)
New York	14.32	(13.17 - 15.55)	8.43	(7.51 - 9.46)
Region A	13.62	(12.18 - 15.20)	9.01	(7.75 - 10.46)
Region 1	12.66	(10.17 - 15.64)	8.86	(6.57 - 11.85)
Region 2	14.63	(12.25 - 17.38)	10.10	(7.94 - 12.76)
Region 3	15.12	(12.37 - 18.35)	8.44	(6.32 - 11.19)
Region 4	11.80	(9.60 - 14.41)	8.18	(6.33 - 10.51)
Region B	14.28	(12.38 - 16.40)	7.52	(6.15 - 9.15)
Region 5	14.25	(11.85 - 17.03)	6.96	(5.37 - 8.99)
Region 6	14.34	(11.68 - 17.48)	8.68	(6.54 - 11.43)
Region C	15.21	(13.73 - 16.82)	8.31	(7.12 - 9.67)
Region 7	13.95	(11.22 - 17.21)	8.01	(5.86 - 10.85)
Region 8	15.64	(12.90 - 18.85)	8.99	(6.71 - 11.94)
Region 9	15.63	(12.75 - 19.03)	7.91	(5.88 - 10.55)
Region 10	16.30	(13.41 - 19.67)	8.46	(6.22 - 11.41)
Region 11	16.72	(13.85 - 20.05)	7.87	(5.87 - 10.46)
Region 12	13.39	(10.79 - 16.49)	8.59	(6.53 - 11.24)
Region D	15.23	(13.30 - 17.39)	8.32	(6.83 - 10.11)
Region 13	15.85	(12.84 - 19.41)	8.41	(6.12 - 11.45)
Region 14	15.11	(12.27 - 18.48)	8.57	(6.27 - 11.62)
Region 15	14.83	(12.00 - 18.19)	8.01	(5.93 - 10.75)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)			
	18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
North Carolina	13.03	(11.20 - 15.11)	9.20	(7.54 - 11.18)
Eastern	13.49	(10.77 - 16.77)	8.19	(5.97 - 11.12)
North Central	13.05	(10.36 - 16.31)	8.93	(6.51 - 12.14)
South Central	12.40	(9.74 - 15.66)	9.64	(7.05 - 13.06)
Western	13.23	(10.62 - 16.36)	9.64	(7.26 - 12.69)
North Dakota	13.70	(11.87 - 15.77)	8.36	(6.91 - 10.10)
Badlands and West Central	13.74	(10.90 - 17.17)	7.92	(5.82 - 10.71)
Lake Region and South Central	14.08	(11.07 - 17.75)	7.67	(5.52 - 10.57)
North Central and Northwest	13.89	(11.01 - 17.39)	7.52	(5.40 - 10.37)
Northeast	12.58	(9.91 - 15.84)	9.08	(6.62 - 12.33)
Southeast	14.09	(11.47 - 17.20)	9.54	(7.09 - 12.72)
Ohio	14.50	(13.39 - 15.68)	9.12	(8.19 - 10.13)
Boards 2, 46, 55, and 68	13.10	(10.57 - 16.13)	8.50	(6.35 - 11.28)
Boards 3, 52, and 85	13.87	(11.07 - 17.23)	8.83	(6.55 - 11.80)
Boards 4 and 78	14.90	(11.98 - 18.38)	8.33	(6.13 - 11.23)
Boards 5 and 60	13.84	(11.08 - 17.16)	10.40	(7.70 - 13.90)
Boards 7, 15, 41, 79, and 84	14.85	(12.05 - 18.18)	9.53	(7.12 - 12.66)
Boards 8, 13, and 83	14.46	(11.69 - 17.75)	9.48	(7.14 - 12.48)
Board 9 (Butler)	14.69	(11.75 - 18.23)	8.55	(6.23 - 11.61)
Board 12	13.78	(11.17 - 16.89)	9.18	(6.78 - 12.31)
Boards 18 and 47	14.38	(12.04 - 17.08)	8.07	(6.37 - 10.17)
Boards 20, 32, 54, and 69	14.41	(11.56 - 17.83)	8.18	(5.92 - 11.20)
Boards 21, 39, 51, 70, and 80	13.84	(11.22 - 16.95)	8.63	(6.44 - 11.49)
Boards 22, 74, and 87	14.79	(11.91 - 18.23)	8.87	(6.52 - 11.96)
Boards 23 and 45	14.96	(11.99 - 18.51)	8.92	(6.61 - 11.94)
Board 25 (Franklin)	15.34	(13.01 - 18.01)	9.63	(7.50 - 12.27)
Boards 27, 71, and 73	15.41	(12.56 - 18.77)	10.93	(8.18 - 14.45)
Boards 28, 43, and 67	13.23	(10.59 - 16.41)	8.56	(6.51 - 11.18)
Board 31 (Hamilton)	13.71	(11.31 - 16.53)	9.63	(7.35 - 12.52)
Board 48 (Lucas)	14.79	(12.02 - 18.08)	8.99	(6.63 - 12.07)
Board 50 and 76	14.09	(11.33 - 17.39)	8.86	(6.63 - 11.76)
Board 57 (Montgomery)	15.16	(12.37 - 18.44)	10.09	(7.56 - 13.34)
Board 77 (Summit)	16.15	(13.14 - 19.69)	10.39	(7.79 - 13.72)
Oklahoma	14.89	(12.97 - 17.04)	10.27	(8.49 - 12.38)
Central	15.06	(11.76 - 19.09)	10.46	(7.47 - 14.45)
East Central	14.52	(11.14 - 18.72)	11.47	(8.15 - 15.91)
Northeast	15.46	(12.35 - 19.19)	9.46	(6.87 - 12.88)
Northwest and Southwest	14.28	(11.19 - 18.06)	9.62	(6.85 - 13.34)
Oklahoma County	14.60	(11.56 - 18.27)	9.56	(6.95 - 13.01)
Southeast	14.83	(11.73 - 18.56)	10.23	(7.32 - 14.13)
Tulsa County	15.52	(12.49 - 19.11)	11.41	(8.37 - 15.36)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)			
	18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	14.61	(12.78 - 16.65)	9.27	(7.67 - 11.16)
Region 1 (Multnomah)	16.53	(13.41 - 20.20)	11.88	(8.88 - 15.72)
Region 2	14.45	(11.59 - 17.87)	8.88	(6.57 - 11.89)
Region 3	13.97	(11.43 - 16.95)	8.56	(6.31 - 11.51)
Region 4	13.83	(10.96 - 17.31)	8.04	(5.67 - 11.27)
Region 5	14.15	(11.04 - 17.96)	9.08	(6.51 - 12.51)
Pennsylvania	13.31	(12.27 - 14.42)	7.36	(6.55 - 8.27)
Region 1 (Allegheny)	13.13	(10.88 - 15.76)	7.27	(5.52 - 9.51)
Regions 2, 3, 8, and 9	14.00	(11.41 - 17.06)	7.36	(5.46 - 9.84)
Regions 4, 11, 42, and 48	14.02	(11.38 - 17.15)	7.54	(5.67 - 9.96)
Regions 5, 20, 26, 28, and 40	13.48	(11.09 - 16.29)	8.67	(6.48 - 11.51)
Regions 6, 12, 16, 35, 39, 41, 44, and 45	13.39	(11.12 - 16.05)	7.45	(5.60 - 9.84)
Regions 7, 13, 22, and 37	13.86	(11.75 - 16.27)	6.13	(4.76 - 7.86)
Regions 10, 14, 15, 25, 31, 36, and 46	13.36	(10.76 - 16.48)	8.84	(6.66 - 11.65)
Regions 17, 24, 27, 43, and 47	13.91	(11.31 - 17.00)	6.63	(5.03 - 8.70)
Region 18 (Philadelphia)	11.76	(9.81 - 14.04)	8.02	(6.20 - 10.30)
Regions 19 and 23	15.13	(12.05 - 18.83)	8.32	(5.92 - 11.56)
Regions 21, 30, 32, and 49	12.89	(10.65 - 15.53)	7.95	(6.18 - 10.16)
Regions 29 and 34	13.54	(10.84 - 16.78)	7.10	(5.20 - 9.64)
Regions 33 and 38	12.73	(10.21 - 15.77)	7.03	(5.11 - 9.60)
Rhode Island	16.32	(14.10 - 18.81)	11.84	(9.72 - 14.34)
Bristol and Newport	17.71	(13.96 - 22.22)	9.24	(6.66 - 12.69)
Kent	17.16	(13.76 - 21.18)	10.84	(7.97 - 14.58)
Providence	15.95	(13.30 - 19.03)	12.91	(10.12 - 16.33)
Washington	16.05	(12.66 - 20.15)	10.94	(7.80 - 15.12)
South Carolina	12.98	(11.20 - 15.00)	8.77	(7.23 - 10.61)
Region 1	14.15	(11.37 - 17.48)	9.09	(6.77 - 12.10)
Region 2	12.73	(10.35 - 15.56)	8.91	(6.80 - 11.60)
Region 3	12.49	(9.77 - 15.84)	8.06	(5.81 - 11.08)
Region 4	12.46	(9.78 - 15.73)	8.78	(6.36 - 12.00)

See notes at end of table.

(continued)

Table 22. *Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs*
(continued)

State/Substate Region	AGE GROUP (Years)			
	18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	13.68	(11.83 - 15.77)	7.25	(5.85 - 8.94)
Eastern Planning Area	13.59	(11.67 - 15.76)	7.19	(5.75 - 8.96)
Region 3 (Minnehaha)	13.37	(10.77 - 16.48)	8.17	(5.98 - 11.05)
Region 4	13.21	(10.39 - 16.66)	7.20	(5.08 - 10.11)
Region 5	13.36	(10.34 - 17.10)	6.29	(4.32 - 9.07)
Region 6	14.33	(11.25 - 18.07)	6.86	(4.81 - 9.70)
Region 7	13.95	(10.94 - 17.62)	6.77	(4.68 - 9.70)
Western Planning Area	13.91	(11.46 - 16.78)	7.37	(5.51 - 9.79)
Region 1 (Pennington)	13.97	(11.04 - 17.53)	7.65	(5.40 - 10.74)
Region 2	13.87	(10.83 - 17.58)	7.18	(5.02 - 10.18)
Tennessee	13.44	(11.65 - 15.46)	8.97	(7.49 - 10.70)
Region 1	13.80	(10.65 - 17.70)	9.31	(6.68 - 12.84)
Region 2	14.36	(11.19 - 18.24)	10.60	(7.98 - 13.95)
Region 3	12.61	(9.82 - 16.05)	8.05	(5.94 - 10.82)
Region 4 (Davidson)	13.97	(11.07 - 17.47)	9.74	(7.09 - 13.24)
Region 5	13.00	(10.24 - 16.37)	8.20	(6.01 - 11.10)
Region 6	13.72	(10.72 - 17.40)	9.70	(6.94 - 13.39)
Region 7 (Shelby)	13.09	(10.29 - 16.52)	7.74	(5.57 - 10.66)
Texas	12.30	(11.30 - 13.39)	8.30	(7.43 - 9.27)
Region 1	13.13	(10.59 - 16.16)	7.75	(5.68 - 10.49)
Region 2	13.66	(10.74 - 17.22)	8.03	(5.88 - 10.88)
Region 3	11.82	(10.30 - 13.52)	8.72	(7.40 - 10.24)
Region 3a	11.30	(9.51 - 13.37)	8.06	(6.53 - 9.93)
Region 3bc	12.78	(10.48 - 15.49)	9.85	(7.69 - 12.53)
Region 4	14.40	(11.64 - 17.69)	8.37	(6.19 - 11.23)
Region 5	13.54	(10.86 - 16.76)	7.97	(5.80 - 10.86)
Region 6	11.75	(10.14 - 13.57)	7.79	(6.42 - 9.43)
Region 6a	11.64	(9.93 - 13.60)	7.85	(6.35 - 9.66)
Region 6bc	12.75	(10.01 - 16.11)	7.34	(5.31 - 10.07)
Region 7	13.97	(12.03 - 16.17)	8.19	(6.60 - 10.11)
Region 7a	14.02	(11.59 - 16.87)	7.85	(5.90 - 10.37)
Region 7bcd	13.90	(11.31 - 16.96)	8.72	(6.50 - 11.60)
Region 8	11.96	(9.66 - 14.72)	8.89	(6.77 - 11.59)
Region 9	13.47	(10.68 - 16.85)	7.86	(5.58 - 10.96)
Region 10	10.37	(8.06 - 13.25)	7.89	(5.65 - 10.92)
Region 11	11.26	(9.46 - 13.35)	8.55	(6.61 - 11.00)
Region 11abd	11.41	(9.20 - 14.09)	8.39	(6.10 - 11.43)
Region 11c (Hidalgo)	10.97	(8.58 - 13.94)	8.90	(6.35 - 12.34)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)			
	18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Utah	15.60	(13.63 - 17.80)	10.74	(9.01 - 12.75)
Bear River, Northeastern, Summit, Tooele, and Wasatch	15.55	(12.20 - 19.62)	9.84	(7.19 - 13.32)
Central, Four Corners, San Juan, and Southwest	15.18	(11.89 - 19.18)	10.33	(7.55 - 13.99)
Davis County	16.13	(12.73 - 20.23)	10.12	(7.31 - 13.86)
Salt Lake County	16.16	(13.42 - 19.33)	11.54	(9.07 - 14.58)
Utah County	14.60	(11.76 - 17.99)	10.12	(7.55 - 13.44)
Weber, Morgan	15.93	(12.43 - 20.18)	10.42	(7.59 - 14.15)
Vermont	13.77	(11.93 - 15.84)	7.89	(6.47 - 9.60)
Champlain Valley	12.90	(10.55 - 15.69)	7.93	(5.97 - 10.47)
Rural Northeast	14.56	(11.72 - 17.97)	8.33	(6.13 - 11.23)
Rural Southeast	14.04	(11.17 - 17.52)	7.06	(5.07 - 9.76)
Rural Southwest	14.96	(11.87 - 18.68)	8.28	(6.00 - 11.32)
Virginia	13.17	(11.40 - 15.16)	7.61	(6.20 - 9.31)
Region 1	13.17	(10.51 - 16.37)	7.80	(5.53 - 10.90)
Region 2	13.47	(10.63 - 16.93)	7.20	(5.24 - 9.82)
Region 3	14.70	(11.64 - 18.39)	8.36	(6.04 - 11.46)
Region 4	12.54	(10.05 - 15.52)	7.70	(5.51 - 10.66)
Region 5	12.17	(9.72 - 15.14)	7.27	(5.22 - 10.04)
Washington	15.08	(13.26 - 17.09)	10.26	(8.59 - 12.21)
Region 1	14.71	(11.67 - 18.36)	9.07	(6.44 - 12.63)
Region 2	13.99	(10.86 - 17.83)	9.62	(6.80 - 13.44)
Region 3	14.75	(11.64 - 18.52)	10.29	(7.52 - 13.92)
Region 4 (King)	16.77	(13.78 - 20.26)	10.45	(7.99 - 13.57)
Region 5	13.88	(10.95 - 17.43)	10.41	(7.73 - 13.88)
Region 6	14.51	(11.50 - 18.13)	10.95	(8.04 - 14.76)
West Virginia	16.12	(14.14 - 18.31)	11.63	(9.68 - 13.92)
Eastern Highland	15.78	(12.77 - 19.34)	10.36	(7.64 - 13.91)
Northern	16.41	(13.67 - 19.58)	10.85	(8.48 - 13.78)
Northern A and B	16.00	(12.50 - 20.26)	10.85	(7.81 - 14.88)
Northern C and D	16.56	(13.38 - 20.32)	10.85	(8.06 - 14.45)
South Central	15.74	(13.40 - 18.42)	12.10	(9.65 - 15.07)
South Central I	16.82	(13.32 - 21.02)	10.35	(7.27 - 14.54)
South Central II	15.61	(12.28 - 19.64)	12.01	(8.66 - 16.43)
South Central III	15.22	(12.08 - 18.99)	13.21	(9.86 - 17.47)
Southern	16.75	(13.81 - 20.17)	13.18	(10.04 - 17.12)
Southern I and III	16.46	(12.99 - 20.62)	13.27	(9.57 - 18.11)
Southern II	17.33	(13.65 - 21.74)	13.01	(9.24 - 18.02)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2002, 2003, and 2004 NSDUHs (continued)

State/Substate Region	AGE GROUP (Years)			
	18-25		26 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	12.42	(10.74 - 14.32)	7.89	(6.53 - 9.52)
Milwaukee	12.62	(9.93 - 15.93)	8.58	(6.22 - 11.72)
Northeastern	12.69	(10.09 - 15.85)	7.71	(5.66 - 10.43)
Northern	12.51	(9.61 - 16.12)	7.67	(5.45 - 10.69)
Southeastern	12.02	(9.40 - 15.25)	7.56	(5.50 - 10.30)
Southern	12.29	(9.82 - 15.29)	8.10	(5.95 - 10.93)
Western	12.40	(9.86 - 15.49)	7.74	(5.50 - 10.78)
Wyoming	15.91	(13.97 - 18.07)	9.28	(7.74 - 11.09)
Judicial District 1 (Laramie)	15.47	(12.32 - 19.25)	8.82	(6.44 - 11.97)
Judicial District 2	16.85	(13.61 - 20.68)	9.82	(7.01 - 13.60)
Judicial District 3	15.63	(12.36 - 19.56)	9.98	(7.38 - 13.36)
Judicial District 4	16.78	(13.16 - 21.16)	9.00	(6.31 - 12.68)
Judicial District 5	15.62	(12.27 - 19.66)	7.62	(5.39 - 10.67)
Judicial District 6	15.85	(12.46 - 19.94)	9.55	(6.87 - 13.15)
Judicial District 7 (Natrona)	15.55	(12.23 - 19.56)	9.58	(6.96 - 13.03)
Judicial District 8	15.63	(12.29 - 19.68)	9.37	(6.56 - 13.22)
Judicial District 9	15.88	(12.36 - 20.16)	9.74	(7.06 - 13.30)

*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) was referred to as Serious Mental Illness (SMI) in prior NSDUH reports.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2002-2004 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, and 2004.