


9/8/05 • ELOCON LOTION IPFC • 2-5/16" x 1-1/4" x 3-5/8"
 RIC #00000000 • PCR #0000 • OUTPUT @ 100% BY gl



PACKAGING COMPONENT APPROVAL

SUBMISSION # **0**

EXAMINE BLACK & WHITE COPY AND ACCOMPANYING COLOR BREAK.

	APPROVED	NOT APPROVED	DATE
DESIGNER _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
COPY EDITOR _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
MEDICAL _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
TRADEMARKS _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
PATENTS _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
PACKAGING _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
SPECIFICATIONS _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
MARKETING _____	<input type="checkbox"/>	<input type="checkbox"/>	_____
REGULATORY _____	<input type="checkbox"/>	<input type="checkbox"/>	_____

ART DUE DATE: _____ INV. LOCATION: _____

SQA:
 APPROVAL VERIFIED: _____ DATE: _____

PANTONE COLORS

BLACK	
PMS 201	
PMS 489	

CODE AREA

LOT
EXP

00000000



Copyright © 1988, 1991, 1992,
Schering Corporation, Kenilworth, NJ 07033
USA. All rights reserved. Rev. 7/03

SCHERING

60 mL (55 g) NDC 0085-0854-02

Elocon[®]
brand of mometasone furoate
Lotion 0.1%

For dermatologic use only.
Not for ophthalmic use.

Rx only



Usual Dose: See package insert.

Each gram contains: 1 mg mometasone furoate, USP in a lotion base of isopropyl alcohol (40%); propylene glycol; hydroxypropyl cellulose; sodium phosphate monobasic monohydrate R; and purified water. May also contain phosphoric acid to adjust the pH to approximately 4.5.

Store at 25°C (77°F); excursions permitted to 15-30°C (59-86°F) [see USP Controlled Room Temperature]

Read accompanying directions carefully.



NO VARNISH

NO INK
CODE AREA
NO VARNISH

LOT & EXP


60 mL (55 g) **Elocon** Lotion 0.1%
brand of mometasone furoate

SCHERING

Usual Dose: See package insert.

Each gram contains: 1 mg mometasone furoate, USP in a lotion base of isopropyl alcohol (40%); propylene glycol; hydroxypropyl cellulose; sodium phosphate monobasic monohydrate R; and purified water. May also contain phosphoric acid to adjust the pH to approximately 4.5. Read accompanying directions carefully.

Store at 25°C (77°F); excursions permitted to 15-30°C (59-86°F) [see USP Controlled Room Temperature]

 Copyright © 1988, 1990, 1994,
Schering Corporation,
Kenilworth, NJ 07033 USA.
All rights reserved.

00000000 Rev. XX/XX

NDC 0085-0854-02

60 mL (55 g)


Elocon[®]
brand of
mometasone furoate
Lotion 0.1%

For dermatologic
use only.

Not for
ophthalmic use.



Rx only



GLUE STRIP



NO VARNISH

DIE 3618

60 mL (55 g)

Elocon[®]
brand of mometasone furoate
Lotion 0.1%

