

Safety Evaluation Report

Related to the License Renewal of the Monticello Nuclear Generating Plant



Docket No. 50-263



Nuclear Management Company, LLC



U.S. Nuclear Regulatory Commission Office of Nuclear Reactor Regulation Washington, DC 20555-0001





AVAILABILITY OF REFERENCE MATERIALS IN NRC PUBLICATIONS

NRC Reference Material

As of November 1999, you may electronically access NUREG-series publications and other NRC records at NRC's Public Electronic Reading Room at http://www.nrc.gov/reading-rm.html.

Publicly released records include, to name a few, NUREG-series publications; Federal Register notices; applicant, licensee, and vendor documents and correspondence; NRC correspondence and internal memoranda; bulletins and information notices; inspection and investigative reports; licensee event reports; and Commission papers and their attachments.

NRC publications in the NUREG series, NRC regulations, and *Title 10, Energy*, in the Code of *Federal Regulations* may also be purchased from one of these two sources.

- The Superintendent of Documents U.S. Government Printing Office Mail Stop SSOP Washington, DC 20402–0001 Internet: bookstore.gpo.gov Telephone: 202-512-1800 Fax: 202-512-2250
- The National Technical Information Service Springfield, VA 22161–0002 www.ntis.gov 1–800–553–6847 or, locally, 703–605–6000

A single copy of each NRC draft report for comment is available free, to the extent of supply, upon written request as follows:

Address: U.S. Nuclear Regulatory Commission

Office of Administration

Mail, Distribution and Messenger Team

Washington, DC 20555-0001

E-mail: DISTRIBUTION@nrc.gov

Facsimile: 301-415-2289

Some publications in the NUREG series that are posted at NRC's Web site address http://www.nrc.gov/reading-rm/doc-collections/nuregs are updated periodically and may differ from the last printed version. Although references to material found on a Web site bear the date the material was accessed, the material available on the date cited may subsequently be removed from the site.

Non-NRC Reference Material

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions, Federal Register notices, Federal and State legislation, and congressional reports. Such documents as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings may be purchased from their sponsoring organization.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at—

The NRC Technical Library Two White Flint North 11545 Rockville Pike Rockville, MD 20852–2738

These standards are available in the library for reference use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from—

American National Standards Institute 11 West 42nd Street New York, NY 10036–8002 www.ansi.org 212–642–4900

Legally binding regulatory requirements are stated only in laws; NRC regulations; licenses, including technical specifications; or orders, not in NUREG-series publications. The views expressed in contractor-prepared publications in this series are not necessarily those of the NRC.

The NUREG series comprises (1) technical and administrative reports and books prepared by the staff (NUREG-XXXX) or agency contractors (NUREG/CR-XXXX), (2) proceedings of conferences (NUREG/CP-XXXX), (3) reports resulting from international agreements (NUREG/IA-XXXX), (4) brochures (NUREG/BR-XXXX), and (5) compilations of legal decisions and orders of the Commission and Atomic and Safety Licensing Boards and of Directors' decisions under Section 2.206 of NRC's regulations (NUREG-0750).

Safety Evaluation Report

Related to the License Renewal of the Monticello Nuclear Generating Plant

Docket No. 50-263

Nuclear Management Company, LLC

Manuscript Completed: October 2006 Date Published: October 2006

Division of License Renewal Office of Nuclear Reactor Regulation U.S. Nuclear Regulatory Commission Washington, DC 20555-0001



·	· ·		
	,		
			,
	•		
	·		

ABSTRACT

This safety evaluation report (SER) documents the technical review of the Monticello Nuclear Generating Plant (MNGP) license renewal application (LRA) by the staff of the U.S. Nuclear Regulatory Commission (NRC or the staff). By letter dated March 16, 2005, Nuclear Management Company, LLC (NMC or the applicant), submitted the LRA for MNGP in accordance with Title 10, Part 54, "Requirements for Renewal of Operating Licenses for Nuclear Power Plants," of the *Code of Federal Regulations* (10 CFR Part 54). NMC is requesting renewal of the operating license for MNGP (Facility Operating License Number DPR-22) for a period of 20 years beyond the current expiration date of midnight September 8, 2010.

MNGP is located approximately 30 miles northwest of Minneapolis, Minnesota. The NRC issued the construction permit for MNGP on June 19, 1967. The NRC issued the operating license for MNGP on January 9, 1981. MNGP is a single-cycle, forced circulation, General Electric BWR-3, a boiling-water reactor producing steam for direct use in a steam turbine. General Electric Corporation supplied the nuclear steam supply system and Bechtel Corporation originally designed and constructed the balance of the plant. MNGP operates at a licensed power output of 1775 megawatt thermal (MWt), with a gross electrical output of approximately 600 megawatt electric (MWe).

The staff reviewed the MNGP LRA in accordance with Commission regulations and NUREG-1800, "Standard Review Plan for Review of License Renewal Applications for Nuclear Power Plants," dated July 2001. Section 6 of this SER provides the staff's conclusion of its review of the MNGP LRA.

The NRC license renewal project manager is Mr. Daniel Merzke. Mr. Merzke may be reached at (301) 415-3777. Written correspondence should be addressed to the Division of License Renewal, Mail Stop O-11F1, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

							•
•	·						·
			•				
	,						
				•		•	
•							
			•				
	<i>:</i>						
					•		
		•					
		•					
		•					
			•				
				•			
			•				
	,						
	•						,
,							
	•						•
•					•		
	•					•	
•							
	4						
					•		
						, , , , , , , , , , , , , , , , , , ,	
·							
•							
						•	
		•					

TABLE OF CONTENTS

Abst	tract	
Tabl	le of Contents	
Abbr	reviations	xi\
	troduction and General Discussion	
	.1 Introduction	
1.	.2 License Renewal Background	
	1.2.1 Safety Review	
4	3 Principal Review Matters	
	.4 Interim Staff Guidance	
	.5 Summary of Open Items	
	6 Summary of Confirmatory Items	
	.7 Summary of Proposed License Conditions	
2 St	tructures and Components Subject to Aging Management Review	2-1
2.	1 Scoping and Screening Methodology	
	2.1.1 Introduction	
	2.1.2 Summary of Technical Information in the Application	
	2.1.2.1 Scoping Methodology	
	2.1.2.2 Screening Methodology	
	2.1.3.1 Scoping Methodology	
	2.1.3.2 Screening Methodology	
	2.1.3.3 QA Controls Applied to LRA Development	
	. 2.1.3.4 Training	
	2.1.4 Conclusion	
2.2	2 Plant-Level Scoping Results	. 2-25
	2.2.1 Introduction	
	2.2.2 Summary of Technical Information in the Application	
	2.2.3 Staff Evaluation	
	2.2.4 Conclusion	
2.0	3 Scoping and Screening Results: Mechanical Systems	
	2.3.1 Reactor Vessel, Internals, and Reactor Coolant System	
	2.3.1.2 Reactor Pressure Vessel	
	2.3.1.3 Reactor Pressure Vessel Internals	2-32
	2.3.1.4 Reactor Recirculation System	
	2.3.1.5 Reactor Vessel Instrumentation	
	2.3.2 Engineered Safety Features	
	2.3.2.1 Automatic Pressure Relief System	
	2.3.2.2 Combustible Gas Control System	2-40
	2.3.2.3 Core Spray System	
	2.3.2.4 High-Pressure Coolant Injection System	2-42

		2.3.2.5 Primary Containment Mechanical System	. 2-43	
		2.3.2.6 Reactor Core Isolation Cooling System	. 2-45	
		2.3.2.7 Residual Heat Removal System	. 2-46	
		2.3.2.8 Secondary Containment System		
	2.3.3	Auxiliary Systems		
		2.3.3.1 Alternate Nitrogen System	2-50	
		2.3.3.2 Chemistry Sampling System	2-51	
		2.3.3.3 Circulating Water System		
		2.3.3.4 Control Rod Drive System	2-54	
		2.3.3.5 Demineralized Water System		
	•			
		2.3.3.6 Emergency Diesel Generators System		
		2.3.3.7 Emergency Filtration Train System		
		2.3.3.8 Emergency Service Water System		
		2.3.3.9 Fire System	. 2-63	
		2.3.3.10 Fuel Pool Cooling and Cleanup System	. 2-71	
		2.3.3.11 Heating and Ventilation System		
		2.3.3.12 Instrument and Service Air System		
		2.3.3.13 Radwaste Solid and Liquid System		
		2.3.3.14 Reactor Building Closed Cooling Water System		
		2.3.3.15 Reactor Water Cleanup System		·
		2.3.3.16 Service and Seal Water System		•
		2.3.3.17 Standby Liquid Control System	. 2-91	
		2.3.3.18 Wells and Domestic Water System	. 2-92	
	2.3.4	Steam and Power Conversion System	. 2-93	
		2.3.4.1 Condensate Storage System	2-93	
		2.3.4.2 Condensate and Feedwater System	. 2-96	
		2.3.4.3 Main Condenser System		
		2.3.4.4 Main Steam System		
		2.3.4.5 Turbine Generator System		
2.4	Scopi	ng and Screening Results: Containments, Structures, and		
'		ponent Supports	2-108	
		Cranes, Heavy Loads, Rigging		
		2.4.1.1 Summary of Technical Information in the Application		
		2.4.1.2 Staff Evaluation		
	•	2.4.1.3 Conclusion		
	242	Diesel Fuel Oil Transfer House		
	2.4.2	2.4.2.1 Summary of Technical Information in the Application		
		2.4.2.2 Staff Evaluation		
		2.4.2.3 Conclusion		
	0.40			
	2.4.3	Emergency Diesel Generator Building		
		2.4.3.1 Summary of Technical Information in the Application		
		2.4.3.2 Staff Evaluation		
		2.4.3.3 Conclusion		
	2.4.4	Emergency Filtration Train Building		
		2.4.4.1 Summary of Technical Information in the Application		
		2.4.4.2 Staff Evaluation		
		2.4.4.3 Conclusion		
	2.4.5	Fire Protection Barriers Commodity Group	2-116	
		2.4.5.1 Summary of Technical Information in the Application	2-116	
		•	-	

•	\cdot
	2.4.5.2 Staff Evaluation
	2.4.5.3 Conclusion
	2.4.6 Hangers and Supports Commodity Group
	2.4.6.1 Summary of Technical Information in the Application 2-118
	2.4.6.2 Staff Evaluation
	2.4.6.3 Conclusion
	2.4.7 HPCI Building
	2.4.7.1 Summary of Technical Information in the Application 2-124
. •	2.4.7.2 Staff Evaluation
	2.4.7.3 Conclusion
	2.4.8 Intake Structure
	2.4.8.1 Summary of Technical Information in the Application 2-125
	2.4.8.2 Staff Evaluation
	2.4.8.3 Conclusion
	2.4.9 Miscellaneous SBO Yard Structures 2-127
	2.4.9.1 Summary of Technical Information in the Application 2-127
	2.4.9.2 Staff Evaluation
	2.4.9.3 Conclusion
•	2.4.10 Offgas Stack
	2.4.10.1 Summary of Technical Information in the Application 2-129
	2.4.10.2 Staff Evaluation
	2.4.10.3 Conclusion
	2.4.11 Offgas Storage and Compressor Building
·	2.4.11.1 Summary of Technical Information in the Application 2-131
	2.4.11.2 Staff Evaluation
	2.4.11.3 Conclusion
	2.4.12 Plant Control and Cable Spreading Structure
	2.4.12.1 Summary of Technical Information in the Application 2-132
	2.4.12.2 Staff Evaluation 2-133
	2.4.12.3 Conclusion
•	2.4.13 Primary Containment
	2.4.13.1 Summary of Technical Information in the Application 2-134
:	2.4.13.2 Staff Evaluation
	2.4.13.3 Conclusion
	2.4.14 Radioactive Waste Building
	2.4.14.1 Summary of Technical Information in the Application 2-138
•	2.4.14.2 Staff Evaluation
-	2.4.14.3 Conclusion
•	2.4.15 Reactor Building
	2.4.15.1 Summary of Technical Information in the Application 2-140
	2.4.15.2 Staff Evaluation
	2.4.15.3 Conclusion 2-142
•	2.4.16 Structures Affecting Safety
	2.4.16.1 Summary of Technical Information in the Application 2-143
	2.4.16.2 Staff Evaluation
	2.4.16.3 Conclusion
	2.4.17 Turbine Building
	2.4.17.1 Summary of Technical Information in the Application 2-144
	2.4.17.2 Staff Evaluation
	vii
,	

			2.4.17.3 Conclusion	
		2.4.1	8 Underground Duct Bank	
			2.4.18.1 Summary of Technical Information in the Application	2-14
			2.4.18.2 Staff Evaluation	2-14
			2.4.18.3 Conclusion	2-14
	2.5	Scopi	ing and Screening Results: Electrical and Instrumentation and	
		Contr	rols	2-14
		251	Electrical and Instrumentation and Controls Systems	2-140
		2.0.1	2.5.1.1 480-V Station Auxiliary	
			2.5.1.2 4.16-kV Station Auxiliary	
			2.5.1.3 Alternate Shutdown	
			2.5.1.4 Annunciators	
			2.5.1.5 Communications	
			2.5.1.6 DC Battery	
			2.5.1.7 Lighting	
			2.5.1.8 Neutron Monitoring	
			2.5.1.9 Offsite Power	
			2.5.1.10 Plant Protection	
			2.5.1.11 Radiation Monitoring	
			2.5.1.12 Reactor Level Control	
			2.5.1.13 Uninterruptible AC	
		2.5.2	Electrical Commodities	2-163
			2.5.2.1 Electrical Penetrations	2-164
	•		2.5.2.2 Fuse Holders	2-165
			2.5.2.3 Non-EQ Cables and Connections	2-166
			2.5.2.4 Offsite Power/SBO Recovery Path	2-167
	2.6	Concl	lusion for Scoping and Screening	
		-		
3	Agin	o Mar	nagement Review Results	. 3-1
_			cant's Use of the Generic Aging Lessons Learned Report	
			Format of the License Renewal Application	
		0.0.1	3.0.1.1 Overview of Table 1	
			3.0.1.2 Overview of Table 2	
		303	Staff's Review Process	
		3.0.2	3.0.2.1 Review of AMPs	
			3.0.2.2 Review of AMR Results	
			3.0.2.3 USAR Supplement	. 3-0
		3.0.3	Aging Management Programs	
			3.0.3.1 AMPs That Are Consistent with the GALL Report	3-10
			3.0.3.2 AMPs That Are Consistent with the GALL Report with	
			Exceptions or Enhancements	3-30
			3.0.3.3 AMPs That Are Not Consistent with or Not Addressed	
			in the GALL Report	3-128
		3.0.4	Quality Assurance Program Attributes Integral to Aging	
			Management Programs	3-139
		•	3.0.4.1 Summary of Technical Information in the Application	3-140
		•	3.0.4.2 Staff Evaluation	
			3.0.4.3 Conclusion	

3.1	Aging	Management of Reactor Coolant System	3-141
	3.1.1	Summary of Technical Information in the Application	3-141
	3.1.2	Staff Evaluation	3-142
		3.1.2.1 AMR Results That Are Consistent with the GALL Report	3-149
•		3.1.2.2 AMR Results That Are Consistent with the GALL Report,	
		for Which Further Evaluation is Recommended	3-153
		3.1.2.3 AMR Results That Are Not Consistent with or Not	
		Addressed in the GALL Report	3-161
	3.1.3	Conclusion	
3.2		Management of Engineered Safety Features	
		Summary of Technical Information in the Application	
		Staff Evaluation	
		3.2.2.1 AMR Results That Are Consistent with the GALL Report	3-170
	•	3.2.2.2 AMR Results That Are Consistent with the GALL Report,	
		for Which Further Evaluation is Recommended	3-172
		3.2.2.3 AMR Results That Are Not Consistent with or Not	
		Addressed in the GALL Report	3-181
	3.2.3	Conclusion	
33		Management of Auxiliary Systems	
0.0		Summary of Technical Information in the Application	
		Staff Evaluation	
	0.0.2	3.3.2.1 AMR Results That Are Consistent with the GALL Report	
		3.3.2.2 AMR Results That Are Consistent with the GALL Report,	0 101
		for Which Further Evaluation is Recommended	3-200
		3.3.2.3 AMR Results That Are Not Consistent with or Not	0 200
		Addressed in the GALL Report	3-211
	333	Conclusion	
3 /		Management of Steam and Power Conversion System	
U. T		Summary of Technical Information in the Application	
		Staff Evaluation	
	3.4.2	3.4.2.1 AMR Results That Are Consistent with the GALL Report	
		3.4.2.2 AMR Results That Are Consistent with the GALL Report,	3-243
		for Which Further Evaluation is Recommended	2 246
		3.4.2.3 AMR Results That Are Not Consistent with or Not	3-240
		Addressed in the GALL Report	2 250
	212	Conclusion	
2 5		Management of Containments, Structures, and Component Supports	3-256
.J.	Aging	•	2.050
	251	Cumpany of Toolphical Information in the Application	
		Summary of Technical Information in the Application	
	3.5.2	Staff Evaluation	
		3.5.2.1 AMR Results That Are Consistent with the GALL Report	3-266
		3.5.2.2 AMR Results That Are Consistent with the GALL Report,	
		for Which Further Evaluation is Recommended	3-268
		3.5.2.3 AMR Results That Are Not Consistent with or Not	
		Addressed in the GALL Report	
		Conclusion	
3.6		Management of Electrical and Instrumentation and Controls	
		Summary of Technical Information in the Application	
	3.6.2	Staff Evaluation	3-306

			3.6.2.1 AMR Results That Are Consistent with the GALL Report 3	308
			3.6.2.2 AMR Results That Are Consistent with the GALL Report,	
			for Which Further Evaluation is Recommended 3	-310
			3.6.2.3 AMR Results That Are Not Consistent with or Not	
			Addressed in the GALL Report	
			3 Conclusion	
	3.7	Conc	clusion for Aging Management Review Results	-320
	T:		thad Astron Applicant	
4			ited Aging Analyses	
	4.1	/ 1 1	Summary of Technical Information in the Application	. 4-1 ./_1
			Staff Evaluation	
			Conclusion	
	4.2		ron Embrittlement of the Reactor Vessel and Internals	
			RPV Materials USE Reduction Due to Neutron Embrittlement	
			4.2.1.1 Summary of Technical Information in the Application	
			4.2.1.2 Staff Evaluation	
	•		4.2.1.3 USAR Supplement	
			4.2.1.4 Conclusion	4-9
		4.2.2	Adjusted Reference Temperature (ART) for RPV Materials Due	
		•	to Neutron Embrittlement	
			4.2.2.1 Summary of Technical Information in the Application	
			4.2.2.2 Staff Evaluation	
			4.2.2.3 USAR Supplement	
		400	4.2.2.4 Conclusion	4-10 4-10
		4.2.3	4.2.3.1 Summary of Technical Information in the Application	4-10 4-10
			4.2.3.2 Staff Evaluation	
			4.2.3.3 USAR Supplement	
			4.2.3.4 Conclusion	
		4.2.4	Reflood Thermal Shock Analysis of the RPV Core Shroud	
			4.2.4.1 Summary of Technical Information in the Application	
			4.2.4.2 Staff Evaluation	
			4.2.4.3 USAR Supplement	
			4.2.4.4 Conclusion	4-13
		4.2.5	RPV Thermal Limit Analysis: Operating Pressure—Temperature	
			Limits	
			4.2.5.1 Summary of Technical Information in the Application	
			4.2.5.2 Staff Evaluation	
			4.2.5.3 USAR Supplement	
		126	RPV Circumferential Weld Examination Relief	+- 14 1 ₋ 15
		4.2.0	4.2.6.1 Summary of Technical Information in the Application	
			4.2.6.2 Staff Evaluation	
			4.2.6.3 USAR Supplement	
			4.2.6.4 Conclusion	
		4.2.7	RPV Axial Weld Failure Probability 4	1-17
			4.2.7.1 Summary of Technical Information in the Application	
				1-17

		4.2.7.3	USAR Supplement	. 4-18
			Conclusion	
4.3	Metal	Fatigue	of the RPV and Internals, and Reactor Coolant Pressure	
	Boun	dary Pipi	ng and Components	4-19
	4.3.1	RPV Fa	ıtigue Analyses	4-19
			Summary of Technical Information in the Application	
		4.3.1.2	Staff Evaluation	4-19
		4.3.1.3	USAR Supplement	4-20
			Conclusion	
	4.3.2		Analysis of RPV Internals	
			Summary of Technical Information in the Application	
			Staff Evaluation	
			USAR Supplement	
			Conclusion	
	4.3.3	ASME S	Section III Class 1 Reactor Coolant Pressure Boundary	
			Piping and Fatigue Analysis	4-22
			Summary of Technical Information in the Application	
	÷		Staff Evaluation	
		4.3.3.3	USAR Supplement	4-23
		4.3.3.4	Conclusion	4-24
	4.3.4		Section III Class 2 and 3, Piping and Components	
			Summary of Technical Information in the Application	
			Staff Evaluation	
		4.3.4.3	USAR Supplement	4-25
		4.3.4.4	Conclusion	4-25
4.4	Irradia	ation-Ass	isted Stress-Corrosion Cracking (IASCC)	4-25
			ry of Technical Information in the Application	
	4.4.2	Staff Eva	aluation	4-25
			Supplement	
	4.4.4	Conclus	ion	4-27
4.5	Effect	s of Read	ctor Coolant Environment	4-27
	4.5.1	Summar	ry of Technical Information in the Application	4-27
	4.5.2	Staff Eva	aluation	4-28
	4.5.3	USAR S	Supplement	4-30
			ion	4-30
4.6			ses of the Primary Containment, Attached Piping, and	
	Comp	onents		4-30
	4.6.1		Analysis of the Suppression Chamber, Vents, and	
	•		mers	
		4.6.1.1	Summary of Technical Information in the Application	4-31
		4.6.1.2	Staff Evaluation	4-31
		4.6.1.3	USAR Supplement	4-31
		4.6.1.4	Conclusion	4-31
	4.6.2	Fatigue /	Analysis of the SRV Piping Inside the Suppression	
			er and Internal Structures	
		4.6.2.1	Summary of Technical Information in the Application	4-32
			Staff Evaluation	
			USAR Supplement	
		4.6.2.4	Conclusion	4-33

	4.6.3	Fatigue Analysis of Suppression Chamber External Piping and Penetrations	
		4.6.3.1 Summary of Technical Information in the Application	
		4.6.3.2 Staff Evaluation	
		4.6.3.3 USAR Supplement	
		4.6.3.4 Conclusion	4-34
	4.6.4	Drywell-to-Suppression Chamber Vent Line Bellows Fatigue	
		Analysis	4-34
		4.6.4.1 Summary of Technical Information in the Application	
		4.6.4.2 Staff Evaluation	
		4.6.4.3 USAR Supplement	
		4.6.4.4 Conclusion	4-35
	4.6.5	Primary Containment Process Penetration Bellows Fatigue	
		Analysis	4-35
		4.6.5.1 Summary of Technical Information in the Application	
		4.6.5.2 Staff Evaluation	
		4.6.5.3 USAR Supplement	
		4.6.5.4 Conclusion	
4.7		onmental Qualification of Electrical Equipment (EQ)	
		Summary of Technical Information in the Application	
		Staff Evaluation	
		USAR Supplement	
		Conclusion	
4.8		Relaxation of Rim Holddown Bolts	
		Summary of Technical Information in the Application	
		Staff Evaluation	
		USAR Supplement	
		Conclusion	
4.9		or Building Crane Load Cycles	
		Summary of Technical Information in the Application	
		Staff Evaluation	
		USAR Supplement	
		Conclusion	
4.10	_	ue Analyses of HPCI and RCIC Turbine Exhaust Penetrations	
		Summary of Technical Information in the Application	
		2 Staff Evaluation	
	4.10.3	B USAR Supplement	4-46
		Conclusion	
4.11	Conc	clusion for Time-Limited Aging Analyses	4-46
Revi	ew by	the Advisory Committee on Reactor Safeguards	5-1
•	_		
Conc	clusion	·	6-1

5

Appendices

Appendix A:	Commitments for License Renewal
Appendix B:	Chronology
Appendix C:	Principal Contributors
Appendix D:	References
·	Tables
Table 3.0.3-1	MNGP's Aging Management Programs
	Staff Evaluation for Reactor Coolant System Components in the GALL
	Staff Evaluation for Engineered Safety Features Components in the
Table 3.3-1	Staff Evaluation for Auxiliary Systems Components in the GALL Report 3-192
	Staff Evaluation for Steam and Power Conversion System Components Report
	Staff Evaluation for Containments, Structures, and Component Supports in the
	Staff Evaluation for Electrical and Instrumentation and Controls in the GALL Report
Table 4.2.1-1	Reactor Vessel Upper Shelf Energy Analysis Summary 4-8
Table 4.2.6-1	Effects of Irradiation on RPV Circumferential Weld Properties for MNGP 4-16
Table 4.2.7-1	Effects of Irradiation on RPV Axial Weld Properties for MNGP 4-18

ABBREVIATIONS

AC alternating current

ACI American Concrete Institute

ACRS Advisory Committee on Reactor Safeguards

ADAMS Agencywide Document Access and Management System

ADS automatic depressurization system AERM aging effect requiring management

AFW auxiliary feedwater

AIR instrument and service air
AMAs aging management activities
AMG aging management guideline
AMP aging management program
AMR aging management review
AN2 alternate nitrogen system

ANSI American National Standards Institute

APR automatic pressure relief
APRM average power range monitor

AR action request

ARM area radiation monitor

ART adjusted reference temperature
ASA American Standards Association

ASD alternate shutdown

ASME American Society of Mechanical Engineers
ASTM American Society for Testing and Materials

ATWS anticipated transient without scram AWI administrative work instruction

B&W Babcock and Wilcox BWR boiling-water reactor

BWROG Boiling Water Reactor Owners Group

BWRVIP Boiling Water Reactor Vessel and Internals Project

CAP Corrective Action Program
CASS cast austenitic stainless steel
CB&I Chicago Bridge & Iron
CCCW closed-cycle cooling water

CCW closed cooling water or component cooling water

CDR main condenser

CE Combustion Engineering
CFR Code of Federal Regulations
CFW condensate and feedwater
CGC combustible gas control

CI confirmatory item
CLB current licensing basis

CMAA Crahe Manufacturers Association of America

CR condition report

CRD control rod drive

CRDA control rod drop accident CRDM control rod drive mechanism

CRGT control rod guide tube containment spray

CSP core spray

CST condensate storage tank
CUF cumulative usage factor

CVCS chemical and volume control system

CW circulating water

DBA design-basis accident
DBD design-basis document
DBE design-basis event
DC direct current
DG diesel generator
DGN EDG system

DOE Department of Energy

DOL diesel oil

DWS demineralized water system

ECCS emergency core cooling system
ECP electrochemical potential
EDG emergency diesel generator
EFB emergency filtration train building

EFPY effective full-power years
EFT emergency filtration train
equivalent margin analysis

EOCI Electric Overhead Crane Institute

EOL end of license

EPRI Electric Power Research Institute

EQ environmental qualification ESF engineered safety feature ESW emergency service water

FAC flow-accelerated corrosion

FERC Federal Energy Commission, U.S.

F_{en} environmental fatigue factor

FHA fire hazards analysis

FIR fire system FP fire protection

FPC fuel pool cooling and cleanup

FR Federal Register

ft-lb foot-pound

FPP fire protection plan

FSAR final safety analysis report FSD functional system description

FW feedwater

GALL generic aging lessons learned

GE General Electric

GEIS Generic Environmental Impact Statement

GL generic letter

GSI generic safety issue

HCU hydraulic accumulator HELB high-energy line break

HP horsepower

HE/ME high energy/moderate energy HEPA high efficiency particulate filter

HGR hangers and supports

HJTC heated junction thermocouple

HPB HPCI building

HPC high pressure coolant injection HPCI high-pressure coolant injection

HTV heating and ventilation

HVAC heating, ventilation, and air conditioning

HWC hydrogen water chemistry

I&C instrumentation and controls

IASCC irradiation assisted stress-corrosion cracking

ID inside diameter

IEB Inspection and Enforcement Bulletin

IEEE Institute of Electrical and Electronics Engineers

IF intended function IGA intergranular attack

IGSCC intergranular stress-corrosion cracking

IN information notice

INPO Institute of Nuclear Power Operations

IPA integrated plant assessment

IR insulation resistance

IRM intermediate range monitor ISA Instrument Society of America

ISG interim staff guidance ISI inservice inspection

ISP Integrated Surveillance Program

IWB requirements for Class 1 components of light-water cooled power plants requirements for Class 2 components of light-water cooled power plants requirements for Class 3 components of light-water cooled power plants IWE requirements for Class MC and metallic liners of Class CC components of

light-water cooled power plants

IWF requirements for Class 1, 2, 3, and MC component supports of light-water cooled

power plants

IWL requirements for Class CC concrete components of light-water cooled power

plants

ksi one KIP per square inch, 1000 psi

ksi-in^{1/2} kilopound per square inch times square root of inches

kV 1000 volts or 1 kilovolt

lb/ft² pound(s) per square foot LIS Licensing Information Service

LLC limited liability company

LO lubricating oil
LLRT local leak-rate test
LOCA loss-of-coolant accident
LOOP loss of offsite power

· LP low pressure

LPCI low-pressure coolant injection LPRM local power range monitor

LR license renewal

LRA license renewal application

MCC motor control center MCR main control room

MEAP material, environment, aging effects, and aging management program

MeV million electron volts

MIC microbiologically influenced corrosion MNGP Monticello Nuclear Generating Plant

MOD motor-operated disconnect

MR maintenance rule

MSIV main steam isolation valve

MST main steam MTEB NOT DEFINED

MUD makeup demineralizer
MVP mechanical vacuum pump

MW megawatts

MWe megawatt electric MWh megawatt hour MWt megawatt thermal

n/cm² neutrons per square centimeter
NDE nondestructive examination
NEI Nuclear Energy Institute

NEPA National Environmental Policy Act of 1969
NFPA National Fire Protection Association

NFPA National Fire Protection Association NMC Nuclear Management Company, LLC

NMS neutron monitoring system

NPS nominal pipe size

NRC U.S. Nuclear Regulatory Commission

NSR nonsafety-related

NSSS nuclear steam supply system

NUMARC Nuclear Utility Management and Resource Council NUREG designation of publication prepared by NRC staff

OBE operating-basis earthquake

OCCW open-cycle cooling water program

ODSCC outside-diameter stress-corrosion cracking

OE operating experience

OGB off gas storage and compressor building

OGS off gas stack
OI open item

P&ID piping and instrumentation diagram

PA public address system
PAB plant administration building
PASS post-accident sampling system
PBD program-basis document
PBX private branch exchange

PCIS primary containment isolation system PCM primary containment mechanical

PCS process computer system PCT primary containment

pH concentration of hydrogen ions

PM preventive maintenance

ppb parts per billion ppm parts per million

PPS plant protection system
PRM process radiation monitor
psi pounds per square inch

psig pounds per square inch gauge

P-T pressure temperature PT penetrant testing

PVC polyvinyl chloride (plastic)
PWR pressurized-water reactor

PWSCC primary water stress-corrosion cracking

QA quality assurance QC quality control Q-List quality list

RAD radwaste solid and liquid

RAI request for additional information RBC reactor building closed cooling water

RBM rod block monitor

RCI reactor core isolation cooling RCIC reactor core isolation cooling

RCP reactor coolant pump

RCPB reactor coolant pressure boundary

RCS reactor coolant system
REC reactor recirculation
RG regulatory guide
RHR residual heat removal

RI-ISI risk-informed inservice inspection

RIT reactor internals

RLC reactor level control

RPV reactor pressure vessel

RSW residual heat removal service water

RT_{NOT} reference temperature nil ductility transition

RVI reactor vessel instrumentation RVID Reactor Vessel Integrity Database

RWB radioactive waste building RWC reactor water cleanup

SBO station blackout

SC structure and component

SCBA self-contained breathing apparatus

SCC stress-corrosion cracking SCT secondary containment SE safety evaluation

SER safety evaluation report

SFP spent fuel pool safety injection

SIL service information letter SJAE steam jet air ejector SLC standby liquid control SMAW shield metal arc weld

SOER significant operating event report SPC steam and power conversion SPDS safety parameter display system

SR safety-related

SRM source range monitor SRP Standard Review Plan

SRP-LR Standard Review Plan for Review of License Renewal Applications for Nuclear

Power Plants

SRV safety relief valve

SSC system, structure, or component

SSW service & seal water

SW service water

TAC technical assignment control (internal NRC work management tool)

TAP torus attached piping

TASCS thermal stratification, cycling, and striping transgranular stress-corrosion cracking

TLAA time-limited aging analysis

TR topical report

TS technical specification thermal transient

UAC uninterruptible alternating current

µm micrometer

UDB underground duct bank
UPS uninterruptible power supply

USAR Updated Safety Analysis Report USAS United States of America Standards

USE upper-shelf energy
UT ultrasonic testing
UV ultraviolet

VAC volts-alternating current
VDC volts-direct current
VT visual examination

WDW well and domestic water

WO work order

XLPE cross-linked polyethylene