

Cloning and Expression Optimization Group

Available vectors and E. coli expression strains

| Plasmid | System | Promoter | N-Tag | C-Tag | Resist | Comments |
|----------|--------|----------|---------|---------|---------|------------------------|
| pDest-1 | coli | Trc | ---- | ---- | Amp | |
| pDest-2 | coli | Trc | His6 | ---- | Amp | |
| pDest-3 | coli | Trc | GST | ---- | Amp | |
| pDest-4 | coli | Trc | Trx | ---- | Amp | |
| pDest-5 | coli | lac | ---- | ---- | Amp | |
| pDest-6 | coli | lac | ---- | ---- | Amp | |
| pDest-8 | insect | polyhed | ---- | ---- | Amp/Gen | |
| pDest-10 | insect | polyhed | His6 | ---- | Amp/Gen | |
| pDest-13 | coli | lambda | ---- | ---- | Amp | |
| pDest-14 | coli | T7 | ---- | ---- | Amp | |
| pDest-15 | coli | T7 | GST | ---- | Amp | |
| pDest-17 | coli | T7 | His6 | ---- | Amp | |
| pDest-18 | insect | p10 | ---- | ---- | Amp/Gen | |
| pDest-19 | insect | p39k | ---- | ---- | Amp/Gen | |
| pDest-20 | insect | polyhed | GST | ---- | Amp | |
| pDest-23 | coli | T7 | ---- | His6 | Amp | |
| pDest-24 | coli | T7 | ---- | GST | Amp | |
| pDest-26 | mammal | CMV | His6 | ---- | Amp | |
| pDest-27 | mammal | CMV | GST | ---- | Amp | |
| pDest-30 | mammal | CMV-Tet | ---- | ---- | Amp | pTRex-Dest30 |
| pDest-31 | mammal | CMV-Tet | His6 | ---- | Amp | pTRex-Dest31 |
| pDest-32 | yeast | GAL4 | GAL4 BD | ---- | Gen | |
| pDest-38 | insect | actin | ---- | ---- | Amp | Express Insect |
| pDest-39 | insect | actin | His6 | ---- | Amp | Express Insect |
| pDest-40 | mammal | CMV | ---- | V5-His6 | Amp | pcDNA-Dest40 |
| pDest-42 | coli | T7 | ---- | V5-His6 | Amp | |
| pDest-47 | mammal | CMV | ---- | GFP | Amp | pcDNA-Dest47 |
| pDest-48 | insect | MT | ---- | V5-His6 | Amp | DES, non-viral, pMT-48 |
| pDest-49 | coli | BAD | Trx | His6 | Amp | |
| pDest-50 | coli | BAD | ---- | His6 | Amp | |
| pDest-51 | mammal | EF-1a | ---- | V5-His6 | Amp | pEF-Dest51 |
| pDest-52 | yeast | GAL4 | ---- | V5-His6 | | pYes-Dest52 |
| pDest-53 | mammal | CMV | GFP | ---- | Amp | pcDNA-Dest53 |

| | | | | | | |
|-----------|------------|-----|--------|-------|-----|--------------------------|
| pDest-444 | coli | T7 | ----- | ----- | Amp | Fire RNAi vector (ref 1) |
| pDest-472 | mammal | CMV | ----- | eGFP | Amp | |
| pDest-473 | mammal | CMV | ----- | ----- | Amp | IRES sequence |
| pDest-474 | mammal | CMV | ----- | myc | Amp | based on pDest-472 |
| pDest-475 | mammal | CMV | HA | myc | Amp | based on pDest-472 |
| pDest-501 | mammal | CMV | eCFP | ----- | Amp | Wiemann pdECFP (ref 4) |
| pDest-502 | mammal | CMV | ----- | eYFP | Gen | Wiemann pdEYFP (ref 4) |
| pDest-503 | mammal | CMV | ----- | eCFP | Amp | zeocin resistance |
| pDest-504 | mammal | CMV | ----- | eYFP | Amp | neomycin resistance |
| pDest-507 | retrovirus | LTR | ----- | ----- | Amp | Loftus RCAS (ref 5) |
| pDest-508 | retrovirus | LTR | HA | ----- | Amp | Loftus RCAS (ref 5) |
| pDest-509 | retrovirus | LTR | ----- | HA | Amp | Loftus RCAS (ref 5) |
| pDest-510 | mammal | CMV | ----- | FLAG | Amp | based on pDest47 |
| pDest-511 | mammal | CMV | c-src | GFP | Amp | based on pDest472 |
| pDest-512 | mammal | CMV | Lck | GFP | Amp | based on pDest472 |
| pDest-513 | mammal | CMV | LAT | GFP | Amp | based on pDest472 |
| pDest-514 | mammal | CMV | LAT-S | GFP | Amp | based on pDest472 |
| pDest-515 | mammal | CMV | FLAG | ----- | Amp | |
| pDest-516 | mammal | CMV | Lck-HA | ----- | Amp | based on pDest512 |
| pDest-517 | coli | T7 | His6 | ----- | Amp | high copy, no lacI |
| pDest-518 | mammal | CMV | Lck-V5 | ----- | Amp | based on pDest512 |

| | | | | | | |
|-----------|--------|-----|----------|----------|-----|-----------------------|
| pDest-519 | mammal | CMV | Lck-FLAG | ----- | Amp | based on pDest512 |
| pDest-520 | mammal | CMV | ----- | HA | Amp | based on pDest47 |
| pDest-522 | mammal | CMV | Lck | HA | Amp | based on pDest512 |
| pDest-523 | coli | T7 | T7 | His6 | Amp | based on pET23a |
| pDest-524 | coli | T7 | T7 | ----- | Amp | based on pET23a |
| pDest-527 | coli | T7 | His6 | ----- | Amp | |
| pDest-528 | coli | T7 | His9 | ----- | Amp | |
| pDest-530 | mammal | CMV | ----- | myc | Amp | based on pDest47 |
| pDest-531 | coli | T7 | KSI | ----- | Amp | based on pET31b |
| pDest-532 | coli | T7 | GB1 | ----- | Amp | based on pGB1 (ref 2) |
| pDest-533 | coli | T7 | His6-KSI | ----- | Amp | based on pDest-531 |
| pDest-534 | coli | T7 | S | ----- | Amp | |
| pDest-535 | coli | T7 | CBP | ----- | Amp | |
| pDest-537 | coli | T7 | His6 | ----- | Amp | |
| pDest-543 | coli | T7 | Nus | ----- | Amp | based on pET43.1 |
| pDest-544 | coli | T7 | H6-Nus | ----- | Amp | |
| pDest-545 | coli | T7 | H9-Nus | ----- | Amp | |
| pDest-546 | coli | T7 | H6-Trx | ----- | Amp | |
| pDest-547 | coli | T7 | ----- | eGFP | Amp | |
| pDest-548 | coli | T7 | ----- | tev-eGFP | Amp | |
| pDest-549 | coli | T7 | ----- | tev-GFP | Amp | |

| | | | | | | |
|-----------|--------|---------|----------|-------|---------|----------------------|
| pDest-550 | coli | T7 | ----- | His6 | Amp | |
| pDest-551 | coli | T7 | ----- | His9 | Amp | |
| pDest-552 | coli | T7 | ----- | His12 | Amp | |
| pDest-553 | coli | T7 | ----- | FLAG | Amp | |
| pDest-564 | coli | T7 | ----- | ----- | Amp | high copy, no lacI |
| pDest-565 | coli | T7 | His6-GST | ----- | Amp | |
| pDest-566 | coli | T7 | His6-MBP | ----- | Amp | |
| pDest-567 | coli | T7 | MBP-His6 | ----- | Amp | |
| pDest-568 | coli | T7 | DsbC | ----- | Amp | |
| pDest-569 | coli | T7 | BAP | ----- | Amp | |
| pDest-570 | insect | polyhed | ----- | ----- | Amp/Gen | coexpresses eGFP |
| pDest-571 | coli | T7 | CAT | ----- | Amp | |
| pDest-574 | coli | T7 | H6-Nus | ----- | Amp | |
| pDest-575 | coli | Tac | GST-thrm | ----- | Amp | |
| pDest-576 | coli | T7 | His6-MBP | ----- | Amp | high copy, no lacI |
| pDest-577 | coli | T7 | DsbC | ----- | Amp | high copy, no lacI |
| pDest-578 | coli | T7 | Skp | ----- | Amp | high copy, no lacI |
| pDest-579 | coli | T7 | Skp | ----- | Amp | |
| pDest-591 | coli | T7 | CAT | ----- | Amp | |
| pDest-596 | coli | Trc | MBP | ----- | Amp | Waugh pKM596 (ref 3) |
| pDest-597 | coli | T7 | MBP-His6 | ----- | Amp | |

| | | | | | | |
|-----------|------------|---------|----------|-------|---------|-------------------|
| pDest-598 | coli | Tac | MBP-His6 | ----- | Amp | based on pLM1001 |
| pDest-601 | insect | polyhed | ----- | ----- | Amp/Gen | p10-GFP dual |
| pDest-603 | insect | polyhed | H6-GST | ----- | Amp/Gen | p10-GFP dual |
| pDest-604 | insect | polyhed | H6-Trx | ----- | Amp/Gen | p10-GFP dual |
| pDest-605 | insect | polyhed | His6 | ----- | Amp/Gen | p10-GFP dual |
| pDest-611 | insect | polyhed | ----- | ----- | Amp/Gen | |
| pDest-621 | insect | basic | ----- | ----- | Amp/Gen | |
| pDest-631 | insect | p10 | ----- | ----- | Amp/Gen | |
| pDest-680 | adenovirus | | ----- | ----- | Amp | based on pAdLox |
| pDest-700 | mammal | CMV | ----- | ----- | Amp | |
| pDest-701 | mammal | CMV | myc | ----- | Amp | |
| pDest-710 | mammal | CMV | ----- | ----- | Amp | from pcDNA/FRT/TO |
| pDest-711 | mammal | CMV | HA | ----- | Amp | from pcDNA/FRT/TO |
| pDest-730 | mammal | CMV-Tet | ----- | ----- | Amp | |
| pDest-731 | mammal | CMV-Tet | ----- | eGFP | Amp | |
| pDest-901 | yeast | GAL4 | GAL4 AD | ----- | Amp | |
| pDest-902 | yeast | GAL4 | GAL4 BD | ----- | Chl | |

References

1. Timmons L, Fire A. Specific interference by ingested dsRNA. *Nature*. 1998 Oct 29;395(6705):854
2. Hammarström, M, Hellgren, N, van den Berg, S, Berglund, H, and Härd, T. Rapid screening for improved solubility of small human proteins produced as fusion

- proteins in *Escherichia coli*. *Protein Science* (2002), 11:313-321 pGB! was a generous gift of Dr. Kevin H. Gardner..
3. Kapust RB, Waugh DS. *Escherichia coli* maltose-binding protein is uncommonly effective at promoting the solubility of polypeptides to which it is fused. *Protein Sci* 1999 Aug;8(8):1668-74
 4. Simpson JC, Wellenreuther R, Poustka A, Pepperkok R, Wiemann S. Systematic subcellular localization of novel proteins identified by large-scale cDNA sequencing. *EMBO Rep* 2000 Sep;1(3):287-92
 5. Loftus SK, Larson DM, Watkins-Chow D, Church DM, Pavan WJ. Generation of RCAS vectors useful for functional genomic analyses. *DNA Res* 2001; 8:221-6
 6. Hardy,S., Kitamura,M., Harris-Stansil,T., Dai,Y. and Phipps,M.L. Construction of adenovirus vectors through Cre-lox recombination. *J. Virol.* 71 (3), 1842-1849 (1997)
 7. pLM1001 was a generous gift of Dr. James C. Hu.