

June 5, 2002

Mr. J. A. Stall
Senior Vice President, Nuclear and
Chief Nuclear Officer
Florida Power and Light Company
P.O. Box 14000
Juno Beach, Florida 33408-0420

SUBJECT: TURKEY POINT PLANT, UNITS 3 AND 4 — 15-DAY RESPONSE TO
BULLETIN 2002-01, "REACTOR PRESSURE VESSEL HEAD DEGRADATION
AND REACTOR COOLANT PRESSURE BOUNDARY INTEGRITY,"
(TAC NOS. MB4586 AND MB4587)

Dear Mr. Stall:

On March 18, 2002, the staff issued U.S. Nuclear Regulatory Commission (NRC) Bulletin 2002-01, "Reactor Pressure Vessel Head Degradation and Reactor Coolant Pressure Boundary Integrity," to the industry. The Bulletin requested that addressees provide information related to the structural integrity of the reactor coolant pressure boundary, including the reactor pressure vessel head, and the extent to which inspections have been undertaken to satisfy applicable regulatory requirements. Bulletin 2002-01 also required licensees to provide the basis for concluding that plans for future inspections of the reactor coolant pressure boundary will satisfy applicable regulatory requirements at their respective pressurized water reactor plants. All addressees were requested to respond to Items 1.A. through E. within 15 days of the Bulletin's issuance, or to provide a written response to the NRC in accordance with the provisions of Title 10, *Code of Federal Regulations*, Section 50.54(f) if they were unable to provide the information or could not meet the requested completion dates.

Your letter of April 2, 2002, provided your 15-day Bulletin response to the NRC. The staff finds that you have supplied the requested information, and concludes that your plant does not appear to have conditions similar to those which led to the degradation at Davis-Besse. However, the staff may issue questions to confirm or verify the information that was provided in your 15-day response to Bulletin 2002-01. We will complete a full review of your response to Bulletin 2002-01 after we review your response to Items 2 and 3 of the Bulletin.

Sincerely,

/RA/

Eva A. Brown, Project Manager, Section 2
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-250
and 50-251

cc: See next page

June 5, 2002

Mr. J. A. Stall
Senior Vice President, Nuclear and
Chief Nuclear Officer
Florida Power and Light Company
P.O. Box 14000
Juno Beach, Florida 33408-0420

SUBJECT: TURKEY POINT PLANT, UNITS 3 AND 4 — 15-DAY RESPONSE TO
BULLETIN 2002-01, "REACTOR PRESSURE VESSEL HEAD DEGRADATION
AND REACTOR COOLANT PRESSURE BOUNDARY INTEGRITY,"
(TAC NOS. MB4586 AND MB4587)

Dear Mr. Stall:

On March 18, 2002, the staff issued U.S. Nuclear Regulatory Commission (NRC) Bulletin 2002-01, "Reactor Pressure Vessel Head Degradation and Reactor Coolant Pressure Boundary Integrity," to the industry. The Bulletin requested that addressees provide information related to the structural integrity of the reactor coolant pressure boundary, including the reactor pressure vessel head, and the extent to which inspections have been undertaken to satisfy applicable regulatory requirements. Bulletin 2002-01 also required licensees to provide the basis for concluding that plans for future inspections of the reactor coolant pressure boundary will satisfy applicable regulatory requirements at their respective pressurized water reactor plants. All addressees were requested to respond to Items 1.A. through E. within 15 days of the Bulletin's issuance, or to provide a written response to the NRC in accordance with the provisions of Title 10, *Code of Federal Regulations*, Section 50.54(f) if they were unable to provide the information or could not meet the requested completion dates.

Your letter of April 2, 2002, provided your 15-day Bulletin response to the NRC. The staff finds that you have supplied the requested information, and concludes that your plant does not appear to have conditions similar to those which led to the degradation at Davis-Besse. However, the staff may issue questions to confirm or verify the information that was provided in your 15-day response to Bulletin 2002-01. We will complete a full review of your response to Bulletin 2002-01 after we review your response to Items 2 and 3 of the Bulletin.

Sincerely,
/RA/
Eva A. Brown, Project Manager, Section 2
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-250
and 50-251

cc: See next page

DISTRIBUTION: EBrown BClayton(hard copy)
PUBLIC KJabbour OGC HBerkow WBateman
PDII-2 R/F BMoroney ACRS ALee SCoffin
EMCB R/F SBloom RMusser(RII)

ACCESSION NO. ML021560568

OFFICE	PDII-2/PM	PDII-2/LA	EMCB	PDII-2/SC(A)
NAME	EBrown	BClayton	SBloom	KJabbour
DATE	6\03\02	6\03\02	6\04\02	6\04\02

OFFICIAL RECORD COPY

Mr. J. A. Stall
Florida Power and Light Company

TURKEY POINT PLANT

cc:

M. S. Ross, Attorney
Florida Power & Light Company
P.O. Box 14000
Juno Beach, FL 33408-0420

Attorney General
Department of Legal Affairs
The Capitol
Tallahassee, Florida 32304

Mr. John P. McElwain, Site Vice President
Turkey Point Nuclear Plant
Florida Power and Light Company
9760 SW. 344th Street
Florida City, FL 33035

T. O. Jones, Plant General Manager
Turkey Point Nuclear Plant
Florida Power and Light Company
9760 SW. 344th Street
Florida City, FL 33035

County Manager
Miami-Dade County
111 NW 1 Street, 29th Floor
Miami, Florida 33128

Walter Parker
Licensing Manager
Turkey Point Nuclear Plant
9760 SW 344th Street
Florida City, FL 33035

Senior Resident Inspector
Turkey Point Nuclear Plant
U.S. Nuclear Regulatory Commission
9762 SW. 344th Street
Florida City, Florida 33035

Mr. Don Mothena
Manager, Nuclear Plant Support Services
P.O. Box 14000
Juno Beach, FL 33408-0420

Mr. William A. Passetti, Chief
Department of Health
Bureau of Radiation Control
2020 Capital Circle, SE, Bin #C21
Tallahassee, Florida 32399-1741

Mr. Rajiv S. Kundalkar
Vice President - Nuclear Engineering
Florida Power & Light Company
P.O. Box 14000
Juno Beach, FL 33408-0420

Mr. Craig Fugate, Director
Division of Emergency Preparedness
Department of Community Affairs
2740 Centerview Drive
Tallahassee, Florida 32399-2100