

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 72

National Average: 43

2x National Average: 86

National Median: 21

Average for Selected Dockets: 72

Facility Name: Dresden 2 Docket (050- 00237)

Details	Department	Work Type	Docket/Report
Human-System Interface and Environm / IR			
73 - Excessive Noise	M - Mechanical	H - Health Physics	050-00237/2004-006
Number of Items for this Docket: 1			
Percent of Total for this Docket: 1			
Management and Supervision / IR			
36 - Scheduling and planning LTA	H - Health Physics	H - Health Physics	050-00237/2004-006
40 - Individual Corrective Action LTA	E - Electrical	D - Emergency Drill	050-00237/2004-002
40 - Individual Corrective Action LTA	E - Electrical	M - Maint / Repair	050-00237/2004-002
40 - Individual Corrective Action LTA	E - Electrical	M - Maint / Repair	050-00237/2004-003
40 - Individual Corrective Action LTA	G - Engineering	A - Administrative	050-00237/2004-003
40 - Individual Corrective Action LTA	G - Engineering	M - Maint / Repair	050-00237/2004-003
40 - Individual Corrective Action LTA	G - Engineering	M - Maint / Repair	050-00237/2004-003
40 - Individual Corrective Action LTA	G - Engineering	M - Maint / Repair	050-00237/2004-003
40 - Individual Corrective Action LTA	G - Engineering	M - Maint / Repair	050-00237/2004-003
40 - Individual Corrective Action LTA	G - Engineering	S - Surveillance	050-00237/2004-010
40 - Individual Corrective Action LTA	G - Engineering	V - Troubleshooting	050-00237/2004-002
40 - Individual Corrective Action LTA	I - Instrumentation & Control	M - Maint / Repair	050-00237/2004-003
40 - Individual Corrective Action LTA	M - Mechanical	D - Emergency Drill	050-00237/2004-002
40 - Individual Corrective Action LTA	M - Mechanical	M - Maint / Repair	050-00237/2004-002
40 - Individual Corrective Action LTA	O - Operations	M - Maint / Repair	050-00237/2004-003
40 - Individual Corrective Action LTA	O - Operations	O - Control Room Ops	050-00237/2004-003
40 - Individual Corrective Action LTA	O - Operations	O - Control Room Ops	050-00237/2004-003
40 - Individual Corrective Action LTA	T - Training	O - Control Room Ops	050-00237/2004-002
43 - Operating Experience Review LTA	G - Engineering	V - Troubleshooting	050-00237/2003-011
47 - Root Cause LTA	G - Engineering	M - Maint / Repair	050-00237/2004-006
47 - Root Cause LTA	G - Engineering	V - Troubleshooting	050-00237/2003-011
47 - Root Cause LTA	G - Engineering	V - Troubleshooting	050-00237/2004-002
47 - Root Cause LTA	O - Operations	B - Bal of Plant Ops	050-00237/2004-003
48 - Audits or problem identification LTA	G - Engineering	G - Design	050-00237/2004-012
48 - Audits or problem identification LTA	G - Engineering	G - Design	050-00237/2004-012
Number of Items for this Docket: 25			
Percent of Total for this Docket: 35			

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 72

National Average: 43

2x National Average: 86

National Median: 21

Average for Selected Dockets: 72

Facility Name: Dresden 2 Docket (050- 00237)

Details	Department	Work Type	Docket/Report
Procedures and Reference Document / IR			
11 - No procedure / reference documents	P - Procedure Writers	M - Maint / Repair	050-00237/2004-010
12 - Procedure technical content LTA	P - Procedure Writers	P - Procedure Dev	050-00237/2004-010
12 - Procedure technical content LTA	P - Procedure Writers	P - Procedure Dev	050-00237/2004-010
12 - Procedure technical content LTA	P - Procedure Writers	P - Procedure Dev	050-00237/2004-010
Number of Items for this Docket: 4			
Percent of Total for this Docket: 6			
<hr/>			
Training / IR			
03 - Training process problem	T - Training	O - Control Room Ops	050-00237/2004-006
03 - Training process problem	T - Training	O - Control Room Ops	050-00237/2004-006
05 - Individual knowledge LTA	U - Unknown	H - Health Physics	050-00237/2004-010
05 - Individual knowledge LTA	U - Unknown	H - Health Physics	050-00237/2004-010
Number of Items for this Docket: 4			
Percent of Total for this Docket: 6			
<hr/>			
Work Factors / IR			
81 - Work Package Quality LTA	G - Engineering	F - Modification	050-00237/2004-002
82 - Briefing, prep. or turnover LTA	H - Health Physics	H - Health Physics	050-00237/2004-006
83 - Work practice or craft skill LTA	H - Health Physics	H - Health Physics	050-00237/2004-006
83 - Work practice or craft skill LTA	H - Health Physics	H - Health Physics	050-00237/2004-006
83 - Work practice or craft skill LTA	H - Health Physics	H - Health Physics	050-00237/2004-010
83 - Work practice or craft skill LTA	M - Mechanical	H - Health Physics	050-00237/2004-006
83 - Work practice or craft skill LTA	M - Mechanical	H - Health Physics	050-00237/2004-006
83 - Work practice or craft skill LTA	M - Mechanical	H - Health Physics	050-00237/2004-006
83 - Work practice or craft skill LTA	M - Mechanical	M - Maint / Repair	050-00237/2004-002
83 - Work practice or craft skill LTA	O - Operations	S - Surveillance	050-00237/2003-011
83 - Work practice or craft skill LTA	T - Training	O - Control Room Ops	050-00237/2004-006
84 - Non-conserv. decision / Questioning LTA	G - Engineering	F - Modification	050-00237/2004-002
84 - Non-conserv. decision / Questioning LTA	G - Engineering	M - Maint / Repair	050-00237/2004-010
84 - Non-conserv. decision / Questioning LTA	M - Mechanical	M - Maint / Repair	050-00237/2004-002
88 - Tag outs LTA	O - Operations	B - Bal of Plant Ops	050-00237/2004-010
89 - Housekeeping LTA	U - Unknown	Q - Fire Protection	050-00237/2004-002
93 - Awareness or attention LTA	G - Engineering	A - Administrative	050-00237/2004-003
93 - Awareness or attention LTA	G - Engineering	A - Administrative	050-00237/2004-003

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 72

National Average: 43

2x National Average: 86

National Median: 21

Average for Selected Dockets: 72

Facility Name: Dresden 2 Docket (050- 00237)

Details	Department	Work Type	Docket/Report
Work Factors / IR			
93 - Awareness or attention LTA	G - Engineering	A - Administrative	050-00237/2004-003
93 - Awareness or attention LTA	G - Engineering	A - Administrative	050-00237/2004-003
93 - Awareness or attention LTA	H - Health Physics	H - Health Physics	050-00237/2004-010
93 - Awareness or attention LTA	H - Health Physics	H - Health Physics	050-00237/2004-010
93 - Awareness or attention LTA	T - Training	O - Control Room Ops	050-00237/2004-006
94 - Log-keeping or review LTA	O - Operations	O - Control Room Ops	050-00237/2004-003
94 - Log-keeping or review LTA	O - Operations	V - Troubleshooting	050-00237/2004-003
94 - Log-keeping or review LTA	W - Work Control / Scheduling Outage Pla	Q - Fire Protection	050-00237/2004-002
Number of Items for this Docket: 26			
Percent of Total for this Docket: 36			
<hr/>			
Management and Supervision / LER			
40 - Individual Corrective Action LTA	I - Instrumentation & Control	M - Maint / Repair	050-00237/2004-005-00
Number of Items for this Docket: 1			
Percent of Total for this Docket: 1			
<hr/>			
Procedures and Reference Document / LER			
12 - Procedure technical content LTA	I - Instrumentation & Control	F - Modification	050-00237/2004-003-00
12 - Procedure technical content LTA	I - Instrumentation & Control	F - Modification	050-00237/2004-003-00
12 - Procedure technical content LTA	O - Operations	A - Administrative	050-00237/2004-005-00
12 - Procedure technical content LTA	O - Operations	A - Administrative	050-00237/2004-005-00
12 - Procedure technical content LTA	O - Operations	O - Control Room Ops	050-00237/2004-002-00
12 - Procedure technical content LTA	Z - Other	M - Maint / Repair	050-00237/2004-004-01
Number of Items for this Docket: 6			
Percent of Total for this Docket: 8			
<hr/>			
Work Factors / LER			
81 - Work Package Quality LTA	I - Instrumentation & Control	F - Modification	050-00237/2004-003-00
82 - Briefing, prep. or turnover LTA	I - Instrumentation & Control	C - Calibration	050-00237/2004-001-00
82 - Briefing, prep. or turnover LTA	I - Instrumentation & Control	F - Modification	050-00237/2004-003-00
83 - Work practice or craft skill LTA	I - Instrumentation & Control	C - Calibration	050-00237/2004-001-00

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 72
National Average: 43
2x National Average: 86
National Median: 21
Average for Selected Dockets: 72

Facility Name: Dresden 2 Docket (050- 00237)

Details	Department	Work Type	Docket/Report
Work Factors / LER			
91 - Verification / plant tours LTA	I - Instrumentation & Control	C - Calibration	050-00237/2004-001-00
Number of Items for this Docket: 5			
Percent of Total for this Docket: 7			

Total Items for this Docket: 72
